

Morbidity and Mortality



WEEKLY REPORT

For Year Ending Dec. 29, 1973

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

DATE OF RELEASE: JULY 15, 1974 - ATLANTA, GEORGIA 30333

EPIDEMIOLOGICAL NOTES AND REPORTS
QUARTERS - Hawaii

In February and early March 1973, the Epidemiology Branch of the Hawaii State Department of Health received reports from local health authorities and private citizens about neurologic illness consistent with dengue infection. The illness was reported in the form of a cluster of cases on the island of Kauai reported to the local health authority. The illness was characterized by fever, headache, myalgia, and arthralgia. The illness was reported in the form of a cluster of cases on the island of Kauai reported to the local health authority. The illness was characterized by fever, headache, myalgia, and arthralgia.

CONTENTS

Epidemiologic Notes and Reports
 Dengue - Hawaii 204
 Antigenic Relatedness of *Haemophilus influenzae* Strains - Texas, Florida 209
 Serratia Summary
 Agglutination Assay with Chinese Herb
 Malaria - California, Wisconsin 207
 International Affairs
 Respiratory Infections 208

(new blood group) - as a serotype which had several groups at about 7:00 p.m. on March 9.
 One of the groups, a wedding party consisting of 100 persons, was further investigated. Telephone interviews of 20 persons revealed that 20 (30%) had been ill (died) with the following symptoms following

TABLE 1. CASES OF REPORTED NOTIFIABLE DISEASES - UNITED STATES (Delayed reports through previous weeks)

DISEASE	1973	1972	1971	PERIODS/TIME, EARLY TO WEEKS		
				1974	1968	MEDIAN 1969-1968
Acute myocardial infarction	41	56	52	534	507	541
Brucellosis	4	4	4	61	60	69
Cholera	3,722	4,655	---	20,407	729,406	---
Diphtheria	4	3	5	139	58	40
Epilepsy	---	---	---	---	---	---
Food poisoning (bacterial) and unspecified	60	25	31	285	404	488
Post-infectious	94	38	30	144	152	182
Hepatitis	---	---	---	---	---	---
Type A	4	16	---	3,938	3,454	3,454
Type B	76	---	---	19,271	---	---
Type C	185	---	---	3,939	19,806	24,381
Malaria	---	---	---	---	---	---
Meningitis	94	5	---	16,086	18,650	12,601
Non-specific infectious, total	24	36	33	396	403	414
Orchitis	26	35	33	497	953	1,239
Mumps	---	---	---	---	---	---
Scarlet fever	3,596	1,946	2,038	17,200	46,397	26,040
Shingles	27	---	---	948	---	---
Rubella (German measles)	366	1,09	1,373	7,736	22,936	17,510
Tetanus	---	---	---	---	---	---
Tuberculosis, new active	609	581	---	13,429	14,662	---
Typhoid fever	1	18	5	43	46	16
Typhus, tick-borne (Rocky Mt. spotted fever)	10	12	5	147	148	133
Veneral diseases	26	44	36	388	404	30
Chlamydia	16,264	19,478	---	37,200	33,877	---
Syphilis, primary and secondary	44	426	---	10,647	10,925	---
Rabies in animals	50	66	30	328	167	1,705

TABLE 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

DISEASE	Cur.	Dem.
Anthrax	9	10
Bacillary dysentery	5	1
Congenital rubella syndrome	21	42
Leptospirosis (Gulf & Md. d.)	36	---
Leptospirosis	20	30
Plague	---	10
Poliovirus, total	---	---
Paratyphoid	---	---
Psittacosis (Q fever)	---	---
Rabies in man	---	---
Trichinosis (Q fever)	---	---
Typhus, murine	---	---

The Annual Supplement to the Morbidity and Mortality Weekly Report is published by the Center for Disease Control, Public Health Service, USDHEW, Atlanta, Georgia 30333

David J. Sencer, M.D.
Director, Center for Disease Control

Philip S. Brachman, M.D.
Director, Bureau of Epidemiology

Maxine M. Spoon and Helen R. Steele
National Morbidity Reporting System
Bureau of Epidemiology

Geneva S. Moore, Charlotte C. Turner,
and Frances H. Wilson
Editorial & Graphic Services
Bureau of Epidemiology

SOURCES OF DATA

This supplement carries final figures on the reported incidence of notifiable diseases in 1973 based on summaries submitted to the Center for Disease Control by the individual States through the National Morbidity Reporting System and on data collected by the Tuberculosis Control Division and the Venereal Disease Control Division, Bureau of State Services, and various surveillance activities of the Bureau of Epidemiology.

Data for charts and graphs are from the National Morbidity Reporting System, Bureau of Epidemiology national surveillance programs, Bureau of State Services, and the National Center for Health Statistics. The population estimates listed on page 2 and page 7 and used in computing rates are from the Bureau of the Census, Current Population Reports, Series P-25.

The morbidity data in this report represent cases reported to the State health departments and subsequently to the Center for Disease Control. The accuracy of reporting, that is, the number of cases that are reported to the Center as compared with the actual number that occur, varies with disease. Some diseases, such as plague and rabies, that result in severe clinical illness and are associated with serious consequences are undoubtedly reported fairly completely. Diseases that are

clinically mild and infrequently associated with serious consequences, such as salmonellosis and influenza are less likely to be reported. Additionally, sub-clinical cases are seldom detected except in the course of special studies. Also, the degree of completeness of reporting is influenced by the diagnostic facilities available, the control measures in effect, and the interests and priorities of State and local officials responsible for disease control and surveillance.

The data in this report stem from a variety of reporting mechanisms that seem to remain consistent over time; thus, the analysis of trends is valid. The age and seasonal distributions of these samples have been shown to be representative.

Some diseases included are not officially notifiable but are reported optionally by some States. These samples should not be considered representative of the whole.

For the first time this annual supplement includes population data from the Bureau of the Census so that readers can calculate rates that are not published here because of space limitations.

In order not to delay the publication of this document, we have included provisional data from California. For confirmation of any of those data, contact the California State Department of Health.



EXPLANATION OF SYMBOLS USED IN TABLES

Data not available
Quantity zero	—
Report of disease not required by State Health Department NN

INDEX OF TABLES

	Page
Table 1. Reported Cases of Diseases Covered by International Quarantine Agreement, United States, 1964-1973	1
Table 2. (A) Reported Cases of Specified Notifiable Diseases, United States, 1964-1973	2
(B) Reported Cases of Specified Notifiable Diseases per 100,000 Population, United States, 1964-1973	3
Table 3. (A) Deaths from Specified Notifiable Diseases, United States, 1961-1970	4
(B) Deaths from Selected Non-Notifiable Acute Diseases, United States, 1961-1970	5
Table 4. Reported Cases of Specified Notifiable Diseases by Month, United States, 1973	6
Table 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1973	7
Table 6. Reported Cases of Notifiable Diseases of Low Frequency by Geographic Division and by State, United States, 1973	10
Table 7. Reported Cases of Infectious Encephalitis by Geographic Division and by State, United States, 1972	11
Table 8. New Active Tuberculosis Cases by Geographic Division and by State, United States, 1972 and 1973 (Provisional)	12
Table 9. (A) Newly Reported Cases of Venereal Diseases in Civilians and Cases per 100,000 Population by Geographic Division and by State, United States, 1972-1973	13
(B) Newly Reported Cases of Venereal Diseases in Civilians by Age and Sex, United States, 1972-1973	14
Table 10. Rabies in Humans and Animals, by State and by Type of Animal, United States, 1973	15
Table 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1973	16
Table 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973	22
Table 13. Cases of Acute Diseases <i>Optionally</i> Reported by Certain States, 1973	29
Table 14. Cases of Other Diseases <i>Optionally</i> Reported, 1973	31
Table 15. Deaths in 121 Selected Cities, United States, 1973	32
Disease Patterns	33-60

Table 1. Reported Cases of Diseases Covered by International Quarantine Agreement, 1964-1973

International Classification of Diseases Covered	Number Reported									
	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964
000 Cholera	1	—	—	—	—	—	—	—	2	—
020 Plague	2	2	2	13	5	3	3	5	8	—
050 Smallpox	—	—	—	—	—	—	—	—	—	—
060 Yellow Fever	—	—	—	—	—	—	—	—	—	—

CASES OF QUARANTINABLE DISEASES IN 1973

PLACE ACQUIRED	DATE	AGE	SEX	OUTCOME
Cholera				
Texas	August	51	M	Recovered
Plague				
Arizona	July	9	F	Recovered
New Mexico	June	64	M	Recovered

TABLE 2(A). Reported Cases of Specified Notifiable Diseases, United States, 1964-1973

DISEASE	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964
U.S. total resident population, July 1 estimate (in thousands)	209,851	208,232	206,256	203,805	201,921	199,846	197,859	195,923	193,795	191,372
Amebiasis	2,235	2,199	2,752	2,888	2,915	3,005	3,157	2,921	2,768	3,304
Anthrax	2	2	5	2	4	3	2	5	7	5
Aseptic meningitis	4,846	4,534	5,176	6,480	3,672	4,494	3,082	3,058	2,329	2,177
Botulism	34	22	25	12	16	7	5	9	19	23
Brucellosis (undulant fever)	202	196	183	213	235	218	265	262	262	411
Chickenpox	182,927	164,114 Not previously reportable nationally							
Diphtheria	228	152	215	435	241	260	219	209	164	293
Encephalitis, primary ¹	1,059	1,524	1,580	1,613	1,781	1,478	2,121	1,722	2,002	2,002
Encephalitis, post-infectious ¹	243	439	370	304	502	1,060	964	981	1,585	1,585
Hepatitis A ²	50,749	54,074	59,606	56,797	48,416	45,893	38,909	32,859	33,856	37,740
Hepatitis B	8,451	9,402	9,556	8,310	5,909	4,829	2,458	1,497		
Leprosy	146	130	131	129	98	123	81	109	96	97
Leptospirosis	57	41	62	47	89	69	67	72	84	142
Malaria	237	742	2,375	3,051	3,102	2,317	2,022	565	147	93
Measles (rubeola)	26,690	32,275	75,290	47,351	25,826	22,231	62,705	204,136	261,904	458,083
Meningococcal infections	1,378	1,323	2,262	2,505	2,951	2,623	2,161	3,381	3,040	2,826
Mumps	69,612	74,215	124,939	104,953	90,918	152,209 Not previously reportable nationally			
Pertussis (whooping cough)	1,759	3,287	3,036	4,249	3,285	4,810	9,718	7,717	6,799	13,005
Poliomyelitis, total	8	31	21	33	20	53	41	113	72	122
Paralytic	7	29	17	31	18	53	40	106	61	106
Psittacosis	33	52	32	35	57	43	41	50	60	53
Rabies in man	1	2	2	2	1	1	2	1	2	1
Rheumatic fever, acute ³	2,560	2,614	2,793	3,227	3,229	3,470	3,985	4,472	4,998	7,491
Rubella (German measles)	27,804	25,507	45,086	56,552	57,686	49,371	46,888	46,975		
Rubella congenital syndrome	35	42	68	77	31	14	10	11		
Salmonellosis, excluding typhoid fever	23,818	22,151	21,928	22,096	18,419	16,514	18,120	16,841	17,161	17,144
Shigellosis	22,642	20,207	16,143	13,845	11,946	12,180	13,474	11,888	11,027	12,984
Tetanus	101	128	116	148	185	178	263	235	300	289
Trichinosis	102	89	103	109	222	77	66	115	199	198
Tuberculosis (newly reported active cases) ⁴	31,015	32,882	35,217	37,137	39,120	42,623	45,647	47,767	49,016	50,874
Tularemia	171	152	187	172	149	186	184	208	264	342
Typhoid fever	680	398	407	346	364	395	396	378	454	501
Typhus fever, flea-borne (endemic, murine)	32	18	23	27	36	36	52	33	28	30
Typhus fever, tick-borne (Rocky Mountain spotted)	668	523	432	380	498	298	305	268	281	277
Venereal diseases (newly reported civilian cases) ⁵										
Syphilis	87,469	91,149	95,997	91,382	92,162	96,271	102,581	105,159	112,842	114,314
Gonorrhea	842,621	767,215	670,268	600,072	534,872	464,543	404,836	351,738	324,925	300,667
Other specified venereal diseases: chancroid, granuloma inguinale, and lymphogranuloma venereum	1,635	2,251	2,101	2,152	1,778	1,486	1,309	1,294	2,015	2,115
Rabies in animals	3,640	4,369	4,310	3,224	3,490	3,591	4,481	4,178	4,574	4,780

¹ Encephalitis data are from the Viral Diseases Division, Bureau of Epidemiology, CDC.

² Hepatitis A includes viral hepatitis, type unspecified. Since January 1, 1974, hepatitis A, hepatitis B and hepatitis unspecified have each been reported separately.

³ Reports of cases of acute rheumatic fever were received from 36 States (see p. 8).

⁴ Tuberculosis data are from the Tuberculosis Control Division, CDC; provisional figure shown for 1973.

⁵ Venereal disease data are from the Venereal Disease Control Division, CDC.

TABLE 2(B). Reported Cases of Specified Notifiable Diseases per 100,000 Population, United States, 1964-1973

DISEASE	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964
Amebiasis	1.07	1.06	1.33	1.42	1.44	1.50	1.60	1.49	1.43	1.73
Anthrax	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Aseptic meningitis	2.33	2.23	2.51	3.18	1.82	2.25	1.56	1.56	1.20	1.14
Botulism	0.02	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.01
Brucellosis (undulant fever)	0.10	0.09	0.09	0.10	0.12	0.11	0.13	0.13	0.14	0.21
Chickenpox	97.68	87.34 Not previously reportable nationally							
Diphtheria	0.11	0.07	0.10	0.21	0.12	0.13	0.11	0.11	0.08	0.15
Encephalitis, primary	—	0.51	0.74	0.78	0.80	0.89	0.75	1.08	0.89	1.05
Encephalitis, post infectious	—	0.12	0.21	0.18	0.15	0.25	0.54	0.49	0.51	0.83
Hepatitis A	24.18	25.97	28.90	27.87	23.98	22.96	19.67	16.77	17.47	19.72
Hepatitis B	4.03	4.52	4.74	4.08	3.02	2.49	1.28	0.79		
Leprosy	0.07	0.06	0.06	0.06	0.05	0.06	0.04	0.06	0.05	0.05
Leptospirosis	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04	0.04	0.07
Malaria	0.11	0.36	1.15	1.50	1.54	1.16	1.02	0.29	0.08	0.05
Measles (rubeola)	12.72	15.50	36.50	23.23	12.79	11.12	31.69	105.41	136.73	242.20
Meningococcal infections	0.66	0.64	1.10	1.23	1.46	1.31	1.09	1.73	1.57	1.48
Mumps	36.23	38.42	65.33	55.55	48.65	87.87 Not previously reportable nationally			
Pertussis (whooping cough)	0.84	1.58	1.47	2.08	1.63	2.41	4.91	3.98	3.55	6.80
Poliomyelitis, total	0.00	0.01	0.01	0.02	0.01	0.03	0.02	0.06	0.04	0.06
Paralytic	0.00	0.01	0.01	0.02	0.01	0.03	0.02	0.05	0.03	0.06
Psittacosis	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03	0.03
Rabies in man	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rheumatic fever, acute	1.92	2.01	2.16	2.45	2.48	2.67	3.12	3.63	4.25	5.93
Rubella (German measles)	13.25	12.25	21.86	27.75	28.91	25.67	25.74	24.57
Rubella congenital syndrome	0.02	0.02	0.03	0.04	0.02	0.01	0.01	0.01
Salmonellosis, excluding typhoid fever	11.35	10.64	10.63	10.84	9.12	8.26	9.16	8.60	8.86	8.96
Shigellosis	10.79	9.70	7.83	6.79	5.92	6.09	6.81	6.07	5.69	6.78
Tetanus	0.05	0.06	0.06	0.07	0.09	0.09	0.13	0.12	0.15	0.15
Trichinosis	0.05	0.04	0.05	0.05	0.11	0.04	0.03	0.06	0.10	0.10
Tuberculosis (newly reported active cases)	14.78	15.79	17.07	18.22	19.37	21.33	23.07	24.38	25.29	26.58
Tularemia	0.08	0.07	0.09	0.08	0.07	0.09	0.11	0.11	0.14	0.18
Typhoid fever	0.32	0.19	0.20	0.17	0.18	0.20	0.20	0.19	0.23	0.26
Typhus fever — flea-borne (murine)	0.02	0.01	0.01	0.01	0.02	0.02	0.03	0.02	0.02	0.02
Typhus fever — tick-borne (Rocky Mountain spotted)	0.32	0.25	0.21	0.19	0.25	0.15	0.15	0.14	0.14	0.14
Venereal diseases (newly reported civilian cases)										
Syphilis	42.03	44.15	47.00	45.30	46.28	48.84	52.53	54.37	58.89	60.44
Gonorrhea	404.92	371.61	328.16	297.47	268.58	235.67	207.33	181.85	169.58	158.96
Other specified venereal diseases:										
Chancroid, granuloma inguinale, and lymphogranuloma venerum	0.79	1.09	1.03	1.07	0.89	0.75	0.67	0.67	1.05	1.12

Total resident population used to calculate all rates except venereal diseases for which civilian resident population was used.

TABLE 3(A). Deaths from Specified Notifiable Diseases, United States, 1961-1970

(Numbers after cause of death are category numbers of the Eighth Revision of the International Lists, 1965.
Deaths are classified according to the Seventh Revision for 1961-67 and according to the Eighth Revision for 1968-70.)

CAUSE OF DEATH		1970	1969	1968	1967	1966	1965	1964	1963	1962	1961
Amebiasis	006	59	58	51	65	54	66	65	92	86	84
Anthrax	022	—	—	—	—	—	—	1	—	—	1
Botulism	005.1	7	4	2	2	—	8	8	14	11	10
Brucellosis	023	2	3	1	4	3	6	4	5	12	11
Diphtheria	032	30	25	30	32	20	18	42	45	41	68
Encephalitis, acute infectious	062-065,079.2	327	386	362	419	579	500	534	532	582	505
Hepatitis, infectious	070	1,014	1,011	877	844	757	707	745	852	911	976
Leprosy	030	5	4	5	4	6	3	5	3	8	8
Leptospirosis	100	4	5	9	4	9	11	14	14	10	9
Malaria	084	5	11	7	4	5	8	3	7	12	3
Measles (rubeola)	055	89	41	24	81	261	276	421	364	408	434
Meningococcal infections	036	550	744	741	635	876	890	750	733	649	586
Mumps	072	16	22	25	37	43	31	50	48	43	53
Pertussis (whooping cough)	033	12	13	36	37	49	55	93	115	83	76
Plague	020	1	—	1	1	1	1	—	1	—	2
Poliomyelitis		7	13	24	16	9	16	17	41	60	90
Bulbar or polioencephalitis	040	2	3	7	6	3	6	6	22	35	61
With other paralysis	041	1	1	3	2	3	3	3	5	7	10
Unspecified	043	4	9	14	8	3	7	8	14	18	19
Psittacosis	073	1	—	—	1	1	—	—	1	1	—
Rabies	071	2	1	1	2	2	2	1	2	1	3
Rheumatic fever, acute	390-392	256	320	363	376	456	483	509	552	550	608
Rubella (German measles)	056	31	29	24	16	12	16	53	16	8	14
Salmonellosis, including paratyphoid fever	002-003	81	82	70	63	73	87	67	72	62	64
Shigellosis	004	30	36	60	62	86	99	125	134	134	128
Streptococcal sore throat and scarlet fever	034	29	41	28	47	65	63	95	102	102	130
Tetanus	037	79	89	86	144	158	181	179	210	215	242
Trichinosis	124	1	—	—	2	3	3	1	5	1	7
Tuberculosis (all forms)	010-019	5,217	5,567	6,292	6,901	7,625	7,934	8,303	9,311	9,506	9,938
Tularemia	021	2	1	1	3	2	2	6	3	1	3
Typhoid fever	001	6	4	7	12	15	6	14	21	15	17
Typhus fever — flea-borne (murine)	081.0	—	—	—	—	—	—	—	—	—	—
Typhus fever — tick-borne (Rocky Mountain spotted)	082.0	29	36	21	28	21	16	17	16	12	11
Venereal diseases and sequelae											
Syphilis	090-097	461	543	586	2,381	2,193	2,434	2,619	2,666	2,811	2,850
Gonorrhea	098	9	3	1	11	18	9	13	23	23	19
Other	099	6	9	6	6	9	11	10	12	16	11

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 3(B). Deaths from Selected Non-Notifiable Acute Diseases, United States, 1961-1970

CAUSE OF DEATH	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	
Abscess of lung	513	893	858	878	565	541	601	659	651	561	543
Boil and carbuncle	680	13	28	22	27	37	36	54	58	67	93
Other local skin conditions (cellulitis and abscess)	681-683,685-686	434	511	464	425	451	445	427	445	503	520
Chickenpox	052	93	81	99	118	137	143	153	129	134	167
Empyema and pleurisy	510-511	730	692	796	441	467	450	464	432	408	479
Erysipelas	035	12	13	9	14	12	12	17	16	25	32
Fungal infections											
Actinomycosis	113	18	15	16	28	21	26	31	35	17	21
Coccidioidomycosis	114	42	60	58	49	45	52	46	71	55	62
Blastomycosis	116.1-116.2	3	2	-	17	12	29	21	24	17	16
Cryptococcosis	116.0	112	117	96	65	90	62	74	73	90	86
Histoplasmosis	115	56	61	58	67	60	74	77	70	82	90
Moniliasis	112	153	114	112	94	87	93	81	105	88	100
Herpes febrilis	054	72	71	37	29	31	39	18	22	19	21
Herpes zoster	053	79	82	69	64	69	78	81	66	69	63
Hydatid disease	122	3	9	6	10	7	7	6	10	7	3
Infections of ear and mastoid	380-384	174	201	213	130	167	234	255	261	266	314
Meningitis, excluding meningococcal and tuberculous	320	1,701	1,719	1,707	2,046	2,324	2,363	2,464	2,343	2,322	2,263
Mononucleosis, infectious	075	19	21	14	23	18	28	20	11	18	13
Pemphigus	694	123	120	106	116	133	110	133	147	142	141
Pemphigus, neonatorum	684	2	1	5	4	15	5	17	13	16	23
Respiratory infections											
Bronchitis, acute	466	1,310	1,286	1,432	958	987	1,004	998	1,139	1,118	1,031
Influenza	470-474	3,707	5,971	7,062	1,475	2,830	2,295	1,687	7,083	3,431	2,137
Pneumonia (primary cause of death)	480-486	59,032	62,394	66,430	55,417	60,785	59,608	57,764	63,678	56,564	53,038
Upper respiratory infections, acute	460-465	574	621	784	592	670	745	776	867	820	808
Sepsis of											
Abortion640.0,641.0,642.0,643.0,644.0,645.0										
Childbirth	640.2,641.2,642.2,643.2,644.2,645.2	94	94	84	104	135	158	167	201	213	220
Septicemia and pyemia	635,670	18	27	32	50	44	53	67	57	55	59
	038	3,535	3,009	2,991	3,422	3,312	3,224	3,235	3,187	2,858	2,608
Viral diseases, undifferentiated	079.9	459	430	468	417	464	431	451	511	476	456
Worm infestation	123,125-129	9	16	11	40	36	68	41	44	67	48

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 4. Reported Cases of Notifiable Diseases by Month, United States, 1973

DISEASE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Month Not Stated
Amebiasis	2,235	157	160	192	197	202	144	141	223	221	207	195	196	—
Anthrax	2	—	1	—	—	1	—	—	—	—	—	—	—	—
Aseptic meningitis	4,846	202	130	149	164	197	360	729	991	808	561	354	199	2
Botulism	34	—	—	—	—	11	2	1	—	1	3	2	14	—
Brucellosis (undulant fever)	202	12	9	10	18	12	34	18	22	18	15	7	27	—
Chickenpox	182,927	23,273	25,430	34,360	28,520	28,532	16,016	4,139	1,662	1,269	3,355	6,111	10,260	—
Diphtheria	228	13	14	40	8	15	10	10	12	26	12	23	45	—
Hepatitis A	50,749	4,193	3,899	4,455	3,961	4,211	3,990	3,620	4,319	4,460	4,787	4,570	4,215	69
Hepatitis B	8,451	670	578	689	663	773	717	685	812	672	779	699	674	40
Leprosy	146	4	16	16	10	7	7	18	17	8	11	16	12	4
Leptospirosis	57	3	2	5	2	2	—	5	11	5	4	7	3	8
Malaria	237	14	16	21	15	27	25	21	17	27	30	10	14	—
Measles (rubeola)	26,690	2,569	2,875	3,989	5,133	4,792	2,864	980	616	312	437	1,105	1,016	2
Meningococcal infections, total	1,378	135	148	172	152	147	131	90	69	55	89	88	98	4
Military	21	3	2	3	1	2	3	3	—	1	3	—	—	—
Mumps	69,612	7,548	7,877	10,344	8,971	8,961	6,273	2,931	1,742	1,547	2,980	4,519	5,919	—
Pertussis (whooping cough)	1,759	188	133	116	120	125	120	131	158	188	176	147	157	—
Poliomyelitis, total	8	1	—	—	1	1	1	1	—	1	—	1	—	1
Paralytic	7	1	—	—	1	1	1	1	—	—	—	1	—	1
Psittacosis	33	1	3	—	1	4	5	—	3	4	4	2	5	1
Rabies in man	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Rheumatic fever, acute*	2,560	196	282	284	291	232	147	157	179	182	190	249	139	32
Rubella (German measles)	27,804	1,645	2,506	5,732	6,435	5,581	2,703	606	431	386	544	573	662	—
Rubella congenital syndrome	35	2	3	1	—	4	3	3	1	—	3	3	11	1
Salmonellosis, excluding typhoid fever	23,818	1,364	1,101	1,475	1,235	1,720	2,068	2,148	2,638	2,728	2,718	2,147	2,459	17
Shigellosis	22,642	1,331	1,165	1,542	1,338	1,718	1,831	2,074	2,254	2,348	2,370	2,342	2,304	25
Tetanus	101	4	4	7	7	9	8	13	8	11	9	7	13	1
Trichinosis	102	20	4	20	4	7	9	21	4	3	1	2	6	1
Tularemia	171	11	7	6	1	19	43	17	17	11	11	10	14	4
Typhoid fever	680	23	28	199	51	34	46	40	57	64	46	47	43	2
Typhus fever														
Flea-borne (endemic, murine)	32	—	1	3	—	5	5	6	3	3	1	—	5	—
Tick-borne (Rocky Mountain spotted)	668	2	2	3	13	87	187	140	118	70	28	10	4	4

*Based on reports from 36 States.

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1973

AREA	POPULATION (in thousands)	AMEBIA- SIS	ASEPTIC MENINGITIS	BRUCEL- LOSIS	CHICKEN- POX	DIPH- THERIA	HEPATITIS	
							A	B
UNITED STATES	209,851	2,235	4,846	202	182,927	228	50,749	8,451
NEW ENGLAND	12,151	43	408	2	23,597	3	3,203	274
Maine	1,028	—	2	—	1,602	—	331	6
New Hampshire	791	1	55	—	1,359	—	269	22
Vermont	464	—	1	—	789	—	234	6
Massachusetts	5,818	4	134	—	10,613	1	1,299	115
Rhode Island	973	7	155	—	2,866	2	405	45
Connecticut	3,076	31	61	2	6,368	—	665	80
MIDDLE ATLANTIC	37,528	1,106	531	6	7,787	—	5,929	1,691
Upstate New York	10,356*	29	121	3	128	—	1,995	313
New York City	7,909*	1,012	78	—	4,496	—	1,084	394
New Jersey	7,361	55	257	1	NN	—	1,179	503
Pennsylvania	11,902	10	75	2	3,163	—	1,671	481
EAST NORTH CENTRAL	40,897	111	1,038	10	77,566	1	8,125	1,328
Ohio	10,731	1	317	3	11,549	1	1,674	340
Indiana	5,316	7	65	—	6,288	—	571	29
Illinois	11,236	92	184	2	14,101	—	2,204	372
Michigan	9,044	10	434	1	17,788	—	3,383	489
Wisconsin	4,569	1	38	4	27,840	—	293	98
WEST NORTH CENTRAL	16,704	111	171	24	17,606	7	2,047	286
Minnesota	3,897	4	78	2	914	—	208	80
Iowa	2,904	79	34	10	12,467	—	219	49
Missouri	4,757	3	50	2	1,060	—	757	76
North Dakota	640	—	—	—	1,010	—	28	6
South Dakota	685	2	1	—	47	7	233	1
Nebraska	1,542	2	4	7	458	—	36	16
Kansas	2,279	21	4	3	1,650	—	566	58
SOUTH ATLANTIC	32,459	142	758	41	18,227	11	8,201	888
Delaware	576	—	—	—	479	—	101	5
Maryland	4,070	7	74	—	990	1	627	107
District of Columbia	746	—	34	—	195	—	62	17
Virginia	4,811	87	162	10	1,367	1	632	104
West Virginia	1,794	—	49	—	8,920	—	320	13
North Carolina	5,273	17	131	1	NN	—	1,304	127
South Carolina	2,726	4	32	2	1,300	—	759	32
Georgia	4,786	6	13	25	35	2	872	44
Florida	7,678	21	263	3	4,941	7	3,524	439
EAST SOUTH CENTRAL	13,289	82	367	11	5,078	6	3,581	459
Kentucky	3,342	1	59	—	3,765	—	1,094	65
Tennessee	4,126	32	134	9	NN	—	1,766	120
Alabama	3,539	2	139	—	904	6	478	195
Mississippi	2,281	47	35	2	409	—	243	79
WEST SOUTH CENTRAL	20,257	242	421	55	12,959	18	7,075	598
Arkansas	2,037	9	18	7	414	—	383	37
Louisiana	3,764	7	112	6	NN	—	772	152
Oklahoma	2,663	31	111	6	1,347	—	1,028	112
Texas	11,794	195	180	36	11,198	18	4,892	297
MOUNTAIN	9,149	91	58	13	4,643	66	2,628	210
Montana	721	—	10	4	844	1	253	5
Idaho	770	3	17	—	241	—	214	19
Wyoming	353	—	11	—	840	—	52	3
Colorado	2,437	22	12	2	1,495	—	556	63
New Mexico	1,106	4	6	7	895	41	504	15
Arizona	2,058	62	NN	—	NN	24	670	53
Utah	1,157	—	1	—	299	—	187	30
Nevada	548	—	1	—	29	—	192	22
PACIFIC	27,417	307	1,094	40	15,464	116	9,960	2,717
Washington	3,429	5	109	—	11,813	104	1,253	161
Oregon	2,225	3	24	—	44	4	1,110	181
California	20,601	295	937	39	1,405	6	7,220	2,308
Alaska	330	—	5	1	655	2	249	41
Hawaii	832	4	19	—	1,547	—	128	26
Guam	86*	5	11	1	195	—	83	18
Puerto Rico	2,809	—	1	—	562	—	698	32

*Estimate

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1973 — Continued

AREA	MALARIA	MEASLES	MENINGO- COCCAL INFECTIONS	MUMPS	PERTUSSIS	RHEUMATIC FEVER ACUTE	RUBELLA	
							Cases	Congenital Syndrome
UNITED STATES	237	26,690	1,378	69,612	1,759	2,560	27,804	35
NEW ENGLAND	20	7,631	70	5,029	53	14	3,676	1
Maine	—	75	2	573	5	1	79	—
New Hampshire	—	1,049	8	305	4	...	387	1
Vermont	3	122	8	278	1	1	49	—
Massachusetts	8	3,953	20	1,330	27	...	2,046	—
Rhode Island	2	643	4	911	6	...	200	—
Connecticut	7	1,789	28	1,632	10	12	915	—
MIDDLE ATLANTIC	41	2,973	181	8,344	192	...	4,305	—
Upstate New York	20	826	65	NN	66	...	477	—
New York City	6	965	37	4,917	77	...	503	—
New Jersey	5	774	46	1,684	7	...	3,029	—
Pennsylvania	10	408	33	1,743	42	...	296	—
EAST NORTH CENTRAL	34	9,203	203	17,659	615	1,500	6,659	4
Ohio	5	463	75	3,216	55	634	711	—
Indiana	3	675	15	1,786	46	57	1,018	—
Illinois	18	2,162	42	2,944	129	799	1,264	—
Michigan	6	4,552	54	5,042	86	...	2,001	4
Wisconsin	2	1,351	17	4,671	299	10	1,665	—
WEST NORTH CENTRAL	10	474	97	6,120	65	119	1,179	4
Minnesota	2	25	16	109	8	5	224	1
Iowa	1	284	21	4,095	21	17	221	—
Missouri	3	56	33	637	10	3	264	2
North Dakota	1	73	3	78	11	45	233	—
South Dakota	—	3	5	21	7	...	24	—
Nebraska	1	6	7	194	2	...	141	1
Kansas	2	27	12	986	6	49	72	—
SOUTH ATLANTIC	39	1,300	228	7,804	153	38	2,291	5
Delaware	—	8	—	284	6	14	17	—
Maryland	8	16	29	696	14	6	10	1
District of Columbia	2	9	5	167	1	...	4	—
Virginia	8	428	49	799	15	...	547	3
West Virginia	—	232	6	2,783	21	14	347	—
North Carolina	7	4	43	NN	42	...	204	—
South Carolina	1	76	17	358	12	2	80	—
Georgia	4	158	24	35	2	2	16	—
Florida	9	369	55	2,682	40	...	1,066	1
EAST SOUTH CENTRAL	14	644	124	5,844	143	529	1,517	1
Kentucky	9	407	48	1,759	59	197	428	1
Tennessee	—	164	40	2,836	55	73	645	—
Alabama	5	14	19	758	15	256	210	—
Mississippi	—	59	17	491	14	3	234	—
WEST SOUTH CENTRAL	5	758	215	4,871	173	74	1,540	6
Arkansas	—	71	16	417	23	2	119	—
Louisiana	2	91	51	156	12	27	100	1
Oklahoma	3	64	37	512	23	16	185	—
Texas	—	532	111	3,786	115	29	1,136	5
MOUNTAIN	11	1,203	44	2,700	45	258	2,452	5
Montana	—	496	18	314	4	9	529	—
Idaho	1	250	2	134	8	115	46	—
Wyoming	—	83	1	433	2	45	8	—
Colorado	2	105	10	618	16	41	1,589	3
New Mexico	2	115	4	1,044	14	3	174	—
Arizona	4	22	6	NN	NN	44	8	2
Utah	2	131	2	134	1	1	83	—
Nevada	—	1	1	23	—	...	15	—
PACIFIC	63	2,504	216	11,241	320	28	4,185	9
Washington	3	1,116	23	1,949	77	3	784	—
Oregon	4	453	19	2,140	40	7	811	—
California	53	848	162	5,931	199	17	2,541	8
Alaska	2	65	11	938	4	1	19	—
Hawaii	1	22	1	283	—	...	30	1
Guam	—	47	—	53	—	32	16	—
Puerto Rico	1	2,021	12	1,117	70	56	42	—

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1973 — Continued

AREA	SALMONEL- LOSIS (Excluding Typhoid Fever)	SHIGELLOSIS	TETANUS	TRICHI- NOSIS	TULA- REMIA	TYPHOID FEVER	TYPHUS FEVER (Tick-borne, Rky Mt Spotted)
UNITED STATES	23,818	22,642	101	102	171	680	668
NEW ENGLAND	1,479	838	4	9	—	24	4
Maine	79	24	1	—	—	—	—
New Hampshire	60	9	—	—	—	—	—
Vermont	64	24	—	—	—	—	—
Massachusetts	802	453	—	—	—	19	3
Rhode Island	120	54	1	—	—	—	—
Connecticut	354	274	2	9	—	5	1
MIDDLE ATLANTIC	3,297	2,667	9	43	—	93	46
Upstate New York	609	703	1	1	—	10	13
New York City	570	681	3	30	—	29	4
New Jersey	1,080	550	2	6	—	42	5
Pennsylvania	1,038	733	3	6	—	12	24
EAST NORTH CENTRAL	4,324	4,969	17	10	6	60	28
Ohio	645	789	3	5	1	20	14
Indiana	369	213	7	—	—	2	—
Illinois	1,517	2,454	3	4	3	20	14
Michigan	795	623	2	1	2	14	—
Wisconsin	998	890	2	—	—	4	—
WEST NORTH CENTRAL	1,703	2,343	8	18	20	25	30
Minnesota	438	1,044	—	—	—	8	2
Iowa	225	276	—	—	—	1	7
Missouri	519	520	7	—	17	10	10
North Dakota	44	40	1	—	—	—	—
South Dakota	58	129	—	—	—	1	2
Nebraska	86	50	—	18	—	1	3
Kansas	333	284	—	—	3	4	6
SOUTH ATLANTIC	4,683	2,897	20	6	23	265	317
Delaware	56	—	—	—	—	—	10
Maryland	894	686	1	4	6	7	14
District of Columbia	119	128	—	1	—	2	—
Virginia	1,009	119	4	—	6	5	61
West Virginia	69	45	1	—	—	12	5
North Carolina	331	337	—	—	2	5	141
South Carolina	171	85	1	—	1	5	32
Georgia	966	833	3	—	5	7	51
Florida	1,068	664	10	1	3	222	3
EAST SOUTH CENTRAL	1,601	777	10	—	11	51	115
Kentucky	237	154	1	—	1	12	7
Tennessee	686	366	5	—	6	16	48
Alabama	404	121	3	—	—	14	28
Mississippi	274	136	1	—	4	9	32
WEST SOUTH CENTRAL	2,193	2,753	19	5	96	26	108
Arkansas	411	405	1	—	63	4	20
Louisiana	281	238	4	1	2	6	—
Oklahoma	290	206	4	—	23	2	77
Texas	1,211	1,904	10	4	8	14	11
MOUNTAIN	1,121	1,736	1	1	12	22	9
Montana	73	116	—	—	—	—	1
Idaho	91	168	—	—	1	1	2
Wyoming	28	17	—	—	2	2	1
Colorado	556	697	1	—	2	2	2
New Mexico	154	224	—	1	2	9	3
Arizona	130	300	—	—	—	8	—
Utah	62	212	—	—	4	—	—
Nevada	27	2	—	—	1	—	—
PACIFIC	3,417	3,662	13	10	3	114	11
Washington	368	315	3	1	1	7	5
Oregon	200	238	—	—	1	2	3
California	2,245	2,935	10	9	1	100	3
Alaska	65	49	—	—	—	4	—
Hawaii	539	125	—	—	—	1	—
Guam	10	11	—	—	—	—	—
Puerto Rico	56	14	11	—	—	7	—

TABLE 6. Reported Cases of Notifiable Diseases of Low Frequency by Geographic Division and by State, United States, 1973

AREA	ANTHRAX	BOTULISM	LEPROSY	LEPTO-SPIROSIS	POLIOMYELITIS		PSITTACOSIS	MURINE TYPHUS
					Total	Paralytic		
UNITED STATES	2	34	146	57	8	7	33	32
NEW ENGLAND	—	—	2	6	—	—	2	—
Maine	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—
Massachusetts	—	—	2	—	—	—	1	—
Rhode Island	—	—	—	5	—	—	—	—
Connecticut	—	—	—	1	—	—	1	—
MIDDLE ATLANTIC	1	1	4	1	1	1	5	—
Upstate New York	—	—	NN	—	—	—	2	—
New York City	—	—	1	—	—	—	—	—
New Jersey	—	—	2	—	—	—	—	—
Pennsylvania	1	1	1	1	1	1	3	—
EAST NORTH CENTRAL	—	—	8	10	1	—	2	1
Ohio	—	—	2	3	—	—	—	—
Indiana	—	—	—	—	1	—	—	—
Illinois	—	—	4	4	—	—	—	1
Michigan	—	—	1	3	—	—	—	—
Wisconsin	—	—	1	—	—	—	2	—
WEST NORTH CENTRAL	1	—	2	9	1	1	6	—
Minnesota	—	—	—	2	—	—	3	—
Iowa	—	—	1	1	1	1	1	—
Missouri	—	—	—	6	—	—	—	—
North Dakota	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	1	—
Kansas	1	—	1	—	—	—	1	—
SOUTH ATLANTIC	—	10	5	9	2	2	3	—
Delaware	—	—	—	1	—	—	—	—
Maryland	—	2	1	3	1	1	2	—
District of Columbia	—	—	—	—	—	—	—	—
Virginia	—	—	—	2	1	1	—	—
West Virginia	—	8	—	—	—	—	—	—
North Carolina	—	—	—	—	—	—	—	—
South Carolina	—	—	—	—	—	—	—	—
Georgia	—	—	—	—	—	—	—	—
Florida	—	—	4	3	—	—	1	—
EAST SOUTH CENTRAL	—	3	2	3	—	—	—	1
Kentucky	—	3	1	—	—	—	—	—
Tennessee	—	—	—	2	—	—	—	—
Alabama	—	—	—	—	—	—	—	—
Mississippi	—	—	1	1	—	—	—	1
WEST SOUTH CENTRAL	—	1	23	3	—	—	5	29
Arkansas	—	—	—	2	—	—	—	1
Louisiana	—	—	—	—	—	—	—	—
Oklahoma	—	1	—	—	—	—	—	—
Texas	—	—	23	1	—	—	5	28
MOUNTAIN	—	1	3	5	—	—	1	—
Montana	—	—	—	—	—	—	—	—
Idaho	—	1	—	3	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—
Colorado	—	—	1	—	—	—	—	—
New Mexico	—	—	—	—	—	—	—	—
Arizona	—	—	2	2	—	—	1	—
Utah	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—
PACIFIC	—	18	97	11	3	3	9	1
Washington	—	3	—	—	—	—	—	—
Oregon	—	2	—	1	—	—	1	—
California	—	4	53	9	2	2	8	—
Alaska	—	9	—	—	—	—	—	—
Hawaii	—	—	44	1	1	1	—	—
Guam	—	—	2	1	—	—	—	—
Puerto Rico	—	—	—	1	—	—	—	—

TABLE 7. Reported Cases of Infectious Encephalitis by Geographic Division and by State, United States, 1972

	TOTAL	ARBOVIRUSES*				POST-INFECTIOUS				OTHER ENCEPHALITIDES			ETIOLOGY UNKNOWN
		WEE	SLE	EEE	Calif	Mumps	Measles	Chicken Pox	Rubella	CAUSE SPECIFIED			
										Enteroviral	Herpes Simplex	Other	
UNITED STATES	1,302	8	13	—	45	163	26	52	2	30	45	17	898
NEW ENGLAND	65	—	—	—	—	3	4	1	—	—	—	—	57
Maine	2	—	—	—	—	1	1	—	—	—	—	—	—
New Hampshire	3	—	—	—	—	—	—	1	—	—	—	—	2
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	33
Massachusetts	37	—	—	—	—	1	3	—	—	—	—	—	—
Rhode Island	3	—	—	—	—	—	—	—	—	—	—	—	3
Connecticut	20	—	—	—	—	1	—	—	—	—	—	—	19
MIDDLE ATLANTIC	156	—	—	—	3	13	1	12	—	—	12	—	114
Upstate New York	51	—	—	—	2	4	—	5	—	—	2	—	37
New York City	14	—	—	—	—	4	—	1	—	—	—	—	9
New Jersey	36	—	—	—	—	1	1	5	—	—	8	—	21
Pennsylvania	55	—	—	—	1	4	—	1	—	—	2	—	47
EAST NORTH CENTRAL	325	—	—	—	33	27	6	7	1	9	3	5	234
Ohio	88	—	—	—	14	8	1	—	—	—	—	—	65
Indiana	21	—	—	—	—	—	2	1	—	—	1	—	17
Illinois	87	—	—	—	2	10	3	1	—	3	1	1	66
Michigan	108	—	—	—	—	9	—	5	1	5	1	4	83
Wisconsin	21	—	—	—	17	—	—	—	—	1	—	—	3
WEST NORTH CENTRAL	109	1	—	—	9	23	1	4	—	4	9	3	55
Minnesota	37	—	—	—	9	5	—	1	—	—	5	1	16
Iowa	20	—	—	—	—	6	—	1	—	4	4	1	4
Missouri	30	—	—	—	—	4	—	1	—	—	—	1	24
North Dakota	1	—	—	—	—	—	—	—	—	—	—	—	1
South Dakota	1	—	—	—	—	—	—	—	—	—	—	—	1
Nebraska	1	1	—	—	—	—	—	—	—	—	—	—	—
Kansas	19	—	—	—	—	8	1	1	—	—	—	—	9
SOUTH ATLANTIC	127	—	—	—	—	15	3	4	—	7	9	1	88
Delaware	3	—	—	—	—	—	—	—	—	—	—	—	3
Maryland	18	—	—	—	—	—	—	—	—	—	—	—	18
District of Columbia	2	—	—	—	—	—	—	—	—	—	—	—	2
Virginia	22	—	—	—	—	1	1	—	—	—	—	—	20
West Virginia	8	—	—	—	—	1	—	—	—	—	—	—	7
North Carolina	27	—	—	—	—	4	—	1	—	2	1	—	19
South Carolina	17	—	—	—	—	1	—	2	—	—	—	—	14
Georgia	9	—	—	—	—	1	—	—	—	5	1	—	2
Florida	21	—	—	—	—	7	2	1	—	—	7	1	3
EAST SOUTH CENTRAL	85	—	1	—	—	6	3	1	—	—	—	2	72
Kentucky	8	—	—	—	—	—	—	—	—	—	—	—	8
Tennessee	49	—	—	—	—	6	3	1	—	—	—	—	39
Alabama	28	—	1	—	—	—	—	—	—	—	—	2	25
Mississippi	—	—	—	—	—	—	—	—	—	—	—	—	—
WEST SOUTH CENTRAL	106	—	2	—	—	17	—	2	1	—	1	—	83
Arkansas	11	—	—	—	—	1	—	2	1	—	—	—	7
Louisiana	26	—	—	—	—	4	—	—	—	—	—	—	22
Oklahoma	42	—	—	—	—	5	—	—	—	—	—	—	37
Texas	27	—	2	—	—	7	—	—	—	—	1	—	17
MOUNTAIN	30	1	2	—	—	4	—	—	—	2	1	—	20
Montana	15	—	—	—	—	3	—	—	—	—	1	—	11
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	5	1	2	—	—	1	—	—	—	—	—	—	1
New Mexico	7	—	—	—	—	—	—	—	—	—	—	—	7
Arizona	1	—	—	—	—	—	—	—	—	—	—	—	1
Utah	2	—	—	—	—	—	—	—	—	2	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	299	6	8	—	—	55	8	21	—	8	10	6	175
Washington	20	3	1	—	—	—	1	1	—	—	—	—	14
Oregon	24	—	1	—	—	11	—	1	—	—	—	2	9
California	245	3	6	—	—	43	7	17	—	7	10	4	146
Alaska	3	—	—	—	—	—	—	—	—	—	—	—	3
Hawaii	7	—	—	—	—	1	—	2	—	1	—	—	3
Puerto Rico	1	—	—	—	—	—	—	—	—	—	—	—	1

*Includes 2 VEE—Calif; 1 Powassan—Upstate New York.

TABLE 8. New Active Tuberculosis Cases by Geographic Division and by State, United States, 1972 and 1973 (Provisional)

AREA	Provisional		Final
	1973	1972	1972
UNITED STATES	31,015	32,932	32,882
NEW ENGLAND	1,203	1,219	1,249
Maine	107	87	87
New Hampshire	52	39	38
Vermont	30	36	36
Massachusetts	673	698	734
Rhode Island	90	108	108
Connecticut	251	251	246
MIDDLE ATLANTIC	5,964	6,499	6,431
New York	3,197	3,487	3,451
New Jersey	1,075	1,239	1,208
Pennsylvania	1,692	1,773	1,772
EAST NORTH CENTRAL ..	4,878	5,394	5,415
Ohio	1,369	1,281	1,252
Indiana	707	737	722
Illinois	1,418	1,919	1,940
Michigan	1,153	1,220	1,261
Wisconsin	231	237	240
WEST NORTH CENTRAL ..	1,278	1,277	1,294
Minnesota	180	175	202
Iowa	125	117	117
Missouri	610	615	605
North Dakota	44	33	31
South Dakota	90	71	69
Nebraska	64	102	101
Kansas	165	164	169
SOUTH ATLANTIC	6,218	6,593	6,425
Delaware	74	104	103
Maryland	689	896	838
District of Columbia	307	352	354
Virginia	850	900	817
West Virginia	223	248	252
North Carolina	896	1,009	996
South Carolina	615	656	651
Georgia	986	911	897
Florida	1,488	1,517	1,517
EAST SOUTH CENTRAL ..	2,776	2,922	2,962
Kentucky	683	718	715
Tennessee	860	886	929
Alabama	790	918	918
Mississippi	443	400	400
WEST SOUTH CENTRAL ..	3,493	3,681	3,706
Arkansas	445	414	434
Louisiana	469	517	520
Oklahoma	340	330	330
Texas	2,239	2,420	2,422
MOUNTAIN	1,060	1,100	1,086
Montana	61	64	64
Idaho	38	63	62
Wyoming	23	22	20
Colorado	199	245	245
New Mexico	221	200	194
Arizona	403	394	396
Utah	56	62	62
Nevada	59	50	43
PACIFIC	4,145	4,247	4,314
Washington	363	359	359
Oregon	240	234	234
California	3,131	3,239	3,326
Alaska	112	97	80
Hawaii	299	318	315
Puerto Rico	537	673	644

DISTRIBUTION BY AGE AND RACE, 1972			
Age	Total	White	Other
0-4	1,374	691	683
5-14	1,211	486	725
15-24	2,887	1,436	1,451
25-44	8,668	4,199	4,469
45-64	11,328	7,247	4,081
65+	7,414	5,481	1,933
Total	32,882	19,540	13,342

DISTRIBUTION BY SEX AND RACE, 1972			
Sex	Total	White	Other
Male	21,925	13,220	8,705
Female	10,957	6,320	4,637
Total	32,882	19,540	13,342

DISTRIBUTION BY AGE, RACE AND SEX, 1972				
Age	White		Other	
	Male	Female	Male	Female
0-14	629	548	733	675
15-44	3,438	2,197	3,653	2,267
45-64	5,448	1,799	3,041	1,040
65+	3,705	1,776	1,278	665
Total	13,220	6,320	8,705	4,637

NEW ACTIVE TB CASE RATE BY AGE, RACE AND SEX, 1972							
Age	Total	White			Other		
		Total	Male	Female	Total	Male	Female
0-4	8.0	4.8	4.9	4.6	24.6	26.6	22.6
5-14	3.1	1.5	1.6	1.4	11.7	11.7	11.7
15-24	7.6	4.4	4.7	4.1	27.1	28.4	25.9
25-44	17.4	9.6	12.3	6.9	74.6	102.9	49.4
45-64	26.5	18.9	29.8	9.0	94.2	147.0	45.9
65+	35.4	28.7	47.3	15.8	102.9	151.4	63.3
Total	15.8	10.8	14.9	6.8	50.3	67.6	34.0

**TABLE 9(B). Newly Reported Cases of Venereal Diseases in Civilians
by Age and Sex, United States, 1972-1973**

**Gonorrhea
1972 and 1973**

Age Group	Male				Female				Total			
	1972		1973		1972		1973		1972		1973	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
0-14	2,979	10.3	2,911	10.3	6,989	25.1	7,903	28.9	9,968	17.6	10,814	19.4
15-19	106,478	1075.6	108,221	1075.2	98,157	995.0	124,773	1234.5	204,635	1035.4	232,994	1155.0
20-24	210,891	2593.0	205,495	2479.4	100,160	1110.5	127,928	1406.7	311,051	1813.5	333,423	1918.2
25-29	100,752	1416.2	107,852	1461.6	34,468	456.0	44,203	565.8	135,220	921.6	152,055	1000.9
30-39	62,176	560.8	62,812	546.2	17,613	148.1	21,788	176.5	79,789	347.2	84,600	354.8
40-49	16,103	141.9	16,411	145.2	3,794	31.1	4,497	37.3	19,897	84.6	20,908	89.5
50 Plus	5,196	22.4	6,119	25.9	1,459	5.1	1,708	5.9	6,655	12.9	7,827	14.9
TOTAL	504,575	506.1	509,821	507.2	262,640	246.0	332,800	309.4	767,215	371.6	842,621	404.9

**Primary and Secondary Syphilis
1972 and 1973**

Age Group	Male				Female				Total			
	1972		1973		1972		1973		1972		1973	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
0-14	61	.2	90	.3	171	.6	172	.6	232	.4	262	.5
15-19	1,921	19.4	1,880	18.7	2,114	21.4	1,989	19.7	4,035	20.4	3,869	19.2
20-24	4,592	56.5	4,662	56.3	2,624	29.1	2,513	27.6	7,216	42.1	7,175	41.3
25-29	3,473	48.8	3,977	53.9	1,338	17.7	1,374	17.6	4,811	32.8	5,351	35.2
30-39	3,987	36.0	4,022	35.0	1,245	10.5	1,275	10.3	5,232	22.8	5,297	22.2
40-49	1,520	13.4	1,631	14.4	466	3.8	472	3.9	1,986	8.4	2,103	9.0
50 Plus	738	3.2	626	2.7	179	.6	142	.5	917	1.8	768	1.5
TOTAL	16,292	16.3	16,888	16.8	8,137	7.6	7,937	7.4	24,429	11.8	24,825	11.9

**Congenital Syphilis
1972 and 1973**

Age Group	Number of Cases		Percent of Total	
	1972	1973	1972	1973
0-1	384	313	21.8	20.5
1-4	15	81	.9	5.3
5-9	10	11	.6	.7
10 Plus	1,349	1,122	76.7	73.5
TOTAL	1,758	1,527	100.0	100.0

**TABLE 10. Rabies in Humans and Animals, by State and by Type of Animal,
United States, 1973**

Human Rabies in the United States, 1973

LOCALITY	AGE	SEX	NATURE OF EXPOSURE	TREATMENT	INCUBATION PERIOD	LENGTH OF ILLNESS	DATE AND PLACE OF DEATH
Kentucky	26	M	Bat bite on ear	No Prophylaxis	22 days	14 days	9/22/73, Ky.

Rabies in Animals by Type of Animal Reported Through Surveillance Program

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
UNITED STATES	176	376	200	473	1,851	432	114	18	3,640
NEW ENGLAND									
Maine	1	6	4	56	—	1	—	1	69
New Hampshire	—	—	1	25	5	7	—	—	38
Vermont	—	2	—	1	—	—	—	—	3
Massachusetts	—	—	—	—	—	6	1	—	7
Rhode Island	—	—	—	—	—	1	—	—	1
Connecticut	—	—	—	—	—	5	—	—	5
MIDDLE ATLANTIC									
New York	—	—	—	1	11	17	—	—	30
New Jersey	—	—	—	—	—	18	—	—	18
Pennsylvania	3	1	2	—	4	18	1	—	29
EAST NORTH CENTRAL									
Ohio	1	—	1	6	27	3	—	—	38
Indiana	3	1	1	3	45	4	—	—	57
Illinois	12	13	16	11	143	7	—	—	202
Michigan	1	—	1	1	—	9	—	—	12
Wisconsin	35	19	11	3	76	9	—	1	154
WEST NORTH CENTRAL									
Minnesota	15	74	18	3	258	4	1	—	373
Iowa	3	60	26	1	121	3	—	—	214
Missouri	14	8	7	1	62	—	—	—	92
North Dakota	4	22	12	—	117	1	2	1	159
South Dakota	7	25	17	—	101	1	—	—	151
Nebraska	—	—	1	—	3	3	—	—	7
Kansas	2	5	7	—	83	3	1	—	101
SOUTH ATLANTIC									
Delaware	—	—	—	—	—	6	—	—	6
Maryland	—	—	—	1	—	14	—	1	16
Virginia	2	8	2	70	3	14	—	—	99
West Virginia	9	1	2	8	2	3	—	—	25
North Carolina	—	—	—	—	—	14	—	—	14
South Carolina	—	—	—	—	—	5	1	—	6
Georgia	1	1	2	5	2	6	75	2	94
Florida	3	—	1	3	1	10	23	2	43
EAST SOUTH CENTRAL									
Kentucky	19	40	14	125	35	4	—	—	237
Tennessee	6	25	2	59	52	5	—	—	149
Alabama	4	5	2	28	10	2	1	—	52
Mississippi	—	—	—	—	—	1	—	—	1
WEST SOUTH CENTRAL									
Arkansas	3	3	3	1	90	7	1	—	108
Louisiana	10	1	—	20	17	3	1	—	52
Oklahoma	6	24	6	1	133	4	—	—	174
Texas	7	23	34	31	139	21	4	5	264
MOUNTAIN									
Montana	—	1	—	—	36	4	—	—	41
Idaho	—	—	—	—	—	1	—	—	1
Colorado	—	1	—	—	11	6	—	—	19
New Mexico	—	—	1	—	1	5	—	—	7
Arizona	3	—	1	3	20	11	—	1	39
Utah	—	—	—	—	—	3	—	—	3
Nevada	—	—	—	—	—	4	—	—	4
PACIFIC									
Washington	—	—	—	—	—	10	—	—	10
Oregon	—	—	—	—	—	8	—	—	8
California	1	7	4	3	243	141	2	—	401
Alaska	1	—	—	2	—	—	—	4	7
Puerto Rico	4	5	6	—	—	—	—	42	57

States not reporting a case not listed.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1973 — Continued
(B) HEPATITIS A¹

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	50,749	75	1,186	4,330	4,133	8,089	9,013	4,798	3,731	1,960²	1,196²	1,227	10,779
NEW ENGLAND	3,203	7	72	260	280	602	695	368	322	190	110	74	223
Maine	331	2	15	40	32	71	72	16	24	16	8	9	26
New Hampshire	269	2	11	26	20	58	56	42	28	15	5	3	3
Vermont	234	—	6	10	12	36	54	27	21	13	8	6	41
Massachusetts	1,299	—	27	107	124	228	286	146	137	78	52	38	76
Rhode Island	405	—	6	29	37	86	96	63	36	28	14	9	1
Connecticut	665	3	7	48	55	123	131	74	76	40	23	9	76
MIDDLE ATLANTIC	5,929	6	115	468	536	1,217	1,252	713	705	399	289	179	50
Upstate New York	1,995	1	59	282	275	352	347	185	209	125	86	40	34
New York City	1,084	2	18	46	39	156	243	169	183	96	81	42	9
New Jersey	1,179	2	15	56	87	285	287	131	147	76	50	43	—
Pennsylvania	1,671	1	23	84	135	424	375	228	166	102	72	54	7
EAST NORTH CENTRAL	8,125	24	147	646	721	1,766	1,877	906	700	310²	169²	221	406
Ohio	1,674	7	26	158	150	337	354	184	133	81	54	60	130
Indiana	571	1	12	68	68	103	124	56	53	19	16	29	22
Illinois	2,204	5	37	146	204	453	494	216	166	232	—	43	208
Michigan	3,383	11	67	262	277	800	839	414	324	188	88	77	36
Wisconsin	293	—	5	12	22	73	66	36	24	22	11	12	10
WEST NORTH CENTRAL	2,047	5	59	230	174	431	426	185	163	87	53	66	168
Minnesota	208	—	1	12	11	27	51	20	21	18	4	11	32
Iowa	219	2	1	21	16	34	41	17	12	9	7	8	51
Missouri	757	1	18	67	55	196	160	67	54	22	20	25	72
North Dakota	28	—	—	—	4	13	3	2	2	—	1	3	—
South Dakota	233	—	34	77	38	26	13	7	18	6	4	4	6
Nebraska	36	—	—	—	4	10	9	5	3	2	1	—	2
Kansas	566	2	5	53	46	125	149	67	53	30	16	15	5
SOUTH ATLANTIC	8,201	8	230	705	678	1,600	1,795	975	643	346	208	346	667
Delaware	101	—	4	2	4	12	35	6	7	6	10	6	9
Maryland	627	2	6	20	38	142	163	73	73	38	24	14	34
District of Columbia	62	—	1	—	1	9	14	10	11	2	1	2	11
Virginia	632	1	14	94	79	116	127	65	51	22	19	13	31
West Virginia	320	—	11	63	66	52	48	24	21	18	10	5	2
North Carolina	1,304	—	28	109	121	346	379	134	86	49	25	19	8
South Carolina	759	—	13	48	25	125	130	82	38	25	13	29	231
Georgia	872	1	22	60	76	170	176	94	69	43	16	22	123
Florida	3,524	4	131	309	268	628	723	487	287	143	90	236	218
EAST SOUTH CENTRAL	3,581	2	110	552	509	574	601	349	234	136	92	94	328
Kentucky	1,094	—	29	195	175	153	146	84	61	32	18	15	186
Tennessee	1,766	2	72	297	273	309	341	189	126	61	54	42	—
Alabama	478	—	5	39	49	70	68	40	20	23	10	16	138
Mississippi	243	—	4	21	12	42	46	36	27	20	10	21	4
WEST SOUTH CENTRAL	7,075	9	272	983	760	978	1,132	696	515	269	143	117	1,201
Arkansas	383	—	14	40	54	68	68	45	26	13	7	9	39
Louisiana	772	4	9	41	50	137	168	110	93	62	32	36	30
Oklahoma	1,028	—	—	—	—	—	—	—	—	—	—	—	1,028
Texas	4,892	5	249	902	656	773	896	541	396	194	104	72	104
MOUNTAIN	2,628	9	122	277	241	382	544	242	180	85	50	48	448
Montana	253	1	20	42	29	41	37	18	13	9	4	4	35
Idaho	214	—	11	25	28	27	34	20	11	11	5	5	37
Wyoming	52	—	2	9	3	4	10	8	6	2	1	—	7
Colorado	556	2	27	56	40	84	176	65	45	16	12	15	18
New Mexico	504	1	19	68	61	84	92	42	37	15	9	8	68
Arizona	670	3	35	64	66	111	145	70	48	20	13	8	87
Utah	187	2	8	13	14	31	50	19	20	12	6	8	4
Nevada	192	—	—	—	—	—	—	—	—	—	—	—	192
PACIFIC	9,960	5	59	209	234	539	691	364	269	138	82	82	7,288
Washington	1,253	5	28	73	82	249	321	172	139	67	35	38	44
Oregon	1,110	—	20	82	84	228	289	153	105	58	41	39	11
California	7,220	—	—	—	—	—	—	—	—	—	—	—	7,220
Alaska	249	—	8	52	67	40	39	18	11	3	1	2	8
Hawaii	128	—	3	2	1	22	42	21	14	10	5	3	5
Guam	83	—	1	3	1	3	4	2	1	—	—	—	68
Puerto Rico	698	3	33	149	111	126	73	47	76	29	24	21	6

¹ Hepatitis A includes viral hepatitis, type unspecified. Since January 1, 1974, hepatitis A, hepatitis B and hepatitis unspecified have each been reported separately.

² Excludes data from Illinois.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1973 — Continued
(C) HEPATITIS B

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	8,451	4	8	24	62	1,424	1,930	766	529	329¹	289¹	409	2,644
NEW ENGLAND	274	—	1	1	5	70	89	30	24	17	11	11	15
Maine	6	—	—	—	1	2	—	—	1	1	—	—	1
New Hampshire	22	—	—	—	—	11	6	2	2	—	1	—	1
Vermont	6	—	—	—	—	2	2	—	—	—	1	—	—
Massachusetts	115	—	1	1	3	24	46	13	5	8	4	4	6
Rhode Island	45	—	—	—	1	9	9	4	8	5	5	4	—
Connecticut	80	—	—	—	—	22	26	11	8	3	—	3	7
MIDDLE ATLANTIC	1,691	2	3	7	16	338	530	224	183	114	95	157	22
Upstate New York	313	—	1	1	3	60	101	41	39	22	15	21	9
New York City	394	2	2	6	6	46	78	45	53	36	24	84	12
New Jersey	503	—	—	—	4	96	207	75	48	27	27	19	—
Pennsylvania	481	—	—	—	3	136	144	63	43	29	29	33	1
EAST NORTH CENTRAL	1,328	2	1	9	13	351	445	186	94	48¹	50¹	55	41
Ohio	340	—	—	—	—	80	115	55	29	16	15	15	15
Indiana	29	—	—	—	—	8	9	4	1	3	3	1	—
Illinois	372	—	—	1	4	125	116	42	22	33	—	11	18
Michigan	489	2	1	3	6	120	171	69	36	25	28	22	6
Wisconsin	98	—	—	5	3	18	34	16	6	4	4	6	2
WEST NORTH CENTRAL	286	—	—	—	—	58	102	39	24	16	13	12	22
Minnesota	80	—	—	—	—	4	24	24	8	6	4	4	6
Iowa	49	—	—	—	—	12	14	6	3	4	1	2	7
Missouri	76	—	—	—	—	22	19	4	8	4	6	4	9
North Dakota	6	—	—	—	—	—	4	—	—	2	—	—	—
South Dakota	1	—	—	—	—	—	1	—	—	—	—	—	—
Nebraska	16	—	—	—	—	4	7	—	2	—	1	2	—
Kansas	58	—	—	—	—	16	33	5	3	—	1	—	—
SOUTH ATLANTIC	888	—	2	—	4	207	259	89	77	46	37	88	79
Delaware	5	—	—	—	—	3	1	1	—	—	—	—	—
Maryland	107	—	2	—	1	27	30	16	7	4	2	6	12
District of Columbia	17	—	—	—	—	3	4	3	2	3	1	—	1
Virginia	104	—	—	—	—	25	38	10	4	7	4	8	8
West Virginia	13	—	—	—	—	4	3	1	2	—	1	2	—
North Carolina	127	—	—	—	—	47	51	12	3	5	6	3	7
South Carolina	32	—	—	—	—	5	10	4	1	2	2	1	4
Georgia	44	—	—	—	—	4	15	2	7	6	2	4	47
Florida	439	—	—	—	3	89	107	40	51	19	19	64	21
EAST SOUTH CENTRAL	459	—	—	—	5	99	110	39	34	23	27	33	89
Kentucky	65	—	—	—	1	2	3	1	1	1	—	3	53
Tennessee	120	—	—	—	1	22	38	17	14	12	8	8	—
Alabama	195	—	—	—	3	57	50	14	12	6	8	9	36
Mississippi	79	—	—	—	—	18	19	7	7	4	11	13	—
WEST SOUTH CENTRAL	598	—	—	3	7	150	196	67	51	30	39	34	21
Arkansas	37	—	—	1	2	11	12	2	—	1	6	1	3
Louisiana	152	—	—	—	1	30	50	21	18	8	8	13	7
Oklahoma	112	—	—	1	1	26	38	12	6	7	11	3	10
Texas	297	—	—	1	3	83	96	32	27	14	14	17	39
MOUNTAIN	210	—	—	—	3	55	55	23	9	10	9	7	1
Montana	5	—	—	—	—	1	1	1	1	—	—	—	7
Idaho	19	—	—	—	—	5	4	3	—	—	—	—	—
Wyoming	3	—	—	—	—	1	1	—	—	1	—	—	1
Colorado	63	—	—	—	1	20	22	9	1	3	4	2	3
New Mexico	15	—	—	—	1	4	2	1	—	1	2	1	3
Arizona	53	—	—	—	1	15	16	8	5	2	1	2	2
Utah	30	—	—	—	—	9	9	1	2	3	2	2	22
Nevada	22	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	2,717	—	1	4	9	96	144	69	33	25	8	12	2,316
Washington	161	—	1	—	1	43	55	28	14	11	3	4	2
Oregon	181	—	—	1	6	50	66	28	8	10	3	7	2,308
California	2,308	Data not available											
Alaska	41	—	—	3	2	—	13	5	9	2	2	1	4
Hawaii	26	—	—	—	—	3	10	8	2	2	—	—	1
Guam	18	—	—	—	—	1	—	1	—	—	—	—	16
Puerto Rico	32	—	—	—	1	14	9	4	1	—	1	1	1

¹excludes data from Illinois

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1973 — Continued
(D) MENINGOCOCCAL INFECTIONS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	1,378	276	333	153	112	150	64	23	35	27	31	46	128
NEW ENGLAND	70	13	12	17	2	5	7	—	3	—	—	5	6
Maine	2	—	—	1	—	—	—	—	—	—	—	1	—
New Hampshire	8	3	2	2	—	—	1	—	—	—	—	—	—
Vermont	8	1	1	1	—	—	—	—	—	—	—	1	4
Massachusetts	20	5	6	4	—	2	2	—	—	—	—	1	—
Rhode Island	4	—	—	1	1	2	—	—	—	—	—	—	—
Connecticut	28	4	3	8	1	1	4	—	3	—	—	2	2
MIDDLE ATLANTIC	181	39	58	13	14	15	11	5	7	6	5	7	1
Upstate New York	65	18	22	4	6	2	6	1	4	—	—	1	1
New York City	37	9	11	2	2	2	—	2	1	2	1	5	—
New Jersey	46	7	11	4	3	7	4	2	2	3	2	1	—
Pennsylvania	33	5	14	3	3	4	1	—	—	1	2	—	—
EAST NORTH CENTRAL	203	40	55	17	16	27	11	4	2	7	3	4	17
Ohio	75	18	24	4	7	6	5	2	—	3	2	2	2
Indiana	15	4	5	3	—	1	—	—	—	2	—	—	—
Illinois	42	7	9	3	2	10	3	—	1	—	—	2	5
Michigan	54	11	14	6	6	8	3	2	2	—	1	—	1
Wisconsin	17	—	3	1	1	2	—	—	—	1	—	—	9
WEST NORTH CENTRAL	97	9	18	8	13	18	3	2	—	3	1	6	16
Minnesota	16	2	5	1	—	2	1	1	—	1	—	2	1
Iowa	21	1	3	2	1	3	—	—	—	1	1	—	9
Missouri	33	2	8	2	6	7	1	—	—	—	—	3	4
North Dakota	3	—	—	1	1	1	—	—	—	—	—	—	—
South Dakota	5	2	—	—	2	1	—	—	—	—	—	—	—
Nebraska	7	1	—	—	1	2	—	1	—	—	—	1	1
Kansas	12	1	2	2	2	2	1	—	—	1	—	—	1
SOUTH ATLANTIC	228	38	42	25	18	25	10	2	9	3	7	11	38
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	29	7	5	4	—	4	1	1	3	—	1	1	2
District of Columbia	5	—	2	1	—	1	—	—	—	—	—	—	1
Virginia	49	7	5	7	3	5	2	—	2	2	2	1	13
West Virginia	6	3	1	—	2	—	—	—	—	—	—	—	—
North Carolina	43	8	14	4	3	8	3	—	1	1	—	1	—
South Carolina	17	2	5	3	3	1	2	1	—	—	—	—	—
Georgia	24	4	2	—	3	2	1	—	—	—	2	1	9
Florida	55	7	8	6	4	4	1	—	3	—	2	7	13
EAST SOUTH CENTRAL	124	28	25	15	7	8	4	1	1	3	4	1	27
Kentucky	48	9	4	3	1	1	1	—	1	2	—	1	27
Tennessee	40	10	14	4	4	1	1	1	1	1	2	—	—
Alabama	19	7	4	2	1	3	1	—	—	—	1	—	—
Mississippi	17	2	3	6	1	3	1	—	—	—	1	—	—
WEST SOUTH CENTRAL	215	45	58	34	24	18	4	2	9	1	6	5	9
Arkansas	16	3	4	5	3	—	—	—	1	—	—	—	—
Louisiana	51	12	11	7	9	6	1	—	1	—	2	1	1
Oklahoma	37	4	11	8	4	3	2	—	1	—	—	1	3
Texas	111	26	32	14	8	9	1	2	6	1	4	3	5
MOUNTAIN	44	14	10	2	3	2	2	2	—	1	1	1	6
Montana	18	5	7	1	—	1	—	1	—	—	1	—	2
Idaho	2	—	—	—	—	—	1	—	—	—	—	—	1
Wyoming	1	—	—	—	—	—	—	—	—	—	—	—	1
Colorado	10	3	2	1	2	—	1	—	—	1	—	—	—
New Mexico	4	3	—	—	—	—	—	—	—	—	—	—	1
Arizona	6	2	1	—	1	—	—	1	—	—	—	1	—
Utah	2	1	—	—	—	1	—	—	—	—	—	—	—
Nevada	1	—	—	—	—	—	—	—	—	—	—	—	1
PACIFIC	216	50	55	22	15	32	12	5	4	3	4	6	8
Washington	23	5	11	2	1	1	1	—	—	—	—	—	2
Oregon	19	1	5	3	2	4	2	—	—	1	1	—	—
California	162	43	35	16	10	26	8	4	4	2	3	6	5
Alaska	11	1	4	1	1	1	1	1	—	—	—	—	1
Hawaii	1	—	—	—	1	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	12	4	2	—	2	—	1	1	—	1	—	1	—

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1973 — Continued
(E) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	101	3	4	4	2	3	5	1	10	12	14	41	2
NEW ENGLAND	4	—	—	—	—	—	—	—	—	1	2	1	—
Maine	1	—	—	—	—	—	—	—	—	—	1	—	—
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—	—	—	—	—	—	—	—
Rhode Island	1	—	—	—	—	—	—	—	—	1	—	—	—
Connecticut	2	—	—	—	—	—	—	—	—	—	1	1	—
MIDDLE ATLANTIC	9	—	1	—	—	—	—	—	2	—	1	5	—
Upstate New York	1	—	—	—	—	—	—	—	—	—	—	1	—
New York City	3	—	1	—	—	—	—	—	1	—	—	1	—
New Jersey	2	—	—	—	—	—	—	—	1	—	—	1	—
Pennsylvania	3	—	—	—	—	—	—	—	—	—	1	2	—
EAST NORTH CENTRAL	17	—	—	1	1	—	1	—	3	2	2	7	—
Ohio	3	—	—	—	—	—	—	—	1	1	1	—	—
Indiana	7	—	—	1	1	—	1	—	—	1	1	2	—
Illinois	3	—	—	—	—	—	—	—	1	—	—	2	—
Michigan	2	—	—	—	—	—	—	—	—	—	—	2	—
Wisconsin	2	—	—	—	—	—	—	—	1	—	—	1	—
WEST NORTH CENTRAL	8	—	1	—	—	1	1	—	—	—	1	3	1
Minnesota	—	—	—	—	—	—	—	—	—	—	—	—	—
Iowa	—	—	—	—	—	—	—	—	—	—	—	—	—
Missouri	7	—	1	—	—	1	—	—	—	—	1	3	1
North Dakota	1	—	—	—	—	—	1	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	—	—	—	—	—	—	—
Kansas	—	—	—	—	—	—	—	—	—	—	—	—	—
SOUTH ATLANTIC	20	—	—	2	—	—	—	—	2	4	4	7	1
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	1	—	—	—	—	—	—	—	—	—	—	—	1
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	4	—	—	1	—	—	—	—	—	1	1	1	—
West Virginia	1	—	—	—	—	—	—	—	—	1	—	—	—
North Carolina	—	—	—	—	—	—	—	—	—	—	—	—	—
South Carolina	1	—	—	1	—	—	—	—	—	—	—	—	—
Georgia	3	—	—	—	—	—	—	—	—	—	2	1	—
Florida	10	—	—	—	—	—	—	—	2	2	1	5	—
EAST SOUTH CENTRAL	10	1	—	—	—	1	—	—	—	2	2	4	—
Kentucky	1	—	—	—	—	—	—	—	—	1	—	—	—
Tennessee	5	—	—	—	—	1	—	—	—	1	—	3	—
Alabama	3	—	—	—	—	—	—	—	—	—	2	1	—
Mississippi	1	1	—	—	—	—	—	—	—	—	—	—	—
WEST SOUTH CENTRAL	19	2	1	1	1	—	1	—	1	3	1	8	—
Arkansas	1	—	—	—	—	—	—	—	—	—	—	1	—
Louisiana	4	—	—	1	—	—	—	—	—	1	—	2	—
Oklahoma	4	—	—	—	—	—	1	—	1	—	1	1	—
Texas	10	2	1	—	1	—	—	—	—	2	—	4	—
MOUNTAIN	1	—	—	—	—	—	—	—	—	—	—	1	—
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	1	—	—	—	—	—	—	—	—	—	—	1	—
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	13	—	1	—	—	1	2	1	2	—	1	5	—
Washington	3	—	1	—	—	—	—	1	1	—	—	—	—
Oregon	—	—	—	—	—	—	—	—	—	—	—	—	—
California	10	—	—	—	—	1	2	—	1	—	1	5	—
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	11	1	3	2	—	—	—	—	—	1	1	2	1

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1973 — Continued

(F) PARALYTIC POLIOMYELITIS

(G) TYPHOID FEVER

AREA	(F) PARALYTIC POLIOMYELITIS						(G) TYPHOID FEVER						
	Total	<5	5-9	10-19	20+	Unk.	Total	<5	5-14	14-24	25-39	40+	Unk.
UNITED STATES	7	2	—	2	2	1	680	73	208	135	122	107	35
NEW ENGLAND	—	—	—	—	—	—	24	—	5	5	5	7	2
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—	19	—	4	2	5	6	2
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	—	—	—	—	—	—	5	—	1	3	—	1	—
MIDDLE ATLANTIC	1	1	—	—	—	—	93	10	19	10	27	27	—
Upstate New York	—	—	—	—	—	—	10	1	5	1	3	—	—
New York City	—	—	—	—	—	—	29	5	7	4	9	4	—
New Jersey	—	—	—	—	—	—	42	2	5	4	13	18	—
Pennsylvania	1	1	—	—	—	—	12	2	2	1	2	5	—
EAST NORTH CENTRAL ..	—	—	—	—	—	—	60	7	11	11	15	12	4
Ohio	—	—	—	—	—	—	20	2	3	4	3	5	3
Indiana	—	—	—	—	—	—	2	—	1	—	1	—	—
Illinois	—	—	—	—	—	—	20	5	4	3	3	5	—
Michigan	—	—	—	—	—	—	14	—	3	3	5	2	1
Wisconsin	—	—	—	—	—	—	4	—	—	1	3	—	—
WEST NORTH CENTRAL ..	1	—	—	1	—	—	25	2	7	6	4	6	—
Minnesota	—	—	—	—	—	—	8	—	2	1	3	2	—
Iowa	1	—	—	1	—	—	1	—	—	—	—	1	—
Missouri	—	—	—	—	—	—	10	1	4	3	—	2	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	1	—	—	1	—	—	—
Nebraska	—	—	—	—	—	—	1	1	—	—	—	—	—
Kansas	—	—	—	—	—	—	4	—	1	1	1	1	—
SOUTH ATLANTIC	2	—	—	—	1	1	265	31	114	51	26	21	22
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	1	—	—	—	—	1	7	—	3	1	—	2	1
District of Columbia	—	—	—	—	—	—	2	—	—	2	—	—	—
Virginia	1	—	—	—	1	—	5	1	2	1	1	—	—
West Virginia	—	—	—	—	—	—	12	3	6	1	—	2	—
North Carolina	—	—	—	—	—	—	5	1	2	1	—	1	—
South Carolina	—	—	—	—	—	—	5	1	—	—	1	3	—
Georgia	—	—	—	—	—	—	7	2	—	1	—	4	—
Florida	—	—	—	—	—	—	222	23	101	44	24	9	21
EAST SOUTH CENTRAL ...	—	—	—	—	—	—	51	7	15	10	6	8	5
Kentucky	—	—	—	—	—	—	12	2	4	2	1	2	1
Tennessee	—	—	—	—	—	—	16	1	8	3	2	2	—
Alabama	—	—	—	—	—	—	14	3	2	3	1	1	4
Mississippi	—	—	—	—	—	—	9	1	1	2	2	3	—
WEST SOUTH CENTRAL ..	—	—	—	—	—	—	26	4	10	5	4	2	1
Arkansas	—	—	—	—	—	—	4	—	—	1	2	—	1
Louisiana	—	—	—	—	—	—	6	2	3	1	—	—	—
Oklahoma	—	—	—	—	—	—	2	—	—	1	1	—	—
Texas	—	—	—	—	—	—	14	2	7	2	1	2	—
MOUNTAIN	—	—	—	—	—	—	22	5	1	7	4	4	1
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	1	—	—	1	—	—	—
Wyoming	—	—	—	—	—	—	2	—	—	1	—	1	—
Colorado	—	—	—	—	—	—	2	1	—	1	—	—	—
New Mexico	—	—	—	—	—	—	9	3	—	1	3	1	1
Arizona	—	—	—	—	—	—	8	1	1	3	1	2	—
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	3	1	—	1	1	—	114	7	26	30	31	20	—
Washington	—	—	—	—	—	—	7	—	2	2	1	2	—
Oregon	—	—	—	—	—	—	2	1	—	1	—	—	—
California	2	—	—	1	1	—	100	6	23	25	28	18	—
Alaska	—	—	—	—	—	—	4	—	1	1	2	—	—
Hawaii	1	1	—	—	—	—	1	—	—	1	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	—	—	—	—	—	7	1	—	2	—	2	2

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973
(A) ASEPTIC MENINGITIS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	4,846	202	130	149	164	197	360	729	991	808	561	354	199	2
NEW ENGLAND	408	4	4	5	8	1	21	64	103	111	49	25	13	--
Maine	2	--	--	--	--	--	--	--	--	2	--	--	--	--
New Hampshire	55	--	1	3	2	--	--	9	23	13	3	1	--	--
Vermont	1	--	--	--	--	--	--	--	--	--	1	--	--	--
Massachusetts	134	2	2	1	1	1	1	9	30	43	21	15	8	--
Rhode Island	155	--	--	--	4	--	20	44	40	30	10	6	1	--
Connecticut	61	2	1	1	1	--	--	2	10	23	14	3	4	--
MIDDLE ATLANTIC	531	30	19	36	21	19	40	69	98	104	52	25	16	2
Upstate New York	121	5	5	5	4	8	6	9	17	29	16	12	5	--
New York City	78	8	7	7	3	2	6	5	6	6	14	7	7	--
New Jersey	257	15	5	21	14	8	18	42	51	52	20	5	4	2
Pennsylvania	75	2	2	3	--	1	10	13	24	17	2	1	--	--
EAST NORTH CENTRAL	1,038	26	16	15	25	34	47	163	287	173	152	50	50	--
Ohio	317	6	5	--	1	11	19	92	84	44	39	12	4	--
Indiana	65	--	1	5	--	3	4	8	9	5	8	3	19	--
Illinois	184	3	2	2	5	9	8	24	63	39	21	4	4	--
Michigan	434	16	6	8	18	10	13	34	128	81	75	25	20	--
Wisconsin	38	1	2	--	1	1	3	5	3	4	9	6	3	--
WEST NORTH CENTRAL	171	9	5	2	2	3	8	12	27	31	31	27	14	--
Minnesota	78	3	1	2	1	--	3	7	16	18	16	9	2	--
Iowa	34	5	3	--	--	2	1	1	4	2	8	7	1	--
Missouri	50	--	1	--	1	1	4	3	7	5	7	10	11	--
North Dakota	--	--	--	--	--	--	--	--	--	--	--	--	--	--
South Dakota	1	--	--	--	--	--	--	--	--	1	--	--	--	--
Nebraska	4	--	--	--	--	--	--	--	--	3	--	1	--	--
Kansas	4	1	--	--	--	--	--	1	--	2	--	--	--	--
SOUTH ATLANTIC	758	42	41	36	38	30	54	94	112	104	72	104	31	--
Delaware	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Maryland	74	3	--	1	6	1	7	19	14	12	6	3	2	--
District of Columbia	34	--	--	--	--	--	3	7	12	6	5	1	--	--
Virginia	162	8	2	2	5	4	2	15	27	26	23	38	10	--
West Virginia	49	1	--	1	--	3	2	7	15	7	1	8	4	--
North Carolina	131	5	7	6	2	5	12	17	12	30	14	18	3	--
South Carolina	32	--	1	--	2	1	4	6	6	3	4	2	3	--
Georgia	13	1	--	1	--	--	1	9	1	--	--	--	--	--
Florida	263	24	31	25	23	16	23	14	25	20	19	34	9	--
EAST SOUTH CENTRAL	367	15	16	8	13	12	27	85	53	53	45	27	13	--
Kentucky	59	1	--	1	1	--	--	20	11	5	15	1	4	--
Tennessee	134	4	3	3	4	5	15	31	25	22	10	7	5	--
Alabama	139	10	12	3	7	5	10	26	14	20	19	12	1	--
Mississippi	35	--	1	1	1	2	2	8	3	6	1	7	3	--
WEST SOUTH CENTRAL	421	13	6	15	26	29	42	69	63	68	34	29	27	--
Arkansas	18	--	--	--	1	4	--	5	2	1	2	2	1	--
Louisiana	112	9	2	8	7	9	21	15	9	13	9	6	4	--
Oklahoma	111	1	1	2	11	6	5	24	34	16	5	2	4	--
Texas	180	3	3	5	7	10	16	25	18	38	18	19	18	--
MOUNTAIN	58	2	1	1	3	2	4	6	16	4	11	7	1	--
Montana	10	--	--	--	1	1	--	3	3	2	--	--	--	--
Idaho	17	--	--	--	--	--	1	1	10	1	4	--	--	--
Wyoming	11	--	1	--	--	--	1	--	1	--	3	5	--	--
Colorado	12	--	--	--	2	1	1	1	--	1	4	1	1	--
New Mexico	6	2	--	1	--	--	--	1	1	--	--	1	--	--
Arizona	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Utah	1	--	--	--	--	--	--	--	1	--	--	--	--	--
Nevada	1	--	--	--	--	--	1	--	--	--	--	--	--	--
PACIFIC	1,094	61	22	31	28	67	117	167	232	160	115	60	34	--
Washington	109	9	1	1	--	4	6	13	27	32	7	8	1	--
Oregon	24	1	--	--	--	4	4	2	1	5	6	1	--	--
California	937	49	19	29	25	57	102	150	204	120	99	50	33	--
Alaska	5	1	1	--	--	--	--	--	--	2	1	--	--	--
Hawaii	19	1	1	1	3	2	5	2	--	1	2	1	--	--
Guam	11	2	1	1	1	3	--	1	--	1	1	--	--	--
Puerto Rico	1	--	--	--	--	--	--	--	--	--	--	--	1	--

Not notifiable

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973 — Continued
(B) HEPATITIS A¹

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	50,749	4,193	3,899	4,455	3,961	4,211	3,990	3,620	4,319	4,460	4,787	4,570	4,215	69
NEW ENGLAND	3,203	290	261	267	244	275	288	267	257	283	239	225	307	—
Maine	331	33	26	25	16	28	27	24	26	34	23	28	41	—
New Hampshire	269	23	19	28	19	22	27	26	26	24	18	16	21	—
Vermont	234	9	12	31	14	12	11	7	6	15	13	13	91	—
Massachusetts	1,299	125	101	104	94	109	134	99	128	110	100	87	108	—
Rhode Island	405	44	35	25	43	33	33	45	31	24	31	40	21	—
Connecticut	665	56	68	54	58	71	56	66	40	76	54	41	25	—
MIDDLE ATLANTIC	5,929	587	523	565	569	494	520	446	460	487	479	416	367	16
Upstate New York	1,995	167	138	166	236	176	200	139	128	157	191	159	138	—
New York City	1,084	125	112	95	83	101	105	78	88	88	83	60	66	—
New Jersey	1,179	101	118	127	109	86	102	100	118	96	92	74	56	—
Pennsylvania	1,671	194	155	177	141	131	113	129	126	146	113	123	107	16
EAST NORTH CENTRAL	8,125	666	656	688	642	702	582	570	834	624	799	670	692	—
Ohio	1,674	170	151	161	146	155	132	136	164	116	129	116	98	—
Indiana	571	21	37	59	31	36	53	42	62	59	64	52	55	—
Illinois	2,204	124	171	198	177	167	153	144	235	158	241	206	230	—
Michigan	3,383	337	270	259	271	326	223	221	346	257	336	269	268	—
Wisconsin	293	14	27	11	17	18	21	27	27	34	29	27	41	—
WEST NORTH CENTRAL	2,047	151	130	231	175	153	152	188	140	183	170	209	165	—
Minnesota	208	11	14	19	36	26	13	10	13	25	13	14	14	—
Iowa	219	20	14	54	14	13	17	13	15	7	3	44	5	—
Missouri	757	48	52	73	49	63	69	105	46	73	65	46	68	—
North Dakota	28	5	3	5	2	1	1	—	1	3	—	4	3	—
South Dakota	233	16	11	14	17	6	8	3	5	26	32	64	31	—
Nebraska	36	2	3	2	4	2	6	4	1	4	1	2	5	—
Kansas	566	49	33	64	53	42	38	53	59	45	56	35	39	—
SOUTH ATLANTIC	8,201	585	599	615	580	616	674	537	667	776	872	1,003	677	—
Delaware	101	9	9	14	9	2	8	2	6	18	10	5	9	—
Maryland	627	80	67	57	50	59	45	46	57	41	41	54	30	—
District of Columbia	62	3	9	6	4	8	6	7	8	6	2	1	2	—
Virginia	632	68	64	62	73	40	67	37	36	75	43	27	40	—
West Virginia	320	40	38	42	13	34	24	18	24	12	19	26	30	—
North Carolina	1,304	112	127	107	95	135	116	123	127	99	94	101	68	—
South Carolina	759	26	31	44	38	38	43	38	48	88	158	153	54	—
Georgia	872	76	58	85	66	47	79	57	70	71	78	112	73	—
Florida	3,524	171	196	198	232	253	286	209	291	366	427	524	371	—
EAST SOUTH CENTRAL	3,581	265	270	377	288	317	295	272	277	346	302	273	299	—
Kentucky	1,094	112	84	91	114	110	82	90	88	75	122	71	55	—
Tennessee	1,766	117	129	174	134	164	139	130	139	209	124	126	181	—
Alabama	478	31	39	90	26	24	55	29	32	42	37	50	23	—
Mississippi	243	5	18	22	14	19	19	23	18	20	19	26	40	—
WEST SOUTH CENTRAL	7,075	424	491	640	573	561	585	496	478	702	630	787	658	50
Arkansas	383	59	31	44	26	22	40	34	29	25	19	34	20	—
Louisiana	772	59	54	52	52	68	58	66	56	67	78	96	66	—
Oklahoma	1,028	57	77	121	77	105	122	73	51	98	65	50	82	50
Texas	4,892	249	329	423	418	366	365	323	342	512	468	607	490	—
MOUNTAIN	2,628	284	214	224	165	168	201	184	207	222	189	266	301	3
Montana	253	23	26	29	12	20	19	15	15	13	22	27	32	—
Idaho	214	28	21	19	24	15	9	13	9	18	20	12	26	—
Wyoming	52	3	3	5	4	2	4	3	7	9	5	7	—	
Colorado	556	41	43	54	44	43	45	63	51	46	33	47	43	3
New Mexico	504	71	33	52	22	27	54	25	20	39	56	50	55	—
Arizona	670	103	63	44	46	46	45	57	41	43	37	77	68	—
Utah	187	11	18	10	6	6	15	8	19	12	13	39	30	—
Nevada	192	4	7	11	7	9	10	—	45	42	3	7	47	—
PACIFIC	9,960	941	755	848	725	925	693	660	999	837	1,107	721	749	—
Washington	1,253	120	93	123	80	121	67	76	119	114	162	96	82	—
Oregon	1,110	128	119	156	63	73	90	67	58	106	75	72	103	—
California	7,220	666	531	544	560	703	525	508	771	583	779	518	532	—
Alaska	249	5	4	17	13	15	4	2	43	19	81	24	22	—
Hawaii	128	22	8	8	9	13	7	7	8	15	10	11	10	—
Guam	83	4	2	5	4	7	5	2	13	8	5	20	8	—
Puerto Rico	698	29	60	48	83	67	67	52	69	54	67	49	53	—

¹ Hepatitis A includes viral hepatitis, type unspecified. Since January 1, 1974, hepatitis A, hepatitis B and hepatitis unspecified have each been reported separately.

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973 — Continued
(C) HEPATITIS B

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	8,451	678	578	689	663	773	717	685	812	672	779	699	674	40
NEW ENGLAND	274	37	21	25	26	19	21	27	26	14	20	13	25	—
Maine	6	—	2	2	—	1	—	—	—	—	1	—	—	—
New Hampshire	22	6	4	1	3	—	1	1	2	2	1	1	—	—
Vermont	6	—	—	1	2	1	1	—	—	—	1	—	—	—
Massachusetts	115	11	5	7	11	6	6	12	15	9	11	6	16	—
Rhode Island	45	4	2	5	3	5	7	8	1	1	3	3	3	—
Connecticut	80	16	8	9	7	6	6	6	8	2	3	3	6	—
MIDDLE ATLANTIC	1,691	173	143	173	154	154	131	153	139	130	132	117	84	8
Upstate New York	313	30	22	41	32	29	28	24	23	14	38	16	16	—
New York City	394	53	31	46	40	43	24	28	39	27	26	18	19	—
New Jersey	503	48	45	49	44	45	41	49	39	44	37	43	19	—
Pennsylvania	481	42	45	37	38	37	38	52	38	45	31	40	30	8
EAST NORTH CENTRAL	1,328	105	90	119	114	125	111	112	130	103	113	108	98	—
Ohio	340	21	15	31	37	29	33	29	43	29	25	21	27	—
Indiana	29	3	4	5	3	1	1	3	1	1	1	2	4	—
Illinois	372	26	21	23	23	32	37	29	34	34	44	41	28	—
Michigan	489	48	38	47	43	55	34	38	50	32	36	35	33	—
Wisconsin	98	7	12	13	8	8	6	13	2	7	7	9	6	—
WEST NORTH CENTRAL	286	21	15	29	16	22	25	24	21	32	38	16	27	—
Minnesota	80	7	2	15	6	6	11	3	10	6	8	1	5	—
Iowa	49	4	8	6	3	2	1	4	5	7	3	6	—	—
Missouri	76	4	1	4	2	5	9	8	5	13	6	2	17	—
North Dakota	6	1	—	—	—	1	1	—	1	—	—	2	—	—
South Dakota	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Nebraska	16	3	1	1	—	5	2	1	—	2	—	—	1	—
Kansas	58	2	3	3	5	3	1	8	—	4	20	5	4	—
SOUTH ATLANTIC	888	56	75	75	77	74	76	70	87	71	90	75	62	—
Delaware	5	—	2	1	—	1	—	—	—	—	1	—	—	—
Maryland	107	8	14	6	7	10	9	12	17	9	6	5	4	—
District of Columbia	17	—	—	—	2	2	—	—	—	5	4	1	3	—
Virginia	104	8	12	11	11	9	9	6	11	7	6	5	9	—
West Virginia	13	1	4	1	—	—	1	—	1	—	1	4	—	—
North Carolina	127	10	11	14	15	13	8	9	13	10	10	12	2	—
South Carolina	32	3	2	3	2	2	—	4	—	5	3	3	5	—
Georgia	44	2	2	4	1	3	5	5	6	4	5	6	1	—
Florida	439	24	28	35	39	34	44	34	39	31	54	39	38	—
EAST SOUTH CENTRAL	459	38	38	23	35	42	53	39	32	28	46	45	40	—
Kentucky	65	2	5	6	9	8	4	3	6	5	8	5	4	—
Tennessee	120	8	12	6	9	12	12	7	7	11	10	11	15	—
Alabama	195	26	18	4	13	15	25	20	13	4	23	24	10	—
Mississippi	79	2	3	7	4	7	12	9	6	8	5	5	11	—
WEST SOUTH CENTRAL	598	33	30	52	43	43	50	57	47	57	36	50	68	32
Arkansas	37	7	3	7	1	4	1	3	3	4	1	1	2	—
Louisiana	152	15	1	16	12	20	9	13	11	15	14	9	17	—
Oklahoma	112	11	5	6	2	5	10	8	1	9	4	14	5	32
Texas	297	—	21	23	28	14	30	33	32	29	17	26	44	—
MOUNTAIN	210	16	17	20	17	23	25	13	22	13	12	14	18	—
Montana	5	—	—	1	—	2	1	—	—	—	—	1	—	—
Idaho	19	1	3	1	2	3	6	—	—	1	—	1	1	—
Wyoming	3	—	1	1	—	1	—	—	—	—	—	—	—	—
Colorado	63	6	3	5	9	8	4	3	3	3	6	7	6	—
New Mexico	15	—	—	1	1	2	3	1	1	1	1	1	3	—
Arizona	53	7	6	5	2	4	4	5	5	6	5	1	3	—
Utah	30	2	1	5	1	3	2	4	4	1	—	2	5	—
Nevada	22	—	3	1	2	—	5	—	9	1	—	1	—	—
PACIFIC	2,717	191	149	173	181	271	225	190	308	224	292	261	252	—
Washington	161	4	3	8	5	9	10	7	20	25	21	29	20	—
Oregon	181	15	10	15	12	7	8	8	14	22	20	25	25	—
California	2,308	171	128	148	158	249	206	173	261	174	246	196	198	—
Alaska	41	—	5	2	6	5	—	—	10	—	4	8	1	—
Hawaii	26	1	3	—	—	1	1	2	3	3	1	3	8	—
Guam	18	2	1	—	—	—	—	2	3	1	6	—	3	—
Puerto Rico	32	2	—	4	7	4	1	1	1	2	3	2	5	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973 — Continued
(D) MEASLES (Rubeola)

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	26,690	2,569	2,875	3,989	5,133	4,792	2,864	980	616	312	437	1,105	1,016	2
NEW ENGLAND	7,631	1,006	1,176	1,456	1,645	1,422	432	142	27	32	74	99	120	—
Maine	75	3	7	2	6	18	28	1	—	3	1	1	5	—
New Hampshire	1,049	142	203	330	129	15	28	13	2	—	38	67	82	—
Vermont	122	14	12	49	8	16	15	4	—	1	—	1	2	—
Massachusetts	3,953	513	546	763	1,044	723	206	76	20	23	14	14	11	—
Rhode Island	643	60	132	73	36	219	70	9	—	2	15	12	15	—
Connecticut	1,789	274	276	239	422	431	85	39	5	3	6	4	5	—
MIDDLE ATLANTIC	2,973	188	206	354	376	412	545	245	110	62	49	191	233	2
Upstate New York	826	22	62	104	103	155	244	88	16	8	8	9	7	—
New York City	965	122	121	188	165	135	84	47	36	23	12	14	18	—
New Jersey	774	33	13	21	61	74	125	51	24	20	21	141	190	—
Pennsylvania	408	11	10	41	47	48	92	59	34	11	8	27	18	2
EAST NORTH CENTRAL	9,203	769	758	1,300	1,774	1,948	1,233	374	172	110	162	263	340	—
Ohio	463	61	47	76	41	22	37	1	4	5	5	60	104	—
Indiana	675	63	66	122	105	100	60	59	7	24	17	28	24	—
Illinois	2,162	249	218	184	383	489	282	119	51	20	26	46	95	—
Michigan	4,552	230	275	734	1,037	1,118	738	150	71	25	47	63	64	—
Wisconsin	1,351	166	152	184	208	219	116	45	39	36	67	66	53	—
WEST NORTH CENTRAL	474	70	53	84	65	70	69	10	10	3	9	14	17	—
Minnesota	25	6	3	4	—	1	3	—	—	1	—	4	1	—
Iowa	284	52	43	48	41	53	36	4	1	—	2	2	2	—
Missouri	56	5	1	8	9	—	24	—	4	2	—	—	3	—
North Dakota	73	3	5	20	15	11	4	2	—	—	7	2	4	—
South Dakota	3	—	—	—	—	—	—	—	—	—	—	2	1	—
Nebraska	6	—	1	—	—	2	—	2	1	—	—	—	—	—
Kansas	27	4	—	4	—	3	2	—	4	—	—	4	6	—
SOUTH ATLANTIC	1,300	86	98	195	458	142	104	54	30	27	30	43	33	—
Delaware	8	—	1	—	3	1	1	—	—	—	1	1	—	—
Maryland	16	—	—	—	1	5	7	1	—	1	1	—	—	—
District of Columbia	9	—	—	—	—	3	—	2	—	1	2	—	1	—
Virginia	428	4	2	18	318	13	41	13	5	3	2	4	5	—
West Virginia	232	21	9	67	32	34	15	11	13	12	4	11	3	—
North Carolina	4	3	1	—	—	—	—	—	—	—	—	—	—	—
South Carolina	76	2	10	7	17	12	1	5	2	2	4	6	8	—
Georgia	158	12	35	41	42	12	6	1	4	—	—	2	3	—
Florida	369	44	40	62	45	62	33	21	6	8	16	19	13	—
EAST SOUTH CENTRAL	644	69	39	62	269	90	43	8	14	8	11	13	18	—
Kentucky	407	15	17	41	242	35	10	3	7	5	10	12	10	—
Tennessee	164	40	13	17	26	39	19	3	—	—	—	—	7	—
Alabama	14	—	—	—	—	4	—	1	4	3	—	1	1	—
Mississippi	59	14	9	4	1	12	14	1	3	—	1	—	—	—
WEST SOUTH CENTRAL	758	90	122	145	135	81	41	17	40	29	17	23	18	—
Arkansas	71	1	5	23	29	4	5	1	—	—	1	2	—	—
Louisiana	91	—	15	18	20	27	4	—	—	—	3	—	4	—
Oklahoma	64	4	—	11	7	19	10	2	2	2	1	5	1	—
Texas	532	85	102	93	79	31	22	14	38	27	12	16	13	—
MOUNTAIN	1,203	32	33	121	108	79	111	35	146	12	12	352	162	—
Montana	496	1	—	3	8	—	1	2	1	1	—	342	137	—
Idaho	250	4	10	86	56	35	39	13	3	3	1	—	—	—
Wyoming	83	—	4	7	1	—	56	10	3	1	—	—	—	—
Colorado	105	4	11	13	26	27	7	5	5	—	2	2	3	—
New Mexico	115	16	6	8	17	10	7	5	6	7	5	7	21	—
Arizona	22	7	2	3	—	5	—	—	1	—	3	—	1	—
Utah	131	—	—	1	—	2	—	—	—	127	—	—	—	—
Nevada	1	—	—	—	—	—	1	—	—	—	—	—	—	—
PACIFIC	2,504	259	390	272	303	548	286	95	67	29	73	107	75	—
Washington	1,116	158	245	92	102	230	139	30	14	4	22	66	14	—
Oregon	453	40	64	76	96	89	60	17	5	6	—	—	—	—
California	848	59	79	103	103	158	84	46	45	19	50	41	61	—
Alaska	65	—	—	—	—	65	—	—	—	—	—	—	—	—
Hawaii	22	2	2	1	2	6	3	2	3	—	1	—	—	—
Guam	47	2	—	1	—	4	4	29	4	1	2	—	—	—
Puerto Rico	2,021	137	199	240	378	406	241	81	70	64	74	63	68	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973 — Continued
(E) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	1,378	135	148	172	152	147	131	90	69	55	89	88	98	4
NEW ENGLAND	70	14	5	9	6	11	2	9	2	2	2	3	5	—
Maine	2	—	—	—	—	—	—	1	—	—	—	—	1	—
New Hampshire	8	1	1	2	1	2	—	—	—	—	1	—	—	—
Vermont	8	—	1	2	—	2	—	1	1	1	—	—	—	—
Massachusetts	20	5	1	2	4	2	—	1	—	1	1	1	2	—
Rhode Island	4	1	—	1	—	—	—	2	—	—	—	—	—	—
Connecticut	28	7	2	2	1	5	2	4	1	—	—	2	2	—
MIDDLE ATLANTIC	181	22	14	24	26	16	11	10	12	8	12	15	10	1
Upstate New York	65	7	2	13	12	5	3	3	3	4	6	4	3	—
New York City	37	6	3	4	3	3	3	5	4	—	2	4	—	—
New Jersey	46	4	4	4	5	4	3	2	2	4	2	6	6	—
Pennsylvania	33	5	5	3	6	4	2	—	3	—	2	1	1	1
EAST NORTH CENTRAL	203	10	24	19	24	30	18	12	7	8	18	17	16	—
Ohio	75	5	10	8	9	9	5	4	1	4	10	7	3	—
Indiana	15	—	4	—	—	2	2	—	—	1	1	2	3	—
Illinois	42	2	3	6	7	8	5	1	—	—	4	3	3	—
Michigan	54	1	6	4	7	8	6	4	3	2	3	4	6	—
Wisconsin	17	2	1	1	1	3	—	3	3	1	—	1	1	—
WEST NORTH CENTRAL	97	11	13	14	12	9	12	6	5	1	9	3	2	—
Minnesota	16	—	1	1	—	—	5	2	1	—	4	1	1	—
Iowa	21	3	—	2	2	2	5	2	2	—	2	1	—	—
Missouri	33	6	6	6	6	5	—	1	1	—	2	—	—	—
North Dakota	3	—	1	2	—	—	—	—	—	—	—	—	—	—
South Dakota	5	—	2	—	1	—	1	—	—	—	—	1	—	—
Nebraska	7	—	1	2	1	—	1	1	1	—	—	—	—	—
Kansas	12	2	2	1	2	2	—	—	—	1	1	—	1	—
SOUTH ATLANTIC	228	21	20	32	24	25	22	15	10	13	12	14	20	—
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	29	6	2	2	1	4	1	3	—	2	2	2	4	—
District of Columbia	5	1	—	—	—	1	2	—	—	—	—	—	1	—
Virginia	49	3	1	5	6	5	8	2	3	5	2	5	4	—
West Virginia	6	—	—	1	1	1	—	—	—	1	1	—	1	—
North Carolina	43	5	4	6	4	6	5	5	2	2	3	—	1	—
South Carolina	17	1	1	5	1	3	—	—	1	—	1	2	2	—
Georgia	24	5	8	3	3	1	—	2	—	1	1	1	—	—
Florida	55	—	4	10	8	4	6	3	4	3	2	4	7	—
EAST SOUTH CENTRAL	124	14	4	27	9	10	18	4	2	8	9	10	9	—
Kentucky	48	8	—	18	—	1	7	—	1	2	4	4	3	—
Tennessee	40	3	3	6	3	4	9	2	1	3	3	2	1	—
Alabama	19	2	—	1	6	4	1	1	—	—	—	3	1	—
Mississippi	17	1	1	2	—	1	1	1	—	3	2	1	4	—
WEST SOUTH CENTRAL	215	12	26	29	22	22	16	18	13	8	12	17	20	—
Arkansas	16	2	2	4	3	1	1	—	—	—	1	—	2	—
Louisiana	51	1	3	8	6	7	1	4	6	3	3	5	4	—
Oklahoma	37	2	—	2	3	3	5	10	3	3	2	1	3	—
Texas	111	7	21	15	10	11	9	4	4	2	6	11	11	—
MOUNTAIN	44	3	5	2	5	6	10	5	1	1	1	3	2	—
Montana	18	—	1	1	2	3	4	2	1	1	1	1	1	—
Idaho	2	—	—	1	—	—	1	—	—	—	—	—	—	—
Wyoming	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Colorado	10	1	1	—	1	1	3	3	—	—	—	—	—	—
New Mexico	4	1	—	—	—	2	—	—	—	—	—	1	—	—
Arizona	6	1	1	—	2	—	1	—	—	—	—	—	1	—
Utah	2	—	1	—	—	—	1	—	—	—	—	—	—	—
Nevada	1	—	1	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	216	28	37	16	24	18	22	11	17	6	14	6	14	3
Washington	23	2	5	3	2	3	1	1	2	1	—	2	1	—
Oregon	19	2	—	2	4	2	2	—	—	1	4	1	1	—
California	162	24	31	9	18	12	19	8	14	4	10	2	11	—
Alaska	11	—	1	2	—	1	—	2	—	—	—	1	1	3
Hawaii	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	12	—	1	2	1	—	—	3	1	—	—	—	4	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973 — Continued
(F) MUMPS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	69,612	7,548	7,877	10,344	8,971	8,961	6,273	2,931	1,742	1,547	2,980	4,519	5,919	—
NEW ENGLAND	5,029	348	267	473	413	519	449	270	117	147	343	743	940	—
Maine	573	12	7	44	51	61	86	35	28	17	24	59	149	—
New Hampshire	305	46	23	40	23	19	18	19	1	6	3	21	86	—
Vermont	278	55	23	71	16	50	23	3	3	17	12	1	4	—
Massachusetts	1,330	129	110	177	120	127	78	54	31	45	79	176	204	—
Rhode Island	911	25	43	26	46	80	52	38	22	21	142	210	206	—
Connecticut	1,632	81	61	115	157	182	192	121	32	41	83	276	291	—
MIDDLE ATLANTIC	8,344	719	734	1,203	1,532	1,402	932	535	266	113	232	252	424	—
Upstate New York														Not notifiable
New York City	4,917	451	470	760	821	858	628	443	217	83	52	66	68	—
New Jersey	1,684	136	169	202	470	199	224	61	26	17	23	82	75	—
Pennsylvania	1,743	132	95	241	241	345	80	31	23	13	157	104	281	—
EAST NORTH CENTRAL	17,659	2,478	2,092	2,612	2,387	2,313	1,344	456	286	273	769	1,196	1,453	—
Ohio	3,216	247	307	711	452	441	304	52	27	31	81	208	355	—
Indiana	1,786	161	217	138	202	151	182	83	34	48	167	193	210	—
Illinois	2,944	429	419	485	381	413	194	78	55	31	77	171	211	—
Michigan	5,042	770	491	550	793	714	433	84	58	59	217	406	467	—
Wisconsin	4,671	871	658	728	559	594	231	159	112	104	227	218	210	—
WEST NORTH CENTRAL	6,120	596	787	1,463	641	555	385	112	58	142	227	515	639	—
Minnesota	109	23	15	17	9	11	5	3	1	2	14	3	6	—
Iowa	4,095	449	600	933	403	399	189	29	8	90	138	375	482	—
Missouri	637	32	53	176	78	30	73	38	22	18	38	39	40	—
North Dakota	78	16	8	8	17	10	4	—	3	—	4	6	2	—
South Dakota	21	2	3	1	1	5	1	5	1	1	—	1	—	—
Nebraska	194	13	18	25	20	7	11	23	10	18	16	18	15	—
Kansas	986	61	90	303	113	93	102	14	13	13	17	73	94	—
SOUTH ATLANTIC	7,804	660	959	1,313	1,041	1,046	768	387	239	183	246	436	526	—
Delaware	284	50	50	57	35	26	28	8	10	2	6	6	6	—
Maryland	696	120	109	108	90	87	50	38	19	7	10	38	20	—
District of Columbia	167	4	2	7	7	19	17	27	24	23	11	13	13	—
Virginia	799	48	99	87	144	100	120	63	36	24	11	27	40	—
West Virginia	2,783	263	320	469	360	358	258	136	70	39	103	190	217	—
North Carolina														Not notifiable
South Carolina	358	11	55	72	104	56	20	10	5	3	2	9	11	—
Georgia	35	7	—	3	13	4	—	4	2	—	1	—	1	—
Florida	2,682	157	324	510	288	396	275	101	73	85	102	153	218	—
EAST SOUTH CENTRAL	5,844	356	794	591	495	772	820	407	230	189	255	299	636	—
Kentucky	1,759	103	224	239	143	292	165	102	45	52	113	95	186	—
Tennessee	2,836	170	178	240	263	353	527	196	124	120	109	159	397	—
Alabama	758	73	77	61	45	97	124	107	58	13	25	37	41	—
Mississippi	491	10	315	51	44	30	4	2	3	4	8	8	12	—
WEST SOUTH CENTRAL	4,871	507	563	709	511	458	436	282	178	168	270	333	456	—
Arkansas	417	18	21	60	80	62	83	16	13	5	31	16	12	—
Louisiana	156	4	16	21	11	2	13	7	7	8	8	—	59	—
Oklahoma	512	15	50	91	89	51	76	40	20	13	13	10	44	—
Texas	3,786	470	476	537	331	343	264	219	138	142	218	307	341	—
MOUNTAIN	2,700	296	404	498	398	328	183	105	59	52	79	126	172	—
Montana	314	17	51	41	43	43	12	14	11	6	9	21	46	—
Idaho	134	14	26	56	3	6	5	—	1	—	4	6	13	—
Wyoming	433	78	152	63	73	49	1	—	2	3	3	6	3	—
Colorado	618	33	36	72	82	95	43	45	31	26	45	42	68	—
New Mexico	1,044	136	127	238	196	131	86	35	9	12	12	26	36	—
Arizona														Not notifiable
Utah	134	16	11	21	—	4	35	10	5	5	3	23	1	—
Nevada	23	2	1	7	1	—	1	1	—	—	3	2	5	—
PACIFIC	11,241	1,588	1,277	1,482	1,553	1,568	956	377	309	280	559	619	673	—
Washington	1,949	274	232	245	223	323	92	17	3	56	148	187	149	—
Oregon	2,140	267	298	276	264	243	194	110	52	63	112	74	187	—
California	5,931	956	617	765	930	787	548	229	218	129	222	254	276	—
Alaska	938	71	113	150	88	148	93	9	19	19	68	104	56	—
Hawaii	283	20	17	46	48	67	29	12	17	13	9	—	5	—
Guam	53	1	—	—	4	10	1	2	2	5	4	9	15	—
Puerto Rico	1,117	65	97	79	90	146	85	59	58	34	83	68	253	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1973 – Continued
(G) RUBELLA

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	27,804	1,645	2,506	5,732	6,435	5,581	2,703	606	431	386	544	573	662	—
NEW ENGLAND	3,676	176	214	538	1,080	1,125	317	80	23	23	22	38	40	—
Maine	79	3	15	15	4	26	6	—	—	—	1	2	7	—
New Hampshire	387	3	3	10	225	80	32	20	2	2	4	2	4	—
Vermont	49	5	—	5	1	19	13	—	1	3	—	—	2	—
Massachusetts	2,046	80	117	327	649	613	164	33	10	8	8	20	17	—
Rhode Island	200	4	3	40	63	58	8	5	2	3	5	5	4	—
Connecticut	915	81	76	141	138	329	94	22	8	7	4	9	6	—
MIDDLE ATLANTIC	4,305	155	214	856	1,148	1,009	619	117	40	26	29	55	37	—
Upstate New York	477	26	12	80	86	100	59	40	11	8	13	34	8	—
New York City	503	15	26	69	99	122	91	24	18	9	6	14	10	—
New Jersey	3,029	100	158	619	924	719	434	44	8	4	5	2	12	—
Pennsylvania	296	14	18	88	39	68	35	9	3	5	5	5	7	—
EAST NORTH CENTRAL	6,659	420	629	1,270	1,354	1,310	699	150	159	123	188	147	210	—
Ohio	711	40	50	254	147	72	67	16	8	6	8	7	36	—
Indiana	1,018	75	109	278	212	153	69	21	12	18	11	38	22	—
Illinois	1,264	56	78	101	325	326	142	16	30	28	77	20	65	—
Michigan	2,001	91	176	268	378	474	311	71	54	26	39	54	59	—
Wisconsin	1,665	158	216	369	292	285	110	26	55	45	53	28	28	—
WEST NORTH CENTRAL	1,179	213	195	236	269	147	55	5	7	12	20	9	11	—
Minnesota	224	19	46	71	34	43	7	1	—	—	1	1	1	—
Iowa	221	39	37	42	43	15	18	3	3	4	12	3	2	—
Missouri	264	107	59	40	18	11	12	—	4	5	4	3	1	—
North Dakota	233	29	8	8	131	49	7	—	—	—	1	—	—	—
South Dakota	24	—	2	—	4	15	1	1	—	—	—	—	1	—
Nebraska	141	11	30	47	34	13	3	—	—	3	—	—	—	—
Kansas	72	8	13	28	5	1	7	—	—	—	2	2	6	—
SOUTH ATLANTIC	2,291	160	103	463	485	290	401	43	46	55	67	88	90	—
Delaware	17	—	2	—	2	3	1	4	1	—	2	1	1	—
Maryland	10	1	5	1	1	—	1	—	—	—	—	1	—	—
District of Columbia	4	1	—	1	—	—	—	1	—	—	—	—	1	—
Virginia	547	1	12	141	92	27	246	3	6	4	6	4	5	—
West Virginia	347	20	29	44	66	85	17	4	20	26	19	11	6	—
North Carolina	204	4	3	77	87	18	8	3	1	1	—	—	2	—
South Carolina	80	3	6	8	45	3	5	3	3	2	—	—	2	—
Georgia	16	3	—	4	1	1	—	2	1	—	—	—	4	—
Florida	1,066	127	46	187	191	153	123	23	14	22	40	71	69	—
EAST SOUTH CENTRAL	1,517	56	199	302	264	255	132	38	49	34	47	67	74	—
Kentucky	428	25	104	140	53	36	16	2	14	6	10	16	6	—
Tennessee	645	22	88	106	94	89	77	23	18	24	21	27	56	—
Alabama	210	4	4	27	57	63	27	1	3	—	10	9	5	—
Mississippi	234	5	3	29	60	67	12	12	14	4	6	15	7	—
WEST SOUTH CENTRAL	1,540	101	211	406	380	205	73	42	17	22	30	23	30	—
Arkansas	119	8	6	73	8	10	4	3	—	—	—	3	4	—
Louisiana	100	—	13	25	36	19	6	—	—	—	—	—	1	—
Oklahoma	185	3	21	16	92	27	8	10	2	1	—	1	4	—
Texas	1,136	90	171	292	244	149	55	29	15	21	30	19	21	—
MOUNTAIN	2,452	70	235	857	731	293	96	39	24	22	21	22	42	—
Montana	529	4	4	207	177	51	48	8	3	4	1	9	13	—
Idaho	46	4	1	2	8	12	6	1	2	4	3	3	—	—
Wyoming	8	—	—	3	2	—	1	—	1	1	—	—	—	—
Colorado	1,589	47	172	560	519	210	31	15	6	5	7	3	14	—
New Mexico	174	9	13	70	20	12	9	14	5	5	7	6	4	—
Arizona	8	1	1	3	1	2	—	—	—	—	—	—	—	—
Utah	83	3	44	10	3	6	1	1	7	3	2	1	2	—
Nevada	15	2	—	2	1	—	—	—	—	—	1	—	9	—
PACIFIC	4,185	294	506	804	724	947	311	92	66	69	120	124	128	—
Washington	784	70	86	114	150	163	61	7	9	13	44	28	39	—
Oregon	811	48	42	81	109	370	81	19	13	6	7	20	15	—
California	2,541	174	374	604	461	400	165	64	43	50	69	66	71	—
Alaska	19	—	—	1	—	8	—	—	—	—	—	10	—	—
Hawaii	30	2	4	4	4	6	4	2	1	—	—	—	3	—
Guam	16	1	—	1	3	1	1	2	3	1	1	—	2	—
Puerto Rico	42	4	9	1	4	2	3	3	—	5	5	2	4	—

TABLE 13. Cases of Acute Diseases *Optionally* Reported by Certain States, 1973

AREA	ANIMAL BITES	CON- JUNCTIVITIS (Pink Eye)	ERY- SIPELAS	GASTROENTERIC DISORDERS			
				NON- SPECIFIC	ANCLYO- STOMIASIS (Hookworm)	FOOD POISONING	DIARRHEA OF NEWBORN
NO. CASES REPORTED	174,325	7,834	47	44,736	437	926	212
No. States Reporting	(18)	(19)	(8)	(16)	(9)	(12)	(15)
NEW ENGLAND	20,627	170	1	341	...	255	3
Maine	44	...	340
New Hampshire	2,165	1	...	6	...
Vermont	24
Massachusetts	18,462	...	1	3
Rhode Island
Connecticut	102	249	...
MIDDLE ATLANTIC	64,963	188	84	54	45
Upstate New York	161	22
New York City	40,252	23
New Jersey	270	188	84	13	...
Pennsylvania	24,280	41	...
EAST NORTH CENTRAL	59,861	3,095	29	239	...	109	39
Ohio	73	4	25	3
Indiana	11,197	3,002	8
Illinois	31,196	16	17	214	...	106	11
Michigan	17,468	3	24
Wisconsin	4	1
WEST NORTH CENTRAL	4,529	2,109	16	7,733	15	279	24
Minnesota	4,331	11	1	34	11	...	8
Iowa	1,049	4	7,653	1
Missouri	43	...	46	...	279	15
North Dakota	1,002	11
South Dakota	198	1	1
Nebraska	3
Kansas	3
SOUTH ATLANTIC	21,689	525	...	25,018	10	166	53
Delaware
Maryland	19,454	1
District of Columbia
Virginia	10	15	...
West Virginia	2,235	525	...	25,018
North Carolina
South Carolina
Georgia
Florida	151	52
EAST SOUTH CENTRAL	774	805	1	6,997	238	46	...
Kentucky	774	805	1	6,997	8	46	...
Tennessee
Alabama
Mississippi	230
WEST SOUTH CENTRAL	1,594	1	...	2,727	7	2	...
Arkansas	1,587	1	...	2,727	7
Louisiana	7	2	...
Oklahoma
Texas
MOUNTAIN	33	12	...	1,048	1
Montana	33	12	...	541
Idaho	459
Wyoming
Colorado
New Mexico
Arizona
Utah
Nevada	48	1
PACIFIC	255	1,117	...	445	83	15	47
Washington	1,017
Oregon	255	6	...	15	1
California	46
Alaska	439
Hawaii	100	83
Guam	97	1	280	10
Puerto Rico	7,485

TABLE 13. Cases of Acute Diseases *Optionally* Reported by Certain States, 1973 – Continued

AREA	HISTO- PLASMOSIS	MENINGITIS (Bacterial & Unspecified)	MONO- NUCLEOSIS, INFECTIOUS	RESPIRATORY INFECTIONS	RINGWORM	STREPTOCOCCAL SORE THROAT & SCARLET FEVER
NO. CASES REPORTED ...	284	2,510	12,833	258,690	953	474,212
No. States Reporting	(22)	(36)	(32)	(13)	(14)	(46)
NEW ENGLAND	2	342	1,664	2,264	24	71,810
Maine	12	80	1,572
New Hampshire	8	26	2,264	1	2,285
Vermont	192	1,427
Massachusetts	227	10,039
Rhode Island	2	60	8,275
Connecticut	35	1,366	...	23	48,212
MIDDLE ATLANTIC	76	392	722	...	4	23,145
Upstate New York	139	13,051
New York City	239	1,638
New Jersey	75	14	6	...	4	152
Pennsylvania	1	...	716	8,304
EAST NORTH CENTRAL ..	60	679	3,227	9,172	1	64,860
Ohio	27	122	1,147	7,920	...	5,467
Indiana	26	37	1,036	15,077
Illinois	6	277	938	1,252	1	9,461
Michigan	243	24,467
Wisconsin	1	...	106	10,388
WEST NORTH CENTRAL ..	77	206	2,774	13,355	380	47,512
Minnesota	9	60	1,616	474	24	1,802
Iowa	14	42	786	...	167	7,435
Missouri	39	76	14	...	98	14,195
North Dakota	215	12,109	55	4,738
South Dakota	1	6	135	6,572
Nebraska	8	772	...	3,814
Kansas	14	22	36	8,956
SOUTH ATLANTIC	47	383	1,488	33,860	1	51,770
Delaware	2,178
Maryland	121	85	7,737
District of Columbia	27	1	821	1	52
Virginia	20	136	937	2,356
West Virginia	9	436	17,078
North Carolina
South Carolina	2	44	29	4,113
Georgia	46	2,626
Florida	25	33,039	...	15,630
EAST SOUTH CENTRAL ...	5	97	383	120,331	1	19,990
Kentucky	2	5	214	...	1	5,343
Tennessee	120,331
Alabama	26	112	4,686
Mississippi	3	66	57	9,961
WEST SOUTH CENTRAL ..	12	32	24	6,827	...	46,593
Arkansas	4	32	17	6,827	...	1,980
Louisiana	8	...	7
Oklahoma
Texas	44,613
MOUNTAIN	1	87	431	2,791	13	82,479
Montana	255	5,840
Idaho	27	20	820
Wyoming	21,390
Colorado	51	13	53,485
New Mexico
Arizona	1
Utah	4	155	2,595	...	861
Nevada	5	1	196	...	83
PACIFIC	4	292	2,120	70,090	529	66,053
Washington	1	25	522	30,894
Oregon	94	2,018	70,090	7	6,485
California	3	136	20,042
Alaska	16	2,659
Hawaii	21	102	5,973
Guam	11	27	1,424
Puerto Rico	22	334

TABLE 14. Cases of Other Diseases *Optionally* Reported, 1973**Bacterial Diseases**

Enteropathogenic <i>Escherichia coli</i>	N.H. 24; N.J. 439; Ohio 40; Ill. 596; Wisc. 127; Iowa 11; Mo. 4; D.C. 56; Ark. 25; Wyo. 8; Colo. 7; Wash. 40; Ore. 24; Alaska 61; Hawaii 87
Impetigo	Ohio 15; N.D. 458; D.C. 35; Fla. 3,084; Ore. 66
Listeriosis	Vt. 1; R.I. 1; N.J. 2; Pa. 5; Ohio 1; Ill. 2; Mich. 5; Minn. 1; Va. 6; Fla. 2; Ark. 2; Wash. 6; Ore. 2; Calif. 2
Mycobacteriosis	Fla. 784; La. 69
Ophthalmia neonatorum	Fla. 9
Otitis media	Nev. 53
Pasteurella multocida	Ore. 10
Relapsing fever	Utah 1; Calif. 5
Septicemia	Ohio 11,877
Staphylococcal infection	N.H. 20; Ohio 2; Nebr. 1; Md. 18; Ore. 533
Vincent's angina	Ohio 2; Iowa 2
Yaws	Ohio 1; Utah 2
Yersinia enterocolitica	Md. 1

Parasitic Diseases

Ascariasis	N.J. 62; Minn. 33; Iowa 6; S.D. 2; Kans. 5; Va. 108; Miss. 650; Ark. 22; Hawaii 89
Diphyllobothriasis	Va. 1
Enterobiasis (pinworm)	N.H. 1; Iowa 15; Ky. 1
Filariasis	N.J. 1; Iowa 1
Giardiasis	Vt. 24; N.J. 17; Pa. 20; Wisc. 5; Minn. 209; Iowa 22; Mo. 10; Kans. 84 D.C. 1; Va. 190; Miss. 432; Ark. 55; Ida. 2; Wyo. 6; Colo. 260; Calif. 7
Leishmaniasis	N.J. 1; Md. 1
Pediculosis	N.H. 46; Iowa 216
Pneumocystis carinii pneumonia	N.J. 1
Scabies	Iowa 236; N.D. 10; Ky. 8
Schistosomiasis	NYC 124; N.J. 1; Pa. 10; Iowa 1
Strongyloidiasis	Iowa 2; Fla. 3; Ark. 11
Taeniasis	Va. 5
Toxoplasmosis	N.H. 1; N.J. 1; Pa. 19; Ohio 35; Ill. 10; Minn. 3; Kans. 2; Md. 1; Va. 16; La. 1; Ida. 4; Wash. 10; Calif. 8; Hawaii 20
Trichuriasis	Iowa 1; Fla. 1; Ark. 13
Visceral larva migrans	Iowa 1

Poisonings

Ciguatera	Fla. 35
Food	Minn. 384
Lead	Conn. 172; Md. 45
Shellfish	Fla. 5

Viral Diseases

Adenovirus	Minn. 45; Iowa 3
Colorado tick fever	Mont. 13; Ida. 8; Wyo. 6; Colo. 244; Utah 24; Ore. 10; Calif. 16
Coxsackievirus	Minn. 13
Cytomegalic inclusion disease	Minn. 65
Dengue	Fla. 1
Echovirus	Minn. 11
Guillain-Barré syndrome	Iowa 4
Herpangina	Iowa 1
Herpesvirus	Ohio 5; Iowa 20; Guam 11
Keratoconjunctivitis	Ind. 112; Ore. 17; Calif. 8; Guam 367
Orf	Ore. 4
Q fever	Ida. 3; Colo. 2; Utah 1; Ore. 1; Calif. 13
Trachoma	Va. 4; Mont. 7; Wyo. 1; Nev. 12; Calif. 2
Vaccinia	D.C. 3; Fla. 1
Vesicular stomatitis with exanthem (Hand, foot, and mouth disease)	Iowa 3; Va. 2

Diseases of Unknown or Unspecified Etiology

Cat-scratch fever	Ohio 8; Va. 1; Fla. 1; Utah 1
Erythema infectiosum (Fifth disease)	Ohio 1,147; N.D. 21; Nebr. 5; Kans. 232; Ore. 56
Glomerulonephritis	Tenn. 4
Pericarditis, myocarditis	Iowa 3
Reye's syndrome	Va. 1
Roseola	Iowa 8; Utah 3
Sarcoidosis	Mo. 6

Fungal Diseases

Actinomycosis	Mass. 2; Conn. 185; Iowa 1; Mo. 1; S.C. 4; La. 3
Aspergillosis	N.J. 7; Mo. 2; Va. 10
Blastomycosis	N.J. 5; Ohio 1; Ill. 3; Minn. 3; Mo. 2; Va. 1; S.C. 2; Miss. 5; Ark. 5; La. 11; Wash. 1
Candidiasis	Me. 2; N.J. 6
Coccidioidomycosis	N.J. 1; Ill. 2; Minn. 3; Mo. 1; Kans. 2; Miss. 1; Ark. 1; La. 3; Utah 2; Wash. 3; Ore. 2; Calif. 415
Cryptococcosis	N.J. 4; Pa. 6; Ohio 3; Ill. 1; Minn. 1; Mo. 7; Va. 6; S.C. 1; Fla. 1; La. 4
Maduromycosis	Fla. 1
Nocardiosis	Kans. 2
Sporotrichosis	Fla. 1

TABLE 15. Deaths in 121* Selected Cities, United States, 1973 (Through 52nd Week Ended December 29, 1973)

Area	All Causes		Under 1 year	Pneumonia and Influenza All Ages	Area	All Causes		Under 1 year	Pneumonia and Influenza All Ages
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND	37,505	23,543	1,223	2,138	SOUTH ATLANTIC	64,833	35,174	2,413	2,674
Boston, Mass.	11,436	6,536	490	693	Atlanta, Ga.	7,306	3,518	319	285
Bridgeport, Conn.	2,220	1,431	42	159	Baltimore, Md.	11,997	6,543	373	206
Cambridge, Mass.	1,365	992	36	243	Charlotte, N.C.	3,023	1,497	160	23
Fall River, Mass.	1,542	1,095	17	38	Jacksonville, Fla.	4,788	2,541	189	78
Hartford, Conn.	3,139	1,854	112	62	Miami, Fla.	5,910	3,238	201	238
Lowell, Mass.	1,493	976	24	103	Norfolk, Va.	3,198	1,609	129	255
Lynn, Mass.	1,114	781	15	53	Richmond, Va.	4,902	2,600	157	387
New Bedford, Mass.	1,462	1,079	17	88	Savannah, Ga.	2,020	1,050	71	162
New Haven, Conn.	2,840	1,634	163	60	St. Petersburg, Fla.	5,116	4,110	80	230
Providence, R.I.	3,046	1,820	120	266	Tampa, Fla.	4,098	2,318	175	369
Somerville, Mass.	573	434	3	42	Washington, D.C.	9,865	4,723	478	344
Springfield, Mass.	2,496	1,612	85	170	Wilmington, Del.	2,610	1,427	81	97
Waterbury, Conn.	1,691	1,161	32	10	EAST SOUTH CENTRAL	36,450	20,091	1,633	1,716
Worcester, Mass.	3,088	2,138	67	151	Birmingham, Ala.	5,956	3,174	307	121
MIDDLE ATLANTIC	164,964	100,371	5,078	6,962	Chattanooga, Tenn.	2,925	1,606	126	232
Albany, N.Y.	2,848	1,723	149	79	Knoxville, Tenn.	2,170	1,442	29	45
Allentown, Pa.	1,515	1,041	25	133	Louisville, Ky.	6,493	3,640	277	481
Buffalo, N.Y.	7,508	4,552	248	560	Memphis, Tenn.	8,257	4,402	442	189
Camden, N.J.	2,208	1,273	95	104	Mobile, Ala.	2,989	1,651	112	98
Elizabeth, N.J.	1,609	1,014	22	60	Montgomery, Ala.	2,073	1,148	80	195
Erie, Pa.	1,973	1,282	66	198	Nashville, Tenn.	5,587	3,028	260	355
Jersey City, N.J.	3,091	1,939	102	166	WEST SOUTH CENTRAL	62,783	33,813	3,068	2,292
Newark, N.J.	3,952	1,920	305	186	Austin, Tex.	2,151	1,278	100	155
New York City, N.Y.	82,245	50,474	2,201	3,196	Baton Rouge, La.	2,513	1,384	111	103
Paterson, N.J.	2,114	1,250	117	131	Corpus Christi, Tex.	1,885	1,037	127	46
Philadelphia, Pa.	24,491	14,132	805	362	Dallas, Tex.	9,229	4,774	431	154
Pittsburgh, Pa.	9,710	5,457	347	637	El Paso, Tex.	2,734	1,480	213	252
Reading, Pa.	2,109	1,523	29	145	Fort Worth, Tex.	4,520	2,611	226	145
Rochester, N.Y.	6,375	4,264	200	451	Houston, Tex.	13,493	6,551	605	328
Schenectady, N.Y.	1,329	874	26	37	Little Rock, Ark.	3,225	1,718	198	186
Scranton, Pa.	2,127	1,426	33	84	New Orleans, La.	8,405	4,438	380	176
Syracuse, N.Y.	4,415	2,721	183	87	San Antonio, Tex.	7,512	4,194	422	230
Trenton, N.J.	2,141	1,289	68	100	Shreveport, La.	3,483	2,049	120	219
Utica, N.Y.	1,306	929	18	107	Tulsa, Okla.	3,633	2,299	135	298
Yonkers, N.Y.	1,898	1,288	39	139	MOUNTAIN	28,215	16,264	1,268	1,291
EAST NORTH CENTRAL	132,912	76,627	5,619	4,222	Albuquerque, N. Mex.	2,724	1,396	121	335
Akron, Ohio	3,422	2,063	199	2	Colorado Springs, Colo.	1,639	998	56	177
Canton, Ohio	2,147	1,330	82	106	Denver, Colo.	6,630	3,862	331	263
Chicago, Ill.	35,515	19,391	1,537	971	Las Vegas, Nev.	1,707	783	78	39
Cincinnati, Ohio	8,513	5,194	287	252	Ogden, Utah	1,080	667	34	96
Cleveland, Ohio	10,290	5,564	419	206	Phoenix, Ariz.	6,495	3,705	287	98
Columbus, Ohio	7,168	4,049	369	243	Pueblo, Colo.	1,184	784	33	132
Dayton, Ohio	5,516	3,268	192	141	Salt Lake City, Utah	3,148	1,933	208	66
Detroit, Mich.	17,896	9,743	783	509	Tucson, Ariz.	3,608	2,136	120	85
Evansville, Ind.	2,286	1,555	62	125	PACIFIC	88,538	55,283	2,691	2,805
Fort Wayne, Ind.	2,483	1,481	123	177	Berkeley, Calif.	1,028	723	6	38
Gary, Ind.	1,711	770	105	127	Fresno, Calif.	2,946	1,696	165	93
Grand Rapids, Mich.	2,876	1,901	86	237	Glendale, Calif.	1,477	1,106	27	39
Indianapolis, Ind.	8,153	4,603	383	170	Honolulu, Hawaii	2,818	1,511	152	74
Madison, Wis.	2,023	1,102	130	209	Long Beach, Calif.	5,589	3,490	126	160
Milwaukee, Wis.	7,075	4,668	187	146	Los Angeles, Calif.	27,960	17,621	723	793
Peoria, Ill.	2,300	1,374	203	55	Oakland, Calif.	4,275	2,627	174	97
Rockford, Ill.	2,148	1,294	113	205	Pasadena, Calif.	1,747	1,263	30	43
South Bend, Ind.	2,251	1,438	78	168	Portland, Oreg.	7,129	4,624	204	153
Toledo, Ohio	5,836	3,743	185	100	Sacramento, Calif.	3,351	1,962	133	73
Youngstown, Ohio	3,303	2,096	96	73	San Diego, Calif.	6,165	3,685	244	133
WEST NORTH CENTRAL	42,066	26,477	1,662	1,579	San Francisco, Calif.	9,152	5,521	248	322
Des Moines, Iowa	3,117	1,986	99	69	San Jose, Calif.	2,789	1,771	54	98
Duluth, Minn.	1,371	970	31	120	Seattle, Wash.	7,160	4,364	262	268
Kansas City, Kans.	1,847	947	127	81	Spokane, Wash.	2,834	1,909	105	246
Kansas City, Mo.	6,814	4,361	261	106	Tacoma, Wash.	2,118	1,410	38	175
Lincoln, Nebr.	1,467	1,030	42	85	Total	658,266	387,643	24,655	25,679
Minneapolis, Minn.	5,352	3,483	243	150					
Omaha, Nebr.	4,281	2,610	220	68					
St. Louis, Mo.	11,094	6,658	406	450					
St. Paul, Minn.	3,795	2,579	123	112					
Wichita, Kans.	2,928	1,853	110	338					

*Oklahoma City - deleted during 1973

SPECIAL SUMMARY

Legal abortion	Page 34
----------------------	------------

DISEASE PATTERNS

Anthrax	35
Aseptic Meningitis	36
Botulism	37
Brucellosis	38
Chickenpox	37
Diphtheria	39
Encephalitis	40
Hepatitis	41
Leprosy	42
Leptospirosis	42
Malaria	43
Measles (Rubeola)	43
Meningococcal Infections	44
Mumps	45
Pertussis	45
Plague	46
Poliomyelitis	46
Pneumonia-Influenza Deaths — 122 Cities	47
Rabies	49
Rocky Mountain Spotted Fever (Tick-borne Typhus)	51
Rubella (German Measles)	52
Salmonella	53
Shigella	53
Tetanus	54
Trichinosis	55
Tuberculosis	56
Tularemia	57
Typhoid Fever	58
Typhus Fever (Flea-borne, Murine)	59
Venereal Diseases	59

**Reported Legal Abortions by Week of Gestation and State of Occurrence
Selected States* - 1973**

State	≤ 8		9-12		13-20		≥ 21		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	315	27.0	587	50.4	209	17.9	24	2.1	30	2.6	1,165	100.0
Arkansas	420	36.9	572	50.3	144	12.7	2	0.2	0	0.0	1,138	100.0
Georgia ¹	3,957	42.9	4,190	45.4	875	9.5	29	0.3	170	1.8	9,221	100.0
Hawaii ²	328	31.0	554	52.3	148	14.0	8	0.8	21	2.0	1,059	100.0
Kansas	3,944	31.3	6,469	51.3	2,138	17.0	44	0.3	17	0.1	12,612	100.0
Maryland ³	2,438	24.8	4,675	47.5	2,539	25.8	191	1.9	0	0.0	9,843	100.0
Mississippi	28	29.2	41	42.7	21	21.9	-4	-	6	6.3	96	100.0
Nevada ⁵	47	63.5	26	35.1	1	1.4	0	0.0	0	0.0	74	100.0
Oregon	2,963	39.8	3,541	47.5	858	11.5	58	0.8	27	0.4	7,447	100.0
South Carolina	740	35.2	1,087	51.7	166	7.9	8	0.4	101	4.8	2,102	100.0
Vermont	424	30.2	954	68.0	21	1.5	-4	-	3	0.2	1,402	100.0
TOTAL	15,604	33.8	22,696	49.2	7,120	15.4	364	0.8	375	0.8	46,159	100.0

1 Residents only.

2 January-March.

3 Numbers in each category estimated based on 1st and 3rd quarter data and total abortions reported for the year.

4 Abortions not reported for this category.

5 December.

* All states with data available; reporting as of June 7, 1974.

**Reported Legal Abortions by Age and State of Occurrence
Selected States* - 1973**

State	≤ 15		15-19		20-24		25-29		30-34		35-39		≥ 40		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	24	2.1	404	34.7	346	29.7	201	17.3	107	9.2	48	4.1	31	2.7	4	0.3	1,165	100.0
Arkansas	40	3.5	425	37.3	292	25.7	154	13.5	104	9.1	87	7.6	36	3.2	0	0.0	1,138	100.0
Georgia ¹	184	2.0	2,953	32.0	2,905	31.5	1,606	17.4	817	8.9	458	5.0	137	1.5	161	1.7	9,221	100.0
Hawaii ²	6	0.6	244	23.0	354	33.4	217	20.5	122	11.5	76	7.2	36	3.4	4	0.4	1,059	100.0
Kansas	268	2.1	5,276	41.8	3,695	29.3	1,598	12.7	926	7.3	591	4.7	255	2.0	3	0.0	12,612	100.0
Maryland ³	319	3.2	3,434	34.9	2,637	26.8	1,680	17.1	986	10.0	563	5.7	224	2.3	0	0.0	9,843	100.0
Mississippi	8	8.3	30	31.2	10	10.4	16	16.7	13	13.5	10	10.4	9	9.4	0	0.0	96	100.0
Nebraska ⁴	21	1.7	497	40.8	356	29.2	155	12.7	90	7.4	59	4.8	40	3.3	0	0.0	1,218	100.0
Nevada ⁵	3	4.1	28	37.8	22	29.7	12	16.2	5	6.8	3	4.1	0	0.0	1	1.4	74	100.0
New York Upstate	531	1.0	16,911	32.5	15,935	30.7	8,349	16.1	5,343	10.3	3,264	6.3	1,541	3.0	104	0.2	51,978	100.0
Oregon	152	2.0	2,646	35.5	2,432	32.7	1,174	15.8	605	8.1	297	4.0	132	1.8	9	0.1	7,447	100.0
South Carolina	57	2.7	624	29.7	651	31.0	348	16.6	217	10.3	116	5.5	48	2.3	41	2.0	2,102	100.0
Vermont	7	0.5	452	32.2	515	36.7	235	16.8	118	8.4	57	4.1	18	1.3	0	0.0	1,402	100.0
TOTAL	1,620	1.6	33,924	34.1	30,150	30.3	15,745	15.8	9,453	9.5	5,629	5.7	2,507	2.5	327	0.3	99,355	100.0

1 Residents only.

2 January-March.

3 Numbers in each category estimated based on 1st and 3rd quarter data and total abortions reported for the year.

4 May 24-December 31.

5 December.

* All states with data available; reporting as of June 7, 1974.

**Reported Legal Abortions by Type of Procedure and State of Occurrence
Selected States* - 1973**

State	Sharp D & C		Suction Curettage		Amniotic Fluid Replacement		Hystero-tomy		Hysterec-tomy		Other		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	380	32.6	635	54.5	107	9.2	- ¹	-	- ¹	-	40	3.4	3	0.3	1,165	100.0
Kansas	1,530	12.1	10,118	80.2	870	6.9	7	0.1	66	0.5	21	0.2	0	0.0	12,612	100.0
Maryland ²	257	2.6	6,895	70.0	1,711	17.4	178	1.8	176	1.8	626	6.4	0	0.0	9,843	100.0
Nebraska ³	649	53.3	327	26.8	240	19.7	0	0.0	2	0.2	0	0.0	0	0.0	1,218	100.0
Nevada ⁴	3	4.1	70	94.6	1	1.4	0	0.0	0	0.0	0	0.0	0	0.0	74	100.0
New York Upstate	2,523	4.9	41,560	80.0	5,467	10.5	162	0.3	45	0.1	15	0.0	2,206	4.2	51,978	100.0
Oregon	676	9.1	5,956	80.0	689	9.3	20	0.3	96	1.3	5	0.1	5	0.1	7,447	100.0
South Carolina	118	5.6	1,803	85.8	29	1.4	11	0.5	77	3.7	55	2.6	9	0.4	2,102	100.0
Vermont	16	1.1	1,159	82.7	7	0.5	0	0.0	3	0.2	217	15.5	0	0.0	1,402	100.0
TOTAL	6,152	7.0	68,523	78.0	9,121	10.4	378	0.4	465	0.5	979	1.1	2,223	2.5	87,841	100.0

1 Abortions not reported for this category.

2 Numbers in each category estimated based on 1st and 3rd quarter data and total abortions reported for the year.

3 May 24-December 31.

4 December.

* All states with data available; reporting as of June 7, 1974.

Reported Legal Induced Abortion Ratios, by State of Occurrence Selected States* — 1973

State	No. of Abortions ¹	No. of Live Births ²	Abortions/1,000 Live Births
Alabama	2,199 ³	59,909	37
Alaska	1,165	6,640	175
Arizona	738 ³	37,980	19
Arkansas	1,138	32,687	35
California	131,870	300,637	439
Colorado	6,048	39,345	154
Connecticut	3,463 ³	36,642	95
District of Columbia ⁴	15,299	5,330	2,870
Florida	16,156	107,879	150
Georgia	9,221 ⁵	90,048	102
Hawaii ⁴	1,059	3,672	288
Illinois ⁶	5,478	57,637	95
Kansas	12,612	30,610	412
Maryland	9,843	47,349	208
Mississippi	96	11,927	8
Nebraska ⁷	1,218	14,152	86
Nevada ⁸	74	780	95
New Mexico	3,104 ³	20,643	150
New York	207,659	241,349	860
(New York City)	(155,681)	(112,259)	(1,387)
(Upstate New York)	(51,978)	(129,090)	(403)
North Carolina	11,935	85,772	139
Oregon	7,447	31,731	235
Pennsylvania	4,447 ³	154,560	29
South Carolina	2,102	47,787	44
South Dakota	1,024	10,545	97
Tennessee	1,690	68,484	25
Vermont	1,402	6,305	222
Washington	17,319	45,447	381
Wisconsin	6,039 ³	62,584	96
TOTAL	481,845	1,658,431	291

¹ Data from State Health Departments unless otherwise noted.

² Live birth data from *Monthly Vital Statistics Report Provisional Statistics*, Vol. 22, Nos. 3, 5, 8, and 12. Live births from Hawaii and Mississippi are from State Health Departments.

³ Reported from 1 or more hospitals in State.

⁴ January-March.

⁵ Residents only.


⁶ September-December.

⁷ May 24-December 31.


⁸ December.

*All states with data available; reporting as of June 7, 1974.


ANTHRAX—Reported Cases in Humans by 3-Year Period, United States, 1920-1973




ASEPTIC MENINGITIS—Reported Cases by Month, United States, 1971-1973




ASEPTIC MENINGITIS—Reported Cases per 100,000 Population by State, United States, 1973




CHICKENPOX—Reported Cases by Month, United States, 1972-1973




BOTULISM—Reported Cases and Deaths by Year, United States, 1950-1973




BRUCELLOSIS—Reported Cases by Year, United States, 1950-1973




BRUCELLOSIS—Reported Cases per 100,000 Population by State, United States, 1973






DIPHTHERIA—Reported Cases and Deaths per 100,000 Population by Year, United States, 1920-1973




DIPHTHERIA — Reported Cases by Month, United States, 1973 and average 1968-1972




ENCEPHALITIS—Reported Cases by Etiology and Month, United States, 1971-1972



HEPATITIS — Reported Cases per 100,000 Population by 4-week Period, United States, Epidemiologic Years 1952-1973




HEPATITIS (VIRAL)—Reported Cases per 100,000 Population by Geographic Division, Epidemiologic Years 1966-1973




*BASED ON JANUARY 1 POPULATION ESTIMATES


LEPROSY—Reported Cases per 100,000 Population by Year, United States, 1951-1973




LEPTOSPIROSIS—Reported Cases by Month, United States, 1968-1970 and 1971-1973




MALARIA—Reported Cases by Year, United States, 1933-1973




MEASLES (RUBEOLA)—Reported Cases by Month, United States, 1963-1973




MENINGOCOCCAL INFECTIONS—Reported Cases per 100,000 Population by Year, United States, 1920-1973




MENINGOCOCCAL INFECTIONS—Reported Cases per 100,000 Population by State, United States, 1973




MUMPS—Reported Cases by Month, United States, 1972-1973




PERTUSSIS—Reported Cases by Year, United States, 1950-1973





PLAGUE—Reported Cases and Deaths in Humans by Age Group, United States, 1950-1973





PLAGUE—Reported Cases in Humans by Year, United States, 1950-1973




POLIOMYELITIS (PARALYTIC)—Reported Cases by Month, United States, 1962-1973




PNEUMONIA-INFLUENZA—Reported Deaths in 122 Cities, Total and by Geographic Division by Week, United States, 1970-1973




RABIES—Reported Cases in Humans by Year, United States, 1950-1973




RABIES—Reported Cases in Humans by Age and Sex, United States, 1950-1973




RABIES—Reported Cases in Wild and Domestic Animals by Year, United States, 1953-1973




RABIES—Reported Cases in Animals by County, United States, 1973




ROCKY MOUNTAIN SPOTTED FEVER—Reported Cases by Year, United States, 1950-1973




ROCKY MOUNTAIN SPOTTED FEVER—Reported Cases by County, United States, 1973




RUBELLA—Reported Cases per 100,000 Population, United States, 1971-1973, and by Geographic Division 1972-1973



SALMONELLA—Surveillance Program Reported Isolations from Humans by Month, United States, 1966-1973




SIGELLA—Surveillance Program Reported Isolations from Humans by Month, United States, 1968-1973




*ADJUSTED TO 4-WEEK MONTH


TETANUS—Reported Cases by Year, United States, 1950-1973




TETANUS—Reported Cases by County, United States, 1973




TETANUS—Reported Cases by Age Group, United States, 1973




RICHINOSIS—Reported Cases by Year, United States, 1950-1973







TUBERCULOSIS—Reported Average New Cases per 100,000 Population by County, United States, 1970-1972




HAWAII
ALASKA



TUBERCULOSIS—Reported New Active Cases and Cases per 100,000 Population by Race, Sex, and Age Group, United States, 1972




TULAREMIA—Reported Cases by Year, United States, 1950-1973




TULAREMIA—Reported Cases by County, United States, 1973




TYPHOID FEVER—Reported Cases per 100,000 Population by Year, United States, 1942-1973




TYPHOID FEVER—Reported Cases per 100,000 Population by State, United States, 1973



TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE)—Reported Cases per 100,000 Population by Year, United States, 1930-1973




GENERAL DISEASE—Reported Cases of Gonorrhea and Syphilis (All Stages) per 100,000 Population by Year, United States, Fiscal Years 1919-1973




*BEGINNING IN 1939 ALL STATES ARE INCLUDED IN THE REPORTING AREA (MILITARY CASES INCLUDED 1919-1940 EXCLUDED THEREAFTER)

VENEREAL DISEASE—Reported Cases of Syphilis (Primary and Secondary) per 100,000 Population in Civilians by Year, United States, Fiscal Years 1941-1973



*REPORTING OF PRIMARY AND SECONDARY SYPHILIS BEGAN IN 1941

VENEREAL DISEASE—Reported Cases of Syphilis (Primary and Secondary) per 100,000 Population by State, United States, 1973



STATE EPIDEMIOLOGISTS

The State Epidemiologists listed below were instrumental in providing 1973 morbidity and mortality data included in this publication.

Alabama	Frederick S. Wolf, M.D.
Alaska	Donald K. Freedman, M.D.
Arizona	Philip M. Hotchkiss, D.V.M.
Arkansas	Stephen K. Felts, M.D. (Acting)
California	James Chin, M.D.
Colorado	Thomas M. Vernon, Jr., M.D.
Connecticut	James C. Hart, M.D.
Delaware	Ernest S. Tierkel, V.M.D.
District of Columbia	Donald K. Wallace, M.D.
Florida	Chester L. Nayfield, M.D.
Georgia	John E. McCroan, Ph.D.
Hawaii	Ned H. Wiebenga, M.D.
Idaho	John A. Mather, M.D.
Illinois	Byron J. Francis, M.D.
Indiana	Charles L. Barrett, M.D.
Iowa	Charles A. Herron, M.D.
Kansas	Don E. Wilcox, M.D.
Kentucky	Calixto Hernandez, M.D.
Louisiana	Charles T. Caraway, D.V.M.
Maine	Peter J. Leadley, M.D.
Maryland	Anita Bahn, M.D.
Massachusetts	Nicholas J. Fiumara, M.D.
Michigan	Norman S. Hayner, M.D.
Minnesota	D. S. Fleming, M.D.
Mississippi	Durward L. Blakey, M.D.
Missouri	H. Denny Donnell, Jr., M.D.
Montana	Martin D. Skinner, M.D.
Nebraska	Paul A. Stoesz, M.D.
Nevada	William M. Edwards, M.D.
New Hampshire	Vladas Kaupas, M.D.
New Jersey	Ronald Altman, M.D.
New Mexico	Charles F. von Reyn, M.D. (Acting)
New York State	Alan R. Hinman, M.D.
New York City	Pascal J. Imperato, M.D.
North Carolina	Martin P. Hines, D.V.M.
North Dakota	Kenneth Mosser
Ohio	John H. Ackerman, M.D.
Oklahoma	Stanley W. Ferguson, Ph.D.
Oregon	John A. Googins, M.D.
Pennsylvania	W. D. Schrack, Jr., M.D.
Puerto Rico	Angel M. Ayala, M.D.
Rhode Island	James R. Allen, M.D. (Acting)
South Carolina	William B. Gamble, M.D.
South Dakota	Robert S. Westaby, M.D.
Tennessee	Robert H. Hutcheson, Jr., M.D.
Texas	M. S. Dickerson, M.D.
Utah	Taira Fukushima, M.D.
Vermont	Geoffrey Smith, M.D.
Virginia	Robert S. Jackson, M.D.
Washington	Thieu Nghiem, M.D.
West Virginia	N. H. Dyer, M.D.
Wisconsin	H. Grant Skinner, M.D.
Wyoming	Herman S. Parish, M.D.

**U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
CENTER FOR DISEASE CONTROL
ATLANTA, GEORGIA 30333**

OFFICIAL BUSINESS



**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF HE
HEW 399**