

Incorporating work organisation into occupational health research: an invitation for dialogue

L A MacDonald,¹ A Härenstam,² N D Warren,³
L Punnett⁴

The last decade has seen a lively debate emerge about the proper scope of public health research and the value of examining broad social and environmental factors as interacting determinants of morbidity and mortality.^{1,2} In occupational health and safety, the broader socio-ecological system of most obvious interest is that of the organisations in which workers are employed. However, occupational health researchers have been slow to incorporate broader workplace features into their exposure assessment protocols and epidemiological study designs. The dominant exposure paradigm remains largely confined to the characterisation of risk factors at the job level (fig 1, arrow B). While application of this paradigm has contributed much to our understanding of the association between work and worker health and safety, failure to consider the organisational factors and conditions that are antecedents to job-level hazards could limit our ability to design and implement effective and sustainable hazard controls (affecting arrows A, C, D in fig 1). Examples of this broader perspective already exist within systems safety and macroergonomics models³⁻⁷ but we suggest that the importance of the organisational context is relevant for all exposure domains—including chemical hazards. We seek to stimulate dialogue within the occupational health community about the organisational context in which worker injury and illness occurs—

and its implications for aetiological research and hazard control.

The investigative foci in occupational health and the organisational sciences differ significantly, from job-level to organisational-level.⁸ While each contributes to our understanding of how working conditions affect worker health and safety,⁹⁻¹¹ limited empirical research to date has sought to integrate these scientific perspectives simultaneously. The absence within the occupational health community of standardised definitions of organisational “levels” and of organisational constructs, combined with limited forums for the exchange of theoretical and methodological developments and guidance can frustrate health researchers willing to include organisation measures into their studies. There is a need for inter- and intra-disciplinary conversation and collaboration on these issues to reduce research barriers and stimulate new areas of inquiry.

To aid communication, a hierarchical conceptual framework of workplace exposure is shown (fig 2). The inner circle, representing the traditional investigative focus of occupational health research, consists of job-level hazards. We suggest that these hazards are nested within the larger organisational context in which work is performed. The organisational context may have one or more levels and is shown as the middle and outer circles (for example, department, division). These circles signify organisational factors

(structure, policy) through which workplace hazards are hypothesised to develop and persist; they also signify factors hypothesised to influence the adoption, suitability, and sustainability of hazard controls. The inclusion of extra-organisational factors would be a logical extension of the framework (for example, macro-level characteristics of the economic, political, regulatory and social environments in which a company operates).¹²⁻¹⁵ Finally, because communication in any cross-disciplinary effort can be hampered by differences in terminology, several citations are listed to provide readers with access to key definitions relevant for research incorporating organisation-level variables.^{11 16-20}

Increasing evidence, from a still-limited body of research, suggests that the organisation of work may be a determinant of job-level hazards (fig 1, arrow A). Table 1 lists examples of possible hypothesised associations between organisational factors and job hazards, some of which have been shown empirically. A more comprehensive list has been developed based on findings of the Swedish MOA Study (Modern Work and Living Conditions for Men and Women);²¹ others have called attention to these associations previously.^{11 12 22-26} Importantly, organisational factors can have positive effects on job-level exposures and resultant health effects.^{25 27 28} Indeed, interventions that promote “healthy organisations” are the basis of integrated workplace prevention programmes.

Associations between work organisation and job hazards seem to have most often been examined in relation to the psychosocial work environment.²⁹⁻³³ For example, machine-paced work and piece-rate wages are forms of work organisation that are found in highly specialised and segmented work processes, and have been found to be associated with psychosocial working conditions such as low decision latitude and skill use, in addition to stereotyped physical motion patterns, rapid motions without rest breaks,³⁴ and increased muscle tension.³⁵ The temporal pattern of exposure to many ergonomic




Figure 1 Conceptual pathways that link organisational characteristics with workplace health and safety hazards and worker health outcomes. The box “work organisation” potentially represents multiple levels above the job level.

¹ National Institute for Occupational Safety and Health, Cincinnati, OH, USA; ² Department of Work Science, Göteborg University, Sweden; ³ Division of Public Health and Population Sciences, University of Connecticut Health Center, Farmington, CT, USA; ⁴ Department of Work Environment, University of Massachusetts Lowell, Lowell, MA, USA

Correspondence to: Dr L MacDonald, National Institute for Occupational Safety and Health, 4676 Columbia Parkway, Cincinnati, OH 45226, USA; lmacdonald@cdc.gov




Figure 2 Conceptual framework of workplace exposure comprising multiple organisational levels and some of their features that might influence hazards at the job-level. Some organisation-level features may have influence at multiple levels, and many organisations may have more levels than shown here.

stressors has also been shown to arise from organisational features such as lean production and other process flow systems,^{24 36} as well as the level of automation.^{24 31–37}

During the past decade there has also been considerable attention paid to identifying the determinants of variability in exposure to chemical and biological job hazards. Rappaport and colleagues have

argued that understanding the sources of exposure variability is an important consideration in exposure control.³⁸ The burgeoning literature on exposure determinant modelling tends to emphasise technological (for example, process technology, ventilation, personal protective clothing) rather than organisational determinants of exposure, even though a large proportion of exposure variation remains unexplained across a range of chemical and biological hazards.^{39 40} While we are unaware of industrial hygiene studies that have examined organisation-level phenomena as antecedents to chemical and/or biological hazards, it seems likely, given associations with other exposure domains noted above, that the inclusion of organisation-level factors in mixed-effects models may improve their predictive power and thus better inform effective hazard control strategies.

Some evidence has also accumulated linking work organisation factors and worker health through pathways other than the established exposure-outcome relationships (arrow C vs A and B in fig 1). For example, such a pathway has been included among several possible explanations linking long or irregular work hours and adverse worker health (for example, myocardial infarction, diabetes, and adverse metabolic conditions) through negative influences on health behaviour (for example, diet, smoking, exercise, sleep hygiene).^{41–45} Work organisation phenomena may also modify the exposure-response relation by altering workers' susceptibility or their recuperative capacity (fig 1, arrow D). Such an effect was implied in a review of corporate ergonomic programs showing that aspects of work organisation pertaining to reduced or limited work hours and break periods are often overlooked options to promote physiological recovery and reduce the incidence of musculoskeletal disorders.⁴⁶

Not incorporating data on the organisational context within occupational health research has important implications. These can include (1) over-adjustment and risk factor masking in multisite studies in which "facility" is treated as a potential confounder rather than effect modifiers or precursors on the same causal pathway; (2) failure to identify wider patterns of working conditions (for example, exposure clusters) within and across industries and worksites that have common determinants arising from the way work is organised or governed; and (3) suboptimal or ineffective hazard control recommendations that fail to identify

Table 1 Examples of associations between work organisation, working conditions and job-level hazards (chemical, biological, safety, ergonomic, psychosocial)

Organisational construct	Working conditions and job-level hazards
Workplace governance (ownership, outsourcing)	Labour standards, oversight and enforcement of OSH standards, internal resources for training, hazard identification and control, management commitment to workforce health and well-being
Employment relations	Casual vs contractual relations, training and awareness of job hazards and hazard control strategies, job (in)security, disincentives to report hazards and/or morbidity, level of accommodation for injured workers
Pay structure	Fixed pay vs incentive or "piece work" accelerated work pace, incentives for bypassing hazard control measures, reduced formal and/or informal work breaks and opportunities for recovery
Process control	Benchmarking of quality and productivity (workload), formalisation of work methods (exposure variance, autonomy), accountability (work pace, vigilance), authority to halt hazardous processes
Process technology	Type of materials used/recycled, proximity to hazards, level and adaptability of mechanisation (for example, external work pace, ability to step away from point exposure sources)
Lean production techniques	Reduction of non-value added functions such as work-in-process inventory, material handling, walking, searching, machine cycle wait time and indirect labour. Possible effects on task frequency and work pace, time available for safe practices, opportunities for physiological recovery from exposure, overload of physiological clearance processes
Maintenance and housekeeping	Hazard control and effectiveness (for example, replacement of filters in local exhaust ventilation, lubricate movable machine guards, uncluttered and dry walkways, unimpeded egress)
Staffing levels (numerical flexibility)	Availability of relief staff: possible effects on individual workload, time available for safe work practices, opportunities for physiologic recovery
Job rotation	Increased task variety, more exposure variability, possibly reduced hazard awareness, may hamper use of personal protective equipment, may increase recovery opportunities
Social supports and social relations	"Buddy system" (peer safety): oversight, protection and transfer of knowledge about job hazards, workload (re)distribution, self-regulated work groups (work pace, possible peer pressure)
Work schedules	Duration and temporal patterning of all workplace exposures: possible effects on overload of physiological clearance processes, fatigue, recovery opportunities, work/family balance.

organisation-level influences impacting implementation and/or sustainability. It is our hope that readers will be stimulated to delve more deeply into the literature and to examine the organisational context of workplace hazards in their own research. Guidance in work organisation assessment and analysis of multi-level data is growing, which we hope will reduce some of the practical barriers to incorporating organisational data into occupational health research (see for example the NIOSH website Organization of Work—Measurement Tools for Research and Practice: <http://www.cdc.gov/niosh/topics/workorg/tools>).

Competing interests: None declared.

Disclaimer: The findings and conclusions in this report are those of the authors and do not necessarily represent the views of the National Institute for Occupational Safety and Health.

Accepted 24 July 2007

Occup Environ Med 2008;**65**:1–3.
doi:10.1136/oem.2007.033860

REFERENCES

- Krieger N. Epidemiology and the web of causation: has anyone seen the spider? *Soc Sci Med* 1994;**39**:887–903.
- McMichael A. Prisoners of the proximate: Loosening the constraints on epidemiology in the age of change. *Am J Epidemiol* 1999;**149**:887–97.
- Hendrick HW, Kleiner BM. *Macroergonomics—an introduction to work system design*. Santa Monica, CA: Human Factors and Ergonomics Society, 2001.
- Hendrick HW, Kleiner BM. *Macroergonomics—theory, methods, and applications*. Mahwah, NJ: Lawrence Erlbaum Associates, 2002.
- Roland HE, Moriarty B. *System safety engineering and management*. Second edition. New York, NY: John Wiley & Sons, 1990.
- Grimaldi JV, Simonds RH. *Safety management*. Fifth edition. Boston, MA: Irwin, 1989.
- In: DiMartino V, Corlett N, eds. *Work organization and ergonomics*. Geneva: International Labor Organization, 1989.
- Roberts KH, Hulin CL, Rousseau DM. *Developing an interdisciplinary science of organizations*. San Francisco: Jossey-Bass, 1978.
- Bliese PD, Jex SM. Incorporating multilevel perspectives into occupational stress research: theoretical, methodological, and practical implications. *J Occup Health Psychology* 2002;**7**:265–76.
- Kalleberg AL. Studying employers and their employees: comparative approaches. *Acta Sociologica* 1994;**37**:223–9.
- Sauter SL, Brightwell W, Colligan MJ, et al. *The changing organization of work and the safety and health of working people*. Cincinnati: DHHS (NIOSH); Publication No 2002–116.
- Carayon P, Smith MJ. Work organization and ergonomics. *Applied Ergo* 2000;**31**:649–62.
- Dembe A, Erickson JB, Delbos R. Predictors of work-related injuries and illnesses: National survey findings. *J Occup Environ Hyg* 2004;**1**:542–50.
- Fenwick R, Tausig M. The macro economic context of job stress. *J Health Social Behavior* 1994;**35**:266–82.
- Miles RH. *Macro organizational behavior*. Santa Monica, CA: Goodyear Publishing Company, Inc, 1980.
- Bartley M, Ferrie J. Glossary: unemployment, job insecurity, and health. *J Epidemiol Community Health* 2001;**55**:776–81.
- Krieger N. A glossary for social epidemiology. *J Epidemiol Community Health* 2001;**55**:693–700.
- Diez-Roux AV. A glossary for multilevel analysis. *J Epidemiol Community Health* 2002;**56**:588–94.
- Muntaner C, Benach J, Hadden WC, et al. A glossary for the social epidemiology of work organisation: part 2, terms from the sociology of work and organisations. *J Epidemiol Community Health* 2006;**60**:1010–12.
- Hadden WC, Muntaner C, Benach J, et al. A glossary for the social epidemiology of work organisation: part 3, terms from the sociology of labour markets. *J Epidemiol Community Health* 2007;**61**:6–8.
- Härenstam A, Rydbeck A, Karlqvist M, et al. *The significance of organization for healthy work. Methods, study design, analyzing strategies, and empirical results from the MOA Study*. Stockholm, Sweden: Arbetslivsinstitutet, 2004 Report No 13.
- Sauter SL, Swanson NG. An ecological model of musculoskeletal disorders in office work. In: Moon SD, Sauter SL, eds. *Beyond biomechanics: psychosocial aspects of musculoskeletal disorders in office work*. Bristol, PA: Taylor & Francis, 1996:3–21.
- Smith MJ, Carayon P. Work organization, stress, and cumulative trauma disorders. In: Moon SD, Sauter SL, eds. *Beyond biomechanics: psychosocial aspects of musculoskeletal disorders in office work*. Bristol, PA: Taylor & Francis, 1996:23–42.
- Landsbergis PA, Cahill J, Schnall PL. The impact of lean production and related new systems of work organization on worker health. *J Occup Health Psychology* 1999;**4**:108–30.
- Karasek RA, Theorell T. *Healthy work. Stress, productivity and the reconstruction of working life*. New York: Basic Books, 1990.
- Landsbergis P. The changing organization of work and the safety and health of working people: a commentary. *J Occup Environ Medicine* 2003;**45**:61–72.
- LeGrande C, Szulkin R, Tahlin M. Organizational structures and job rewards in Sweden. *Acta Sociologica* 1994;**37**:231–51.
- Grawitch MJ, Gottschalk M, Munz DC. The path to a healthy workplace: a critical review linking healthy workplace practices, employee well-being, and organizational improvements. *Consulting Psychology Journal* 2006;**58**:129–47.
- Frieling E, Freiboth M, Henniges D, et al. Effects of team work on the working conditions of short cycled track work: a case study from the European automobile industry. *Int J Ind Ergon* 1997;**20**:371–88.
- Bliese PD, Castro CA. Role clarity, work overload and organizational support: multilevel evidence of the importance of support. *Work Stress* 2000;**14**:65–73.
- Fredriksson K, Bildt C, Hägg GM, et al. The impact on musculoskeletal disorders of changing physical and psychosocial work environment conditions in the automobile industry. *Int J Ind Ergon* 2001;**28**:31–45.
- Jackson PR, Martin R. Impact of just-in-time on job content, employee attitudes, and well-being: a longitudinal study. *Ergonomics* 1996;**39**:1–16.
- Jackson PR, Mullarkey S. Lean production teams and health in garment manufacture. *J Occup Health Psychol* 2000;**5**:231–45.
- Lilley R, Feyer A-M, Kirk P, et al. A survey of forest workers in New Zealand: do hours of work, rest, and recovery play a role in accidents and injury? *J Safety Res* 2002;**33**:53–71.
- Arndt R. Work pace, stress and cumulative trauma disorders. *J Hand Surg* 1987;**12A**:866–9.
- Kadefors R, Engström T, Petzäll J, et al. Ergonomics in parallelized car assembly: a case study, with reference also to productivity aspects. *Applied Ergo* 1996;**27**:101–10.
- Coury HJCG, Leo JA, Kumar S. Effects of progressive levels of industrial automation on force and repetitive movements of the wrist. *Int J Ind Ergon* 2000;**25**:587–95.
- Rappaport SM, Lyles RH, Kupper LL. An exposure assessment strategy accounting for within-worker and between-worker sources of variability. *Ann Occup Hyg* 1995;**39**:469–95.
- Burstyn I, Teschke K. Studying the determinants of exposure: a review of methods. *Am Ind Hyg Assoc J* 1999;**60**:57–72.
- Symanski E, Sallsten G, Chan WY, et al. Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury. *Ann Occup Hyg* 2001;**45**:677–87.
- Fukuoka Y, Dracup K, Froelicher ES, et al. Do Japanese workers who experience an acute myocardial infarction believe their prolonged work hours are the cause? *Int J Cardiol* 2005;**100**:29–35.
- Ha M, Park J. Shiftwork and metabolic risk factors of cardiovascular disease. *J Occup Health Psychology* 2005;**10**:89–95.
- Knutsson A, Hallquist J, Reuterwall C, et al. Shiftwork and myocardial infarction: a case-control study. *Occup Environ Med* 1999;**56**:46–50.
- Morikawa Y, Nakagawa H, Miura K, et al. Shift work and the risk of diabetes mellitus among Japanese male factory workers. *Scand J Work Environ Health* 2005;**31**:179–83.
- Dembe A, Erickson JB, Delbos RG, et al. The impact of overtime and long work hours on occupational injuries and illnesses: New evidence from the United States. *Occup Environ Med* 2005;**62**:588–97.
- Hägg GM. Corporate initiatives in ergonomics—an introduction. *Applied Ergo* 2003;**34**:3–15.