

CENTER FOR DISEASE CONTROL

Morbidity and Mortality



Vol. 21, No. 53

WEEKLY
REPORT

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

ANNUAL SUPPLEMENT


Summary 1972

FOR RELEASE
JULY 1973

REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1972

The final years of the sixties witnessed the highest rates of gonorrhea on record in the United States. Like early syphilis, gonorrhea increased during and after World War II only to drop precipitously during the late forties and early fifties, coincident with the period in which penicillin first became widely available to the civilian population. Both gonorrhea and early syphilis began to increase again in the late fifties, but whereas the syphilis increase was largely stemmed during the sixties by renewed Federal, State, and local control efforts, the increase in gonorrhea was not. The continued alarming rise in gonorrhea, coupled with the advent of improved diagnostic methodology in the late sixties, led the Federal Government to make a major commitment to gonorrhea control in the early seventies, which by April 1973, among other things, had resulted in women in the childbearing age group being screened for gonorrhea at a rate of over 500,000 per month. The control of this epidemic poses a significant challenge for the seventies.

Reported Cases of Gonorrhea, United States, Fiscal Years 1919-1972



INDEX OF TABLES

	Page
Table 1. Reported Incidence of Diseases Covered by International Quarantine Agreement, 1963-72	3
Table 2. Reported Cases of Specified Notifiable Diseases: United States, 1963-72	4
Table 3. (A) Deaths from Specified Notifiable Diseases: United States, 1960-69	5
(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1960-69	6
Table 4. Reported Cases of Notifiable Diseases by Month: United States, 1972	7
Table 5. Reported Cases of Notifiable Diseases of Low Frequency: United States, by Geographic Division, by State, 1972	8
Table 6. Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1972	9
Table 7. New Active Tuberculosis Cases, 1971 and 1972 Provisional	12
Table 8. Newly Reported Cases of Venereal Diseases: United States, Civilian Cases, 1971 and 1972	13
Table 9. Rabies in Man and Animals, by State, by Type of Animal, United States, 1972	15
Table 10. Reported Cases of Selected Notifiable Diseases by State, by Age, 1972	16
Table 11. Reported Cases of Selected Notifiable Diseases by State, by Month, 1972	22
Table 12. Acute Diseases <i>Optionally</i> Reported by Certain States, 1972	29
Table 13. Other Diseases <i>Optionally</i> Reported, 1972	31
Table 14. Number of Deaths by Place of Occurrence in 122 United States Cities for Year 1972	32
Disease Patterns	33-63

Due to delays in receipt and processing of the data, the encephalitis tables normally appearing in the Annual Supplement will be published later.

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available
Quantity zero	—
Report of disease not required by State Health Department	NN



TABLE 1. Reported Incidence of Diseases Covered by International Quarantine Agreement, 1963-72

International Classification of Diseases Covered	Number Reported									
	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963
000 Cholera	—	—	—	—	—	—	—	2	—	—
020 Plague	1	2	13	5	3	3	5	8	—	1
050 Smallpox	—	—	—	—	—	—	—	—	—	—
060 Yellow Fever	—	—	—	—	—	—	—	—	—	—

Cases of Quarantinable Diseases in 1972**Plague**

Place Acquired	Date	Age	Sex	Outcome
Arizona	February	19	M	Recovered

Sources of Data

This supplement carries final figures on the reported incidence of notifiable diseases in 1972 based on summaries submitted to the Center for Disease Control by the individual States through the National Morbidity Reporting System and on data collected by the Tuberculosis Branch, the Venereal Disease Branch, and various surveillance activities of the Bureau of Epidemiology.

Data for charts and graphs are from the National Morbidity Reporting System, National Surveillance Programs, and the National Center for Health Statistics. The population estimates used in computation of rates are from the Bureau of the Census, Current Population Reports, Series P-25.

Limitations and Use of Data

The morbidity data in this report represents cases reported to the State health departments and, in turn, to the Center for Disease Control. Unlike births, marriages, and deaths, morbid states do not require a conjunctive legal document. This fact alone accounts for considerably less complete reporting of notifiable diseases than of the traditionally defined vital statistics. It is somewhat ironic that complete accounting is available for the terminal events, birth and death, but the factors affecting the health of people during the broad spectrum of life are measured with much less precision. Even if every provider of health care in the country reported every observed case of a notifiable disease, the data would in many instances still not reflect the total cases occurring. For example, salmonellosis generally runs its course or is treated symptomatically, and only a fraction of the cases occurring are confirmed by laboratory isolation. Many cases of infectious diseases without complications are never seen by a provider of health care. Sub-

clinical cases of infectious diseases are seldom detected except in the course of special studies. The degree of reporting is influenced by the nature of the disease, the diagnostic and control measures available, the interest and activity of State and local officials responsible for disease control and surveillance, monetary support available to these officials, and a host of other factors.

The data in this report result from a variety of reporting mechanisms which seem to remain consistent over time. Therefore the analysis of trends is valid. The age and seasonal distributions are representative of the same patterns that would be observed for a more complete case count.

These and other surveillance data are essential to health planners in determining the scope of existing problems, in deciding the feasibility of developing or utilizing appropriate control measures, in establishing a policy for implementing such measures, and in establishing priorities.

TABLE 2. Reported Cases of Specified Notifiable Diseases: United States, 1963-72

DISEASE	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963
Amebiasis	2,199	2,752	2,888	2,915	3,005	3,157	2,921	2,768	3,304	2,886
Anthrax	2	5	2	4	3	2	5	7	5	3
Aseptic meningitis	4,634	5,176	6,480	3,672	4,494	3,082	3,058	2,329	2,177	1,844
Botulism	22	25	12	16	7	5	9	19	23	47
Brucellosis (undulant fever)	196	183	213	235	218	265	262	262	411	407
Chickenpox	164,114	Not previously reportable nationally								
Diphtheria	152	215	435	241	260	219	209	164	293	314
Encephalitis, primary ¹	...	1,524	1,580	1,613	1,781	1,478	2,121	1,722	2,002	1,993
Encephalitis, post-infectious ¹	...	439	370	304	502	1,060	964	981	1,585	
Hepatitis, serum (hepatitis B)	9,402	9,556	8,310	5,909	4,829	2,458	1,497	33,856	37,740	42,974
Hepatitis, infectious (hepatitis A)	54,074	59,606	56,797	48,416	45,893	38,909	32,859			
Leprosy	130	131	129	98	123	81	109	96	97	103
Leptospirosis	41	62	47	89	69	67	72	84	142	89
Malaria	742	2,375	3,051	3,102	2,317	2,022	565	147	93	99
Measles (rubeola)	32,275	75,290	47,351	25,826	22,231	62,705	204,136	261,904	458,083	385,156
Meningococcal infections	1,323	2,262	2,505	2,951	2,623	2,161	3,381	3,040	2,826	2,470
Mumps	74,215	124,939	104,953	90,918	152,209	Not previously reportable nationally				
Pertussis (whooping cough)	3,287	3,036	4,249	3,285	4,810	9,718	7,717	6,799	13,005	17,135
Poliomyelitis, total	31	21	33	20	53	41	113	72	122	449
Paralytic	29	17	31	18	53	40	106	61	106	396
Psittacosis	52	32	35	57	43	41	50	60	53	76
Rabies in man	-	2	2	1	1	2	1	2	1	1
Rheumatic fever, acute ²	2,614	2,793	3,227	3,229	3,470	3,985	4,472	4,998	7,491	7,561
Rubella (German measles)	25,507	45,086	56,552	57,686	49,371	46,888	46,975	Not previously reportable nationally		
Rubella congenital syndrome	42	68	77	31	14	10	11	Not previously reportable nationally		
Salmonellosis, excluding typhoid fever	22,151	21,928	22,096	18,419	16,514	18,120	16,841	17,161	17,144	15,390
Shigellosis	20,207	16,143	13,845	11,946	12,180	13,474	11,888	11,027	12,984	13,009
Tetanus	128	116	148	185	178	263	235	300	289	325
Trichinosis	89	103	109	222	77	66	115	199	198	208
Tuberculosis (newly reported active cases) ³	32,932	35,217	37,137	39,120	42,623	45,647	47,767	49,016	50,874	54,042
Tularemia	152	187	172	149	186	184	208	264	342	327
Typhoid fever	398	407	346	364	395	396	378	454	501	566
Typhus fever, flea-borne (endemic, murine)	18	23	27	36	36	52	33	28	30	35
Typhus fever, tick-borne (Rocky Mountain spotted)	523	432	380	498	298	305	268	281	277	216
Venereal diseases (newly reported cases) ⁴										
Syphilis	91,149	95,997	91,382	92,162	96,271	102,581	105,159	112,842	114,314	124,137
Gonorrhea	767,215	670,268	600,072	534,872	464,543	404,836	351,738	324,925	300,667	278,289
Other specified venereal diseases: chancroid, granuloma inguinale, and lymphogranuloma venereum	2,251	2,101	2,152	1,778	1,486	1,309	1,294	2,015	2,115	1,979
Rabies in animals	4,369	4,310	3,224	3,490	3,591	4,481	4,178	4,574	4,780	3,929

¹Encephalitis data are from the Neurotropic Viral Disease Unit, Bureau of Epidemiology, CDC.

²Reports of cases of acute rheumatic fever were received from 35 States (see p. 10).

³Tuberculosis data are from the Tuberculosis Branch, CDC; provisional figure shown for 1972.

⁴Venereal disease data are from the Venereal Disease Branch, CDC.

TABLE 3. (A) Deaths from Specified Notifiable Diseases: United States, 1960-69

(Numbers after cause of death are category number of the Eighth Revision of the International Lists, 1965.
Deaths are classified according to the Seventh Revision for 1960-67 and according to the Eighth Revision for 1968-69.)

CAUSE OF DEATH		1969	1968	1967	1966	1965	1964	1963	1962	1961	1960
Amebiasis	006	58	51	65	54	66	65	92	86	84	88
Anthrax	022	—	—	—	—	—	1	—	—	1	—
Botulism	005.1	4	2	2	—	8	8	14	11	10	12
Brucellosis	023	3	1	4	3	6	4	5	12	11	6
Diphtheria	032	25	30	32	20	18	42	45	41	68	69
Encephalitis, acute infectious	062-065,079.2	386	362	419	579	500	534	532	582	505	528
Hepatitis, infectious	070	1,011	877	844	757	707	745	852	911	976	938
Leprosy	030	4	5	4	6	3	5	3	8	8	6
Leptospirosis	100	5	9	4	9	11	14	14	10	9	14
Malaria	084	11	7	4	5	8	3	7	12	3	4
Measles (rubeola)	055	41	24	81	261	276	421	364	408	434	380
Meningococcal infections	036	744	741	635	876	890	750	733	649	586	644
Mumps	072	22	25	37	43	31	50	48	43	53	42
Pertussis (whooping cough)	033	13	36	37	49	55	93	115	83	76	118
Plague	020	—	1	1	1	1	—	1	—	2	—
Poliomyelitis		13	24	16	9	16	17	41	60	90	230
Bulbar or poliioencephalitis	040	3	7	6	3	6	6	22	35	61	146
With other paralysis	041	1	3	2	3	3	3	5	7	10	14
Unspecified	043	9	14	8	3	7	8	14	18	19	70
Psittacosis	073	—	—	1	1	—	—	1	1	—	—
Rabies	071	1	1	2	2	2	1	2	1	3	2
Rheumatic fever, acute	390-392	320	363	376	456	483	509	552	550	608	734
Rubella (German measles)	056	29	24	16	12	16	53	16	8	14	12
Salmonellosis, including paratyphoid fever	002-003	82	70	63	73	87	67	72	62	64	82
Shigellosis	004	36	60	62	86	99	125	134	134	128	153
Streptococcal sore throat and scarlet fever	034	41	28	47	65	63	95	102	102	130	108
Tetanus	037	89	86	144	158	181	179	210	215	242	231
Trichinosis	124	—	—	2	3	3	1	5	1	7	3
Tuberculosis (all forms)	010-019	5,567	6,292	6,901	7,625	7,934	8,303	9,311	9,506	9,938	10,866
Tularemia	021	1	1	3	2	2	6	3	1	3	3
Typhoid fever	001	4	7	12	15	6	14	21	15	17	21
Typhus fever — flea-borne (murine)	081.0	—	—	—	—	—	—	—	—	—	—
Typhus fever — tick-borne (Rocky Mountain spotted)	082.0	36	21	28	21	16	17	16	12	11	11
Venereal diseases and sequelae											
Syphilis	090-097	543	586	2,381	2,193	2,434	2,619	2,666	2,811	2,850	2,945
Gonorrhoea	098	3	1	11	18	9	13	23	23	19	38
Other	099	9	6	6	9	11	10	12	16	11	15

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 3. (B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1960-69

CAUSE OF DEATH	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960	
Abscess of lung	513	858	878	565	541	601	659	651	561	543	604
Boil and carbuncle	680	28	22	27	37	36	54	58	67	93	120
Other local skin conditions (cellulitis and abscess)	681-683,685-686	511	464	425	451	445	427	445	503	520	512
Chickenpox	052	81	99	118	137	143	153	129	134	167	126
Empyema and pleurisy	510-511	692	796	441	467	450	464	432	408	479	456
Erysipelas	035	13	9	14	12	12	17	16	25	32	22
Fungal infections											
Actinomycosis	113	15	16	28	21	26	31	35	17	21	28
Coccidioidomycosis	114	60	58	49	45	52	46	71	55	62	55
Blastomycosis	116.1-116.2	2	-	17	12	29	21	24	17	16	15
Cryptococcosis	116.0	117	96	65	90	62	74	73	90	86	71
Histoplasmosis	115	61	58	67	60	74	77	70	82	90	80
Moniliasis	112	114	112	94	87	93	81	105	88	100	108
Herpes febrilis	054	71	37	29	31	39	18	22	19	21	12
Herpes zoster	053	82	69	64	69	78	81	66	69	63	78
Hydatid disease	122	9	6	10	7	7	6	10	7	3	10
Infections of ear and mastoid	380-384	201	213	130	167	234	255	261	266	314	389
Meningitis, excluding meningococcal and tuberculous	320	1,719	1,707	2,046	2,324	2,363	2,464	2,343	2,322	2,263	2,316
Mononucleosis, infectious	075	21	14	23	18	28	20	11	18	13	16
Pemphigus	694	120	106	116	133	110	133	147	142	141	149
Pemphigus, neonatorum	684	1	5	4	15	5	17	13	16	23	30
Respiratory infections											
Bronchitis, acute	466	1,286	1,432	958	987	1,004	998	1,139	1,118	1,031	1,170
Influenza	470-474	5,971	7,062	1,475	2,830	2,295	1,687	7,083	3,431	2,137	7,872
Pneumonia (primary cause of death)	480-486	62,394	66,430	55,417	60,785	59,608	57,764	63,678	56,564	53,038	58,931
Upper respiratory infections, acute	460-465	621	784	592	670	745	776	867	820	808	911
Sepsis of											
Abortion	640.0,641.0,642.0,643.0,644.0,645.0	94	84	104	135	158	167	201	213	220	191
Childbirth	640.2,641.2,642.2,643.2,644.2,645.2	27	32	50	44	53	67	57	55	59	76
Septicemia and pyemia	038	3,009	2,991	3,422	3,312	3,224	3,235	3,187	2,858	2,608	2,669
Viral diseases, undifferentiated	079.9	430	468	417	464	431	451	511	476	456	434
Worm infestation	123,125-129	16	11	40	36	68	41	44	67	48	56

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 4. Reported Cases of Notifiable Diseases: by Month, United States, 1972

DISEASE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct.	Nov.	Dec.	Month not Stated
Amebiasis	2,199	165	213	184	179	175	179	148	195	168	219	193	180	1
Anthrax	2	—	—	—	—	—	1	1	—	—	—	—	—	—
Aseptic meningitis	4,634	149	149	138	154	212	278	403	941	799	649	443	285	34
Botulism	22	—	—	—	—	2	—	—	18	—	—	2	—	—
Brucellosis (undulant fever)	196	14	3	14	15	13	22	20	20	28	10	16	21	—
Chickenpox	164,114	14,948	17,579	26,330	23,509	25,073	15,084	5,096	2,299	1,543	3,736	10,895	15,818	2,204
Diphtheria	152	7	14	8	15	15	5	8	5	13	24	20	18	—
Hepatitis, serum (hepatitis B)	9,402	799	814	868	740	793	716	675	794	652	629	625	530	767
Hepatitis, infectious (hepatitis A)	54,074	4,455	4,449	4,780	4,255	4,746	4,251	4,053	4,305	4,411	4,272	4,537	4,090	1,470
Leprosy	130	6	10	8	9	9	22	14	11	8	15	9	9	—
Leptospirosis	41	—	2	—	2	2	4	4	10	2	7	3	2	3
Malaria	742	182	76	94	53	84	43	41	38	38	37	30	25	1
Measles (rubeola)	32,275	2,621	3,017	5,272	5,219	5,972	3,433	1,042	699	499	688	1,860	1,953	—
Meningococcal infections, total	1,323	141	147	139	129	121	109	77	70	54	90	95	137	14
Military	63	7	3	8	5	5	4	4	—	5	8	3	9	2
Mumps	74,215	9,184	8,921	10,806	9,663	9,929	5,483	2,634	1,799	1,480	2,641	5,418	6,205	52
Pertussis (whooping cough)	3,287	136	166	201	240	420	259	354	415	314	290	275	217	—
Poliomyelitis, total	31	—	3	1	—	1	4	—	—	1	6	14	1	—
Paralytic	29	—	3	1	—	1	4	—	—	—	5	14	1	—
Psittacosis	52	14	2	5	2	3	3	9	3	1	2	5	2	1
Rabies in man	2	—	1	1	—	—	—	—	—	—	—	—	—	—
Rheumatic fever, acute*	2,614	272	200	268	245	234	194	156	206	159	171	192	156	161
Rubella (German measles)	25,507	1,879	2,568	4,488	4,214	3,817	2,450	684	660	950	1,006	1,124	1,666	1
Rubella congenital syndrome	42	2	3	6	5	3	6	2	1	2	4	4	4	—
Salmonellosis, excluding typhoid fever	22,151	1,386	1,326	1,451	1,572	2,059	1,860	1,876	2,323	2,143	1,954	2,338	1,626	237
Shigellosis	20,207	1,130	1,215	1,541	1,545	1,767	1,741	1,509	2,080	1,927	1,811	1,995	1,835	111
Tetanus	128	3	9	10	9	10	15	11	12	16	7	12	14	—
Trichinosis	89	2	10	11	6	11	4	5	7	10	9	7	7	—
Tularemia	152	9	9	10	8	8	12	21	15	16	8	18	17	1
Typhoid fever	398	17	27	24	23	36	37	30	47	46	41	45	24	1
Typhus fever														
Flea-borne (endemic, murine)	18	3	1	1	—	3	2	2	—	1	1	1	3	—
Tick-borne (Rocky Mountain spotted)	523	6	2	1	8	64	100	114	116	64	32	10	6	—

*Based on reports from 35 States.

TABLE 5. Reported Cases of Notifiable Diseases of Low Frequency:
United States, by Geographic Division, by State, 1972

AREA	ANTHRAX	BOTULISM	LEPROSY	LEPTO- SPIROSIS	POLIOMYELITIS		PSITTACOSIS	MURINE TYPHUS
					Total	Paralytic		
UNITED STATES	2	22	130	41	31	29	52	18
NEW ENGLAND	—	—	2	1	13	12	9	—
Maine	—	—	—	—	1	1	—	—
New Hampshire	—	—	—	—	1	—	—	—
Vermont	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—	—	—
Rhode Island	—	—	1	1	—	—	—	—
Connecticut	—	—	1	—	11	11	9	—
MIDDLE ATLANTIC	—	—	3	5	5	5	6	—
Upstate New York	—	—	NN	3	4	4	2	—
New York City	—	—	3	1	1	1	1	—
New Jersey	—	—	—	1	—	—	—	—
Pennsylvania	—	—	—	—	—	—	3	—
EAST NORTH CENTRAL	—	2	1	7	3	3	15	—
Ohio	—	2	—	4	—	—	2	—
Indiana	—	—	—	—	1	1	—	—
Illinois	—	—	1	—	—	—	13	—
Michigan	—	—	—	3	1	1	—	—
Wisconsin	—	—	—	—	1	1	—	—
WEST NORTH CENTRAL	2	—	2	1	1	1	7	—
Minnesota	—	—	—	—	—	—	3	—
Iowa	—	—	—	—	1	1	—	—
Missouri	—	—	1	1	—	—	—	—
North Dakota	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—
Nebraska	—	—	1	—	—	—	—	—
Kansas	2	—	—	—	—	—	4	—
SOUTH ATLANTIC	—	—	—	6	2	2	2	—
Delaware	—	—	—	—	—	—	—	—
Maryland	—	—	—	1	—	—	1	—
District of Columbia	—	—	—	—	—	—	—	—
Virginia	—	—	—	3	1	1	—	—
West Virginia	—	—	—	—	—	—	—	—
North Carolina	—	—	—	—	—	—	—	—
South Carolina	—	—	—	—	—	—	—	—
Georgia	—	—	—	2	—	—	1	—
Florida	—	—	—	—	1	1	—	—
EAST SOUTH CENTRAL	—	—	—	1	—	—	1	—
Kentucky	—	—	—	—	—	—	—	—
Tennessee	—	—	—	—	—	—	—	—
Alabama	—	—	—	—	—	—	1	—
Mississippi	—	—	—	1	—	—	—	—
WEST SOUTH CENTRAL	—	—	34	4	5	4	4	15
Arkansas	—	—	—	2	—	—	—	1
Louisiana	—	—	—	—	—	—	—	—
Oklahoma	—	—	—	1	—	—	—	1
Texas	—	—	34	1	5	4	4	13
MOUNTAIN	—	2	1	1	—	—	3	—
Montana	—	—	—	—	—	—	1	—
Idaho	—	1	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—
Colorado	—	1	—	1	—	—	1	—
New Mexico	—	—	—	—	—	—	1	—
Arizona	—	—	1	—	—	—	—	—
Utah	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—
PACIFIC	—	18	87	15	2	2	5	3
Washington	—	—	2	1	—	—	—	—
Oregon	—	—	—	3	—	—	—	—
California	—	18	40	7	2	2	5	—
Alaska	—	—	—	—	—	—	—	—
Hawaii	—	—	45	4	—	—	—	3
Guam	—	—	—	1	—	—	—	—
Puerto Rico	—	—	NN	—	—	—	—	—

**TABLE 6. Reported Cases of Notifiable Diseases: United States,
by Geographic Division, by State, 1972**

AREA	AMEBIASIS	ASEPTIC MENINGITIS	BRUCELLOSIS	CHICKEN- POX	DIPHThERIA	HEPATITIS		MALARIA (Acquired Outside and Within U.S.)
						Serum (B)	Infectious (A)	
UNITED STATES	2,199	4,634	196	164,114	152	9,402	54,074	742
NEW ENGLAND	30	244	5	24,716	—	482	3,819	30
Maine	—	1	—	2,047	—	28	464	2
New Hampshire	—	19	1	1,255	—	39	401	3
Vermont	—	1	—	523	—	5	230	2
Massachusetts	3	135	1	9,320	—	185	1,593	12
Rhode Island	—	52	—	4,061	—	63	363	1
Connecticut	27	36	3	7,510	—	162	768	10
MIDDLE ATLANTIC	1,029	975	8	13,019	3	3,001	7,667	76
Upstate New York	26	218	2	101	1	520	1,931	18
New York City	962	302	2	5,603	2	1,028	1,880	19
New Jersey	30	370	1	NN	—	983	1,915	18
Pennsylvania	11	85	3	7,315	—	470	1,941	21
EAST NORTH CENTRAL ..	131	682	19	67,118	4	1,517	8,960	90
Ohio	2	217	3	9,571	—	347	1,968	18
Indiana	3	32	—	5,439	—	46	554	1
Illinois	119	121	8	9,325	3	315	2,529	36
Michigan	7	266	5	18,189	1	695	3,627	31
Wisconsin	—	46	3	24,594	—	114	282	4
WEST NORTH CENTRAL ..	49	230	44	13,978	20	250	2,189	49
Minnesota	4	121	4	1,222	—	45	210	8
Iowa	6	31	29	9,450	—	51	293	2
Missouri	1	42	5	826	—	46	912	12
North Dakota	—	4	—	849	—	1	70	1
South Dakota	—	1	—	103	17	2	149	4
Nebraska	—	2	5	417	3	7	69	4
Kansas	38	29	1	1,111	—	98	486	18
SOUTH ATLANTIC	251	785	53	17,323	11	1,118	7,994	127
Delaware	—	5	—	301	—	27	146	—
Maryland	6	86	—	1,224	1	208	991	10
District of Columbia ..	—	42	—	468	—	35	99	8
Virginia	191	208	30	1,020	—	180	1,005	10
West Virginia	1	23	—	9,579	1	15	451	2
North Carolina	27	146	1	NN	—	194	1,617	41
South Carolina	2	48	2	722	1	21	455	12
Georgia	1	9	17	59	3	37	771	28
Florida	23	218	3	3,950	5	401	2,459	16
EAST SOUTH CENTRAL ..	44	232	19	4,164	7	318	3,151	173
Kentucky	4	38	4	3,427	—	67	1,097	148
Tennessee	24	74	10	NN	—	113	1,435	—
Alabama	3	86	2	535	7	101	382	18
Mississippi	13	34	3	202	—	37	237	7
WEST SOUTH CENTRAL ..	224	455	20	2,213	48	483	5,667	21
Arkansas	—	17	3	277	—	10	340	6
Louisiana	15	94	3	NN	6	111	630	7
Oklahoma	29	72	9	158	1	51	792	6
Texas	180	272	5	1,778	41	311	3,905	2
MOUNTAIN	90	98	8	6,644	23	238	3,122	52
Montana	—	6	—	1,063	—	6	258	2
Idaho	1	28	2	198	3	14	383	3
Wyoming	—	—	—	476	—	1	49	1
Colorado	10	5	6	1,318	1	121	754	34
New Mexico	3	14	—	1,046	12	22	500	3
Arizona	75	32	—	2,124	7	13	750	7
Utah	1	11	—	373	—	45	330	2
Nevada	—	2	—	46	—	16	98	—
PACIFIC	351	933	20	14,939	36	1,995	11,505	124
Washington	4	137	1	9,613	32	60	1,471	1
Oregon	3	32	1	20	1	87	1,525	12
California	341	718	17	2,868	1	1,760	7,918	96
Alaska	2	16	1	379	2	57	247	2
Hawaii	1	30	—	2,059	—	31	344	13
Guam	7	11	—	251	—	2	63	2
Puerto Rico	—	5	—	850	—	50	735	5

TABLE 6. Reported Cases of Notifiable Diseases: United States,
by Geographic Division, by State, 1972 — Continued

AREA	MEASLES	MENINGO- COCCAL INFECTIONS	MUMPS	PERTUSSIS	RHEUMATIC FEVER, ACUTE	RUBELLA	
						Cases	Congenital Syndrome
UNITED STATES	32,275	1,323	74,215	3,287	2,614	25,507	42
NEW ENGLAND	4,520	62	3,093	94	6	1,132	—
Maine	254	4	319	13	3	87	—
New Hampshire	884	4	199	22	...	41	—
Vermont	128	—	144	1	...	77	—
Massachusetts	1,189	27	829	22	...	526	—
Rhode Island	525	12	434	12	...	97	—
Connecticut	1,540	15	1,168	24	3	304	—
MIDDLE ATLANTIC	1,280	160	4,572	207	...	1,980	2
Upstate New York	226	40	NN	25	...	193	2
New York City	447	44	2,557	79	...	271	—
New Jersey	535	37	1,103	—	...	1,227	—
Pennsylvania	72	39	912	103	...	289	—
EAST NORTH CENTRAL ..	12,559	189	19,585	1,382	1,575	6,297	3
Ohio	312	73	2,761	58	677	452	—
Indiana	1,401	14	1,276	227	42	805	—
Illinois	4,656	34	3,399	110	854	1,163	—
Michigan	2,353	55	3,729	116	...	1,460	1
Wisconsin	3,837	13	8,420	871	2	2,417	2
WEST NORTH CENTRAL ..	1,500	96	10,155	292	140	1,799	4
Minnesota	27	26	727	11	9	502	—
Iowa	1,114	6	6,986	75	32	464	—
Missouri	221	30	854	145	2	500	4
North Dakota	62	—	417	24	94	59	—
South Dakota	12	3	123	3	2	13	—
Nebraska	24	11	274	23	...	58	—
Kansas	40	20	774	11	1	203	—
SOUTH ATLANTIC	2,394	278	6,653	316	34	2,689	1
Delaware	56	2	181	27	2	14	—
Maryland	15	41	570	18	9	66	—
District of Columbia	2	14	31	—	...	7	—
Virginia	73	45	1,319	38	...	67	—
West Virginia	306	10	2,807	64	19	450	1
North Carolina	38	37	—	71	...	34	—
South Carolina	230	27	188	24	...	51	—
Georgia	214	21	32	2	4	87	—
Florida	1,460	81	1,525	72	...	1,913	—
EAST SOUTH CENTRAL ...	1,156	102	3,859	238	354	1,674	5
Kentucky	558	31	590	61	185	915	3
Tennessee	195	35	2,279	128	81	578	2
Alabama	161	20	860	30	85	63	—
Mississippi	242	16	130	19	3	118	—
WEST SOUTH CENTRAL ..	1,789	173	5,834	289	77	1,770	8
Arkansas	48	16	227	27	3	37	—
Louisiana	112	53	339	44	16	96	6
Oklahoma	12	15	160	33	28	41	—
Texas	1,617	89	5,108	185	30	1,596	2
MOUNTAIN	1,978	38	3,737	116	391	1,271	3
Montana	18	5	276	18	17	36	—
Idaho	160	5	219	1	121	36	—
Wyoming	53	2	377	2	161	9	—
Colorado	540	10	773	27	27	539	2
New Mexico	129	3	827	4	9	128	—
Arizona	912	4	1,059	54	53	423	—
Utah	159	6	141	2	3	92	1
Nevada	7	3	65	8	...	8	—
PACIFIC	5,099	225	16,727	353	37	6,895	16
Washington	1,483	28	6,616	103	4	1,257	—
Oregon	204	14	2,085	69	10	465	—
California	3,304	171	7,386	179	22	5,084	14
Alaska	13	9	324	1	1	28	—
Hawaii	95	3	316	1	...	61	2
Guam	17	13	17	3	...	9	—
Puerto Rico	1,119	5	970	93	53	39	—

TABLE 6. Reported Cases of Notifiable Diseases: United States,
by Geographic Division, by State, 1972 — Continued

AREA	SALMONEL- LOSIS (Excluding Typhoid Fever)	SHIGELLOSIS	TETANUS	TRICHI- NOSIS	TULA- REMIA	TYPHOID FEVER	TYPHUS FEVER (Tick-borne, Rky Mt Spotted)
UNITED STATES	22,151	20,207	128	89	152	398	523
NEW ENGLAND	1,518	820	2	7	—	19	4
Maine	75	65	—	—	—	—	—
New Hampshire	44	24	—	—	—	2	—
Vermont	44	5	—	—	—	—	—
Massachusetts	814	381	1	3	—	13	4
Rhode Island	145	43	—	—	—	1	—
Connecticut	396	302	1	4	—	3	—
MIDDLE ATLANTIC	3,898	1,629	10	42	1	59	36
Upstate New York	644	240	2	7	—	13	6
New York City	970	786	6	13	—	29	2
New Jersey	1,130	333	2	18	1	9	11
Pennsylvania	1,154	270	—	4	—	8	17
EAST NORTH CENTRAL	3,530	3,059	19	17	6	30	35
Ohio	394	496	4	2	2	9	23
Indiana	347	209	3	1	—	2	—
Illinois	1,320	1,429	8	14	4	10	12
Michigan	781	574	2	—	—	7	—
Wisconsin	688	351	2	—	—	2	—
WEST NORTH CENTRAL	1,504	1,753	9	5	31	10	19
Minnesota	506	72	1	—	—	1	—
Iowa	210	571	—	—	—	—	2
Missouri	192	412	6	3	21	2	11
North Dakota	47	32	—	—	—	—	—
South Dakota	59	98	—	—	1	—	4
Nebraska	61	96	1	—	1	2	—
Kansas	429	472	1	2	8	5	2
SOUTH ATLANTIC	4,818	3,299	25	3	21	47	252
Delaware	64	35	—	1	—	2	1
Maryland	851	599	1	—	1	9	34
District of Columbia	161	318	—	—	—	3	2
Virginia	938	450	4	2	18	9	44
West Virginia	42	9	—	—	—	1	3
North Carolina	384	310	5	—	—	—	121
South Carolina	108	31	3	—	—	5	22
Georgia	804	684	2	—	1	8	24
Florida	1,466	863	10	—	1	10	1
EAST SOUTH CENTRAL	1,204	657	14	—	11	39	99
Kentucky	125	95	1	—	1	13	4
Tennessee	527	372	8	—	8	8	58
Alabama	346	98	3	—	1	11	20
Mississippi	206	92	2	—	1	7	17
WEST SOUTH CENTRAL	1,724	1,756	34	2	68	44	65
Arkansas	365	181	6	—	39	14	15
Louisiana	214	306	7	—	4	7	—
Oklahoma	166	254	1	2	14	3	35
Texas	979	1,015	20	—	11	20	15
MOUNTAIN	779	1,535	1	3	10	23	9
Montana	47	62	—	—	1	—	2
Idaho	80	174	—	—	—	—	5
Wyoming	10	13	—	—	—	—	—
Colorado	281	300	—	1	—	2	—
New Mexico	94	261	—	—	—	2	—
Arizona	126	343	—	1	2	16	1
Utah	120	311	1	1	7	3	1
Nevada	21	71	—	—	—	—	—
PACIFIC	3,176	5,699	14	10	4	127	4
Washington	277	482	—	—	—	11	2
Oregon	154	425	1	—	1	2	1
California	2,096	4,359	12	8	2	108	1
Alaska	94	301	1	2	1	—	—
Hawaii	555	132	—	—	—	6	—
Guam	8	4	—	—	—	—	—
Puerto Rico	25	4	16	—	—	7	—

TABLE 7. New Active Tuberculosis Cases: Provisional 1972, 1971; Final 1971

AREA	Provisional		Final
	1972	1971	1971
UNITED STATES	32,932	35,035	35,217
NEW ENGLAND	1,219	1,275	1,298
Maine	87	83	81
New Hampshire	39	34	31
Vermont	36	37	37
Massachusetts	698	747	763
Rhode Island	108	116	116
Connecticut	251	258	270
MIDDLE ATLANTIC	6,499	7,009	6,978
New York	3,487	3,680	3,752
New Jersey	1,239	1,395	1,298
Pennsylvania	1,773	1,934	1,928
EAST NORTH CENTRAL	5,394	5,787	5,842
Ohio	1,281	1,338	1,301
Indiana	737	775	767
Illinois	1,919	2,125	2,138
Michigan	1,220	1,238	1,312
Wisconsin	237	311	324
WEST NORTH CENTRAL	1,277	1,438	1,403
Minnesota	175	244	206
Iowa	117	131	129
Missouri	615	708	710
North Dakota	33	51	51
South Dakota	71	69	69
Nebraska	102	82	82
Kansas	164	153	156
SOUTH ATLANTIC	6,593	6,690	6,674
Delaware	104	46	83
Maryland	896	858	840
District of Columbia	352	317	323
Virginia	900	950	912
West Virginia	248	266	276
North Carolina	1,009	1,049	1,043
South Carolina	656	669	669
Georgia	911	984	977
Florida	1,517	1,551	1,551
EAST SOUTH CENTRAL	2,922	3,043	3,049
Kentucky	718	760	755
Tennessee	886	871	878
Alabama	918	985	985
Mississippi	400	427	431
WEST SOUTH CENTRAL	3,681	4,224	4,306
Arkansas	414	448	482
Louisiana	517	696	747
Oklahoma	330	346	347
Texas	2,420	2,734	2,730
MOUNTAIN	1,100	1,127	1,139
Montana	64	77	78
Idaho	63	56	56
Wyoming	22	29	27
Colorado	245	272	257
New Mexico	200	141	172
Arizona	394	458	459
Utah	62	44	44
Nevada	50	50	46
PACIFIC	4,247	4,442	4,528
Washington	359	358	358
Oregon	234	249	249
California	3,239	3,386	3,488
Alaska	97	124	105
Hawaii	318	325	328
Puerto Rico	673	768	808

DISTRIBUTION BY AGE AND RACE, 1971			
Age	Total	White	Other
0-4	1,524	744	780
5-14	1,520	720	800
15-24	3,107	1,615	1,492
25-44	9,495	4,852	4,643
45-64	12,234	7,807	4,427
65+	7,337	5,359	1,978
Total	35,217	21,097	14,120

DISTRIBUTION BY SEX AND RACE, 1971			
Sex	Total	White	Other
Male	23,449	14,335	9,114
Female	11,768	6,762	5,006
Total	35,217	21,097	14,120

DISTRIBUTION BY AGE, RACE AND SEX, 1971				
Age	White		Other	
	Male	Female	Male	Female
0-14	735	729	791	789
15-44	3,969	2,498	3,733	2,402
45-64	6,044	1,763	3,233	1,194
65+	3,587	1,772	1,357	621
Total	14,335	6,762	9,114	5,006

TABLE 8(A). Newly Reported Civilian Cases of Venereal Diseases and Rates per 100,000 Population United States by Geographic Division, 1971 and 1972

AREA	SYPHILIS					GONORRHEA			OTHER VENEREAL ¹ DISEASES
	PRIMARY/SECONDARY			ALL STAGES		Cases	Rates	Cases	
	Cases		Rates	Cases	Rates				
	1972	1971	1972	1972	1972	1972	1971	1972	1972
U.S. TOTAL ²	24,429	23,783	11.8	91,149	44.2	767,215	670,268	371.6	2,251
NEW ENGLAND	882	621	7.3	2,949	24.5	21,894	19,922	182.2	16
Maine	29	14	2.9	102	10.0	996	974	97.9	—
New Hampshire	10	5	1.3	61	8.0	662	559	86.3	1
Vermont	18	5	3.9	68	14.7	506	413	109.5	—
Massachusetts	517	317	9.0	1,830	31.7	10,307	9,942	178.8	12
Rhode Island	35	41	3.7	187	20.0	1,572	1,259	167.8	1
Connecticut	273	239	8.9	701	22.9	7,851	6,775	256.2	2
MIDDLE ATLANTIC	5,959	5,646	15.9	19,786	52.7	102,303	83,920	272.3	156
New York	4,475	4,300	24.4	11,746	64.1	64,882	55,174	353.8	90
New Jersey	942	945	12.9	3,768	51.5	16,676	11,485	227.8	23
Pennsylvania	542	401	4.5	4,272	35.9	20,745	17,261	174.1	43
EAST NORTH CENTRAL	2,596	2,731	6.4	16,761	41.0	118,243	115,958	289.5	371
Ohio	315	461	2.9	2,819	26.2	29,680	29,689	275.6	71
Indiana	265	330	5.0	1,101	20.8	11,318	8,621	214.2	3
Illinois	1,191	1,028	10.6	7,083	63.2	44,664	48,054	398.4	116
Michigan	763	853	8.4	4,890	53.9	24,749	22,270	273.0	180
Wisconsin	62	59	1.4	868	19.2	7,832	7,324	173.4	1
WEST NORTH CENTRAL	291	412	2.3	5,453	43.1	46,426	42,148	367.3	58
Minnesota	65	71	1.7	420	10.8	8,347	6,221	214.4	2
Iowa	52	23	1.8	487	16.9	6,187	6,115	214.7	12
Missouri	108	231	2.3	3,191	67.5	17,065	16,216	361.2	37
North Dakota	2	6	.3	18	2.9	686	626	110.6	—
South Dakota	2	9	.3	19	2.8	1,477	1,540	219.5	1
Nebraska	19	24	1.3	230	15.2	4,505	4,428	297.8	1
Kansas	43	48	1.9	1,088	48.9	8,159	7,002	366.4	5
SOUTH ATLANTIC ²	6,496	5,789	20.8	18,423	59.0	178,056	140,459	570.3	1,160
Delaware	59	35	10.6	160	28.6	2,139	1,640	382.6	1
Maryland	797	652	19.9	2,975	74.5	15,526	14,669	388.6	9
Virginia	594	348	12.9	2,221	48.2	16,887	15,487	366.8	31
West Virginia	34	32	1.9	868	48.8	1,953	1,904	109.7	2
North Carolina	545	444	10.6	1,476	28.8	25,088	20,565	489.9	80
South Carolina	502	404	19.3	1,171	45.1	25,532	15,524	983.1	88
Georgia	1,411	1,585	30.2	3,542	75.9	32,199	28,484	690.2	304
Florida	1,680	1,675	23.5	3,691	51.5	43,033	30,665	600.8	274
EAST SOUTH CENTRAL	1,536	1,273	11.8	3,317	25.5	61,721	47,223	474.5	130
Kentucky	398	331	12.2	1,152	35.3	7,825	6,767	239.4	11
Tennessee	514	367	12.8	1,047	26.1	26,592	20,546	662.6	53
Alabama	217	175	6.2	392	11.2	15,593	10,547	447.3	6
Mississippi	407	400	18.2	726	32.4	11,711	9,363	522.6	60
WEST SOUTH CENTRAL	2,924	3,555	14.8	9,768	49.4	93,799	79,625	474.5	210
Arkansas	174	247	8.8	946	48.0	10,707	7,949	543.8	6
Louisiana	845	747	22.9	2,191	59.5	16,306	13,916	442.5	116
Oklahoma	104	105	4.0	1,118	42.9	9,539	7,567	365.9	11
Texas	1,801	2,456	15.7	5,513	48.0	57,247	50,193	498.0	77
MOUNTAIN	528	590	6.1	1,963	22.5	23,566	19,949	270.4	33
Montana	7	1	1.0	21	2.9	1,368	1,136	191.9	5
Idaho	8	12	1.1	16	2.1	1,998	1,721	266.0	2
Wyoming	13	3	3.8	72	21.1	421	239	123.5	—
Colorado	98	73	4.2	366	15.8	6,343	5,618	274.1	1
New Mexico	105	157	10.0	459	43.7	4,164	2,833	396.6	15
Arizona	198	215	10.3	689	36.0	5,720	5,325	298.7	8
Utah	20	15	1.8	158	14.1	1,590	1,232	141.8	—
Nevada	79	114	15.2	182	35.1	1,962	1,845	378.0	2
PACIFIC	3,217	3,166	12.0	12,729	47.5	121,207	121,064	452.7	117
Washington	129	142	3.8	304	8.9	11,033	9,293	323.9	8
Oregon	40	15	1.8	113	5.2	10,206	9,030	468.4	2
California	3,006	2,971	14.9	12,135	60.3	96,309	98,530	478.4	107
Alaska	12	17	4.0	91	30.5	2,098	2,540	704.0	—
Hawaii	30	21	4.0	86	11.3	1,561	1,671	205.7	—
Puerto Rico	796	824	28.7	2,143	28.7	2,506	2,141	90.2	1
Virgin Islands	89	29	156.1	394	691.2	588	607	1031.6	1

¹ U.S. total consists of cases of chancroid, cases of granuloma inguinale and cases of lymphogranuloma venereum.² Includes cases reported by District of Columbia

**TABLE 8(B). Newly Reported Civilian Cases of Venereal Diseases
and Rates per 100,000 Population: United States by Age* and Sex,
1971 and 1972**

Primary and Secondary Syphilis – 1972

Age Group	Male		Female		Total	
	Cases	Rates	Cases	Rates	Cases	Rates
0-14	92	.3	231	.8	323	.6
15-19	1,883	19.0	2,047	20.7	3,930	19.9
20-24	4,509	55.4	2,603	28.9	7,112	41.5
25-29	3,452	48.5	1,407	18.6	4,859	33.1
30-34	2,536	43.4	837	13.4	3,373	27.9
35-39	1,461	27.9	425	7.5	1,886	17.3
40-44	1,018	18.2	282	4.7	1,300	11.3
45-49	567	9.8	156	2.5	723	6.0
50 & over	774	3.3	149	.5	923	1.8
TOTAL	16,292	16.3	8,137	7.6	24,429	11.8

Gonorrhea – 1972

Age Group	Male		Female		Total	
	Cases	Rates	Cases	Rates	Cases	Rates
0-14	2,929	10.1	7,420	26.7	10,349	18.2
15-19	104,754	1058.2	97,403	987.3	202,157	1022.8
20-24	210,908	2593.2	101,167	1121.7	312,075	1819.5
25-29	99,498	1398.6	33,257	440.0	132,755	904.8
30-34	41,630	712.1	11,957	192.0	53,587	443.9
35-39	21,183	404.1	5,605	98.9	26,788	245.5
40-44	11,417	204.5	2,814	47.2	14,231	123.3
45-49	6,217	107.9	1,363	21.9	7,580	63.2
50 & over	6,039	26.0	1,654	5.8	7,693	14.9
TOTAL	504,575	506.1	262,640	246.0	767,215	371.6

Congenital Syphilis – 1971-1972

Age Group	Number of Cases		Percent of Total	
	1971	1972	1971	1972
0-1	452	383	22.0	21.8
1-4	58	16	2.8	0.9
5-9	30	11	1.5	0.6
10+	1,512	1,348	73.7	76.7
TOTAL	2,052	1,758	100.0	100.0

*Age data for 1972 – provisional

TABLE 9. Rabies in Man and Animals: by State, by Type of Animal, United States 1972
From Reports to the National Rabies Surveillance Program, CDC-PHS

Human Rabies in the United States, 1972

LOCALITY	AGE	SEX	NATURE OF EXPOSURE	TREATMENT	INCUBATION PERIOD	LENGTH OF ILLNESS	DATE AND PLACE OF DEATH
Philippines	70	M	Bitten on hands by dog	None	28 or 30 days	14 days	2/22/72, Calif.
Texas	56	M	Laboratory	None	12 days	9 days	3/9/72, Tex.

Rabies in Animals by Type of Animal Reported through Surveillance Program

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
UNITED STATES	221	465	255	639	2,095	504	162	28	4,369
NEW ENGLAND									
Maine	3	6	6	79	1	4	1	—	100
New Hampshire	—	—	—	—	—	4	—	—	4
Vermont	—	1	—	7	1	1	—	—	10
Massachusetts	—	—	—	—	—	6	—	—	6
Rhode Island	—	—	—	—	—	2	—	—	2
Connecticut	—	—	—	—	—	7	—	—	7
MIDDLE ATLANTIC									
New York	—	5	1	12	7	20	—	—	45
New Jersey	—	—	—	—	—	21	—	—	21
Pennsylvania	7	7	6	14	8	18	2	1	63
EAST NORTH CENTRAL									
Ohio	8	1	3	25	62	2	—	—	101
Indiana	—	4	—	8	69	3	—	—	84
Illinois	5	20	13	14	217	7	1	—	277
Michigan	1	1	—	—	1	6	—	—	9
Wisconsin	23	19	9	5	92	8	—	—	156
WEST NORTH CENTRAL									
Minnesota	18	53	19	1	193	7	3	1	295
Iowa	7	87	31	1	217	5	1	1	350
Missouri	13	13	11	5	62	6	—	—	110
North Dakota	3	21	13	1	106	1	1	1	147
South Dakota	4	26	16	—	81	4	—	1	132
Nebraska	2	1	1	—	12	2	—	—	18
Kansas	1	13	7	—	95	12	1	—	129
SOUTH ATLANTIC									
Delaware	—	—	—	—	—	7	—	—	7
Maryland	—	—	—	—	—	19	—	—	19
Virginia	1	1	5	83	2	17	—	—	109
West Virginia	20	3	5	30	1	1	—	—	60
North Carolina	—	—	—	—	—	4	—	—	4
South Carolina	—	—	—	—	—	12	1	—	13
Georgia	3	—	1	6	3	4	91	1	109
Florida	5	—	7	4	1	20	49	1	87
EAST SOUTH CENTRAL									
Kentucky	32	65	22	119	26	5	1	1	271
Tennessee	18	41	20	106	109	20	—	2	316
Alabama	6	4	—	60	6	1	5	—	82
Mississippi	—	—	—	—	—	4	—	—	4
WEST SOUTH CENTRAL									
Arkansas	4	14	8	3	76	7	—	—	112
Louisiana	7	—	—	18	14	10	—	—	49
Oklahoma	2	33	20	1	236	6	1	—	299
Texas	14	23	25	21	189	63	4	4	343
MOUNTAIN									
Montana	—	—	—	—	5	2	—	—	7
Idaho	—	—	—	—	—	1	—	—	1
Wyoming	—	—	—	—	2	—	—	—	2
Colorado	—	—	—	—	8	14	—	1	23
New Mexico	3	—	—	—	3	9	—	1	16
Arizona	10	1	1	8	21	14	—	6	61
Utah	—	—	—	—	—	9	—	—	9
Nevada	—	—	—	—	—	2	—	—	2
PACIFIC									
Washington	—	—	—	—	—	9	—	—	9
Oregon	—	—	—	—	—	4	—	—	4
California	—	2	5	4	169	94	—	—	274
Alaska	1	—	—	4	—	—	—	6	11
Puerto Rico	11	9	2	—	—	—	—	34	56

States not reporting a case not listed.

TABLE 10. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1972 — Continued
(B) HEPATITIS, SERUM (Hepatitis B)

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	59-59	60+	Unk.
UNITED STATES	9,396	9	12	35	65	2,268	3,170	1,013*	589*	354*	280*	416*	1,076
NEW ENGLAND	476	1	1	—	2	163	151	43	28	17	15	22	33
Maine	22	—	—	—	—	3	—	9	—	—	—	—	10
New Hampshire	39	—	—	—	1	15	15	3	2	1	—	1	1
Vermont	5	—	—	—	—	1	2	—	—	—	—	1	1
Massachusetts	185	—	—	—	1	67	69	12	12	6	5	7	6
Rhode Island	63	—	1	—	—	19	14	7	4	6	3	9	—
Connecticut	162	1	—	—	—	58	51	12	10	4	7	4	15
MIDDLE ATLANTIC	3,001	2	3	12	24	852	1,122	379	220	123	96	155	13
Upstate New York	520	—	—	—	9	160	206	56	30	19	15	14	11
New York City	1,028	1	2	4	6	252	387	157	91	37	21	68	2
New Jersey	983	—	—	1	5	321	363	113	56	40	39	45	—
Pennsylvania	470	1	1	7	4	119	166	53	43	27	21	28	—
EAST NORTH CENTRAL ...	1,517	1	3	7	10	376	583	151*	95*	46*	40*	35*	61
Ohio	347	—	—	4	1	84	139	39	23	14	11	12	20
Indiana	46	—	1	—	1	13	14	1	4	3	3	4	2
Illinois	315	—	2	—	1	56	120	—	—	109	—	—	27
Michigan	695	1	—	2	4	201	263	93	60	25	22	17	7
Wisconsin	114	—	—	1	3	22	47	18	8	4	4	2	5
WEST NORTH CENTRAL ...	250	—	—	1	2	61	116	31	12	10	2	5	10
Minnesota	45	—	—	—	—	7	17	8	3	3	—	3	4
Iowa	51	—	—	1	1	15	14	8	2	4	1	—	5
Missouri	46	—	—	—	—	13	28	1	4	—	—	—	—
North Dakota	1	—	—	—	—	—	1	—	—	—	—	—	—
South Dakota	2	—	—	—	—	—	2	—	—	—	—	—	—
Nebraska	7	—	—	—	—	2	4	—	—	—	—	—	1
Kansas	98	—	—	—	1	24	50	14	3	3	1	2	—
SOUTH ATLANTIC	1,118	1	2	5	11	301	342	79	36	31	32	54	224
Delaware	27	—	—	—	—	3	15	9	—	—	—	—	—
Maryland	208	—	—	1	3	77	69	19	9	4	7	5	14
District of Columbia	35	—	1	—	1	10	14	7	1	1	—	—	—
Virginia	180	—	—	—	—	—	—	—	—	—	—	—	180
West Virginia	15	—	—	—	1	4	3	3	—	1	2	1	—
North Carolina	194	1	—	—	1	71	90	10	10	4	4	3	—
South Carolina	21	—	—	—	1	8	11	—	—	—	—	1	—
Georgia	37	—	—	1	—	14	13	2	2	—	1	1	3
Florida	401	—	1	3	4	114	127	29	14	21	18	43	27
EAST SOUTH CENTRAL ...	318	—	1	2	2	69	84	30	17	16	17	29	51
Kentucky	67	—	—	—	—	7	6	1	2	—	1	—	50
Tennessee	113	—	—	1	—	24	35	10	8	9	9	16	1
Alabama	101	—	1	—	2	30	34	14	5	5	2	8	—
Mississippi	37	—	—	1	—	8	9	5	2	2	5	5	—
WEST SOUTH CENTRAL ...	483	1	2	3	1	117	169	65	35	35	22	21	12
Arkansas	10	—	—	—	—	4	3	—	—	—	2	—	1
Louisiana	111	—	—	1	—	21	47	12	6	7	4	10	3
Oklahoma	51	—	—	1	1	16	20	2	4	1	3	1	2
Texas	311	1	2	1	—	76	99	51	25	27	13	10	6
MOUNTAIN	238	1	—	—	4	55	77	27	11	11	7	15	30
Montana	6	—	—	—	—	1	2	—	—	1	—	—	2
Idaho	14	—	—	—	—	2	6	3	2	—	—	—	1
Wyoming	1	—	—	—	—	1	—	—	—	—	—	—	—
Colorado	121	1	—	—	1	29	49	14	5	6	4	7	5
New Mexico	22	—	—	—	2	7	4	2	3	—	2	2	—
Arizona	13	—	—	—	—	2	1	1	—	1	—	3	5
Utah	45	—	—	—	1	13	15	7	1	3	1	3	1
Nevada	16	—	—	—	—	—	—	—	—	—	—	—	16
PACIFIC	1,995	2	—	5	9	274	526	208	135	65	49	80	642
Washington	60	1	—	1	1	14	20	9	2	2	3	6	1
Oregon	87	—	—	1	1	30	30	10	5	3	3	2	2
California	1,760	—	—	2	4	210	454	183	114	50	38	70	635
Alaska	57	1	—	1	2	14	9	5	10	7	4	—	4
Hawaii	31	—	—	—	1	6	13	1	4	3	1	2	—
Guam	2	—	—	—	—	—	—	—	—	—	—	—	2
Puerto Rico	50	—	—	1	1	20	14	5	3	2	1	1	2

*excludes data from Illinois

TABLE 10. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1972 – Continued
(C) HEPATITIS, INFECTIOUS (Hepatitis A)

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	54,074	58	1,121	4,308	4,277	11,983	12,676	5,334*	4,313*	2,298*	1,491*	1,374*	4,063
NEW ENGLAND	3,819	3	40	229	292	987	891	327	301	184	127	95	343
Maine	464	—	9	34	58	97	76	28	34	10	13	7	98
New Hampshire	401	—	4	32	36	109	90	45	33	24	9	11	8
Vermont	230	—	4	20	20	40	33	11	17	9	6	7	63
Massachusetts	1,593	3	14	94	123	434	409	130	120	84	55	40	87
Rhode Island	363	—	4	7	10	110	114	27	38	15	20	13	5
Connecticut	768	—	5	42	45	197	169	86	59	42	24	17	82
MIDDLE ATLANTIC	7,667	5	85	481	533	2,017	1,868	896	749	444	309	223	57
Upstate New York	1,931	1	32	203	163	488	437	170	150	110	67	56	54
New York City	1,880	3	18	83	93	510	460	271	215	109	69	46	3
New Jersey	1,915	—	17	74	125	420	537	228	227	125	99	63	—
Pennsylvania	1,941	1	18	121	152	599	434	227	157	100	74	58	—
EAST NORTH CENTRAL ...	8,960	13	154	596	664	2,233	2,232	661*	527*	303*	196*	167*	436
Ohio	1,968	2	27	142	157	489	467	196	154	92	68	62	112
Indiana	554	—	9	44	48	124	161	55	44	22	17	12	18
Illinois	2,529	5	46	178	178	541	575	—	—	778	—	—	228
Michigan	3,627	6	68	210	263	1,026	965	380	293	170	101	85	60
Wisconsin	282	—	4	22	18	53	64	30	36	19	10	8	18
WEST NORTH CENTRAL ...	2,189	5	75	208	186	462	444	144	130	84	60	53	338
Minnesota	210	—	10	17	16	40	28	14	10	11	13	12	19
Iowa	293	1	2	12	6	65	55	22	5	13	10	8	94
Missouri	912	2	24	66	87	189	163	57	47	34	16	15	212
North Dakota	70	—	4	21	9	11	10	4	5	2	1	—	3
South Dakota	149	—	24	40	18	11	18	8	14	4	6	3	3
Nebraska	69	—	1	8	11	20	16	5	3	1	2	1	1
Kansas	486	2	10	44	39	126	134	34	46	19	12	14	6
SOUTH ATLANTIC	7,994	4	144	596	560	1,865	1,640	660	481	255	187	208	1,394
Delaware	146	—	7	5	10	33	46	9	11	6	6	8	5
Maryland	991	—	14	65	54	323	228	108	69	39	31	16	44
District of Columbia	99	1	—	5	4	17	22	15	14	6	5	1	9
Virginia	1,005	—	—	—	—	—	—	—	—	—	—	—	1,005
West Virginia	451	—	22	107	111	82	56	31	22	6	7	7	—
North Carolina	1,617	1	29	196	136	442	445	151	106	39	39	25	8
South Carolina	455	—	7	30	34	144	123	39	25	12	11	30	—
Georgia	771	—	20	60	62	152	155	58	71	33	23	18	19
Florida	2,459	2	45	128	149	672	565	249	163	114	65	103	204
EAST SOUTH CENTRAL ...	3,151	4	79	466	451	579	555	257	197	118	85	91	269
Kentucky	1,097	—	30	231	196	152	115	64	50	19	17	11	212
Tennessee	1,435	1	39	189	205	315	301	134	91	62	49	49	—
Alabama	382	—	9	33	37	69	72	34	28	21	8	16	55
Mississippi	237	3	1	13	13	43	67	25	28	16	11	15	2
WEST SOUTH CENTRAL ...	5,667	12	217	772	595	1,130	1,303	513	455	219	123	133	195
Arkansas	340	—	21	67	33	74	51	28	33	16	9	5	3
Louisiana	630	—	17	44	54	123	155	69	76	28	22	21	21
Oklahoma	792	1	24	84	90	121	146	83	72	33	17	27	94
Texas	3,905	11	155	577	418	812	951	333	274	142	75	80	77
MOUNTAIN	3,122	4	93	294	272	450	530	210	177	84	55	48	905
Montana	258	—	15	37	38	40	33	17	17	6	2	4	49
Idaho	383	—	19	55	54	49	54	27	41	7	7	7	63
Wyoming	49	—	—	2	9	7	14	8	3	1	3	—	2
Colorado	754	1	19	77	63	159	226	82	45	26	15	16	25
New Mexico	500	3	22	71	67	81	107	35	31	17	14	11	41
Arizona	750	—	8	20	10	25	24	6	8	1	4	2	642
Utah	330	—	10	24	26	83	70	33	29	25	10	7	13
Nevada	98	—	—	8	5	6	2	2	3	1	—	1	70
PACIFIC	11,505	8	234	666	724	2,260	3,213	1,666	1,296	607	349	356	126
Washington	1,471	—	16	72	68	417	405	166	141	68	51	36	31
Oregon	1,525	1	50	103	135	307	353	216	172	75	41	39	33
California	7,918	7	163	462	491	1,421	2,278	1,195	925	433	233	269	41
Alaska	247	—	2	13	16	53	66	36	20	12	8	4	17
Hawaii	344	—	3	16	14	62	111	53	38	19	16	8	4
Guam	63	—	—	—	—	—	—	—	—	—	—	—	63
Puerto Rico	735	3	33	136	107	139	122	50	51	37	22	20	15

*excludes data from Illinois

TABLE 10. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1972 — Continued
(D) MENINGOCOCCAL INFECTIONS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	1,323	252	329	129	107	144	66	20*	33*	40*	44*	29*	126
NEW ENGLAND	62	10	15	8	3	9	3	—	—	3	5	—	6
Maine	4	—	2	—	1	—	—	—	—	—	—	—	1
New Hampshire	4	—	2	1	—	—	—	—	—	—	—	—	1
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	27	5	8	3	—	3	3	—	—	1	4	—	—
Rhode Island	12	4	1	2	1	3	—	—	—	—	1	—	—
Connecticut	15	1	2	2	1	3	—	—	—	2	—	—	4
MIDDLE ATLANTIC	160	28	48	18	12	10	10	4	4	7	5	8	6
Upstate New York	40	11	13	3	4	1	—	2	1	1	1	2	1
New York City	44	5	16	5	4	4	3	1	—	2	2	2	—
New Jersey	37	2	7	6	1	4	5	1	3	1	2	1	4
Pennsylvania	39	10	12	4	3	1	2	—	—	3	—	3	1
EAST NORTH CENTRAL	189	40	52	17	10	16	6	3*	3*	2*	10*	5*	21
Ohio	73	23	15	7	4	5	3	2	2	—	4	3	5
Indiana	14	2	8	1	—	2	—	—	—	—	—	1	—
Illinois	34	4	7	3	5	6	2	—	—	4	—	—	3
Michigan	55	11	22	6	1	3	1	1	1	2	6	1	—
Wisconsin	13	—	—	—	—	—	—	—	—	—	—	—	13
WEST NORTH CENTRAL	96	24	29	7	9	14	2	1	3	—	—	1	6
Minnesota	26	6	9	3	2	3	1	—	1	—	—	—	1
Iowa	6	1	3	—	—	—	—	—	—	—	—	—	2
Missouri	30	8	7	2	4	4	—	1	2	—	—	—	2
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	3	—	—	1	—	1	—	—	—	—	—	1	—
Nebraska	11	4	5	—	—	2	—	—	—	—	—	—	—
Kansas	20	5	5	1	3	4	1	—	—	—	—	—	1
SOUTH ATLANTIC	278	50	60	34	26	32	11	5	7	11	4	5	33
Delaware	2	—	—	—	—	—	—	—	1	—	1	—	—
Maryland	41	9	9	3	3	9	1	1	—	1	—	2	3
District of Columbia	14	—	3	5	1	1	1	1	1	—	—	—	1
Virginia	45	9	6	4	5	6	—	2	—	1	1	—	11
West Virginia	10	3	1	1	2	—	—	—	1	—	—	—	2
North Carolina	37	15	9	4	2	2	1	—	1	3	—	—	—
South Carolina	27	—	7	7	—	8	3	—	—	—	—	1	—
Georgia	21	—	7	3	1	2	1	—	1	1	1	1	3
Florida	81	14	18	7	12	4	4	1	2	5	—	1	13
EAST SOUTH CENTRAL	102	14	29	7	13	11	3	1	4	1	2	3	14
Kentucky	31	3	6	1	7	—	1	—	—	—	—	—	13
Tennessee	35	6	14	3	3	5	—	—	2	—	1	1	—
Alabama	20	3	6	1	1	2	2	1	2	1	—	—	1
Mississippi	16	2	3	2	2	4	—	—	—	—	1	2	—
WEST SOUTH CENTRAL	173	40	42	22	17	17	11	1	2	7	3	4	7
Arkansas	16	7	2	2	—	1	1	—	1	—	1	—	1
Louisiana	53	14	11	8	5	6	3	—	—	2	—	—	3
Oklahoma	15	4	6	—	2	—	2	—	—	1	—	—	—
Texas	89	15	23	12	10	10	5	1	1	4	2	3	3
MOUNTAIN	38	6	6	1	2	2	2	1	1	—	—	2	15
Montana	5	1	1	—	1	1	1	—	—	—	—	—	—
Idaho	5	2	—	—	—	—	—	1	—	—	—	—	2
Wyoming	2	—	—	—	—	—	1	—	—	—	—	—	1
Colorado	10	2	3	—	—	—	—	—	—	—	—	—	5
New Mexico	3	1	1	—	1	—	—	—	—	—	—	—	—
Arizona	4	—	1	1	—	—	—	—	1	—	—	1	—
Utah	6	—	—	—	—	1	—	—	—	—	—	1	4
Nevada	3	—	—	—	—	—	—	—	—	—	—	—	3
PACIFIC	225	40	48	15	15	33	18	4	9	9	15	1	18
Washington	28	1	9	3	2	1	2	1	1	—	—	1	7
Oregon	14	7	2	—	—	1	—	—	1	—	1	—	2
California	171	29	35	10	12	30	16	3	7	7	13	—	9
Alaska	9	3	2	2	—	1	—	—	—	—	1	—	—
Hawaii	3	—	—	—	1	—	—	—	—	2	—	—	—
Guam	13	—	—	—	—	—	—	—	—	—	—	—	13
Puerto Rico	5	2	2	—	1	—	—	—	—	—	—	—	—

*excludes data from Illinois

TABLE 10. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1972 – Continued
(E) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	128	6	7	1	1	—	3	5*	9*	11*	19*	56*	3
NEW ENGLAND	2	—	—	—	—	—	—	—	—	1	—	1	—
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	1	—	—	—	—	—	—	—	—	1	—	—	—
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	1	—	—	—	—	—	—	—	—	—	—	1	—
MIDDLE ATLANTIC	10	—	—	—	—	—	—	1	3	1	1	4	—
Upstate New York	2	—	—	—	—	—	—	—	—	1	—	1	—
New York City	6	—	—	—	—	—	—	1	3	—	1	1	—
New Jersey	2	—	—	—	—	—	—	—	—	—	—	2	—
Pennsylvania	—	—	—	—	—	—	—	—	—	—	—	—	—
EAST NORTH CENTRAL ..	19	—	—	—	—	—	—	—	—	2*	—	8*	2
Ohio	4	—	—	—	—	—	—	—	—	1	—	3	—
Indiana	3	—	—	—	—	—	—	—	—	1	—	1	1
Illinois	8	—	—	—	—	—	—	—	—	—	—	—	—
Michigan	2	—	—	—	—	—	—	—	—	—	—	—	2
Wisconsin	2	—	—	—	—	—	—	—	—	—	—	—	2
WEST NORTH CENTRAL ..	9	—	—	—	—	—	—	—	1	—	1	7	—
Minnesota	1	—	—	—	—	—	—	—	—	—	—	1	—
Iowa	—	—	—	—	—	—	—	—	—	—	—	—	—
Missouri	6	—	—	—	—	—	—	—	—	—	1	5	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	1	—	—	—	—	—	—	—	—	—	—	1	—
Kansas	1	—	—	—	—	—	—	—	1	—	—	—	—
SOUTH ATLANTIC	25	2	2	—	—	—	—	—	1	2	6	11	1
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	1	—	—	—	—	—	—	—	—	—	1	—	—
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	4	—	—	—	—	—	—	—	—	—	1	2	1
West Virginia	—	—	—	—	—	—	—	—	—	—	—	—	—
North Carolina	5	1	—	—	—	—	—	—	—	1	2	1	—
South Carolina	3	—	—	—	—	—	—	—	—	—	1	2	—
Georgia	2	—	1	—	—	—	—	—	1	—	—	—	—
Florida	10	1	1	—	—	—	—	—	—	1	1	6	—
EAST SOUTH CENTRAL ...	14	—	—	—	1	—	1	1	1	—	4	6	—
Kentucky	1	—	—	—	1	—	—	—	—	—	—	—	—
Tennessee	8	—	—	—	—	—	1	1	—	—	2	4	—
Alabama	3	—	—	—	—	—	—	—	—	—	2	1	—
Mississippi	2	—	—	—	—	—	—	—	1	—	—	1	—
WEST SOUTH CENTRAL ..	34	4	4	1	—	—	1	—	1	2	4	17	—
Arkansas	6	—	—	—	—	—	—	—	—	—	2	4	—
Louisiana	7	1	—	—	—	—	—	—	—	1	1	4	—
Oklahoma	1	—	—	—	—	—	—	—	—	—	1	—	—
Texas	20	3	4	1	—	—	1	—	1	1	—	9	—
MOUNTAIN	1	—	—	—	—	—	—	—	—	—	—	1	—
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	1	—	—	—	—	—	—	—	—	—	—	1	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	14	—	1	—	—	—	1	3	2	3	3	1	—
Washington	—	—	—	—	—	—	—	—	—	—	—	—	—
Oregon	1	—	—	—	—	—	—	1	—	—	—	—	—
California	12	—	1	—	—	—	—	2	2	3	3	1	—
Alaska	1	—	—	—	—	—	1	—	—	—	—	—	—
Hawaii	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	16	—	2	1	—	—	1	1	3	—	2	6	—

*excludes data from Illinois

TABLE 10. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1972 — Continued

(F) PARALYTIC POLIOMYELITIS

(G) TYPHOID FEVER

AREA	(F) PARALYTIC POLIOMYELITIS						(G) TYPHOID FEVER						
	Total	<1	1-4	5-9	10-19	20+	Total	<5	5-14	15-29	30-49	50+	Unk.
UNITED STATES	29	4	2	1	17	5	398	40	94	137	60	57	10
NEW ENGLAND	12	—	1	1	10	—	19	3	3	6	4	3	—
Maine	1	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	2	—	—	1	—	1	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—	13	2	3	3	3	2	—
Rhode Island	—	—	—	—	—	—	1	—	—	1	—	—	—
Connecticut	11	—	—	1	10	—	3	1	—	1	1	—	—
MIDDLE ATLANTIC	5	1	—	—	3	1	59	6	13	23	10	7	—
Upstate New York	4	1	—	—	3	—	13	2	3	3	4	1	—
New York City	1	—	—	—	—	1	29	3	7	12	3	4	—
New Jersey	—	—	—	—	—	—	9	1	1	6	—	1	—
Pennsylvania	—	—	—	—	—	—	8	—	2	2	3	1	—
EAST NORTH CENTRAL	3	—	—	—	2	1	30	3	6	10	7	4	—
Ohio	—	—	—	—	—	—	9	—	2	3	2	2	—
Indiana	1	—	—	—	1	—	2	—	1	—	—	1	—
Illinois	—	—	—	—	—	—	10	1	1	4	3	1	—
Michigan	1	—	—	—	—	1	7	2	2	3	—	—	—
Wisconsin	1	—	—	—	1	—	2	—	—	—	2	—	—
WEST NORTH CENTRAL	1	—	—	—	1	—	10	2	1	4	2	1	—
Minnesota	—	—	—	—	—	—	1	—	1	—	—	—	—
Iowa	1	—	—	—	1	—	—	—	—	—	—	—	—
Missouri	—	—	—	—	—	—	2	1	—	—	—	1	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	2	—	—	1	1	—	—
Kansas	—	—	—	—	—	—	5	1	—	3	1	—	—
SOUTH ATLANTIC	2	—	—	—	—	2	47	3	15	10	5	9	5
Delaware	—	—	—	—	—	—	2	—	1	1	—	—	—
Maryland	—	—	—	—	—	—	9	1	2	2	—	3	1
District of Columbia	—	—	—	—	—	—	3	—	—	3	—	—	—
Virginia	1	—	—	—	—	1	9	2	4	—	1	2	—
West Virginia	—	—	—	—	—	—	1	—	—	—	—	1	—
North Carolina	—	—	—	—	—	—	—	—	—	—	—	—	—
South Carolina	—	—	—	—	—	—	5	—	3	—	—	2	—
Georgia	—	—	—	—	—	—	8	—	3	1	2	—	2
Florida	1	—	—	—	—	1	10	—	2	3	2	1	2
EAST SOUTH CENTRAL	—	—	—	—	—	—	39	6	17	7	6	3	—
Kentucky	—	—	—	—	—	—	13	3	4	3	3	—	—
Tennessee	—	—	—	—	—	—	8	1	2	2	1	2	—
Alabama	—	—	—	—	—	—	11	2	7	1	1	—	—
Mississippi	—	—	—	—	—	—	7	—	4	1	1	1	—
WEST SOUTH CENTRAL	4	1	1	—	1	1	44	5	9	18	2	9	1
Arkansas	—	—	—	—	—	—	14	2	2	5	—	4	1
Louisiana	—	—	—	—	—	—	7	1	1	4	—	1	—
Oklahoma	—	—	—	—	—	—	3	—	2	—	—	1	—
Texas	4	1	1	—	1	1	20	2	4	9	2	3	—
MOUNTAIN	—	—	—	—	—	—	23	1	3	7	3	6	3
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	—	—	—	—	—	—	2	—	—	2	—	—	—
New Mexico	—	—	—	—	—	—	2	—	—	—	1	1	—
Arizona	—	—	—	—	—	—	16	1	3	5	2	2	3
Utah	—	—	—	—	—	—	3	—	—	—	—	3	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	2	2	—	—	—	—	127	11	27	52	21	15	1
Washington	—	—	—	—	—	—	11	2	1	3	3	2	—
Oregon	—	—	—	—	—	—	2	—	—	2	—	—	—
California	2	2	—	—	—	—	108	7	25	46	18	12	—
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	—	—	—	—	—	—	6	2	1	1	—	1	1
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	—	—	—	—	—	7	1	3	1	1	—	1

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1972
(A) ASEPTIC MENINGITIS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	4,634	149	149	138	154	212	278	403	941	799	649	443	285	34
NEW ENGLAND	244	2	5	7	4	6	5	18	58	61	46	20	12	—
Maine	1	—	—	—	—	—	—	—	1	—	—	—	—	—
New Hampshire	19	—	1	1	1	2	—	—	3	2	5	2	2	—
Vermont	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Massachusetts	135	—	1	3	1	3	3	14	43	36	16	10	5	—
Rhode Island	52	1	2	2	2	1	1	4	9	14	12	2	2	—
Connecticut	36	1	1	1	—	—	—	—	2	9	13	6	3	—
MIDDLE ATLANTIC	975	32	21	30	16	38	36	82	257	196	156	76	31	4
Upstate New York	218	17	8	15	5	—	1	2	43	33	63	18	13	—
New York City	302	3	6	1	1	30	16	4	81	76	46	33	5	—
New Jersey	370	9	5	13	9	7	16	65	104	75	38	17	12	—
Pennsylvania	85	3	2	1	1	1	3	11	29	12	9	8	1	4
EAST NORTH CENTRAL	682	18	11	16	16	19	26	43	146	131	123	76	47	10
Ohio	217	6	3	4	9	4	11	13	60	45	44	14	4	—
Indiana	32	—	1	1	—	3	—	1	8	8	1	1	8	—
Illinois	121	6	4	—	4	5	5	9	16	19	24	15	14	—
Michigan	266	6	3	11	3	7	9	13	49	50	50	45	20	—
Wisconsin	46	—	—	—	—	—	1	7	13	9	4	1	1	10
WEST NORTH CENTRAL	230	3	9	3	9	7	10	21	63	43	24	22	16	—
Minnesota	121	—	—	—	—	6	9	14	41	20	10	15	6	—
Iowa	31	—	1	—	2	1	1	2	3	8	6	3	4	—
Missouri	42	3	7	2	5	—	—	1	1	5	8	4	6	—
North Dakota	4	—	—	—	—	—	—	1	2	1	—	—	—	—
South Dakota	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Nebraska	2	—	—	1	—	—	—	—	—	—	—	—	—	—
Kansas	29	—	1	—	2	—	—	2	16	8	—	—	—	—
SOUTH ATLANTIC	785	25	23	19	23	27	55	67	157	153	96	78	62	—
Delaware	5	1	—	—	—	—	—	—	2	1	—	1	—	—
Maryland	86	2	3	1	5	—	6	13	18	18	11	6	3	—
District of Columbia	42	—	—	—	—	—	—	—	20	20	—	2	—	—
Virginia	208	2	2	4	4	6	5	18	53	47	36	16	15	—
West Virginia	23	—	1	2	2	—	—	1	1	11	4	1	—	—
North Carolina	146	3	3	2	2	2	3	12	44	25	13	25	12	—
South Carolina	48	2	2	1	—	4	9	8	6	9	3	—	4	—
Georgia	9	—	1	—	—	—	3	1	—	1	—	3	—	—
Florida	218	15	11	9	10	15	29	14	13	21	29	24	28	—
EAST SOUTH CENTRAL	232	16	18	9	14	17	3	16	28	24	33	24	30	—
Kentucky	38	3	4	5	2	4	—	—	6	3	1	10	—	—
Tennessee	74	5	3	—	6	6	1	6	12	11	7	5	12	—
Alabama	86	7	10	4	6	5	2	8	8	5	18	5	8	—
Mississippi	34	1	1	—	—	2	—	2	2	5	7	4	10	—
WEST SOUTH CENTRAL	455	7	23	15	22	28	72	55	65	60	50	27	31	—
Arkansas	17	—	—	—	2	—	4	1	1	1	5	1	2	—
Louisiana	94	—	6	2	4	5	11	8	22	13	11	6	6	—
Oklahoma	72	2	16	2	1	—	—	8	7	15	12	7	2	—
Texas	272	5	1	11	15	23	57	38	35	31	22	13	21	—
MOUNTAIN	98	3	4	1	2	2	2	8	27	11	6	8	4	20
Montana	6	—	—	—	—	—	—	1	2	2	1	—	—	—
Idaho	28	—	—	—	—	1	—	2	19	2	1	1	2	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	5	1	—	1	—	—	—	—	3	—	—	—	—	—
New Mexico	14	1	2	—	—	—	1	2	1	2	3	2	—	—
Arizona	32	—	2	—	2	1	1	1	1	1	1	—	2	20
Utah	11	1	—	—	—	—	—	2	1	4	—	3	—	—
Nevada	2	—	—	—	—	—	—	—	—	—	—	2	—	—
PACIFIC	933	43	35	38	48	68	69	93	140	120	115	112	52	—
Washington	137	1	3	8	11	6	10	7	16	14	22	34	5	—
Oregon	32	1	1	—	3	2	3	1	1	6	8	2	4	—
California	718	35	25	28	30	56	53	79	118	98	83	74	39	—
Alaska	16	1	3	—	—	—	2	3	3	1	—	1	2	—
Hawaii	30	5	3	2	4	4	1	3	2	1	2	1	2	—
Guam	11	—	4	4	—	—	1	—	—	—	—	1	1	—
Puerto Rico	5	—	—	—	—	—	—	1	1	1	—	1	1	—

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1972 — Continued
(B) HEPATITIS, SER'UM (Hepatitis B)

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	9,402	799	814	868	740	793	716	675	794	652	629	625	530	767
NEW ENGLAND	482	48	51	35	48	44	37	35	39	37	34	42	32	—
Maine	28	2	3	3	4	7	1	2	3	1	1	1	—	—
New Hampshire	39	9	4	3	1	3	5	2	4	1	2	—	5	—
Vermont	5	4	—	—	1	—	—	—	—	—	—	—	—	—
Massachusetts	185	18	19	23	19	13	13	17	16	14	7	17	9	—
Rhode Island	63	4	10	1	8	5	8	3	6	5	5	4	4	—
Connecticut	162	11	15	5	15	16	10	11	10	16	19	20	14	—
MIDDLE ATLANTIC	3,001	317	292	336	261	281	266	231	263	230	227	169	76	52
Upstate New York	520	59	53	51	43	59	33	48	53	34	35	39	13	—
New York City	1,028	112	113	143	108	84	103	49	92	61	80	52	31	—
New Jersey	983	122	97	105	91	108	89	91	70	80	52	53	25	—
Pennsylvania	470	24	29	37	19	30	41	43	48	55	60	25	7	52
EAST NORTH CENTRAL	1,517	120	150	170	125	154	109	103	149	100	121	127	89	—
Ohio	347	24	34	35	22	26	23	23	42	30	38	33	17	—
Indiana	46	2	1	12	1	6	4	6	1	2	1	2	8	—
Illinois	315	21	37	39	37	43	35	23	21	13	16	17	13	—
Michigan	695	67	62	77	54	67	41	47	80	47	55	61	37	—
Wisconsin	114	6	16	7	11	12	6	4	5	8	11	14	14	—
WEST NORTH CENTRAL	250	14	16	24	35	26	27	21	30	12	9	22	14	—
Minnesota	45	—	4	7	—	4	2	3	20	2	—	2	1	—
Iowa	51	1	1	4	13	8	11	3	2	2	3	2	1	—
Missouri	46	5	4	3	8	7	2	9	—	2	—	2	4	—
North Dakota	1	—	—	—	—	—	1	—	—	—	—	—	—	—
South Dakota	2	1	—	—	—	—	1	—	—	—	—	—	—	—
Nebraska	7	—	—	—	—	—	—	—	1	—	2	2	2	—
Kansas	98	7	7	10	14	7	10	6	7	6	4	14	6	—
SOUTH ATLANTIC	1,118	79	90	114	91	94	108	112	110	103	66	71	80	—
Delaware	27	2	2	5	9	4	1	2	1	—	—	1	—	—
Maryland	208	22	19	23	8	18	19	27	22	16	11	10	13	—
District of Columbia	35	4	5	6	1	2	2	2	5	6	2	—	—	—
Virginia	180	14	9	24	19	19	21	14	15	13	9	12	11	—
West Virginia	15	1	3	2	—	—	—	1	—	4	2	2	—	—
North Carolina	194	16	20	15	15	17	21	17	17	17	12	15	12	—
South Carolina	21	—	—	2	—	2	—	1	1	10	2	2	1	—
Georgia	37	1	3	1	2	2	4	6	7	3	2	5	1	—
Florida	401	19	29	36	37	30	40	42	42	34	26	24	42	—
EAST SOUTH CENTRAL	318	36	38	23	20	29	19	23	21	21	20	25	43	—
Kentucky	67	12	17	5	2	9	2	2	7	2	1	3	5	—
Tennessee	113	12	14	10	10	12	10	6	8	8	7	5	11	—
Alabama	101	12	7	6	7	6	7	12	4	11	7	10	12	—
Mississippi	37	—	—	2	1	2	—	3	2	—	5	7	15	—
WEST SOUTH CENTRAL	483	27	36	34	30	43	45	26	47	57	38	34	66	—
Arkansas	10	2	3	1	1	—	—	—	2	—	—	—	1	—
Louisiana	111	7	13	10	3	14	15	7	11	11	5	4	11	—
Oklahoma	51	2	5	3	1	4	1	1	2	13	3	8	8	—
Texas	311	16	15	20	25	25	29	18	32	33	30	22	46	—
MOUNTAIN	238	19	22	18	19	19	23	28	26	14	20	18	12	—
Montana	6	2	1	—	1	—	—	—	—	2	—	—	—	—
Idaho	14	3	—	—	—	4	1	—	2	—	2	2	—	—
Wyoming	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Colorado	121	10	11	11	8	8	12	10	15	7	14	9	6	—
New Mexico	22	3	1	1	3	1	1	7	2	—	1	1	1	—
Arizona	13	—	1	2	1	3	2	1	—	—	—	1	2	—
Utah	45	1	6	3	3	3	7	5	4	2	3	5	3	—
Nevada	16	—	2	1	3	—	—	5	3	2	—	—	—	—
PACIFIC	1,995	139	119	114	111	103	82	96	109	78	94	117	118	715
Washington	60	1	6	14	4	4	5	5	8	2	2	6	3	—
Oregon	87	5	6	5	6	5	5	7	10	8	9	9	12	—
California	1,760	130	101	92	96	89	67	74	79	57	69	92	102	712
Alaska	57	1	4	2	1	4	1	5	8	8	12	7	1	3
Hawaii	31	2	2	1	4	1	4	5	4	3	2	3	—	—
Guam	2	1	—	—	—	—	—	1	—	—	—	—	—	—
Puerto Rico	50	—	—	—	1	11	10	2	6	5	2	4	9	—

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1972 – Continued
(C) HEPATITIS, INFECTIOUS (Hepatitis A)

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	54,074	4,455	4,449	4,780	4,255	4,746	4,251	4,053	4,305	4,411	4,272	4,537	4,090	1,470
NEW ENGLAND	3,819	301	294	312	309	333	345	279	390	308	317	349	282	—
Maine	464	45	26	31	42	36	45	44	25	52	32	46	40	—
New Hampshire	401	24	19	18	16	36	50	22	78	34	36	28	40	—
Vermont	230	21	28	15	26	16	17	24	23	15	12	27	6	—
Massachusetts	1,593	117	119	149	130	138	167	119	148	125	133	137	111	—
Rhode Island	363	30	41	34	38	34	27	24	36	31	28	25	15	—
Connecticut	768	64	61	65	57	73	39	46	80	51	76	86	70	—
MIDDLE ATLANTIC	7,667	730	715	743	514	652	605	557	707	680	617	589	398	160
Upstate New York	1,931	155	185	157	126	214	184	123	164	175	169	149	130	—
New York City	1,880	226	182	199	138	170	156	95	171	151	130	148	114	—
New Jersey	1,915	174	189	183	186	182	140	147	159	163	140	138	114	—
Pennsylvania	1,941	175	159	204	64	86	125	192	213	191	178	154	40	160
EAST NORTH CENTRAL	8,960	672	737	884	650	906	675	654	710	726	781	837	728	—
Ohio	1,968	144	168	143	173	237	165	152	173	152	184	154	123	—
Indiana	554	16	56	39	40	46	46	45	38	70	35	57	66	—
Illinois	2,529	135	198	261	169	238	210	204	206	201	244	246	217	—
Michigan	3,627	355	286	406	246	354	230	236	280	288	296	351	299	—
Wisconsin	282	22	29	35	22	31	24	17	13	15	22	29	23	—
WEST NORTH CENTRAL	2,189	192	203	147	226	213	160	225	152	190	139	119	223	—
Minnesota	210	12	15	20	33	13	19	12	14	24	15	12	21	—
Iowa	293	22	23	29	27	38	21	15	28	27	28	17	18	—
Missouri	912	53	88	28	88	87	63	126	56	79	48	51	145	—
North Dakota	70	13	3	5	13	7	8	1	6	9	4	1	—	—
South Dakota	149	22	21	17	12	15	7	11	7	3	11	9	14	—
Nebraska	69	5	12	10	3	6	6	4	5	2	6	7	3	—
Kansas	486	65	41	38	50	47	36	56	36	46	27	22	22	—
SOUTH ATLANTIC	7,994	669	710	737	722	673	684	666	574	654	616	599	690	—
Delaware	146	14	7	6	16	17	13	9	14	20	10	8	12	—
Maryland	991	110	101	97	88	76	65	72	75	85	94	65	63	—
District of Columbia	99	5	21	13	8	9	4	5	2	9	4	5	14	—
Virginia	1,005	75	80	84	125	103	72	107	88	73	55	62	81	—
West Virginia	451	65	38	59	34	27	25	21	36	20	24	72	30	—
North Carolina	1,617	128	128	152	135	134	202	201	112	114	99	113	99	—
South Carolina	455	44	38	33	40	42	40	32	27	43	49	26	41	—
Georgia	771	61	63	63	51	56	59	52	79	72	64	72	79	—
Florida	2,459	167	234	230	225	209	204	167	141	218	217	176	271	—
EAST SOUTH CENTRAL	3,151	299	270	289	257	258	252	225	204	295	242	286	274	—
Kentucky	1,097	115	116	129	72	88	95	76	68	90	90	98	60	—
Tennessee	1,435	140	105	119	137	130	112	102	109	136	101	99	145	—
Alabama	382	29	28	18	25	32	23	34	16	46	30	67	34	—
Mississippi	237	15	21	23	23	8	22	13	11	23	21	22	35	—
WEST SOUTH CENTRAL	5,667	342	454	466	498	590	529	403	467	517	436	596	369	—
Arkansas	340	14	23	31	15	14	22	23	65	45	18	43	27	—
Louisiana	630	36	50	65	55	42	64	51	61	46	61	50	49	—
Oklahoma	792	41	64	51	45	111	78	57	61	66	59	87	72	—
Texas	3,905	251	317	319	383	423	365	272	280	360	298	416	221	—
MOUNTAIN	3,122	248	261	252	260	274	226	247	254	248	277	319	256	—
Montana	258	16	15	30	17	14	17	11	25	18	27	40	28	—
Idaho	383	26	18	18	19	32	24	32	27	22	48	55	62	—
Wyoming	49	3	3	6	6	2	3	2	2	6	9	5	2	—
Colorado	754	66	68	64	55	67	55	59	68	82	60	74	36	—
New Mexico	500	57	34	25	67	41	29	59	34	20	41	59	34	—
Arizona	750	59	88	70	60	72	62	44	54	51	57	68	65	—
Utah	330	19	18	38	26	30	34	25	35	41	22	18	24	—
Nevada	98	2	17	1	10	16	2	15	9	8	13	—	5	—
PACIFIC	11,505	1,002	805	950	819	847	775	797	847	793	847	843	870	1,310
Washington	1,471	129	133	168	109	114	116	108	122	86	117	140	129	—
Oregon	1,525	132	107	125	154	109	117	127	138	125	115	125	151	—
California	7,918	692	519	594	511	575	513	525	536	525	555	524	541	1,308
Alaska	247	18	19	41	18	16	14	15	8	30	22	20	24	2
Hawaii	344	31	27	22	27	33	15	22	43	27	38	34	25	—
Guam	63	8	12	3	15	6	10	1	—	2	—	6	—	—
Puerto Rico	735	8	52	88	64	77	77	49	69	42	75	83	51	—

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1972 — Continued
(D) MEASLES (Rubeola)

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	32,275	2,621	3,017	5,272	5,219	5,972	3,433	1,042	699	499	688	1,860	1,953	—
NEW ENGLAND	4,520	111	222	391	560	826	687	187	92	98	130	708	508	—
Maine	254	16	43	26	72	26	44	12	3	1	3	3	5	—
New Hampshire	884	6	12	70	7	85	41	5	2	53	76	384	143	—
Vermont	128	30	24	14	18	9	19	6	5	3	—	—	—	—
Massachusetts	1,189	5	34	59	90	169	164	100	48	32	47	299	142	—
Rhode Island	525	27	24	50	116	202	94	5	4	1	—	—	2	—
Connecticut	1,540	27	85	172	257	335	325	59	30	8	4	22	216	—
MIDDLE ATLANTIC	1,280	236	136	219	124	116	58	49	81	42	44	72	103	—
Upstate New York	226	9	21	22	25	30	11	7	2	2	3	37	57	—
New York City	447	28	35	40	31	41	32	31	76	35	28	33	37	—
New Jersey	535	190	74	150	64	24	9	8	—	3	10	1	2	—
Pennsylvania	72	9	6	7	4	21	6	3	3	2	3	1	7	—
EAST NORTH CENTRAL	12,559	1,135	1,060	1,783	2,152	2,672	1,527	428	198	121	222	640	621	—
Ohio	312	29	39	68	47	22	9	10	10	10	14	26	28	—
Indiana	1,401	288	222	181	180	219	115	37	16	13	32	51	47	—
Illinois	4,656	305	354	633	929	965	664	160	67	45	59	169	306	—
Michigan	2,353	164	164	382	329	472	330	105	30	17	45	204	111	—
Wisconsin	3,837	349	281	519	667	994	409	116	75	36	72	190	129	—
WEST NORTH CENTRAL	1,500	123	182	139	152	362	18	14	12	17	44	127	310	—
Minnesota	27	3	4	6	1	1	3	1	1	1	1	1	4	—
Iowa	1,114	86	104	76	102	329	6	8	5	14	23	111	250	—
Missouri	221	15	51	38	33	13	6	3	4	1	—	5	52	—
North Dakota	62	8	12	11	7	9	2	2	1	—	3	4	3	—
South Dakota	12	1	1	2	—	—	1	—	1	1	—	5	—	—
Nebraska	24	2	3	2	7	4	—	—	—	—	5	—	1	—
Kansas	40	8	7	4	2	6	—	—	—	—	12	1	—	—
SOUTH ATLANTIC	2,394	290	249	389	474	314	269	87	64	54	53	61	90	—
Delaware	56	—	3	1	7	8	24	5	—	3	1	1	3	—
Maryland	15	2	4	4	2	2	1	—	—	—	—	—	—	—
District of Columbia	2	—	—	—	—	2	—	—	—	—	—	—	—	—
Virginia	73	1	9	9	24	11	1	3	2	—	5	4	4	—
West Virginia	306	10	13	31	95	56	31	17	17	8	7	17	4	—
North Carolina	38	12	4	6	4	2	—	2	3	1	3	1	—	—
South Carolina	230	30	42	49	48	19	23	10	—	5	—	2	2	—
Georgia	214	21	23	16	76	9	13	9	4	3	11	11	18	—
Florida	1,460	214	151	273	218	205	176	41	38	34	26	25	59	—
EAST SOUTH CENTRAL	1,156	162	89	483	121	110	43	31	18	11	17	10	61	—
Kentucky	558	85	26	320	25	33	21	20	3	2	12	4	7	—
Tennessee	195	22	7	75	43	33	4	7	—	2	—	1	1	—
Alabama	161	37	36	22	20	18	2	3	13	5	4	1	—	—
Mississippi	242	18	20	66	33	26	16	1	2	2	1	4	53	—
WEST SOUTH CENTRAL	1,789	106	189	289	355	244	164	42	57	52	70	106	115	—
Arkansas	48	1	5	—	1	4	2	—	—	—	—	7	28	—
Louisiana	112	4	8	11	35	19	4	1	1	3	12	6	8	—
Oklahoma	12	1	—	—	6	1	—	—	1	—	—	1	2	—
Texas	1,617	100	176	278	313	220	158	41	55	49	58	92	77	—
MOUNTAIN	1,978	139	291	341	260	420	223	57	79	58	48	34	28	—
Montana	18	1	8	3	—	—	—	—	3	1	—	2	—	—
Idaho	160	1	2	—	4	9	4	2	50	40	35	8	5	—
Wyoming	53	1	1	—	1	—	50	—	—	—	—	—	—	—
Colorado	540	85	118	91	44	120	41	15	6	7	5	5	3	—
New Mexico	129	7	19	25	17	14	13	5	9	3	4	5	8	—
Arizona	912	40	55	204	173	255	112	32	8	7	4	10	12	—
Utah	159	4	88	18	18	22	3	—	2	—	—	4	—	—
Nevada	7	—	—	—	3	—	—	3	1	—	—	—	—	—
PACIFIC	5,099	319	599	1,238	1,021	908	444	147	98	46	60	102	117	—
Washington	1,483	107	314	331	289	271	117	7	9	—	8	16	14	—
Oregon	204	7	2	4	14	13	29	44	16	3	—	26	46	—
California	3,304	197	264	882	686	611	294	90	71	40	52	60	57	—
Alaska	13	—	5	—	6	—	—	—	1	1	—	—	—	—
Hawaii	95	8	14	21	26	13	4	6	1	2	—	—	—	—
Guam	17	—	—	2	—	—	—	6	2	5	1	—	1	—
Puerto Rico	1,119	19	46	103	123	100	106	38	65	79	82	195	163	—

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1972 — Continued
(E) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	1,323	141	147	139	129	121	109	77	70	54	90	95	137	14
NEW ENGLAND	62	3	9	10	3	7	7	1	4	3	6	5	4	—
Maine	4	1	—	2	—	—	—	—	—	—	1	—	—	—
New Hampshire	4	—	—	—	—	2	1	—	—	—	—	—	1	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	27	—	5	5	3	3	3	—	2	2	—	3	1	—
Rhode Island	12	2	3	1	—	2	2	—	—	—	2	—	—	—
Connecticut	15	—	1	2	—	—	1	1	2	1	3	2	2	—
MIDDLE ATLANTIC	160	11	21	17	10	22	14	8	9	8	8	15	17	—
Upstate New York	40	3	7	4	1	7	2	6	2	—	—	2	6	—
New York City	44	1	6	4	2	11	8	1	2	1	3	2	3	—
New Jersey	37	5	5	5	6	—	3	—	2	1	1	4	5	—
Pennsylvania	39	2	3	4	1	4	1	1	3	6	4	7	3	—
EAST NORTH CENTRAL	189	17	20	18	20	19	17	11	14	3	20	15	15	—
Ohio	73	6	7	5	12	3	11	5	3	1	7	4	9	—
Indiana	14	1	6	2	—	1	1	—	—	—	1	1	1	—
Illinois	34	2	3	3	3	6	3	1	4	—	6	—	3	—
Michigan	55	5	4	6	5	7	2	3	7	1	4	10	1	—
Wisconsin	13	3	—	2	—	2	—	2	—	1	2	—	1	—
WEST NORTH CENTRAL	96	12	14	15	14	8	5	2	4	3	4	8	7	—
Minnesota	26	—	6	3	4	2	3	2	4	—	1	—	1	—
Iowa	6	—	—	—	1	1	—	—	—	2	1	1	—	—
Missouri	30	1	3	4	8	3	2	—	—	—	2	3	4	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	3	1	—	2	—	—	—	—	—	—	—	—	—	—
Nebraska	11	2	3	2	—	2	—	—	—	—	—	1	1	—
Kansas	20	8	2	4	1	—	—	—	—	1	—	3	1	—
SOUTH ATLANTIC	278	39	28	32	32	19	31	17	10	13	12	14	31	—
Delaware	2	1	—	—	—	—	—	—	—	—	—	—	1	—
Maryland	41	4	3	9	8	4	5	—	1	—	1	2	4	—
District of Columbia	14	1	1	—	2	—	3	2	—	1	1	—	3	—
Virginia	45	11	1	3	9	2	5	3	3	—	4	2	2	—
West Virginia	10	3	2	—	1	—	—	1	1	—	—	—	2	—
North Carolina	37	5	9	3	3	2	3	1	1	2	1	3	4	—
South Carolina	27	8	1	1	4	2	—	1	1	—	—	2	7	—
Georgia	21	1	3	3	1	1	2	3	1	2	2	2	—	—
Florida	81	5	8	13	4	8	13	6	2	8	3	3	8	—
EAST SOUTH CENTRAL	102	11	14	11	11	11	5	12	2	3	5	8	9	—
Kentucky	31	5	1	4	4	6	—	4	1	1	2	2	1	—
Tennessee	35	3	8	2	5	4	2	4	—	—	—	2	5	—
Alabama	20	2	4	1	2	1	3	2	1	—	—	3	1	—
Mississippi	16	1	1	4	—	—	—	2	—	2	3	1	2	—
WEST SOUTH CENTRAL	173	16	26	15	15	14	17	8	12	4	10	10	26	—
Arkansas	16	2	6	—	1	—	1	1	—	—	1	3	1	—
Louisiana	53	6	8	4	1	6	5	3	2	3	4	4	7	—
Oklahoma	15	—	1	2	3	—	—	—	—	—	2	1	6	—
Texas	89	8	11	9	10	8	11	4	10	1	3	2	12	—
MOUNTAIN	38	2	1	2	4	—	1	4	2	4	10	5	3	—
Montana	5	—	—	1	1	—	—	—	1	—	—	2	—	—
Idaho	5	—	—	—	—	—	—	1	—	1	3	—	—	—
Wyoming	2	1	—	—	—	—	—	—	—	1	—	—	—	—
Colorado	10	—	—	—	2	—	—	1	1	1	4	1	—	—
New Mexico	3	1	—	—	—	—	—	1	—	1	—	—	—	—
Arizona	4	—	—	1	—	—	—	1	—	—	—	1	1	—
Utah	6	—	1	—	—	—	1	—	—	—	3	1	—	—
Nevada	3	—	—	—	1	—	—	—	—	—	—	—	2	—
PACIFIC	225	30	14	19	20	21	12	14	13	13	15	15	25	14
Washington	28	3	2	5	—	3	—	4	2	3	2	2	2	—
Oregon	14	1	3	1	2	4	—	2	—	1	—	—	—	—
California	171	26	8	12	17	10	11	7	10	8	13	12	23	14
Alaska	9	—	—	—	—	4	1	1	1	1	—	1	—	—
Hawaii	3	—	1	1	1	—	—	—	—	—	—	—	—	—
Guam	13	1	2	3	—	5	—	—	—	2	—	—	—	—
Puerto Rico	5	—	—	1	1	1	2	—	—	—	—	—	—	—

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1972 — Continued
(F) MUMPS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	74,215	9,184	8,921	10,806	9,663	9,929	5,483	2,634	1,799	1,480	2,641	5,418	6,205	52
NEW ENGLAND	3,093	339	420	387	365	339	320	122	74	61	156	246	264	—
Maine	319	20	31	22	93	27	26	26	20	4	12	6	32	—
New Hampshire	199	31	25	22	26	37	29	12	2	3	3	3	6	—
Vermont	144	26	43	5	2	—	29	6	—	—	21	6	6	—
Massachusetts	829	73	110	130	87	68	58	25	14	16	29	98	121	—
Rhode Island	434	53	99	71	53	48	29	13	13	4	15	16	20	—
Connecticut	1,168	136	112	137	104	159	149	40	25	34	76	117	79	—
MIDDLE ATLANTIC	4,572	422	329	480	426	451	502	272	251	180	226	501	529	3
Upstate New York	Not Notifiable													
New York City	2,557	149	157	219	221	264	298	228	213	141	149	232	286	—
New Jersey	1,103	195	82	160	104	44	88	19	8	13	28	221	141	—
Pennsylvania	912	78	90	101	101	143	116	25	30	26	49	48	102	3
EAST NORTH CENTRAL	19,585	2,481	2,294	3,068	2,504	2,570	1,412	602	391	296	596	1,636	1,735	—
Ohio	2,761	485	359	330	388	297	188	72	35	30	42	208	327	—
Indiana	1,276	167	188	193	153	126	82	50	35	32	27	130	93	—
Illinois	3,399	412	450	562	379	495	306	64	44	38	90	219	340	—
Michigan	3,729	344	349	608	425	497	264	133	73	47	146	372	471	—
Wisconsin	8,420	1,073	948	1,375	1,159	1,155	572	283	204	149	291	707	504	—
WEST NORTH CENTRAL	10,155	1,626	1,686	1,872	1,463	1,250	185	117	97	138	310	665	746	—
Minnesota	727	134	226	136	82	73	21	2	4	7	15	9	18	—
Iowa	6,986	1,166	1,063	1,455	968	895	88	24	18	89	217	542	461	—
Missouri	854	35	68	56	190	64	54	63	31	15	11	54	213	—
North Dakota	417	100	73	46	54	17	9	20	19	13	43	14	9	—
South Dakota	123	9	15	13	43	25	11	2	—	2	—	1	2	—
Nebraska	274	57	58	25	33	63	2	6	24	1	2	1	2	—
Kansas	774	125	183	141	93	113	—	—	1	11	22	44	41	—
SOUTH ATLANTIC	6,653	757	663	834	815	948	597	444	224	160	215	422	574	—
Delaware	181	2	2	15	16	15	11	17	10	12	9	31	41	—
Maryland	570	45	20	45	33	59	66	27	37	30	30	99	79	—
District of Columbia	31	1	1	2	—	3	8	5	—	2	1	4	4	—
Virginia	1,319	71	83	111	169	217	180	232	54	21	24	48	109	—
West Virginia	2,807	480	368	417	357	443	133	77	58	34	96	161	183	—
North Carolina	Not Notifiable													
South Carolina	188	41	28	17	34	19	9	15	11	4	—	5	5	—
Georgia	32	—	—	3	1	—	20	—	1	1	1	2	3	—
Florida	1,525	117	161	224	205	192	170	71	53	56	54	72	150	—
EAST SOUTH CENTRAL	3,859	522	456	465	529	449	323	220	71	85	73	208	458	—
Kentucky	590	75	86	112	47	84	42	26	9	7	6	49	47	—
Tennessee	2,279	317	277	271	351	281	235	159	53	52	40	74	169	—
Alabama	860	110	69	60	110	75	35	33	8	23	21	81	235	—
Mississippi	130	20	24	22	21	9	11	2	1	3	6	4	7	—
WEST SOUTH CENTRAL	5,834	647	760	674	810	755	712	175	190	152	260	292	407	—
Arkansas	227	6	12	54	12	67	3	6	—	1	8	11	47	—
Louisiana	339	2	49	44	55	59	65	16	14	10	7	9	9	—
Oklahoma	160	31	40	18	11	43	3	1	3	1	2	3	4	—
Texas	5,108	608	659	558	732	586	641	152	173	140	243	269	347	—
MOUNTAIN	3,737	335	524	547	478	440	303	122	83	69	162	271	403	—
Montana	276	36	47	31	16	16	11	12	6	5	14	30	52	—
Idaho	219	16	24	29	46	23	18	1	1	—	14	7	40	—
Wyoming	377	38	45	59	42	32	7	—	1	—	31	78	44	—
Colorado	773	93	107	129	115	147	57	20	14	9	15	30	37	—
New Mexico	827	51	161	117	102	52	59	25	14	25	34	73	114	—
Arizona	1,059	100	124	153	122	114	104	59	40	28	54	49	112	—
Utah	141	1	9	8	11	51	46	5	7	—	—	—	3	—
Nevada	65	—	7	21	24	5	1	—	—	2	—	4	1	—
PACIFIC	16,727	2,055	1,789	2,479	2,273	2,727	1,129	560	418	339	643	1,177	1,089	49
Washington	6,616	1,084	909	1,260	1,117	1,161	239	44	38	68	145	306	245	—
Oregon	2,085	219	155	223	246	265	193	168	69	54	127	146	220	—
California	7,386	735	683	931	841	1,255	639	312	276	197	286	652	530	49
Alaska	324	11	26	46	7	2	2	—	4	7	77	58	84	—
Hawaii	316	6	16	19	62	44	56	36	31	13	8	15	10	—
Guam	17	—	—	1	1	—	—	2	2	—	2	3	6	—
Puerto Rico	970	63	78	72	113	104	189	75	95	46	35	47	53	—

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1972 — Continued
(G) RUBELLA

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	25,507	1,879	2,568	4,488	4,214	3,817	2,450	684	660	950	1,006	1,124	1,666	1
NEW ENGLAND	1,132	73	105	158	262	165	130	50	17	25	39	46	62	—
Maine	87	4	4	10	30	12	5	2	4	2	4	2	8	—
New Hampshire	41	9	7	—	8	8	1	1	—	—	—	2	5	—
Vermont	77	1	6	3	14	5	41	7	—	1	1	—	1	—
Massachusetts	526	42	38	94	129	84	28	18	8	16	24	22	23	—
Rhode Island	97	3	20	7	18	21	15	4	—	1	2	5	1	—
Connecticut	304	14	30	44	63	35	40	21	5	5	8	15	24	—
MIDDLE ATLANTIC	1,980	99	89	186	570	484	304	46	40	26	23	48	65	—
Upstate New York	193	9	15	33	30	36	32	12	9	4	2	4	7	—
New York City	271	21	26	28	43	29	29	22	16	20	10	15	12	—
New Jersey	1,227	48	32	95	421	329	233	6	3	1	3	17	39	—
Pennsylvania	289	21	16	30	76	90	10	6	12	1	8	12	7	—
EAST NORTH CENTRAL	6,297	467	664	1,353	1,030	1,185	468	187	155	110	168	255	255	—
Ohio	452	31	72	67	62	54	65	10	11	11	10	26	33	—
Indiana	805	82	104	147	83	103	68	44	33	34	22	53	32	—
Illinois	1,163	99	80	219	207	294	89	41	22	4	22	36	50	—
Michigan	1,460	104	132	347	192	296	125	33	34	17	33	76	71	—
Wisconsin	2,417	151	276	573	486	438	121	59	55	44	81	64	69	—
WEST NORTH CENTRAL	1,799	114	160	225	183	150	416	9	13	14	21	63	430	1
Minnesota	502	6	16	9	25	35	397	—	—	1	5	3	5	—
Iowa	464	32	59	106	102	64	14	2	5	10	5	28	37	—
Missouri	500	19	24	26	22	10	4	6	2	2	1	3	381	—
North Dakota	59	6	3	9	2	1	1	1	4	—	7	23	2	—
South Dakota	13	2	4	4	1	1	—	—	—	—	—	1	—	—
Nebraska	58	9	9	18	6	8	—	—	2	—	3	1	2	—
Kansas	203	40	45	53	25	31	—	—	—	1	—	4	3	1
SOUTH ATLANTIC	2,689	237	233	249	277	242	194	109	38	453	253	71	333	—
Delaware	14	1	—	—	1	3	1	1	—	—	1	—	6	—
Maryland	66	8	7	5	6	11	1	6	—	1	5	2	14	—
District of Columbia	7	—	—	—	1	3	2	—	—	—	—	1	—	—
Virginia	67	12	12	5	12	3	2	7	2	—	4	—	8	—
West Virginia	450	58	68	78	78	54	27	9	16	11	13	22	16	—
North Carolina	34	1	1	2	5	10	5	3	1	—	3	2	1	—
South Carolina	51	7	11	2	13	11	—	1	—	—	—	—	6	—
Georgia	87	11	20	12	2	4	9	1	1	—	—	9	18	—
Florida	1,913	139	114	145	159	143	147	81	18	441	227	35	264	—
EAST SOUTH CENTRAL	1,674	127	156	249	525	216	134	88	33	21	28	52	45	—
Kentucky	915	57	65	137	367	137	46	40	12	5	13	26	10	—
Tennessee	578	49	56	77	147	65	57	38	20	12	14	16	27	—
Alabama	63	15	2	5	4	7	8	5	—	4	1	6	6	—
Mississippi	118	6	33	30	7	7	23	5	1	—	—	4	2	—
WEST SOUTH CENTRAL	1,770	196	179	286	328	177	202	47	65	55	65	103	67	—
Arkansas	37	8	4	1	3	11	2	—	6	—	—	1	1	—
Louisiana	96	3	5	39	20	15	—	2	4	2	3	3	—	—
Oklahoma	41	—	—	—	13	16	2	1	—	3	2	2	2	—
Texas	1,596	185	170	246	292	135	198	44	55	50	60	97	64	—
MOUNTAIN	1,271	51	149	271	147	254	113	35	35	29	63	43	81	—
Montana	36	5	8	3	3	3	6	—	2	2	2	—	2	—
Idaho	36	3	1	2	—	2	16	1	—	2	3	3	3	—
Wyoming	9	—	1	4	2	—	2	—	—	—	—	—	—	—
Colorado	539	12	72	172	69	158	27	5	—	3	5	8	8	—
New Mexico	128	7	12	21	20	15	3	6	11	8	3	14	8	—
Arizona	423	17	54	59	48	73	53	19	22	10	48	15	5	—
Utah	92	5	1	7	2	3	6	4	—	4	2	3	55	—
Nevada	8	2	—	3	3	—	—	—	—	—	—	—	—	—
PACIFIC	6,895	515	833	1,511	892	944	489	113	264	217	346	443	328	—
Washington	1,257	140	171	312	221	216	45	4	7	13	26	63	39	—
Oregon	465	64	68	40	71	53	29	26	11	20	24	21	38	—
California	5,084	302	581	1,136	593	667	410	82	239	179	294	356	245	—
Alaska	28	—	3	11	1	2	2	—	1	2	—	1	5	—
Hawaii	61	9	10	12	6	6	3	1	6	3	2	2	1	—
Guam	9	3	1	2	—	—	—	—	3	—	—	—	—	—
Puerto Rico	39	—	—	2	—	10	—	4	8	6	1	4	4	—

TABLE 13. Other diseases *Optionally* Reported, 1972

Aspergillosis	Mo. 2
Cat Scratch Fever	Ohio 5; Iowa 1; Ore. 1
Coxsackie Infections	Minn. 22; Mo. 2
Erythema	Fifth Disease: Ohio 12, N.D. 17, Ore. 45; Roseola: Iowa 8
Fungal Infections	
Actinomycosis	Mich. 1; Minn. 1; Kans. 1; S.C. 1; La. 1; Cal. 1
Blastomycosis	N.J. 4; Ill. 2; Minn. 13; Mo. 1; Kans. 1; Miss. 5; Ark. 4; La. 12; Okla. 1; Utah 1; Cal. 1
Coccidioidomycosis	Ill. 1; Minn. 3; Kans. 1; S.C. 1; Ark. 1; La. 1; Idaho 1; Ariz. 517; Utah 2; Wash. 4; Ore. 3; Cal. 415; Hawaii 1
Cryptococcosis	N.J. 4; Ohio 5; Minn. 4; Mo. 5; Kans. 2; S.C. 1; La. 6; Okla. 1; Cal. 12
Gastroenteric Disorders	
Ascariasis	N.J. 19; Minn. 35; Kans. 2; Ala. 641; Miss. 600; Ark. 2; Hawaii 62; Guam 680
Trichuriasis	N.H. 1; Ala. 76; Guam 695
Specified Etiology	
Enteropath. <i>E. coli</i>	N.H. 45; N.J. 364; Ohio 25; Ill. 665; Wisc. 53; Iowa 1; Mo. 3; D.C. 54; Ala. 59; N.M. 4; Ariz. 38; Wash. 69; Ore. 21; Alaska 84; Hawaii 75
<i>L. giardia</i>	Vt. 12; N.J. 11; Wisc. 33; Minn. 146; Kans. 106; Ala. 516; Miss. 393; Mont. 1; Idaho 6; Colo. 332; Cal. 2
Hand, Foot and Mouth Disease	Iowa 3; N.M. 9
Herpes Infection	Simplex: Ohio 4, Iowa 1; Zoster: Iowa 2, N.M. 9
Impetigo	N.H. 4; Ohio 10; Iowa 529, Mo. 771; N.D. 326, Fla. 1,924; Mont. 55; Ore. 48
Keratoconjunctivitis	Ind. 61, Okla. 4; Mont. 79; Guam 576
Lead Poisoning	Conn. 208; Dela. 5
Listeriosis	Vt. 1; Kans. 1; Ala. 1; Idaho 1; Wash. 1; Cal. 8
Mycobacteriosis	Fla. 1,447; La. 69
Otitis Media	Mont. 1,524; Ariz. 94; Nev. 27
Pediculosis	N.H. 25; Iowa 21; Nebr. 30
Pinworm	Iowa 39; N.M. 1; Guam 13
Q Fever	Iowa 1; Kans. 1; Idaho 1; Colo. 30; Wash. 1; Cal. 17
Scabies	Iowa 2; N.D. 13; Mont. 4; Ore. 19
Schistosomiasis	NYC 138; N.J. 2
Septicemia	Ohio 5,945; N.M. 1
Staphylococcal Infection	N.H. 165; Dela. 127; Ark. 49; Ore. 377
Tick-Borne Disease	
Colorado Tick Fever	Mont. 13; Idaho 8; Wyo. 2; Colo. 115; Utah 10; Nev. 1; Ore. 6; Cal. 7
Relapsing Fever	Cal. 5
Toxoplasmosis	N.J. 30; Ohio 10; Ill. 2; Minn. 5; Iowa 3; Kans. 2; Miss. 1; La. 2; Mont. 2; Wash. 1; Ore. 1; Cal. 60
Trachoma	Minn. 1; Mont. 23; N.M. 1; Ariz. 371; Nev. 20
Vincent's Angina	Ohio 6; N. M. 3

(INFECTIONS REPORTED BY A SINGLE STATE)

Cytomegalic Inclusion Disease	Minn.	64	<i>Pasteurella multocida</i>	Ore.	13
Dengue	Cal.	1	Pellagra	Ala.	1
Diphyllobothrium Latum	Ala.	1	Strongyloidiasis	Ala.	5
Eaton's Agent Infection	Iowa	5	Taeniasis	Md.	1
Filaria	Md.	1	Trenchmouth	Mo.	2
Glomerulonephritis	Tenn.	9	Viral Infections		
<i>Hymenolepis diminuta</i>	Ala.	3	Adenovirus	Minn.	13
<i>Hymenolepis nana</i>	Ala.	2	Echo	Minn.	11
Leishmaniasis	Md.	1	Herpangina	N.H.	6
Lymphopathia Venera	Fla.	69	Unspecified	N.M.	126
Ophthalmia Neonatorum	Fla.	7	Yaws	Utah	2
Parasitic Infestation	Minn.	98			

TABLE 14. Cumulative Weekly Total Number of Deaths in 122 United States Cities for Year 1972 (Through 52nd Week Ended December 30, 1972)

AREA	All Causes		Under 1 year	Pneumonia and Influenza All Ages	AREA	All Causes		Under 1 year	Pneumonia and Influenza All Ages
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND	37,027	22,831	1,315	2,438	SOUTH ATLANTIC	64,785	34,855	2,560	2,748
Boston, Mass.	11,169	6,237	501	895	Atlanta, Ga.	7,011	3,382	332	247
Bridgeport, Conn.	2,112	1,319	61	187	Baltimore, Md.	12,614	6,683	428	274
Cambridge, Mass.	1,506	1,042	26	284	Charlotte, N.C.	2,927	1,386	152	16
Fall River, Mass.	1,490	1,015	36	41	Jacksonville, Fla.	4,638	2,545	170	87
Hartford, Conn.	3,105	1,778	144	65	Miami, Fla.	5,731	3,135	197	204
Lowell, Mass.	1,418	924	41	106	Norfolk, Va.	3,044	1,558	144	288
Lynn, Mass.	1,191	813	24	67	Richmond, Va.	5,068	2,596	182	424
New Bedford, Mass.	1,449	1,021	24	71	Savannah, Ga.	2,078	1,055	98	197
New Haven, Conn.	2,718	1,597	154	76	St. Petersburg, Fla.	5,060	4,107	66	215
Providence, R.I.	3,162	1,847	131	225	Tampa, Fla.	3,888	2,279	129	329
Somerville, Mass.	613	429	5	40	Washington, D.C.	10,075	4,702	551	354
Springfield, Mass.	2,474	1,602	67	201	Wilmington, Del.	2,651	1,427	111	113
Waterbury, Conn.	1,718	1,196	28	6	EAST SOUTH CENTRAL	35,204	19,203	1,581	1,669
Worcester, Mass.	2,902	2,011	73	174	Birmingham, Ala.	5,497	2,880	246	108
MIDDLE ATLANTIC	167,980	101,474	5,328	7,013	Chattanooga, Tenn.	2,890	1,565	131	259
Albany, N.Y.	2,682	1,597	121	72	Knoxville, Tenn.	2,069	1,391	27	56
Allentown, Pa.	1,477	994	29	125	Louisville, Ky.	6,449	3,631	279	490
Buffalo, N.Y.	7,613	4,520	292	364	Memphis, Tenn.	7,928	4,120	427	182
Camden, N.J.	2,325	1,370	119	123	Mobile, Ala.	2,911	1,558	139	98
Elizabeth, N.J.	1,539	977	29	68	Montgomery, Ala.	2,083	1,148	90	189
Erie, Pa.	2,227	1,410	83	198	Nashville, Tenn.	5,377	2,910	242	287
Jersey City, N.J.	3,479	2,186	132	194	WEST SOUTH CENTRAL	65,608	34,590	3,539	2,293
Newark, N.J.	3,925	1,786	277	186	Austin, Tex.	2,212	1,307	95	160
New York City, N.Y.	84,661	51,317	2,294	3,210	Baton Rouge, La.	2,471	1,268	114	112
Paterson, N.J.	2,365	1,436	78	177	Corpus Christi, Tex.	1,704	871	116	47
Philadelphia, Pa.	23,938	13,797	806	318	Dallas, Tex.	8,974	4,507	473	210
Pittsburgh, Pa.	9,750	5,519	349	572	El Paso, Tex.	2,546	1,343	273	187
Reading, Pa.	2,170	1,560	57	153	Fort Worth, Tex.	4,404	2,474	207	121
Rochester, N.Y.	6,316	4,233	222	537	Houston, Tex.	12,992	6,144	721	321
Schenectady, N.Y.	1,263	836	40	74	Little Rock, Ark.	3,058	1,607	161	127
Scranton, Pa.	2,150	1,420	51	123	New Orleans, La.	8,471	4,460	420	180
Syracuse, N.Y.	4,403	2,759	199	115	Oklahoma City, Okla.*	4,597	2,599	246	99
Trenton, N.J.	2,349	1,419	88	102	San Antonio, Tex.	7,016	3,814	416	213
Utica, N.Y.	1,429	1,045	27	138	Shreveport, La.	3,406	1,882	142	178
Yonkers, N.Y.	1,919	1,293	35	164	Tulsa, Okla.	3,757	2,314	155	338
EAST NORTH CENTRAL	133,768	77,156	5,741	4,318	MOUNTAIN	26,604	15,022	1,235	1,251
Akron, Ohio	3,376	2,056	142	20	Albuquerque, N. Mex.	2,689	1,381	98	255
Canton, Ohio	1,946	1,191	67	84	Colorado Springs, Colo.	1,641	958	76	260
Chicago, Ill.	36,547	20,112	1,641	956	Denver, Colo.	6,289	3,614	324	207
Cincinnati, Ohio	8,329	4,995	307	219	Las Vegas, Nev.	1,066	466	44	45
Cleveland, Ohio	10,558	5,680	484	238	Ogden, Utah	977	610	36	92
Columbus, Ohio	7,149	3,999	368	236	Phoenix, Ariz.	6,240	3,460	272	91
Dayton, Ohio	5,613	3,213	201	142	Pueblo, Colo.	1,124	723	32	171
Detroit, Mich.	18,297	10,092	831	526	Salt Lake City, Utah	3,096	1,828	210	57
Evansville, Ind.	2,263	1,551	54	125	Tucson, Ariz.	3,482	1,982	143	73
Fort Wayne, Ind.	2,505	1,518	94	149	PACIFIC	84,888	52,210	2,723	1,964
Gary, Ind.	1,888	932	123	144	Berkeley, Calif.	1,018	701	11	23
Grand Rapids, Mich.	2,983	1,993	104	257	Fresno, Calif.	2,781	1,547	157	72
Indianapolis, Ind.	7,819	4,304	377	159	Glendale, Calif.	1,531	1,098	18	29
Madison, Wis.	1,878	1,003	114	224	Honolulu, Hawaii	2,719	1,435	203	60
Milwaukee, Wis.	6,958	4,600	211	204	Long Beach, Calif.	5,513	3,403	92	142
Peoria, Ill.	2,122	1,255	155	74	Los Angeles, Calif.	25,482	15,851	732	551
Rockford, Ill.	2,072	1,295	114	157	Oakland, Calif.	4,294	2,608	232	73
South Bend, Ind.	2,296	1,509	52	167	Pasadena, Calif.	1,859	1,326	40	39
Toledo, Ohio	5,777	3,745	213	182	Portland, Oreg.	7,025	4,516	236	104
Youngstown, Ohio	3,392	2,113	89	55	Sacramento, Calif.	3,326	1,894	135	57
WEST NORTH CENTRAL	42,679	26,764	1,918	1,347	San Diego, Calif.	5,775	3,400	227	111
Des Moines, Iowa	3,068	1,986	111	85	San Francisco, Calif.	9,267	5,459	240	234
Duluth, Minn.	1,300	880	22	58	San Jose, Calif.	2,487	1,598	62	69
Kansas City, Kans.	1,919	975	209	82	Seattle, Wash.	7,074	4,321	185	166
Kansas City, Mo.	6,697	4,270	237	143	Spokane, Wash.	2,658	1,740	95	150
Lincoln, Nebr.	1,556	1,070	59	145	Tacoma, Wash.	2,079	1,313	58	84
Minneapolis, Minn.	5,420	3,427	280	132	Total	658,543	384,105	25,940	25,041
Omaha, Nebr.	4,395	2,703	219	76					
St. Louis, Mo.	11,551	7,096	453	296					
St. Paul, Minn.	3,906	2,649	125	125					
Wichita, Kans.	2,867	1,708	203	205					

*Estimated beginning 22nd week.

SPECIAL SUMMARY

	<i>Page</i>
Legal abortion	34-35

DISEASE PATTERNS

Anthrax	35
Aseptic Meningitis	36
Chickenpox	37
Botulism	37
Brucellosis	38
Diphtheria	39
Hepatitis	40
Leprosy	41
Leptospirosis	42
Malaria	43
Measles (Rubeola)	44
Meningococcal Infections	45
Mumps	46
Pertussis	46
Plague	47
Poliomyelitis	48
Pneumonia-Influenza Deaths — 122 Cities	49
Mortality in 122 Cities	50
Rabies	51-52
Rocky Mountain Spotted Fever (Tick-borne Typhus)	53
Rubella (German Measles)	54
Salmonella	55
Shigella	56
Trichinosis	56
Tetanus	57
Tularemia	58
Tuberculosis	59
Typhoid Fever	60
Typhus Fever (Flea-borne, Murine)	61
Venereal Diseases	62-63

Reported Legal Induced Abortions By Weeks of Gestation and State of Occurrence
Selected States* — 1972

State	<8		9-12		13-16		17-20		≥21		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	305	26.0	582	49.7	146	12.5	82	7.0	16	1.4	41	3.5	1,172	100.0
Arkansas	384	48.4	326	41.1	54	6.8	27	3.4	2	0.3	0	0.0	793	100.0
Colorado	572	10.9	2,024	38.5	960	18.3	707	13.4	148	2.8	849	16.1	5,260	100.0
Georgia	584	23.3	1,132	45.1	303	12.1	465	18.5	25	1.0	0	0.0	2,509	100.0
Hawaii	1,651	36.3	2,130	46.8	388	8.5	255	5.6	54	1.2	69	1.5	4,547	100.0
Kansas	4,213	34.4	6,691	54.6	996	8.1	302	2.5	38	0.3	8	0.1	12,248	100.0
Maryland	2,008	22.1	4,164	45.8	1,170	12.9	1,628	17.9	123	1.4	0	0.0	9,093	100.0
Mississippi	15	24.6	29	47.5	5	8.2	6	9.8	3	4.9	3	4.9	61	100.0
North Carolina	1,869	22.3	3,850	46.0	1,307	15.6	844	10.1	139	1.7	356	4.3	8,365	100.0
Oregon	2,683	37.6	3,125	43.7	592	8.3	687	9.6	56	0.8	0	0.0	7,143	100.0
South Carolina	307	35.9	368	43.1	88	10.3	22	2.6	25	2.9	44	5.2	854	100.0
Virginia ¹	267	25.5	326	31.1	196	18.7	200	19.1	18	1.7	41	3.9	1,048	100.0
TOTAL	14,858	28.0	24,747	46.6	6,205	11.7	5,225	9.8	647	1.2	1,411	2.7	53,093	100.0

*All states with data available.

1. January — March.

Reported Legal Induced Abortions by Age and State of Occurrence
Selected States* — 1972

State	<15		15-19		20-24		25-29		30-34		35-39		≥40		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	23	2.0	389	33.2	335	28.6	187	16.0	151	12.9	62	5.3	18	1.5	7	0.6	1,172	100.0
Arkansas	21	2.6	294	37.1	217	27.4	106	13.4	85	10.7	51	6.4	19	2.4	0	0.0	793	100.0
Colorado	81	1.5	1,820	34.6	1,720	32.7	780	14.8	448	8.5	265	5.0	128	2.4	18	0.3	5,260	100.0
Delaware	115	8.6	466	34.7	270	20.1	202	15.1	145	10.8	107	8.0	37	2.8	0	0.0	1,342	100.0
Georgia	124	4.9	749	29.9	705	28.1	428	17.1	288	11.5	152	6.1	63	2.5	0	0.0	2,509	100.0
Hawaii	32	0.7	1,144	25.2	1,515	33.3	833	18.3	525	11.5	336	7.4	157	3.5	5	0.1	4,547	100.0
Kansas	241	2.0	4,570	37.3	3,717	30.3	1,653	13.5	1,016	8.3	722	5.9	327	2.7	2	0.0	12,248	100.0
Maryland	260	2.9	3,039	33.4	2,553	28.1	1,491	16.4	955	10.5	560	6.2	235	2.6	0	0.0	9,093	100.0
Mississippi	1	1.6	22	36.1	12	19.7	12	19.7	4	6.6	6	9.8	4	6.6	0	0.0	61	100.0
New York	3,207	1.1	85,543	28.5	100,804	33.6	50,370	16.8	30,302	10.1	17,895	6.0	7,472	2.5	4,298	1.4	299,891	100.0
<i>New York City⁴</i>	<i>2,344</i>	<i>1.0</i>	<i>60,736</i>	<i>27.2</i>	<i>76,156</i>	<i>34.1</i>	<i>38,586</i>	<i>17.3</i>	<i>22,911</i>	<i>10.3</i>	<i>13,206</i>	<i>5.9</i>	<i>5,280</i>	<i>2.4</i>	<i>4,154</i>	<i>1.9</i>	<i>223,373</i>	<i>100.0</i>
<i>New York Upstate</i>	<i>863</i>	<i>1.1</i>	<i>24,807</i>	<i>32.4</i>	<i>24,648</i>	<i>32.2</i>	<i>11,784</i>	<i>15.4</i>	<i>7,391</i>	<i>9.7</i>	<i>4,689</i>	<i>6.1</i>	<i>2,192</i>	<i>2.9</i>	<i>144</i>	<i>0.2</i>	<i>76,518</i>	<i>100.0</i>
North Carolina	187	2.2	2,344	28.0	1,890	22.6	1,041	12.4	699	8.4	441	5.3	197	2.4	1,566	18.7	8,365	100.0
Oregon	172	2.4	2,506	35.1	2,303	32.2	1,090	15.3	597	8.4	328	4.6	142	2.0	5	0.1	7,143	100.0
South Carolina	34	4.0	199	23.3	233	27.3	149	17.4	98	11.5	85	10.0	38	4.4	18	2.1	854	100.0
Vermont	1	0.4	74	32.0	76	32.9	41	17.7	19	8.2	16	6.9	4	1.7	0	0.0	231	100.0
Virginia ⁵	40	3.8	316	30.2	298	28.4	158	15.1	116	11.1	88	8.4	32	3.1	0	0.0	1,048	100.0
Washington	214	1.2	6,598	37.1	5,747	32.3	2,594	14.6	1,399	7.9	878	4.9	327	1.8	10	0.1	17,767	100.0
TOTAL	4,753	1.3	110,073	29.6	122,395	32.9	61,135	16.4	36,847	9.9	21,992	5.9	9,200	2.5	5,929	1.6	372,324	100.0

*All states with data available.

1. <16

2. 16—20

3. 21—24

4. Numbers in each age category estimated using distribution of data from certificates filed July 1971—June 1972 applied to annual estimate by New York City Health Department.

5. January—March.

Reported Legal Induced Abortions by Type of Procedure and State of Occurrence
Selected States* — 1972

State	Sharp D & C		Suction Curettage		Amniotic Fluid Replacement		Hystero-tomy		Hysterec-tomy		Other		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	309	26.4	728	62.1	103	8.8	5	0.4	13	1.1	3	0.3	11	0.9	1,172	100.0
Georgia	11	0.4	1,768	70.5	687	27.4	5	0.2	32	1.3	2	0.1	4	0.2	2,509	100.0
Hawaii ¹	593	13.0	3,575	78.6	311	6.8	10	0.2	19	0.4	6	0.1	33	0.7	4,547	100.0
Kansas	2,402	19.6	9,116	74.4	546	4.5	26	0.2	153	1.2	5	0.0	0	0.0	12,248	100.0
Maryland	274	3.0	6,001	66.0	2,039	22.4	312	3.4	251	2.8	216	2.4	0	0.0	9,093	100.0
New York	41,383	13.8	215,603	71.9	36,246	12.1	1,173	0.4	0	0.0	75	0.0	5,411	1.8	299,891	100.0
<i>New York City²</i>	<i>37,502</i>	<i>16.8</i>	<i>157,007</i>	<i>70.3</i>	<i>27,928</i>	<i>12.5</i>	<i>936</i>	<i>0.4</i>	<i>0</i>	<i>0.0</i>	<i>0</i>	<i>0.0</i>	<i>0</i>	<i>0.0</i>	<i>223,373</i>	<i>100.0</i>
<i>New York Upstate</i>	<i>3,881</i>	<i>5.1</i>	<i>58,596</i>	<i>76.6</i>	<i>8,318</i>	<i>10.9</i>	<i>237</i>	<i>0.3</i>	<i>0</i>	<i>0.0</i>	<i>75</i>	<i>0.1</i>	<i>5,411</i>	<i>7.1</i>	<i>76,518</i>	<i>100.0</i>
Oregon	754	10.6	5,223	73.1	968	13.6	26	0.4	154	2.2	18	0.3	0	0.0	7,143	100.0
South Carolina	120	14.1	531	62.2	35	4.1	9	1.1	126	14.8	30	3.5	3	0.4	854	100.0
Vermont	5	2.2	223	96.5	1	0.4	—	—	—	—	2	0.9	0	0.0	231	100.0
Washington	487	2.7	16,368	92.1	632	3.6	73	0.4	—	—	—	—	180	1.0	17,767	100.0
TOTAL	46,338	13.0	259,136	72.9	41,568	11.7	1,639	0.5	748	0.2	537	0.2	5,489	1.5	355,455	100.0

*All states with data available.

1. Numbers in each category are estimates based on distribution of abortions by month of reporting for July—December 1972 applied to annual total of reported abortion.

2. Numbers in each category are estimates based on distribution of certificates filed July 1971—June 1972 applied to annual estimate by New York City Health Department.

3. Abortions not reported for this category.

Reported Legal Induced Abortion Ratios, By State of Occurrence Selected States* — 1972

State	Abortions ¹	Live Births ²	Abortions/1000 Live Births
Alabama ³	134 ⁴	15,488	9
Alaska	1,172	6,797	172
Arkansas	793	32,985	24
California	136,000 ⁵	303,542	448
Colorado	5,260	39,869	132
Delaware	1,342	8,867	151
District of Columbia ⁶	16,829	10,386	1,620
Florida ⁷	3,378	81,276	42
Georgia	2,509	84,337	30
Hawaii	4,547	15,413	295
Kansas	12,248	31,637	387
Maryland	9,093	51,059	178
Mississippi	61	45,449	1
New Mexico	4,754 ⁴	20,589	231
New York	299,891	254,431	1,179
<i>New York City</i>	223,373 ⁵	115,498	1,934
<i>New York Upstate</i>	76,518	138,933	551
North Carolina	8,365	89,491	93
Oregon	7,143	32,303	221
Pennsylvania	2,061 ⁴	164,742	13
South Carolina	854	48,873	17
Vermont	231	7,257	32
Virginia ³	1,048	18,889	55
Washington	17,767	47,148	377
TOTAL	535,480	1,410,828	380

*All states with data available.

1. Data from State Health Departments unless noted otherwise.

2. Live birth data for all states except Hawaii, South Carolina, Vermont and Virginia taken from *Monthly Vital Statistics Report Provisional Statistics*, Vol. 21, Nos. 3, 6 and 12. Hawaii, South Carolina, Vermont and Virginia live birth data are from State Health Departments.

3. Abortion and live birth data are for January-March.


4. Reports from one or more hospitals in state.

5. Health Department estimate.


6. Abortion and live birth data are for January-June.

7. Abortion and live birth data are for April-December.


ANTHRAX — Reported Human Cases, United States, 1950-1972




ASEPTIC MENINGITIS – Reported Cases by Month, United States, 1970-1972



ASEPTIC MENINGITIS – Reported Cases per 100,000 Population, United States, 1972




CHICKENPOX — Reported Cases by Month, United States, 1972




BOTULISM — Reported Cases and Deaths, United States, 1950-1972




BRUCELLOSIS — Reported Cases, United States, 1950-1972




BRUCELLOSIS — Reported Cases per 100,000 Population, United States, 1972




DIPHTHERIA — Geographic Distribution, United States, 1972




DIPHTHERIA — Reported Cases, United States, 1958-1972




SERUM HEPATITIS (HEPATITIS B) – Reported Cases per 100,000 Population, United States, 1972




INFECTIOUS HEPATITIS (HEPATITIS A) – Reported Cases per 100,000 Population, United States, 1972




VIRAL HEPATITIS — Case Rate by Four-Week Period, United States, Epidemiologic Years 1953-1972



LEPROSY — Reported Cases per 100,000 Population, United States, 1951-1972




MALARIA — Cases* by Date of Report, United States, 1933-1972




*The reported number differs from the count from the case surveillance system.


MALARIA — Military and Civilian Cases, United States, 1959-1972, Surveillance Program




MEASLES (RUBEOLA) - Reported Cases by Month, United States, 1963-1972




MEASLES (RUBEOLA) - Deaths, Percent Distribution by Age, United States, 1965-1969




MENINGOCOCCAL INFECTIONS — Reported Cases by Year, United States, 1920-1972




MENINGOCOCCAL INFECTIONS — Reported Cases per 100,000 Population, United States, 1972




MUMPS – Reported Cases by Month, United States, 1971-1972




PERTUSSIS – Reported Cases, United States, 1950-1972




PERTUSSIS – Reported Deaths, United States, 1950-1969













HUMAN PLAGUE — Counties Reporting One or More Cases, United States, 1900-1972




HUMAN PLAGUE -- Reported Cases by Age and Sex, United States, 1950-1972




PNEUMONIA-INFLUENZA — Deaths in 122 United States Cities




MORTALITY IN 122 UNITED STATES CITIES




HUMAN RABIES — Reported Cases, United States, 1950-1972




HUMAN RABIES — Deaths by Age and Sex, United States, 1950-1972




RABIES — Reported Cases in Wild and Domestic Animals, United States, 1953-1972




ANIMAL RABIES — Reported Cases by County, United States, 1972




ROCKY MOUNTAIN SPOTTED FEVER — Reported Cases, United States, 1950-1972




ROCKY MOUNTAIN SPOTTED FEVER — Geographic Distribution, United States, 1972




SALMONELLA — Reported Human Isolations, United States, 1966-1972, Surveillance Program



SALMONELLA — Rate of Human Isolations, by Age Group, United States, 1972, Surveillance Program




SHIGELLA – Reported Human Isolations, United States, 1966-1972, Surveillance Program




* ADJUSTED TO 4-WEEK MONTH


TRICHINOSIS – Reported Cases, United States, 1950-1972




TETANUS — Reported Cases, United States, 1950-1972



TETANUS — Geographic Distribution, United States, 1972




TETANUS — Reported Cases by Five-Year Age Group, United States, 1972




* EXCLUDES DATA FROM ILLINOIS


TULAREMIA — Reported Cases by Year, United States, 1950-1972




TUBERCULOSIS — Case Rates by County, United States, Average 1969-1971




TUBERCULOSIS — New Active Cases and Case Rates by Age Group, Sex, and Race, United States, 1971




TYPHOID FEVER — Reported Case Rates, United States, 1942-1972



TYPHOID FEVER — Reported Cases per 100,000 Population, United States, 1972




TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE) — Reported Cases, United States, 1949-1972




TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE) — Geographic Distribution, United States, 1972




SYPHILIS — Primary and Secondary — Reported Civilian Cases, United States, 1957-1972



SYPHILIS — Primary and Secondary — Reported Case Rate per 100,000 Population, United States, 1972



GONORRHEA — Reported Civilian Cases, United States, 1957-1972



The Annual Supplement to the Morbidity and Mortality Weekly Report is published by the
Center for Disease Control, Public Health Service, DHEW, Atlanta, Georgia

David J. Sencer, M.D.
Director, Center for Disease Control

Philip S. Brachman, M.D.
Director, Bureau of Epidemiology

W. Jere Housworth
Chief, Statistical Services Activity
Bureau of Epidemiology

Ernestine Tomlinson, Maxine Spoon, and Helen Steele
Statistical Services Activity, Bureau of Epidemiology

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
CENTER FOR DISEASE CONTROL
ATLANTA, GEORGIA 30333

OFFICIAL BUSINESS



POSTAGE AND FEES PAID
U.S. DEPARTMENT OF HEW
HEW 396

3-G-19-08
Mrs Mary F Jackson, Library
Center for Disease Control