RISK ASSESSMENT'S

Part 2: Evolving Methods and Future Directions

BY PAMELA R. D. WILLIAMS, G. SCOTT DOTSON AND ANDREW MAIER

Editor's note: This article is the second in a series sponsored by the AIHA Risk Assessment Committee intended to highlight research and policy initiatives that are shaping the future of risk assessment in the industrial hygiene profession. Part 1 appeared in the April 2012 issue.

or more than three decades, health practitioners and regulatory agencies have used risk assessment methods to characterize health risks. Risk assessment is the process of determining the likelihood and severity of health risk to an individual or population from exposure to a chemical or other stressor. 1,2 Evolving methods and advances in science and technology offer several opportunities for improving risk assessment and its application to occupational settings.

Cumulative Risk Assessment (CRA)

Broader in scope than traditional chemical risk assessments, CRAs determine which chemicals, stressors or other risk factors are affecting certain populations. They address multiple chemical and non-chemical stressors, aggregate exposures and risks (that is, exposure to a single stressor by multiple routes), and combined risks for common health end points by chemical or stressor groupings. 3,4

The EPA framework for conducting CRAs involves planning, scoping and problem formulation; analysis; and interpretation and risk characterization.^{5,6} This framework has been applied to CRAs of chemicals, such as organophosphate pesticides and phthalates. In

addition, EPA has developed various models and web-based tools to assess aggregate and cumulative exposures and risks.^{7,8}

The greatest strength of CRAs is their emphasis on multiple exposures (stressors) and health effects in varied populations. But it's challenging to identify common groups and develop common metrics to evaluate dissimilar risks, and because of gaps in data and methodological limitations, CRAs have yet to include non-chemical stressors or focus on occupational exposures.

Biomonitoring

Biomonitoring assesses human exposure by measuring chemicals or their metabolites in human tissues or fluids (blood and urine, for example). This method quantifies the amount of a chemical that has been absorbed into the body from all potential sources. Biomonitoring data are discussed in terms of biomarkers, which are commonly divided into three categories: biomarkers of exposure, biomarkers of effect and biomarkers of susceptibility. But the collection of biomonitoring data—which involves selecting a target population, identifying chemicals and biomarkers, collecting and analyzing samples, and interpreting the results—can be challenging.

Many population-based biomonitoring efforts are under way. For example, a national survey conducted by the CDC measures numerous chemicals and their metabolites in a representative sample of the U.S. population. The findings are published periodically and represent one of the largest publicly available biomonitoring datasets. ¹⁰

Biomonitoring data integrates exposures from multiple sources and pathways to provide a direct measure of total exposure and is, therefore, a powerful tool for assessing aggregate exposure and risk. This data can be used to assess trends in exposures over time, evaluate the effectiveness of exposure-reduction policies, provide direction for future research and help medical professionals diagnose people who have potentially been exposed to excessive amounts of chemicals. Collecting and analyzing biomonitoring data requires significant resources, so only a limited number of people, compounds and body fluids have been studied to date. Also, these data provide no information on exposure conditions, such as frequency, duration, magnitude of exposures or the exposure routes that contributed to the total measured body burden.

REACH

The European Union's Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) legislation requires all chemicals manufactured, imported and used in the EU to be assessed for safety. Its underlying principle is that the use of chemicals under "reasonably foreseeable conditions" should not adversely



affect human health and the environment. REACH places responsibility for demonstrating the safety of chemicals on industry. Companies must identify, manage and communicate the risks that chemicals may pose to human health and the environment.

REACH has the potential to generate a large volume of technical data that may be useful in assessing occupational exposures to chemicals. For example, companies must submit a Technical Dossier for chemicals manufactured or imported in quantities greater than 1 tonne per year, and a Chemical Safety Assessment (CSA) for chemicals manufactured or imported in quantities greater than 10 tonnes per year. 11 The Technical Dossier contains summary information on the manufacture and use of the chemical along with guidance on its safe use, while the CSA contains more detailed information on hazard, exposure and risk characterizations. The hazard assessment classifies chemicals according to their physical, human health and environmental hazards and includes Derived No-Effect Levels (DNELs)-exposure levels below which adverse effects are not expected. Companies

are expected to establish separate DNELs for different population groups (general population, workers), exposure routes (inhalation, dermal) and types of effects (acute, chronic).

Although REACH requires safety assessments prior to the use of a chemical in commerce, it may prove difficult to determine all foreseeable uses and exposure scenarios. Relevant environmental monitoring data are often lacking. Available exposure models are also based on limited data and typically contain many conservative default values. In addition, DNELs are not yet available for many substances, population groups, exposure routes or effects, and the values derived using default calculations often differ significantly from health guidelines derived using a weight-of-evidence approach.¹²

Toxicity Testing in the 21st Century

The groundbreaking report "Toxicity Testing in the 21st Century: A Vision and a Strategy," published in 2007 by the National Research Council (NRC), outlined how chemical health risks should be evaluated in the future. ¹³ The report proposed using advances in science and technology to assess chemical hazards and prioritize chemicals for more in-depth toxicity testing.

NRC's proposed toxicity testing system would rely mainly on understanding toxicity pathways (that is, the cellular response pathways that can result in adverse health effects when sufficiently perturbed). Toxicity testing would shift from high-dose, whole-animal testing to new rapid assays and high-throughput techniques designed to evaluate biologically significant alterations in exposed cells, tissues or organisms. Targeted testing of some chemicals in animals would clarify and refine information from toxicity pathway tests and ensure the adequate evaluation of chemicals. Coupled with other exposure and risk assessment components, this information could enable the translation of cellular tests to whole human systems.

NRC's proposed approach could make toxicity testing quicker, less expensive and more directly relevant to human exposure concentrations, which would help industrial hygienists better explain how chemical exposures lead to certain health effects. But implementing this system will require coordinated research over a long time horizon and a cultural shift in how health professionals collect, interpret and use toxicity testing data.

Exposome

The exposome is the measure of all exposures, both internal and external, that an individual receives over his or her lifetime and how those exposures relate to disease. 14 The underlying premise of the exposome is that an individual's exposure begins before birth and includes insults from environmental and occupational sources. However, little is known about environmental determinants of chronic diseases and gene-environment interactions. Exposome studies seek to understand how exposures from the environment, infections, diet, lifestyle and other sources interact with an individual's genetics, physiology and epigenetic makeup to cause disease.

Two strategies for characterizing an individual's exposome have been proposed: measuring chemicals in air, water and food; and measuring chemicals in blood or other human fluids or tissue. ¹⁵ The first approach would identify potentially important external exposures and their sources but would miss sources of internal exposure (such as those from products of normal metabolism). The

second approach would identify all potentially important exposures but would provide no information about the original sources of exposure, making it less useful for designing risk management options. Integrating these approaches will likely be necessary to identify how environmental factors affect human disease.

In the future, people could potentially monitor their exposome and take preventive strategies based on observed changes. The effort to characterize total exposures, encompassing all life stages, for individuals may help identify vulnerabilities in certain populations. But the exposome is highly variable and dynamic, and it evolves throughout a lifetime. Mapping an entire exposome will be very challenging, and appropriate measurement techniques are lacking. Common metrics are needed to make meaningful comparisons between different exposures.

Opportunities for Industrial Hygienists

Advancements in science and technology are changing the practice of risk assessment. The application of new tools and methods in public health initiatives and chemical health risk regulations opens several possible roles for industrial hygienists:

identifying target populations, activities and stressors (akin to similar exposure groups) within the CRA

- framework and quantifying cumulative exposures and risks
- correlating biomonitoring data with environmental and occupational data to link aggregate exposure to risk management opportunities
- helping develop and validate exposure models under REACH and as part of the toolkits for CRA
- using novel (in vitro) toxicity testing data to refine occupational risk assessments and worker hazard identification and labeling needs, and to develop hazard bands and occupational exposure limits
- providing key information regarding occupational exposures for use in exposome studies as part of total worker health protection initiatives¹⁶

The contribution of industrial hygiene to these developing areas will demonstrate the value of our profession as a critical component in the broader public health team.

Pamela R. D. Williams, ScD, is principal of E Risk Sciences, LLP in Boulder, Colo. She can be reached at pwilliams@erisksciences.com or (303) 284-1935.

G. Scott Dotson, PhD, CIH, is an industrial hygienist with CDC/NIOSH in Cincinnati, Ohio. He can be reached at fya8@cdc.gov or (513) 533-8540.

Andrew Maier, PhD, CIH, DABT, is director of Toxicology Excellence for Risk Assessment (TERA) in Cincinnati, Ohio. He can be reached at maier@tera.org or (513) 542-7475 x16.

References

- 1. National Research Council (NRC): Pesticides in the Diets of Infants & Children. Washington, DC: National Academy of Sciences (1993).
- 2. NRC: Science and Decisions: Advancing Risk Assessment. Washington, DC: National Academy of Sciences (2009).
- 3. National Research Council (NRC): Pesticides in the Diets of Infants & Children. Washington, D.C.: National Academy of Sciences (1993).
- 4. EPA: Guidance on Cumulative Risk Assessment of Pesticide Chemicals That Have a Common Mechanism of Toxicity. Washington, D.C. (2002).
- 5. EPA: Framework for Cumulative Risk Assessment. Risk Assessment Forum: Washington, DC. EPA/630/P-02/001F (2003).
- 6. EPA: Concepts, Methods and Data Sources for Cumulative Health Risk Assessment of Multiple Chemicals, Exposures and Effects: A Resource Document. EPA/600/R-06/013F (2007).
- Barzyk, T.M., K.C. Conlon, T. Chahine, D.M. Hammond, V.G. Zartarian and B.D. Schultz: Tools available to communities for conducting cumulative exposure and risk assessments. *Journal of Exposure Science and Environmental Epidemiology*: 20, 371–384 (2010).
- 8. Williams, P.R.D., B.J. Hubbell, E. Weber, C. Fehrenbacher, D. Hrdy and V. Zartarian: An overview of exposure assessment models used by the U.S. Environmental Protection Agency. [Online] Available at www.epa.gov/crem/cremlib.html#guidance (2010).
- 9. NRC: Human Biomonitoring for Environmental Chemicals. Washington, DC: National Academy of Sciences (2006).
- 10. CDC: National Biomonitoring Program. [Online] Available at www.cdc.gov/biomonitoring (2012).
- 11. ECHA: Guidance on Registration. ECHA-11-G-03-EN (2011).
- 12. Schenk, L., and G. Johanson: A quantitative comparison of the safety margins in the European indicative occupational exposure limits and the derived no-effect levels for workers under REACH. *Toxicological Sciences*: 121(2):408–16 (2011).
- 13. NRC: Toxicity Testing in the 21st Century: A Vision and a Strategy. Washington, DC: National Academy of Sciences (2007).
- 14. Wild, C.P.: Complementing the genome with an "exposome": the outstanding challenge of environmental exposure measurement in molecular epidemiology. *Cancer Epidemiology, Biomarkers & Prevention*: 14(8):1847–1850 (2005).
- **15. Rappaport, S.:** Implications of the exposome for exposure science. Review article. *Journal of Exposure Science and Environmental Epidemiology:* 21, 5–9 (2011).
- 16. NIOSH: Total Worker Health. [Online] Available at www.cdc.gov/niosh/twh/. Last update: January 20, 2012.

Synergist




Arts and Crafts

An Industrial Hygiene Challenge

- 30 Ethics, Economics and IH
- 32 Training Workers on GHS
- 38 AlHce Expo Preview
- 42 Mining Research at NIOSH

#Synergist®



Features

34 Arts and Crafts: An Industrial Hygiene Challenge

Hazards abound in many art studios. The challenge for industrial hygienists is to find out which chemicals from an endless catalog of possibilities their clients are working with.

By Monona Rossol

38 Experience the Future of OEHS

The Expo at AIHce 2012 offers opportunities to interact with companies that provide the latest OEHS products and services.

By Kay Bechtold

42 Delving into Mining Research

Innovative research at NIOSH offers hope that workers in one of the most dangerous industries will be better protected.

By Joel M. Haight

46 Risk Assessment's New Era, Part 2

Promising advances in science and technology are changing the way risk assessments are conducted in occupational settings.

By Pamela R. D. Williams, G. Scott Dotson and Andrew Maier







Columns & Departments



10 NewsWatch
OEHS AND INDUSTRY NEWS

27 Special Section
NIOSH Safe-in-Sound Awards

30 Insight: Ethics Margin of Safety By Bruce Lippy

32 Insight: Training
The Globally Harmonized System:
Training Your Work Force
By David M. Halton


49 Opportunities
EDUCATIONAL EVENTS FOR
OEHS PROFESSIONALS

50 Community
AIHA NEWS

52 Product Features
FOCUS: AIHCE EXHIBITORS

57 Advertisers' Index/ Synergist Fax-Back Card

58 Introductions



#Synergist®

Volume 23 ■ Number 5

Editor in Chief Ed Rutkowski: erutkowski@aiha.org

Editorial Assistant
Kay Bechtold: kbechtold@aiha.org

Senior Designer Billy Stryker: bstryker@aiha.org

Advertising Representative Network Media Partners Ben Ledyard: bledyard@networkmediapartners.com

Executive Director
Peter J. O'Neil, CAE: poneil@aiha.org

The Synergist[®] is a copyrighted publication of the American Industrial Hygiene Association, 3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042; (703) 849-8888; email synergist® aiha.org. No part of *The Synergist* may be reprinted without the express written consent of AIHA. Submission of articles or letters to the editor are welcome, but AIHA and *The Synergist* will determine what to publish and reserve the right to edit all submissions for content, style, length and clarity.

The Synergist (USPS #009-332) is published monthly except a combined June/July issue by the American Industrial Hygiene Association, 3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 for \$50 per year for members; nonmembers may subscribe for \$295/yr. International nonmembers may subscribe for \$395/yr (U.S. funds). Periodicals postage paid at Merrifield, Virginia, and additional mailing offices. POSTMASTER: Send address changes to The Synergist, American Industrial Hygiene Association, Attn: Customer Service, 3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 ISSN 10667660

Publications Mail Agreement No. 40039445. Return undeliverable Canadian addresses to PO Box 503, RPO West Beaver Creek, Richmond Hill ON L4B 4R6

Editorial Advisory Board Members
Jeff Behar, California Institute of Technology
Patricia Crawford, Consultant
M. Cathy Fehrenbacher, U.S. EPA
Don Garvey, 3M Co.
Stephen Hemperly, Hitachi GST
John Mazur, MACTEC Inc.
Hank Muranko, Muranko & Associates
Doris Reid, Goodrich Corporation
John Rekus, John F. Rekus & Associates Ltd.

Coming in June/July What GHS Means for Industrial Hygiene Mobile Tech for the IH Basic Electrical Safety

The Synergist's mission is to provide AIHA members with news and information about the occupational and environmental health and safety fields and the industrial hygiene profession. The Synergist focuses on industry trends and news, government and regulatory activities, key issues facing the profession, appropriate technical information and news on association events and activities.

The Synergist's objective is to present information that is newsworthy and of general interest in industrial hygiene. Opinions, claims, conclusions and positions expressed in this publication are the authors' or persons' quoted and do not necessarily reflect the opinions of the editors, AIHA or *The Synergist*.