

This article was downloaded by: [CDC]

On: 06 July 2012, At: 12:33

Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office:
Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Applied Occupational and Environmental Hygiene

Publication details, including instructions for authors and subscription information:

<http://www.tandfonline.com/loi/uaoh20>

Carbon Monoxide Poisoning and Death After the Use of Explosives in a Sewer Construction Project

The National Institute For Occupational Safety and Health

Version of record first published: 30 Nov 2010

To cite this article: The National Institute For Occupational Safety and Health (2002): Carbon Monoxide Poisoning and Death After the Use of Explosives in a Sewer Construction Project, Applied Occupational and Environmental Hygiene, 17:3, 152-153

To link to this article: <http://dx.doi.org/10.1080/104732202753438216>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.tandfonline.com/page/terms-and-conditions>

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae, and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand, or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Hazard ID

Carbon Monoxide Poisoning and Death After the Use of Explosives in a Sewer Construction Project

From the National Institute for Occupational Safety and Health

Description of Hazard

Carbon monoxide (CO) is an odorless, colorless gas that can cause illness and death by asphyxiation. Although the toxicity of CO is understood, occupational CO exposure can occur from unrecognized sources. In a recent incident, three cases of CO poisoning in a confined space, including one fatality, were caused by CO migrating through soil after nearby use of explosives.

A municipal sewer project involved the installation of new pipes and manholes. Explosive blasts were used to break up rock layers 6 feet below the surface before excavating pipeline trenches and manhole pits. On the day of the fatality, a construction crew installed a 12-foot-deep manhole without incident. After the crew left the area, 265 pounds of nitroglycerin-based explosive in 20 boreholes, each 18 feet deep, were detonated 40–60 feet from the manhole. A worker who entered the manhole 45 minutes after the explosion collapsed within minutes, and two coworkers descended into the manhole to rescue him. One rescuer retrieved the unconscious worker before collapsing on the surface, and the other rescuer died in the manhole. All involved construction workers had elevated blood levels of carboxyhemoglobin, indicating they had inhaled air containing high CO concentrations.

An investigation determined that carbon monoxide released from the explosion had migrated through the soil into the manhole. CO concentrations in the bottom of the manhole two days after the incident were 1,905 parts per million (ppm), well above the immediately

dangerous to life and health (IDLH) concentration of 1,200 ppm. Tests following ventilation of the manhole showed that high levels of CO reappeared as a result of continued diffusion from the surrounding soil. Subsequent monitoring of the manhole showed a decline in CO levels over the next eight days.

This incident illustrates that CO from subsurface detonations of explosives can migrate underground and accumulate in confined spaces. This report is apparently the first occupational fatality from this type of CO exposure, though nonfatal CO poisonings have been reported in residential basements following nearby use of subsurface explosives.

This incident also involved a “chain-reaction” death, a well-known danger associated with confined space rescues. Chain-reaction deaths are so named because after the first victim is found in a confined space, a rescuer enters without proper precautions and is overcome, a subsequent rescuer enters and is likewise overcome, and so on. Chain-reaction rescuer fatalities have accounted for 36 percent of the deaths in confined spaces.

Recommendations for Prevention

CO from Blasting Explosives

Blasting contractors should collaborate with other contractors working in the job area to reduce the possibility of CO exposure to employees and surrounding residents. The blasting industry should develop materials to educate workers and managers about the possibility of CO exposures associated with surface blasting and precautions that can be taken to minimize CO exposures. Training should include discussions about the possibility of CO migration through soil. The material safety data sheets

provided with explosives used in surface blasting should indicate that CO is among the hazardous gases produced by detonation.

Confined Space Hazards

Although this incident involved a previously unrecognized CO source, the death and hospitalizations might have been prevented by recognizing the hazards associated with confined spaces and by using appropriate control measures. Construction employers should ensure that proper confined space training is provided to employees, and that proper procedures are used before entry into any confined space. All manholes should be considered confined spaces with potentially hazardous atmospheres, and appropriate air monitoring should be conducted before each entry into a manhole, as well as during worker occupancy. Even if appropriate monitoring had been conducted earlier in the day, the fatality might have occurred if the manhole had not been monitored for CO after the blasting.

For More Information

For more free information about carbon monoxide generation by explosives, call the National Institute for Occupational Safety and Health (NIOSH), Pittsburgh Research Laboratory, at (412) 892-4213. To obtain more free information about the hazard of confined spaces and procedures to protect workers, or for information on other occupational health and safety issues, call NIOSH at 1-800-35-NIOSH (1-800-356-4674), or visit the NIOSH homepage on the World Wide Web at <http://www.cdc.gov/niosh/homepage.html>.

NIOSH is the federal agency responsible for conducting research and making recommendations for preventing work-related illness and injuries.

Acknowledgments

The principal contributors to this document were John A. Decker, Lon Santis,

Scott Deitchman, Jerome P. Flesch, and Rosmarie T. Hagedorn.

This Hazard ID is DHHS (NIOSH) Publication No. 98-122.