

Title:

Evaluation of PFDs by Vietnamese Commercial Fishermen in the Gulf of Mexico

Ann K. Carruth, DNS

Southeastern LA University, Hammond, LA, USA

Jeffrey Levin, MD

UT Health Northeast, Tyler, TX, USA

Jennifer M. Lincoln, PhD

NIOSH Alaska Pacific Office, Anchorage, AK, USA

Julie Sorensen, PhD

NYCAMH, Cooperstown, NY, USA

Eileen Creel, DNS

School of Nursing, Southeastern Louisiana University, Hammond, LA, USA

Session Title:

Evidence-Based Practice Poster Session 2

Slot (superslotted):

EBP PST 2: Saturday, 29 July 2017: 12:00 PM-1:30 PM

Slot (superslotted):

EBP PST 2: Saturday, 29 July 2017: 2:45 PM-3:30 PM

Keywords:

PFD use, Vietnamese culture and commercial fishermen

References:

Lucas,D., Lincoln, J., Somervell, P, & Teske, T. (2012). Worker satisfaction with personal floatation devices (PFDs) in the fishing industry, *Applied Ergonomics*, 43, 747-752.

Marine Accident Investigation Branch (2016). Life jackets: A review. www.gov.uk/maib. Accessed December 7, 2016.

National Institute for Occupational Safety and Health (NIOSH). Commercial Fishing Safety:Falls Overboard. In *Workplace Safety and Health Topics* (2015). Retrieved from <http://www.cdc.gov/niosh/topics/fishing/fallsoverboard.html>. Accessed on 07 December 2016.

Abstract Summary:

Worldwide, commercial fishermen are not mandated to wear personal flotation devices (PFDs). Yet the leading cause of death among fishermen in the Gulf of Mexico is drowning. This session presents findings from an evaluation of satisfaction and preferences of crew members who wore three types of PFDs working offshore.

Learning Activity:

LEARNING OBJECTIVES	EXPANDED CONTENT OUTLINE
Participants will appreciate literature the risks involved in commercial shrimp fishing.	Review literature on injury and safety risks associated with commercial shrimp fishing. Present findings from prior studies evaluating work satisfaction with various personal flotation devices (PFDs) in Alaska and the Northeast. Discuss partnerships among

	researchers in collaborating on national initiatives to decrease drownings as a result of falls overboard.
Participants will compare the findings of this study to other initiatives in the U.S. and globally.	Participates will compare and contrast finding from this study with others in the U.S and globally. Discussion from these findings include effectiveness of educational programs, social marketing campaigns, or mandatory requirement for use.

Abstract Text:

Purpose

From 2000-2009, 504 commercial fishing deaths occurred in the United States, 31% of which resulted from a person falling overboard and drowning (Lucas, Lincoln, Somervell, and Teske, 2012). Of the 504 commercial fishing deaths that occurred across the United States between 2000 and 2009, 116, or 23%, occurred in the Gulf of Mexico fishery (NIOSH, 2015). Similar to other countries, there is no requirement for U.S. commercial fishing crews to wear personal flotation devices (PFDs) while fishing (MAIB, 2016). Yet the leading cause of death among fishermen is drowning due to the loss of a vessel or a fall overboard. The majority of people that have died due to falls overboard were alone while on deck, and none of them had on a personal flotation device (PFD) (NIOSH, 2015). Vietnamese fishermen make up one-third of the licensed fishermen population working on the Gulf Coast. This study is part of a 3 phase NIOSH-funded study, with the long-term goal to develop and evaluate a social marketing campaign to increase PFD use. The purpose of this study is to determine which type of commercially available PFD results in the highest satisfaction and preferences among Vietnamese commercial fishing crews in the Gulf of Mexico. Attitudes/beliefs among Vietnamese shrimp fishermen of the Gulf of Mexico may influence behaviors that are risk factors for both fatal and nonfatal injuries.

Method

Project partners, USCG Safety Inspection Examiners, recruited subjects in three Louisiana fishing communities: 9 captains and 24 deckhands participated in this pre-post test repeated measures study. The captains and members of crews provided baseline data and were then asked to wear three different types of PFDs for a minimum of 3 hours while shrimp fishing in the Gulf. Once the crew returned to dockside, a follow-up survey was distributed. For each of the three types of PFDs: ski belt, inflatable belt, inflatable suspender, crew members were asked to evaluate 11 PFD attributes: weight, tightness, constricting motion, chaffing skin, bulkiness, snagging gear, comfort, how the PFD fit their body, interfering with work, donning and cleaning.

Results

Fishermen averaged 22 years of commercial fishing experience, and worked roughly eight months out of the year. At baseline, only 12% indicated wearing a PFDs s frequently and none stated always. Yet 48% reported PFDs are effective if fall overboard. The PFD considered least constrictive of movement was the inflatable suspender (43.5%) compared to the inflatable belt (47.5%) and ski belt (28.3%). The inflatable suspender was rated to interfere the least with work compared to the other 2 types of PFDs. 54.2% ranked the suspender type as very comfortable to wear. When assessing the extent they would wear each type, 66.7 % reporting they would wear the inflatable suspender; 50% of the participants would wear the ski belt and 20.8 % would wear the inflatable belt most or all of the time. Respondents indicated they were willing to pay the most for the suspender type. Fishermen were most likely to wear PFDs if the

captain told them to, working alone, working during bad weather, and working on or near the edge of the boat. Less than half of the respondents were influenced to wear any of the PFDs because other crew members wore PFDs.

Conclusions

Although the common barriers reported by fishermen to wearing PFDs are bulkiness and discomfort, some of the PFDs evaluated in this study received high scores for comfort and satisfaction. Given the availability of PFDs that are comfortable to wear while working, fishing vessel captains and owners should consider implementing policies mandating the use of PFDs while working on deck. The inflatable suspender PFD received high scores in terms of weight, comfort and fit. Other studies have found comfort to be one of the most important considerations for wearing various types of PFDs. Interventions to increase PFD use in the fishing industry should be tailored to focus on addressing the significant barriers to PFD use. The development of suitable and effective interventions requires consideration of cultural influences influencing behavioral change. Additionally, captains are considered key to safety culture on the vessels. When deckhands respect the captain, they are more likely to do the work taking cues from the captain on safe work practices.

» *28th International*

NURSING RESEARCH CONGRESS

27-31 July 2017 | Dublin, Ireland