Rhabdomyolysis (often called rhabdo) is a medical condition resulting from the breakdown of damaged muscle tissue. Due to prolonged physical exertion, wildland firefighters are at increased risk for rhabdomyolysis. If not recognized and treated early, rhabdomyolysis can cause permanent disability and may be fatal.

What can increase your risk for rhabdomyolysis?

- Over-the-counter medications such as decongestants and antihistamines
- Certain antibiotics
- Dietary supplements such as creatine
- Some weight loss products
- Cholesterol lowering drugs known as statins
- Excessive caffeine intake

What are the signs and symptoms of rhabdomyolysis?

- Muscle aches or pains out of proportion for the amount of exercise done
- Muscle cramping
- Tea-colored or cola-colored urine

Rhabdomyolysis is often mistaken for heat stress and dehydration. It can occur in well-conditioned athletes doing their usual workouts, so DO NOT ignore these symptoms.

What wildland firefighters need to know

How do I know if I have rhabdomyolysis?

The only sure way is to seek medical care. A licensed healthcare provider will determine if you need to have a serum creatine phosphokinase (CPK or CK) test to look for muscle proteins in the blood. You cannot tell by symptoms alone if you have rhabdomyolysis.

Severe cases of rhabdomyolysis require hospitalization to monitor the heart and kidneys and to provide emergency treatment for dangerous heart rhythms and loss of kidney function. High rates of intravenous fluids are needed to flush out the muscle proteins and electrolytes without damaging the kidneys. If the kidneys fail immediate dialysis is needed. Sometimes kidney function does not recover, requiring a lifetime of dialysis.

Rhabdomyolysis can be treated without complications if it is recognized early.

What should I do if I have symptoms?

Listen to your body! If your muscles hurt more than expected, if you can't tolerate exertion that you previously could, or if your urine turns unusually dark you should:

- Stop your current activity
- Tell your supervisor or trainer about your symptoms
- Seek immediate care at the nearest medical center
- Ask to be checked for rhabdomyolysis

Reporting your symptoms is not a sign of weakness.

Early detection could save your career and your life!







