



Injuries Among Farm Workers in the United States 1994



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Centers for Disease Control and Prevention
National Institute for Occupational Safety and Health



Injuries Among Farm Workers in the United States, 1994

John R. Myers
Division of Safety Research

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Centers for Disease Control and Prevention
National Institute for Occupational Safety and Health

July, 1998

PROTECTED UNDER INTERNATIONAL COPYRIGHT
ALL RIGHTS RESERVED.
NATIONAL TECHNICAL INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE

DISCLAIMER

Mention of the name of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health.

This document is in the public domain and may be freely
copied or reprinted.

Copies of this and other NIOSH documents are available from:

Publications Dissemination, EID
National Institute for Occupational Safety and Health
4676 Columbia Parkway
Cincinnati, OH 45226-1998

DHHS(NIOSH) Publication No. 98-153

For further information about occupational safety and health, call
1-800-35NIOSH

CONTENTS

Acknowledgments.....	vii
Executive Summary.....	1
SECTION I: THE TRAUMATIC INJURY SURVEILLANCE OF FARMERS SURVEY.....	3
Introduction.....	3
Methods.....	4
Highlight of Results	9
Cautionary Note.....	10
References.....	10
SECTION II: NATIONAL DATA.....	11
National rates for injuries and restricted workdays by type of farm.....	13
National rates for injuries and restricted workdays by type of farm and status of the worker.....	14
National injury estimates.....	15
National injury estimates by type of farm:	
Cash grain.....	19
Field crop.....	23
Vegetable, fruit, and nut.....	27
Nursery.....	31
Beef, hogs, and sheep.....	34
Poultry.....	38
Dairy.....	41
Other farms.....	45
National injury estimates by status of the worker:	
Family.....	49
Hired.....	53
Other workers.....	57
National injury estimates by gender:	
Males.....	60
Females.....	64
National injury estimates by age group:	
Less than 10 years of age	68
10-19 years of age.....	71
20-29 years of age.....	75
30-39 years of age.....	79
40-49 years of age.....	83

50-59 years of age.....	87
60-69 years of age.....	91
70 years of age and older.....	95
National injury estimates by race:	
White.....	99
Hispanic.....	103
Black and other races.....	106
National restricted workday estimates.....	109
National injury estimates of source of injury by nature of injury.....	113
National injury estimates of source of injury by type of injury event.....	115
National injury estimates of nature of injury by body part injured.....	117
SECTION III: REGIONAL DATA.....	119
Regions of the United States.....	121
Regional rates for injuries and restricted workdays by farm group.....	122
Regional rates for injuries and restricted workdays by type of farm.....	123
Regional rates for injuries and restricted workdays by farm group and status of the worker.....	125
Regional injury estimates:	
Northeast.....	126
South.....	130
Midwest.....	134
West.....	138
Regional injury estimates by farm group:	
Northeast crop operations.....	142
Northeast livestock operations.....	146
South crop operations.....	150
South livestock operations.....	154
Midwest crop operations.....	158
Midwest livestock operations.....	162
West crop operations.....	166
West livestock operations.....	170
Regional injury estimates by status of the worker:	

Northeast family workers.....	174
Northeast hired workers.....	178
South family workers.....	182
South hired workers.....	186
Midwest family workers.....	190
Midwest hired workers.....	194
West family workers.....	197
West hired workers.....	201

Regional injury estimates by gender:

Northeast male workers.....	205
Northeast female workers.....	209
South male workers.....	212
South female workers.....	216
Midwest male workers.....	219
Midwest female workers.....	223
West male workers.....	226
West female workers.....	230

Regional injury estimates by race:

Northeast white workers.....	234
Northeast Hispanic workers.....	238
Northeast Black and other workers.....	241
South white workers.....	244
South Hispanic workers.....	248
South black and other race workers.....	250
Midwest white workers.....	252
Midwest Hispanic workers.....	256
Midwest Black and other race workers.....	258
West white workers.....	260
West Hispanic workers.....	264
West black and other race workers.....	267

SECTION IV: STATE DATA..... 269

State rates for injuries and restricted workdays	
by type of farm.....	271

State injury estimates:

Alabama.....	272
Connecticut,Massachusetts, and Rhode Island	275
Georgia.....	279
Idaho.....	283
Illinois.....	286
Indiana.....	290
Kentucky.....	293
Missouri.....	296
Montana.....	299
Nevada and Utah.....	303
New York.....	307
Oregon.....	311
South Carolina.....	314

South Dakota.....	317
West Virginia.....	321
Appendix A: Survey Instrument.....	325
Appendix B: Sampling Estimators.....	331

Acknowledgments

The author is indebted to Robin Roark, Terry Holland, of the U.S. Department of Agriculture (USDA), National Agricultural Statistics Service (NASS) for their invaluable assistance in the survey design, data collection, data entry, and review of this work; all of the State NASS cooperators who collected these data; Melvin L. Myers of NIOSH, Office of the Director, for his support of this data collection effort; Bonita Malit, M.D., of EID for her assistance in formatting the large number of tables in this document; and, Diane M. Felice of the NIOSH, Pittsburgh Research Laboratory, for her assistance in preparing this document for printing.

Executive Summary

The Traumatic Injury Surveillance of Farmers (TISF) survey project is the first national surveillance project in over 15 years to provide injury data for the entire agricultural production industry (i.e., farms). These data provide sufficient detail to target both specific farm types and farm workers at high risk of work injuries. This document, the second in a series of three publications, summarizes nonfatal lost-time work injury estimates for the agricultural production industry for 1994.

Major findings from the 1994 TISF include:

- ▶ An estimated total of 121,937 lost-time work injuries occurred on U.S. farms in 1994, after adjustment for non-response in the survey. This represents an incidence rate for all farming operations of 4.7 injuries/200,000 hours worked (200,000 hours is equivalent to 100 full-time workers).
- ▶ The highest injury rates were associated nursery operations (9.4 injuries/200,000 hours worked), followed by dairy operations (6.8 injuries/200,000 hours worked), vegetable, fruit, or nut operations (5.0 injuries/200,000 hours worked), and beef, hog, or sheep operations (4.6 injuries/200,000 hours worked).
- ▶ The greatest number of injuries were in beef, hog, or sheep operations (36.5%), followed by cash grain operations (23.1%), dairy operations (14.6%), and field crop operations (11.9%).
- ▶ The leading causes of lost-time work injuries on farms were livestock (20.0%), machinery, excluding farm tractors (19.3%), and working surfaces (8.1%). Farm tractors accounted for 4.7 percent of these nonfatal injuries.
- ▶ The injuries typically occurred to the workers' leg, knee, or hip (20.6%), back (15.8%), arm or shoulder (12.1%), or their fingers (11.2%).
- ▶ Fractures (22.1%) accounted for the largest number of lost-time injuries, followed by sprains and strains (21.1%), lacerations (14.8%), and bruises (12.6%).
- ▶ Farm operators and their family members accounted for most of the injuries (88.8%) reported in the 1994 TISF.
- ▶ Injured workers were usually male (91.5%), and the race or ethnic origin of the worker was typically white (92.8%). Hispanics accounted for the second highest number of injuries (6.2%).
- ▶ Of the estimated 89,145 injured family workers, 98.9 percent were white, with 39 percent of the injured family members working on beef, hog, or sheep operations. The estimated

injury rate for family workers on all farms was 4.6 injuries/200,000 hours.

- Of the estimated 29,267 injuries among hired workers, whites accounted for 75.1 percent, with 27 percent of the injured workers working on beef, hog, or sheep operations (7,900 injuries). The injury rate for hired workers on all farms was 4.9 injuries/200,000 hours.

The tables of farm injury statistics contained in this document are designed as a resource for safety and health professionals and researchers to answer the major questions ask about farm-related work injuries. Farm injury statistics for 1994 are provided for the Nation, major regions, and selected States. The content of this document fills a critical information gap by providing detailed data on agricultural injuries in the U.S.

Section I: The Traumatic Injury Surveillance of Farmers Survey

INTRODUCTION

Workers in the agriculture industry of the United States (U.S.) have received a great deal of attention recently because of their high risk of fatal injuries and suspected risk for serious nonfatal injuries [NIOSH, 1992; Merchant et al., 1989]. A major problem with planning injury prevention programs for these agricultural workers is a lack of surveillance data, especially for those injuries which are nonfatal. To address this lack of nonfatal injury data, the National Institute for Occupational Safety and Health (NIOSH), working in cooperation with the National Safety Council (NSC) Agricultural Division and the U.S. Department of Agriculture (USDA), developed the Traumatic Injury Surveillance of Farmers (TISF) survey.

The objective of the TISF is to determine the frequency, incidence rate, and characteristics of agricultural work-related injuries occurring in the U.S. using a uniform surveillance system. This is accomplished by collecting data on agricultural work-related injuries that occur during a calendar year on a random sample of farms across the U.S. The TISF provides injury estimates at the State, regional, and U.S. level, and allows every state to obtain injury data within a 3-year time period.

The intent of the following document is to present the second year of TISF results in an easily accessible statistical abstract format. This is the second in a series of TISF reports that will eventually provide data for all 50 states. No attempt is made to interpret the results presented here because of the quantity of data presented, and because these data represent only one part of a more complex survey. It is hoped that the data will be used by public health and safety professionals, engineers, and other groups working in the area of farm safety to help in their intervention programs and injury control research. Comparisons of the 1993 and 1994 data should be made with caution (see **Cautionary Note**, page 10).

These data were collected by the USDA, National Agricultural Statistics Service (NASS) through an Interagency Agreement with NIOSH. The injury estimates and incidence rates presented in this statistical abstract were calculated by NIOSH and are presented here with the approval of USDA, NASS. Access to all TISF data files, or additional injury estimates from the TISF data, are subject to the approval of USDA, NASS.

METHODS

General Survey Design:

The TISF surveillance system is a mail survey-based surveillance system using a Total Design Method methodology (Dillman, 1978). The TISF survey uses a personalized letter to the person asked to complete the survey, emphasizing that their response is important. Each person is sent a postcard after the first mailing of the survey reminding them to complete the questionnaire. Approximately 3 to 4 weeks after the initial mailing, a second letter and copy of the survey is sent to those people who have not responded. To increase the response rates, the TISF survey is conducted in January and February – a time of the year when most farm operators are not actively farming. The survey instrument used for the TISF is kept at a maximum of four pages. The 1994 instrument is provided in Appendix A. Finally, an abbreviated telephone survey is conducted on a random sample of 1,000 non-responding farm operators to allow for the assessment of nonresponse bias in the main survey.

The sample selection and sampling frame information for the survey is provided by USDA, NASS through an interagency agreement. All agricultural production operations in the U.S. are in the population for study. NASS draws all samples, conducts the mailings, conducts follow-back contacts to the farm operations for assessing non-response, enters data, and providing all sampling frame information required by the NIOSH sampling design.

For the survey, an injury is defined as any condition that results in $\frac{1}{2}$ day or more of restricted activity (e.g., person could not perform work or other normal duties, missed work, missed school). An agricultural work-related injury is defined as any injury meeting this definition that occurred while performing work, either on the farm or off the farm, associated with the farm business. This definition excludes injuries to contractors working for the farm operation, injuries associated with work not done for the farm business, or injuries occurring on the farmstead while the person was not working for the farm business. While the total number of work-related lost-time injuries are requested for the calendar year on the survey, descriptive information is only provided for the most recent injury event.

All information provided on the survey is self-reported by the farm operator. As such, variables such as race or ethnic origin, age, and the cause of the injury event are subject to the interpretation of the farm operator.

Sampling Design:

A two-stage random sample of farm operations is drawn to provide estimates for the study population. The sample-based estimators for this two-stage design are provided in Appendix B. The first-stage consists of 42 primary units, which are individual States, or combinations of States, that ensure a reasonable number of farming

operations per primary unit (Table 1-1). The primary units are Table 1-1. Primary (States) and secondary (Farms) sample units for the TISF Surveillance System.

Primary Units (States)	Secondary Units (Farms)
Alabama	47,000
Alaska, Washington	44,000
Arizona	8,100
Arkansas	48,000
California	84,000
Colorado	27,000
Connecticut, Rhode Island, Massachusetts	11,670
Delaware, Maryland	18,600
Florida	41,000
Georgia	48,000
Hawaii	4,650
Idaho	22,100
Illinois	83,000
Indiana	71,000
Iowa	105,000
Louisiana	34,000
Kansas	69,000
Kentucky	95,000
Maine, New Hampshire, Vermont	16,800
Michigan	55,000
Minnesota	90,000
Mississippi	41,000
Missouri	109,000
Montana, Wyoming	33,600
Nebraska	57,000
Nevada, Utah	15,500
New Jersey	8,300
New Mexico	14,000
New York	39,000
North Carolina	65,000
North Dakota	33,500
Ohio	86,000
Oklahoma	70,000
Oregon	37,000
Pennsylvania	54,000
South Carolina	25,500
South Dakota	35,000
Tennessee	91,000
Texas	186,000
Virginia	47,000
West Virginia	21,000
Wisconsin	81,000

stratified by geographic region in the U.S. (Table 1-2). Selection of these units is systematic within a region. The stratification of the first-stage sample by region reduces the effect of using systematic rather than random sampling. Equal probability sampling assumptions are used for the first-stage sample. The number of samples in the first-stage (n_1) ranges from

15 to 19 depending on the year of the survey. The second-stage sample is a stratified simple random sample of farming operations (i.e., secondary units) within the selected first-stage units. The second-stage stratification is by type of farming operation. Sample size allocations within strata are proportionally allocated by farm type. The total number of farms in each primary unit are given in Table 1-1. All responses to the mail survey are on a "per farm" basis. The second-stage sample size (n_2) is 1,400 farms per first-stage sampling unit.

Upon completion of the mail survey, a random sample of 1,000 non-respondents from all primary units are contacted by telephone to obtain basic survey information which is used to assess non-response bias in the mail survey.

Injury, Restricted Workday, and Exposure Estimates:

The national and regional estimates and variances for injuries, restricted workdays, and hours of exposure are obtained by using the unbiased estimators of a two-stage sample, which are presented in Appendix B. The State estimates for injuries and hours of exposure are obtained using the unbiased estimator for a stratified simple random sample (Appendix B.). All sample-based estimators and variance estimators are derived from Cochran [1977].

Incidence Rate Estimates:

The injury incidence rates and the restricted workday incidence rates are estimated as the estimated injuries or restricted workdays at the State, regional, or national level divided by the estimated exposure at the State, regional, or national level respectively. The rates are in terms of 200,000 hours, which is the Bureau of Labor Statistics definition of 100 full-time workers [BLS, 1990].

The sampling variance calculations for the exposure-based incident rates are estimated using the linear combination of variances of the injury estimate and the exposure estimate as described by Cochran [1977]. The general form of the variance expression is:

$$v(R) = 200,000^2 \left(\frac{1}{\bar{x}} \right)^2 [v(y) + R^2 v(x) - 2R \text{cov}(y, x)]$$

where: $v(R)$ = variance of the rate, R ;
 $v(y)$ = variance for the numerator (e.g., injuries);
 $\text{cov}(y, x)$ = covariance between the numerator and the
 hours of exposure;
 \bar{x} = mean for hours of exposure.

Table 1-2. Geographic regions of the United States used in the TISF survey.

Region	States	Scheduled Survey Year(s)
Northeast	Maine	1994
	Vermont	1994
	New Hampshire	1994
	Massachusetts	1995, 1996
	Connecticut	1995, 1996
	Rhode Island	1995, 1996
	New York	1995
	Pennsylvania	1994, 1996
	New Jersey	1994
South	Delaware	1996
	Maryland	1996
	West Virginia	1995
	Kentucky	1995
	Virginia	1994, 1996
	Tennessee	1994
	North Carolina	1994
	South Carolina	1995
	Georgia	1995
	Florida	1994, 1996
	Alabama	1995
	Mississippi	1996
	Louisiana	1996
	Arkansas	1996
	Oklahoma	1994
	Texas	1996
Midwest	Ohio	1996
	Michigan	1994
	Indiana	1995
	Illinois	1995
	Wisconsin	1994
	Minnesota	1996
	Iowa	1994
	Missouri	1994, 1995
	Kansas	1994, 1996
	Nebraska	1996
	South Dakota	1995
	North Dakota	1994
West	Montana	1995
	Wyoming	1995
	Colorado	1994
	New Mexico	1996
	Arizona	1994
	Nevada	1995
	Utah	1995
	Idaho	1995
	Washington	1994
	Oregon	1995
	California	1994, 1996
	Alaska	1994
	Hawaii	1996

$v(x)$ = variance for the hours of exposure;

The covariance term for the State estimate accounts for the stratification of the sampled farms, while the covariance term for the regional rates includes the first-stage and second-stage components of the covariance term. For the national estimates, only the first-stage covariance term is assessed with the second-stage component assumed to be negligible.

Categorical Frequency Estimates:

The frequency estimates for the categorical variables on the TISF survey are based on all farms that reported only one injury, excluding farms with more than one injury. This is done to avoid bias during the construction of frequency distributions of categorical variables. Because the TISF survey only has detailed information for the most recent injury event, including farms that reported more than one injury would bias the distributions by causing the distribution of injuries by month to be artificially skewed towards the later months of the calendar year. Furthermore, if different types of injuries are associated with the time of the year, then including injury descriptions for farms with more than one injury could bias other categorical variables.

The frequency estimates for farms with only one injury are adjusted for each stratum within a specific State to provide frequency results that sum to the estimated total injuries within each State. Because the regional and national estimates are derived from the State estimates, no further adjustments are required beyond the State level. The adjustment is a simple proportional increase of the sampling weight to make all farms with one reported injury account for the additional injuries not included for farms with more than one injury. For example, if the total estimated number of injuries for stratum A was 100 injuries, but the estimated number accounted for by farms reporting only one injury event was 85 for that stratum, then the sampling weight for the farms reporting only one injury event in stratum A would be increased by a factor of 1.18 (e.g. 100 divided by 85). This adjusted sampling weight is used to construct the categorical frequency tables.

Frequency tables for States, regions, and the nation are presented at differing levels of detail because of differing levels of data available at the three levels. National frequency tables provide the highest level of detail and cross classification of information, while the State data are only provided at the univariate level. The regional tables provide much of the same detail as the national tables, except for age-specific data, and the use of broad farming groups (crops and livestock) rather than the specific farm types presented in the national tables.

Non-Response Bias:

The results from the 1994 survey indicated that the results based on respondents to the survey did differ from the follow-back interview conducted with 1,000 non-respondents. In general, results from

respondents indicated less injuries and hours worked than that estimated for the non-respondent group. To account for this non-response effect, survey data were adjusted by State. The adjustment was done by applying the State rate from the non-respondents follow-back survey to the non-responding farms, by strata, in the main survey for a State. In general, this adjustment increased the estimate for injuries within a State. State numbers in this report are the unadjusted estimates, while regional and national estimates are based on the non-response adjusted data.

HIGHLIGHT OF RESULTS

A total of 11,630 of the sampled 21,000 farm operations responded to the mail survey for a response rate of 55.3 percent. The survey response rate by State ranged from a high of 68 percent for the State of Oregon to a low of 47 percent for the State of South Dakota. Evaluation of the survey of 1,000 non-responding farm operations from the main survey did show a significant bias in the main survey associated with the non-responding farms. In general, the responding farm survey resulted in under estimations of injuries and hours worked on farms compared to the non-respondent follow-back survey.

There were an estimated 121,937 lost-time work injuries on farms in 1994 after adjusting for non-response bias. This represented an incidence rate of 4.7 lost-time injuries per 200,000 hours of farm work. These injuries resulted in an estimated 2,853,352 restricted workdays, with a corresponding lost workday rate of 109.3 lost workdays per 200,000 hours of work.

The region of the nation with the highest number of lost-time injuries was the Midwest with an estimated 62,753 lost-time injuries. The highest estimated injury rate occurred in the West (6.3 lost-time injuries per 200,000 hours of farm work).

The major sources of injury on U.S. farming operations were livestock (20.0), machinery (19.3%), and working surfaces (8.1%). These injuries most frequently resulted in a fracture (22.1%), sprain or strain (21.1%), or cut (14.8%). The body parts most commonly injured were the leg, knee, or hip (20.6%), the back (15.8%), and the arm or shoulder (11.7%). Workers 40-49 years of age reported the highest number of these injuries (23.4%). Males were involved in these injury events 92 percent of the time.

Beef, hog, or sheep operations were found to have the highest number of lost-time work injuries (44,459 injuries) and restricted workdays (1,156,015 restricted workdays). Cash grain operations had the second highest number of injuries (28,209 injuries); followed by dairy operations (17,826 injuries); and field crop operations (14,508 injuries). Cash grains operations had the second highest number of restricted workdays (810,747 restricted workdays); followed by field crop operations (404,828 restricted workdays); and dairy operations (249,801 restricted workdays). The highest injury rates per 200,000 hours of work were seen in nursery operations (9.4 injuries per

200,000 hours); followed by dairy operations (6.8 injuries/200,000 hours); vegetable, fruit, or nut operations (5.0 injuries/200,000 hours); and beef, hog, or sheep operations (6.4 injuries/200,000 hours).

Family workers (including partners and family members of the partner) accounted for more injuries (89,145 injuries) and more restricted workdays (2,285,714 restricted workdays) than hired workers (Table 2-2). Family members had higher injury rates than hired workers on the following type of farms: field crops operations; vegetable, fruit, and nut operations; and, dairy operations (Table 2-2).

The complete results are presented in Sections 2 through 4 of the statistical abstract. Section 2 presents the national statistics, Section 3 the region-specific statistics, and Section 4 the State-specific statistics.

Cautionary Note:

This document was developed as the second of three components of a data set to provide occupational injury data on farming operations. Some variability in such complex survey results may occur because of sampling error in the survey and may not reflect true differences between estimates from the 1993 and 1994 surveys. The finding of a non-response bias, a form of measurement error, in this 1994 survey also may impact the comparability of these data to the 1993 survey where no non-response bias was found. The 1994 data are comparable across geographic areas and provide useful information for this year in isolation. Because these data represent only one year of a three year complex statistical design, NIOSH cautions against comparison of these data with those from 1993 before the release of the 1995 (third year) results. Preliminary analyses suggest that there is no consistent decrease in injury rates between the 1993 and the 1995 survey results. NIOSH will describe the complete sample results when the 1995 data are available for release.

REFERENCES

- Cochran WG. [1977]. Sampling Techniques, 3rd Ed. New York, NY: J Wiley and Sons.
- Dillman D. [1978]. Mail and telephone surveys: the total design method. New York, NY: J Wiley and Sons.
- National Coalition for Agricultural Safety and Health. [1989]. A report to the nation--agricultural occupational and environmental health: policy strategies for the future. Iowa City, IA: NCASH.
- National Institute for Occupational Safety and Health. [1992]. Papers and proceedings of the Surgeon General's conference on agricultural safety and health. DHHS (NIOSH) Pub. No. 92-105. Cincinnati, OH: NIOSH.

Section 2: National Data

Table 2-1. National estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by type of farming operation, 1994

Farm Type	Estimated Lost-time Injuries	Estimated Restricted Workdays	Estimated Lost-time Injury Rates	Estimated Restricted Workdays Rate
Cash grain	28209.1	810747.6	3.9	111.9
Field crops	14507.6	404827.7	4.4	122.5
Veg, fruit, nuts	6537.9	130436.9	5.0	99.0
Nursery	7229.7	53392.4	9.4	69.8
Beef, hogs, sheep	44458.8	1156015.0	4.6	119.0
Poultry	1400.2	17197.3	3.1	37.5
Dairy	17826.2	249800.9	6.8	95.3
Other farms	1767.2	30933.9	2.6	45.3
All farms	121936.7	2853352.0	4.7	109.3

Table 2-2. National estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by type of farming operation and status of the injured worker, 1994

Farm Type	Status	Estimated Lost-time Injuries	Estimated Restricted Workdays	Estimated Lost-time Injury Rate	Estimated Restricted Workdays Rate
Cash grain	Family	21325	670877	3.8	118.3
	Hired	6116	70755	4.4	51.0
Field crops	Family	12236	340898	5.5	152.9
	Hired	2272	63930	2.3	65.2
Veg, fruit, nuts	Family	3707	106992	5.6	162.9
	Hired	3830	22589	4.5	36.0
Nursery	Family	967	5502	4.2	24.1
	Hired	6263	47891	11.8	90.4
Beef, hogs, sheep	Family	35051	903290	4.5	114.9
	Hired	7902	233440	4.9	143.7
Dairy	Family	14966	237177	7.2	113.6
	Hired	2860	12624	5.9	26.1
Other farms*	Family	893	20979	1.1	26.4
	Hired	1567	14207	4.8	43.8
All Farms	Family	89145	2285714	4.6	117.1
	Hired	29267	465435	4.9	78.1

* Includes Poultry operations.

Table 2-3. National estimates of lost-time injuries by region, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	8837.3	7.2	8837.3	7.2
South	22120.1	18.1	30957.4	25.4
Midwest	62752.6	51.5	93710.0	76.9
West	28226.7	23.1	121936.7	100.0

Table 2-4. National estimates of lost-time injuries by farm type, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	28209.1	23.1	28209.1	23.1
Field crops	14507.6	11.9	42716.7	35.0
Vegetable, fruit, nuts	6537.9	5.4	49254.6	40.4
Nursery	7229.7	5.9	56484.3	46.3
Beef, hogs, sheep	44458.8	36.5	100943.1	82.8
Poultry	1400.2	1.1	102343.3	83.9
Dairy	17826.2	14.6	120169.5	98.6
Other farms	1767.2	1.4	121936.7	100.0

Table 2-5. National estimates of lost-time injuries by status of the injured worker, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	81372.8	66.7	81372.8	66.7
Partner/family	7772.2	6.4	89145.0	73.1
Hired labor	27003.8	22.1	116148.8	95.3
Unpaid nonfamily	2263.6	1.9	118412.4	97.1
Other	3524.3	2.9	121936.7	100.0

Table 2-6. National estimates of lost-time injuries by gender, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	111517.8	91.5	111517.8	91.5
Female	10418.9	8.5	121936.7	100.0

Table 2-7. National estimates of lost-time injuries by age group, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	764.1	0.6	764.1	0.6
10-19	9408.7	7.7	10172.8	8.4
20-29	13164.3	10.8	23337.1	19.2
30-39	24750.5	20.3	48087.6	39.5
40-49	28414.0	23.4	76501.6	62.9
50-59	17215.0	14.2	93716.6	77.0
60-69	17470.6	14.4	111187.2	91.4
>=70	10469.5	8.6	121656.7	100.0

(Frequency Missing = 280)

Table 2-8. National estimates of lost-time injuries by race or ethnic origin, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	113119.4	92.8	113119.4	92.8
Hispanic	7499.6	6.2	120619.0	98.9
Black	653.7	0.5	121272.7	99.5
American Indian	605.9	0.5	121878.6	100.0
Other	58.1	0.0	121936.7	100.0

Table 2-9. National estimates of lost-time injuries by month, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	8976.8	7.4	8976.8	7.4
February	3494.4	2.9	12471.2	10.2
March	6545.5	5.4	19016.7	15.6
April	11146.0	9.1	30162.7	24.7
May	10915.6	9.0	41078.3	33.7
June	8979.4	7.4	50057.7	41.1
July	12825.7	10.5	62883.4	51.6
August	16389.4	13.4	79272.8	65.0
September	11365.6	9.3	90638.4	74.3
October	11659.5	9.6	102297.9	83.9
November	10278.0	8.4	112575.9	92.3
December	9360.8	7.7	121936.7	100.0

Table 2-10. National estimates of lost-time injuries by severity of the injury, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	117165.3	96.7	117165.3	96.7
Permanent	3145.1	2.6	120310.4	99.3
Fatality	798.7	0.7	121109.1	100.0
(Frequency Missing = 827.6)				

Table 2-11. National estimates of lost-time injuries by whether professional medical attention was sought, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3943.8	3.3	3943.8	3.3
Yes	99873.8	82.5	103817.6	85.7
No	17303.6	14.3	121121.2	100.0
(Frequency Missing = 815.5)				

Table 2-12. National estimates of lost-time injuries by body part injured, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	10304.4	8.5	10304.4	8.5
Eye	3924.2	3.2	14228.6	11.7
Chest/trunk	4826.9	4.0	19055.5	15.6
Back	19215.5	15.8	38271.0	31.4
Arm/shoulder	14238.3	11.7	52509.3	43.1
Finger	13674.9	11.2	66184.2	54.3
Hand/wrist	11309.6	9.3	77493.8	63.6
Leg/knee/hip	25114.9	20.6	102608.7	84.1
Toe	3372.7	2.8	105981.4	86.9
Foot	7714.8	6.3	113696.2	93.2
Mult. parts	5463.2	4.5	119159.4	97.7
Other	2777.3	2.3	121936.7	100.0

Table 2-13. National estimates of lost-time injuries by nature of injury, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	498.4	0.4	498.4	0.4
Asphyxiation	227.7	0.2	726.1	0.6
Bruise	15318.9	12.6	16045.0	13.2
Burn	2511.3	2.1	18556.3	15.3
Cut	17927.5	14.8	36483.8	30.1
Crush	9420.4	7.8	45904.2	37.8
Fracture	26760.9	22.1	72665.1	59.9
Poisoning	309.3	0.3	72974.4	60.2
Puncture	6046.9	5.0	79021.3	65.2
Sprain/strain	25569.7	21.1	104591.0	86.2
Electric shock	616.2	0.5	105207.2	86.7
Mult. injury	4417.5	3.6	109624.7	90.4
Other	11666.4	9.6	121291.1	100.0

(Frequency Missing = 645.6)

Table 2-14. National estimates of lost-time injuries by type of event, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	4982.1	4.1	4982.1	4.1
Caught between	12449.4	10.2	17431.5	14.3
Caught under	6895.0	5.7	24326.5	20.0
Struck by/against	18148.6	14.9	42475.1	34.9
Struck by falling	6391.5	5.2	48866.6	40.1
Struck by flying	4691.8	3.9	53558.4	44.0
Contact sharp obj.	8755.4	7.2	62313.8	51.1
Fall, same level	12152.7	10.0	74466.5	61.1
Fall, elevation	19008.4	15.6	93474.9	76.7
Overexertion	10341.0	8.5	103815.9	85.2
Contact electric	1030.0	0.8	104845.9	86.0
Other	17012.3	14.0	121858.2	100.0

(Frequency Missing = 78.5)

Table 2-15. National estimates of lost-time injuries by activity when worker was injured, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	15713.6	12.9	15713.6	12.9
Machine maint.	17666.9	14.5	33380.5	27.4
Field work	20706.3	17.0	54086.8	44.4
Crop handling	16846.6	13.8	70933.4	58.2
Livestock handling	35471.1	29.1	106404.5	87.3
Other	15532.2	12.7	121936.7	100.0

Table 2-16. National estimates of lost-time injuries by source of the injury, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	5744.9	4.7	5744.9	4.7
Machinery	23491.1	19.3	29236.0	24.0
Livestock	24348.9	20.0	53584.9	43.9
Hand tool	4166.4	3.4	57751.3	47.4
Power tool	3647.4	3.0	61398.7	50.4
Pesticide/chem.	822.2	0.7	62220.9	51.0
Plant/tree	3030.0	2.5	65250.9	53.5
Working surface	9863.5	8.1	75114.4	61.6
Truck/auto	5690.4	4.7	80804.8	66.3
Other vehicle	4010.0	3.3	84814.8	69.6
Liquids	1599.1	1.3	86413.9	70.9
Other	35522.8	29.1	121936.7	100.0

Table 2-17. National estimates of lost-time injuries by region of the U.S. for cash grain operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	140.8	0.5	140.8	0.5
South	877.9	3.1	1018.7	3.6
Midwest	24874.8	88.2	25893.5	91.8
West	2315.6	8.2	28209.1	100.0

Table 2-18. National estimates of lost-time injuries by status of the injured worker for cash grain operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	19968.1	70.8	19968.1	70.8
Partner/family	1356.6	4.8	21324.7	75.6
Hired labor	5396.2	19.1	26720.9	94.7
Unpaid nonfamily	720.2	2.6	27441.1	97.3
Other	768.0	2.7	28209.1	100.0

Table 2-19. National estimates of lost-time injuries by gender for cash grain operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	26859.8	95.2	26859.8	95.2
Female	1349.3	4.8	28209.1	100.0

Table 2-20. National estimates of lost-time injuries by age group for cash grain operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1700.5	6.0	1700.5	6.0
20-29	904.3	3.2	2604.8	9.2
30-39	9178.9	32.5	11783.7	41.8
40-49	5739.1	20.3	17522.8	62.1
50-59	3943.2	14.0	21466.0	76.1
60-69	3864.8	13.7	25330.8	89.8
>=70	2878.3	10.2	28209.1	100.0

Table 2-21. National estimates of lost-time injuries by race or ethnic origin for cash grain operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	27970.5	99.2	27970.5	99.2
Hispanic	156.0	0.6	28126.5	99.7
Black	82.6	0.3	28209.1	100.0

Table 2-22. National estimates of lost-time injuries by month for cash grain operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3088.1	10.9	3088.1	10.9
February	301.7	1.1	3389.8	12.0
March	1356.2	4.8	4746.0	16.8
April	1356.0	4.8	6102.0	21.6
May	2711.4	9.6	8813.4	31.2
June	3928.5	13.9	12741.9	45.2
July	921.0	3.3	13662.9	48.4
August	1243.5	4.4	14906.4	52.8
September	4976.8	17.6	19883.2	70.5
October	4503.9	16.0	24387.1	86.5
November	2580.9	9.1	26968.0	95.6
December	1241.1	4.4	28209.1	100.0

Table 2-23. National estimates of lost-time injuries by severity of the injury for cash grain operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	27488.9	97.4	27488.9	97.4
Fatality	720.2	2.6	28209.1	100.0

Table 2-24. National estimates of lost-time injuries by whether professional medical attention was sought for cash grain operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	720.2	2.6	720.2	2.6
Yes	21548.3	76.4	22268.5	78.9
No	5940.6	21.1	28209.1	100.0

Table 2-25. National estimates of lost-time injuries by body part injured for cash grain operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2346.8	8.3	2346.8	8.3
Eye	1011.6	3.6	3358.4	11.9
Chest/trunk	2077.3	7.4	5435.7	19.3
Back	4485.4	15.9	9921.1	35.2
Arm/shoulder	2469.6	8.8	12390.7	43.9
Finger	3059.8	10.8	15450.5	54.8
Hand/wrist	4212.6	14.9	19663.1	69.7
Leg/knee/hip	4232.0	15.0	23895.1	84.7
Toe	38.4	0.1	23933.5	84.8
Foot	1105.7	3.9	25039.2	88.8
Mult. parts	1633.9	5.8	26673.1	94.6
Other	1536.0	5.4	28209.1	100.0

Table 2-26. National estimates of lost-time injuries by nature of the injury for cash grain operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	4141.8	14.7	4141.8	14.7
Burn	184.1	0.7	4325.9	15.4
Cut	5288.0	18.8	9613.9	34.2
Crush	2160.6	7.7	11774.5	41.9
Fracture	5231.5	18.6	17006.0	60.5
Poisoning	145.7	0.5	17151.7	61.0
Puncture	1488.2	5.3	18639.9	66.3
Sprain/strain	6043.6	21.5	24683.5	87.8
Mult. injury	996.3	3.5	25679.8	91.3
Other	2446.7	8.7	28126.5	100.0
(Frequency Missing = 82.6)				

Table 2-27. National estimates of lost-time injuries by type of event for cash grain operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2304.0	8.2	2304.0	8.2
Caught between	3697.4	13.1	6001.4	21.3
Caught under	1825.9	6.5	7827.3	27.7
Struck by/against	5286.5	18.7	13113.8	46.5
Struck by falling	1289.8	4.6	14403.6	51.1
Struck by flying	865.9	3.1	15269.5	54.1
Contact sharp obj.	228.3	0.8	15497.8	54.9
Fall, same level	1210.9	4.3	16708.7	59.2
Fall, elevation	5315.8	18.8	22024.5	78.1
Overexertion	3195.8	11.3	25220.3	89.4
Other	2988.8	10.6	28209.1	100.0

Table 2-28. National estimates of lost-time injuries by activity when injured for cash grain operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2010.0	7.1	2010.0	7.1
Machine maint.	6510.7	23.1	8520.7	30.2
Field work	4801.9	17.0	13322.6	47.2
Crop handling	6141.4	21.8	19464.0	69.0
Livestock handling	5720.9	20.3	25184.9	89.3
Other	3024.2	10.7	28209.1	100.0

Table 2-29. National estimates of lost-time injuries by source of injury for cash grain operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2136.1	7.6	2136.1	7.6
Machinery	8969.0	31.8	11105.1	39.4
Livestock	2216.7	7.9	13321.8	47.2
Hand tool	802.8	2.8	14124.6	50.1
Power tool	291.4	1.0	14416.0	51.1
Working surface	1251.4	4.4	15667.4	55.5
Truck/auto	1443.6	5.1	17111.0	60.7
Other vehicle	2208.4	7.8	19319.4	68.5
Liquids	38.4	0.1	19357.8	68.6
Other	8851.3	31.4	28209.1	100.0

Table 2-30. National estimates of lost-time injuries by region of the U.S. for field crop operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	665.4	4.6	665.4	4.6
South	5771.3	39.8	6436.7	44.4
Midwest	3137.6	21.6	9574.3	66.0
West	4933.3	34.0	14507.6	100.0

Table 2-31. National estimates of lost-time injuries by status of the injured worker for field crop operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	10935.9	75.4	10935.9	75.4
Partner/family	1299.9	9.0	12235.8	84.3
Hired labor	2023.7	13.9	14259.5	98.3
Unpaid nonfamily	248.1	1.7	14507.6	100.0

Table 2-32. National estimates of lost-time injuries by gender for field crop operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	13745.8	94.7	13745.8	94.7
Female	761.8	5.3	14507.6	100.0

Table 2-33. National estimates of lost-time injuries by age group for field crop operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1066.2	7.4	1066.2	7.4
20-29	658.0	4.5	1724.2	11.9
30-39	1972.5	13.6	3696.7	25.5
40-49	3832.0	26.5	7528.7	52.0
50-59	3388.9	23.4	10917.6	75.4
60-69	2366.6	16.4	13284.2	91.8
>=70	1187.2	8.2	14471.4	100.0
(Frequency Missing = 36.2)				

Table 2-34. National estimates of lost-time injuries by race or ethnic origin for field crop operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	13254.6	91.4	13254.6	91.4
Hispanic	1132.5	7.8	14387.1	99.2
American Indian	120.5	0.8	14507.6	100.0

Table 2-35. National estimates of lost-time injuries by month for field crop operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	627.9	4.3	627.9	4.3
March	1184.1	8.2	1812.0	12.5
April	1014.8	7.0	2826.8	19.5
May	36.2	0.2	2863.0	19.7
June	78.5	0.5	2941.5	20.3
July	862.4	5.9	3803.9	26.2
August	3407.9	23.5	7211.8	49.7
September	2418.0	16.7	9629.8	66.4
October	1368.0	9.4	10997.8	75.8
November	1157.6	8.0	12155.4	83.8
December	2352.2	16.2	14507.6	100.0

Table 2-36. National estimates of lost-time injuries by severity of the injury for field crop operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	13328.8	91.9	13328.8	91.9
Permanent	1100.3	7.6	14429.1	99.5
Fatality	78.5	0.5	14507.6	100.0

Table 2-37. National estimates of lost-time injuries by whether professional medical attention was sought for field crop operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1178.8	8.1	1178.8	8.1
Yes	12107.9	83.5	13286.7	91.6
No	1220.9	8.4	14507.6	100.0

Table 2-38. National estimates of lost-time injuries by body part injured for field crop operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	719.5	5.0	719.5	5.0
Eye	719.7	5.0	1439.2	9.9
Chest/trunk	504.1	3.5	1943.3	13.4
Back	2852.4	19.7	4795.7	33.1
Arm/shoulder	1256.1	8.7	6051.8	41.7
Finger	2158.5	14.9	8210.3	56.6
Hand/wrist	231.4	1.6	8441.7	58.2
Leg/knee/hip	4270.5	29.4	12712.2	87.6
Toe	1365.2	9.4	14077.4	97.0
Foot	351.7	2.4	14429.1	99.5
Mult. parts	36.2	0.2	14465.3	99.7
Other	42.3	0.3	14507.6	100.0

Table 2-39. National estimates of lost-time injuries by nature of the injury for field crop operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1420.2	10.2	1420.2	10.2
Cut	1866.5	13.4	3286.7	23.6
Crush	1585.2	11.4	4871.9	34.9
Fracture	6199.8	44.5	11071.7	79.4
Puncture	156.7	1.1	11228.4	80.5
Sprain/strain	1267.7	9.1	12496.1	89.6
Electric shock	42.3	0.3	12538.4	89.9
Mult. injury	335.7	2.4	12874.1	92.3
Other	1070.5	7.7	13944.6	100.0

(Frequency Missing = 563)

Table 2-40. National estimates of lost-time injuries by type of event for field crop operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	195.2	1.4	195.2	1.4
Caught between	1456.9	10.1	1652.1	11.4
Caught under	2234.6	15.5	3886.7	26.9
Struck by/against	1854.6	12.9	5741.3	39.8
Struck by falling	1018.7	7.1	6760.0	46.8
Struck by flying	599.2	4.2	7359.2	51.0
Contact sharp obj.	909.5	6.3	8268.7	57.3
Fall, same level	2059.4	14.3	10328.1	71.6
Fall, elevation	2438.1	16.9	12766.2	88.5
Overexertion	540.1	3.7	13306.3	92.2
Contact electric	42.3	0.3	13348.6	92.5
Other	1080.5	7.5	14429.1	100.0

(Frequency Missing = 78.5)

Table 2-41. National estimates of lost-time injuries by activity when injured for field crop operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1266.4	8.7	1266.4	8.7
Machine maint.	1250.2	8.6	2516.6	17.3
Field work	2476.3	17.1	4992.9	34.4
Crop handling	4874.9	33.6	9867.8	68.0
Livestock handling	2517.5	17.4	12385.3	85.4
Other	2122.3	14.6	14507.6	100.0

Table 2-42. National estimates of lost-time injuries by source of injury for field crop operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	583.6	4.0	583.6	4.0
Machinery	2058.7	14.2	2642.3	18.2
Livestock	2439.0	16.8	5081.3	35.0
Hand tool	1066.0	7.3	6147.3	42.4
Power tool	631.2	4.4	6778.5	46.7
Plant/tree	811.1	5.6	7589.6	52.3
Working surface	1477.1	10.2	9066.7	62.5
Truck/auto	1122.8	7.7	10189.5	70.2
Other vehicle	231.4	1.6	10420.9	71.8
Other	4086.7	28.2	14507.6	100.0

Table 2-43. National estimates of lost-time injuries by region of the U.S. for vegetable, fruit and nut operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1089.0	16.7	1089.0	16.7
South	3779.5	57.8	4868.5	74.5
Midwest	650.7	10.0	5519.2	84.4
West	1018.7	15.6	6537.9	100.0

Table 2-44. National estimates of lost-time injuries by status of the injured worker for vegetable, fruit and nut operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3300.1	50.5	3300.1	50.5
Partner/family	407.4	6.2	3707.5	56.7
Hired labor	2286.8	35.0	5994.3	91.7
Other	543.6	8.3	6537.9	100.0

Table 2-45. National estimates of lost-time injuries by gender for vegetable, fruit and nut operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	6068.1	92.8	6068.1	92.8
Female	469.8	7.2	6537.9	100.0

Table 2-46. National estimates of lost-time injuries by age group for vegetable, fruit and nut operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	73.9	1.1	73.9	1.1
20-29	1741.5	26.6	1815.4	27.8
30-39	683.0	10.4	2498.4	38.2
40-49	3650.1	55.8	6148.5	94.0
50-59	251.7	3.8	6400.2	97.9
>=70	137.7	2.1	6537.9	100.0

Table 2-47. National estimates of lost-time injuries by race or ethnic origin for vegetable, fruit and nut operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	4877.0	74.6	4877.0	74.6
Hispanic	1062.3	16.2	5939.3	90.8
Black	571.1	8.7	6510.4	99.6
Other	27.5	0.4	6537.9	100.0

Table 2-48. National estimates of lost-time injuries by month for vegetable, fruit and nut operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	536.6	8.2	536.6	8.2
March	27.5	0.4	564.1	8.6
April	413.8	6.3	977.9	15.0
May	245.6	3.8	1223.5	18.7
June	794.4	12.2	2017.9	30.9
July	1174.6	18.0	3192.5	48.8
August	674.3	10.3	3866.8	59.1
September	1363.7	20.9	5230.5	80.0
October	471.9	7.2	5702.4	87.2
November	808.0	12.4	6510.4	99.6
December	27.5	0.4	6537.9	100.0

Table 2-49. National estimates of lost-time injuries by severity of the injury for vegetable, fruit and nut operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5532.5	96.9	5532.5	96.9
Permanent	177.8	3.1	5710.3	100.0
(Frequency Missing = 827.6)				

Table 2-50. National estimates of lost-time injuries by whether professional medical attention was sought for vegetable, fruit and nut operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	177.8	2.7	177.8	2.7
Yes	5342.2	81.7	5520.0	84.4
No	1017.9	15.6	6537.9	100.0

Table 2-51. National estimates of lost-time injuries by body part injured for vegetable, fruit and nut operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	496.3	7.6	496.3	7.6
Eye	27.5	0.4	523.8	8.0
Chest/trunk	27.5	0.4	551.3	8.4
Back	1939.7	29.7	2491.0	38.1
Arm/shoulder	2067.4	31.6	4558.4	69.7
Finger	677.4	10.4	5235.8	80.1
Hand/wrist	844.2	12.9	6080.0	93.0
Leg/knee/hip	307.6	4.7	6387.6	97.7
Foot	122.8	1.9	6510.4	99.6
Other	27.5	0.4	6537.9	100.0

Table 2-52. National estimates of lost-time injuries by nature of the injury for vegetable, fruit and nut operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	718.9	11.0	718.9	11.0
Burn	413.8	6.3	1132.7	17.3
Cut	433.4	6.6	1566.1	24.0
Crush	129.8	2.0	1695.9	25.9
Fracture	402.9	6.2	2098.8	32.1
Puncture	678.2	10.4	2777.0	42.5
Sprain/strain	2728.0	41.7	5505.0	84.2
Other	1032.9	15.8	6537.9	100.0

Table 2-53. National estimates of lost-time injuries by type of event for vegetable, fruit and nut operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	122.8	1.9	122.8	1.9
Caught between	369.8	5.7	492.6	7.5
Caught under	27.5	0.4	520.1	8.0
Struck by/against	307.6	4.7	827.7	12.7
Struck by falling	27.5	0.4	855.2	13.1
Struck by flying	650.7	10.0	1505.9	23.0
Contact sharp obj.	184.8	2.8	1690.7	25.9
Fall, same level	591.6	9.0	2282.3	34.9
Fall, elevation	1059.8	16.2	3342.1	51.1
Overexertion	1694.1	25.9	5036.2	77.0
Contact electric	413.8	6.3	5450.0	83.4
Other	1087.9	16.6	6537.9	100.0

Table 2-54. National estimates of lost-time injuries by activity when injured for vegetable, fruit and nut operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	961.2	14.7	961.2	14.7
Machine maint.	1323.2	20.2	2284.4	34.9
Field work	1781.2	27.2	4065.6	62.2
Crop handling	1197.8	18.3	5263.4	80.5
Livestock handling	536.6	8.2	5800.0	88.7
Other	737.9	11.3	6537.9	100.0

Table 2-55. National estimates of lost-time injuries by source of injury for vegetable, fruit and nut operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	122.8	1.9	122.8	1.9
Machinery	1299.7	19.9	1422.5	21.8
Livestock	536.6	8.2	1959.1	30.0
Hand tool	626.1	9.6	2585.2	39.5
Power tool	27.5	0.4	2612.7	40.0
Plant/tree	1001.1	15.3	3613.8	55.3
Working surface	788.3	12.1	4402.1	67.3
Truck/auto	55.0	0.8	4457.1	68.2
Other vehicle	73.9	1.1	4531.0	69.3
Other	2006.9	30.7	6537.9	100.0

Table 2-56. National estimates of lost-time injuries by region of the U.S. for nursery operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	376.5	5.2	376.5	5.2
South	1427.1	19.7	1803.6	24.9
Midwest	1487.4	20.6	3291.0	45.5
West	3938.7	54.5	7229.7	100.0

Table 2-57. National estimates of lost-time injuries by status of the injured worker for nursery operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	967.2	13.4	967.2	13.4
Hired labor	6262.5	86.6	7229.7	100.0

Table 2-58. National estimates of lost-time injuries by gender for nursery operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	6595.5	91.2	6595.5	91.2
Female	634.2	8.8	7229.7	100.0

Table 2-59. National estimates of lost-time injuries by age group for nursery operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	125.5	1.7	125.5	1.7
20-29	3337.5	46.2	3463.0	47.9
30-39	1597.6	22.1	5060.6	70.0
40-49	1836.1	25.4	6896.7	95.4
>=70	333.0	4.6	7229.7	100.0

Table 2-60. National estimates of lost-time injuries by race or ethnic origin for nursery operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2815.8	38.9	2815.8	38.9
Hispanic	4413.9	61.1	7229.7	100.0

Table 2-61. National estimates of lost-time injuries by month for nursery operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1201.9	16.6	1201.9	16.6
February	125.5	1.7	1327.4	18.4
March	634.2	8.8	1961.6	27.1
April	1156.6	16.0	3118.2	43.1
July	1646.4	22.8	4764.6	65.9
August	2006.6	27.8	6771.2	93.7
September	458.5	6.3	7229.7	100.0

Table 2-62. National estimates of lost-time injuries by severity of the injury for nursery operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	7229.7	100.0	7229.7	100.0

Table 2-63. National estimates of lost-time injuries by whether professional medical attention was sought for nursery operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	6421.5	88.8	6421.5	88.8
No	808.2	11.2	7229.7	100.0

Table 2-64. National estimates of lost-time injuries by body part injured for nursery operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3088.8	42.7	3088.8	42.7
Eye	348.4	4.8	3437.2	47.5
Back	1452.9	20.1	4890.1	67.6
Leg/knee/hip	1137.7	15.7	6027.8	83.4
Toe	1201.9	16.6	7229.7	100.0

Table 2-65. National estimates of lost-time injuries by nature of the injury for nursery operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cut	1567.9	21.7	1567.9	21.7
Fracture	1201.9	16.6	2769.8	38.3
Sprain/strain	2465.1	34.1	5234.9	72.4
Other	1994.8	27.6	7229.7	100.0

Table 2-66. National estimates of lost-time injuries by type of event for nursery operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Struck by falling	1836.1	25.4	1836.1	25.4
Struck by flying	348.4	4.8	2184.5	30.2
Contact sharp obj.	933.7	12.9	3118.2	43.1
Fall, same level	1012.2	14.0	4130.4	57.1
Overexertion	1327.4	18.4	5457.8	75.5
Other	1771.9	24.5	7229.7	100.0

Table 2-67. National estimates of lost-time injuries by activity when injured for nursery operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1785.9	24.7	1785.9	24.7
Machine maint.	2515.3	34.8	4301.2	59.5
Field work	2120.3	29.3	6421.5	88.8
Other	808.2	11.2	7229.7	100.0

Table 2-68. National estimates of lost-time injuries by source of injury for nursery operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Power tool	348.4	4.8	348.4	4.8
Plant/tree	458.5	6.3	806.9	11.2
Working surface	679.2	9.4	1486.1	20.6
Other vehicle	125.5	1.7	1611.6	22.3
Other	5618.1	77.7	7229.7	100.0

Table 2-69. National estimates of lost-time injuries by region of the U.S. for beef, hogs and sheep operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1453.9	3.3	1453.9	3.3
South	6878.4	15.5	8332.3	18.7
Midwest	23447.1	52.7	31779.4	71.5
West	12679.4	28.5	44458.8	100.0

Table 2-70. National estimates of lost-time injuries by status of the injured worker for beef, hogs and sheep operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	32033.9	72.1	32033.9	72.1
Partner/family	3016.7	6.8	35050.6	78.8
Hired labor	6607.2	14.9	41657.8	93.7
Unpaid nonfamily	1295.3	2.9	42953.1	96.6
Other	1505.7	3.4	44458.8	100.0

Table 2-71. National estimates of lost-time injuries by gender for beef, hogs and sheep operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	39257.4	88.3	39257.4	88.3
Female	5201.4	11.7	44458.8	100.0

Table 2-72. National estimates of lost-time injuries by age group for beef, hogs and sheep operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	705.1	1.6	705.1	1.6
10-19	4976.6	11.3	5681.7	12.9
20-29	3800.8	8.6	9482.5	21.4
30-39	7615.7	17.2	17098.2	38.7
40-49	10082.7	22.8	27180.9	61.5
50-59	6441.5	14.6	33622.4	76.0
60-69	7519.8	17.0	41142.2	93.1
>=70	3072.8	6.9	44215.0	100.0
(Frequency Missing = 243.8)				

Table 2-73. National estimates of lost-time injuries by race or ethnic origin for beef, hogs and sheep operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	43526.2	97.9	43526.2	97.9
Hispanic	447.2	1.0	43973.4	98.9
American Indian	485.4	1.1	44458.8	100.0

Table 2-74. National estimates of lost-time injuries by month for beef, hogs and sheep operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3537.8	8.0	3537.8	8.0
February	1337.5	3.0	4875.3	11.0
March	3196.5	7.2	8071.8	18.2
April	3429.7	7.7	11501.5	25.9
May	3999.3	9.0	15500.8	34.9
June	2072.0	4.7	17572.8	39.5
July	5388.1	12.1	22960.9	51.6
August	8289.6	18.6	31250.5	70.3
September	1711.1	3.8	32961.6	74.1
October	4224.2	9.5	37185.8	83.6
November	3436.7	7.7	40622.5	91.4
December	3836.3	8.6	44458.8	100.0

Table 2-75. National estimates of lost-time injuries by severity of the injury for beef, hogs and sheep operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	43714.3	98.3	43714.3	98.3
Permanent	744.5	1.7	44458.8	100.0

Table 2-76. National estimates of lost-time injuries by whether professional medical attention was sought for beef, hogs and sheep operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	744.5	1.7	744.5	1.7
Yes	39454.5	90.4	40199.0	92.1
No	3444.3	7.9	43643.3	100.0
(Frequency Missing = 815.5)				

Table 2-77. National estimates of lost-time injuries by body part injured for beef, hogs and sheep operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3222.8	7.2	3222.8	7.2
Eye	379.1	0.9	3601.9	8.1
Chest/trunk	1375.5	3.1	4977.4	11.2
Back	7393.0	16.6	12370.4	27.8
Arm/shoulder	3869.0	8.7	16239.4	36.5
Finger	5489.5	12.3	21728.9	48.9
Hand/wrist	5783.8	13.0	27512.7	61.9
Leg/knee/hip	8614.6	19.4	36127.3	81.3
Toe	710.4	1.6	36837.7	82.9
Foot	4540.5	10.2	41378.2	93.1
Mult. parts	2415.7	5.4	43793.9	98.5
Other	664.9	1.5	44458.8	100.0

Table 2-78. National estimates of lost-time injuries by nature of the injury for beef, hogs and sheep operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	270.7	0.6	270.7	0.6
Bruise	3588.4	8.1	3859.1	8.7
Burn	1366.7	3.1	5225.8	11.8
Cut	7375.2	16.6	12601.0	28.3
Crush	3681.1	8.3	16282.1	36.6
Fracture	10691.5	24.0	26973.6	60.7
Poisoning	163.6	0.4	27137.2	61.0
Puncture	2091.8	4.7	29229.0	65.7
Sprain/strain	10006.5	22.5	39235.5	88.3
Electric shock	573.9	1.3	39809.4	89.5
Mult. injury	1501.1	3.4	41310.5	92.9
Other	3148.3	7.1	44458.8	100.0

Table 2-79. National estimates of lost-time injuries by type of event for beef, hogs and sheep operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2075.2	4.7	2075.2	4.7
Caught between	4649.2	10.5	6724.4	15.1
Caught under	2083.9	4.7	8808.3	19.8
Struck by/against	4527.5	10.2	13335.8	30.0
Struck by falling	2008.1	4.5	15343.9	34.5
Struck by flying	1025.1	2.3	16369.0	36.8
Contact sharp obj.	4313.0	9.7	20682.0	46.5
Fall, same level	5347.1	12.0	26029.1	58.5
Fall, elevation	8614.2	19.4	34643.3	77.9
Overexertion	2567.9	5.8	37211.2	83.7
Contact electric	573.9	1.3	37785.1	85.0
Other	6673.7	15.0	44458.8	100.0

Table 2-80. National estimates of lost-time injuries by activity when injured for beef, hogs and sheep operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	7367.8	16.6	7367.8	16.6
Machine maint.	5137.0	11.6	12504.8	28.1
Field work	4442.5	10.0	16947.3	38.1
Crop handling	4043.5	9.1	20990.8	47.2
Livestock handling	17190.0	38.7	38180.8	85.9
Other	6278.0	14.1	44458.8	100.0

Table 2-81. National estimates of lost-time injuries by source of injury for beef, hogs and sheep operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2353.4	5.3	2353.4	5.3
Machinery	6610.5	14.9	8963.9	20.2
Livestock	12303.3	27.7	21267.2	47.8
Hand tool	1100.7	2.5	22367.9	50.3
Power tool	1715.6	3.9	24083.5	54.2
Pesticide/chem.	573.9	1.3	24657.4	55.5
Plant/tree	612.3	1.4	25269.7	56.8
Working surface	4315.7	9.7	29585.4	66.5
Truck/auto	2593.0	5.8	32178.4	72.4
Other vehicle	906.5	2.0	33084.9	74.4
Liquids	1560.7	3.5	34645.6	77.9
Other	9813.2	22.1	44458.8	100.0

Table 2-82. National estimates of lost-time injuries by region of the U.S. for poultry operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	108.6	7.8	108.6	7.8
South	1291.6	92.2	1400.2	100.0

Table 2-83. National estimates of lost-time injuries by status of the injured worker for poultry operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	72.4	5.2	72.4	5.2
Hired labor	682.0	48.7	754.4	53.9
Other	645.8	46.1	1400.2	100.0

Table 2-84. National estimates of lost-time injuries by gender for poultry operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1400.2	100.0	1400.2	100.0

Table 2-85. National estimates of lost-time injuries by age group for poultry operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30-39	645.8	46.1	645.8	46.1
40-49	36.2	2.6	682.0	48.7
50-59	645.8	46.1	1327.8	94.8
60-69	72.4	5.2	1400.2	100.0

Table 2-86. National estimates of lost-time injuries by race or ethnic origin for poultry operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1400.2	100.0	1400.2	100.0

Table 2-87. National estimates of lost-time injuries by month for poultry operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
April	36.2	2.6	36.2	2.6
June	682.0	48.7	718.2	51.3
September	36.2	2.6	754.4	53.9
November	645.8	46.1	1400.2	100.0

Table 2-88. National estimates of lost-time injuries by severity of the injury for poultry operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1400.2	100.0	1400.2	100.0

Table 2-89. National estimates of lost-time injuries by whether professional medical attention was sought for poultry operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1364.0	97.4	1364.0	97.4
No	36.2	2.6	1400.2	100.0

Table 2-90. National estimates of lost-time injuries by body part injured for poultry operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	645.8	46.1	645.8	46.1
Back	36.2	2.6	682.0	48.7
Finger	645.8	46.1	1327.8	94.8
Toe	36.2	2.6	1364.0	97.4
Mult. parts	36.2	2.6	1400.2	100.0

Table 2-91. National estimates of lost-time injuries by nature of the injury for poultry operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	36.2	2.6	36.2	2.6
Crush	645.8	46.1	682.0	48.7
Mult. injury	36.2	2.6	718.2	51.3
Other	682.0	48.7	1400.2	100.0

Table 2-92. National estimates of lost-time injuries by type of event for poultry operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	645.8	46.1	645.8	46.1
Struck by/against	36.2	2.6	682.0	48.7
Struck by falling	36.2	2.6	718.2	51.3
Struck by flying	645.8	46.1	1364.0	97.4
Overexertion	36.2	2.6	1400.2	100.0

Table 2-93. National estimates of lost-time injuries by activity when injured for poultry operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	682.0	48.7	682.0	48.7
Machine maint.	72.4	5.2	754.4	53.9
Other	645.8	46.1	1400.2	100.0

Table 2-94. National estimates of lost-time injuries by source of injury for poultry operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	36.2	2.6	36.2	2.6
Machinery	682.0	48.7	718.2	51.3
Other	682.0	48.7	1400.2	100.0

Table 2-95. National estimates of lost-time injuries by region of the U.S. for dairy operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	4552.9	25.5	4552.9	25.5
South	1729.9	9.7	6282.8	35.2
Midwest	9010.4	50.5	15293.2	85.8
West	2533.0	14.2	17826.2	100.0

Table 2-96. National estimates of lost-time injuries by status of the injured worker for dairy operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	13317.2	74.7	13317.2	74.7
Partner/family	1649.0	9.3	14966.2	84.0
Hired labor	2860.0	16.0	17826.2	100.0

Table 2-97. National estimates of lost-time injuries by gender for dairy operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	16043.4	90.0	16043.4	90.0
Female	1782.8	10.0	17826.2	100.0

Table 2-98. National estimates of lost-time injuries by age group for dairy operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1398.4	7.8	1398.4	7.8
20-29	2388.8	13.4	3787.2	21.2
30-39	2845.0	16.0	6632.2	37.2
40-49	3026.4	17.0	9658.6	54.2
50-59	2089.3	11.7	11747.9	65.9
60-69	3619.0	20.3	15366.9	86.2
>=70	2459.3	13.8	17826.2	100.0

Table 2-99. National estimates of lost-time injuries by race or ethnic origin for dairy operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	17538.5	98.4	17538.5	98.4
Hispanic	287.7	1.6	17826.2	100.0

Table 2-100. National estimates of lost-time injuries by month for dairy operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	455.4	2.6	455.4	2.6
February	970.8	5.4	1426.2	8.0
March	20.6	0.1	1446.8	8.1
April	3665.9	20.6	5112.7	28.7
May	3876.5	21.7	8989.2	50.4
June	1357.4	7.6	10346.6	58.0
July	2747.0	15.4	13093.6	73.5
August	227.7	1.3	13321.3	74.7
September	227.7	1.3	13549.0	76.0
October	1002.1	5.6	14551.1	81.6
November	1649.0	9.3	16200.1	90.9
December	1626.1	9.1	17826.2	100.0

Table 2-101. National estimates of lost-time injuries by severity of the injury for dairy operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	16853.3	94.5	16853.3	94.5
Permanent	972.9	5.5	17826.2	100.0

Table 2-102. National estimates of lost-time injuries by whether professional medical attention was sought for dairy operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	972.9	5.5	972.9	5.5
Yes	12333.2	69.2	13306.1	74.6
No	4520.1	25.4	17826.2	100.0

Table 2-103. National estimates of lost-time injuries by body part injured for dairy operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	387.6	2.2	387.6	2.2
Eye	703.7	3.9	1091.3	6.1
Chest/trunk	526.1	3.0	1617.4	9.1
Back	1012.3	5.7	2629.7	14.8
Arm/shoulder	4433.8	24.9	7063.5	39.6
Finger	1584.9	8.9	8648.4	48.5
Hand/wrist	20.6	0.1	8669.0	48.6
Leg/knee/hip	6330.9	35.5	14999.9	84.1
Toe	20.6	0.1	15020.5	84.3
Foot	1150.1	6.5	16170.6	90.7
Mult. parts	1179.6	6.6	17350.2	97.3
Other	476.0	2.7	17826.2	100.0

Table 2-104. National estimates of lost-time injuries by nature of the injury for dairy operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	227.7	1.3	227.7	1.3
Asphyxiation	227.7	1.3	455.4	2.6
Bruise	5070.8	28.4	5526.2	31.0
Burn	546.7	3.1	6072.9	34.1
Cut	1220.7	6.8	7293.6	40.9
Crush	1129.5	6.3	8423.1	47.3
Fracture	2798.9	15.7	11222.0	63.0
Puncture	1357.2	7.6	12579.2	70.6
Sprain/strain	2629.2	14.7	15208.4	85.3
Mult. injury	1417.2	8.0	16625.6	93.3
Other	1200.6	6.7	17826.2	100.0

Table 2-105. National estimates of lost-time injuries by type of event for dairy operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	268.9	1.5	268.9	1.5
Caught between	1584.9	8.9	1853.8	10.4
Caught under	592.1	3.3	2445.9	13.7
Struck by/against	5494.0	30.8	7939.9	44.5
Struck by falling	120.5	0.7	8060.4	45.2
Struck by flying	526.1	3.0	8586.5	48.2
Contact sharp obj.	2081.3	11.7	10667.8	59.8
Fall, same level	1715.5	9.6	12383.3	69.5
Fall, elevation	1513.9	8.5	13897.2	78.0
Overexertion	683.1	3.8	14580.3	81.8
Other	3245.9	18.2	17826.2	100.0

Table 2-106. National estimates of lost-time injuries by activity when injured for dairy operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1350.3	7.6	1350.3	7.6
Machine maint.	703.7	3.9	2054.0	11.5
Field work	4676.7	26.2	6730.7	37.8
Crop handling	558.4	3.1	7289.1	40.9
Livestock handling	9038.1	50.7	16327.2	91.6
Other	1499.0	8.4	17826.2	100.0

Table 2-107. National estimates of lost-time injuries by source of injury for dairy operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	455.4	2.6	455.4	2.6
Machinery	3721.2	20.9	4176.6	23.4
Livestock	6385.3	35.8	10561.9	59.2
Hand tool	496.6	2.8	11058.5	62.0
Power tool	476.3	2.7	11534.8	64.7
Pesticide/chem.	248.3	1.4	11783.1	66.1
Plant/tree	20.6	0.1	11803.7	66.2
Working surface	1250.2	7.0	13053.9	73.2
Truck/auto	476.0	2.7	13529.9	75.9
Other vehicle	464.3	2.6	13994.2	78.5
Other	3832.0	21.5	17826.2	100.0

Table 2-108. National estimates of lost-time injuries by region of the U.S. for other farm operations, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	450.2	25.5	450.2	25.5
South	364.4	20.6	814.6	46.1
Midwest	144.6	8.2	959.2	54.3
West	808.0	45.7	1767.2	100.0

Table 2-109. National estimates of lost-time injuries by status of the injured worker for other farm operations, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	778.0	44.0	778.0	44.0
Partner/family	42.6	2.4	820.6	46.4
Hired labor	885.4	50.1	1706.0	96.5
Other	61.2	3.5	1767.2	100.0

Table 2-110. National estimates of lost-time injuries by gender for other farm operations, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1547.6	87.6	1547.6	87.6
Female	219.6	12.4	1767.2	100.0

Table 2-111. National estimates of lost-time injuries by age group for other farm operations, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	59.0	3.3	59.0	3.3
10-19	67.6	3.8	126.6	7.2
20-29	333.4	18.9	460.0	26.0
30-39	212.0	12.0	672.0	38.0
40-49	211.4	12.0	883.4	50.0
50-59	454.6	25.7	1338.0	75.7
60-69	28.0	1.6	1366.0	77.3
>=70	401.2	22.7	1767.2	100.0

Table 2-112. National estimates of lost-time injuries by race or ethnic origin for other farm operations, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1736.6	98.3	1736.6	98.3
Other	30.6	1.7	1767.2	100.0

Table 2-113. National estimates of lost-time injuries by month for other farm operations, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	157.0	8.9	157.0	8.9
February	131.0	7.4	288.0	16.3
March	126.4	7.2	414.4	23.4
April	73.0	4.1	487.4	27.6
May	46.6	2.6	534.0	30.2
June	66.6	3.8	600.6	34.0
July	86.2	4.9	686.8	38.9
August	539.8	30.5	1226.6	69.4
September	173.6	9.8	1400.2	79.2
October	89.4	5.1	1489.6	84.3
December	277.6	15.7	1767.2	100.0

Table 2-114. National estimates of lost-time injuries by severity of the injury for other farm operations, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1617.6	91.5	1617.6	91.5
Permanent	149.6	8.5	1767.2	100.0

Table 2-115. National estimates of lost-time injuries by whether professional medical attention was sought for other farm operations, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	149.6	8.5	149.6	8.5
Yes	1302.2	73.7	1451.8	82.2
No	315.4	17.8	1767.2	100.0

Table 2-116. National estimates of lost-time injuries by body part injured for other farm operations, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	42.6	2.4	42.6	2.4
Eye	88.4	5.0	131.0	7.4
Chest/trunk	316.4	17.9	447.4	25.3
Back	43.6	2.5	491.0	27.8
Arm/shoulder	142.4	8.1	633.4	35.8
Finger	59.0	3.3	692.4	39.2
Hand/wrist	217.0	12.3	909.4	51.5
Leg/knee/hip	221.6	12.5	1131.0	64.0
Foot	444.0	25.1	1575.0	89.1
Mult. parts	161.6	9.1	1736.6	98.3
Other	30.6	1.7	1767.2	100.0

Table 2-117. National estimates of lost-time injuries by nature of the injury for other farm operations, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	342.6	19.4	342.6	19.4
Cut	175.8	9.9	518.4	29.3
Crush	88.4	5.0	606.8	34.3
Fracture	234.4	13.3	841.2	47.6
Puncture	274.8	15.6	1116.0	63.2
Sprain/strain	429.6	24.3	1545.6	87.5
Mult. injury	131.0	7.4	1676.6	94.9
Other	90.6	5.1	1767.2	100.0

Table 2-118. National estimates of lost-time injuries by type of event for other farm operations, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	16.0	0.9	16.0	0.9
Caught between	45.4	2.6	61.4	3.5
Caught under	131.0	7.4	192.4	10.9
Struck by/against	642.2	36.3	834.6	47.2
Struck by falling	54.6	3.1	889.2	50.3
Struck by flying	30.6	1.7	919.8	52.0
Contact sharp obj.	104.8	5.9	1024.6	58.0
Fall, same level	216.0	12.2	1240.6	70.2
Fall, elevation	66.6	3.8	1307.2	74.0
Overexertion	296.4	16.8	1603.6	90.7
Other	163.6	9.3	1767.2	100.0

Table 2-119. National estimates of lost-time injuries by activity when injured for other farm operations, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	290.0	16.4	290.0	16.4
Machine maint.	154.4	8.7	444.4	25.1
Field work	407.4	23.1	851.8	48.2
Crop handling	30.6	1.7	882.4	49.9
Livestock handling	468.0	26.5	1350.4	76.4
Other	416.8	23.6	1767.2	100.0

Table 2-120. National estimates of lost-time injuries by source of injury for other farm operations, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	57.4	3.2	57.4	3.2
Machinery	150.0	8.5	207.4	11.7
Livestock	468.0	26.5	675.4	38.2
Hand tool	74.2	4.2	749.6	42.4
Power tool	157.0	8.9	906.6	51.3
Plant/tree	126.4	7.2	1033.0	58.5
Working surface	101.6	5.7	1134.6	64.2
Other	632.6	35.8	1767.2	100.0

Table 2-121. National estimates of lost-time injuries by region of the U.S. for family workers, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	6189.3	6.9	6189.3	6.9
South	16509.9	18.5	22699.2	25.5
Midwest	50721.5	56.9	73420.7	82.4
West	15724.3	17.6	89145.0	100.0

Table 2-122. National estimates of lost-time injuries by farm type for family workers, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	21324.7	23.9	21324.7	23.9
Field crops	12235.8	13.7	33560.5	37.6
Vegetable, fruit, nuts	3707.5	4.2	37268.0	41.8
Nursery	967.2	1.1	38235.2	42.9
Beef, hogs, sheep	35050.6	39.3	73285.8	82.2
Poultry	72.4	0.1	73358.2	82.3
Dairy	14966.2	16.8	88324.4	99.1
Other farms	820.6	0.9	89145.0	100.0

Table 2-123. National estimates of lost-time injuries by gender for family workers, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	80629.0	90.4	80629.0	90.4
Female	8516.0	9.6	89145.0	100.0

Table 2-124. National estimates of lost-time injuries by age group for family workers, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	764.1	0.9	764.1	0.9
10-19	4506.5	5.1	5270.6	5.9
20-29	5373.9	6.0	10644.5	11.9
30-39	15974.9	17.9	26619.4	29.9
40-49	20964.6	23.5	47584.0	53.4
50-59	15032.8	16.9	62616.8	70.3
60-69	16141.5	18.1	78758.3	88.4
>=70	10350.5	11.6	89108.8	100.0
(Frequency Missing = 36.2)				

Table 2-125. National estimates of lost-time injuries by race or ethnic origin for family workers, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	88147.3	98.9	88147.3	98.9
Hispanic	231.4	0.3	88378.7	99.1
Black	129.8	0.1	88508.5	99.3
American Indian	605.9	0.7	89114.4	100.0
Other	30.6	0.0	89145.0	100.0

Table 2-126. National estimates of lost-time injuries by month for family workers, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	4894.1	5.5	4894.1	5.5
February	2660.5	3.0	7554.6	8.5
March	6012.2	6.7	13566.8	15.2
April	7880.9	8.8	21447.7	24.1
May	7567.3	8.5	29015.0	32.5
June	5657.9	6.3	34672.9	38.9
July	8224.4	9.2	42897.3	48.1
August	11562.9	13.0	54460.2	61.1
September	9712.8	10.9	64173.0	72.0
October	8286.2	9.3	72459.2	81.3
November	8273.0	9.3	80732.2	90.6
December	8412.8	9.4	89145.0	100.0

Table 2-127. National estimates of lost-time injuries by severity of injury for family workers, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	86113.1	97.0	86113.1	97.0
Permanent	2581.9	2.9	88695.0	100.0
Fatality	36.2	0.0	88731.2	100.0
(Frequency Missing = 413.8)				

Table 2-128. National estimates of lost-time injuries by whether professional medical attention was sought for family workers, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	2618.1	3.0	2618.1	3.0
Yes	71787.7	81.3	74405.8	84.2
No	13923.7	15.8	88329.5	100.0
(Frequency Missing = 815.5)				

Table 2-129. National estimates of lost-time injuries by body part injured for family workers, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	5684.2	6.4	5684.2	6.4
Eye	2516.7	2.8	8200.9	9.2
Chest/trunk	3445.9	3.9	11646.8	13.1
Back	16684.1	18.7	28330.9	31.8
Arm/shoulder	10216.1	11.5	38547.0	43.2
Finger	9397.6	10.5	47944.6	53.8
Hand/wrist	7034.2	7.9	54978.8	61.7
Leg/knee/hip	19831.9	22.2	74810.7	83.9
Toe	2111.8	2.4	76922.5	86.3
Foot	6340.9	7.1	83263.4	93.4
Mult. parts	3639.0	4.1	86902.4	97.5
Other	2242.6	2.5	89145.0	100.0

Table 2-130. National estimates of lost-time injuries by nature of injury for family workers, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	498.4	0.6	498.4	0.6
Asphyxiation	227.7	0.3	726.1	0.8
Bruise	12185.9	13.8	12912.0	14.6
Burn	2452.3	2.8	15364.3	17.3
Cut	12331.1	13.9	27695.4	31.3
Crush	7037.3	7.9	34732.7	39.2
Fracture	23144.5	26.1	57877.2	65.3
Poisoning	145.7	0.2	58022.9	65.5
Puncture	4486.5	5.1	62509.4	70.6
Sprain/strain	18065.7	20.4	80575.1	91.0
Electric shock	573.9	0.6	81149.0	91.6
Mult. injury	1864.9	2.1	83013.9	93.7
Other	5568.1	6.3	88582.0	100.0

(Frequency Missing = 563)

Table 2-131. National estimates of lost-time injuries by type of event for family workers, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3609.4	4.1	3609.4	4.1
Caught between	8543.4	9.6	12152.8	13.6
Caught under	4236.9	4.8	16389.7	18.4
Struck by/against	13751.8	15.4	30141.5	33.8
Struck by falling	4721.8	5.3	34863.3	39.1
Struck by flying	3289.4	3.7	38152.7	42.8
Contact sharp obj.	5489.3	6.2	43642.0	49.0
Fall, same level	7556.2	8.5	51198.2	57.5
Fall, elevation	16561.0	18.6	67759.2	76.1
Overexertion	7767.7	8.7	75526.9	84.8
Contact electric	987.7	1.1	76514.6	85.9
Other	12551.9	14.1	89066.5	100.0

(Frequency Missing = 78.5)

Table 2-132. National estimates of lost-time injuries by activity when worker was injured for family workers, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11492.6	12.9	11492.6	12.9
Machine maint.	12946.3	14.5	24438.9	27.4
Field work	13652.3	15.3	38091.2	42.7
Crop handling	13148.1	14.7	51239.3	57.5
Livestock handling	27525.3	30.9	78764.6	88.4
Other	10380.4	11.6	89145.0	100.0

Table 2-133. National estimates of lost-time injuries by source of the injury for family workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	4669.5	5.2	4669.5	5.2
Machinery	16608.2	18.6	21277.7	23.9
Livestock	20099.8	22.5	41377.5	46.4
Hand tool	3249.1	3.6	44626.6	50.1
Power tool	2840.1	3.2	47466.7	53.2
Pesticide/chem.	227.7	0.3	47694.4	53.5
Plant/tree	2904.5	3.3	50598.9	56.8
Working surface	6176.1	6.9	56775.0	63.7
Truck/auto	3449.0	3.9	60224.0	67.6
Other vehicle	2859.0	3.2	63083.0	70.8
Liquids	1560.7	1.8	64643.7	72.5
Other	24501.3	27.5	89145.0	100.0

Table 2-134. National estimates of lost-time injuries by region of the U.S. for hired workers, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	2388.9	8.2	2388.9	8.2
South	4099.8	14.0	6488.7	22.2
Midwest	10276.3	35.1	16765.0	57.3
West	12502.4	42.7	29267.4	100.0

Table 2-135. National estimates of lost-time injuries by farm type for hired workers, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	6116.4	20.9	6116.4	20.9
Field crops	2271.8	7.8	8388.2	28.7
Vegetable, fruit, nuts	2286.8	7.8	10675.0	36.5
Nursery	6262.5	21.4	16937.5	57.9
Beef, hogs, sheep	7902.5	27.0	24840.0	84.9
Poultry	682.0	2.3	25522.0	87.2
Dairy	2860.0	9.8	28382.0	97.0
Other farms	885.4	3.0	29267.4	100.0

Table 2-136. National estimates of lost-time injuries by gender for hired workers, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	27395.1	93.6	27395.1	93.6
Female	1872.3	6.4	29267.4	100.0

Table 2-137. National estimates of lost-time injuries by age group for hired workers, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	3147.4	10.8	3147.4	10.8
20-29	7790.4	26.8	10937.8	37.7
30-39	8229.3	28.4	19167.1	66.0
40-49	7035.6	24.2	26202.7	90.3
50-59	1372.8	4.7	27575.5	95.0
60-69	1329.1	4.6	28904.6	99.6
>=70	119.0	0.4	29023.6	100.0
(Frequency Missing = 243.8)				

Table 2-138. National estimates of lost-time injuries by race or ethnic origin for hired workers, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	21991.4	75.1	21991.4	75.1
Hispanic	7138.4	24.4	29129.8	99.5
Black	110.1	0.4	29239.9	99.9
Other	27.5	0.1	29267.4	100.0

Table 2-139. National estimates of lost-time injuries by month for hired workers, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3095.9	10.6	3095.9	10.6
February	833.9	2.8	3929.8	13.4
March	533.3	1.8	4463.1	15.2
April	3265.1	11.2	7728.2	26.4
May	3204.7	10.9	10932.9	37.4
June	2907.7	9.9	13840.6	47.3
July	4294.1	14.7	18134.7	62.0
August	4826.5	16.5	22961.2	78.5
September	1523.0	5.2	24484.2	83.7
October	2574.7	8.8	27058.9	92.5
November	1359.2	4.6	28418.1	97.1
December	849.3	2.9	29267.4	100.0

Table 2-140. National estimates of lost-time injuries by severity of the injury for hired workers, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	27972.3	95.6	27972.3	95.6
Permanent	532.6	1.8	28504.9	97.4
Fatality	762.5	2.6	29267.4	100.0

Table 2-141. National estimates of lost-time injuries by whether professional medical attention was sought for hired workers, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1295.1	4.4	1295.1	4.4
Yes	25006.2	85.4	26301.3	89.9
No	2966.1	10.1	29267.4	100.0

Table 2-142. National estimates of lost-time injuries by body part injured for hired workers, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3633.4	12.4	3633.4	12.4
Eye	1407.5	4.8	5040.9	17.2
Chest/trunk	1381.0	4.7	6421.9	21.9
Back	2387.8	8.2	8809.7	30.1
Arm/shoulder	3608.4	12.3	12418.1	42.4
Finger	3501.7	12.0	15919.8	54.4
Hand/wrist	3200.2	10.9	19120.0	65.3
Leg/knee/hip	5184.3	17.7	24304.3	83.0
Toe	1260.9	4.3	25565.2	87.4
Foot	1373.9	4.7	26939.1	92.0
Mult. parts	1824.2	6.2	28763.3	98.3
Other	504.1	1.7	29267.4	100.0

Table 2-143. National estimates of lost-time injuries by nature of injury for hired workers, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2719.2	9.3	2719.2	9.3
Burn	59.0	0.2	2778.2	9.5
Cut	5364.7	18.4	8142.9	27.9
Crush	1463.9	5.0	9606.8	32.9
Fracture	3616.4	12.4	13223.2	45.3
Poisoning	163.6	0.6	13386.8	45.9
Puncture	1560.4	5.3	14947.2	51.2
Sprain/strain	7329.8	25.1	22277.0	76.3
Electric shock	42.3	0.1	22319.3	76.5
Mult. injury	1784.6	6.1	24103.9	82.6
Other	5080.9	17.4	29184.8	100.0

(Frequency Missing = 82.6)

Table 2-144. National estimates of lost-time injuries by type of event for hired workers, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	604.7	2.1	604.7	2.1
Caught between	2966.8	10.1	3571.5	12.2
Caught under	2514.5	8.6	6086.0	20.8
Struck by/against	4396.8	15.0	10482.8	35.8
Struck by falling	1669.7	5.7	12152.5	41.5
Struck by flying	1402.4	4.8	13554.9	46.3
Contact sharp obj.	3198.0	10.9	16752.9	57.2
Fall, same level	4152.1	14.2	20905.0	71.4
Fall, elevation	1460.6	5.0	22365.6	76.4
Overexertion	2573.3	8.8	24938.9	85.2
Contact electric	42.3	0.1	24981.2	85.4
Other	4286.2	14.6	29267.4	100.0

Table 2-145. National estimates of lost-time injuries by activity when worker was injured for hired workers, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4221.0	14.4	4221.0	14.4
Machine maint.	4577.0	15.6	8798.0	30.1
Field work	6156.2	21.0	14954.2	51.1
Crop handling	3667.9	12.5	18622.1	63.6
Livestock handling	6238.0	21.3	24860.1	84.9
Other	4407.3	15.1	29267.4	100.0

Table 2-146. National estimates of lost-time injuries by source of the injury for hired workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1075.4	3.7	1075.4	3.7
Machinery	5841.5	20.0	6916.9	23.6
Livestock	3528.1	12.1	10445.0	35.7
Hand tool	917.3	3.1	11362.3	38.8
Power tool	739.2	2.5	12101.5	41.3
Pesticide/chem.	594.5	2.0	12696.0	43.4
Plant/tree	125.5	0.4	12821.5	43.8
Working surface	3687.4	12.6	16508.9	56.4
Truck/auto	1254.6	4.3	17763.5	60.7
Other vehicle	1151.0	3.9	18914.5	64.6
Liquids	38.4	0.1	18952.9	64.8
Other	10314.5	35.2	29267.4	100.0

Table 2-147. National estimates of lost-time injuries by region of the U.S. for other workers, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	259.1	7.4	259.1	7.4
South	1510.4	42.9	1769.5	50.2
Midwest	1754.8	49.8	3524.3	100.0

Table 2-148. National estimates of lost-time injuries by farm type for other workers, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	768.0	21.8	768.0	21.8
Vegetable, fruit, nuts	543.6	15.4	1311.6	37.2
Beef, hogs, sheep	1505.7	42.7	2817.3	79.9
Poultry	645.8	18.3	3463.1	98.3
Other farms	61.2	1.7	3524.3	100.0

Table 2-149. National estimates of lost-time injuries by gender for other workers, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	3493.7	99.1	3493.7	99.1
Female	30.6	0.9	3524.3	100.0

Table 2-150. National estimates of lost-time injuries by age group for other workers, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1754.8	49.8	1754.8	49.8
30-39	546.3	15.5	2301.1	65.3
40-49	413.8	11.7	2714.9	77.0
50-59	809.4	23.0	3524.3	100.0

Table 2-151. National estimates of lost-time injuries by race or ethnic origin for other workers, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2980.7	84.6	2980.7	84.6
Hispanic	129.8	3.7	3110.5	88.3
Black	413.8	11.7	3524.3	100.0

Table 2-152. National estimates of lost-time injuries by month for other workers, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	986.8	28.0	986.8	28.0
May	143.6	4.1	1130.4	32.1
June	413.8	11.7	1544.2	43.8
July	307.2	8.7	1851.4	52.5
September	129.8	3.7	1981.2	56.2
October	798.6	22.7	2779.8	78.9
November	645.8	18.3	3425.6	97.2
December	98.7	2.8	3524.3	100.0

Table 2-153. National estimates of lost-time injuries by severity of the injury for other workers, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	3079.9	99.0	3079.9	99.0
Permanent	30.6	1.0	3110.5	100.0
(Frequency Missing = 413.8)				

Table 2-154. National estimates of lost-time injuries by whether professional medical attention was sought for other workers, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	30.6	0.9	30.6	0.9
Yes	3079.9	87.4	3110.5	88.3
No	413.8	11.7	3524.3	100.0

Table 2-155. National estimates of lost-time injuries by body part injured for other workers, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	986.8	28.0	986.8	28.0
Back	143.6	4.1	1130.4	32.1
Arm/shoulder	413.8	11.7	1544.2	43.8
Finger	775.6	22.0	2319.8	65.8
Hand/wrist	1075.2	30.5	3395.0	96.3
Leg/knee/hip	98.7	2.8	3493.7	99.1
Other	30.6	0.9	3524.3	100.0

Table 2-156. National estimates of lost-time injuries by nature of injury for other workers, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	413.8	11.7	413.8	11.7
Cut	231.7	6.6	645.5	18.3
Crush	919.2	26.1	1564.7	44.4
Sprain/strain	174.2	4.9	1738.9	49.3
Mult. injury	768.0	21.8	2506.9	71.1
Other	1017.4	28.9	3524.3	100.0

Table 2-157. National estimates of lost-time injuries by type of event for other workers, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	768.0	21.8	768.0	21.8
Caught between	939.2	26.6	1707.2	48.4
Caught under	143.6	4.1	1850.8	52.5
Contact sharp obj.	68.1	1.9	1918.9	54.4
Fall, same level	444.4	12.6	2363.3	67.1
Fall, elevation	986.8	28.0	3350.1	95.1
Other	174.2	4.9	3524.3	100.0

Table 2-158. National estimates of lost-time injuries by activity when injured for other workers, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machine maint.	143.6	4.1	143.6	4.1
Field work	897.8	25.5	1041.4	29.5
Crop handling	30.6	0.9	1072.0	30.4
Livestock handling	1707.8	48.5	2779.8	78.9
Other	744.5	21.1	3524.3	100.0

Table 2-159. National estimates of lost-time injuries by source of the injury for other workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	1041.4	29.5	1041.4	29.5
Livestock	721.0	20.5	1762.4	50.0
Power tool	68.1	1.9	1830.5	51.9
Truck/auto	986.8	28.0	2817.3	79.9
Other	707.0	20.1	3524.3	100.0

Table 2-160. National estimates of lost-time injuries by region of the U.S. for male workers, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	8042.7	7.2	8042.7	7.2
South	19205.2	17.2	27247.9	24.4
Midwest	59591.4	53.4	86839.3	77.9
West	24678.5	22.1	111517.8	100.0

Table 2-161. National estimates of lost-time injuries by farm type for male workers, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	26859.8	24.1	26859.8	24.1
Field crops	13745.8	12.3	40605.6	36.4
Vegetable, fruit, nuts	6068.1	5.4	46673.7	41.9
Nursery	6595.5	5.9	53269.2	47.8
Beef, hogs, sheep	39257.4	35.2	92526.6	83.0
Poultry	1400.2	1.3	93926.8	84.2
Dairy	16043.4	14.4	109970.2	98.6
Other farms	1547.6	1.4	111517.8	100.0

Table 2-162. National estimates of lost-time injuries by status of the injured worker for male workers, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	74393.3	66.7	74393.3	66.7
Partner/family	6235.7	5.6	80629.0	72.3
Hired labor	26122.4	23.4	106751.4	95.7
Unpaid nonfamily	1272.7	1.1	108024.1	96.9
Other	3493.7	3.1	111517.8	100.0

Table 2-163. National estimates of lost-time injuries by age group for male workers, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	236.3	0.2	236.3	0.2
10-19	8911.3	8.0	9147.6	8.2
20-29	12456.5	11.2	21604.1	19.4
30-39	22724.8	20.4	44328.9	39.9
40-49	25294.5	22.7	69623.4	62.6
50-59	14743.7	13.3	84367.1	75.8
60-69	16521.5	14.9	100888.6	90.7
>=70	10349.2	9.3	111237.8	100.0

(Frequency Missing = 280)

Table 2-164. National estimates of lost-time injuries by race or ethnic origin for male workers, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	102838.0	92.2	102838.0	92.2
Hispanic	7362.1	6.6	110200.1	98.8
Black	653.7	0.6	110853.8	99.4
American Indian	605.9	0.5	111459.7	99.9
Other	58.1	0.1	111517.8	100.0

Table 2-165. National estimates of lost-time injuries by month for male workers, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	8303.1	7.4	8303.1	7.4
February	3196.3	2.9	11499.4	10.3
March	5911.3	5.3	17410.7	15.6
April	9839.2	8.8	27249.9	24.4
May	10565.1	9.5	37815.0	33.9
June	7573.0	6.8	45388.0	40.7
July	11720.8	10.5	57108.8	51.2
August	15042.4	13.5	72151.2	64.7
September	10281.4	9.2	82432.6	73.9
October	10722.5	9.6	93155.1	83.5
November	10278.0	9.2	103433.1	92.8
December	8084.7	7.2	111517.8	100.0

Table 2-166. National estimates of lost-time injuries by severity of the injury for male workers, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	107507.8	97.1	107507.8	97.1
Permanent	3103.9	2.8	110611.7	99.9
Fatality	78.5	0.1	110690.2	100.0
(Frequency Missing = 827.6)				

Table 2-167. National estimates of lost-time injuries by whether professional medical attention was sought for male workers, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3182.4	2.9	3182.4	2.9
Yes	91697.9	82.8	94880.3	85.7
No	15822	14.3	110702.3	100.0
(Frequency Missing = 815.5)				

Table 2-168. National estimates of lost-time injuries by body part injured for male workers, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	8612.9	7.7	8612.9	7.7
Eye	3258.4	2.9	11871.3	10.6
Chest/trunk	4635.6	4.2	16506.9	14.8
Back	17453.4	15.7	33960.3	30.5
Arm/shoulder	13375.9	12.0	47336.2	42.4
Finger	13207.5	11.8	60543.7	54.3
Hand/wrist	10988.7	9.9	71532.4	64.1
Leg/knee/hip	22438.3	20.1	93970.7	84.3
Toe	3174.6	2.8	97145.3	87.1
Foot	6872.8	6.2	104018.1	93.3
Mult. parts	4743.0	4.3	108761.1	97.5
Other	2756.7	2.5	111517.8	100.0

Table 2-169. National estimates of lost-time injuries by nature of injury for male workers, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	498.4	0.4	498.4	0.4
Asphyxiation	227.7	0.2	726.1	0.7
Bruise	12928.7	11.6	13654.8	12.3
Burn	2283.6	2.0	15938.4	14.3
Cut	16701.4	15.0	32639.8	29.3
Crush	8260.5	7.4	40900.3	36.7
Fracture	24955.8	22.4	65856.1	59.1
Poisoning	309.3	0.3	66165.4	59.4
Puncture	6046.9	5.4	72212.3	64.8
Sprain/strain	23604.1	21.2	95816.4	86.0
Electric shock	42.3	0.0	95858.7	86.0
Mult. injury	4396.9	3.9	100255.6	90.0
Other	11179.6	10.0	111435.2	100.0

(Frequency Missing = 82.6)

Table 2-170. National estimates of lost-time injuries by type of event for male workers, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	4940.9	4.4	4940.9	4.4
Caught between	12339.3	11.1	17280.2	15.5
Caught under	5551.9	5.0	22832.1	20.5
Struck by/against	17292.3	15.5	40124.4	36.0
Struck by falling	4725.5	4.2	44849.9	40.2
Struck by flying	4312.7	3.9	49162.6	44.1
Contact sharp obj.	8484.7	7.6	57647.3	51.7
Fall, same level	11155.1	10.0	68802.4	61.7
Fall, elevation	16417.2	14.7	85219.6	76.4
Overexertion	9779.2	8.8	94998.8	85.2
Contact electric	456.1	0.4	95454.9	85.6
Other	16026.7	14.4	111481.6	100.0

(Frequency Missing = 36.2)

Table 2-171. National estimates of lost-time injuries by activity when worker was injured for male workers, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	14294.1	12.8	14294.1	12.8
Machine maint.	16135.1	14.5	30429.2	27.3
Field work	18363.5	16.5	48792.7	43.8
Crop handling	15299.2	13.7	64091.9	57.5
Livestock handling	33625.3	30.2	97717.2	87.6
Other	13800.6	12.4	111517.8	100.0

Table 2-172. National estimates of lost-time injuries by source of the injury for male workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	5517.2	4.9	5517.2	4.9
Machinery	22151.1	19.9	27668.3	24.8
Livestock	22989.8	20.6	50658.1	45.4
Hand tool	3924.8	3.5	54582.9	48.9
Power tool	3389.6	3.0	57972.5	52.0
Pesticide/chem.	594.5	0.5	58567.0	52.5
Plant/tree	2659.3	2.4	61226.3	54.9
Working surface	9021.5	8.1	70247.8	63.0
Truck/auto	4695.9	4.2	74943.7	67.2
Other vehicle	3253.6	2.9	78197.3	70.1
Liquids	1025.2	0.9	79222.5	71.0
Other	32295.3	29.0	111517.8	100.0

Table 2-173. National estimates of lost-time injuries by region of the U.S. for female workers, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	794.6	7.6	794.6	7.6
South	2914.9	28.0	3709.5	35.6
Midwest	3161.2	30.3	6870.7	65.9
West	3548.2	34.1	10418.9	100.0

Table 2-174. National estimates of lost-time injuries by farm type for female workers, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1349.3	13.0	1349.3	13.0
Field crops	761.8	7.3	2111.1	20.3
Vegetable, fruit, nuts	469.8	4.5	2580.9	24.8
Nursery	634.2	6.1	3215.1	30.9
Beef, hogs, sheep	5201.4	49.9	8416.5	80.8
Dairy	1782.8	17.1	10199.3	97.9
Other farms	219.6	2.1	10418.9	100.0

Table 2-175. National estimates of lost-time injuries by status of the injured worker for female workers, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	6979.5	67.0	6979.5	67.0
Partner/family	1536.5	14.7	8516.0	81.7
Hired labor	881.4	8.5	9397.4	90.2
Unpaid nonfamily	990.9	9.5	10388.3	99.7
Other	30.6	0.3	10418.9	100.0

Table 2-176. National estimates of lost-time injuries by age group for female workers, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	527.8	5.1	527.8	5.1
10-19	497.4	4.8	1025.2	9.8
20-29	707.8	6.8	1733.0	16.6
30-39	2025.7	19.4	3758.7	36.1
40-49	3119.5	29.9	6878.2	66.0
50-59	2471.3	23.7	9349.5	89.7
60-69	949.1	9.1	10298.6	98.8
>=70	120.3	1.2	10418.9	100.0

Table 2-177. National estimates of lost-time injuries by race or ethnic origin for female workers, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	10281.4	98.7	10281.4	98.7
Hispanic	137.5	1.3	10418.9	100.0

Table 2-178. National estimates of lost-time injuries by month for female workers, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	673.7	6.5	673.7	6.5
February	298.1	2.9	971.8	9.3
March	634.2	6.1	1606.0	15.4
April	1306.8	12.5	2912.8	28.0
May	350.5	3.4	3263.3	31.3
June	1406.4	13.5	4669.7	44.8
July	1104.9	10.6	5774.6	55.4
August	1347.0	12.9	7121.6	68.4
September	1084.2	10.4	8205.8	78.8
October	937.0	9.0	9142.8	87.8
December	1276.1	12.2	10418.9	100.0

Table 2-179. National estimates of lost-time injuries by severity of the injury for female workers, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	9657.5	92.7	9657.5	92.7
Permanent	41.2	0.4	9698.7	93.1
Fatality	720.2	6.9	10418.9	100.0

Table 2-180. National estimates of lost-time injuries by whether professional medical attention was sought for female workers, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	761.4	7.3	761.4	7.3
Yes	8175.9	78.5	8937.3	85.8
No	1481.6	14.2	10418.9	100.0

Table 2-181. National estimates of lost-time injuries by body part injured for female workers, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1691.5	16.2	1691.5	16.2
Eye	665.8	6.4	2357.3	22.6
Chest/trunk	191.3	1.8	2548.6	24.5
Back	1762.1	16.9	4310.7	41.4
Arm/shoulder	862.4	8.3	5173.1	49.7
Finger	467.4	4.5	5640.5	54.1
Hand/wrist	320.9	3.1	5961.4	57.2
Leg/knee/hip	2676.6	25.7	8638.0	82.9
Toe	198.1	1.9	8836.1	84.8
Foot	842.0	8.1	9678.1	92.9
Mult. parts	720.2	6.9	10398.3	99.8
Other	20.6	0.2	10418.9	100.0

Table 2-182. National estimates of lost-time injuries by nature of injury for female workers, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2390.2	24.3	2390.2	24.3
Burn	227.7	2.3	2617.9	26.6
Cut	1226.1	12.4	3844.0	39.0
Crush	1159.9	11.8	5003.9	50.8
Fracture	1805.1	18.3	6809.0	69.1
Sprain/strain	1965.6	19.9	8774.6	89.0
Electric shock	573.9	5.8	9348.5	94.9
Mult. injury	20.6	0.2	9369.1	95.1
Other	486.8	4.9	9855.9	100.0

(Frequency Missing = 563)

Table 2-183. National estimates of lost-time injuries by type of event for female workers, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	41.2	0.4	41.2	0.4
Caught between	110.1	1.1	151.3	1.5
Caught under	1343.1	12.9	1494.4	14.4
Struck by/against	856.3	8.3	2350.7	22.7
Struck by falling	1666.0	16.1	4016.7	38.7
Struck by flying	379.1	3.7	4395.8	42.4
Contact sharp obj.	270.7	2.6	4666.5	45.0
Fall, same level	997.6	9.6	5664.1	54.6
Fall, elevation	2591.2	25.0	8255.3	79.6
Overexertion	561.8	5.4	8817.1	85.0
Contact electric	573.9	5.5	9391.0	90.5
Other	985.6	9.5	10376.6	100.0

(Frequency Missing = 42.3)

Table 2-184. National estimates of lost-time injuries by activity when worker was injured for female workers, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1419.5	13.6	1419.5	13.6
Machine maint.	1531.8	14.7	2951.3	28.3
Field work	2342.8	22.5	5294.1	50.8
Crop handling	1547.4	14.9	6841.5	65.7
Livestock handling	1845.8	17.7	8687.3	83.4
Other	1731.6	16.6	10418.9	100.0

Table 2-185. National estimates of lost-time injuries by source of the injury for female workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	227.7	2.2	227.7	2.2
Machinery	1340.0	12.9	1567.7	15.0
Livestock	1359.1	13.0	2926.8	28.1
Hand tool	241.6	2.3	3168.4	30.4
Power tool	257.8	2.5	3426.2	32.9
Pesticide/chem.	227.7	2.2	3653.9	35.1
Plant/tree	370.7	3.6	4024.6	38.6
Working surface	842.0	8.1	4866.6	46.7
Truck/auto	994.5	9.5	5861.1	56.3
Other vehicle	756.4	7.3	6617.5	63.5
Liquids	573.9	5.5	7191.4	69.0
Other	3227.5	31.0	10418.9	100.0

Table 2-186. National estimates of lost-time injuries by region for workers <10 years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	295.3	38.6	295.3	38.6
West	468.8	61.4	764.1	100.0

Table 2-187. National estimates of lost-time injuries by farm type for workers <10 years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Beef,hogs,sheep	705.1	92.3	705.1	92.3
Other farms	59.0	7.7	764.1	100.0

Table 2-188. National estimates of lost-time injuries by status of injured worker for workers <10 years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	764.1	100.0	764.1	100.0

Table 2-189. National estimates of lost-time injuries by gender for workers <10 years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	236.3	30.9	236.3	30.9
Female	527.8	69.1	764.1	100.0

Table 2-190. National estimates of lost-time injuries by race or ethnic origin for workers <10 years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	764.1	100.0	764.1	100.0

Table 2-191. National estimates of lost-time injuries by month for workers <10 years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
August	329.7	43.1	329.7	43.1
October	434.4	56.9	764.1	100.0

Table 2-192. National estimates of lost-time injuries by severity of the injury for workers <10 years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	764.1	100.0	764.1	100.0

Table 2-193. National estimates of lost-time injuries by whether professional medical attention was sought for workers <10 years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	507.0	66.4	507.0	66.4
No	257.1	33.6	764.1	100.0

Table 2-194. National estimates of lost-time injuries by body part injured for workers <10 years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Chest/trunk	59.0	7.7	59.0	7.7
Toe	198.1	25.9	257.1	33.6
Foot	507.0	66.4	764.1	100.0

Table 2-195. National estimates of lost-time injuries by nature of the injury for workers <10 years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	59.0	7.7	59.0	7.7
Crush	198.1	25.9	257.1	33.6
Fracture	270.7	35.4	527.8	69.1
Puncture	236.3	30.9	764.1	100.0

Table 2-196. National estimates of lost-time injuries by type of event for workers <10 years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Struck by/against	59.0	7.7	59.0	7.7
Struck by falling	468.8	61.4	527.8	69.1
Contact sharp obj.	236.3	30.9	764.1	100.0

Table 2-197. National estimates of lost-time injuries by activity when injured for workers <10 years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machine maint.	468.8	61.4	468.8	61.4
Crop handling	236.3	30.9	705.1	92.3
Livestock handling	59.0	7.7	764.1	100.0

Table 2-198. National estimates of lost-time injuries by source of injury for workers <10 years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	468.8	61.4	468.8	61.4
Livestock	59.0	7.7	527.8	69.1
Other	236.3	30.9	764.1	100.0

Table 2-199. National estimates of lost-time injuries by region for workers 10-19 years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	642.7	6.8	642.7	6.8
South	1183.2	12.6	1825.9	19.4
Midwest	6051.0	64.3	7876.9	83.7
West	1531.8	16.3	9408.7	100.0

Table 2-200. National estimates of lost-time injuries by farm type for workers 10-19 years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1700.5	18.1	1700.5	18.1
Field crops	1066.2	11.3	2766.7	29.4
Vegetable, fruit, nuts	73.9	0.8	2840.6	30.2
Nursery	125.5	1.3	2966.1	31.5
Beef, hogs, sheep	4976.6	52.9	7942.7	84.4
Dairy	1398.4	14.9	9341.1	99.3
Other farms	67.6	0.7	9408.7	100.0

Table 2-201. National estimates of lost-time injuries by status of injured worker for workers 10-19 years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3585.0	38.1	3585.0	38.1
Partner/family	921.5	9.8	4506.5	47.9
Hired labor	3147.4	33.5	7653.9	81.3
Other	1754.8	18.7	9408.7	100.0

Table 2-202. National estimates of lost-time injuries by gender for workers 10-19 years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	8911.3	94.7	8911.3	94.7
Female	497.4	5.3	9408.7	100.0

Table 2-203. National estimates of lost-time injuries by race or ethnic origin for workers 10-19 years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	9288.2	98.7	9288.2	98.7
American Indian	120.5	1.3	9408.7	100.0

Table 2-204. National estimates of lost-time injuries by month for workers 10-19 years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	986.8	10.5	986.8	10.5
February	12.0	0.1	998.8	10.6
March	264.4	2.8	1263.2	13.4
April	1827.6	19.4	3090.8	32.9
May	328.1	3.5	3418.9	36.3
July	1208.3	12.8	4627.2	49.2
August	865.5	9.2	5492.7	58.4
September	1483.4	15.8	6976.1	74.1
October	1038.7	11.0	8014.8	85.2
December	1393.9	14.8	9408.7	100.0

Table 2- 205. National estimates of lost-time injuries by severity of the injury for workers 10-19 years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	9408.7	100.0	9408.7	100.0

Table 2-206. National estimates of lost-time injuries by whether professional medical attention was sought for workers 10-19 years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	7927.1	84.3	7927.1	84.3
No	1481.6	15.7	9408.7	100.0

Table 2-207. National estimates of lost-time injuries by body part injured for workers 10-19 years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	986.8	10.5	986.8	10.5
Eye	56.8	0.6	1043.6	11.1
Chest/trunk	132.5	1.4	1176.1	12.5
Back	264.4	2.8	1440.5	15.3
Arm/shoulder	73.9	0.8	1514.4	16.1
Finger	1584.6	16.8	3099.0	32.9
Hand/wrist	1991.6	21.2	5090.6	54.1
Leg/knee/hip	1850.5	19.7	6941.1	73.8
Foot	1969.2	20.9	8910.3	94.7
Other	498.4	5.3	9408.7	100.0

Table 2-208. National estimates of lost-time injuries by nature of the injury for workers 10-19 years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	329.7	3.5	329.7	3.5
Burn	20.6	0.2	350.3	3.7
Cut	2920.7	31.0	3271.0	34.8
Crush	801.6	8.5	4072.6	43.3
Fracture	559.2	5.9	4631.8	49.2
Puncture	1161.2	12.3	5793.0	61.6
Sprain/strain	1059.3	11.3	6852.3	72.8
Mult. injury	768.0	8.2	7620.3	81.0
Other	1788.4	19.0	9408.7	100.0

Table 2-209. National estimates of lost-time injuries by type of event for workers 10-19 years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2380.6	25.3	2380.6	25.3
Caught between	227.7	2.4	2608.3	27.7
Caught under	374.1	4.0	2982.4	31.7
Struck by/against	797.2	8.5	3779.6	40.2
Struck by falling	20.6	0.2	3800.2	40.4
Struck by flying	36.2	0.4	3836.4	40.8
Contact sharp obj.	3260.5	34.7	7096.9	75.4
Fall, same level	573.9	6.1	7670.8	81.5
Fall, elevation	1060.7	11.3	8731.5	92.8
Overexertion	227.7	2.4	8959.2	95.2
Other	449.5	4.8	9408.7	100.0

Table 2-210. National estimates of lost-time injuries by activity when injured for workers 10-19 years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	280.0	3.0	280.0	3.0
Machine maint.	1671.6	17.8	1951.6	20.7
Field work	2326.6	24.7	4278.2	45.5
Crop handling	291.3	3.1	4569.5	48.6
Livestock handling	3367.5	35.8	7937.0	84.4
Other	1471.7	15.6	9408.7	100.0

Table 2-211. National estimates of lost-time injuries by source of injury for workers 10-19 years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	164.5	1.7	164.5	1.7
Machinery	2280.0	24.2	2444.5	26.0
Livestock	604.0	6.4	3048.5	32.4
Hand tool	1217.0	12.9	4265.5	45.3
Pesticide/chem.	20.6	0.2	4286.1	45.6
Plant/tree	20.6	0.2	4306.7	45.8
Working surface	243.8	2.6	4550.5	48.4
Truck/auto	1257.5	13.4	5808.0	61.7
Other vehicle	967.4	10.3	6775.4	72.0
Other	2633.3	28.0	9408.7	100.0

Table 2-212. National estimates of lost-time injuries by region for workers 20-29 years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1474.8	11.2	1474.8	11.2
South	2217.2	16.8	3692.0	28.0
Midwest	3970.3	30.2	7662.3	58.2
West	5502.0	41.8	13164.3	100.0

Table 2-213. National estimates of lost-time injuries by farm type for workers 20-29 years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	904.3	6.9	904.3	6.9
Field crops	658.0	5.0	1562.3	11.9
Vegetable, fruit, nuts	1741.5	13.2	3303.8	25.1
Nursery	3337.5	25.4	6641.3	50.4
Beef, hogs, sheep	3800.8	28.9	10442.1	79.3
Dairy	2388.8	18.1	12830.9	97.5
Other farms	333.4	2.5	13164.3	100.0

Table 2-214. National estimates of lost-time injuries by status of injured worker for workers 20-29 years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3421.0	26.0	3421	26.0
Partner/family	1952.9	14.8	5373.9	40.8
Hired labor	7790.4	59.2	13164.3	100.0

Table 2-215. National estimates of lost-time injuries by gender for workers 20-29 years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	12456.5	94.6	12456.5	94.6
Female	707.8	5.4	13164.3	100.0

Table 2-216. National estimates of lost-time injuries by race or ethnic origin for workers 20-29 years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	9054.5	68.8	9054.5	68.8
Hispanic	3980.0	30.2	13034.5	99.0
Black	129.8	1.0	13164.3	100.0

Table 2-217. National estimates of lost-time injuries by month for workers 20-29 years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1347.6	10.2	1347.6	10.2
March	1014.3	7.7	2361.9	17.9
April	1309.5	9.9	3671.4	27.9
May	964.0	7.3	4635.4	35.2
June	1058.5	8.0	5693.9	43.3
July	1548.7	11.8	7242.6	55.0
August	2523.2	19.2	9765.8	74.2
September	424.3	3.2	10190.1	77.4
October	550.6	4.2	10740.7	81.6
November	1907.2	14.5	12647.9	96.1
December	516.4	3.9	13164.3	100.0

Table 2-218. National estimates of lost-time injuries by severity of the injury for workers 20-29 years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	12750.5	100.0	12750.5	100.0
(Frequency Missing = 413.8)				

Table 2-219. National estimates of lost-time injuries by whether professional medical attention was sought for workers 20-29 years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	10908.4	82.9	10908.4	82.9
No	2255.9	17.1	13164.3	100.0

Table 2-220. National estimates of lost-time injuries by body part injured for workers 20-29 years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2691.4	20.4	2691.4	20.4
Eye	975.4	7.4	3666.8	27.9
Chest/trunk	325.9	2.5	3992.7	30.3
Back	296.6	2.3	4289.3	32.6
Arm/shoulder	2186.5	16.6	6475.8	49.2
Finger	1477.6	11.2	7953.4	60.4
Hand/wrist	715.7	5.4	8669.1	65.9
Leg/knee/hip	1242.6	9.4	9911.7	75.3
Toe	1240.3	9.4	11152.0	84.7
Foot	832.9	6.3	11984.9	91.0
Mult. parts	1151.9	8.8	13136.8	99.8
Other	27.5	0.2	13164.3	100.0

Table 2-221. National estimates of lost-time injuries by nature of the injury for workers 20-29 years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1112.0	8.4	1112.0	8.4
Burn	413.8	3.1	1525.8	11.6
Cut	1998.6	15.2	3524.4	26.8
Crush	195.2	1.5	3719.6	28.3
Fracture	2757.8	20.9	6477.4	49.2
Puncture	1674.5	12.7	8151.9	61.9
Sprain/strain	1736.3	13.2	9888.2	75.1
Mult. injury	1151.9	8.8	11040.1	83.9
Other	2124.2	16.1	13164.3	100.0

Table 2-222. National estimates of lost-time injuries by type of event for workers 20-29 years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	211.2	1.6	211.2	1.6
Caught between	1176.3	8.9	1387.5	10.5
Caught under	222.7	1.7	1610.2	12.2
Struck by/against	1137.0	8.6	2747.2	20.9
Struck by falling	1267.8	9.6	4015.0	30.5
Struck by flying	720.2	5.5	4735.2	36.0
Contact sharp obj.	1110.1	8.4	5845.3	44.4
Fall, same level	465.9	3.5	6311.2	47.9
Fall, elevation	1624.8	12.3	7936.0	60.3
Overexertion	441.3	3.4	8377.3	63.6
Contact electric	413.8	3.1	8791.1	66.8
Other	4373.2	33.2	13164.3	100.0

Table 2-223. National estimates of lost-time injuries by activity when injured for workers 20-29 years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	3568.3	27.1	3568.3	27.1
Machine maint.	2154.1	16.4	5722.4	43.5
Field work	1419.9	10.8	7142.3	54.3
Crop handling	951.0	7.2	8093.3	61.5
Livestock handling	3011.9	22.9	11105.2	84.4
Other	2059.1	15.6	13164.3	100.0

Table 2-224. National estimates of lost-time injuries by source of injury for workers 20-29 years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	745.8	5.7	745.8	5.7
Machinery	501.9	3.8	1247.7	9.5
Livestock	2488.1	18.9	3735.8	28.4
Hand tool	1416.7	10.8	5152.5	39.1
Power tool	30.6	0.2	5183.1	39.4
Working surface	1869.7	14.2	7052.8	53.6
Truck/auto	282.7	2.1	7335.5	55.7
Other vehicle	36.2	0.3	7371.7	56.0
Other	5792.6	44.0	13164.3	100.0

Table 2-225. National estimates of lost-time injuries by region for workers 30-39 years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	2102.6	8.5	2102.6	8.5
South	3849.3	15.6	5951.9	24.0
Midwest	14056.5	56.8	20008.4	80.8
West	4742.1	19.2	24750.5	100.0

Table 2-226. National estimates of lost-time injuries by farm type for workers 30-39 years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	9178.9	37.1	9178.9	37.1
Field crops	1972.5	8.0	11151.4	45.1
Vegetable, fruit, nuts	683.0	2.8	11834.4	47.8
Nursery	1597.6	6.5	13432.0	54.3
Beef, hogs, sheep	7615.7	30.8	21047.7	85.0
Poultry	645.8	2.6	21693.5	87.6
Dairy	2845.0	11.5	24538.5	99.1
Other farms	212.0	0.9	24750.5	100.0

Table 2-227. National estimates of lost-time injuries by status of injured worker for workers 30-39 years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	14782.1	59.7	14782.1	59.7
Partner/family	1192.8	4.8	15974.9	64.5
Hired labor	7475.4	30.2	23450.3	94.7
Unpaid nonfamily	753.9	3.0	24204.2	97.8
Other	546.3	2.2	24750.5	100.0

Table 2-228. National estimates of lost-time injuries by gender for workers 30-39 years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	22724.8	91.8	22724.8	91.8
Female	2025.7	8.2	24750.5	100.0

Table 2-229. National estimates of lost-time injuries by race or ethnic origin for workers 30-39 years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	22904.5	92.5	22904.5	92.5
Hispanic	1461.5	5.9	24366.0	98.4
Black	110.1	0.4	24476.1	98.9
American Indian	243.8	1.0	24719.9	99.9
Other	30.6	0.1	24750.5	100.0

Table 2-230. National estimates of lost-time injuries by month for workers 30-39 years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3038.2	12.3	3038.2	12.3
February	1210.1	4.9	4248.3	17.2
March	863.7	3.5	5112.0	20.7
April	3353.0	13.5	8465.0	34.2
May	2449.4	9.9	10914.4	44.1
June	1897.0	7.7	12811.4	51.8
July	2479.3	10.0	15290.7	61.8
August	2229.6	9.0	17520.3	70.8
September	1364.3	5.5	18884.6	76.3
October	1630.6	6.6	20515.2	82.9
November	1580.4	6.4	22095.6	89.3
December	2654.9	10.7	24750.5	100.0

Table 2-231. National estimates of lost-time injuries by severity of the injury for workers 30-39 years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	24456.6	98.8	24456.6	98.8
Permanent	293.9	1.2	24750.5	100.0

Table 2-232. National estimates of lost-time injuries by whether professional medical attention was sought for workers 30-39 years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	293.9	1.2	293.9	1.2
Yes	18527.2	75.6	18821.1	76.8
No	5687.8	23.2	24508.9	100.0
(Frequency Missing = 241.6)				

Table 2-233. National estimates of lost-time injuries by body part injured for workers 30-39 years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	482.0	1.9	482.0	1.9
Eye	1578.0	6.4	2060.0	8.3
Chest/trunk	710.1	2.9	2770.1	11.2
Back	3570.1	14.4	6340.2	25.6
Arm/shoulder	672.4	2.7	7012.6	28.3
Finger	4522.2	18.3	11534.8	46.6
Hand/wrist	1531.6	6.2	13066.4	52.8
Leg/knee/hip	7427.3	30.0	20493.7	82.8
Toe	476.3	1.9	20970.0	84.7
Foot	2307.6	9.3	23277.6	94.0
Mult. parts	510.7	2.1	23788.3	96.1
Other	962.2	3.9	24750.5	100.0

Table 2-234. National estimates of lost-time injuries by nature of the injury for workers 30-39 years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	3345.6	13.6	3345.6	13.6
Cut	5160.9	20.9	8506.5	34.5
Crush	1874.8	7.6	10381.3	42.1
Fracture	4792.1	19.4	15173.4	61.5
Poisoning	163.6	0.7	15337.0	62.2
Puncture	264.4	1.1	15601.4	63.2
Sprain/strain	5452.0	22.1	21053.4	85.3
Mult. injury	645.3	2.6	21698.7	88.0
Other	2969.2	12.0	24667.9	100.0

(Frequency Missing = 82.6)

Table 2-235. National estimates of lost-time injuries by type of event for workers 30-39 years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	768.0	3.1	768.0	3.1
Caught between	4853.5	19.6	5621.5	22.7
Caught under	1361.6	5.5	6983.1	28.2
Struck by/against	3348.9	13.5	10332.0	41.7
Struck by falling	455.7	1.8	10787.7	43.6
Struck by flying	1549.6	6.3	12337.3	49.8
Contact sharp obj.	2314.4	9.4	14651.7	59.2
Fall, same level	3988.6	16.1	18640.3	75.3
Fall, elevation	1728.5	7.0	20368.8	82.3
Overexertion	2549.8	10.3	22918.6	92.6
Other	1831.9	7.4	24750.5	100.0

Table 2-236. National estimates of lost-time injuries by activity when injured for workers 30-39 years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4257.6	17.2	4257.6	17.2
Machine maint.	3595.6	14.5	7853.2	31.7
Field work	4952.2	20.0	12805.4	51.7
Crop handling	3759.4	15.2	16564.8	66.9
Livestock handling	7404.0	29.9	23968.8	96.8
Other	781.7	3.2	24750.5	100.0

Table 2-237. National estimates of lost-time injuries by source of injury for workers 30-39 years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	695.4	2.8	695.4	2.8
Machinery	7523.0	30.4	8218.4	33.2
Livestock	4623.5	18.7	12841.9	51.9
Hand tool	396.0	1.6	13237.9	53.5
Power tool	1509.4	6.1	14747.3	59.6
Plant/tree	373.6	1.5	15120.9	61.1
Working surface	1482.2	6.0	16603.1	67.1
Truck/auto	485.4	2.0	17088.5	69.0
Other vehicle	472.2	1.9	17560.7	71.0
Other	7189.8	29.0	24750.5	100.0

Table 2-238. National estimates of lost-time injuries by region for workers 40-49 years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	2416.1	8.5	2416.1	8.5
South	7543.5	26.5	9959.6	35.1
Midwest	12170.1	42.8	22129.7	77.9
West	6284.3	22.1	28414.0	100.0

Table 2-239. National estimates of lost-time injuries by farm type for workers 40-49 years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	5739.1	20.2	5739.1	20.2
Field crops	3832.0	13.5	9571.1	33.7
Vegetable, fruit, nuts	3650.1	12.8	13221.2	46.5
Nursery	1836.1	6.5	15057.3	53.0
Beef, hogs, sheep	10082.7	35.5	25140.0	88.5
Poultry	36.2	0.1	25176.2	88.6
Dairy	3026.4	10.7	28202.6	99.3
Other farms	211.4	0.7	28414.0	100.0

Table 2-240. National estimates of lost-time injuries by status of injured worker for workers 40-49 years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	19427.5	68.4	19427.5	68.4
Partner/family	1537.1	5.4	20964.6	73.8
Hired labor	6044.7	21.3	27009.3	95.1
Unpaid nonfamily	990.9	3.5	28000.2	98.5
Other	413.8	1.5	28414.0	100.0

Table 2-241. National estimates of lost-time injuries by gender for workers 40-49 years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	25294.5	89.0	25294.5	89.0
Female	3119.5	11.0	28414.0	100.0

Table 2-242. National estimates of lost-time injuries by race or ethnic origin for workers 40-49 years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	26137.3	92.0	26137.3	92.0
Hispanic	1835.4	6.5	27972.7	98.4
Black	413.8	1.5	28386.5	99.9
Other	27.5	0.1	28414.0	100.0

Table 2-243. National estimates of lost-time injuries by month for workers 40-49 years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	855.7	3.0	855.7	3.0
February	853.0	3.0	1708.7	6.0
March	2400.7	8.4	4109.4	14.5
April	1475.3	5.2	5584.7	19.7
May	3309.8	11.6	8894.5	31.3
June	2509.4	8.8	11403.9	40.1
July	2794.9	9.8	14198.8	50.0
August	4290.6	15.1	18489.4	65.1
September	4023.7	14.2	22513.1	79.2
October	2990.8	10.5	25503.9	89.8
November	2295.1	8.1	27799.0	97.8
December	615.0	2.2	28414.0	100.0

Table 2-244. National estimates of lost-time injuries by severity of the injury for workers 40-49 years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	26888.3	96.0	26888.3	96.0
Permanent	391.7	1.4	27280.0	97.4
Fatality	720.2	2.6	28000.2	100.0
(Frequency Missing = 413.8)				

Table 2-245. National estimates of lost-time injuries by whether professional medical attention was sought for workers 40-49 years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1111.9	4.0	1111.9	4.0
Yes	23863.4	85.7	24975.3	89.7
No	2864.8	10.3	27840.1	100.0
(Frequency Missing = 573.9)				

Table 2-246. National estimates of lost-time injuries by body part injured for workers 40-49 years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3285.1	11.6	3285.1	11.6
Eye	227.7	0.8	3512.8	12.4
Chest/trunk	1712.7	6.0	5225.5	18.4
Back	5441.9	19.2	10667.4	37.5
Arm/shoulder	4220.4	14.9	14887.8	52.4
Finger	3325.1	11.7	18212.9	64.1
Hand/wrist	4120.9	14.5	22333.8	78.6
Leg/knee/hip	2806.5	9.9	25140.3	88.5
Toe	241.6	0.9	25381.9	89.3
Foot	1149.0	4.0	26530.9	93.4
Mult. parts	1634.8	5.8	28165.7	99.1
Other	248.3	0.9	28414.0	100.0

Table 2-247. National estimates of lost-time injuries by nature of the injury for workers 40-49 years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	498.4	1.8	498.4	1.8
Asphyxiation	227.7	0.8	726.1	2.6
Bruise	2284.3	8.0	3010.4	10.6
Burn	946.5	3.3	3956.9	13.9
Cut	2640.7	9.3	6597.6	23.2
Crush	2885.9	10.2	9483.5	33.4
Fracture	7095.8	25.0	16579.3	58.3
Puncture	1022.0	3.6	17601.3	61.9
Sprain/strain	7085.9	24.9	24687.2	86.9
Electric shock	573.9	2.0	25261.1	88.9
Mult. injury	609.9	2.1	25871.0	91.1
Other	2543.0	8.9	28414.0	100.0

Table 2-248. National estimates of lost-time injuries by type of event for workers 40-49 years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	164.0	0.6	164.0	0.6
Caught between	3265.6	11.5	3429.6	12.1
Caught under	2096.2	7.4	5525.8	19.4
Struck by/against	2800.3	9.9	8326.1	29.3
Struck by falling	1219.5	4.3	9545.6	33.6
Struck by flying	1180.8	4.2	10726.4	37.8
Contact sharp obj.	1464.9	5.2	12191.3	42.9
Fall, same level	2972.2	10.5	15163.5	53.4
Fall, elevation	6098.9	21.5	21262.4	74.8
Overexertion	4282.5	15.1	25544.9	89.9
Contact electric	573.9	2.0	26118.8	91.9
Other	2295.2	8.1	28414.0	100.0

Table 2-249. National estimates of lost-time injuries by activity when injured for workers 40-49 years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	5446.0	19.2	5446.0	19.2
Machine maint.	5168.9	18.2	10614.9	37.4
Field work	5084.9	17.9	15699.8	55.3
Crop handling	4741.3	16.7	20441.1	71.9
Livestock handling	6026.7	21.2	26467.8	93.2
Other	1946.2	6.8	28414.0	100.0

Table 2-250. National estimates of lost-time injuries by source of injury for workers 40-49 years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1405.7	4.9	1405.7	4.9
Machinery	5136.7	18.1	6542.4	23.0
Livestock	3945.9	13.9	10488.3	36.9
Hand tool	499.0	1.8	10987.3	38.7
Power tool	1236.4	4.4	12223.7	43.0
Pesticide/chem.	801.6	2.8	13025.3	45.8
Plant/tree	1371.8	4.8	14397.1	50.7
Working surface	2226.0	7.8	16623.1	58.5
Truck/auto	486.5	1.7	17109.6	60.2
Other vehicle	2169.8	7.6	19279.4	67.9
Liquids	612.3	2.2	19891.7	70.0
Other	8522.3	30.0	28414.0	100.0

Table 2-251. National estimates of lost-time injuries by region for workers 50-59 years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	893.9	5.2	893.9	5.2
South	4949.8	28.8	5843.7	33.9
Midwest	7752.2	45.0	13595.9	79.0
West	3619.1	21.0	17215.0	100.0

Table 2-252. National estimates of lost-time injuries by farm type for workers 50-59 years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	3943.2	22.9	3943.2	22.9
Field crops	3388.9	19.7	7332.1	42.6
Vegetable, fruit, nuts	251.7	1.5	7583.8	44.1
Beef, hogs, sheep	6441.5	37.4	14025.3	81.5
Poultry	645.8	3.8	14671.1	85.2
Dairy	2089.3	12.1	16760.4	97.4
Other farms	454.6	2.6	17215.0	100.0

Table 2-253. National estimates of lost-time injuries by status of injured worker for workers 50-59 years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	14475.7	84.1	14475.7	84.1
Partner/family	557.1	3.2	15032.8	87.3
Hired labor	1372.8	8.0	16405.6	95.3
Other	809.4	4.7	17215.0	100.0

Table 2-254. National estimates of lost-time injuries by gender for workers 50-59 years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	14743.7	85.6	14743.7	85.6
Female	2471.3	14.4	17215.0	100.0

Table 2-255. National estimates of lost-time injuries by race or ethnic origin for workers 50-59 years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	16750.7	97.3	16750.7	97.3
Hispanic	222.7	1.3	16973.4	98.6
American Indian	241.6	1.4	17215.0	100.0

Table 2-256. National estimates of lost-time injuries by month for workers 50-59 years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	903.4	5.2	903.4	5.2
February	307.2	1.8	1210.6	7.0
April	1868.9	10.9	3079.5	17.9
May	916.7	5.3	3996.2	23.2
June	2343.8	13.6	6340.0	36.8
July	646.5	3.8	6986.5	40.6
August	2107.0	12.2	9093.5	52.8
September	1512.1	8.8	10605.6	61.6
October	939.6	5.5	11545.2	67.1
November	3023.2	17.6	14568.4	84.6
December	2646.6	15.4	17215.0	100.0

Table 2-257. National estimates of lost-time injuries by severity of the injury for workers 50-59 years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	16317.5	94.8	16317.5	94.8
Permanent	897.5	5.2	17215.0	100.0

Table 2-258. National estimates of lost-time injuries by whether professional medical attention was sought for workers 50-59 years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	897.5	5.2	897.5	5.2
Yes	15311.1	88.9	16208.6	94.2
No	1006.4	5.8	17215.0	100.0

Table 2-259. National estimates of lost-time injuries by body part injured for workers 50-59 years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	625.4	3.6	625.4	3.6
Eye	829.2	4.8	1454.6	8.4
Chest/trunk	625.8	3.6	2080.4	12.1
Back	3257.1	18.9	5337.5	31.0
Arm/shoulder	2474.6	14.4	7812.1	45.4
Finger	1826.7	10.6	9638.8	56.0
Hand/wrist	1519.6	8.8	11158.4	64.8
Leg/knee/hip	3548.0	20.6	14706.4	85.4
Toe	1180.2	6.9	15886.6	92.3
Foot	441.4	2.6	16328.0	94.8
Mult. parts	119.0	0.7	16447.0	95.5
Other	768.0	4.5	17215.0	100.0

Table 2-260. National estimates of lost-time injuries by nature of the injury for workers 50-59 years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2764.0	16.1	2764.0	16.1
Burn	143.6	0.8	2907.6	16.9
Cut	2885.2	16.8	5792.8	33.6
Crush	2634.3	15.3	8427.1	49.0
Fracture	3250.8	18.9	11677.9	67.8
Puncture	318.6	1.9	11996.5	69.7
Sprain/strain	3331.6	19.4	15328.1	89.0
Mult. injury	996.1	5.8	16324.2	94.8
Other	890.8	5.2	17215.0	100.0

Table 2-261. National estimates of lost-time injuries by type of event for workers 50-59 years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	986.8	5.7	986.8	5.7
Caught between	1355.5	7.9	2342.3	13.6
Caught under	2357.0	13.7	4699.3	27.3
Struck by/against	2414.3	14.0	7113.6	41.3
Struck by falling	746.0	4.3	7859.6	45.7
Struck by flying	563.0	3.3	8422.6	48.9
Contact sharp obj.	225.6	1.3	8648.2	50.2
Fall, same level	1458.8	8.5	10107.0	58.7
Fall, elevation	3329.7	19.3	13436.7	78.1
Overexertion	2002.2	11.6	15438.9	89.7
Other	1776.1	10.3	17215.0	100.0

Table 2-262. National estimates of lost-time injuries by activity when injured for workers 50-59 years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1018.2	5.9	1018.2	5.9
Machine maint.	1419.4	8.2	2437.6	14.2
Field work	2485.3	14.4	4922.9	28.6
Crop handling	1863.0	10.8	6785.9	39.4
Livestock handling	6429.2	37.3	13215.1	76.8
Other	3999.9	23.2	17215.0	100.0

Table 2-263. National estimates of lost-time injuries by source of injury for workers 50-59 years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1613.8	9.4	1613.8	9.4
Machinery	2271.9	13.2	3885.7	22.6
Livestock	5298.8	30.8	9184.5	53.4
Hand tool	494.1	2.9	9678.6	56.2
Power tool	148.0	0.9	9826.6	57.1
Plant/tree	563.0	3.3	10389.6	60.4
Working surface	952.3	5.5	11341.9	65.9
Truck/auto	483.4	2.8	11825.3	68.7
Other	5389.7	31.3	17215.0	100.0

Table 2-264. National estimates of lost-time injuries by region for workers 60-69 years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	756.7	4.3	756.7	4.3
South	984.2	5.6	1740.9	10.0
Midwest	12886.2	73.8	14627.1	83.7
West	2843.5	16.3	17470.6	100.0

Table 2-265. National estimates of lost-time injuries by farm type for workers 60-69 years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	3864.8	22.1	3864.8	22.1
Field crops	2366.6	13.5	6231.4	35.7
Beef, hogs, sheep	7519.8	43.0	13751.2	78.7
Poultry	72.4	0.4	13823.6	79.1
Dairy	3619.0	20.7	17442.6	99.8
Other farms	28.0	0.2	17470.6	100.0

Table 2-266. National estimates of lost-time injuries by status of injured worker for workers 60-69 years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	14604.6	83.6	14604.6	83.6
Partner/family	1536.9	8.8	16141.5	92.4
Hired labor	810.3	4.6	16951.8	97.0
Unpaid nonfamily	518.8	3.0	17470.6	100.0

Table 2-267. National estimates of lost-time injuries by gender for workers 60-69 years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	16521.5	94.6	16521.5	94.6
Female	949.1	5.4	17470.6	100.0

Table 2-268. National estimates of lost-time injuries by race or ethnic origin for workers 60-69 years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	17470.6	100.0	17470.6	100.0

Table 2-269. National estimates of lost-time injuries by month for workers 60-69 years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1139.3	6.5	1139.3	6.5
February	364.6	2.1	1503.9	8.6
March	1474.6	8.4	2978.5	17.0
April	986.8	5.6	3965.3	22.7
May	241.6	1.4	4206.9	24.1
June	1096.8	6.3	5303.7	30.4
July	3355.9	19.2	8659.6	49.6
August	3324.2	19.0	11983.8	68.6
September	552.6	3.2	12536.4	71.8
October	2872.2	16.4	15408.6	88.2
November	1228.3	7.0	16636.9	95.2
December	833.7	4.8	17470.6	100.0

Table 2-270. National estimates of lost-time injuries by severity of the injury for workers 60-69 years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	16629.7	95.2	16629.7	95.2
Permanent	798.6	4.6	17428.3	99.8
Fatality	42.3	0.2	17470.6	100.0

Table 2-271. National estimates of lost-time injuries by whether professional medical attention was sought for workers 60-69 years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	840.9	4.8	840.9	4.827
Yes	13333.3	76.3	14174.2	81.1
No	3296.4	18.9	17470.6	100.0

Table 2-272. National estimates of lost-time injuries by body part injured for workers 60-69 years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1812.3	10.4	1812.3	10.4
Chest/trunk	103.3	0.6	1915.6	11.0
Back	5401.7	30.9	7317.3	41.9
Arm/shoulder	1521.1	8.7	8838.4	50.6
Finger	137.5	0.8	8975.9	51.4
Hand/wrist	535.8	3.1	9511.7	54.4
Leg/knee/hip	6250.4	35.8	15762.1	90.2
Toe	36.2	0.2	15798.3	90.4
Foot	387.4	2.2	16185.7	92.6
Mult. parts	1242.6	7.1	17428.3	99.8
Other	42.3	0.2	17470.6	100.0

Table 2-273. National estimates of lost-time injuries by nature of the injury for workers 60-69 years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	3614.1	21.4	3614.1	21.4
Burn	986.8	5.8	4600.9	27.2
Cut	2001.2	11.8	6602.1	39.0
Crush	459.8	2.7	7061.9	41.8
Fracture	3112.5	18.4	10174.4	60.2
Poisoning	145.7	0.9	10320.1	61.0
Puncture	143.6	0.8	10463.7	61.9
Sprain/strain	5068.2	30.0	15531.9	91.9
Electric shock	42.3	0.3	15574.2	92.1
Mult. injury	12.0	0.1	15586.2	92.2
Other	1321.4	7.8	16907.6	100.0

(Frequency Missing = 563)

Table 2-274. National estimates of lost-time injuries by type of event for workers 60-69 years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	227.7	1.3	227.7	1.3
Caught between	1140.3	6.5	1368.0	7.8
Caught under	364.4	2.1	1732.4	9.9
Struck by/against	3900.3	22.4	5632.7	32.3
Struck by falling	1704.9	9.8	7337.6	42.1
Struck by flying	414.3	2.4	7751.9	44.5
Contact sharp obj.	143.6	0.8	7895.5	45.3
Fall, same level	1138.6	6.5	9034.1	51.8
Fall, elevation	2788.7	16.0	11822.8	67.8
Overexertion	637.2	3.7	12460.0	71.5
Contact electric	42.3	0.2	12502.3	71.7
Other	4926.0	28.3	17428.3	100.0

(Frequency Missing = 42.3)

Table 2-275. National estimates of lost-time injuries by activity when injured for workers 60-69 years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	744.9	4.3	744.9	4.3
Machine maint.	1729.2	9.9	2474.1	14.2
Field work	3767.8	21.6	6241.9	35.7
Crop handling	2346.5	13.4	8588.4	49.2
Livestock handling	4412.9	25.3	13001.3	74.4
Other	4469.3	25.6	17470.6	100.0

Table 2-276. National estimates of lost-time injuries by source of injury for workers 60-69 years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	42.3	0.2	42.3	0.2
Machinery	3638.5	20.8	3680.8	21.1
Livestock	3094.6	17.7	6775.4	38.8
Hand tool	143.6	0.8	6919.0	39.6
Power tool	476.3	2.7	7395.3	42.3
Plant/tree	241.6	1.4	7636.9	43.7
Working surface	2557.1	14.6	10194.0	58.3
Truck/auto	1742.9	10.0	11936.9	68.3
Other vehicle	364.4	2.1	12301.3	70.4
Liquids	986.8	5.6	13288.1	76.1
Other	4182.5	23.9	17470.6	100.0

Table 2-277. National estimates of lost-time injuries by region for workers 70 or more years of age, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	255.2	2.4	255.2	2.4
South	1356.7	13.0	1611.9	15.4
Midwest	5866.3	56.0	7478.2	71.4
West	2991.3	28.6	10469.5	100.0

Table 2-278. National estimates of lost-time injuries by farm type for workers 70 or more years of age, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	2878.3	27.5	2878.3	27.5
Field crops	1187.2	11.3	4065.5	38.8
Vegetable, fruit, nuts	137.7	1.3	4203.2	40.1
Nursery	333.0	3.2	4536.2	43.3
Beef, hogs, sheep	3072.8	29.4	7609.0	72.7
Dairy	2459.3	23.5	10068.3	96.2
Other farms	401.2	3.8	10469.5	100.0

Table 2-279. National estimates of lost-time injuries by status of injured worker for workers 70 or more years of age, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	10276.6	98.2	10276.6	98.2
Partner/family	73.9	0.7	10350.5	98.9
Hired labor	119.0	1.1	10469.5	100.0

Table 2-280. National estimates of lost-time injuries by gender for workers 70 or more years of age, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	10349.2	98.9	10349.2	98.9
Female	120.3	1.1	10469.5	100.0

Table 2-281. National estimates of lost-time injuries by race or ethnic origin for workers 70 or more years of age, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	10469.5	100.0	10469.5	100.0

Table 2-282. National estimates of lost-time injuries by month for workers 70 or more years of age, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	462.0	4.4	462.0	4.4
February	747.5	7.1	1209.5	11.6
March	527.8	5.0	1737.3	16.6
April	324.9	3.1	2062.2	19.7
May	2706.0	25.8	4768.2	45.5
June	73.9	0.7	4842.1	46.2
July	792.1	7.6	5634.2	53.8
August	719.6	6.9	6353.8	60.7
September	1969.0	18.8	8322.8	79.5
October	1202.6	11.5	9525.4	91.0
November	243.8	2.3	9769.2	93.3
December	700.3	6.7	10469.5	100.0

Table 2-283. National estimates of lost-time injuries by severity of the injury for workers 70 or more years of age, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	9706.1	92.7	9706.1	92.7
Permanent	763.4	7.3	10469.5	100.0

Table 2-284. National estimates of lost-time injuries by whether professional medical attention was sought for workers 70 or more years of age, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	763.4	7.3	763.4	7.3
Yes	9252.5	88.4	10015.9	95.7
No	453.6	4.3	10469.5	100.0

Table 2-285. National estimates of lost-time injuries by body part injured for workers 70 or more years of age, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	421.4	4.0	421.4	4.0
Eye	257.1	2.5	678.5	6.5
Chest/trunk	1157.6	11.1	1836.1	17.5
Back	983.7	9.4	2819.8	26.9
Arm/shoulder	2845.6	27.2	5665.4	54.1
Finger	801.2	7.7	6466.6	61.8
Hand/wrist	894.4	8.5	7361.0	70.3
Leg/knee/hip	1989.6	19.0	9350.6	89.3
Foot	120.3	1.1	9470.9	90.5
Mult. parts	768.0	7.3	10238.9	97.8
Other	230.6	2.2	10469.5	100.0

Table 2-286. National estimates of lost-time injuries by nature of the injury for workers 70 or more years of age, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1810.2	17.3	1810.2	17.3
Cut	320.2	3.1	2130.4	20.3
Crush	370.7	3.5	2501.1	23.9
Fracture	4922.0	47.0	7423.1	70.9
Puncture	1226.3	11.7	8649.4	82.6
Sprain/strain	1592.6	15.2	10242.0	97.8
Mult. injury	198.1	1.9	10440.1	99.7
Other	29.4	0.3	10469.5	100.0

Table 2-287. National estimates of lost-time injuries by type of event for workers 70 or more years of age, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	243.8	2.3	243.8	2.3
Caught between	430.5	4.1	674.3	6.4
Caught under	119.0	1.1	793.3	7.6
Struck by/against	3691.6	35.3	4484.9	42.8
Struck by falling	508.2	4.9	4993.1	47.7
Struck by flying	227.7	2.2	5220.8	49.9
Fall, same level	1554.7	14.8	6775.5	64.7
Fall, elevation	2133.3	20.4	8908.8	85.1
Overexertion	200.3	1.9	9109.1	87.0
Other	1360.4	13.0	10469.5	100.0

Table 2-288. National estimates of lost-time injuries by activity when injured for workers 70 or more years of age, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	362.4	3.5	362.4	3.5
Machine maint.	1459.3	13.9	1821.7	17.4
Field work	669.6	6.4	2491.3	23.8
Crop handling	2657.8	25.4	5149.1	49.2
Livestock handling	4516.1	43.1	9665.2	92.3
Other	804.3	7.7	10469.5	100.0

Table 2-289. National estimates of lost-time injuries by source of injury for workers 70 or more years of age, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1041.2	9.9	1041.2	9.9
Machinery	1670.3	16.0	2711.5	25.9
Livestock	3991.2	38.1	6702.7	64.0
Power tool	246.7	2.4	6949.4	66.4
Plant/tree	459.4	4.4	7408.8	70.8
Working surface	532.4	5.1	7941.2	75.9
Truck/auto	952.0	9.1	8893.2	84.9
Other	1576.3	15.1	10469.5	100.0

Table 2-290. National estimates of lost-time injuries by region of the U.S. for white workers, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	8396.5	7.4	8396.5	7.4
South	21173.7	18.7	29570.2	26.1
Midwest	61340.7	54.2	90910.9	80.4
West	22208.5	19.6	113119.4	100.0

Table 2-291. National estimates of lost-time injuries by farm type for white workers, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	27970.5	24.7	27970.5	24.7
Field crops	13254.6	11.7	41225.1	36.4
Vegetable, fruit, nuts	4877.0	4.3	46102.1	40.8
Nursery	2815.8	2.5	48917.9	43.2
Beef, hogs, sheep	43526.2	38.5	92444.1	81.7
Poultry	1400.2	1.2	93844.3	83.0
Dairy	17538.5	15.5	111382.8	98.5
Other farms	1736.6	1.5	113119.4	100.0

Table 2-292. National estimates of lost-time injuries by status of the injured worker for white workers, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	80700.1	71.3	80700.1	71.3
Partner/family	7447.2	6.6	88147.3	77.9
Hired labor	19969.4	17.7	108116.7	95.6
Unpaid nonfamily	2022.0	1.8	110138.7	97.4
Other	2980.7	2.6	113119.4	100.0

Table 2-293. National estimates of lost-time injuries by gender for white workers, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	102838.0	90.9	102838.0	90.9
Female	10281.4	9.1	113119.4	100.0

Table 2-294. National estimates of lost-time injuries by age group for white workers, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	764.1	0.7	764.1	0.7
10-19	9288.2	8.2	10052.3	8.9
20-29	9054.5	8.0	19106.8	16.9
30-39	22904.5	20.3	42011.3	37.2
40-49	26137.3	23.2	68148.6	60.4
50-59	16750.7	14.8	84899.3	75.2
60-69	17470.6	15.5	102369.9	90.7
>=70	10469.5	9.3	112839.4	100.0
(Frequency Missing = 280)				

Table 2-295. National estimates of lost-time injuries by month for white workers, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	7774.9	6.9	7774.9	6.9
February	2962.9	2.6	10737.8	9.5
March	6545.5	5.8	17283.3	15.3
April	9866.1	8.7	27149.4	24.0
May	10756.6	9.5	37906.0	33.5
June	8415.3	7.4	46321.3	40.9
July	10340.3	9.1	56661.6	50.1
August	14627.9	12.9	71289.5	63.0
September	11013.1	9.7	82302.6	72.8
October	11419.6	10.1	93722.2	82.9
November	10278.0	9.1	104000.2	91.9
December	9119.2	8.1	113119.4	100.0

Table 2-296. National estimates of lost-time injuries by severity of the injury for white workers, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	108912.1	96.6	108912.1	96.6
Permanent	2994.8	2.7	111906.9	99.3
Fatality	798.7	0.7	112705.6	100.0
(Frequency Missing = 413.8)				

Table 2-297. National estimates of lost-time injuries by whether professional medical attention was sought for white workers, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3793.5	3.4	3793.5	3.4
Yes	92692.1	82.5	96485.6	85.9
No	15818.3	14.1	112303.9	100.0
(Frequency Missing = 815.5)				

Table 2-298. National estimates of lost-time injuries by body part injured for white workers, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	8258.1	7.3	8258.1	7.3
Eye	3786.7	3.3	12044.8	10.6
Chest/trunk	4706.4	4.2	16751.2	14.8
Back	17587.0	15.5	34338.2	30.4
Arm/shoulder	13601.8	12.0	47940.0	42.4
Finger	13154.7	11.6	61094.7	54.0
Hand/wrist	10501.7	9.3	71596.4	63.3
Leg/knee/hip	23791.9	21.0	95388.3	84.3
Toe	2170.8	1.9	97559.1	86.2
Foot	7319.8	6.5	104878.9	92.7
Mult. parts	5463.2	4.8	110342.1	97.5
Other	2777.3	2.5	113119.4	100.0

Table 2-299. National estimates of lost-time injuries by nature of the injury for white workers, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	498.4	0.4	498.4	0.4
Asphyxiation	227.7	0.2	726.1	0.6
Bruise	14775.3	13.1	15501.4	13.8
Burn	2511.3	2.2	18012.7	16.0
Cut	16613.5	14.8	34626.2	30.8
Crush	9095.4	8.1	43721.6	38.8
Fracture	24637.3	21.9	68358.9	60.7
Poisoning	309.3	0.3	68668.2	61.0
Puncture	6046.9	5.4	74715.1	66.4
Sprain/strain	23284.8	20.7	97999.9	87.1
Electric shock	616.2	0.5	98616.1	87.6
Mult. injury	4417.5	3.9	103033.6	91.5
Other	9522.8	8.5	112556.4	100.0

(Frequency Missing = 563)

Table 2-300. National estimates of lost-time injuries by type of event for white workers, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	4664.1	4.1	4664.1	4.1
Caught between	12124.4	10.7	16788.5	14.9
Caught under	6337.7	5.6	23126.2	20.5
Struck by/against	17305.3	15.3	40431.5	35.8
Struck by falling	5189.6	4.6	45621.1	40.4
Struck by flying	4523.7	4.0	50144.8	44.4
Contact sharp obj.	7703.4	6.8	57848.2	51.2
Fall, same level	11448.1	10.1	69296.3	61.3
Fall, elevation	18633.0	16.5	87929.3	77.8
Overexertion	8712.5	7.7	96641.8	85.5
Contact electric	1030.0	0.9	97671.8	86.4
Other	15369.1	13.6	113040.9	100.0

(Frequency Missing = 78.5)

Table 2-301. National estimates of lost-time injuries by activity when injured for white workers, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	14511.7	12.8	14511.7	12.8
Machine maint.	15888.5	14.0	30400.2	26.9
Field work	18165.9	16.1	48566.1	42.9
Crop handling	16492.4	14.6	65058.5	57.5
Livestock handling	34097.8	30.1	99156.3	87.7
Other	13963.1	12.3	113119.4	100.0

Table 2-302. National estimates of lost-time injuries by source of injury for white workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	5585.9	4.9	5585.9	4.9
Machinery	23052.9	20.4	28638.8	25.3
Livestock	23043.7	20.4	51682.5	45.7
Hand tool	4138.9	3.7	55821.4	49.3
Power tool	3070.9	2.7	58892.3	52.1
Pesticide/chem.	822.2	0.7	59714.5	52.8
Plant/tree	3030.0	2.7	62744.5	55.5
Working surface	9740.7	8.6	72485.2	64.1
Truck/auto	5495.2	4.9	77980.4	68.9
Other vehicle	3814.8	3.4	81795.2	72.3
Liquids	1599.1	1.4	83394.3	73.7
Other	29725.1	26.3	113119.4	100.0

Table 2-303. National estimates of lost-time injuries by region of the U.S. for Hispanic workers, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	225.4	3.0	225.4	3.0
South	450.0	6.0	675.4	9.0
Midwest	1049.8	14.0	1725.2	23.0
West	5774.4	77.0	7499.6	100.0

Table 2-304. National estimates of lost-time injuries by farm type for Hispanic workers, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	156.0	2.1	156.0	2.1
Field crops	1132.5	15.1	1288.5	17.2
Vegetable, fruit, nuts	1062.3	14.2	2350.8	31.3
Nursery	4413.9	58.9	6764.7	90.2
Beef, hogs, sheep	447.2	6.0	7211.9	96.2
Dairy	287.7	3.8	7499.6	100.0

Table 2-305. National estimates of lost-time injuries by status of the injured worker for Hispanic workers, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	36.2	0.5	36.2	0.5
Partner/family	195.2	2.6	231.4	3.1
Hired labor	6896.8	92.0	7128.2	95.0
Unpaid nonfamily	241.6	3.2	7369.8	98.3
Other	129.8	1.7	7499.6	100.0

Table 2-306. National estimates of lost-time injuries by gender for Hispanic workers, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	7362.1	98.2	7362.1	98.2
Female	137.5	1.8	7499.6	100.0

Table 2-307. National estimates of lost-time injuries by age group for Hispanic workers, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	3980.0	53.1	3980.0	53.1
30-39	1461.5	19.5	5441.5	72.6
40-49	1835.4	24.5	7276.9	97.0
50-59	222.7	3.0	7499.6	100.0

Table 2-308. National estimates of lost-time injuries by month for Hispanic workers, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1201.9	16.0	1201.9	16.0
February	287.7	3.8	1489.6	19.9
April	1159.4	15.5	2649.0	35.3
May	159.0	2.1	2808.0	37.4
June	150.3	2.0	2958.3	39.4
July	2454.8	32.7	5413.1	72.2
August	1519.9	20.3	6933.0	92.4
September	325.0	4.3	7258.0	96.8
December	241.6	3.2	7499.6	100.0

Table 2-309. National estimates of lost-time injuries by severity of the injury for Hispanic workers, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	7349.3	98.0	7349.3	98.0
Permanent	150.3	2.0	7499.6	100.0

Table 2-310. National estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	150.3	2.0	150.3	2.0
Yes	6277.8	83.7	6428.1	85.7
No	1071.5	14.3	7499.6	100.0

Table 2-311. National estimates of lost-time injuries by body part injured for Hispanic workers, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2046.3	27.3	2046.3	27.3
Eye	137.5	1.8	2183.8	29.1
Back	1601.0	21.3	3784.8	50.5
Arm/shoulder	195.2	2.6	3980.0	53.1
Finger	520.2	6.9	4500.2	60.0
Hand/wrist	564.1	7.5	5064.3	67.5
Leg/knee/hip	869.0	11.6	5933.3	79.1
Toe	1201.9	16.0	7135.2	95.1
Foot	364.4	4.9	7499.6	100.0

Table 2-312. National estimates of lost-time injuries by nature of the injury for Hispanic workers, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cut	1039.6	13.9	1039.6	13.9
Crush	325.0	4.3	1364.6	18.2
Fracture	1761.5	23.5	3126.1	41.7
Sprain/strain	2229.9	29.7	5356.0	71.4
Other	2143.6	28.6	7499.6	100.0

Table 2-313. National estimates of lost-time injuries by type of event for Hispanic workers, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	318.0	4.2	318.0	4.2
Caught between	325.0	4.3	643.0	8.6
Caught under	436.8	5.8	1079.8	14.4
Struck by/against	519.1	6.9	1598.9	21.3
Struck by falling	1201.9	16.0	2800.8	37.3
Struck by flying	137.5	1.8	2938.3	39.2
Contact sharp obj.	808.2	10.8	3746.5	50.0
Fall, same level	263.3	3.5	4009.8	53.5
Fall, elevation	245.6	3.3	4255.4	56.7
Overexertion	1601.0	21.3	5856.4	78.1
Other	1643.2	21.9	7499.6	100.0

Table 2-314. National estimates of lost-time injuries by activity when injured for Hispanic workers, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1201.9	16.0	1201.9	16.0
Machine maint.	1534.6	20.5	2736.5	36.5
Field work	2297.4	30.6	5033.9	67.1
Crop handling	354.2	4.7	5388.1	71.8
Livestock handling	597.4	8.0	5985.5	79.8
Other	1514.1	20.2	7499.6	100.0

Table 2-315. National estimates of lost-time injuries by source of injury for Hispanic workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	159.0	2.1	159.0	2.1
Machinery	325.0	4.3	484.0	6.5
Livestock	529.3	7.1	1013.3	13.5
Power tool	332.7	4.4	1346.0	17.9
Working surface	122.8	1.6	1468.8	19.6
Truck/auto	195.2	2.6	1664.0	22.2
Other vehicle	195.2	2.6	1859.2	24.8
Other	5640.4	75.2	7499.6	100.0

Table 2-316. National estimates of lost-time injuries by region of the U.S. for black workers and workers of other races, 1994.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	215.4	16.3	215.4	16.3
South	496.4	37.7	711.8	54.0
Midwest	362.1	27.5	1073.9	81.5
West	243.8	18.5	1317.5	100.0

Table 2-317. National estimates of lost-time injuries by farm type for black workers and workers of other races, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	82.6	6.3	82.6	6.3
Field crop	120.5	9.1	203.0	15.4
Vegetable, fruit, nuts	598.5	45.4	801.6	60.8
Beef, hog, sheep	485.4	36.8	1286.9	97.7
Other farms	30.6	2.3	1317.5	100.0

Table 2-318. National estimates of lost-time injuries by status of the injured worker for black workers and workers of other races, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	636.4	48.3	636.4	48.3
Partner/family	129.8	9.8	766.1	58.2
Hired labor	137.5	10.4	903.7	68.6
Other	413.8	31.4	1317.5	100.0

Table 2-319. National estimates of lost-time injuries by gender for black workers and workers of other races, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1317.5	100.0	1317.5	100.0

Table 2-320. National estimates of lost-time injuries by age group for black workers and workers of other races, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	120.5	9.1	120.5	9.1
20-29	129.8	9.8	250.2	19.0
30-39	384.4	29.2	634.6	48.2
40-49	441.3	33.5	1075.9	81.7
50-59	241.6	18.3	1317.5	100.0

Table 2-321. National estimates of lost-time injuries by month for black workers and workers of other races, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	243.8	18.5	243.8	18.5
April	120.5	9.1	364.3	27.6
June	413.8	31.4	778.1	59.1
July	30.6	2.3	808.7	61.4
August	241.6	18.3	1050.2	79.7
September	27.5	2.1	1077.7	81.8
October	239.8	18.2	1317.5	100.0

Table 2-322. National estimates of lost-time injuries by severity of the injury for black workers and workers of other races, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	903.7	100.0	903.7	100.0
(Frequency Missing = 413.8)				

Table 2-323. National estimates of lost-time injuries by whether professional medical attention was sought for black workers and workers of other races, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	903.7	68.6	903.7	68.6
No	413.8	31.4	1317.5	100.0

Table 2-324. National estimates of lost-time injuries by body part injured for black workers and workers of other races, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Chest/trunk	120.5	9.1	120.5	9.1
Back	27.5	2.1	147.9	11.2
Arm/shoulder	441.3	33.5	589.2	44.7
Hand/wrist	243.8	18.5	833.0	63.2
Leg/knee/hip	453.9	34.5	1286.9	97.7
Foot	30.6	2.3	1317.5	100.0

Table 2-325. National estimates of lost-time injuries by nature of the injury for black workers and workers of other races, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	543.6	44.0	543.6	44.0
Cut	274.4	22.2	818.0	66.2
Fracture	362.0	29.3	1180.0	95.6
Sprain/strain	54.9	4.4	1234.9	100.0
(Frequency Missing = 82.6)				

Table 2-326. National estimates of lost-time injuries by type of event for black workers and workers of other races, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	120.5	9.1	120.5	9.1
Struck by/against	324.1	24.6	444.6	33.7
Struck by flying	30.6	2.3	475.1	36.1
Contact sharp obj.	243.8	18.5	719.0	54.6
Fall, same level	441.3	33.5	1160.3	88.1
Fall, elevation	129.8	9.8	1290.0	97.9
Overexertion	27.5	2.1	1317.5	100.0

Table 2-327. National estimates of lost-time injuries by activity when injured for black workers and workers of other races, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machine maint.	243.8	18.5	243.8	18.5
Field work	242.9	18.4	486.7	36.9
Livestock handling	775.9	58.9	1262.6	95.8
Other	54.9	4.2	1317.5	100.0

Table 2-328. National estimates of lost-time injuries by source of injury for black workers, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	113.1	8.6	113.1	8.6
Livestock	775.9	58.9	889.0	67.5
Hand tool	27.5	2.1	916.5	69.6
Power tool	243.8	18.5	1160.3	88.1
Other	157.2	11.9	1317.5	100.0

Table 2-329. National estimates of restricted workdays by region, 1994.

REGION	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	173484.1	6.1	173484.1	6.1
South	289750.4	10.2	463234.5	16.2
Midwest	1640173.0	57.5	2103408.0	73.7
West	749944.1	26.3	2853352.0	100.0

Table 2-330. National estimates of restricted workdays by farm type, 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	810747.6	28.4	810747.6	28.4
Field crops	404827.7	14.2	1215575.0	42.6
Vegetable, fruit, nuts	130436.9	4.6	1346012.0	47.2
Nursery	53392.4	1.9	1399405.0	49.0
Beef, hogs, sheep	1156015.0	40.5	2555420.0	89.6
Poultry	17197.3	0.6	2572617.0	90.2
Dairy	249800.9	8.8	2822418.0	98.9
Other farms	30933.9	1.1	2853352.0	100.0

Table 2-331. National estimates of restricted workdays by status of the injured worker, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2072777.0	72.6	2072777	72.6
Partner/family	212937.5	7.5	2285714	80.1
Hired labor	426687.4	15.0	2712402	95.1
Unpaid nonfamily	38747.4	1.4	2751149	96.4
Other	102202.7	3.6	2853352	100.0

Table 2-332. National estimates of restricted workdays by status of the injured worker, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2587417.0	90.7	2587417	90.7
Female	265934.8	9.3	2853352	100.0

Table 2-333. National estimates of restricted workdays by age group, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	6787.1	0.2	6787.094	0.2
10-19	296596.9	10.4	303384	10.7
20-29	160683.6	5.6	464067.6	16.3
30-39	329562.1	11.6	793629.7	27.9
40-49	735438.8	25.8	1529068	53.7
50-59	449768.1	15.8	1978837	69.5
60-69	547252.5	19.2	2526089	88.8
>=70	319948.3	11.2	2846037	100.0
(Frequency Missing = 7314.375)				

Table 2-334. National estimates of restricted workdays by race or ethnic origin, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2714698.0	95.1	2714698	95.1
Hispanic	122604.2	4.3	2837302	99.4
Black	1417.7	0.0	2838719	99.5
Other	14632.3	0.5	2853062	100.0

Table 2-335. National estimates of restricted workdays by month, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	239330.9	8.4	239330.9	8.4
February	117049.6	4.1	356380.5	12.5
March	103761.7	3.6	460142.2	16.1
April	172224.8	6.0	632367	22.2
May	221762.8	7.8	854129.8	29.9
June	147640.1	5.2	1001770	35.1
July	271386.8	9.5	1273157	44.6
August	461512.1	16.2	1734669	60.8
September	411569	14.4	2146238	75.2
October	338405.7	11.9	2484644	87.1
November	202760.1	7.1	2687404	94.2
December	165948.2	5.8	2853352	100.0

Table 2-336. National estimates of restricted workdays by whether professional medical attention was sought, 1994.

Medical Attention	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Required				
Yes	2744219.0	96.2	2744219	96.2
No	109132.8	3.8	2853352	100.0

Table 2-337. National estimates of restricted workdays by body part injured, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	65828.0	2.3	65827.96	2.3
Eye	32629.9	1.1	98457.86	3.5
Chest/trunk	137227.9	4.8	235685.7	8.3
Back	659841.6	23.1	895527.3	31.4
Arm/shoulder	251970.6	8.8	1147498	40.2
Finger	140447.6	4.9	1287946	45.1
Hand/wrist	348985.3	12.2	1636931	57.4
Leg/knee/hip	821902.4	28.8	2458833	86.2
Toe	62143.9	2.2	2520977	88.4
Foot	165414.5	5.8	2686392	94.1
Mult. parts	142764.4	5.0	2829156	99.2
Other	24195.8	0.8	2853352	100.0

Table 2-338. National estimates of restricted workdays by nature of injury, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	16240.0	0.6	16240	0.6
Asphyxiation	683.0	0.0	16922.99	0.6
Bruise	221088.4	7.9	238011.4	8.5
Burn	44133.8	1.6	282145.2	10.1
Cut	91044.7	3.2	373189.9	13.3
Crush	310502.4	11.1	683692.3	24.4
Fracture	1027803.0	36.7	1711496	61.1
Poisoning	7092.5	0.3	1718588	61.3
Puncture	79680.3	2.8	1798268	64.2
Sprain/Strain	440044.4	15.7	2238313	79.9
Electric Shock	2869.7	0.1	2241182	80.0
Mult. Injury	196133.6	7.0	2437316	87.0
Other	364635.6	13.0	2801952	100.0
(Frequency Missing = 51400.2)				

Table 2-339. National estimates of restricted workdays by type of event, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	167263.2	5.9	167263.2	5.9
Caught between	208940.4	7.3	376203.6	13.2
Caught under	184771.2	6.5	560974.8	19.7
Struck by/against	250832.7	8.8	811807.5	28.5
Struck by falling	224792.6	7.9	1036600.0	36.3
Struck by flying	84664.5	3.0	1121265.0	39.3
Contact sharp object	33604.8	1.2	1154869.0	40.5
Fall, same level	351200.0	12.3	1506069.0	52.8
Fall, elevation	679422.6	23.8	2185492.0	76.6
Overexertion	254274.3	8.9	2439766.0	85.5
Contact Electricity	3076.6	0.1	2442843.0	85.6
Other	410508.9	14.4	2853352.0	100.0

Table 2-340. National estimates of restricted workdays by activity when worker was injured, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	427948.4	15.0	427948.4	15.0
Machine maint.	312089.2	10.9	740037.6	25.9
Field work	451536.4	15.8	1191574	41.8
Crop handling	536389.0	18.8	1727963	60.6
Livestock handling	676222.5	23.7	2404185	84.3
Other	449166.3	15.7	2853352	100.0

Table 2-341. National estimates of restricted workdays by source of the injury, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	111263.0	3.9	111263	3.9
Machinery	491888.3	17.2	603151.2	21.1
Livestock	552846.2	19.4	1155997	40.5
Hand tool	51549.4	1.8	1207547	42.3
Power tool	30506.1	1.1	1238053	43.4
Pesticide/chem.	5197.0	0.2	1243250	43.6
Plant/tree	66842.3	2.3	1310092	45.9
Working surface	254031.7	8.9	1564124	54.8
Truck/auto	228374.7	8.0	1792499	62.8
Other vehicle	99421.3	3.5	1891920	66.3
Liquids (non-chem.)	9174.2	0.3	1901094	66.6
Other	952257.6	33.4	2853352	100.0

Table 2-342. National estimates of lost-time injuries by source of injury and nature of injury, 1994.

Nature of Injury	Source of Injury						Total
	Tractor	Machines	Live-Stock	Hand Tool	Power tool	Pesti-cides	
Amputation	0	227.7	0	0	0	0	498
Asphyxiation	0	0	0	0	0	0	227
Bruise	1385.0	4756.7	3435.7	143.6	0	0	15318
Burn	143.6	0	236.3	0	145.7	248.2	2511
Cut	1743.2	5588.1	222.6	1938.8	1946.5	0	17927
Crush	479.07	2596.3	2729.1	257.8	195.2	0	9420
Fracture	880.8	5282.9	9009.7	236.3	120.3	0	26760
Poisoning	0	0	0	0	0	0	309
Puncture	0	1418.7	638.8	920.6	151.0	0	6047
Sprain/Strain	266.8	1693.3	5172.8	441.3	126.4	0	25569
Electric Shock	42.3	0	0	0	0	0	616
Mult. Injury	579.3	1170.5	2491.7	0	0	0	4417
Other	224.6	673.2	411.6	227.7	962.1	573.9	11666
Total	5745	23407	24348	4166	3647	822	121286

Table 2-342. National estimates of lost-time injuries by source of injury and nature of injury, 1994 (continued).

Nature of Injury	Source of Injury						Total
	Plant/ tree	Working surface	Truck/ auto	Other vehicles	Liquids	Other	
Amputation	0	0	0	270.7	0	0	498
Asphyxiation	0	0	0	0	0	227.7	228
Bruise	0	274.4	503.0	832.5	0	3987.5	15318
Burn	0	0	0	0	1025.2	712.2	2511
Cut	563.0	0	173.1	125.5	0	5625.9	17927
Crush	0	0	20.6	720.2	0	2422.0	9420
Fracture	368.0	2562.5	1428.9	436.7	0	6433.7	26760
Poisoning	0	0	0	0	0	309.3	309
Puncture	0	487.6	243.8	0	0	2186.2	6046
Sprain/Strain	2099.0	6212.8	1546.3	904.0	0	7106.3	25569
Electric Shock	0	0	0	0	573.93	0	616
Mult. Injury	0	175.5	0	0	0	0	4417
Other	0	150.3	1774.3	720.2	0	5948.1	11666
Total	3030	9863	5690	4010	1599	34959	121286

(Frequency Missing = 645.6)

Table 2-343. National estimates of lost-time injuries by source of injury and type of injury event.

Type of Injury Event	Source of Injury						Total
	Tractor	Machines	Live- stock	Hand tool	Power tool	Pesti- cides	
Caught in	1125.6	1653.7	243.8	0	0	0	4982
Caught between	782.2	3788.5	3415.3	0	195.2	0	12449
Caught under	532.9	1975.6	2658.6	27.5	0	0	6895
Struck by/against	72.4	5107.6	7227.6	477.7	436.0	0	18148
Struck by falling	0	2339.3	54.6	164.9	0	0	6391
Struck by flying	0	1395.1	270.7	1141.6	631.5	0	4692
Contact sharp obj	0	1903.1	0	1428.5	1636.2	0	8755
Fall, same level	0	1171.6	4178.2	0	0	0	12152
Fall, elevation	1544.5	2434.6	1544.3	236.3	0	0	19007
Overexertion	36.2	257.3	916.9	669.0	126.4	0	10341
Contact Elec.	42.3	0	0	0	0	0	1030
Other	1572.3	1463.4	3837.9	20.6	621.9	822.2	17012
Total	5708	23490	24348	4166	3647	822	121853

Table 2-343. National estimates of lost-time injuries by source of injury and type of injury event, 1994 (continued).

Type of Injury Event	Source of Injury						Total
	Plant/ tree	Working surface	Truck/ auto	Other vehicle	Liquids	Other	
Caught in	0	0	227.7	768.0	0	963.1	4982
Caught between	0	163.6	215.8	306.9	0	3581.3	12449
Caught under	0	0	0	1326.2	0	373.7	6895
Struck by/against	0	366.6	1581.4	950.9	0	1927.7	18148
Struck by falling	0	243.8	145.7	99.9	0	3343.0	6391
Struck by flying	563.0	0	0	163.6	0	526.1	4692
Contact sharp objl	0	243.8	27.5	125.5	0	3390.5	8755
Fall, same level	707.5	3655.2	241.6	195.2	0	2003.1	12152
Fall, elevation	241.6	3905.3	2658.3	73.9	0	6368.9	19007
Overexertion	1497.4	190.9	0	0	0	6646.7	10341
Contact Elec.	0	0	0	0	573.9	413.8	1030
Other	20.6	1093.8	550.0	0	1025.2	5983.8	17012
Total	3030	9863	5648	4010	1599	35521	121853

(Frequency Missing = 78.5)

Table 2-344. National estimates of lost-time injuries by source of injury and body part injured, 1994.

Body Part Injured	Source of Injury						Total
	Tractor	Machines	Live- stock	Hand tool	Power tool	Pesti- cides	
Head/neck	999.0	512.9	1438.0	171.1	0	0	10304
Eye	29.4	645.8	58.9	998.0	752.0	248.2	3924
Chest/trunk	145.7	1167.8	1703.0	236.3	120.3	0	4827
Back	36.2	1416.3	3189.0	27.5	476.3	0	19215
Arm/shoulder	597.5	1683.0	5355.7	413.8	126.4	0	14238
Finger	479.1	5908.9	1339.5	725.2	1090.7	0	13674
Hand/wrist	1417.7	3438.7	1076.3	249.2	274.4	573.9	11309
Leg/knee/hip	650.5	6819.4	5671.3	909.5	661.5	0	25114
Toe	0	1202.2	909.5	20.6	0	0	3373
Foot	0	674.4	2105.2	187.2	0	0	7714
Mult.parts	1347.3	0	1270.9	0	145.7	0	5463
Other	42.3	20.6	230.6	227.7	0	0	2777
Total	5745	23490	24348	4166	3647	822	121932

Table 2-344. National estimates of lost-time injuries by source of injury and body part injured, 1994 (continued).

Body Part Injured	Source of Injury						Total
	Plant/ tree	Working surface	Truck/ auto	Other vehicle	Liquids	Other	
Head/neck	0	145.7	2024.9	99.9	573.9	4338.7	10304
Eye	563.0	27.5	9 373.3	0	0	227.7	3924
Chest/trunk	0	0	747.7	0	38.4	667.4	4827
Back	1518.0	2428.8	928.9	0	0	9194.4	19215
Arm/shoulder	241.6	3444.9	270.0	989.3	0	1115.9	14238
Finger	0	122.8	318.7	270.7	0	3418.5	13674
Hand/wrist	126.4	243.8	198.1	0	0	3710.6	11309
Leg/knee/hip	581.1	1893.5	340.9	998.3	0	6588.1	25114
Toe	0	0	0	0	0	1240.3	3373
Foot	0	1106.3	243.8	931.5	0	2466.0	7714
Mult.parts	0	449.9	243.8	720.2	986.76	298.4	5463
Other	0	0	0	0	0	2255.9	2777
Total	3030	9863	5690	4010	1599	35521	121932

Section 3: Regional Data




Figure 1. Regions of the United States

Table 3-1. Regional estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by farm group, 1994

Region	Farm Type	Estimated Lost-time Injuries	Estimated Restricted Workdays	Estimated Lost-time Injury Rates	Estimated Restricted Workdays Rate
Northeast	Crops	2722	14534	3.7	19.8
	Livestock	6115	158950	5.2	135.2
	All farms	8837	173484	4.6	90.3
South	Crops	12220	198335	3.7	60.1
	Livestock	9900	91415	3.4	31.4
	All farms	22120	289750	3.5	45.8
Midwest	Crops	30295	906726	4.4	131.7
	Livestock	32458	733447	5.0	113.0
	All farms	62753	1640173	4.7	122.8
West	Crops	13014	310743	5.5	131.3
	Livestock	15212	439201	7.1	205.0
	All farms	28227	749944	6.3	167.4

Table 3-2. Estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked by region and type of farming operation, 1994

Region	Type of Farm	Estimated Lost-time Injuries	Estimated Restricted Workdays	Estimated Restricted Workday Rate	Estimated Lost-time Injury Rate
Northeast	Cash grain	141	742	14.7	2.8
	Field crops	665	1210	7.3	4.0
	Veg, fruit, nuts	1089	9427	32.9	3.8
	Nursery	377	1883	11.0	2.2
	Beef, hogs, sheep	1454	14370	58.3	5.9
	Poultry	109	3637	290.3	8.7
	Dairy	4553	140944	154.8	5.0
	Other farms	450	1272	21.8	7.7
South	Cash grain	878	33176	56.7	1.5
	Field crops	5771	73858	39.7	3.1
	Veg, fruit, nuts	3780	80196	167.6	7.9
	Nursery	1427	3742	24.7	9.4
	Beef, hogs, sheep	6878	64653	28.2	3.0
	Poultry	1292	13561	42.0	4.0
	Dairy	1730	13208	36.7	4.8
	Other farms	364	7363	30.8	1.5

Table 3-2. Estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked by region and type of farming operation, 1994(continued).

<u>Region</u>	<u>Type of Farm</u>	<u>Estimated Lost-time Injuries</u>	<u>Estimated Restricted Workdays</u>	<u>Estimated Restricted Workday Rate</u>	<u>Estimated Lost-time Injury Rate</u>
Midwest	Cash grain	24875	710961	120.0	4.2
	Field crops	3138	175938	451.2	8.0
	Veg,fruit,nuts	651	9110	53.2	3.8
	Nursery	1487	2167	13.4	9.2
	Beef,hogs,sheep	23447	675030	126.7	4.4
	Poultry	0	0	0.0	0.0
	Dairy	9010	58417	55.1	8.5
	Other farms	145	8550	35.4	0.6
West	Cash grain	2316	65869	96.7	3.4
	Field crops	4933	153821	174.6	5.6
	Veg,fruit,nuts	1019	31704	84.0	2.7
	Nursery	3939	45601	160.0	13.8
	Beef,hogs,sheep	12679	401963	216.7	6.8
	Poultry	0	0	0.0	0.0
	Dairy	2533	37238	129.4	8.8
	Other farms	808	13749	112.3	6.6

Table 3-3. Regional estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by farm group and status of the injured worker, 1994

<u>Region</u>	<u>Farm Type</u>	<u>Status</u>	<u>Estimated Lost-time Injuries</u>	<u>Estimated Restricted Workdays</u>	<u>Estimated Lost-time Injury Rate</u>	<u>Estimated Restricted Workday Rate</u>
Northeast	Crops	Family	1349	9969	3.9	28.8
		Hired	1182	3885	3.2	10.5
	Livestock	Family	4841	148637	5.3	162.7
		Hired	1207	10177	4.9	41.3
South	Crops	Family	9130	181964	4.2	89.2
		Hired	2676	16164	2.6	43.8
	Livestock	Family	7380	64337	3.3	28.8
		Hired	1424	8829	2.2	13.6
Midwest	Crops	Family	22971	783356	4.2	143.2
		Hired	6556	54253	5.2	43.0
	Livestock	Family	27751	588810	5.1	108.2
		Hired	3720	130822	4.1	144.2
West	Crops	Family	5606	167768	4.5	134.7
		Hired	7408	142975	6.9	133.2
	Livestock	Family	10118	340872	5.9	198.8
		Hired	5094	98329	12.9	245.2

Table 3-4. Estimates of lost-time injuries by farm type for the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	140.8	1.6	140.8	1.6
Field crops	665.4	7.5	806.2	9.1
Vegetable, fruit, nuts	1089.0	12.3	1895.2	21.4
Nursery	376.5	4.3	2271.7	25.7
Beef, hogs, sheep	1453.9	16.5	3725.6	42.2
Poultry	108.6	1.2	3834.2	43.4
Dairy	4552.9	51.5	8387.1	94.9
Other farms	450.2	5.1	8837.3	100.0

Table 3-5. Estimates of lost-time injuries by status of the injured worker for the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	5423.1	61.4	5423.1	61.4
Partner/family	766.2	8.7	6189.3	70.0
Hired labor	2140.8	24.2	8330.1	94.3
Unpaid nonfamily	248.1	2.8	8578.2	97.1
Other	259.1	2.9	8837.3	100.0

Table 3-6. Estimates of lost-time injuries by gender for the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	8042.7	91.0	8042.7	91.0
Female	794.6	9.0	8837.3	100.0

Table 3-7. Estimates of lost-time injuries by age group for the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	295.3	3.3	295.3	3.3
10-19	642.7	7.3	938.0	10.6
20-29	1474.8	16.7	2412.8	27.3
30-39	2102.6	23.8	4515.4	51.1
40-49	2416.1	27.3	6931.5	78.4
50-59	893.9	10.1	7825.4	88.5
60-69	756.7	8.6	8582.1	97.1
>=70	255.2	2.9	8837.3	100.0

Table 3-8. Estimates of lost-time injuries by race or ethnic origin for the Northeast region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	8396.5	95.0	8396.5	95.0
Hispanic	225.4	2.6	8621.9	97.6
Black	157.3	1.8	8779.2	99.3
Other	58.1	0.7	8837.3	100.0

Table 3-9. Estimates of lost-time injuries by month for the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	486.0	5.5	486.0	5.5
February	850.9	9.6	1336.9	15.1
March	90.4	1.0	1427.3	16.2
April	305.1	3.5	1732.4	19.6
May	811.0	9.2	2543.4	28.8
June	297.8	3.4	2841.2	32.2
July	590.2	6.7	3431.4	38.8
August	765.6	8.7	4197.0	47.5
September	1140.9	12.9	5337.9	60.4
October	1442.5	16.3	6780.4	76.7
November	881.4	10.0	7661.8	86.7
December	1175.5	13.3	8837.3	100.0

Table 3-10. Estimates of lost-time injuries by severity of the injury for the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	7976.5	90.3	7976.5	90.3
Permanent	818.5	9.3	8795.0	99.5
Fatality	42.3	0.5	8837.3	100.0

Table 3-11. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	860.8	9.7	860.8	9.7
Yes	6864.1	77.7	7724.9	87.4
No	1112.4	12.6	8837.3	100.0

Table 3-12. Estimates of lost-time injuries by body part injured for the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	150.6	1.7	150.6	1.7
Eye	790.2	8.9	940.8	10.6
Chest/trunk	653.8	7.4	1594.6	18.0
Back	686.1	7.8	2280.7	25.8
Arm/shoulder	1269.9	14.4	3550.6	40.2
Finger	1291.7	14.6	4842.3	54.8
Hand/wrist	502.9	5.7	5345.2	60.5
Leg/knee/hip	1892.9	21.4	7238.1	81.9
Toe	56.8	0.6	7294.9	82.5
Foot	662.9	7.5	7957.8	90.0
Mult. parts	303.1	3.4	8260.9	93.5
Other	576.4	6.5	8837.3	100.0

Table 3-13. Estimates of lost-time injuries by nature of injury for the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	227.7	2.6	227.7	2.6
Asphyxiation	227.7	2.6	455.4	5.2
Bruise	1365.3	15.4	1820.7	20.6
Burn	484.6	5.5	2305.3	26.1
Cut	1022.1	11.6	3327.4	37.7
Crush	479.4	5.4	3806.8	43.1
Fracture	898.8	10.2	4705.6	53.2
Puncture	770.4	8.7	5476.0	62.0
Sprain/strain	1814.2	20.5	7290.2	82.5
Electric shock	42.3	0.5	7332.5	83.0
Mult. injury	520.8	5.9	7853.3	88.9
Other	984.0	11.1	8837.3	100.0

Table 3-14. Estimates of lost-time injuries by type of event for the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	268.9	3.1	268.9	3.1
Caught between	1047.9	11.9	1316.8	15.0
Caught under	491.5	5.6	1808.3	20.6
Struck by/against	853.4	9.7	2661.7	30.3
Struck by falling	84.3	1.0	2746.0	31.2
Struck by flying	326.4	3.7	3072.4	34.9
Contact sharp obj.	924.2	10.5	3996.6	45.4
Fall, same level	1184.9	13.5	5181.5	58.9
Fall, elevation	748.3	8.5	5929.8	67.4
Overexertion	995.4	11.3	6925.2	78.7
Contact electric	42.3	0.5	6967.5	79.2
Other	1827.5	20.8	8795.0	100.0

(Frequency Missing = 42.3)

Table 3-15. Estimates of lost-time injuries by activity when worker was injured for the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2433.9	27.5	2433.9	27.5
Machine maint.	960.9	10.9	3394.8	38.4
Field work	975.6	11.0	4370.4	49.5
Crop handling	1219.0	13.8	5589.4	63.2
Livestock handling	1851.5	21.0	7440.9	84.2
Other	1396.4	15.8	8837.3	100.0

Table 3-16. Estimates of lost-time injuries by source of the injury for the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	812.5	9.2	812.5	9.2
Machinery	1057.1	12.0	1869.6	21.2
Livestock	1285.7	14.5	3155.3	35.7
Hand tool	975.8	11.0	4131.1	46.7
Power tool	126.2	1.4	4257.3	48.2
Pesticide/chem.	248.3	2.8	4505.6	51.0
Plant/tree	394.2	4.5	4899.8	55.4
Working surface	460.8	5.2	5360.6	60.7
Truck/auto	573.3	6.5	5933.9	67.1
Other vehicle	125.5	1.4	6059.4	68.6
Other	2777.9	31.4	8837.3	100.0

Table 3-17. Estimates of lost-time injuries by farm type for the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	877.9	4.0	877.9	4.0
Field crops	5771.3	26.1	6649.2	30.1
Vegetable, fruit, nuts	3779.5	17.1	10428.7	47.1
Nursery	1427.1	6.5	11855.8	53.6
Beef, hogs, sheep	6878.4	31.1	18734.2	84.7
Poultry	1291.6	5.8	20025.8	90.5
Dairy	1729.9	7.8	21755.7	98.4
Other farms	364.4	1.6	22120.1	100.0

Table 3-18. Estimates of lost-time injuries by status of the injured worker for the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	14661.9	66.3	14661.9	66.3
Partner/family	1848.0	8.4	16509.9	74.6
Hired labor	4099.8	18.5	20609.7	93.2
Other	1510.4	6.8	22120.1	100.0

Table 3-19. Estimates of lost-time injuries by gender for the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	19205.2	86.8	19205.2	86.8
Female	2914.9	13.2	22120.1	100.0

Table 3-20. Estimates of lost-time injuries by age group for the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1183.2	5.4	1183.2	5.4
20-29	2217.2	10.0	3400.4	15.4
30-39	3849.3	17.4	7249.7	32.8
40-49	7543.5	34.2	14793.2	67.0
50-59	4949.8	22.4	19743.0	89.4
60-69	984.2	4.5	20727.2	93.9
>=70	1356.7	6.1	22083.9	100.0
(Frequency Missing = 36.2)				

Table 3-21. Estimates of lost-time injuries by race or ethnic origin for the South region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	21173.7	95.7	21173.7	95.7
Hispanic	450.0	2.0	21623.7	97.8
Black	496.4	2.2	22120.1	100.0

Table 3-22. Estimates of lost-time injuries by month for the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1016.2	4.6	1016.2	4.6
February	470.8	2.1	1487.0	6.7
March	950.8	4.3	2437.8	11.0
April	2612.7	11.8	5050.5	22.8
May	1133.8	5.1	6184.3	28.0
June	2160.7	9.8	8345.0	37.7
July	2747.4	12.4	11092.4	50.1
August	2841.3	12.8	13933.7	63.0
September	3165.0	14.3	17098.7	77.3
October	1915.9	8.7	19014.6	86.0
November	2188.6	9.9	21203.2	95.9
December	916.9	4.1	22120.1	100.0

Table 3-23. Estimates of lost-time injuries by severity of the injury for the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	20370.9	95.7	20370.9	95.7
Permanent	885.4	4.2	21256.3	99.8
Fatality	36.2	0.2	21292.5	100.0
(Frequency Missing = 827.6)				

Table 3-24. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	921.6	4.2	921.6	4.2
Yes	19492.8	88.1	20414.4	92.3
No	1705.7	7.7	22120.1	100.0

Table 3-25. Estimates of lost-time injuries by body part injured for the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2166.4	9.8	2166.4	9.8
Eye	1059.8	4.8	3226.2	14.6
Chest/trunk	202.0	0.9	3428.2	15.5
Back	3798.5	17.2	7226.7	32.7
Arm/shoulder	2456.1	11.1	9682.8	43.8
Finger	3020.5	13.7	12703.3	57.4
Hand/wrist	1093.8	4.9	13797.1	62.4
Leg/knee/hip	5123.4	23.2	18920.5	85.5
Toe	1403.6	6.3	20324.1	91.9
Foot	1202.0	5.4	21526.1	97.3
Mult. parts	199.8	0.9	21725.9	98.2
Other	394.2	1.8	22120.1	100.0

Table 3-26. Estimates of lost-time injuries by nature of injury for the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	5019.3	22.8	5019.3	22.8
Burn	595.8	2.7	5615.1	25.5
Cut	2985.2	13.5	8600.3	39.0
Crush	1704.2	7.7	10304.5	46.8
Fracture	4334.8	19.7	14639.3	66.4
Poisoning	163.6	0.7	14802.9	67.2
Puncture	798.2	3.6	15601.1	70.8
Sprain/strain	3341.9	15.2	18943.0	86.0
Mult. injury	482.2	2.2	19425.2	88.1
Other	2612.3	11.9	22037.5	100.0

(Frequency Missing = 82.6)

Table 3-27. Estimates of lost-time injuries by type of event for the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	16.0	0.1	16.0	0.1
Caught between	3242.8	14.7	3258.8	14.8
Caught under	2295.6	10.4	5554.4	25.2
Struck by/against	757.2	3.4	6311.6	28.6
Struck by falling	1598.9	7.2	7910.5	35.8
Struck by flying	1337.6	6.1	9248.1	41.9
Contact sharp obj.	1813.6	8.2	11061.7	50.1
Fall, same level	2157.7	9.8	13219.4	59.9
Fall, elevation	3214.6	14.6	16434.0	74.4
Overexertion	2354.5	10.7	18788.5	85.1
Contact electric	413.8	1.9	19202.3	87.0
Other	2881.6	13.0	22083.9	100.0

(Frequency Missing = 36.2)

Table 3-28. Estimates of lost-time injuries by activity when worker was injured for the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2237.6	10.1	2237.6	10.1
Machine maint.	3081.1	13.9	5318.7	24.0
Field work	5951.9	26.9	11270.6	51.0
Crop handling	4105.4	18.6	15376.0	69.5
Livestock handling	5046.1	22.8	20422.1	92.3
Other	1698.0	7.7	22120.1	100.0

Table 3-29. Estimates of lost-time injuries by source of the injury for the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	528.2	2.4	528.2	2.4
Machinery	3881.5	17.5	4409.7	19.9
Livestock	4214.7	19.1	8624.4	39.0
Hand tool	1729.3	7.8	10353.7	46.8
Power tool	719.1	3.3	11072.8	50.1
Plant/tree	1371.8	6.2	12444.6	56.3
Working surface	651.3	2.9	13095.9	59.2
Truck/auto	94.3	0.4	13190.2	59.6
Other vehicle	968.6	4.4	14158.8	64.0
Liquids	38.4	0.2	14197.2	64.2
Other	7922.9	35.8	22120.1	100.0

Table 3-30. Estimates of lost-time injuries by farm type for the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	24874.8	39.6	24874.8	39.6
Field crops	3137.6	5.0	28012.4	44.6
Vegetable, fruit, nuts	650.7	1.0	28663.1	45.7
Nursery	1487.4	2.4	30150.5	48.0
Beef, hogs, sheep	23447.1	37.4	53597.6	85.4
Dairy	9010.4	14.4	62608.0	99.8
Other farms	144.6	0.2	62752.6	100.0

Table 3-31. Estimates of lost-time injuries by status of the injured worker for the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	47791.0	76.2	47791.0	76.2
Partner/family	2930.5	4.7	50721.5	80.8
Hired labor	9072.9	14.5	59794.4	95.3
Unpaid nonfamily	1203.4	1.9	60997.8	97.2
Other	1754.8	2.8	62752.6	100.0

Table 3-32. Estimates of lost-time injuries by gender for the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	59591.4	95.0	59591.4	95.0
Female	3161.2	5.0	62752.6	100.0

Table 3-33. Estimates of lost-time injuries by age group for the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	6051.0	9.6	6051.0	9.6
20-29	3970.3	6.3	10021.3	16.0
30-39	14056.5	22.4	24077.8	38.4
40-49	12170.1	19.4	36247.9	57.8
50-59	7752.2	12.4	44000.1	70.1
60-69	12886.2	20.5	56886.3	90.7
>=70	5866.3	9.3	62752.6	100.0

Table 3-34. Estimates of lost-time injuries by race or ethnic origin for the Midwest region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	61340.7	97.8	61340.7	97.8
Hispanic	1049.8	1.7	62390.5	99.4
American Indian	362.1	0.6	62752.6	100.0

Table 3-35. Estimates of lost-time injuries by month for the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	4170.8	6.6	4170.8	6.6
February	563.9	0.9	4734.7	7.5
March	4027.5	6.4	8762.2	14.0
April	6565.2	10.5	15327.4	24.4
May	7621.0	12.1	22948.4	36.6
June	5234.0	8.3	28182.4	44.9
July	5375.8	8.6	33558.2	53.5
August	7849.2	12.5	41407.4	66.0
September	5536.0	8.8	46943.4	74.8
October	5267.0	8.4	52210.4	83.2
November	5101.6	8.1	57312.0	91.3
December	5440.6	8.7	62752.6	100.0

Table 3-36. Estimates of lost-time injuries by severity of the injury for the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	61710.1	98.3	61710.1	98.3
Permanent	322.3	0.5	62032.4	98.9
Fatality	720.2	1.1	62752.6	100.0

Table 3-37. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1042.5	1.7	1042.5	1.7
Yes	49794.0	80.4	50836.5	82.1
No	11100.6	17.9	61937.1	100.0
(Frequency Missing = 815.5)				

Table 3-38. Estimates of lost-time injuries by body part injured for the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	6082.3	9.7	6082.3	9.7
Eye	1645.3	2.6	7727.6	12.3
Chest/trunk	1608.7	2.6	9336.3	14.9
Back	10514.6	16.8	19850.9	31.6
Arm/shoulder	7467.7	11.9	27318.6	43.5
Finger	6543.9	10.4	33862.5	54.0
Hand/wrist	7491.1	11.9	41353.6	65.9
Leg/knee/hip	11938.2	19.0	53291.8	84.9
Toe	241.6	0.4	53533.4	85.3
Foot	4327.0	6.9	57860.4	92.2
Mult. parts	3356.2	5.3	61216.6	97.6
Other	1536.0	2.4	62752.6	100.0

Table 3-39. Estimates of lost-time injuries by nature of injury for the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	5795.5	9.3	5795.5	9.3
Burn	986.8	1.6	6782.3	10.9
Cut	11821.7	19.0	18604.0	29.9
Crush	5649.6	9.1	24253.6	39.0
Fracture	14754.9	23.7	39008.5	62.7
Puncture	3140.6	5.1	42149.1	67.8
Sprain/strain	13104.3	21.1	55253.4	88.8
Electric shock	573.9	0.9	55827.3	89.8
Mult. injury	1649.2	2.7	57476.5	92.4
Other	4713.1	7.6	62189.6	100.0

(Frequency Missing = 563)

Table 3-40. Estimates of lost-time injuries by type of event for the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3864.7	6.2	3864.7	6.2
Caught between	5966.0	9.5	9830.7	15.7
Caught under	2671.2	4.3	12501.9	19.9
Struck by/against	13063.6	20.8	25565.5	40.7
Struck by falling	1964.9	3.1	27530.4	43.9
Struck by flying	2175.5	3.5	29705.9	47.3
Contact sharp obj.	4673.8	7.4	34379.7	54.8
Fall, same level	6363.8	10.1	40743.5	64.9
Fall, elevation	9900.8	15.8	50644.3	80.7
Overexertion	4112.2	6.6	54756.5	87.3
Contact electric	573.9	0.9	55330.4	88.2
Other	7422.2	11.8	62752.6	100.0

Table 3-41. Estimates of lost-time injuries by activity when worker was injured for the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6466.0	10.3	6466.0	10.3
Machine maint.	9503.2	15.1	15969.2	25.4
Field work	9076.0	14.5	25045.2	39.9
Crop handling	7383.1	11.8	32428.3	51.7
Livestock handling	20533.5	32.7	52961.8	84.4
Other	9790.8	15.6	62752.6	100.0

Table 3-42. Estimates of lost-time injuries by source of the injury for the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3054.3	4.9	3054.3	4.9
Machinery	14950.6	23.8	18004.9	28.7
Livestock	12613.4	20.1	30618.3	48.8
Hand tool	961.8	1.5	31580.1	50.3
Power tool	1016.0	1.6	32596.1	51.9
Pesticide/chem.	573.9	0.9	33170.0	52.9
Plant/tree	804.6	1.3	33974.6	54.1
Working surface	5193.5	8.3	39168.1	62.4
Truck/auto	3171.6	5.1	42339.7	67.5
Other vehicle	2450.0	3.9	44789.7	71.4
Liquids	1560.7	2.5	46350.4	73.9
Other	16402.2	26.1	62752.6	100.0

Table 3-43. Estimates of lost-time injuries by farm type for the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	2315.6	8.2	2315.6	8.2
Field crops	4933.3	17.5	7248.9	25.7
Vegetable, fruit, nuts	1018.7	3.6	8267.6	29.3
Nursery	3938.7	14.0	12206.3	43.2
Beef, hogs, sheep	12679.4	44.9	24885.7	88.2
Dairy	2533.0	9.0	27418.7	97.1
Other farms	808.0	2.9	28226.7	100.0

Table 3-44. Estimates of lost-time injuries by status of the injured worker for the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	13496.8	47.8	13496.8	47.8
Partner/family	2227.5	7.9	15724.3	55.7
Hired labor	11690.3	41.4	27414.6	97.1
Unpaid nonfamily	812.1	2.9	28226.7	100.0

Table 3-45. Estimates of lost-time injuries by gender for the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	24678.5	87.4	24678.5	87.4
Female	3548.2	12.6	28226.7	100.0

Table 3-46. Estimates of lost-time injuries by age group for the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	468.8	1.7	468.8	1.7
10-19	1531.8	5.5	2000.6	7.1
20-29	5502.0	19.7	7502.6	26.8
30-39	4742.1	16.9	12244.7	43.8
40-49	6284.3	22.5	18529.0	66.2
50-59	3619.1	12.9	22148.1	79.1
60-69	2843.5	10.2	24991.6	89.3
>=70	2991.3	10.7	27982.9	100.0
(Frequency Missing = 243.8)				

Table 3-47. Estimates of lost-time injuries by race or ethnic origin for the West region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	22208.5	78.7	22208.5	78.7
Hispanic	5774.4	20.5	27982.9	99.1
American Indian	243.8	0.9	28226.7	100.0

Table 3-48. Estimates of lost-time injuries by month for the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3303.8	11.7	3303.8	11.7
February	1608.8	5.7	4912.6	17.4
March	1476.8	5.2	6389.4	22.6
April	1663.0	5.9	8052.4	28.5
May	1349.8	4.8	9402.2	33.3
June	1286.9	4.6	10689.1	37.9
July	4112.3	14.6	14801.4	52.4
August	4933.3	17.5	19734.7	69.9
September	1523.7	5.4	21258.4	75.3
October	3034.1	10.7	24292.5	86.1
November	2106.4	7.5	26398.9	93.5
December	1827.8	6.5	28226.7	100.0

Table 3-49. Estimates of lost-time injuries by severity of the injury for the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	27107.8	96.0	27107.8	96.0
Permanent	1118.9	4.0	28226.7	100.0

Table 3-50. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1118.9	4.0	1118.9	4.0
Yes	23722.9	84.0	24841.8	88.0
No	3384.9	12.0	28226.7	100.0

Table 3-51. Estimates of lost-time injuries by body part injured for the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1905.1	6.7	1905.1	6.7
Eye	428.9	1.5	2334.0	8.3
Chest/trunk	2362.4	8.4	4696.4	16.6
Back	4216.3	14.9	8912.7	31.6
Arm/shoulder	3044.6	10.8	11957.3	42.4
Finger	2818.8	10.0	14776.1	52.3
Hand/wrist	2221.8	7.9	16997.9	60.2
Leg/knee/hip	6160.4	21.8	23158.3	82.0
Toe	1670.7	5.9	24829.0	88.0
Foot	1522.9	5.4	26351.9	93.4
Mult. parts	1604.1	5.7	27956.0	99.0
Other	270.7	1.0	28226.7	100.0

Table 3-52. Estimates of lost-time injuries by nature of injury for the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	270.7	1.0	270.7	1.0
Bruise	3138.8	11.1	3409.5	12.1
Burn	444.1	1.6	3853.6	13.7
Cut	2098.5	7.4	5952.1	21.1
Crush	1587.2	5.6	7539.3	26.7
Fracture	6772.4	24.0	14311.7	50.7
Poisoning	145.7	0.5	14457.4	51.2
Puncture	1337.7	4.7	15795.1	56.0
Sprain/strain	7309.3	25.9	23104.4	81.9
Mult. injury	1765.3	6.3	24869.7	88.1
Other	3357.0	11.9	28226.7	100.0

Table 3-53. Estimates of lost-time injuries by type of event for the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	832.5	2.9	832.5	2.9
Caught between	2192.7	7.8	3025.2	10.7
Caught under	1436.7	5.1	4461.9	15.8
Struck by/against	3474.4	12.3	7936.3	28.1
Struck by falling	2743.4	9.7	10679.7	37.8
Struck by flying	852.3	3.0	11532.0	40.9
Contact sharp obj.	1343.8	4.8	12875.8	45.6
Fall, same level	2446.3	8.7	15322.1	54.3
Fall, elevation	5144.7	18.2	20466.8	72.5
Overexertion	2878.9	10.2	23345.7	82.7
Other	4881.0	17.3	28226.7	100.0

Table 3-54. Estimates of lost-time injuries by activity when worker was injured for the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4576.1	16.2	4576.1	16.2
Machine maint.	4121.7	14.6	8697.8	30.8
Field work	4702.8	16.7	13400.6	47.5
Crop handling	4139.1	14.7	17539.7	62.1
Livestock handling	8040.0	28.5	25579.7	90.6
Other	2647.0	9.4	28226.7	100.0

Table 3-55. Estimates of lost-time injuries by source of the injury for the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1349.9	4.8	1349.9	4.8
Machinery	3601.9	12.8	4951.8	17.5
Livestock	6235.1	22.1	11186.9	39.6
Hand tool	499.5	1.8	11686.4	41.4
Power tool	1786.1	6.3	13472.5	47.7
Plant/tree	459.4	1.6	13931.9	49.4
Working surface	3557.9	12.6	17489.8	62.0
Truck/auto	1851.2	6.6	19341.0	68.5
Other vehicle	465.9	1.7	19806.9	70.2
Other	8419.8	29.8	28226.7	100.0

Table 3-56. Estimates of lost-time injuries by status of the injured worker for crop operations in the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1058.6	38.9	1058.6	38.9
Partner/family	290.2	10.7	1348.8	49.6
Hired labor	934.0	34.3	2282.8	83.9
Unpaid nonfamily	248.1	9.1	2530.9	93.0
Other	191.0	7.0	2721.9	100.0

Table 3-57. Estimates of lost-time injuries by gender for crop operations in the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2444.5	89.8	2444.5	89.8
Female	277.4	10.2	2721.9	100.0

Table 3-58. Estimates of lost-time injuries by age group for crop operations in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	59.0	2.2	59.0	2.2
10-19	125.5	4.6	184.5	6.8
20-29	564.0	20.7	748.5	27.5
30-39	937.7	34.5	1686.2	61.9
40-49	399.2	14.7	2085.4	76.6
50-59	173.0	6.4	2258.4	83.0
60-69	436.0	16.0	2694.4	99.0
>=70	27.5	1.0	2721.9	100.0

Table 3-59. Estimates of lost-time injuries by race or ethnic origin for crop operations in the Northeast region of the U.S., 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2349.2	86.3	2349.2	86.3
Hispanic	157.3	5.8	2506.5	92.1
Black	157.3	5.8	2663.8	97.9
Other	58.1	2.1	2721.9	100.0

Table 3-60. Estimates of lost-time injuries by month for crop operations in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	30.6	1.1	30.6	1.1
February	167.8	6.2	198.4	7.3
March	69.8	2.6	268.2	9.9
May	30.6	1.1	298.8	11.0
June	152.3	5.6	451.1	16.6
July	58.1	2.1	509.2	18.7
August	301.6	11.1	810.8	29.8
September	877.0	32.2	1687.8	62.0
October	502.5	18.5	2190.3	80.5
November	405.4	14.9	2595.7	95.4
December	126.2	4.6	2721.9	100.0

Table 3-61. Estimates of lost-time injuries by severity of the injury for crop operations in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2594.0	95.3	2594.0	95.3
Permanent	85.6	3.1	2679.6	98.4
Fatality	42.3	1.6	2721.9	100.0

Table 3-62. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	127.9	4.7	127.9	4.7
Yes	1881.7	69.1	2009.6	73.8
No	712.3	26.2	2721.9	100.0

Table 3-63. Estimates of lost-time injuries by body part injured for crop operations in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	150.6	5.5	150.6	5.5
Eye	86.5	3.2	237.1	8.7
Chest/trunk	189.8	7.0	426.9	15.7
Back	333.5	12.3	760.4	27.9
Arm/shoulder	317.9	11.7	1078.3	39.6
Finger	588.0	21.6	1666.3	61.2
Hand/wrist	246.0	9.0	1912.3	70.3
Leg/knee/hip	589.0	21.6	2501.3	91.9
Foot	89.6	3.3	2590.9	95.2
Mult. parts	30.6	1.1	2621.5	96.3
Other	100.4	3.7	2721.9	100.0

Table 3-64. Estimates of lost-time injuries by nature of injury for crop operations in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	350.2	12.9	350.2	12.9
Cut	685.1	25.2	1035.3	38.0
Crush	231.1	8.5	1266.4	46.5
Fracture	157.3	5.8	1423.7	52.3
Puncture	58.1	2.1	1481.8	54.4
Sprain/strain	974.3	35.8	2456.1	90.2
Electric shock	42.3	1.6	2498.4	91.8
Other	223.5	8.2	2721.9	100.0

Table 3-65. Estimates of lost-time injuries by type of event for crop operations in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	344.2	12.8	344.2	12.8
Caught under	27.5	1.0	371.7	13.9
Struck by/against	361.8	13.5	733.5	27.4
Struck by falling	27.5	1.0	761.0	28.4
Struck by flying	30.6	1.1	791.6	29.5
Contact sharp obj.	371.5	13.9	1163.1	43.4
Fall, same level	640.8	23.9	1803.9	67.3
Fall, elevation	263.7	9.8	2067.6	77.2
Overexertion	208.0	7.8	2275.6	84.9
Contact electric	42.3	1.6	2317.9	86.5
Other	361.7	13.5	2679.6	100.0

(Frequency Missing = 42.3)

Table 3-66. Estimates of lost-time injuries by activity when worker was injured for crop operations in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	736.8	27.1	736.8	27.1
Machine maint.	184.8	6.8	921.6	33.9
Field work	611.7	22.5	1533.3	56.3
Crop handling	424.3	15.6	1957.6	71.9
Livestock handling	160.3	5.9	2117.9	77.8
Other	604.0	22.2	2721.9	100.0

Table 3-67. Estimates of lost-time injuries by source of the injury for crop operations in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	84.6	3.1	84.6	3.1
Machinery	415.0	15.2	499.6	18.4
Livestock	118.0	4.3	617.6	22.7
Hand tool	242.9	8.9	860.5	31.6
Power tool	58.1	2.1	918.6	33.7
Plant/tree	373.6	13.7	1292.2	47.5
Working surface	392.7	14.4	1684.9	61.9
Truck/auto	97.3	3.6	1782.2	65.5
Other vehicle	125.5	4.6	1907.7	70.1
Other	814.2	29.9	2721.9	100.0

Table 3-68. Estimates of lost-time injuries by status of the injured worker for livestock operations in the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	4364.5	71.4	4364.5	71.4
Partner/family	476.0	7.8	4840.5	79.2
Hired labor	1206.8	19.7	6047.3	98.9
Other	68.1	1.1	6115.4	100.0

Table 3-69. Estimates of lost-time injuries by gender for livestock operations in the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	5598.2	91.5	5598.2	91.5
Female	517.2	8.5	6115.4	100.0

Table 3-70. Estimates of lost-time injuries by age group for livestock operations in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	236.3	3.9	236.3	3.9
10-19	517.2	8.5	753.5	12.3
20-29	910.8	14.9	1664.3	27.2
30-39	1164.9	19.0	2829.2	46.3
40-49	2016.9	33.0	4846.1	79.2
50-59	720.9	11.8	5567.0	91.0
60-69	320.7	5.2	5887.7	96.3
>=70	227.7	3.7	6115.4	100.0

Table 3-71. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the Northeast region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	6047.3	98.9	6047.3	98.9
Hispanic	68.1	1.1	6115.4	100.0

Table 3-72. Estimates of lost-time injuries by month for livestock operations in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	455.4	7.4	455.4	7.4
February	683.1	11.2	1138.5	18.6
March	20.6	0.3	1159.1	19.0
April	305.1	5.0	1464.2	23.9
May	780.4	12.8	2244.6	36.7
June	145.5	2.4	2390.1	39.1
July	532.1	8.7	2922.2	47.8
August	464.0	7.6	3386.2	55.4
September	263.9	4.3	3650.1	59.7
October	940.0	15.4	4590.1	75.1
November	476.0	7.8	5066.1	82.8
December	1049.3	17.2	6115.4	100.0

Table 3-73. Estimates of lost-time injuries by severity of the injury for livestock operations in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5382.5	88.0	5382.5	88.0
Permanent	732.9	12.0	6115.4	100.0

Table 3-74. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	732.9	12.0	732.9	12.0
Yes	4982.4	81.5	5715.3	93.5
No	400.1	6.5	6115.4	100.0

Table 3-75. Estimates of lost-time injuries by body part injured for livestock operations in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	703.7	11.5	703.7	11.5
Chest/trunk	464.0	7.6	1167.7	19.1
Back	352.6	5.8	1520.3	24.9
Arm/shoulder	952.0	15.6	2472.3	40.4
Finger	703.7	11.5	3176.0	51.9
Hand/wrist	256.9	4.2	3432.9	56.1
Leg/knee/hip	1303.9	21.3	4736.8	77.5
Toe	56.8	0.9	4793.6	78.4
Foot	573.3	9.4	5366.9	87.8
Mult. parts	272.5	4.5	5639.4	92.2
Other	476.0	7.8	6115.4	100.0

Table 3-76. Estimates of lost-time injuries by nature of injury for livestock operations in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	227.7	3.7	227.7	3.7
Asphyxiation	227.7	3.7	455.4	7.4
Bruise	1015.1	16.6	1470.5	24.0
Burn	484.6	7.9	1955.1	32.0
Cut	337.0	5.5	2292.1	37.5
Crush	248.3	4.1	2540.4	41.5
Fracture	741.5	12.1	3281.9	53.7
Puncture	712.3	11.6	3994.2	65.3
Sprain/strain	839.9	13.7	4834.1	79.0
Mult. injury	520.8	8.5	5354.9	87.6
Other	760.5	12.4	6115.4	100.0

Table 3-77. Estimates of lost-time injuries by type of event for livestock operations in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	268.9	4.4	268.9	4.4
Caught between	703.7	11.5	972.6	15.9
Caught under	464.0	7.6	1436.6	23.5
Struck by/against	491.6	8.0	1928.2	31.5
Struck by falling	56.8	0.9	1985.0	32.5
Struck by flying	295.8	4.8	2280.8	37.3
Contact sharp obj.	552.7	9.0	2833.5	46.3
Fall, same level	544.1	8.9	3377.6	55.2
Fall, elevation	484.6	7.9	3862.2	63.2
Overexertion	787.4	12.9	4649.6	76.0
Other	1465.8	24.0	6115.4	100.0

Table 3-78. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1697.1	27.8	1697.1	27.8
Machine maint.	776.1	12.7	2473.2	40.4
Field work	363.9	6.0	2837.1	46.4
Crop handling	794.7	13.0	3631.8	59.4
Livestock handling	1691.2	27.7	5323.0	87.0
Other	792.4	13.0	6115.4	100.0

Table 3-79. Estimates of lost-time injuries by source of the injury for livestock operations in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	727.9	11.9	727.9	11.9
Machinery	642.1	10.5	1370.0	22.4
Livestock	1167.7	19.1	2537.7	41.5
Hand tool	732.9	12.0	3270.6	53.5
Power tool	68.1	1.1	3338.7	54.6
Pesticide/chem.	248.3	4.1	3587.0	58.7
Plant/tree	20.6	0.3	3607.6	59.0
Working surface	68.1	1.1	3675.7	60.1
Truck/auto	476.0	7.8	4151.7	67.9
Other	1963.7	32.1	6115.4	100.0

Table 3-80. Estimates of lost-time injuries by status of the injured worker for crop operations in the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	7920.1	64.8	7920.1	64.8
Partner/family	1210.3	9.9	9130.4	74.7
Hired labor	2676.0	21.9	11806.4	96.6
Other	413.8	3.4	12220.2	100.0

Table 3-81. Estimates of lost-time injuries by gender for crop operations in the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	11475.9	93.9	11475.9	93.9
Female	744.3	6.1	12220.2	100.0

Table 3-82. Estimates of lost-time injuries by age group for crop operations in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1019.6	8.4	1019.6	8.4
20-29	1612.4	13.2	2632.0	21.6
30-39	1450.0	11.9	4082.0	33.5
40-49	6207.9	51.0	10289.9	84.5
50-59	1527.5	12.5	11817.4	97.0
60-69	169.0	1.4	11986.4	98.4
>=70	197.6	1.6	12184.0	100.0
(Frequency Missing = 36.2)				

Table 3-83. Estimates of lost-time injuries by race or ethnic origin for crop operations in the South region of the U.S., 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	11273.8	92.3	11273.8	92.3
Hispanic	450.0	3.7	11723.8	95.9
Black	496.4	4.1	12220.2	100.0

Table 3-84. Estimates of lost-time injuries by month for crop operations in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	413.8	3.4	413.8	3.4
March	787.2	6.4	1201.0	9.8
April	885.9	7.2	2086.9	17.1
May	134.8	1.1	2221.7	18.2
June	636.2	5.2	2857.9	23.4
July	1535.2	12.6	4393.1	35.9
August	2677.7	21.9	7070.8	57.9
September	2650.7	21.7	9721.5	79.6
October	1050.9	8.6	10772.4	88.2
November	992.1	8.1	11764.5	96.3
December	455.7	3.7	12220.2	100.0

Table 3-85. Estimates of lost-time injuries by severity of the injury for crop operations in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	10841.7	95.2	10841.7	95.2
Permanent	514.7	4.5	11356.4	99.7
Fatality	36.2	0.3	11392.6	100.0
(Frequency Missing = 827.6)				

Table 3-86. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	550.9	4.5	550.9	4.5
Yes	10828.6	88.6	11379.5	93.1
No	840.7	6.9	12220.2	100.0

Table 3-87. Estimates of lost-time injuries by body part injured for crop operations in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1528.7	12.5	1528.7	12.5
Eye	414.0	3.4	1942.7	15.9
Chest/trunk	38.4	0.3	1981.1	16.2
Back	2681.8	21.9	4662.9	38.2
Arm/shoulder	1711.2	14.0	6374.1	52.2
Finger	1148.6	9.4	7522.7	61.6
Hand/wrist	479.4	3.9	8002.1	65.5
Leg/knee/hip	2497.9	20.4	10500.0	85.9
Toe	1403.6	11.5	11903.6	97.4
Foot	280.4	2.3	12184.0	99.7
Mult. parts	36.2	0.3	12220.2	100.0

Table 3-88. Estimates of lost-time injuries by nature of injury for crop operations in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1635.8	13.5	1635.8	13.5
Burn	452.2	3.7	2088.0	17.2
Cut	1662.5	13.7	3750.5	30.9
Crush	544.1	4.5	4294.6	35.4
Fracture	3402.8	28.0	7697.4	63.4
Puncture	280.4	2.3	7977.8	65.7
Sprain/strain	2201.9	18.1	10179.7	83.9
Mult. injury	155.0	1.3	10334.7	85.1
Other	1802.9	14.9	12137.6	100.0
(Frequency Missing = 82.6)				

Table 3-89. Estimates of lost-time injuries by type of event for crop operations in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	16.0	0.1	16.0	0.1
Caught between	1183.8	9.7	1199.8	9.8
Caught under	1460.4	12.0	2660.2	21.8
Struck by/against	363.0	3.0	3023.2	24.8
Struck by falling	1128.3	9.3	4151.5	34.1
Struck by flying	384.6	3.2	4536.1	37.2
Contact sharp obj.	992.1	8.1	5528.2	45.4
Fall, same level	1476.3	12.1	7004.5	57.5
Fall, elevation	1718.4	14.1	8722.9	71.6
Overexertion	1525.0	12.5	10247.9	84.1
Contact electric	413.8	3.4	10661.7	87.5
Other	1522.3	12.5	12184.0	100.0
(Frequency Missing = 36.2)				

Table 3-90. Estimates of lost-time injuries by activity when worker was injured for crop operations in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	583.4	4.8	583.4	4.8
Machine maint.	1865.4	15.3	2448.8	20.0
Field work	3921.4	32.1	6370.2	52.1
Crop handling	3272.4	26.8	9642.6	78.9
Livestock handling	1919.6	15.7	11562.2	94.6
Other	658.0	5.4	12220.2	100.0

Table 3-91. Estimates of lost-time injuries by source of the injury for crop operations in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	154.0	1.3	154.0	1.3
Machinery	1933.0	15.8	2087.0	17.1
Livestock	1883.4	15.4	3970.4	32.5
Hand tool	1442.1	11.8	5412.5	44.3
Power tool	348.4	2.9	5760.9	47.1
Plant/tree	1001.1	8.2	6762.0	55.3
Working surface	487.7	4.0	7249.7	59.3
Truck/auto	94.3	0.8	7344.0	60.1
Other vehicle	110.1	0.9	7454.1	61.0
Liquids	38.4	0.3	7492.5	61.3
Other	4727.7	38.7	12220.2	100.0

Table 3-92. Estimates of lost-time injuries by status of the injured worker for livestock operations in the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	6741.8	68.1	6741.8	68.1
Partner/family	637.7	6.4	7379.5	74.5
Hired labor	1423.8	14.4	8803.3	88.9
Other	1096.6	11.1	9899.9	100.0

Table 3-93. Estimates of lost-time injuries by gender for livestock operations in the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	7729.3	78.1	7729.3	78.1
Female	2170.6	21.9	9899.9	100.0

Table 3-94. Estimates of lost-time injuries by age group for livestock operations in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	163.6	1.7	163.6	1.7
20-29	604.8	6.1	768.4	7.8
30-39	2399.3	24.2	3167.7	32.0
40-49	1335.6	13.5	4503.3	45.5
50-59	3422.3	34.6	7925.6	80.1
60-69	815.2	8.2	8740.8	88.3
>=70	1159.1	11.7	9899.9	100.0

Table 3-95. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the South region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	9899.9	100.0	9899.9	100.0

Table 3-96. Estimates of lost-time injuries by month for livestock operations in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	602.4	6.1	602.4	6.1
February	470.8	4.8	1073.2	10.8
March	163.6	1.7	1236.8	12.5
April	1726.8	17.4	2963.6	29.9
May	999.0	10.1	3962.6	40.0
June	1524.5	15.4	5487.1	55.4
July	1212.2	12.2	6699.3	67.7
August	163.6	1.7	6862.9	69.3
September	514.3	5.2	7377.2	74.5
October	865.0	8.7	8242.2	83.3
November	1196.5	12.1	9438.7	95.3
December	461.2	4.7	9899.9	100.0

Table 3-97. Estimates of lost-time injuries by severity of the injury for livestock operations in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	9529.2	96.3	9529.2	96.3
Permanent	370.7	3.7	9899.9	100.0

Table 3-98. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	370.7	3.7	370.7	3.7
Yes	8664.2	87.5	9034.9	91.3
No	865.0	8.7	9899.9	100.0

Table 3-99. Estimates of lost-time injuries by body part injured for livestock operations in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	637.7	6.4	637.7	6.4
Eye	645.8	6.5	1283.5	13.0
Chest/trunk	163.6	1.7	1447.1	14.6
Back	1116.7	11.3	2563.8	25.9
Arm/shoulder	744.9	7.5	3308.7	33.4
Finger	1871.9	18.9	5180.6	52.3
Hand/wrist	614.4	6.2	5795.0	58.5
Leg/knee/hip	2625.5	26.5	8420.5	85.1
Foot	921.6	9.3	9342.1	94.4
Mult. parts	163.6	1.7	9505.7	96.0
Other	394.2	4.0	9899.9	100.0

Table 3-100. Estimates of lost-time injuries by nature of injury for livestock operations in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	3383.5	34.2	3383.5	34.2
Burn	143.6	1.5	3527.1	35.6
Cut	1322.7	13.4	4849.8	49.0
Crush	1160.1	11.7	6009.9	60.7
Fracture	932.0	9.4	6941.9	70.1
Poisoning	163.6	1.7	7105.5	71.8
Puncture	517.8	5.2	7623.3	77.0
Sprain/strain	1140.0	11.5	8763.3	88.5
Mult. injury	327.2	3.3	9090.5	91.8
Other	809.4	8.2	9899.9	100.0

Table 3-101. Estimates of lost-time injuries by type of event for livestock operations in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	2059.0	20.8	2059.0	20.8
Caught under	835.2	8.4	2894.2	29.2
Struck by/against	394.2	4.0	3288.4	33.2
Struck by falling	470.6	4.8	3759.0	38.0
Struck by flying	953.0	9.6	4712.0	47.6
Contact sharp obj.	821.5	8.3	5533.5	55.9
Fall, same level	681.4	6.9	6214.9	62.8
Fall, elevation	1496.2	15.1	7711.1	77.9
Overexertion	829.5	8.4	8540.6	86.3
Other	1359.3	13.7	9899.9	100.0

Table 3-102. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1654.2	16.7	1654.2	16.7
Machine maint.	1215.7	12.3	2869.9	29.0
Field work	2030.5	20.5	4900.4	49.5
Crop handling	833.0	8.4	5733.4	57.9
Livestock handling	3126.5	31.6	8859.9	89.5
Other	1040.0	10.5	9899.9	100.0

Table 3-103. Estimates of lost-time injuries by source of the injury for livestock operations in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	374.2	3.8	374.2	3.8
Machinery	1948.5	19.7	2322.7	23.5
Livestock	2331.3	23.5	4654.0	47.0
Hand tool	287.2	2.9	4941.2	49.9
Power tool	370.7	3.7	5311.9	53.7
Plant/tree	370.7	3.7	5682.6	57.4
Working surface	163.6	1.7	5846.2	59.1
Other vehicle	858.5	8.7	6704.7	67.7
Other	3195.2	32.3	9899.9	100.0

Table 3-104. Estimates of lost-time injuries by status of the injured worker for crop operations in the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	21912.8	72.3	21912.8	72.3
Partner/family	1057.9	3.5	22970.7	75.8
Hired labor	5836.2	19.3	28806.9	95.1
Unpaid nonfamily	720.2	2.4	29527.1	97.5
Other	768.0	2.5	30295.1	100.0

Table 3-105. Estimates of lost-time injuries by gender for crop operations in the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	28674.2	94.6	28674.2	94.6
Female	1620.9	5.4	30295.1	100.0

Table 3-106. Estimates of lost-time injuries by age group for crop operations in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1656.5	5.5	1656.5	5.5
20-29	1528.4	5.0	3184.9	10.5
30-39	9062.3	29.9	12247.2	40.4
40-49	5661.1	18.7	17908.3	59.1
50-59	4479.9	14.8	22388.2	73.9
60-69	5087.7	16.8	27475.9	90.7
>=70	2819.2	9.3	30295.1	100.0

Table 3-107. Estimates of lost-time injuries by race or ethnic origin for crop operations in the Midwest region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	29366.4	96.9	29366.4	96.9
Hispanic	808.2	2.7	30174.6	99.6
American Indian	120.5	0.4	30295.1	100.0

Table 3-108. Estimates of lost-time injuries by month for crop operations in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2942.4	9.7	2942.4	9.7
February	322.3	1.1	3264.7	10.8
March	1238.4	4.1	4503.1	14.9
April	2034.4	6.7	6537.5	21.6
May	2464.3	8.1	9001.8	29.7
June	3799.0	12.5	12800.8	42.3
July	768.0	2.5	13568.8	44.8
August	2453.0	8.1	16021.8	52.9
September	4720.5	15.6	20742.3	68.5
October	4129.9	13.6	24872.2	82.1
November	3149.0	10.4	28021.2	92.5
December	2273.9	7.5	30295.1	100.0

Table 3-109. Estimates of lost-time injuries by severity of the injury for crop operations in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	29252.6	96.6	29252.6	96.6
Permanent	322.3	1.1	29574.9	97.6
Fatality	720.2	2.4	30295.1	100.0

Table 3-110. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1042.5	3.4	1042.5	3.4
Yes	22961.5	75.8	24004.0	79.2
No	6291.1	20.8	30295.1	100.0

Table 3-111. Estimates of lost-time injuries by body part injured for crop operations in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3534.8	11.7	3534.8	11.7
Eye	1403.7	4.6	4938.5	16.3
Chest/trunk	1608.7	5.3	6547.2	21.6
Back	5289.7	17.5	11836.9	39.1
Arm/shoulder	2814.3	9.3	14651.2	48.4
Finger	2894.6	9.6	17545.8	57.9
Hand/wrist	4048.1	13.4	21593.9	71.3
Leg/knee/hip	4516.7	14.9	26110.6	86.2
Foot	1160.3	3.8	27270.9	90.0
Mult. parts	1488.2	4.9	28759.1	94.9
Other	1536.0	5.1	30295.1	100.0

Table 3-112. Estimates of lost-time injuries by nature of injury for crop operations in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	3322.3	11.2	3322.3	11.2
Cut	6139.5	20.6	9461.8	31.8
Crush	2482.9	8.4	11944.7	40.2
Fracture	6069.4	20.4	18014.1	60.6
Puncture	2259.4	7.6	20273.5	68.2
Sprain/strain	6112.1	20.6	26385.6	88.7
Mult. injury	768.0	2.6	27153.6	91.3
Other	2578.5	8.7	29732.1	100.0

(Frequency Missing = 563)

Table 3-113. Estimates of lost-time injuries by type of event for crop operations in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2304.0	7.6	2304.0	7.6
Caught between	3614.8	11.9	5918.8	19.5
Caught under	1946.4	6.4	7865.2	26.0
Struck by/against	5831.7	19.2	13696.9	45.2
Struck by falling	1723.3	5.7	15420.2	50.9
Struck by flying	1933.9	6.4	17354.1	57.3
Contact sharp obj.	808.2	2.7	18162.3	60.0
Fall, same level	1737.1	5.7	19899.4	65.7
Fall, elevation	4322.6	14.3	24222.0	80.0
Overexertion	2883.8	9.5	27105.8	89.5
Other	3189.3	10.5	30295.1	100.0

Table 3-114. Estimates of lost-time injuries by activity when worker was injured for crop operations in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2388.9	7.9	2388.9	7.9
Machine maint.	7309.0	24.1	9697.9	32.0
Field work	4090.3	13.5	13788.2	45.5
Crop handling	6326.0	20.9	20114.2	66.4
Livestock handling	5222.5	17.2	25336.7	83.6
Other	4958.4	16.4	30295.1	100.0

Table 3-115. Estimates of lost-time injuries by source of the injury for crop operations in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1825.9	6.0	1825.9	6.0
Machinery	9089.8	30.0	10915.7	36.0
Livestock	2246.1	7.4	13161.8	43.4
Hand tool	720.2	2.4	13882.0	45.8
Power tool	120.5	0.4	14002.5	46.2
Plant/tree	563.0	1.9	14565.5	48.1
Working surface	1784.9	5.9	16350.4	54.0
Truck/auto	1943.2	6.4	18293.6	60.4
Other vehicle	2208.4	7.3	20502.0	67.7
Other	9793.1	32.3	30295.1	100.0

Table 3-116. Estimates of lost-time injuries by status of the injured worker for livestock operations in the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	25878.2	79.7	25878.2	79.7
Partner/family	1872.6	5.8	27750.8	85.5
Hired labor	3236.7	10.0	30987.5	95.5
Unpaid nonfamily	483.2	1.5	31470.7	97.0
Other	986.8	3.0	32457.5	100.0

Table 3-117. Estimates of lost-time injuries by gender for livestock operations in the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	30917.2	95.3	30917.2	95.3
Female	1540.3	4.7	32457.5	100.0

Table 3-118. Estimates of lost-time injuries by age group for livestock operations in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	4394.5	13.5	4394.5	13.5
20-29	2441.9	7.5	6836.4	21.1
30-39	4994.2	15.4	11830.6	36.4
40-49	6509.0	20.1	18339.6	56.5
50-59	3272.3	10.1	21611.9	66.6
60-69	7798.5	24.0	29410.4	90.6
>=70	3047.1	9.4	32457.5	100.0

Table 3-119. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the Midwest region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	31974.3	98.5	31974.3	98.5
Hispanic	241.6	0.7	32215.9	99.3
American Indian	241.6	0.7	32457.5	100.0

Table 3-120. Estimates of lost-time injuries by month for livestock operations in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1228.4	3.8	1228.4	3.8
February	241.6	0.7	1470.0	4.5
March	2789.1	8.6	4259.1	13.1
April	4530.8	14.0	8789.9	27.1
May	5156.7	15.9	13946.6	43.0
June	1435.0	4.4	15381.6	47.4
July	4607.8	14.2	19989.4	61.6
August	5396.2	16.6	25385.6	78.2
September	815.5	2.5	26201.1	80.7
October	1137.1	3.5	27338.2	84.2
November	1952.6	6.0	29290.8	90.2
December	3166.7	9.8	32457.5	100.0

Table 3-121. Estimates of lost-time injuries by severity of the injury for livestock operations in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	32457.5	100.0	32457.5	100.0

Table 3-122. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	26832.5	84.8	26832.5	84.8
No	4809.5	15.2	31642.0	100.0
(Frequency Missing = 815.5)				

Table 3-123. Estimates of lost-time injuries by body part injured for livestock operations in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2547.5	7.8	2547.5	7.8
Eye	241.6	0.7	2789.1	8.6
Back	5224.9	16.1	8014.0	24.7
Arm/shoulder	4653.4	14.3	12667.4	39.0
Finger	3649.3	11.2	16316.7	50.3
Hand/wrist	3443.0	10.6	19759.7	60.9
Leg/knee/hip	7421.5	22.9	27181.2	83.7
Toe	241.6	0.7	27422.8	84.5
Foot	3166.7	9.8	30589.5	94.2
Mult. parts	1868.0	5.8	32457.5	100.0

Table 3-124. Estimates of lost-time injuries by nature of injury for livestock operations in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2473.2	7.6	2473.2	7.6
Burn	986.8	3.0	3460.0	10.7
Cut	5682.2	17.5	9142.2	28.2
Crush	3166.7	9.8	12308.9	37.9
Fracture	8685.5	26.8	20994.4	64.7
Puncture	881.2	2.7	21875.6	67.4
Sprain/strain	6992.2	21.5	28867.8	88.9
Electric shock	573.9	1.8	29441.7	90.7
Mult. injury	881.2	2.7	30322.9	93.4
Other	2134.6	6.6	32457.5	100.0

Table 3-125. Estimates of lost-time injuries by type of event for livestock operations in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1560.7	4.8	1560.7	4.8
Caught between	2351.2	7.2	3911.9	12.1
Caught under	724.8	2.2	4636.7	14.3
Struck by/against	7231.9	22.3	11868.6	36.6
Struck by falling	241.6	0.7	12110.2	37.3
Struck by flying	241.6	0.7	12351.8	38.1
Contact sharp obj.	3865.6	11.9	16217.4	50.0
Fall, same level	4626.7	14.3	20844.1	64.2
Fall, elevation	5578.2	17.2	26422.3	81.4
Overexertion	1228.4	3.8	27650.7	85.2
Contact electric	573.9	1.8	28224.6	87.0
Other	4232.9	13.0	32457.5	100.0

Table 3-126. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4077.1	12.6	4077.1	12.6
Machine maint.	2194.2	6.8	6271.3	19.3
Field work	4985.7	15.4	11257.0	34.7
Crop handling	1057.1	3.3	12314.1	37.9
Livestock handling	15311.0	47.2	27625.1	85.1
Other	4832.4	14.9	32457.5	100.0

Table 3-127. Estimates of lost-time injuries by source of the injury for livestock operations in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1228.4	3.8	1228.4	3.8
Machinery	5860.8	18.1	7089.2	21.8
Livestock	10367.3	31.9	17456.5	53.8
Hand tool	241.6	0.7	17698.1	54.5
Power tool	895.5	2.8	18593.6	57.3
Pesticide/chem.	573.9	1.8	19167.5	59.1
Plant/tree	241.6	0.7	19409.1	59.8
Working surface	3408.6	10.5	22817.7	70.3
Truck/auto	1228.4	3.8	24046.1	74.1
Other vehicle	241.6	0.7	24287.7	74.8
Liquids	1560.7	4.8	25848.4	79.6
Other	6609.1	20.4	32457.5	100.0

Table 3-128. Estimates of lost-time injuries by status of the injured worker for crop operations in the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	5057.8	38.9	5057.8	38.9
Partner/family	548.1	4.2	5605.9	43.1
Hired labor	7408.4	56.9	13014.3	100.0

Table 3-129. Estimates of lost-time injuries by gender for crop operations in the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	12222.2	93.9	12222.2	93.9
Female	792.1	6.1	13014.3	100.0

Table 3-130. Estimates of lost-time injuries by age group for crop operations in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	232.1	1.8	232.1	1.8
20-29	3269.9	25.1	3502.0	26.9
30-39	2194.0	16.9	5696.0	43.8
40-49	3000.5	23.1	8696.5	66.8
50-59	1858.0	14.3	10554.5	81.1
60-69	566.7	4.4	11121.2	85.5
>=70	1893.1	14.5	13014.3	100.0

Table 3-131. Estimates of lost-time injuries by race or ethnic origin for crop operations in the West region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	7665.1	58.9	7665.1	58.9
Hispanic	5349.2	41.1	13014.3	100.0

Table 3-132. Estimates of lost-time injuries by month for crop operations in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1596.8	12.3	1596.8	12.3
February	696.0	5.3	2292.8	17.6
March	1233.0	9.5	3525.8	27.1
April	1093.9	8.4	4619.7	35.5
May	410.1	3.2	5029.8	38.6
June	280.5	2.2	5310.3	40.8
July	2329.3	17.9	7639.6	58.7
August	2439.8	18.7	10079.4	77.4
September	1142.4	8.8	11221.8	86.2
October	749.9	5.8	11971.7	92.0
December	1042.6	8.0	13014.3	100.0

Table 3-133. Estimates of lost-time injuries by severity of the injury for crop operations in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	12509.2	96.1	12509.2	96.1
Permanent	505.1	3.9	13014.3	100.0

Table 3-134. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	505.1	3.9	505.1	3.9
Yes	11050.3	84.9	11555.4	88.8
No	1458.9	11.2	13014.3	100.0

Table 3-135. Estimates of lost-time injuries by body part injured for crop operations in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1479.9	11.4	1479.9	11.4
Eye	291.4	2.2	1771.3	13.6
Chest/trunk	1088.4	8.4	2859.7	22.0
Back	2469.0	19.0	5328.7	40.9
Arm/shoulder	1092.1	8.4	6420.8	49.3
Finger	1323.5	10.2	7744.3	59.5
Hand/wrist	731.7	5.6	8476.0	65.1
Leg/knee/hip	2565.8	19.7	11041.8	84.8
Toe	1201.9	9.2	12243.7	94.1
Foot	493.9	3.8	12737.6	97.9
Mult. parts	276.7	2.1	13014.3	100.0

Table 3-136. Estimates of lost-time injuries by nature of injury for crop operations in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1315.2	10.1	1315.2	10.1
Burn	145.7	1.1	1460.9	11.2
Cut	844.5	6.5	2305.4	17.7
Crush	705.9	5.4	3011.3	23.1
Fracture	3641.0	28.0	6652.3	51.1
Poisoning	145.7	1.1	6798.0	52.2
Sprain/strain	3645.7	28.0	10443.7	80.2
Mult. injury	540.0	4.1	10983.7	84.4
Other	2030.6	15.6	13014.3	100.0

Table 3-137. Estimates of lost-time injuries by type of event for crop operations in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	318.0	2.4	318.0	2.4
Caught between	426.7	3.3	744.7	5.7
Caught under	784.7	6.0	1529.4	11.8
Struck by/against	1534.4	11.8	3063.8	23.5
Struck by falling	1347.6	10.4	4411.4	33.9
Struck by flying	145.7	1.1	4557.1	35.0
Contact sharp obj.	189.3	1.5	4746.4	36.5
Fall, same level	1235.9	9.5	5982.3	46.0
Fall, elevation	2575.6	19.8	8557.9	65.8
Overexertion	2437.0	18.7	10994.9	84.5
Other	2019.4	15.5	13014.3	100.0

Table 3-138. Estimates of lost-time injuries by activity when worker was injured for crop operations in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2604.4	20.0	2604.4	20.0
Machine maint.	2394.6	18.4	4999.0	38.4
Field work	2963.7	22.8	7962.7	61.2
Crop handling	2222.0	17.1	10184.7	78.3
Livestock handling	1940.6	14.9	12125.3	93.2
Other	889.0	6.8	13014.3	100.0

Table 3-139. Estimates of lost-time injuries by source of the injury for crop operations in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	835.4	6.4	835.4	6.4
Machinery	1039.6	8.0	1875.0	14.4
Livestock	1412.8	10.9	3287.8	25.3
Hand tool	163.9	1.3	3451.7	26.5
Power tool	928.5	7.1	4380.2	33.7
Plant/tree	459.4	3.5	4839.6	37.2
Working surface	1632.3	12.5	6471.9	49.7
Truck/auto	486.6	3.7	6958.5	53.5
Other vehicle	195.2	1.5	7153.7	55.0
Other	5860.6	45.0	13014.3	100.0

Table 3-140. Estimates of lost-time injuries by status of the injured worker for livestock operations in the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8439.0	55.5	8439.0	55.5
Partner/family	1679.4	11.0	10118.4	66.5
Hired labor	4281.9	28.1	14400.3	94.7
Unpaid nonfamily	812.1	5.3	15212.4	100.0

Table 3-141. Estimates of lost-time injuries by gender for livestock operations in the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	12456.3	81.9	12456.3	81.9
Female	2756.1	18.1	15212.4	100.0

Table 3-142. Estimates of lost-time injuries by age group for livestock operations in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	468.8	3.1	468.8	3.1
10-19	1299.7	8.7	1768.5	11.8
20-29	2232.1	14.9	4000.6	26.7
30-39	2548.1	17.0	6548.7	43.7
40-49	3283.8	21.9	9832.5	65.7
50-59	1761.1	11.8	11593.6	77.5
60-69	2276.8	15.2	13870.4	92.7
>=70	1098.2	7.3	14968.6	100.0
(Frequency Missing = 243.8)				

Table 3-143. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the West region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	14543.4	95.6	14543.4	95.6
Hispanic	425.2	2.8	14968.6	98.4
American Indian	243.8	1.6	15212.4	100.0

Table 3-144. Estimates of lost-time injuries by month for livestock operations in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1707.0	11.2	1707.0	11.2
February	912.8	6.0	2619.8	17.2
March	243.8	1.6	2863.6	18.8
April	569.1	3.7	3432.7	22.6
May	939.7	6.2	4372.4	28.7
June	1006.4	6.6	5378.8	35.4
July	1783.0	11.7	7161.8	47.1
August	2493.5	16.4	9655.3	63.5
September	381.3	2.5	10036.6	66.0
October	2284.2	15.0	12320.8	81.0
November	2106.4	13.8	14427.2	94.8
December	785.2	5.2	15212.4	100.0

Table 3-145. Estimates of lost-time injuries by severity of the injury for livestock operations in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	14598.6	96.0	14598.6	96.0
Permanent	613.8	4.0	15212.4	100.0

Table 3-146. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	613.8	4.0	613.8	4.0
Yes	12672.6	83.3	13286.4	87.3
No	1926.0	12.7	15212.4	100.0

Table 3-147. Estimates of lost-time injuries by body part injured for livestock operations in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	425.2	2.8	425.2	2.8
Eye	137.5	0.9	562.7	3.7
Chest/trunk	1274.0	8.4	1836.7	12.1
Back	1747.3	11.5	3584.0	23.6
Arm/shoulder	1952.5	12.8	5536.5	36.4
Finger	1495.3	9.8	7031.8	46.2
Hand/wrist	1490.1	9.8	8521.9	56.0
Leg/knee/hip	3594.6	23.6	12116.5	79.6
Toe	468.8	3.1	12585.3	82.7
Foot	1029.0	6.8	13614.3	89.5
Mult .parts	1327.4	8.7	14941.7	98.2
Other	270.7	1.8	15212.4	100.0

Table 3-148. Estimates of lost-time injuries by nature of injury for livestock operations in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	270.7	1.8	270.7	1.8
Bruise	1823.6	12.0	2094.3	13.8
Burn	298.4	2.0	2392.7	15.7
Cut	1254.0	8.2	3646.7	24.0
Crush	881.3	5.8	4528.0	29.8
Fracture	3131.4	20.6	7659.4	50.3
Puncture	1337.7	8.8	8997.1	59.1
Sprain/strain	3663.6	24.1	12660.7	83.2
Mult. injury	1225.3	8.1	13886.0	91.3
Other	1326.4	8.7	15212.4	100.0

Table 3-149. Estimates of lost-time injuries by type of event for livestock operations in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	514.5	3.4	514.5	3.4
Caught between	1766.0	11.6	2280.5	15.0
Caught under	652.0	4.3	2932.5	19.3
Struck by/against	1940.0	12.8	4872.5	32.0
Struck by falling	1395.8	9.2	6268.3	41.2
Struck by flying	706.6	4.6	6974.9	45.9
Contact sharp obj.	1154.5	7.6	8129.4	53.4
Fall, same level	1210.4	8.0	9339.8	61.4
Fall, elevation	2569.1	16.9	11908.9	78.3
Overexertion	441.9	2.9	12350.8	81.2
Other	2861.6	18.8	15212.4	100.0

Table 3-150. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1971.7	13.0	1971.7	13.0
Machine maint.	1727.1	11.4	3698.8	24.3
Field work	1739.1	11.4	5437.9	35.7
Crop handling	1917.1	12.6	7355.0	48.3
Livestock handling	6099.4	40.1	13454.4	88.4
Other	1758.0	11.6	15212.4	100.0

Table 3-151. Estimates of lost-time injuries by source of the injury for livestock operations in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	514.5	3.4	514.5	3.4
Machinery	2562.3	16.8	3076.8	20.2
Livestock	4822.3	31.7	7899.1	51.9
Hand tool	335.6	2.2	8234.7	54.1
Power tool	857.6	5.6	9092.3	59.8
Working surface	1925.6	12.7	11017.9	72.4
Truck/auto	1364.6	9.0	12382.5	81.4
Other vehicle	270.7	1.8	12653.2	83.2
Other	2559.2	16.8	15212.4	100.0

Table 3-152. Estimates of lost-time injuries by farm type for family workers in the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	103.3	1.7	103.3	1.7
Field crops	375.0	6.1	478.3	7.7
Vegetable, fruit, nuts	601.7	9.7	1080.0	17.4
Beef, hogs, sheep	1249.6	20.2	2329.6	37.6
Poultry	72.4	1.2	2402.0	38.8
Dairy	3518.5	56.8	5920.5	95.7
Other farms	268.8	4.3	6189.3	100.0

Table 3-153. Estimates of lost-time injuries by gender for family workers in the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	5739.5	92.7	5739.5	92.7
Female	449.8	7.3	6189.3	100.0

Table 3-154. Estimates of lost-time injuries by age group for family workers in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	295.3	4.8	295.3	4.8
10-19	476.0	7.7	771.3	12.5
20-29	612.7	9.9	1384.0	22.4
30-39	1448.1	23.4	2832.1	45.8
40-49	2104.1	34.0	4936.2	79.8
50-59	531.6	8.6	5467.8	88.3
60-69	466.3	7.5	5934.1	95.9
>=70	255.2	4.1	6189.3	100.0

Table 3-155. Estimates of lost-time injuries by race or ethnic origin for family workers in the Northeast region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	6028.9	97.4	6028.9	97.4
Black	129.8	2.1	6158.7	99.5
Other	30.6	0.5	6189.3	100.0

Table 3-156. Estimates of lost-time injuries by month for family workers in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	486.0	7.9	486.0	7.9
February	725.4	11.7	1211.4	19.6
March	42.3	0.7	1253.7	20.3
April	268.9	4.3	1522.6	24.6
May	464.0	7.5	1986.6	32.1
June	124.9	2.0	2111.5	34.1
July	266.9	4.3	2378.4	38.4
August	640.1	10.3	3018.5	48.8
September	496.0	8.0	3514.5	56.8
October	1101.7	17.8	4616.2	74.6
November	833.3	13.5	5449.5	88.0
December	739.8	12.0	6189.3	100.0

Table 3-157. Estimates of lost-time injuries by severity of the injury for family workers in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5428.9	87.7	5428.9	87.7
Permanent	760.4	12.3	6189.3	100.0

Table 3-158. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	760.4	12.3	760.4	12.3
Yes	4384.6	70.8	5145.0	83.1
No	1044.3	16.9	6189.3	100.0

Table 3-159. Estimates of lost-time injuries by body part injured for family workers in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	27.5	0.4	27.5	0.4
Eye	514.4	8.3	541.9	8.8
Chest/trunk	626.3	10.1	1168.2	18.9
Back	284.5	4.6	1452.7	23.5
Arm/shoulder	538.9	8.7	1991.6	32.2
Finger	1113.8	18.0	3105.4	50.2
Hand/wrist	396.7	6.4	3502.1	56.6
Leg/knee/hip	1345.4	21.7	4847.5	78.3
Toe	36.2	0.6	4883.7	78.9
Foot	562.7	9.1	5446.4	88.0
Mult. parts	266.9	4.3	5713.3	92.3
Other	476.0	7.7	6189.3	100.0

Table 3-160. Estimates of lost-time injuries by nature of injury for family workers in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	227.7	3.7	227.7	3.7
Asphyxiation	227.7	3.7	455.4	7.4
Bruise	882.4	14.3	1337.8	21.6
Burn	464.0	7.5	1801.8	29.1
Cut	697.9	11.3	2499.7	40.4
Crush	329.0	5.3	2828.7	45.7
Fracture	857.6	13.9	3686.3	59.6
Puncture	691.7	11.2	4378.0	70.7
Sprain/strain	951.8	15.4	5329.8	86.1
Mult. injury	256.9	4.2	5586.7	90.3
Other	602.6	9.7	6189.3	100.0

Table 3-161. Estimates of lost-time injuries by type of event for family workers in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	268.9	4.4	268.9	4.4
Caught between	897.5	14.6	1166.4	19.0
Caught under	491.5	8.0	1657.9	27.0
Struck by/against	534.5	8.7	2192.4	35.7
Struck by falling	36.2	0.6	2228.6	36.3
Struck by flying	326.4	5.3	2555.0	41.6
Contact sharp obj.	624.4	10.2	3179.4	51.7
Fall, same level	503.3	8.2	3682.7	59.9
Fall, elevation	520.6	8.5	4203.3	68.4
Overexertion	719.3	11.7	4922.6	80.1
Other	1224.4	19.9	6147.0	100.0

(Frequency Missing = 42.3)

Table 3-162. Estimates of lost-time injuries by activity when worker was injured for family workers in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1994.2	32.2	1994.2	32.2
Machine maint.	642.0	10.4	2636.2	42.6
Field work	514.3	8.3	3150.5	50.9
Crop handling	857.9	13.9	4008.4	64.8
Livestock handling	1328.0	21.5	5336.4	86.2
Other	852.9	13.8	6189.3	100.0

Table 3-163. Estimates of lost-time injuries by source of the injury for family workers in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	506.3	8.2	506.3	8.2
Machinery	831.1	13.4	1337.4	21.6
Livestock	830.3	13.4	2167.7	35.0
Hand tool	879.6	14.2	3047.3	49.2
Pesticide/chem.	227.7	3.7	3275.0	52.9
Plant/tree	268.7	4.3	3543.7	57.3
Working surface	58.1	0.9	3601.8	58.2
Truck/auto	270.0	4.4	3871.8	62.6
Other	2317.5	37.4	6189.3	100.0

Table 3-164. Estimates of lost-time injuries by farm type for hired workers in the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	37.5	1.6	37.5	1.6
Field crops	290.4	12.2	327.9	13.7
Vegetable, fruit, nuts	357.5	15.0	685.4	28.7
Nursery	376.5	15.8	1061.9	44.5
Beef, hogs, sheep	136.2	5.7	1198.1	50.2
Poultry	36.2	1.5	1234.3	51.7
Dairy	1034.4	43.3	2268.7	95.0
Other farms	120.2	5.0	2388.9	100.0

Table 3-165. Estimates of lost-time injuries by gender for hired workers in the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2074.7	86.8	2074.7	86.8
Female	314.2	13.2	2388.9	100.0

Table 3-166. Estimates of lost-time injuries by age group for hired workers in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	166.7	7.0	166.7	7.0
20-29	862.1	36.1	1028.8	43.1
30-39	395.4	16.6	1424.2	59.6
40-49	312.0	13.1	1736.2	72.7
50-59	362.3	15.2	2098.5	87.8
60-69	290.4	12.2	2388.9	100.0

Table 3-167. Estimates of lost-time injuries by race or ethnic origin for hired workers in the Northeast region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2238.3	93.7	2238.3	93.7
Hispanic	95.6	4.0	2333.9	97.7
Black	27.5	1.2	2361.4	98.8
Other	27.5	1.2	2388.9	100.0

Table 3-168. Estimates of lost-time injuries by month for hired workers in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	125.5	5.3	125.5	5.3
March	48.1	2.0	173.6	7.3
April	36.2	1.5	209.8	8.8
May	347.0	14.5	556.8	23.3
June	172.9	7.2	729.7	30.5
July	323.3	13.5	1053.0	44.1
August	125.5	5.3	1178.5	49.3
September	515.1	21.6	1693.6	70.9
October	310.2	13.0	2003.8	83.9
November	48.1	2.0	2051.9	85.9
December	337.0	14.1	2388.9	100.0

Table 3-169. Estimates of lost-time injuries by severity of the injury for hired workers in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2319.1	97.1	2319.1	97.1
Permanent	27.5	1.2	2346.6	98.2
Fatality	42.3	1.8	2388.9	100.0

Table 3-170. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	69.8	2.9	69.8	2.9
Yes	2251.0	94.2	2320.8	97.1
No	68.1	2.9	2388.9	100.0

Table 3-171. Estimates of lost-time injuries by body part injured for hired workers in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	123.1	5.2	123.1	5.2
Eye	275.8	11.5	398.9	16.7
Chest/trunk	27.5	1.2	426.4	17.8
Back	401.6	16.8	828.0	34.7
Arm/shoulder	731.0	30.6	1559.0	65.3
Finger	48.1	2.0	1607.1	67.3
Hand/wrist	106.2	4.4	1713.3	71.7
Leg/knee/hip	448.8	18.8	2162.1	90.5
Toe	20.6	0.9	2182.7	91.4
Foot	100.2	4.2	2282.9	95.6
Mult. parts	36.2	1.5	2319.1	97.1
Other	69.8	2.9	2388.9	100.0

Table 3-172. Estimates of lost-time injuries by nature of injury for hired workers in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	482.9	20.2	482.9	20.2
Burn	20.6	0.9	503.5	21.1
Cut	256.1	10.7	759.6	31.8
Crush	20.6	0.9	780.2	32.7
Fracture	41.2	1.7	821.4	34.4
Puncture	78.7	3.3	900.1	37.7
Sprain/strain	831.8	34.8	1731.9	72.5
Electric shock	42.3	1.8	1774.2	74.3
Mult. injury	263.9	11.0	2038.1	85.3
Other	350.8	14.7	2388.9	100.0

Table 3-173. Estimates of lost-time injuries by type of event for hired workers in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	20.6	0.9	20.6	0.9
Struck by/against	318.9	13.3	339.5	14.2
Struck by falling	48.1	2.0	387.6	16.2
Contact sharp obj.	231.7	9.7	619.3	25.9
Fall, same level	651.0	27.3	1270.3	53.2
Fall, elevation	227.7	9.5	1498.0	62.7
Overexertion	276.1	11.6	1774.1	74.3
Contact electric	42.3	1.8	1816.4	76.0
Other	572.5	24.0	2388.9	100.0

Table 3-174. Estimates of lost-time injuries by activity when worker was injured for hired workers in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	439.7	18.4	439.7	18.4
Machine maint.	318.9	13.3	758.6	31.8
Field work	331.5	13.9	1090.1	45.6
Crop handling	330.5	13.8	1420.6	59.5
Livestock handling	523.5	21.9	1944.1	81.4
Other	444.8	18.6	2388.9	100.0

Table 3-175. Estimates of lost-time injuries by source of the injury for hired workers in the Northeast region of the U.S., 1994

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	306.2	12.8	306.2	12.8
Machinery	96.2	4.0	402.4	16.8
Livestock	455.4	19.1	857.8	35.9
Hand tool	96.2	4.0	954.0	39.9
Power tool	58.1	2.4	1012.1	42.4
Pesticide/chem.	20.6	0.9	1032.7	43.2
Plant/tree	125.5	5.3	1158.2	48.5
Working surface	402.7	16.9	1560.9	65.3
Truck/auto	303.3	12.7	1864.2	78.0
Other vehicle	125.5	5.3	1989.7	83.3
Other	399.2	16.7	2388.9	100.0

Table 3-176. Estimates of lost-time injuries by farm type for family workers in the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	635.9	3.9	635.9	3.9
Field crops	5735.1	34.7	6371.0	38.6
Vegetable, fruit, nuts	2050.4	12.4	8421.4	51.0
Nursery	634.2	3.8	9055.6	54.8
Beef, hogs, sheep	5649.6	34.2	14705.2	89.1
Dairy	1729.9	10.5	16435.1	99.5
Other farms	74.8	0.5	16509.9	100.0

Table 3-177. Estimates of lost-time injuries by gender for family workers in the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	13631.2	82.6	13631.2	82.6
Female	2878.7	17.4	16509.9	100.0

Table 3-178. Estimates of lost-time injuries by age group for family workers in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	945.7	5.7	945.7	5.7
20-29	911.2	5.5	1856.9	11.3
30-39	1794.6	10.9	3651.5	22.2
40-49	6370.3	38.7	10021.8	60.8
50-59	4111.0	25.0	14132.8	85.8
60-69	984.2	6.0	15117.0	91.8
>=70	1356.7	8.2	16473.7	100.0
(Frequency Missing = 36.2)				

Table 3-179. Estimates of lost-time injuries by race or ethnic origin for family workers in the South region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	16473.7	99.8	16473.7	99.8
Hispanic	36.2	0.2	16509.9	100.0

Table 3-180. Estimates of lost-time injuries by month for family workers in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1016.2	6.2	1016.2	6.2
February	470.8	2.9	1487.0	9.0
March	787.2	4.8	2274.2	13.8
April	1821.1	11.0	4095.3	24.8
May	810.6	4.9	4905.9	29.7
June	1062.7	6.4	5968.6	36.2
July	1508.0	9.1	7476.6	45.3
August	2108.7	12.8	9585.3	58.1
September	3165.0	19.2	12750.3	77.2
October	1689.7	10.2	14440.0	87.5
November	1153.0	7.0	15593.0	94.4
December	916.9	5.6	16509.9	100.0

Table 3-181. Estimates of lost-time injuries by severity of the injury for family workers in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	15174.5	94.3	15174.5	94.3
Permanent	885.4	5.5	16059.9	99.8
Fatality	36.2	0.2	16096.1	100.0
(Frequency Missing = 413.8)				

Table 3-182. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	921.6	5.6	921.6	5.6
Yes	14513.9	87.9	15435.5	93.5
No	1074.4	6.5	16509.9	100.0

Table 3-183. Estimates of lost-time injuries by body part injured for family workers in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1721.9	10.4	1721.9	10.4
Eye	65.6	0.4	1787.5	10.8
Chest/trunk	163.6	1.0	1951.1	11.8
Back	3511.3	21.3	5462.4	33.1
Arm/shoulder	1124.8	6.8	6587.2	39.9
Finger	2292.1	13.9	8879.3	53.8
Hand/wrist	209.2	1.3	9088.5	55.0
Leg/knee/hip	4975.2	30.1	14063.7	85.2
Toe	1365.2	8.3	15428.9	93.5
Foot	814.2	4.9	16243.1	98.4
Mult. parts	36.2	0.2	16279.3	98.6
Other	230.6	1.4	16509.9	100.0

Table 3-184. Estimates of lost-time injuries by nature of injury for family workers in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	4333.6	26.2	4333.6	26.2
Burn	557.4	3.4	4891.0	29.6
Cut	2575.4	15.6	7466.4	45.2
Crush	914.8	5.5	8381.2	50.8
Fracture	4305.4	26.1	12686.6	76.8
Puncture	410.4	2.5	13097.0	79.3
Sprain/strain	2334.5	14.1	15431.5	93.5
Mult. injury	318.6	1.9	15750.1	95.4
Other	759.8	4.6	16509.9	100.0

Table 3-185. Estimates of lost-time injuries by type of event for family workers in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	2233.6	13.6	2233.6	13.6
Caught under	2152.0	13.1	4385.6	26.6
Struck by/against	430.4	2.6	4816.0	29.2
Struck by falling	1560.5	9.5	6376.5	38.7
Struck by flying	343.4	2.1	6719.9	40.8
Contact sharp obj.	1423.8	8.6	8143.7	49.4
Fall, same level	1743.9	10.6	9887.6	60.0
Fall, elevation	2726.9	16.6	12614.5	76.6
Overexertion	1940.7	11.8	14555.2	88.4
Contact electric	413.8	2.5	14969.0	90.9
Other	1504.7	9.1	16473.7	100.0

(Frequency Missing = 36.2)

Table 3-186. Estimates of lost-time injuries by activity when worker was injured for family workers in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	996.0	6.0	996.0	6.0
Machine maint.	2097.9	12.7	3093.9	18.7
Field work	4550.3	27.6	7644.2	46.3
Crop handling	3941.8	23.9	11586.0	70.2
Livestock handling	4115.9	24.9	15701.9	95.1
Other	808.0	4.9	16509.9	100.0

Table 3-187. Estimates of lost-time injuries by source of the injury for family workers in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	512.2	3.1	512.2	3.1
Machinery	2845.9	17.2	3358.1	20.3
Livestock	3320.7	20.1	6678.8	40.5
Hand tool	1089.3	6.6	7768.1	47.1
Power tool	370.7	2.2	8138.8	49.3
Plant/tree	1371.8	8.3	9510.6	57.6
Working surface	73.9	0.4	9584.5	58.1
Truck/auto	94.3	0.6	9678.8	58.6
Other vehicle	858.5	5.2	10537.3	63.8
Other	5972.6	36.2	16509.9	100.0

Table 3-188. Estimates of lost-time injuries by farm type for hired workers in the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	242.0	5.9	242.0	5.9
Field crops	36.2	0.9	278.2	6.8
Vegetable, fruit, nuts	1315.3	32.1	1593.5	38.9
Nursery	792.9	19.3	2386.4	58.2
Beef, hogs, sheep	778.0	19.0	3164.4	77.2
Poultry	645.8	15.8	3810.2	92.9
Other farms	289.6	7.1	4099.8	100.0

Table 3-189. Estimates of lost-time injuries by gender for hired workers in the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	4063.6	99.1	4063.6	99.1
Female	36.2	0.9	4099.8	100.0

Table 3-190. Estimates of lost-time injuries by age group for hired workers in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	237.5	5.8	237.5	5.8
20-29	1306.0	31.9	1543.5	37.6
30-39	1767.5	43.1	3311.0	80.8
40-49	759.4	18.5	4070.4	99.3
50-59	29.4	0.7	4099.8	100.0

Table 3-191. Estimates of lost-time injuries by race or ethnic origin for hired workers in the South region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3603.4	87.9	3603.4	87.9
Hispanic	413.8	10.1	4017.2	98.0
Black	82.6	2.0	4099.8	100.0

Table 3-192. Estimates of lost-time injuries by month for hired workers in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
March	163.6	4.0	163.6	4.0
April	791.6	19.3	955.2	23.3
May	179.6	4.4	1134.8	27.7
June	684.2	16.7	1819.0	44.4
July	932.2	22.7	2751.2	67.1
August	732.6	17.9	3483.8	85.0
October	226.2	5.5	3710.0	90.5
November	389.8	9.5	4099.8	100.0

Table 3-193. Estimates of lost-time injuries by severity of the injury for hired workers in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	4099.8	100.0	4099.8	100.0

Table 3-194. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	3882.3	94.7	3882.3	94.7
No	217.5	5.3	4099.8	100.0

Table 3-195. Estimates of lost-time injuries by body part injured for hired workers in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	444.5	10.8	444.5	10.8
Eye	994.2	24.2	1438.7	35.1
Chest/trunk	38.4	0.9	1477.1	36.0
Back	143.6	3.5	1620.7	39.5
Arm/shoulder	917.5	22.4	2538.2	61.9
Finger	82.6	2.0	2620.8	63.9
Hand/wrist	577.4	14.1	3198.2	78.0
Leg/knee/hip	148.2	3.6	3346.4	81.6
Toe	38.4	0.9	3384.8	82.6
Foot	387.8	9.5	3772.6	92.0
Mult. parts	163.6	4.0	3936.2	96.0
Other	163.6	4.0	4099.8	100.0

Table 3-196. Estimates of lost-time injuries by nature of injury for hired workers in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	271.9	6.8	271.9	6.8
Burn	38.4	1.0	310.3	7.7
Cut	246.2	6.1	556.5	13.9
Fracture	29.4	0.7	585.9	14.6
Poisoning	163.6	4.1	749.5	18.7
Puncture	387.8	9.7	1137.3	28.3
Sprain/strain	863.8	21.5	2001.1	49.8
Mult. injury	163.6	4.1	2164.7	53.9
Other	1852.5	46.1	4017.2	100.0
(Frequency Missing = 82.6)				

Table 3-197. Estimates of lost-time injuries by type of event for hired workers in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	16.0	0.4	16.0	0.4
Caught between	199.8	4.9	215.8	5.3
Struck by/against	326.8	8.0	542.6	13.2
Struck by falling	38.4	0.9	581.0	14.2
Struck by flying	994.2	24.2	1575.2	38.4
Contact sharp obj.	389.8	9.5	1965.0	47.9
Fall, elevation	487.7	11.9	2452.7	59.8
Overexertion	413.8	10.1	2866.5	69.9
Other	1233.3	30.1	4099.8	100.0

Table 3-198. Estimates of lost-time injuries by activity when worker was injured for hired workers in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1241.6	30.3	1241.6	30.3
Machine maint.	839.6	20.5	2081.2	50.8
Field work	1401.6	34.2	3482.8	85.0
Crop handling	163.6	4.0	3646.4	88.9
Livestock handling	209.2	5.1	3855.6	94.0
Other	244.2	6.0	4099.8	100.0

Table 3-199. Estimates of lost-time injuries by source of the injury for hired workers in the South region of the U.S., 1994

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	16.0	0.4	16.0	0.4
Machinery	892.0	21.8	908.0	22.1
Livestock	173.0	4.2	1081.0	26.4
Hand tool	640.0	15.6	1721.0	42.0
Power tool	348.4	8.5	2069.4	50.5
Working surface	577.4	14.1	2646.8	64.6
Other vehicle	110.1	2.7	2756.9	67.2
Liquids	38.4	0.9	2795.3	68.2
Other	1304.5	31.8	4099.8	100.0

Table 3-200. Estimates of lost-time injuries by farm type for family workers in the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	19037.8	37.5	19037.8	37.5
Field crops	3137.6	6.2	22175.4	43.7
Vegetable, fruit, nuts	650.7	1.3	22826.1	45.0
Beef, hogs, sheep	19692.2	38.8	42518.3	83.8
Dairy	8058.6	15.9	50576.9	99.7
Other farms	144.6	0.3	50721.5	100.0

Table 3-201. Estimates of lost-time injuries by gender for family workers in the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	48280.5	95.2	48280.5	95.2
Female	2441.0	4.8	50721.5	100.0

Table 3-202. Estimates of lost-time injuries by age group for family workers in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	2585.2	5.1	2585.2	5.1
20-29	3162.1	6.2	5747.3	11.3
30-39	10081.3	19.9	15828.6	31.2
40-49	9156.2	18.1	24984.8	49.3
50-59	7752.2	15.3	32737.0	64.5
60-69	12118.2	23.9	44855.2	88.4
>=70	5866.3	11.6	50721.5	100.0

Table 3-203. Estimates of lost-time injuries by race or ethnic origin for family workers in the Midwest region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	50359.4	99.3	50359.4	99.3
American Indian	362.1	0.7	50721.5	100.0

Table 3-204. Estimates of lost-time injuries by month for family workers in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1777.6	3.5	1777.6	3.5
February	563.9	1.1	2341.5	4.6
March	4027.5	7.9	6369.0	12.6
April	4861.5	9.6	11230.5	22.1
May	5640.7	11.1	16871.2	33.3
June	3562.0	7.0	20433.2	40.3
July	5134.2	10.1	25567.4	50.4
August	6402.0	12.6	31969.4	63.0
September	4962.1	9.8	36931.5	72.8
October	3731.0	7.4	40662.5	80.2
November	4860.0	9.6	45522.5	89.7
December	5199.0	10.3	50721.5	100.0

Table 3-205. Estimates of lost-time injuries by severity of the injury for family workers in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	50399.2	99.4	50399.2	99.4
Permanent	322.3	0.6	50721.5	100.0

Table 3-206. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	322.3	0.6	322.3	0.6
Yes	40697.7	81.5	41020.0	82.2
No	8886.0	17.8	49906.0	100.0
(Frequency Missing = 815.5)				

Table 3-207. Estimates of lost-time injuries by body part injured for family workers in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3519.3	6.9	3519.3	6.9
Eye	1645.3	3.2	5164.6	10.2
Chest/trunk	840.7	1.7	6005.3	11.8
Back	10273.0	20.3	16278.3	32.1
Arm/shoulder	6515.9	12.8	22794.2	44.9
Finger	4895.9	9.7	27690.1	54.6
Hand/wrist	5253.7	10.4	32943.8	65.0
Leg/knee/hip	9278.7	18.3	42222.5	83.2
Toe	241.6	0.5	42464.1	83.7
Foot	4085.4	8.1	46549.5	91.8
Mult. parts	2636.0	5.2	49185.5	97.0
Other	1536.0	3.0	50721.5	100.0

Table 3-208. Estimates of lost-time injuries by nature of injury for family workers in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	4389.1	8.8	4389.1	8.8
Burn	986.8	2.0	5375.9	10.7
Cut	7702.0	15.4	13077.9	26.1
Crush	4929.4	9.8	18007.3	35.9
Fracture	13745.3	27.4	31752.6	63.3
Puncture	3140.6	6.3	34893.2	69.6
Sprain/strain	11231.7	22.4	46124.9	92.0
Electric shock	573.9	1.1	46698.8	93.1
Mult. injury	881.2	1.8	47580.0	94.9
Other	2578.5	5.1	50158.5	100.0

(Frequency Missing = 563)

Table 3-209. Estimates of lost-time injuries by type of event for family workers in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3096.7	6.1	3096.7	6.1
Caught between	4559.6	9.0	7656.3	15.1
Caught under	941.4	1.9	8597.7	17.0
Struck by/against	10889.2	21.5	19486.9	38.4
Struck by falling	1964.9	3.9	21451.8	42.3
Struck by flying	2175.5	4.3	23627.3	46.6
Contact sharp obj.	2728.5	5.4	26355.8	52.0
Fall, same level	3917.3	7.7	30273.1	59.7
Fall, elevation	8914.0	17.6	39187.1	77.3
Overexertion	4112.2	8.1	43299.3	85.4
Contact electric	573.9	1.1	43873.2	86.5
Other	6848.3	13.5	50721.5	100.0

Table 3-210. Estimates of lost-time injuries by activity when worker was injured for family workers in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6224.4	12.3	6224.4	12.3
Machine maint.	8008.5	15.8	14232.9	28.1
Field work	6133.6	12.1	20366.5	40.2
Crop handling	5256.5	10.4	25623.0	50.5
Livestock handling	17457.8	34.4	43080.8	84.9
Other	7640.7	15.1	50721.5	100.0

Table 3-211. Estimates of lost-time injuries by source of the injury for family workers in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3054.3	6.0	3054.3	6.0
Machinery	10360.2	20.4	13414.5	26.4
Livestock	12371.8	24.4	25786.3	50.8
Hand tool	961.8	1.9	26748.1	52.7
Power tool	1016.0	2.0	27764.1	54.7
Plant/tree	804.6	1.6	28568.7	56.3
Working surface	3562.5	7.0	32131.2	63.3
Truck/auto	1943.2	3.8	34074.4	67.2
Other vehicle	1729.8	3.4	35804.2	70.6
Liquids	1560.7	3.1	37364.9	73.7
Other	13356.6	26.3	50721.5	100.0

Table 3-212. Estimates of lost-time injuries by farm type for hired workers in the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	5069.0	49.3	5069.0	49.3
Nursery	1487.4	14.5	6556.4	63.8
Beef,hogs,sheep	2768.1	26.9	9324.5	90.7
Dairy	951.8	9.3	10276.3	100.0

Table 3-213. Estimates of lost-time injuries by gender for hired workers in the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	9556.1	93.0	9556.1	93.0
Female	720.2	7.0	10276.3	100.0

Table 3-214. Estimates of lost-time injuries by age group for hired workers in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1711.0	16.6	1711.0	16.6
20-29	808.2	7.9	2519.2	24.5
30-39	3975.2	38.7	6494.4	63.2
40-49	3013.9	29.3	9508.3	92.5
60-69	768.0	7.5	10276.3	100.0

Table 3-215. Estimates of lost-time injuries by race or ethnic origin for hired workers in the Midwest region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	9226.5	89.8	9226.5	89.8
Hispanic	1049.8	10.2	10276.3	100.0

Table 3-216. Estimates of lost-time injuries by month for hired workers in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1406.4	13.7	1406.4	13.7
April	1703.7	16.6	3110.1	30.3
May	1980.3	19.3	5090.4	49.5
June	1672.0	16.3	6762.4	65.8
July	241.6	2.4	7004.0	68.2
August	1447.2	14.1	8451.2	82.2
September	573.9	5.6	9025.1	87.8
October	768.0	7.5	9793.1	95.3
November	241.6	2.4	10034.7	97.6
December	241.6	2.4	10276.3	100.0

Table 3-217. Estimates of lost-time injuries by severity of the injury for hired workers in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	9556.1	93.0	9556.1	93.0
Fatality	720.2	7.0	10276.3	100.0

Table 3-218. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	720.2	7.0	720.2	7.0
Yes	7341.5	71.4	8061.7	78.4
No	2214.6	21.6	10276.3	100.0

Table 3-219. Estimates of lost-time injuries by body part injured for hired workers in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1576.2	15.3	1576.2	15.3
Chest/trunk	768.0	7.5	2344.2	22.8
Back	241.6	2.4	2585.8	25.2
Arm/shoulder	951.8	9.3	3537.6	34.4
Finger	1648.0	16.0	5185.6	50.5
Hand/wrist	1469.4	14.3	6655.0	64.8
Leg/knee/hip	2659.5	25.9	9314.5	90.6
Foot	241.6	2.4	9556.1	93.0
Mult. parts	720.2	7.0	10276.3	100.0

Table 3-220. Estimates of lost-time injuries by nature of injury for hired workers in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1406.4	13.7	1406.4	13.7
Cut	4119.7	40.1	5526.1	53.8
Crush	720.2	7.0	6246.3	60.8
Fracture	1009.6	9.8	7255.9	70.6
Sprain/strain	1872.6	18.2	9128.5	88.8
Other	1147.8	11.2	10276.3	100.0

Table 3-221. Estimates of lost-time injuries by type of event for hired workers in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	1406.4	13.7	1406.4	13.7
Caught under	1729.8	16.8	3136.2	30.5
Struck by/against	2174.4	21.2	5310.6	51.7
Contact sharp obj.	1945.3	18.9	7255.9	70.6
Fall, same level	2446.5	23.8	9702.4	94.4
Other	573.9	5.6	10276.3	100.0

Table 3-222. Estimates of lost-time injuries by activity when worker was injured for hired workers in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	241.6	2.4	241.6	2.4
Machine maint.	1494.7	14.5	1736.3	16.9
Field work	2174.4	21.2	3910.7	38.1
Crop handling	2126.6	20.7	6037.3	58.7
Livestock handling	2088.9	20.3	8126.2	79.1
Other	2150.1	20.9	10276.3	100.0

Table 3-223. Estimates of lost-time injuries by source of the injury for hired workers in the Midwest region of the U.S., 1994

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	3822.4	37.2	3822.4	37.2
Livestock	241.6	2.4	4064.0	39.5
Pesticide/chem.	573.9	5.6	4637.9	45.1
Working surface	1631.0	15.9	6268.9	61.0
Truck/auto	241.6	2.4	6510.5	63.4
Other vehicle	720.2	7.0	7230.7	70.4
Other	3045.6	29.6	10276.3	100.0

Table 3-224. Estimates of lost-time injuries by farm type for family workers in the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1547.7	9.8	1547.7	9.8
Field crops	2988.1	19.0	4535.8	28.8
Vegetable, fruit, nuts	404.7	2.6	4940.5	31.4
Nursery	333.0	2.1	5273.5	33.5
Beef, hogs, sheep	8459.2	53.8	13732.7	87.3
Dairy	1659.2	10.6	15391.9	97.9
Other farms	332.4	2.1	15724.3	100.0

Table 3-225. Estimates of lost-time injuries by gender for family workers in the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	12977.8	82.5	12977.8	82.5
Female	2746.5	17.5	15724.3	100.0

Table 3-226. Estimates of lost-time injuries by age group for family workers in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	468.8	3.0	468.8	3.0
10-19	499.6	3.2	968.4	6.2
20-29	687.9	4.4	1656.3	10.5
30-39	2650.9	16.9	4307.2	27.4
40-49	3334.0	21.2	7641.2	48.6
50-59	2638.0	16.8	10279.2	65.4
60-69	2572.8	16.4	12852.0	81.7
>=70	2872.3	18.3	15724.3	100.0

Table 3-227. Estimates of lost-time injuries by race or ethnic origin for family workers in the West region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	15285.3	97.2	15285.3	97.2
Hispanic	195.2	1.2	15480.5	98.4
American Indian	243.8	1.6	15724.3	100.0

Table 3-228. Estimates of lost-time injuries by month for family workers in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1614.3	10.3	1614.3	10.3
February	900.4	5.7	2514.7	16.0
March	1155.2	7.3	3669.9	23.3
April	929.4	5.9	4599.3	29.2
May	652.0	4.1	5251.3	33.4
June	908.3	5.8	6159.6	39.2
July	1315.3	8.4	7474.9	47.5
August	2412.1	15.3	9887.0	62.9
September	1089.7	6.9	10976.7	69.8
October	1763.8	11.2	12740.5	81.0
November	1426.7	9.1	14167.2	90.1
December	1557.1	9.9	15724.3	100.0

Table 3-229. Estimates of lost-time injuries by severity of the injury for family workers in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	15110.5	96.1	15110.5	96.1
Permanent	613.8	3.9	15724.3	100.0

Table 3-230. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	613.8	3.9	613.8	3.9
Yes	12191.5	77.5	12805.3	81.4
No	2919.0	18.6	15724.3	100.0

Table 3-231. Estimates of lost-time injuries by body part injured for family workers in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	415.5	2.6	415.5	2.6
Eye	291.4	1.9	706.9	4.5
Chest/trunk	1815.3	11.5	2522.2	16.0
Back	2615.3	16.6	5137.5	32.7
Arm/shoulder	2036.5	13.0	7174.0	45.6
Finger	1095.8	7.0	8269.8	52.6
Hand/wrist	1174.6	7.5	9444.4	60.1
Leg/knee/hip	4232.6	26.9	13677.0	87.0
Toe	468.8	3.0	14145.8	90.0
Foot	878.6	5.6	15024.4	95.5
Mult. parts	699.9	4.5	15724.3	100.0

Table 3-232. Estimates of lost-time injuries by nature of injury for family workers in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	270.7	1.7	270.7	1.7
Bruise	2580.8	16.4	2851.5	18.1
Burn	444.1	2.8	3295.6	21.0
Cut	1355.8	8.6	4651.4	29.6
Crush	864.1	5.5	5515.5	35.1
Fracture	4236.2	26.9	9751.7	62.0
Poisoning	145.7	0.9	9897.4	62.9
Puncture	243.8	1.6	10141.2	64.5
Sprain/strain	3547.7	22.6	13688.9	87.1
Mult. injury	408.2	2.6	14097.1	89.7
Other	1627.2	10.3	15724.3	100.0

Table 3-233. Estimates of lost-time injuries by type of event for family workers in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	243.8	1.6	243.8	1.6
Caught between	852.7	5.4	1096.5	7.0
Caught under	652.0	4.1	1748.5	11.1
Struck by/against	1897.7	12.1	3646.2	23.2
Struck by falling	1160.2	7.4	4806.4	30.6
Struck by flying	444.1	2.8	5250.5	33.4
Contact sharp obj.	712.6	4.5	5963.1	37.9
Fall, same level	1391.7	8.9	7354.8	46.8
Fall, elevation	4399.5	28.0	11754.3	74.8
Overexertion	995.5	6.3	12749.8	81.1
Other	2974.5	18.9	15724.3	100.0

Table 3-234. Estimates of lost-time injuries by activity when worker was injured for family workers in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2278.0	14.5	2278.0	14.5
Machine maint.	2197.9	14.0	4475.9	28.5
Field work	2454.1	15.6	6930.0	44.1
Crop handling	3091.9	19.7	10021.9	63.7
Livestock handling	4623.6	29.4	14645.5	93.1
Other	1078.8	6.9	15724.3	100.0

Table 3-235. Estimates of lost-time injuries by source of the injury for family workers in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	596.7	3.8	596.7	3.8
Machinery	2571.0	16.4	3167.7	20.1
Livestock	3577.0	22.7	6744.7	42.9
Hand tool	318.4	2.0	7063.1	44.9
Power tool	1453.4	9.2	8516.5	54.2
Plant/tree	459.4	2.9	8975.9	57.1
Working surface	2481.6	15.8	11457.5	72.9
Truck/auto	1141.5	7.3	12599.0	80.1
Other vehicle	270.7	1.7	12869.7	81.8
Other	2854.6	18.2	15724.3	100.0

Table 3-236. Estimates of lost-time injuries by farm type for hired workers in the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	767.9	6.1	767.9	6.1
Field crops	1945.2	15.6	2713.1	21.7
Vegetable, fruit, nuts	614.0	4.9	3327.1	26.6
Nursery	3605.7	28.8	6932.8	55.5
Beef, hogs, sheep	4220.2	33.8	11153.0	89.2
Dairy	873.8	7.0	12026.8	96.2
Other farms	475.6	3.8	12502.4	100.0

Table 3-237. Estimates of lost-time injuries by gender for hired workers in the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	11700.7	93.6	11700.7	93.6
Female	801.7	6.4	12502.4	100.0

Table 3-238. Estimates of lost-time injuries by age group for hired workers in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1032.2	8.4	1032.2	8.4
20-29	4814.1	39.3	5846.3	47.7
30-39	2091.2	17.1	7937.5	64.8
40-49	2950.3	24.1	10887.8	88.8
50-59	981.1	8.0	11868.9	96.8
60-69	270.7	2.2	12139.6	99.0
>=70	119.0	1.0	12258.6	100.0

(Frequency Missing = 243.8)

Table 3-239. Estimates of lost-time injuries by race or ethnic origin for hired workers in the West region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	6923.2	55.4	6923.2	55.4
Hispanic	5579.2	44.6	12502.4	100.0

Table 3-240. Estimates of lost-time injuries by month for hired workers in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1689.5	13.5	1689.5	13.5
February	708.4	5.7	2397.9	19.2
March	321.6	2.6	2719.5	21.8
April	733.6	5.9	3453.1	27.6
May	697.8	5.6	4150.9	33.2
June	378.6	3.0	4529.5	36.2
July	2797.0	22.4	7326.5	58.6
August	2521.2	20.2	9847.7	78.8
September	434.0	3.5	10281.7	82.2
October	1270.3	10.2	11552.0	92.4
November	679.7	5.4	12231.7	97.8
December	270.7	2.2	12502.4	100.0

Table 3-241. Estimates of lost-time injuries by severity of the injury for hired workers in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	11997.3	96.0	11997.3	96.0
Permanent	505.1	4.0	12502.4	100.0

Table 3-242. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	505.1	4.0	505.1	4.0
Yes	11531.4	92.2	12036.5	96.3
No	465.9	3.7	12502.4	100.0

Table 3-243. Estimates of lost-time injuries by body part injured for hired workers in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1489.6	11.9	1489.6	11.9
Eye	137.5	1.1	1627.1	13.0
Chest/trunk	547.1	4.4	2174.2	17.4
Back	1601.0	12.8	3775.2	30.2
Arm/shoulder	1008.1	8.1	4783.3	38.3
Finger	1723.0	13.8	6506.3	52.0
Hand/wrist	1047.2	8.4	7553.5	60.4
Leg/knee/hip	1927.8	15.4	9481.3	75.8
Toe	1201.9	9.6	10683.2	85.4
Foot	644.3	5.2	11327.5	90.6
Mult. parts	904.2	7.2	12231.7	97.8
Other	270.7	2.2	12502.4	100.0

Table 3-244. Estimates of lost-time injuries by nature of injury for hired workers in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	558.0	4.5	558.0	4.5
Cut	742.7	5.9	1300.7	10.4
Crush	723.1	5.8	2023.8	16.2
Fracture	2536.2	20.3	4560.0	36.5
Puncture	1093.9	8.7	5653.9	45.2
Sprain/strain	3761.6	30.1	9415.5	75.3
Mult. injury	1357.1	10.9	10772.6	86.2
Other	1729.8	13.8	12502.4	100.0

Table 3-245. Estimates of lost-time injuries by type of event for hired workers in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	588.7	4.7	588.7	4.7
Caught between	1340.0	10.7	1928.7	15.4
Caught under	784.7	6.3	2713.4	21.7
Struck by/against	1576.7	12.6	4290.1	34.3
Struck by falling	1583.2	12.7	5873.3	47.0
Struck by flying	408.2	3.3	6281.5	50.2
Contact sharp obj.	631.2	5.0	6912.7	55.3
Fall, same level	1054.6	8.4	7967.3	63.7
Fall, elevation	745.2	6.0	8712.5	69.7
Overexertion	1883.4	15.1	10595.9	84.8
Other	1906.5	15.2	12502.4	100.0

Table 3-246. Estimates of lost-time injuries by activity when worker was injured for hired workers in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2298.1	18.4	2298.1	18.4
Machine maint.	1923.8	15.4	4221.9	33.8
Field work	2248.7	18.0	6470.6	51.8
Crop handling	1047.2	8.4	7517.8	60.1
Livestock handling	3416.4	27.3	10934.2	87.5
Other	1568.2	12.5	12502.4	100.0

Table 3-247. Estimates of lost-time injuries by source of the injury for hired workers in the West region of the U.S., 1994

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	753.2	6.0	753.2	6.0
Machinery	1030.9	8.2	1784.1	14.3
Livestock	2658.1	21.3	4442.2	35.5
Hand tool	181.1	1.4	4623.3	37.0
Power tool	332.7	2.7	4956.0	39.6
Working surface	1076.3	8.6	6032.3	48.2
Truck/auto	709.7	5.7	6742.0	53.9
Other vehicle	195.2	1.6	6937.2	55.5
Other	5565.2	44.5	12502.4	100.0

Table 3-248. Estimates of lost-time injuries by farm type for male workers in the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	140.8	1.8	140.8	1.8
Field crops	623.1	7.7	763.9	9.5
Vegetable, fruit, nuts	1061.5	13.2	1825.4	22.7
Nursery	376.5	4.7	2201.9	27.4
Beef, hogs, sheep	1453.9	18.1	3655.8	45.5
Poultry	108.6	1.4	3764.4	46.8
Dairy	4035.7	50.2	7800.1	97.0
Other farms	242.6	3.0	8042.7	100.0

Table 3-249. Estimates of lost-time injuries by status of the injured worker for male workers in the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	4993.9	62.1	4993.9	62.1
Partner/family	745.6	9.3	5739.5	71.4
Hired labor	1826.6	22.7	7566.1	94.1
Unpaid nonfamily	248.1	3.1	7814.2	97.2
Other	228.5	2.8	8042.7	100.0

Table 3-250. Estimates of lost-time injuries by age group for male workers in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	236.3	2.9	236.3	2.9
10-19	642.7	8.0	879.0	10.9
20-29	1219.6	15.2	2098.6	26.1
30-39	2013.0	25.0	4111.6	51.1
40-49	2126.6	26.4	6238.2	77.6
50-59	834.9	10.4	7073.1	87.9
60-69	714.4	8.9	7787.5	96.8
>=70	255.2	3.2	8042.7	100.0

Table 3-251. Estimates of lost-time injuries by race or ethnic origin for male workers in the Northeast region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	7601.9	94.5	7601.9	94.5
Hispanic	225.4	2.8	7827.3	97.3
Black	157.3	2.0	7984.6	99.3
Other	58.1	0.7	8042.7	100.0

Table 3-252. Estimates of lost-time injuries by month for male workers in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	486.0	6.0	486.0	6.0
February	808.6	10.1	1294.6	16.1
March	90.4	1.1	1385.0	17.2
April	263.9	3.3	1648.9	20.5
May	583.3	7.3	2232.2	27.8
June	297.8	3.7	2530.0	31.5
July	590.2	7.3	3120.2	38.8
August	706.6	8.8	3826.8	47.6
September	1022.9	12.7	4849.7	60.3
October	1363.8	17.0	6213.5	77.3
November	881.4	11.0	7094.9	88.2
December	947.8	11.8	8042.7	100.0

Table 3-253. Estimates of lost-time injuries by severity of the injury for male workers in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	7223.1	89.8	7223.1	89.8
Permanent	777.3	9.7	8000.4	99.5
Fatality	42.3	0.5	8042.7	100.0

Table 3-254. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	833.3	9.9	833.3	9.9
Yes	6518.9	77.6	7352.2	87.6
No	1044.3	12.4	8396.5	100.0

Table 3-255. Estimates of lost-time injuries by body part injured for male workers in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	150.6	1.9	150.6	1.9
Eye	503.5	6.3	654.1	8.1
Chest/trunk	594.8	7.4	1248.9	15.5
Back	658.6	8.2	1907.5	23.7
Arm/shoulder	1186.4	14.8	3093.9	38.5
Finger	1291.7	16.1	4385.6	54.5
Hand/wrist	502.9	6.3	4888.5	60.8
Leg/knee/hip	1634.6	20.3	6523.1	81.1
Toe	56.8	0.7	6579.9	81.8
Foot	603.9	7.5	7183.8	89.3
Mult. parts	303.1	3.8	7486.9	93.1
Other	555.8	6.9	8042.7	100.0

Table 3-256. Estimates of lost-time injuries by nature of injury for male workers in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	227.7	2.8	227.7	2.8
Asphyxiation	227.7	2.8	455.4	5.7
Bruise	1078.6	13.4	1534.0	19.1
Burn	256.9	3.2	1790.9	22.3
Cut	942.5	11.7	2733.4	34.0
Crush	479.4	6.0	3212.8	39.9
Fracture	898.8	11.2	4111.6	51.1
Puncture	770.4	9.6	4882.0	60.7
Sprain/strain	1697.1	21.1	6579.1	81.8
Electric shock	42.3	0.5	6621.4	82.3
Mult. injury	500.2	6.2	7121.6	88.5
Other	921.1	11.5	8042.7	100.0

Table 3-257. Estimates of lost-time injuries by type of event for male workers in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	227.7	2.8	227.7	2.8
Caught between	1047.9	13.0	1275.6	15.9
Caught under	491.5	6.1	1767.1	22.0
Struck by/against	735.4	9.1	2502.5	31.1
Struck by falling	84.3	1.0	2586.8	32.2
Struck by flying	326.4	4.1	2913.2	36.2
Contact sharp obj.	924.2	11.5	3837.4	47.7
Fall, same level	1095.3	13.6	4932.7	61.3
Fall, elevation	520.6	6.5	5453.3	67.8
Overexertion	967.9	12.0	6421.2	79.8
Contact electric	42.3	0.5	6463.5	80.4
Other	1579.2	19.6	8042.7	100.0

Table 3-258. Estimates of lost-time injuries by activity when worker was injured for male workers in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2185.6	27.2	2185.6	27.2
Machine maint.	940.3	11.7	3125.9	38.9
Field work	975.6	12.1	4101.5	51.0
Crop handling	1219.0	15.2	5320.5	66.2
Livestock handling	1670.6	20.8	6991.1	86.9
Other	1051.6	13.1	8042.7	100.0

Table 3-259. Estimates of lost-time injuries by source of the injury for male workers in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	584.8	7.3	584.8	7.3
Machinery	1015.9	12.6	1600.7	19.9
Livestock	1147.1	14.3	2747.8	34.2
Hand tool	975.8	12.1	3723.6	46.3
Power tool	126.2	1.6	3849.8	47.9
Pesticide/chem.	20.6	0.3	3870.4	48.1
Plant/tree	394.2	4.9	4264.6	53.0
Working surface	401.8	5.0	4666.4	58.0
Truck/auto	531.0	6.6	5197.4	64.6
Other vehicle	125.5	1.6	5322.9	66.2
Other	2719.8	33.8	8042.7	100.0

Table 3-260. Estimates of lost-time injuries by farm type for female workers in the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field crops	42.3	5.3	42.3	5.3
Vegetable, fruit, nuts	27.5	3.5	69.8	8.8
Dairy	517.2	65.1	587.0	73.9
Other farms	207.6	26.1	794.6	100.0

Table 3-261. Estimates of lost-time injuries by status of the injured worker for female workers in the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	429.2	54.0	429.2	54.0
Partner/family	20.6	2.6	449.8	56.6
Hired labor	314.2	39.5	764.0	96.1
Other	30.6	3.9	794.6	100.0

Table 3-262. Estimates of lost-time injuries by age group for female workers in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	59.0	7.4	59.0	7.4
20-29	255.2	32.1	314.2	39.5
30-39	89.6	11.3	403.8	50.8
40-49	289.5	36.4	693.3	87.3
50-59	59.0	7.4	752.3	94.7
60-69	42.3	5.3	794.6	100.0

Table 3-263. Estimates of lost-time injuries by race or ethnic origin for female workers in the Northeast region of the U.S., 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	794.6	100.0	794.6	100.0

Table 3-264. Estimates of lost-time injuries by month for female workers in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	42.3	5.3	42.3	5.3
April	41.2	5.2	83.5	10.5
May	227.7	28.7	311.2	39.2
August	59.0	7.4	370.2	46.6
September	118.0	14.9	488.2	61.4
October	78.7	9.9	566.9	71.3
December	227.7	28.7	794.6	100.0

Table 3-265. Estimates of lost-time injuries by severity of the injury for female workers in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	753.4	94.8	753.4	94.8
Permanent	41.2	5.2	794.6	100.0

Table 3-266. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	41.2	5.2	41.2	5.2
Yes	694.4	87.4	735.6	92.6
No	59.0	7.4	794.6	100.0

Table 3-267. Estimates of lost-time injuries by body part injured for female workers in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	286.7	36.1	286.7	36.1
Chest/trunk	59.0	7.4	345.7	43.5
Back	27.5	3.5	373.2	47.0
Arm/shoulder	83.5	10.5	456.7	57.5
Leg/knee/hip	258.3	32.5	715.0	90.0
Foot	59.0	7.4	774.0	97.4
Other	20.6	2.6	794.6	100.0

Table 3-268. Estimates of lost-time injuries by nature of injury for female workers in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	286.7	36.1	286.7	36.1
Burn	227.7	28.7	514.4	64.7
Cut	79.6	10.0	594.0	74.8
Sprain/strain	117.1	14.7	711.1	89.5
Mult. injury	20.6	2.6	731.7	92.1
Other	62.9	7.9	794.6	100.0

Table 3-269. Estimates of lost-time injuries by type of event for female workers in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	41.2	5.5	41.2	5.5
Struck by/against	118.0	15.7	159.2	21.2
Fall, same level	89.6	11.9	248.8	33.1
Fall, elevation	227.7	30.3	476.5	63.3
Overexertion	27.5	3.7	504.0	67.0
Other	248.3	33.0	752.3	100.0

(Frequency Missing = 42.3)

Table 3-270. Estimates of lost-time injuries by activity when worker was injured for female workers in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	248.3	31.2	248.3	31.2
Machine maint.	20.6	2.6	268.9	33.8
Livestock handling	180.9	22.8	449.8	56.6
Other	344.8	43.4	794.6	100.0

Table 3-271. Estimates of lost-time injuries by source of the injury for female workers in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	227.7	28.7	227.7	28.7
Machinery	41.2	5.2	268.9	33.8
Livestock	138.6	17.4	407.5	51.3
Pesticide/chem.	227.7	28.7	635.2	79.9
Working surface	59.0	7.4	694.2	87.4
Truck/auto	42.3	5.3	736.5	92.7
Other	58.1	7.3	794.6	100.0

Table 3-272. Estimates of lost-time injuries by farm type for male workers in the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	877.9	4.6	877.9	4.6
Field crops	5735.1	29.9	6613.0	34.4
Vegetable, fruit, nuts	3705.6	19.3	10318.6	53.7
Nursery	792.9	4.1	11111.5	57.9
Beef, hogs, sheep	5973.4	31.1	17084.9	89.0
Poultry	1291.6	6.7	18376.5	95.7
Dairy	464.3	2.4	18840.8	98.1
Other farms	364.4	1.9	19205.2	100.0

Table 3-273. Estimates of lost-time injuries by status of the injured worker for male workers in the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	11857.1	61.7	11857.1	61.7
Partner/family	1774.1	9.2	13631.2	71.0
Hired labor	4063.6	21.2	17694.8	92.1
Other	1510.4	7.9	19205.2	100.0

Table 3-274. Estimates of lost-time injuries by age group for male workers in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1183.2	6.2	1183.2	6.2
20-29	2181.0	11.4	3364.2	17.6
30-39	3685.7	19.2	7049.9	36.8
40-49	6538.6	34.1	13588.5	70.9
50-59	3239.6	16.9	16828.1	87.8
60-69	984.2	5.1	17812.3	92.9
>=70	1356.7	7.1	19169.0	100.0

(Frequency Missing = 36.2)

Table 3-275. Estimates of lost-time injuries by race or ethnic origin for male workers in the South region of the U.S., 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	18258.8	95.1	18258.8	95.1
Hispanic	450.0	2.3	18708.8	97.4
Black	496.4	2.6	19205.2	100.0

Table 3-276. Estimates of lost-time injuries by month for male workers in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	852.6	4.4	852.6	4.4
February	470.8	2.5	1323.4	6.9
March	316.6	1.6	1640.0	8.5
April	1347.1	7.0	2987.1	15.6
May	1133.8	5.9	4120.9	21.5
June	1716.1	8.9	5837.0	30.4
July	2747.4	14.3	8584.4	44.7
August	2805.1	14.6	11389.5	59.3
September	2794.3	14.5	14183.8	73.9
October	1915.9	10.0	16099.7	83.8
November	2188.6	11.4	18288.3	95.2
December	916.9	4.8	19205.2	100.0

Table 3-277. Estimates of lost-time injuries by severity of the injury for male workers in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	17456.0	95.0	17456.0	95.0
Permanent	885.4	4.8	18341.4	99.8
Fatality	36.2	0.2	18377.6	100.0
(Frequency Missing = 827.6)				

Table 3-278. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	921.6	4.8	921.6	4.8
Yes	16651.8	86.7	17573.4	91.5
No	1631.8	8.5	19205.2	100.0

Table 3-279. Estimates of lost-time injuries by body part injured for male workers in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1532.2	8.0	1532.2	8.0
Eye	1059.8	5.5	2592.0	13.5
Chest/trunk	202.0	1.1	2794.0	14.5
Back	3264.2	17.0	6058.2	31.5
Arm/shoulder	2085.4	10.9	8143.6	42.4
Finger	2946.6	15.3	11090.2	57.7
Hand/wrist	1093.8	5.7	12184.0	63.4
Leg/knee/hip	3821.6	19.9	16005.6	83.3
Toe	1403.6	7.3	17409.2	90.6
Foot	1202.0	6.3	18611.2	96.9
Mult. parts	199.8	1.0	18811.0	97.9
Other	394.2	2.1	19205.2	100.0

Table 3-280. Estimates of lost-time injuries by nature of injury for male workers in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	3309.1	17.3	3309.1	17.3
Burn	595.8	3.1	3904.9	20.4
Cut	2351.0	12.3	6255.9	32.7
Crush	1704.2	8.9	7960.1	41.6
Fracture	4334.8	22.7	12294.9	64.3
Poisoning	163.6	0.9	12458.5	65.2
Puncture	798.2	4.2	13256.7	69.3
Sprain/strain	2935.0	15.3	16191.7	84.7
Mult. injury	482.2	2.5	16673.9	87.2
Other	2448.7	12.8	19122.6	100.0

(Frequency Missing = 82.6)

Table 3-281. Estimates of lost-time injuries by type of event for male workers in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	16.0	0.1	16.0	0.1
Caught between	3132.7	16.3	3148.7	16.4
Caught under	2295.6	12.0	5444.3	28.4
Struck by/against	757.2	4.0	6201.5	32.4
Struck by falling	964.7	5.0	7166.2	37.4
Struck by flying	1337.6	7.0	8503.8	44.4
Contact sharp obj.	1813.6	9.5	10317.4	53.8
Fall, same level	2157.7	11.3	12475.1	65.1
Fall, elevation	1949.0	10.2	14424.1	75.2
Overexertion	1820.2	9.5	16244.3	84.7
Contact electric	413.8	2.2	16658.1	86.9
Other	2510.9	13.1	19169.0	100.0

(Frequency Missing = 36.2)

Table 3-282. Estimates of lost-time injuries by activity when worker was injured for male workers in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2237.6	11.7	2237.6	11.7
Machine maint.	2446.9	12.7	4684.5	24.4
Field work	4241.7	22.1	8926.2	46.5
Crop handling	4105.4	21.4	13031.6	67.9
Livestock handling	4639.2	24.2	17670.8	92.0
Other	1534.4	8.0	19205.2	100.0

Table 3-283. Estimates of lost-time injuries by source of the injury for male workers in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	528.2	2.8	528.2	2.8
Machinery	3807.6	19.8	4335.8	22.6
Livestock	3844.0	20.0	8179.8	42.6
Hand tool	1729.3	9.0	9909.1	51.6
Power tool	719.1	3.7	10628.2	55.3
Plant/tree	1001.1	5.2	11629.3	60.6
Working surface	651.3	3.4	12280.6	63.9
Truck/auto	94.3	0.5	12374.9	64.4
Other vehicle	932.4	4.9	13307.3	69.3
Liquids	38.4	0.2	13345.7	69.5
Other	5859.5	30.5	19205.2	100.0

Table 3-284. Estimates of lost-time injuries by farm type for female workers in the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field crops	36.2	1.2	36.2	1.2
Vegetable, fruit, nuts	73.9	2.5	110.1	3.8
Nursery	634.2	21.8	744.3	25.5
Beef, hogs, sheep	905.0	31.0	1649.3	56.6
Dairy	1265.6	43.4	2914.9	100.0

Table 3-285. Estimates of lost-time injuries by status of the injured worker for female workers in the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2804.8	96.2	2804.8	96.2
Partner/family	73.9	2.5	2878.7	98.8
Hired labor	36.2	1.2	2914.9	100.0

Table 3-286. Estimates of lost-time injuries by age group for female workers in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	36.2	1.2	36.2	1.2
30-39	163.6	5.6	199.8	6.9
40-49	1004.9	34.5	1204.7	41.3
50-59	1710.2	58.7	2914.9	100.0

Table 3-287. Estimates of lost-time injuries by race or ethnic origin for female workers in the South region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2914.9	100.0	2914.9	100.0

Table 3-288. Estimates of lost-time injuries by month for female workers in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	163.6	5.6	163.6	5.6
March	634.2	21.8	797.8	27.4
April	1265.6	43.4	2063.4	70.8
June	444.6	15.3	2508.0	86.0
August	36.2	1.2	2544.2	87.3
September	370.7	12.7	2914.9	100.0

Table 3-289. Estimates of lost-time injuries by severity of the injury for female workers in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2914.9	100.0	2914.9	100.0

Table 3-290. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	2841.0	97.5	2841.0	97.5
No	73.9	2.5	2914.9	100.0

Table 3-291. Estimates of lost-time injuries by body part injured for female workers in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	634.2	21.8	634.2	21.8
Back	534.3	18.3	1168.5	40.1
Arm/shoulder	370.7	12.7	1539.2	52.8
Finger	73.9	2.5	1613.1	55.3
Leg/knee/hip	1301.8	44.7	2914.9	100.0

Table 3-292. Estimates of lost-time injuries by nature of injury for female workers in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1710.2	58.7	1710.2	58.7
Cut	634.2	21.8	2344.4	80.4
Sprain/strain	406.9	14.0	2751.3	94.4
Other	163.6	5.6	2914.9	100.0

Table 3-293. Estimates of lost-time injuries by type of event for female workers in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	110.1	3.8	110.1	3.8
Struck by falling	634.2	21.8	744.3	25.5
Fall, elevation	1265.6	43.4	2009.9	69.0
Overexertion	534.3	18.3	2544.2	87.3
Other	370.7	12.7	2914.9	100.0

Table 3-294. Estimates of lost-time injuries by activity when worker was injured for female workers in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machine maint.	634.2	21.8	634.2	21.8
Field work	1710.2	58.7	2344.4	80.4
Livestock handling	406.9	14.0	2751.3	94.4
Other	163.6	5.6	2914.9	100.0

Table 3-295. Estimates of lost-time injuries by source of the injury for female workers in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	73.9	2.5	73.9	2.5
Livestock	370.7	12.7	444.6	15.3
Plant/tree	370.7	12.7	815.3	28.0
Other vehicle	36.2	1.2	851.5	29.2
Other	2063.4	70.8	2914.9	100.0

Table 3-296. Estimates of lost-time injuries by farm type for male workers in the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	23816.9	40.0	23816.9	40.0
Field crops	2574.6	4.3	26391.5	44.3
Vegetable, fruit, nuts	650.7	1.1	27042.2	45.4
Nursery	1487.4	2.5	28529.6	47.9
Beef, hogs, sheep	21906.8	36.8	50436.4	84.6
Dairy	9010.4	15.1	59446.8	99.8
Other farms	144.6	0.2	59591.4	100.0

Table 3-297. Estimates of lost-time injuries by status of the injured worker for male workers in the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	46165.5	77.5	46165.5	77.5
Partner/family	2115.0	3.5	48280.5	81.0
Hired labor	9072.9	15.2	57353.4	96.2
Unpaid nonfamily	483.2	0.8	57836.6	97.1
Other	1754.8	2.9	59591.4	100.0

Table 3-298. Estimates of lost-time injuries by age group for male workers in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	5809.4	9.7	5809.4	9.7
20-29	3970.3	6.7	9779.7	16.4
30-39	13573.3	22.8	23353.0	39.2
40-49	10876.0	18.3	34229.0	57.4
50-59	7172.9	12.0	41401.9	69.5
60-69	12323.2	20.7	53725.1	90.2
>=70	5866.3	9.8	59591.4	100.0

Table 3-299. Estimates of lost-time injuries by race or ethnic origin for male workers in the Midwest region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	58179.5	97.6	58179.5	97.6
Hispanic	1049.8	1.8	59229.3	99.4
American Indian	362.1	0.6	59591.4	100.0

Table 3-300. Estimates of lost-time injuries by month for male workers in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3929.2	6.6	3929.2	6.6
February	563.9	0.9	4493.1	7.5
March	4027.5	6.8	8520.6	14.3
April	6565.2	11.0	15085.8	25.3
May	7621.0	12.8	22706.8	38.1
June	4272.2	7.2	26979.0	45.3
July	4801.9	8.1	31780.9	53.3
August	7607.6	12.8	39388.5	66.1
September	5198.3	8.7	44586.8	74.8
October	5267.0	8.8	49853.8	83.7
November	5101.6	8.6	54955.4	92.2
December	4636.0	7.8	59591.4	100.0

Table 3-301. Estimates of lost-time injuries by severity of the injury for male workers in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	59269.1	99.5	59269.1	99.5
Permanent	322.3	0.5	59591.4	100.0

Table 3-302. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	322.3	0.5	322.3	0.5
Yes	47926.9	81.5	48249.2	82.1
No	10526.7	17.9	58775.9	100.0
(Frequency Missing = 815.5)				

Table 3-303. Estimates of lost-time injuries by body part injured for male workers in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	5170.7	8.7	5170.7	8.7
Eye	1403.7	2.4	6574.4	11.0
Chest/trunk	1608.7	2.7	8183.1	13.7
Back	9951.6	16.7	18134.7	30.4
Arm/shoulder	7467.7	12.5	25602.4	43.0
Finger	6543.9	11.0	32146.3	53.9
Hand/wrist	7491.1	12.6	39637.4	66.5
Leg/knee/hip	11455.0	19.2	51092.4	85.7
Toe	241.6	0.4	51334.0	86.1
Foot	4085.4	6.9	55419.4	93.0
Mult. parts	2636.0	4.4	58055.4	97.4
Other	1536.0	2.6	59591.4	100.0

Table 3-304. Estimates of lost-time injuries by nature of injury for male workers in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	5795.5	9.7	5795.5	9.7
Burn	986.8	1.7	6782.3	11.4
Cut	11580.1	19.4	18362.4	30.8
Crush	4687.8	7.9	23050.2	38.7
Fracture	14271.7	23.9	37321.9	62.6
Puncture	3140.6	5.3	40462.5	67.9
Sprain/strain	12766.6	21.4	53229.1	89.3
Mult. injury	1649.2	2.8	54878.3	92.1
Other	4713.1	7.9	59591.4	100.0

Table 3-305. Estimates of lost-time injuries by type of event for male workers in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3864.7	6.5	3864.7	6.5
Caught between	5966.0	10.0	9830.7	16.5
Caught under	1709.4	2.9	11540.1	19.4
Struck by/against	12580.4	21.1	24120.5	40.5
Struck by falling	1401.9	2.4	25522.4	42.8
Struck by flying	1933.9	3.2	27456.3	46.1
Contact sharp obj.	4673.8	7.8	32130.1	53.9
Fall, same level	6363.8	10.7	38493.9	64.6
Fall, elevation	9563.1	16.0	48057.0	80.6
Overexertion	4112.2	6.9	52169.2	87.5
Other	7422.2	12.5	59591.4	100.0

Table 3-306. Estimates of lost-time injuries by activity when worker was injured for male workers in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	5661.4	9.5	5661.4	9.5
Machine maint.	9503.2	15.9	15164.6	25.4
Field work	8834.4	14.8	23999.0	40.3
Crop handling	6325.2	10.6	30324.2	50.9
Livestock handling	20050.3	33.6	50374.5	84.5
Other	9216.9	15.5	59591.4	100.0

Table 3-307. Estimates of lost-time injuries by source of the injury for male workers in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3054.3	5.1	3054.3	5.1
Machinery	14709.0	24.7	17763.3	29.8
Livestock	12130.2	20.4	29893.5	50.2
Hand tool	720.2	1.2	30613.7	51.4
Power tool	1016.0	1.7	31629.7	53.1
Pesticide/chem.	573.9	1.0	32203.6	54.0
Plant/tree	804.6	1.4	33008.2	55.4
Working surface	5193.5	8.7	38201.7	64.1
Truck/auto	2833.9	4.8	41035.6	68.9
Other vehicle	1729.8	2.9	42765.4	71.8
Liquids	986.8	1.7	43752.2	73.4
Other	15839.2	26.6	59591.4	100.0

Table 3-308. Estimates of lost-time injuries by farm type for female workers in the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1057.9	33.5	1057.9	33.5
Field crops	563.0	17.8	1620.9	51.3
Beef,hogs,sheep	1540.3	48.7	3161.2	100.0

Table 3-309. Estimates of lost-time injuries by status of the injured worker for female workers in the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1625.5	51.4	1625.5	51.4
Partner/family	815.5	25.8	2441.0	77.2
Unpaid nonfamily	720.2	22.8	3161.2	100.0

Table 3-310. Estimates of lost-time injuries by age group for female workers in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	241.6	7.6	241.6	7.6
30-39	483.2	15.3	724.8	22.9
40-49	1294.1	40.9	2018.9	63.9
50-59	579.3	18.3	2598.2	82.2
60-69	563.0	17.8	3161.2	100.0

Table 3-311. Estimates of lost-time injuries by race or ethnic origin for female workers in the Midwest region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3161.2	100.0	3161.2	100.0

Table 3-312. Estimates of lost-time injuries by month for female workers in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	241.6	7.6	241.6	7.6
June	961.8	30.4	1203.4	38.1
July	573.9	18.2	1777.3	56.2
August	241.6	7.6	2018.9	63.9
September	337.7	10.7	2356.6	74.5
December	804.6	25.5	3161.2	100.0

Table 3-313. Estimates of lost-time injuries by severity of the injury for female workers in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2441.0	77.2	2441.0	77.2
Fatality	720.2	22.8	3161.2	100.0

Table 3-314. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	720.2	22.8	720.2	22.8
Yes	1867.1	59.1	2587.3	81.8
No	573.9	18.2	3161.2	100.0

Table 3-315. Estimates of lost-time injuries by body part injured for female workers in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	911.6	28.8	911.6	28.8
Eye	241.6	7.6	1153.2	36.5
Back	563.0	17.8	1716.2	54.3
Leg/knee/hip	483.2	15.3	2199.4	69.6
Foot	241.6	7.6	2441.0	77.2
Mult. parts	720.2	22.8	3161.2	100.0

Table 3-316. Estimates of lost-time injuries by nature of injury for female workers in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cut	241.6	9.3	241.6	9.3
Crush	961.8	37.0	1203.4	46.3
Fracture	483.2	18.6	1686.6	64.9
Sprain/strain	337.7	13.0	2024.3	77.9
Electric shock	573.9	22.1	2598.2	100.0

(Frequency Missing = 563)

Table 3-317. Estimates of lost-time injuries by type of event for female workers in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	961.8	30.4	961.8	30.4
Struck by/against	483.2	15.3	1445.0	45.7
Struck by falling	563.0	17.8	2008.0	63.5
Struck by flying	241.6	7.6	2249.6	71.2
Fall, elevation	337.7	10.7	2587.3	81.8
Contact electric	573.9	18.2	3161.2	100.0

Table 3-318. Estimates of lost-time injuries by activity when worker was injured for female workers in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	804.6	25.5	804.6	25.5
Field work	241.6	7.6	1046.2	33.1
Crop handling	1057.9	33.5	2104.1	66.6
Livestock handling	483.2	15.3	2587.3	81.8
Other	573.9	18.2	3161.2	100.0

Table 3-319. Estimates of lost-time injuries by source of the injury for female workers in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	241.6	7.6	241.6	7.6
Livestock	483.2	15.3	724.8	22.9
Hand tool	241.6	7.6	966.4	30.6
Truck/auto	337.7	10.7	1304.1	41.3
Other vehicle	720.2	22.8	2024.3	64.0
Liquids	573.9	18.2	2598.2	82.2
Other	563.0	17.8	3161.2	100.0

Table 3-320. Estimates of lost-time injuries by farm type for male workers in the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	2024.2	8.2	2024.2	8.2
Field crops	4813.0	19.5	6837.2	27.7
Vegetable, fruit, nuts	650.3	2.6	7487.5	30.3
Nursery	3938.7	16.0	11426.2	46.3
Beef, hogs, sheep	9923.3	40.2	21349.5	86.5
Dairy	2533.0	10.3	23882.5	96.8
Other farms	796.0	3.2	24678.5	100.0

Table 3-321. Estimates of lost-time injuries by status of the injured worker for male workers in the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	11376.8	46.1	11376.8	46.1
Partner/family	1601.0	6.5	12977.8	52.6
Hired labor	11159.3	45.2	24137.1	97.8
Unpaid nonfamily	541.4	2.2	24678.5	100.0

Table 3-322. Estimates of lost-time injuries by age group for male workers in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1276.0	5.2	1276.0	5.2
20-29	5085.6	20.8	6361.6	26.0
30-39	3452.8	14.1	9814.4	40.2
40-49	5753.3	23.5	15567.7	63.7
50-59	3496.3	14.3	19064.0	78.0
60-69	2499.7	10.2	21563.7	88.3
>=70	2871.0	11.7	24434.7	100.0
(Frequency Missing = 243.8)				

Table 3-323. Estimates of lost-time injuries by race or ethnic origin for male workers in the West region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	18797.8	76.2	18797.8	76.2
Hispanic	5636.9	22.8	24434.7	99.0
American Indian	243.8	1.0	24678.5	100.0

Table 3-324. Estimates of lost-time injuries by month for male workers in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3035.3	12.3	3035.3	12.3
February	1353.0	5.5	4388.3	17.8
March	1476.8	6.0	5865.1	23.8
April	1663.0	6.7	7528.1	30.5
May	1227.0	5.0	8755.1	35.5
June	1286.9	5.2	10042.0	40.7
July	3581.3	14.5	13623.3	55.2
August	3923.1	15.9	17546.4	71.1
September	1265.9	5.1	18812.3	76.2
October	2175.8	8.8	20988.1	85.0
November	2106.4	8.5	23094.5	93.6
December	1584.0	6.4	24678.5	100.0

Table 3-325. Estimates of lost-time injuries by severity of the injury for male workers in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	23559.6	95.5	23559.6	95.5
Permanent	1118.9	4.5	24678.5	100.0

Table 3-326. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1118.9	4.5	1118.9	4.5
Yes	20949.5	84.9	22068.4	89.4
No	2610.1	10.6	24678.5	100.0

Table 3-327. Estimates of lost-time injuries by body part injured for male workers in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1759.4	7.1	1759.4	7.1
Eye	291.4	1.2	2050.8	8.3
Chest/trunk	2230.1	9.0	4280.9	17.3
Back	3579.0	14.5	7859.9	31.8
Arm/shoulder	2636.4	10.7	10496.3	42.5
Finger	2425.3	9.8	12921.6	52.4
Hand/wrist	1900.9	7.7	14822.5	60.1
Leg/knee/hip	5527.1	22.4	20349.6	82.5
Toe	1472.6	6.0	21822.2	88.4
Foot	981.5	4.0	22803.7	92.4
Mult. parts	1604.1	6.5	24407.8	98.9
Other	270.7	1.1	24678.5	100.0

Table 3-328. Estimates of lost-time injuries by nature of injury for male workers in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	270.7	1.1	270.7	1.1
Bruise	2745.5	11.1	3016.2	12.2
Burn	444.1	1.8	3460.3	14.0
Cut	1827.8	7.4	5288.1	21.4
Crush	1389.1	5.6	6677.2	27.1
Fracture	5450.5	22.1	12127.7	49.1
Poisoning	145.7	0.6	12273.4	49.7
Puncture	1337.7	5.4	13611.1	55.2
Sprain/strain	6205.4	25.1	19816.5	80.3
Mult. injury	1765.3	7.2	21581.8	87.5
Other	3096.7	12.5	24678.5	100.0

Table 3-329. Estimates of lost-time injuries by type of event for male workers in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	832.5	3.4	832.5	3.4
Caught between	2192.7	8.9	3025.2	12.3
Caught under	1055.4	4.3	4080.6	16.5
Struck by/against	3219.3	13.0	7299.9	29.6
Struck by falling	2274.6	9.2	9574.5	38.8
Struck by flying	714.8	2.9	10289.3	41.7
Contact sharp obj.	1073.1	4.3	11362.4	46.0
Fall, same level	1538.3	6.2	12900.7	52.3
Fall, elevation	4384.5	17.8	17285.2	70.0
Overexertion	2878.9	11.7	20164.1	81.7
Other	4514.4	18.3	24678.5	100.0

Table 3-330. Estimates of lost-time injuries by activity when worker was injured for male workers in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4209.5	17.1	4209.5	17.1
Machine maint.	3244.7	13.1	7454.2	30.2
Field work	4311.8	17.5	11766.0	47.7
Crop handling	3649.6	14.8	15415.6	62.5
Livestock handling	7265.2	29.4	22680.8	91.9
Other	1997.7	8.1	24678.5	100.0

Table 3-331. Estimates of lost-time injuries by source of the injury for male workers in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1349.9	5.5	1349.9	5.5
Machinery	2618.6	10.6	3968.5	16.1
Livestock	5868.5	23.8	9837.0	39.9
Hand tool	499.5	2.0	10336.5	41.9
Power tool	1528.3	6.2	11864.8	48.1
Plant/tree	459.4	1.9	12324.2	49.9
Working surface	2774.9	11.2	15099.1	61.2
Truck/auto	1236.7	5.0	16335.8	66.2
Other vehicle	465.9	1.9	16801.7	68.1
Other	7876.8	31.9	24678.5	100.0

Table 3-332. Estimates of lost-time injuries by farm type for female workers in the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	291.4	8.2	291.4	8.2
Field crops	120.3	3.4	411.7	11.6
Vegetable, fruit, nuts	368.4	10.4	780.1	22.0
Beef, hogs, sheep	2756.1	77.7	3536.2	99.7
Other farms	12.0	0.3	3548.2	100.0

Table 3-333. Estimates of lost-time injuries by status of the injured worker for female workers in the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2120.0	59.7	2120.0	59.7
Partner/family	626.5	17.7	2746.5	77.4
Hired labor	531.0	15.0	3277.5	92.4
Unpaid nonfamily	270.7	7.6	3548.2	100.0

Table 3-334. Estimates of lost-time injuries by age group for female workers in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	468.8	13.2	468.8	13.2
10-19	255.8	7.2	724.6	20.4
20-29	416.4	11.7	1141.0	32.2
30-39	1289.3	36.3	2430.3	68.5
40-49	531.0	15.0	2961.3	83.5
50-59	122.8	3.5	3084.1	86.9
60-69	343.8	9.7	3427.9	96.6
>=70	120.3	3.4	3548.2	100.0

Table 3-335. Estimates of lost-time injuries by race or ethnic origin for female workers in the West region of the U.S., 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3410.7	96.1	3410.7	96.1
Hipanic	137.5	3.9	3548.2	100.0

Table 3-336. Estimates of lost-time injuries by month for female workers in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	268.5	7.6	268.5	7.6
February	255.8	7.2	524.3	14.8
May	122.8	3.5	647.1	18.2
July	531.0	15.0	1178.1	33.2
August	1010.2	28.5	2188.3	61.7
September	257.8	7.3	2446.1	68.9
October	858.3	24.2	3304.4	93.1
December	243.8	6.9	3548.2	100.0

Table 3-337. Estimates of lost-time injuries by severity of the injury for female workers in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	3548.2	100.0	3548.2	100.0

Table 3-338. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	2773.4	78.2	2773.4	78.2
No	774.8	21.8	3548.2	100.0

Table 3-339. Estimates of lost-time injuries by body part injured for female workers in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	145.7	4.1	145.7	4.1
Eye	137.5	3.9	283.2	8.0
Chest/trunk	132.3	3.7	415.5	11.7
Back	637.3	18.0	1052.8	29.7
Arm/shoulder	408.2	11.5	1461.0	41.2
Finger	393.5	11.1	1854.5	52.3
Hand/wrist	320.9	9.0	2175.4	61.3
Leg/knee/hip	633.3	17.8	2808.7	79.2
Toe	198.1	5.6	3006.8	84.7
Foot	541.4	15.3	3548.2	100.0

Table 3-340. Estimates of lost-time injuries by nature of injury for female workers in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	393.3	11.1	393.3	11.1
Cut	270.7	7.6	664.0	18.7
Crush	198.1	5.6	862.1	24.3
Fracture	1321.9	37.3	2184.0	61.6
Sprain/strain	1103.9	31.1	3287.9	92.7
Other	260.3	7.3	3548.2	100.0

Table 3-341. Estimates of lost-time injuries by type of event for female workers in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	381.3	10.7	381.3	10.7
Struck by/against	255.1	7.2	636.4	17.9
Struck by falling	468.8	13.2	1105.2	31.1
Struck by flying	137.5	3.9	1242.7	35.0
Contact sharp obj.	270.7	7.6	1513.4	42.7
Fall, same level	908.0	25.6	2421.4	68.2
Fall, elevation	760.2	21.4	3181.6	89.7
Other	366.6	10.3	3548.2	100.0

Table 3-342. Estimates of lost-time injuries by activity when worker was injured for female workers in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	366.6	10.3	366.6	10.3
Machine maint.	877.0	24.7	1243.6	35.0
Field work	391.0	11.0	1634.6	46.1
Crop handling	489.5	13.8	2124.1	59.9
Livestock handling	774.8	21.8	2898.9	81.7
Other	649.3	18.3	3548.2	100.0

Table 3-343. Estimates of lost-time injuries by source of the injury for female workers in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	983.3	27.7	983.3	27.7
Livestock	366.6	10.3	1349.9	38.0
Power tool	257.8	7.3	1607.7	45.3
Working surface	783.0	22.1	2390.7	67.4
Truck/auto	614.5	17.3	3005.2	84.7
Other	543.0	15.3	3548.2	100.0

Table 3-344. Estimates of lost-time injuries by farm type for white workers in the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	140.8	1.7	140.8	1.7
Field crops	665.4	7.9	806.2	9.6
Vegetable, fruit, nuts	746.9	8.9	1553.1	18.5
Nursery	376.5	4.5	1929.6	23.0
Beef, hogs, sheep	1385.8	16.5	3315.4	39.5
Poultry	108.6	1.3	3424.0	40.8
Dairy	4552.9	54.2	7976.9	95.0
Other farms	419.6	5.0	8396.5	100.0

Table 3-345. Estimates of lost-time injuries by status of the injured worker for white workers in the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	5392.5	64.2	5392.5	64.2
Partner/family	636.4	7.6	6028.9	71.8
Hired labor	1990.2	23.7	8019.1	95.5
Unpaid nonfamily	248.1	3.0	8267.2	98.5
Other	129.3	1.5	8396.5	100.0

Table 3-346. Estimates of lost-time injuries by gender for white workers in the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	7601.9	90.5	7601.9	90.5
Female	794.6	9.5	8396.5	100.0

Table 3-347. Estimates of lost-time injuries by age group for white workers in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	295.3	3.5	295.3	3.5
10-19	642.7	7.7	938.0	11.2
20-29	1345.0	16.0	2283.0	27.2
30-39	1846.6	22.0	4129.6	49.2
40-49	2388.6	28.4	6518.2	77.6
50-59	866.4	10.3	7384.6	87.9
60-69	756.7	9.0	8141.3	97.0
>=70	255.2	3.0	8396.5	100.0

Table 3-348. Estimates of lost-time injuries by month for white workers in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	486.0	5.8	486.0	5.8
February	850.9	10.1	1336.9	15.9
March	90.4	1.1	1427.3	17.0
April	305.1	3.6	1732.4	20.6
May	811.0	9.7	2543.4	30.3
June	270.3	3.2	2813.7	33.5
July	491.5	5.9	3305.2	39.4
August	765.6	9.1	4070.8	48.5
September	983.6	11.7	5054.4	60.2
October	1285.2	15.3	6339.6	75.5
November	881.4	10.5	7221.0	86.0
December	1175.5	14.0	8396.5	100.0

Table 3-349. Estimates of lost-time injuries by severity of the injury for white workers in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	7563.2	90.1	7563.2	90.1
Permanent	791.0	9.4	8354.2	99.5
Fatality	42.3	0.5	8396.5	100.0

Table 3-350. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	833.3	9.9	833.3	9.9
Yes	6518.9	77.6	7352.2	87.6
No	1044.3	12.4	8396.5	100.0

Table 3-351. Estimates of lost-time injuries by body part injured for white workers in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	150.6	1.8	150.6	1.8
Eye	790.2	9.4	940.8	11.2
Chest/trunk	653.8	7.8	1594.6	19.0
Back	658.6	7.8	2253.2	26.8
Arm/shoulder	1242.4	14.8	3495.6	41.6
Finger	1161.9	13.8	4657.5	55.5
Hand/wrist	475.4	5.7	5132.9	61.1
Leg/knee/hip	1695.0	20.2	6827.9	81.3
Toe	56.8	0.7	6884.7	82.0
Foot	632.3	7.5	7517.0	89.5
Mult. parts	303.1	3.6	7820.1	93.1
Other	576.4	6.9	8396.5	100.0

Table 3-352. Estimates of lost-time injuries by nature of injury for white workers in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	227.7	2.7	227.7	2.7
Asphyxiation	227.7	2.7	455.4	5.4
Bruise	1235.5	14.7	1690.9	20.1
Burn	484.6	5.8	2175.5	25.9
Cut	991.5	11.8	3167.0	37.7
Crush	349.6	4.2	3516.6	41.9
Fracture	898.8	10.7	4415.4	52.6
Puncture	770.4	9.2	5185.8	61.8
Sprain/strain	1663.6	19.8	6849.4	81.6
Electric shock	42.3	0.5	6891.7	82.1
Mult. injury	520.8	6.2	7412.5	88.3
Other	984.0	11.7	8396.5	100.0

Table 353. Estimates of lost-time injuries by type of event for white workers in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	268.9	3.2	268.9	3.2
Caught between	918.1	11.0	1187.0	14.2
Caught under	491.5	5.9	1678.5	20.1
Struck by/against	853.4	10.2	2531.9	30.3
Struck by falling	84.3	1.0	2616.2	31.3
Struck by flying	295.8	3.5	2912.0	34.9
Contact sharp obj.	924.2	11.1	3836.2	45.9
Fall, same level	1089.3	13.0	4925.5	59.0
Fall, elevation	618.5	7.4	5544.0	66.4
Overexertion	967.9	11.6	6511.9	77.9
Contact electric	42.3	0.5	6554.2	78.5
Other	1800.0	21.5	8354.2	100.0

(Frequency Missing = 42.3)

Table 3-354. Estimates of lost-time injuries by activity when worker was injured for white workers in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2433.9	29.0	2433.9	29.0
Machine maint.	960.9	11.4	3394.8	40.4
Field work	657.9	7.8	4052.7	48.3
Crop handling	1219.0	14.5	5271.7	62.8
Livestock handling	1783.4	21.2	7055.1	84.0
Other	1341.4	16.0	8396.5	100.0

Table 3-355. Estimates of lost-time injuries by source of the injury for white workers in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	812.5	9.7	812.5	9.7
Machinery	896.7	10.7	1709.2	20.4
Livestock	1285.7	15.3	2994.9	35.7
Hand tool	948.3	11.3	3943.2	47.0
Power tool	126.2	1.5	4069.4	48.5
Pesticide/chem.	248.3	3.0	4317.7	51.4
Plant/tree	394.2	4.7	4711.9	56.1
Working surface	460.8	5.5	5172.7	61.6
Truck/auto	573.3	6.8	5746.0	68.4
Other vehicle	125.5	1.5	5871.5	69.9
Other	2525.0	30.1	8396.5	100.0

Table 3-356. Estimates of lost-time injuries by farm type for Hispanic workers in the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Vegetable, fruit, nuts	157.3	69.8	157.3	69.8
Beef, hogs, sheep	68.1	30.2	225.4	100.0

Table 3-357. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hired labor	95.6	42.4	95.6	42.4
Other	129.8	57.6	225.4	100.0

Table 3-358. Estimates of lost-time injuries by gender for Hispanic workers in the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	225.4	100.0	225.4	100.0

Table 3-359. Estimates of lost-time injuries by age group for Hispanic workers in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30-39	197.9	87.8	197.9	87.8
50-59	27.5	12.2	225.4	100.0

Table 3-360. Estimates of lost-time injuries by month for Hispanic workers in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
June	27.5	12.2	27.5	12.2
July	68.1	30.2	95.6	42.4
September	129.8	57.6	225.4	100.0

Table 3-361. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	197.9	87.8	197.9	87.8
Permanent	27.5	12.2	225.4	100.0

Table 3-362. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	27.5	12.2	27.5	12.2
Yes	129.8	57.6	157.3	69.8
No	68.1	30.2	225.4	100.0

Table 3-363. Estimates of lost-time injuries by body part injured for Hispanic workers in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Finger	129.8	57.6	129.8	57.6
Hand/wrist	27.5	12.2	157.3	69.8
Leg/knee/hip	68.1	30.2	225.4	100.0

Table 3-364. Estimates of lost-time injuries by nature of injury for Hispanic workers in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crush	129.8	57.6	129.8	57.6
Sprain/strain	95.6	42.4	225.4	100.0

Table 3-365. Estimates of lost-time injuries by type of event for Hispanic workers in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	129.8	57.6	129.8	57.6
Fall, same level	68.1	30.2	197.9	87.8
Other	27.5	12.2	225.4	100.0

Table 3-366. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field work	157.3	69.8	157.3	69.8
Livestock handling	68.1	30.2	225.4	100.0

Table 3-367. Estimates of lost-time injuries by source of the injury for Hispanic workers in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	129.8	57.6	129.8	57.6
Other	95.6	42.4	225.4	100.0

Table 3-368. Estimates of lost-time injuries by farm type for black workers and workers of other races in the Northeast region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Vegetable, fruit, nuts	184.8	85.8	184.8	85.8
Other farms	30.6	14.2	215.4	100.0

Table 3-369. Estimates of lost-time injuries by status of the injured worker for black workers and workers of other races in the Northeast region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	30.6	14.2	30.6	14.2
Partner/family	129.8	60.3	160.4	74.5
Hired labor	55.0	25.5	215.4	100.0

Table 3-370. Estimates of lost-time injuries by gender for black workers and workers of other races in the Northeast region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	215.4	100.0	215.4	100.0

Table 3-371. Estimates of lost-time injuries by age group for black workers and workers of other races in the Northeast region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	129.8	60.3	129.8	60.3
30-39	58.1	27.0	187.9	87.2
40-49	27.5	12.8	215.4	100.0

Table 3-372. Estimates of lost-time injuries by month for black workers and workers of other races in the Northeast region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
July	30.6	14.2	30.6	14.2
September	27.5	12.8	58.1	27.0
October	157.3	73.0	215.4	100.0

Table 3-373. Estimates of lost-time injuries by severity of the injury for black workers and workers of other races in the Northeast region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	215.4	100.0	215.4	100.0

Table 3-374. Estimates of lost-time injuries by whether professional medical attention was sought for black workers and workers of other races in the Northeast region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	215.4	100.0	215.4	100.0

Table 3-375. Estimates of lost-time injuries by body part injured for black workers and workers of other races in the Northeast region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Back	27.5	12.8	27.5	12.8
Arm/shoulder	27.5	12.8	55.0	25.5
Leg/knee/hip	129.8	60.3	184.8	85.8
Foot	30.6	14.2	215.4	100.0

Table 3-376. Estimates of lost-time injuries by nature of injury for black workers and workers of other races in the Northeast region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	129.8	60.3	129.8	60.3
Cut	30.6	14.2	160.4	74.5
Sprain/strain	55.0	25.5	215.4	100.0

Table 3-377. Estimates of lost-time injuries by type of event for black workers and workers of other races in the Northeast region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Struck by flying	30.6	14.2	30.6	14.2
Fall, same level	27.5	12.8	58.1	27.0
Fall, elevation	129.8	60.3	187.9	87.2
Overexertion	27.5	12.8	215.4	100.0

Table 3-378. Estimates of lost-time injuries by activity when worker was injured for black workers and workers of other races in the Northeast region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field work	160.4	74.5	160.4	74.5
Other	55.0	25.5	215.4	100.0

Table 3-379. Estimates of lost-time injuries by source of the injury for black workers and workers of other races in the Northeast region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	30.6	14.2	30.6	14.2
Hand tool	27.5	12.8	58.1	27.0
Other	157.3	73.0	215.4	100.0

Table 3-380. Estimates of lost-time injuries by farm type for white workers in the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	795.3	3.8	795.3	3.8
Field crops	5735.1	27.1	6530.4	30.8
Vegetable, fruit, nuts	2951.9	13.9	9482.3	44.8
Nursery	1427.1	6.7	10909.4	51.5
Beef, hogs, sheep	6878.4	32.5	17787.8	84.0
Poultry	1291.6	6.1	19079.4	90.1
Dairy	1729.9	8.2	20809.3	98.3
Other farms	364.4	1.7	21173.7	100.0

Table 3-381. Estimates of lost-time injuries by status of the injured worker for white workers in the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	14625.7	69.1	14625.7	69.1
Partner/family	1848.0	8.7	16473.7	77.8
Hired labor	3603.4	17.0	20077.1	94.8
Other	1096.6	5.2	21173.7	100.0

Table 3-382. Estimates of lost-time injuries by gender of the injured worker for white workers in the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	18258.8	86.2	18258.8	86.2
Female	2914.9	13.8	21173.7	100.0

Table 3-383. Estimates of lost-time injuries by age group for white workers in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1183.2	5.6	1183.2	5.6
20-29	1767.2	8.4	2950.4	14.0
30-39	3766.7	17.8	6717.1	31.8
40-49	7129.7	33.7	13846.8	65.5
50-59	4949.8	23.4	18796.6	88.9
60-69	984.2	4.7	19780.8	93.6
>=70	1356.7	6.4	21137.5	100.0
(Frequency Missing = 36.2)				

Table 3-384. Estimates of lost-time injuries by month for white workers in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1016.2	4.8	1016.2	4.8
February	470.8	2.2	1487.0	7.0
March	950.8	4.5	2437.8	11.5
April	2612.7	12.3	5050.5	23.9
May	1097.6	5.2	6148.1	29.0
June	1746.9	8.3	7895.0	37.3
July	2333.6	11.0	10228.6	48.3
August	2841.3	13.4	13069.9	61.7
September	3165.0	14.9	16234.9	76.7
October	1833.3	8.7	18068.2	85.3
November	2188.6	10.3	20256.8	95.7
December	916.9	4.3	21173.7	100.0

Table 3-385. Estimates of lost-time injuries by severity of the injury for white workers in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	19838.3	95.6	19838.3	95.6
Permanent	885.4	4.3	20723.7	99.8
Fatality	36.2	0.2	20759.9	100.0
(Frequency Missing = 413.8)				

Table 3-386. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	921.6	4.4	921.6	4.4
Yes	18960.2	89.5	19881.8	93.9
No	1291.9	6.1	21173.7	100.0

Table 3-387. Estimates of lost-time injuries by body part injured for white workers in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2130.2	10.1	2130.2	10.1
Eye	1059.8	5.0	3190.0	15.1
Chest/trunk	202.0	1.0	3392.0	16.0
Back	3798.5	17.9	7190.5	34.0
Arm/shoulder	2042.3	9.6	9232.8	43.6
Finger	3020.5	14.3	12253.3	57.9
Hand/wrist	680.0	3.2	12933.3	61.1
Leg/knee/hip	5040.8	23.8	17974.1	84.9
Toe	1403.6	6.6	19377.7	91.5
Foot	1202.0	5.7	20579.7	97.2
Mult. parts	199.8	0.9	20779.5	98.1
Other	394.2	1.9	21173.7	100.0

Table 3-388. Estimates of lost-time injuries by nature of injury for white workers in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	4605.5	21.8	4605.5	21.8
Burn	595.8	2.8	5201.3	24.6
Cut	2949.0	13.9	8150.3	38.5
Crush	1704.2	8.0	9854.5	46.5
Fracture	4334.8	20.5	14189.3	67.0
Poisoning	163.6	0.8	14352.9	67.8
Puncture	798.2	3.8	15151.1	71.6
Sprain/strain	3341.9	15.8	18493.0	87.3
Mult. injury	482.2	2.3	18975.2	89.6
Other	2198.5	10.4	21173.7	100.0

Table 3-389. Estimates of lost-time injuries by type of event for white workers in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	16.0	0.1	16.0	0.1
Caught between	3242.8	15.3	3258.8	15.4
Caught under	2295.6	10.9	5554.4	26.3
Struck by/against	638.4	3.0	6192.8	29.3
Struck by falling	1598.9	7.6	7791.7	36.9
Struck by flying	1337.6	6.3	9129.3	43.2
Contact sharp obj.	1813.6	8.6	10942.9	51.8
Fall, same level	1743.9	8.3	12686.8	60.0
Fall, elevation	3214.6	15.2	15901.4	75.2
Overexertion	2354.5	11.1	18255.9	86.4
Contact electric	413.8	2.0	18669.7	88.3
Other	2467.8	11.7	21137.5	100.0

(Frequency Missing = 36.2)

Table 3-390. Estimates of lost-time injuries by activity when worker was injured for white workers in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2237.6	10.6	2237.6	10.6
Machine maint.	3081.1	14.6	5318.7	25.1
Field work	5455.5	25.8	10774.2	50.9
Crop handling	4069.2	19.2	14843.4	70.1
Livestock handling	4632.3	21.9	19475.7	92.0
Other	1698.0	8.0	21173.7	100.0

Table 3-391. Estimates of lost-time injuries by source of the injury for white workers in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	492.0	2.3	492.0	2.3
Machinery	3798.9	17.9	4290.9	20.3
Livestock	3800.9	18.0	8091.8	38.2
Hand tool	1729.3	8.2	9821.1	46.4
Power tool	719.1	3.4	10540.2	49.8
Plant/tree	1371.8	6.5	11912.0	56.3
Working surface	651.3	3.1	12563.3	59.3
Truck/auto	94.3	0.4	12657.6	59.8
Other vehicle	968.6	4.6	13626.2	64.4
Liquids	38.4	0.2	13664.6	64.5
Other	7509.1	35.5	21173.7	100.0

Table 3-392. Estimates of lost-time injuries by farm type for Hispanic workers in the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field crops	36.2	8.0	36.2	8.0
Vegetable, fruit, nuts	413.8	92.0	450.0	100.0

Table 3-393. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	36.2	8.0	36.2	8.0
Hired labor	413.8	92.0	450.0	100.0

Table 3-394. Estimates of lost-time injuries by gender for Hispanic workers in the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	450.0	100.0	450.0	100.0

Table 3-395. Estimates of lost-time injuries by age group for Hispanic workers in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	450.0	100.0	450.0	100.0

Table 3-396. Estimates of lost-time injuries by month for Hispanic workers in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
May	36.2	8.0	36.2	8.0
July	413.8	92.0	450.0	100.0

Table 3-397. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	450.0	100.0	450.0	100.0

Table 3-398. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	450.0	100.0	450.0	100.0

Table 3-399. Estimates of lost-time injuries by body part injured for Hispanic workers in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	36.2	8.0	36.2	8.0
Hand/wrist	413.8	92.0	450.0	100.0

Table 3-400. Estimates of lost-time injuries by nature of injury for Hispanic workers in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cut	36.2	8.0	36.2	8.0
Other	413.8	92.0	450.0	100.0

Table 3-401. Estimates of lost-time injuries by type of event for Hispanic workers in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Struck by/against	36.2	8.0	36.2	8.0
Other	413.8	92.0	450.0	100.0

Table 3-402. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field work	413.8	92.0	413.8	92.0
Crop handling	36.2	8.0	450.0	100.0

Table 3-403. Estimates of lost-time injuries by source of the injury for Hispanic workers in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	36.2	8.0	36.2	8.0
Other	413.8	92.0	450.0	100.0

Table 3-404. Estimates of lost-time injuries by farm type for black workers and workers of other races in the South region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	82.6	16.6	82.6	16.6
Vegetable,fruit,nuts	413.8	83.4	496.4	100.0

Table 3-405. Estimates of lost-time injuries by status of the injured worker for black workers and workers of other races in the South region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hired labor	82.6	16.6	82.6	16.6
Other	413.8	83.4	496.4	100.0

Table 3-406. Estimates of lost-time injuries by gender for black workers and workers of other races in the South region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	496.4	100.0	496.4	100.0

Table 3-407. Estimates of lost-time injuries by age group for black workers and workers of other races in the South region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30-39	82.6	16.6	82.6	16.6
40-49	413.8	83.4	496.4	100.0

Table 3-408. Estimates of lost-time injuries by month for black workers and workers of other races in the South region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
June	413.8	83.4	413.8	83.4
October	82.6	16.6	496.4	100.0

Table 3-409. Estimates of lost-time injuries by severity of the injury for black workers and workers of other races in the South region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	82.6	100.0	82.6	100.0
(Frequency Missing = 413.8)				

Table 3-410. Estimates of lost-time injuries by whether professional medical attention was sought for black workers and workers of other races in the South region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	82.6	16.6	82.6	16.6
No	413.8	83.4	496.4	100.0

Table 3-411. Estimates of lost-time injuries by body part injured for black workers and workers of other races in the South region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Arm/shoulder	413.8	83.4	413.8	83.4
Leg/knee/hip	82.6	16.6	496.4	100.0

Table 3-412. Estimates of lost-time injuries by nature of injury for black workers and workers of other races in the South region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	413.8	100.0	413.8	100.0
(Frequency Missing = 82.6)				

Table 3-413. Estimates of lost-time injuries by type of event for black workers and workers of other races in the South region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Struck by/against	82.6	16.6	82.6	16.6
Fall, same level	413.8	83.4	496.4	100.0

Table 3-414. Estimates of lost-time injuries by activity when worker was injured for black workers and workers of other races in the South region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field work	82.6	16.6	82.6	16.6
Livestock handling	413.8	83.4	496.4	100.0

Table 3-415. Estimates of lost-time injuries by source of the injury for black workers and workers of other races in the South region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	82.6	16.6	82.6	16.6
Livestock	413.8	83.4	496.4	100.0

Table 3-416. Estimates of lost-time injuries by farm type for white workers in the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	24874.8	40.6	24874.8	40.6
Field crops	3017.1	4.9	27891.9	45.5
Vegetable, fruit, nuts	650.7	1.1	28542.6	46.5
Nursery	679.2	1.1	29221.8	47.6
Beef, hogs, sheep	22963.9	37.4	52185.7	85.1
Dairy	9010.4	14.7	61196.1	99.8
Other farms	144.6	0.2	61340.7	100.0

Table 3-417. Estimates of lost-time injuries by status of the injured worker for white workers in the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	47428.9	77.3	47428.9	77.3
Partner/family	2930.5	4.8	50359.4	82.1
Hired labor	8264.7	13.5	58624.1	95.6
Unpaid nonfamily	961.8	1.6	59585.9	97.1
Other	1754.8	2.9	61340.7	100.0

Table 3-418. Estimates of lost-time injuries by gender for white workers in the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	58179.5	94.8	58179.5	94.8
Female	3161.2	5.2	61340.7	100.0

Table 3-419. Estimates of lost-time injuries by age group for white workers in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	5930.5	9.7	5930.5	9.7
20-29	3162.1	5.2	9092.6	14.8
30-39	13814.9	22.5	22907.5	37.3
40-49	12170.1	19.8	35077.6	57.2
50-59	7510.6	12.2	42588.2	69.4
60-69	12886.2	21.0	55474.4	90.4
>=70	5866.3	9.6	61340.7	100.0

Table 3-420. Estimates of lost-time injuries by month for white workers in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	4170.8	6.8	4170.8	6.8
February	563.9	0.9	4734.7	7.7
March	4027.5	6.6	8762.2	14.3
April	5636.5	9.2	14398.7	23.5
May	7621.0	12.4	22019.7	35.9
June	5234.0	8.5	27253.7	44.4
July	5375.8	8.8	32629.5	53.2
August	7607.6	12.4	40237.1	65.6
September	5536.0	9.0	45773.1	74.6
October	5267.0	8.6	51040.1	83.2
November	5101.6	8.3	56141.7	91.5
December	5199.0	8.5	61340.7	100.0

Table 3-421. Estimates of lost-time injuries by severity of the injury for white workers in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	60298.2	98.3	60298.2	98.3
Permanent	322.3	0.5	60620.5	98.8
Fatality	720.2	1.2	61340.7	100.0

Table 3-422. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1042.5	1.7	1042.5	1.7
Yes	49190.3	81.3	50232.8	83.0
No	10292.4	17.0	60525.2	100.0
(Frequency Missing = 815.5)				

Table 3-423. Estimates of lost-time injuries by body part injured for white workers in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	5274.1	8.6	5274.1	8.6
Eye	1645.3	2.7	6919.4	11.3
Chest/trunk	1488.2	2.4	8407.6	13.7
Back	10514.6	17.1	18922.2	30.8
Arm/shoulder	7467.7	12.2	26389.9	43.0
Finger	6543.9	10.7	32933.8	53.7
Hand/wrist	7491.1	12.2	40424.9	65.9
Leg/knee/hip	11696.6	19.1	52121.5	85.0
Toe	241.6	0.4	52363.1	85.4
Foot	4085.4	6.7	56448.5	92.0
Mult. parts	3356.2	5.5	59804.7	97.5
Other	1536.0	2.5	61340.7	100.0

Table 3-424. Estimates of lost-time injuries by nature of injury for white workers in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	5795.5	9.5	5795.5	9.5
Burn	986.8	1.6	6782.3	11.2
Cut	11013.5	18.1	17795.8	29.3
Crush	5649.6	9.3	23445.4	38.6
Fracture	14151.2	23.3	37596.6	61.9
Puncture	3140.6	5.2	40737.2	67.0
Sprain/strain	13104.3	21.6	53841.5	88.6
Electric shock	573.9	0.9	54415.4	89.5
Mult. injury	1649.2	2.7	56064.6	92.2
Other	4713.1	7.8	60777.7	100.0

(Frequency Missing = 563)

Table 3-425. Estimates of lost-time injuries by type of event for white workers in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3864.7	6.3	3864.7	6.3
Caught between	5966.0	9.7	9830.7	16.0
Caught under	2309.1	3.8	12139.8	19.8
Struck by/against	12822.0	20.9	24961.8	40.7
Struck by falling	1964.9	3.2	26926.7	43.9
Struck by flying	2175.5	3.5	29102.2	47.4
Contact sharp obj.	3865.6	6.3	32967.8	53.7
Fall, same level	6363.8	10.4	39331.6	64.1
Fall, elevation	9900.8	16.1	49232.4	80.3
Overexertion	4112.2	6.7	53344.6	87.0
Contact electric	573.9	0.9	53918.5	87.9
Other	7422.2	12.1	61340.7	100.0

Table 3-426. Estimates of lost-time injuries by activity when worker was injured for white workers in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6466.0	10.5	6466.0	10.5
Machine maint.	9503.2	15.5	15969.2	26.0
Field work	9076.0	14.8	25045.2	40.8
Crop handling	7383.1	12.0	32428.3	52.9
Livestock handling	19929.8	32.5	52358.1	85.4
Other	8982.6	14.6	61340.7	100.0

Table 3-427. Estimates of lost-time injuries by source of the injury for white workers in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3054.3	5.0	3054.3	5.0
Machinery	14950.6	24.4	18004.9	29.4
Livestock	12009.7	19.6	30014.6	48.9
Hand tool	961.8	1.6	30976.4	50.5
Power tool	1016.0	1.7	31992.4	52.2
Pesticide/chem.	573.9	0.9	32566.3	53.1
Plant/tree	804.6	1.3	33370.9	54.4
Working surface	5193.5	8.5	38564.4	62.9
Truck/auto	3171.6	5.2	41736.0	68.0
Other vehicle	2450.0	4.0	44186.0	72.0
Liquids	1560.7	2.5	45746.7	74.6
Other	15594.0	25.4	61340.7	100.0

Table 3-428. Estimates of lost-time injuries by farm type for Hispanic workers in the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Nursery	808.2	77.0	808.2	77.0
Beef,hogs,sheep	241.6	23.0	1049.8	100.0

Table 3-429. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hired labor	808.2	77.0	808.2	77.0
Unpaid nonfamily	241.6	23.0	1049.8	100.0

Table 3-430. Estimates of lost-time injuries by gender for Hispanic workers in the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1049.8	100.0	1049.8	100.0

Table 3-431. Estimates of lost-time injuries by age group for Hispanic workers in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	808.2	77.0	808.2	77.0
30-39	241.6	23.0	1049.8	100.0

Table 3-432. Estimates of lost-time injuries by month for Hispanic workers in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
April	808.2	77.0	808.2	77.0
December	241.6	23.0	1049.8	100.0

Table 3-433. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1049.8	100.0	1049.8	100.0

Table 3-434. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	241.6	23.0	241.6	23.0
No	808.2	77.0	1049.8	100.0

Table 3-435. Estimates of lost-time injuries by body part injured for Hispanic workers in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	808.2	77.0	808.2	77.0
Foot	241.6	23.0	1049.8	100.0

Table 3-436. Estimates of lost-time injuries by nature of injury for Hispanic workers in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cut	808.2	77.0	808.2	77.0
Fracture	241.6	23.0	1049.8	100.0

Table 3-437. Estimates of lost-time injuries by type of event for Hispanic workers in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	241.6	23.0	241.6	23.0
Contact sharp obj.	808.2	77.0	1049.8	100.0

Table 3-438. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock handling	241.6	23.0	241.6	23.0
Other	808.2	77.0	1049.8	100.0

Table 3-439. Estimates of lost-time injuries by source of the injury for Hispanic workers in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	241.6	23.0	241.6	23.0
Other	808.2	77.0	1049.8	100.0

Table 3-440. Estimates of lost-time injuries by farm type for black workers and workers of other races in the Midwest region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field crops	120.5	33.3	120.5	33.3
Beef, hogs, sheep	241.6	66.7	362.1	100.0

Table 3-441. Estimates of lost-time injuries by status of the injured worker for black workers and workers of other races in the Midwest region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	362.1	100.0	362.1	100.0

Table 3-442. Estimates of lost-time injuries by gender for black workers and workers of other races in the Midwest region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	362.1	100.0	362.1	100.0

Table 3-443. Estimates of lost-time injuries by age group for black workers and workers of other races in the Midwest region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	120.5	33.3	120.5	33.3
50-59	241.6	66.7	362.1	100.0

Table 3-444. Estimates of lost-time injuries by month for black workers and workers of other races in the Midwest region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
April	120.5	33.3	120.5	33.3
August	241.6	66.7	362.1	100.0

Table 3-445. Estimates of lost-time injuries by severity of the injury for black workers and workers of other races in the Midwest region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	362.1	100.0	362.1	100.0

Table 3-446. Estimates of lost-time injuries by whether professional medical attention was sought for black workers and workers of other races in the Midwest region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	362.1	100.0	362.1	100.0

Table 3-447. Estimates of lost-time injuries by body part injured for black workers and workers of other races in the Midwest region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Chest/trunk	120.5	33.3	120.5	33.3
Leg/knee/hip	241.6	66.7	362.1	100.0

Table 3-448. Estimates of lost-time injuries by nature of injury for black workers and workers of other races in the Midwest region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Fracture	362.1	100.0	362.1	100.0

Table 3-449. Estimates of lost-time injuries by type of event for black workers and workers of other races in the Midwest region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	120.5	33.3	120.5	33.3
Struck by/against	241.6	66.7	362.1	100.0

Table 3-450. Estimates of lost-time injuries by activity when worker was injured for black workers and workers of other races in the Midwest region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock handling	362.1	100.0	362.1	100.0

Table 3-451. Estimates of lost-time injuries by source of the injury for black workers and workers of other races in the Midwest region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	362.1	100.0	362.1	100.0

Table 3-452. Estimates of lost-time injuries by farm type for white workers in the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	2159.6	9.7	2159.6	9.7
Field crops	3837.0	17.3	5996.6	27.0
Vegetable, fruit, nuts	527.5	2.4	6524.1	29.4
Nursery	333.0	1.5	6857.1	30.9
Beef, hogs, sheep	12298.1	55.4	19155.2	86.3
Dairy	2245.3	10.1	21400.5	96.4
Other farms	808.0	3.6	22208.5	100.0

Table 3-453. Estimates of lost-time injuries by status of the injured worker for white workers in the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	13253.0	59.7	13253.0	59.7
Partner/family	2032.3	9.2	15285.3	68.8
Hired labor	6111.1	27.5	21396.4	96.3
Unpaid nonfamily	812.1	3.7	22208.5	100.0

Table 3-454. Estimates of lost-time injuries by gender for white workers in the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	18797.8	84.6	18797.8	84.6
Female	3410.7	15.4	22208.5	100.0

Table 3-455. Estimates of lost-time injuries by age group for white workers in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	468.8	2.1	468.8	2.1
10-19	1531.8	7.0	2000.6	9.1
20-29	2780.2	12.7	4780.8	21.8
30-39	3476.3	15.8	8257.1	37.6
40-49	4448.9	20.3	12706.0	57.8
50-59	3423.9	15.6	16129.9	73.4
60-69	2843.5	12.9	18973.4	86.4
>=70	2991.3	13.6	21964.7	100.0
(Frequency Missing = 243.8)				

Table 3-456. Estimates of lost-time injuries by month for white workers in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2101.9	9.5	2101.9	9.5
February	1077.3	4.9	3179.2	14.3
March	1476.8	6.6	4656.0	21.0
April	1311.8	5.9	5967.8	26.9
May	1227.0	5.5	7194.8	32.4
June	1164.1	5.2	8358.9	37.6
July	2139.4	9.6	10498.3	47.3
August	3413.4	15.4	13911.7	62.6
September	1328.5	6.0	15240.2	68.6
October	3034.1	13.7	18274.3	82.3
November	2106.4	9.5	20380.7	91.8
December	1827.8	8.2	22208.5	100.0

Table 3-457. Estimates of lost-time injuries by severity of the injury for white workers in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	21212.4	95.5	21212.4	95.5
Permanent	996.1	4.5	22208.5	100.0

Table 3-458. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	996.1	4.5	996.1	4.5
Yes	18022.7	81.2	19018.8	85.6
No	3189.7	14.4	22208.5	100.0

Table 3-459. Estimates of lost-time injuries by body part injured for white workers in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	703.2	3.2	703.2	3.2
Eye	291.4	1.3	994.6	4.5
Chest/trunk	2362.4	10.6	3357.0	15.1
Back	2615.3	11.8	5972.3	26.9
Arm/shoulder	2849.4	12.8	8821.7	39.7
Finger	2428.4	10.9	11250.1	50.7
Hand/wrist	1855.2	8.4	13105.3	59.0
Leg/knee/hip	5359.5	24.1	18464.8	83.1
Toe	468.8	2.1	18933.6	85.3
Foot	1400.1	6.3	20333.7	91.6
Mult. parts	1604.1	7.2	21937.8	98.8
Other	270.7	1.2	22208.5	100.0

Table 3-460. Estimates of lost-time injuries by nature of injury for white workers in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	270.7	1.2	270.7	1.2
Bruise	3138.8	14.1	3409.5	15.4
Burn	444.1	2.0	3853.6	17.4
Cut	1659.5	7.5	5513.1	24.8
Crush	1392.0	6.3	6905.1	31.1
Fracture	5252.5	23.7	12157.6	54.7
Poisoning	145.7	0.7	12303.3	55.4
Puncture	1337.7	6.0	13641.0	61.4
Sprain/strain	5175.0	23.3	18816.0	84.7
Mult. injury	1765.3	7.9	20581.3	92.7
Other	1627.2	7.3	22208.5	100.0

Table 3-461. Estimates of lost-time injuries by type of event for white workers in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	514.5	2.3	514.5	2.3
Caught between	1997.5	9.0	2512.0	11.3
Caught under	1241.5	5.6	3753.5	16.9
Struck by/against	2991.5	13.5	6745.0	30.4
Struck by falling	1541.5	6.9	8286.5	37.3
Struck by flying	714.8	3.2	9001.3	40.5
Contact sharp obj.	1100.0	5.0	10101.3	45.5
Fall, same level	2251.1	10.1	12352.4	55.6
Fall, elevation	4899.1	22.1	17251.5	77.7
Overexertion	1277.9	5.8	18529.4	83.4
Other	3679.1	16.6	22208.5	100.0

Table 3-462. Estimates of lost-time injuries by activity when worker was injured for white workers in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	3374.2	15.2	3374.2	15.2
Machine maint.	2343.3	10.6	5717.5	25.7
Field work	2976.5	13.4	8694.0	39.1
Crop handling	3821.1	17.2	12515.1	56.4
Livestock handling	7752.3	34.9	20267.4	91.3
Other	1941.1	8.7	22208.5	100.0

Table 3-463. Estimates of lost-time injuries by source of the injury for white workers in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1227.1	5.5	1227.1	5.5
Machinery	3406.7	15.3	4633.8	20.9
Livestock	5947.4	26.8	10581.2	47.6
Hand tool	499.5	2.2	11080.7	49.9
Power tool	1209.6	5.4	12290.3	55.3
Plant/tree	459.4	2.1	12749.7	57.4
Working surface	3435.1	15.5	16184.8	72.9
Truck/auto	1656.0	7.5	17840.8	80.3
Other vehicle	270.7	1.2	18111.5	81.6
Other	4097.0	18.4	22208.5	100.0

Table 3-464. Estimates of lost-time injuries by farm type for Hispanic workers in the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	156.0	2.7	156.0	2.7
Field crops	1096.3	19.0	1252.3	21.7
Vegetable, fruit, nuts	491.2	8.5	1743.5	30.2
Nursery	3605.7	62.4	5349.2	92.6
Beef, hogs, sheep	137.5	2.4	5486.7	95.0
Dairy	287.7	5.0	5774.4	100.0

Table 3-465. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Partner/family	195.2	3.4	195.2	3.4
Hired labor	5579.2	96.6	5774.4	100.0

Table 3-466. Estimates of lost-time injuries by gender for Hispanic workers in the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	5636.9	97.6	5636.9	97.6
Female	137.5	2.4	5774.4	100.0

Table 3-467. Estimates of lost-time injuries by age group for Hispanic workers in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	2721.8	47.1	2721.8	47.1
30-39	1022.0	17.7	3743.8	64.8
40-49	1835.4	31.8	5579.2	96.6
50-59	195.2	3.4	5774.4	100.0

Table 3-468. Estimates of lost-time injuries by month for Hispanic workers in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1201.9	20.8	1201.9	20.8
February	287.7	5.0	1489.6	25.8
April	351.2	6.1	1840.8	31.9
May	122.8	2.1	1963.6	34.0
June	122.8	2.1	2086.4	36.1
July	1972.9	34.2	4059.3	70.3
August	1519.9	26.3	5579.2	96.6
September	195.2	3.4	5774.4	100.0

Table 3-469. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5651.6	97.9	5651.6	97.9
Permanent	122.8	2.1	5774.4	100.0

Table 3-470. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	122.8	2.1	122.8	2.1
Yes	5456.4	94.5	5579.2	96.6
No	195.2	3.4	5774.4	100.0

Table 3-471. Estimates of lost-time injuries by body part injured for Hispanic workers in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1201.9	20.8	1201.9	20.8
Eye	137.5	2.4	1339.4	23.2
Back	1601.0	27.7	2940.4	50.9
Arm/shoulder	195.2	3.4	3135.6	54.3
Finger	390.4	6.8	3526.0	61.1
Hand/wrist	122.8	2.1	3648.8	63.2
Leg/knee/hip	800.9	13.9	4449.7	77.1
Toe	1201.9	20.8	5651.6	97.9
Foot	122.8	2.1	5774.4	100.0

Table 3-472. Estimates of lost-time injuries by nature of injury for Hispanic workers in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cut	195.2	3.4	195.2	3.4
Crush	195.2	3.4	390.4	6.8
Fracture	1519.9	26.3	1910.3	33.1
Sprain/strain	2134.3	37.0	4044.6	70.0
Other	1729.8	30.0	5774.4	100.0

Table 3-473. Estimates of lost-time injuries by type of event for Hispanic workers in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	318.0	5.5	318.0	5.5
Caught between	195.2	3.4	513.2	8.9
Caught under	195.2	3.4	708.4	12.3
Struck by/against	482.9	8.4	1191.3	20.6
Struck by falling	1201.9	20.8	2393.2	41.4
Struck by flying	137.5	2.4	2530.7	43.8
Fall, same level	195.2	3.4	2725.9	47.2
Fall, elevation	245.6	4.3	2971.5	51.5
Overexertion	1601.0	27.7	4572.5	79.2
Other	1201.9	20.8	5774.4	100.0

Table 3-474. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1201.9	20.8	1201.9	20.8
Machine maint.	1534.6	26.6	2736.5	47.4
Field work	1726.3	29.9	4462.8	77.3
Crop handling	318.0	5.5	4780.8	82.8
Livestock handling	287.7	5.0	5068.5	87.8
Other	705.9	12.2	5774.4	100.0

Table 3-475. Estimates of lost-time injuries by source of the injury for Hispanic workers in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	122.8	2.1	122.8	2.1
Machinery	195.2	3.4	318.0	5.5
Livestock	287.7	5.0	605.7	10.5
Power tool	332.7	5.8	938.4	16.3
Working surface	122.8	2.1	1061.2	18.4
Truck/auto	195.2	3.4	1256.4	21.8
Other vehicle	195.2	3.4	1451.6	25.1
Other	4322.8	74.9	5774.4	100.0

Table 3-476. Estimates of lost-time injuries by farm type for black workers and workers of other races in the West region of the U.S., 1994.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Beef,hogs,sheep	243.8	100.0	243.8	100.0

Table 3-477. Estimates of lost-time injuries by status of the injured worker for black workers and workers of other races in the West region of the U.S., 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	243.8	100.0	243.8	100.0

Table 3-478. Estimates of lost-time injuries by gender for black workers and workers of other races in the West region of the U.S., 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	243.8	100.0	243.8	100.0

Table 3-479. Estimates of lost-time injuries by age group for black workers and workers of other races in the West region of the U.S., 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30-39	243.8	100.0	243.8	100.0

Table 3-480. Estimates of lost-time injuries by month for black workers and workers of other races in the West region of the U.S., 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	243.8	100.0	243.8	100.0

Table 3-481. Estimates of lost-time injuries by severity of the injury for black workers and workers of other races in the West region of the U.S., 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	243.8	100.0	243.8	100.0

Table 3-482. Estimates of lost-time injuries by whether professional medical attention was sought for black workers and workers of other races in the West region of the U.S., 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	243.8	100.0	243.8	100.0

Table 3-483. Estimates of lost-time injuries by body part injured for black workers and workers of other races in the West region of the U.S., 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hand/wrist	243.8	100.0	243.8	100.0

Table 3-484. Estimates of lost-time injuries by nature of injury for black workers and workers of other races in the West region of the U.S., 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cut	243.8	100.0	243.8	100.0

Table 3-485. Estimates of lost-time injuries by type of event for black workers and workers of other races in the West region of the U.S., 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Contact sharp obj.	243.8	100.0	243.8	100.0

Table 3-486. Estimates of lost-time injuries by activity when worker was injured for black workers and workers of other races in the West region of the U.S., 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machine maint.	243.8	100.0	243.8	100.0

Table 3-487. Estimates of lost-time injuries by source of the injury for black workers and workers of other races in the West region of the U.S., 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Power tool	243.8	100.0	243.8	100.0

Section 4: State Data

Table 4-1. State estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked, 1993.

State	Estimated Lost-time Injuries	Estimated Restricted Workdays	Lost-time Injury Rate	Restricted Workday Rate
Alabama	1299	25211	3.4	66.0
Conn., Mass., Rhode Island	738	8868	4.4	52.9
Georgia	1462	15876	9.1	98.8
Idaho	1853	67248	6.3	228.6
Illinois	3679	116850	4.3	136.5
Indiana	2354	46447	5.2	102.6
Kentucky	2783	33981	6.4	78.1
Missouri	3286	117656	4.8	171.8
Montana, Wyoming	2715	56700	6.7	139.9
Nevada, Utah	2159	30959	8.0	114.7
New York	2796	60525	4.7	101.7
Oregon	2290	77761	5.7	193.6
South Carolina	570	7469	3.0	39.3
South Dakota	2159	55117	4.9	125.1
West Virginia	883	11956	8.1	109.7

Table 4-2. Estimates of lost-time injuries by status of the injured worker for the State of Alabama, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	588.5	45.3	588.5	45.3
Partner/family	72.0	5.5	660.5	50.9
Hired labor	497.7	38.3	1158.3	89.2
Other	140.4	10.8	1298.7	100.0

Table 4-3. Estimates of lost-time injuries by gender for the State of Alabama, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1226.7	94.5	1226.7	94.5
Female	72.0	5.5	1298.7	100.0

Table 4-4. Estimates of lost-time injuries by age group for the State of Alabama, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	72.0	5.5	72.0	5.5
20-29	133.3	10.3	205.3	15.8
30-39	364.4	28.1	569.7	43.9
40-49	216.0	16.6	785.7	60.5
50-59	212.4	16.4	998.1	76.9
60-69	72.0	5.5	1070.1	82.4
>=70	228.6	17.6	1298.7	100.0

Table 4-5. Estimates of lost-time injuries by race or ethnic origin for the State of Alabama, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1298.7	100.0	1298.7	100.0

Table 4-6. Estimates of lost-time injuries by month for the State of Alabama, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	72.0	5.5	72.0	5.5
February	144.0	11.1	216.0	16.6
March	72.0	5.5	288.0	22.2
April	164.6	12.7	452.6	34.8
May	72.0	5.5	524.6	40.4
June	68.4	5.3	593.0	45.7
July	144.0	11.1	737.0	56.7
August	205.3	15.8	942.3	72.6
October	216.0	16.6	1158.3	89.2
November	140.4	10.8	1298.7	100.0

Table 4-7. Estimates of lost-time injuries by severity of the injury for the State of Alabama, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1298.7	100.0	1298.7	100.0

Table 4-8. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Alabama, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1082.7	83.4	1082.7	83.4
No	216.0	16.6	1298.7	100.0

Table 4-9. Estimates of lost-time injuries by body part injured for the State of Alabama, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	72.0	5.5	72.0	5.5
Eye	148.4	11.4	220.4	17.0
Chest/trunk	72.0	5.5	292.4	22.5
Back	156.6	12.1	449.0	34.6
Finger	140.4	10.8	589.4	45.4
Hand/wrist	144.0	11.1	733.4	56.5
Leg/knee/hip	72.0	5.5	805.4	62.0
Foot	349.3	26.9	1154.7	88.9
Mult. parts	72.0	5.5	1226.7	94.5
Other	72.0	5.5	1298.7	100.0

Table 4-10. Estimates of lost-time injuries by nature of the injury for the State of Alabama, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	300.6	23.1	300.6	23.1
Cut	216.0	16.6	516.6	39.8
Crush	68.4	5.3	585.0	45.0
Fracture	144.0	11.1	729.0	56.1
Poisoning	72.0	5.5	801.0	61.7
Puncture	133.3	10.3	934.3	71.9
Mult. injury	144.0	11.1	1078.3	83.0
Other	220.4	17.0	1298.7	100.0

Table 4-11. Estimates of lost-time injuries by type of event for the State of Alabama, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	284.4	21.9	284.4	21.9
Caught under	144.0	11.1	428.4	33.0
Struck by/against	205.3	15.8	633.7	48.8
Struck by flying	220.4	17.0	854.1	65.8
Contact sharp obj.	72.0	5.5	926.1	71.3
Fall, same level	72.0	5.5	998.1	76.9
Fall, elevation	84.6	6.5	1082.7	83.4
Overexertion	72.0	5.5	1154.7	88.9
Other	144.0	11.1	1298.7	100.0

Table 4-12. Estimates of lost-time injuries by activity when injured for the State of Alabama, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	140.4	10.8	140.4	10.8
Machine maint.	144.0	11.1	284.4	21.9
Field work	236.6	18.2	521.0	40.1
Crop handling	72.0	5.5	593.0	45.7
Livestock handling	431.9	33.3	1024.9	78.9
Other	273.7	21.1	1298.7	100.0

Table 4-13. Estimates of lost-time injuries by source of injury for the State of Alabama, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	212.4	16.4	212.4	16.4
Livestock	431.9	33.3	644.3	49.6
Power tool	80.0	6.2	724.3	55.8
Working surface	72.0	5.5	796.3	61.3
Truck/auto	84.6	6.5	880.9	67.8
Other vehicle	72.0	5.5	952.9	73.4
Other	345.7	26.6	1298.7	100.0

Table 4-14. Estimates of lost-time injuries by status of the injured worker for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	197.3	26.7	197.3	26.7
Partner/family	20.5	2.8	217.8	29.5
Hired labor	468.2	63.5	686.0	93.0
Other	51.7	7.0	737.7	100.0

Table 4-15. Estimates of lost-time injuries by gender for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	672.9	91.2	672.8	91.2
Female	64.8	8.8	737.7	100.0

Table 4-16. Estimates of lost-time injuries by age group for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	74.9	10.2	74.9	10.2
20-29	173.6	23.5	248.5	33.7
30-39	246.5	33.4	495.0	67.1
40-49	130.5	17.7	625.4	84.8
50-59	30.2	4.1	655.7	88.9
60-69	71.0	9.6	726.7	98.5
>=70	11.0	1.5	737.7	100.0

Table 4-17. Estimates of lost-time injuries by race or ethnic origin for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	665.2	90.2	665.2	90.2
Hispanic	38.2	5.2	703.5	95.4
Black	11.0	1.5	714.5	96.9
Other	23.2	3.1	737.7	100.0

Table 4-18. Estimates of lost-time injuries by month for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	12.2	1.7	12.2	1.7
February	67.1	9.1	79.4	10.8
March	36.1	4.9	115.5	15.7
April	30.9	4.2	146.4	19.9
May	47.7	6.5	194.1	26.3
June	119.1	16.1	313.2	42.5
July	50.5	6.8	363.7	49.3
August	73.4	10.0	437.1	59.3
September	125.6	17.0	562.7	76.3
October	53.4	7.2	616.1	83.5
November	19.2	2.6	635.3	86.1
December	102.4	13.9	737.7	100.0

Table 4-19. Estimates of lost-time injuries by severity of the injury for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	670.1	90.8	670.1	90.8
Permanent	50.7	6.9	720.7	97.7
Fatality	16.9	2.3	737.7	100.0

Table 4-20. Estimates of lost-time injuries by whether professional medical attention was sought for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	67.6	9.2	67.6	9.2
Yes	584.2	79.2	651.8	88.4
No	85.9	11.6	737.7	100.0

Table 4-21. Estimates of lost-time injuries by body part injured for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	60.2	8.2	60.2	8.2
Eye	19.2	2.6	79.4	10.8
Chest/trunk	11.0	1.5	90.4	12.3
Back	183.3	24.9	273.7	37.1
Arm/shoulder	44.4	6.0	318.1	43.1
Finger	64.1	8.7	382.2	51.8
Hand/wrist	54.7	7.4	436.8	59.2
Leg/knee/hip	147.1	19.9	584.0	79.2
Toe	22.7	3.1	606.7	82.2
Foot	55.9	7.6	662.6	89.8
Mult. parts	26.7	3.6	689.3	93.4
Other	48.4	6.6	737.7	100.0

Table 4-22. Estimates of lost-time injuries by nature of the injury for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	64.9	8.8	64.9	8.8
Burn	8.2	1.1	73.2	9.9
Cut	190.2	25.8	263.4	35.7
Crush	25.2	3.4	288.6	39.1
Fracture	27.4	3.7	316.0	42.8
Puncture	31.4	4.3	347.4	47.1
Sprain/strain	230.3	31.2	577.8	78.3
Electric shock	16.9	2.3	594.7	80.6
Mult. injury	22.7	3.1	617.4	83.7
Other	120.3	16.3	737.7	100.0

Table 4-23. Estimates of lost-time injuries by type of event for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	16.5	2.3	16.5	2.3
Caught between	42.1	5.8	58.5	8.1
Caught under	11.0	1.5	69.5	9.6
Struck by/against	36.4	5.1	106.0	14.7
Struck by falling	33.7	4.7	139.7	19.4
Struck by flying	39.5	5.5	179.1	24.9
Contact sharp obj.	132.1	18.3	311.3	43.2
Fall, same level	69.7	9.7	380.9	52.9
Fall, elevation	20.5	2.8	401.4	55.7
Overexertion	124.9	17.3	526.3	73.0
Contact electric	16.9	2.3	543.2	75.4
Other	177.5	24.6	720.7	100.0

(Frequency Missing = 16.9)

Table 4-24. Estimates of lost-time injuries by activity when injured for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	221.7	30.1	221.7	30.1
Machine maint.	59.2	8.0	280.9	38.1
Field work	195.3	26.5	476.2	64.6
Crop handling	70.3	9.5	546.5	74.1
Livestock handling	52.4	7.1	598.9	81.2
Other	138.8	18.8	737.7	100.0

Table 4-25. Estimates of lost-time injuries by activity when injured for the States of Connecticut, Massachusetts, and Rhode Island, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	48.3	6.6	48.3	6.6
Machinery	136.8	18.5	185.1	25.1
Livestock	8.2	1.1	193.3	26.2
Hand tool	61.6	8.4	255.0	34.6
Power tool	50.5	6.8	305.4	41.4
Pesticide/chem.	8.2	1.1	313.7	42.5
Plant/tree	58.4	7.9	372.1	50.4
Working surface	61.4	8.3	433.5	58.8
Truck/auto	47.1	6.4	480.7	65.2
Other vehicle	50.2	6.8	530.9	72.0
Other	206.8	28.0	737.7	100.0

Table 4-26. Estimates of lost-time injuries by status of the injured worker for the State of Georgia, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1032.3	70.6	1032.3	70.6
Partner/family	106.6	7.3	1138.9	77.9
Hired labor	273.6	18.7	1412.5	96.6
Other	49.0	3.4	1461.5	100.0

Table 4-27. Estimates of lost-time injuries by gender for the State of Georgia, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1461.5	100.0	1461.5	100.0

Table 4-28. Estimates of lost-time injuries by age group for the State of Georgia, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	360.1	24.6	360.1	24.6
30-39	339.8	23.3	700.0	47.9
40-49	307.1	21.0	1007.1	68.9
50-59	222.0	15.2	1229.1	84.1
60-69	19.2	1.3	1248.3	85.4
>=70	213.2	14.6	1461.5	100.0

Table 4-29. Estimates of lost-time injuries by race or ethnic origin for the State of Georgia, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1290.4	88.3	1290.4	88.3
Hispanic	68.5	4.7	1358.9	93.0
Black	102.6	7.0	1461.5	100.0

Table 4-30. Estimates of lost-time injuries by month for the State of Georgia, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	49.0	3.4	49.0	3.4
April	281.7	19.3	330.7	22.6
May	373.3	25.5	704.0	48.2
June	49.0	3.4	753.0	51.5
July	98.0	6.7	851.0	58.2
August	49.0	3.4	900.0	61.6
September	115.4	7.9	1015.4	69.5
October	179.4	12.3	1194.7	81.7
November	53.6	3.7	1248.3	85.4
December	2132.2	14.6	1461.5	100.0

Table 4-31. Estimates of lost-time injuries by severity of the injury for the State of Georgia, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1248.1	91.5	1248.1	91.5
Permanent	115.4	8.5	1363.5	100.0

(Frequency Missing = 98.0)

Table 4-32. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Georgia, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	115.4	7.9	115.4	7.9
Yes	1190.5	81.5	1305.9	89.4
No	155.6	10.6	1461.5	100.0

Table 4-33. Estimates of lost-time injuries by body part injured for the State of Georgia, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	155.6	10.6	155.6	10.6
Eye	19.2	1.3	174.8	12.0
Back	49.0	3.4	223.8	15.3
Arm/shoulder	253.6	17.3	477.4	32.7
Finger	426.9	29.2	904.3	61.9
Hand/wrist	49.0	3.4	953.3	65.2
Leg/knee/hip	401.6	27.5	1354.9	92.7
Other	106.6	7.3	1461.5	100.0

Table 4-34. Estimates of lost-time injuries by nature of the injury for the State of Georgia, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	281.4	20.0	281.4	20.0
Burn	49.0	3.5	330.4	23.5
Cut	266.7	18.9	597.1	42.4
Crush	115.4	8.2	712.5	50.6
Fracture	213.2	15.1	925.7	65.7
Puncture	106.6	7.6	1032.3	73.3
Sprain/strain	204.6	14.5	1236.9	87.8
Mult. injury	53.6	3.8	1290.4	91.7
Other	117.5	8.3	1407.9	100.0

(Frequency Missing = 53.6)

Table 4-35. Estimates of lost-time injuries by type of event for the State of Georgia, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	479.9	32.8	479.9	32.8
Caught under	115.4	7.9	595.3	40.7
Struck by/against	179.4	12.3	774.7	53.0
Contact sharp obj.	53.6	3.7	828.3	56.7
Fall, same level	155.6	10.6	983.9	67.3
Fall, elevation	155.6	10.6	1139.4	78.0
Overexertion	49.0	3.4	1188.4	81.3
Contact electric	49.0	3.4	1237.4	84.7
Other	224.1	15.3	1461.5	100.0

Table 4-36. Estimates of lost-time injuries by activity when injured for the State of Georgia, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	155.6	10.6	155.6	10.6
Machine maint.	209.2	14.3	364.7	25.0
Field work	311.7	21.3	676.4	46.3
Crop handling	106.6	7.3	783.0	53.6
Livestock handling	484.1	33.1	1267.2	86.7
Other	194.3	13.3	1461.5	100.0

Table 4-37. Estimates of lost-time injuries by source of injury for the State of Georgia, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	106.6	7.3	106.6	7.3
Machinery	320.3	21.9	426.9	29.2
Livestock	484.1	33.1	911.1	62.3
Hand tool	102.6	7.0	1013.6	69.4
Working surface	49.0	3.4	1062.6	72.7
Other vehicle	106.6	7.3	1169.2	80.0
Other	292.3	20.0	1461.5	100.0

Table 4-38. Estimates of lost-time injuries by status of the injured worker for the State of Idaho, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	752.1	40.6	752.1	40.6
Partner/family	278.4	15.0	1030.5	55.6
Hired labor	822.6	44.4	1853.0	100.0

Table 4-39. Estimates of lost-time injuries by gender for the State of Idaho, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1731.7	93.5	1731.7	93.5
Female	121.4	6.5	1853.0	100.0

Table 4-40. Estimates of lost-time injuries by age group for the State of Idaho, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	60.7	3.3	60.7	3.3
10-19	28.7	1.5	89.4	4.8
20-29	354.8	19.1	444.2	24.0
30-39	316.0	17.1	760.2	41.0
40-49	472.4	25.5	1232.7	66.5
50-59	302.9	16.3	1535.6	82.9
60-69	93.1	5.0	1628.7	87.9
>=70	224.3	12.1	1853.0	100.0

Table 4-41. Estimates of lost-time injuries by race or ethnic origin for the State of Idaho, 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1470.9	79.4	1470.9	79.4
Hispanic	382.1	20.6	1853.0	100.0

Table 4-42. Estimates of lost-time injuries by month for the State of Idaho, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	182.1	9.8	182.1	9.8
March	240.1	13.0	422.1	22.8
April	214.0	11.5	636.1	34.3
July	258.0	13.9	894.0	48.2
August	334.9	18.1	1228.9	66.3
September	207.6	11.2	1436.6	77.5
October	351.6	19.0	1788.2	96.5
November	64.9	3.5	1853.0	100.0

Table 4-43. Estimates of lost-time injuries by severity of the injury for the State of Idaho, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1853.0	100.0	1853.0	100.0

Table 4-44. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Idaho, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1485.7	80.2	1485.7	80.2
No	367.3	19.8	1853.0	100.0

Table 4-45. Estimates of lost-time injuries by body part injured for the State of Idaho, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Chest/trunk	214.5	11.6	214.5	11.6
Back	165.8	8.9	380.3	20.5
Arm/shoulder	134.9	7.3	515.2	27.8
Finger	305.7	16.5	820.9	44.3
Hand/wrist	258.5	13.9	1079.4	58.2
Leg/knee/hip	575.4	31.1	1654.8	89.3
Toe	60.7	3.3	1715.5	92.6
Foot	105.1	5.7	1820.6	98.2
Mult. parts	32.4	1.8	1853.0	100.0

Table 4-46. Estimates of lost-time injuries by nature of the injury for the State of Idaho, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	348.9	18.8	348.9	18.8
Burn	32.4	1.8	381.3	20.6
Cut	191.9	10.4	573.2	30.9
Crush	289.9	15.6	863.2	46.6
Fracture	169.5	9.1	1032.7	55.7
Puncture	60.7	3.3	1093.4	59.0
Sprain/strain	348.3	18.8	1441.7	77.8
Mult. injury	121.4	6.5	1563.1	84.4
Other	289.9	15.6	1853.0	100.0

Table 4-47. Estimates of lost-time injuries by type of event for the State of Idaho, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	76.4	4.1	76.4	4.1
Caught between	152.8	8.2	229.2	12.4
Caught under	152.8	8.2	382.1	20.6
Struck by/against	239.6	12.9	621.7	33.5
Struck by falling	60.7	3.3	682.4	36.8
Struck by flying	32.4	1.8	714.8	38.6
Contact sharp obj.	150.1	8.1	864.9	46.7
Fall, same level	152.8	8.2	1017.7	54.9
Fall, elevation	361.4	19.5	1379.1	74.4
Overexertion	89.4	4.8	1468.5	79.3
Other	384.5	20.7	1853.0	100.0

Table 4-48. Estimates of lost-time injuries by activity when injured for the State of Idaho, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	335.3	18.1	335.3	18.1
Machine maint.	197.8	10.7	533.1	28.8
Field work	133.8	7.2	667.0	36.0
Crop handling	300.3	16.2	967.3	52.2
Livestock handling	563.4	30.4	1530.7	82.6
Other	322.4	17.4	1853.0	100.0

Table 4-49. Estimates of lost-time injuries by source of injury for the State of Idaho, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	152.8	8.2	152.8	8.2
Machinery	163.2	8.8	316.0	17.1
Livestock	399.8	21.6	715.8	38.6
Hand tool	89.4	4.8	805.2	43.5
Power tool	152.8	8.2	958.0	51.7
Working surface	108.8	5.9	1066.9	57.6
Truck/auto	137.1	7.4	1204.0	65.0
Other vehicle	76.4	4.1	1280.4	69.1
Other	572.7	30.9	1853.0	100.0

Table 4-50. Estimates of lost-time injuries by status of the injured worker for the State of Illinois, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2464.2	67.0	2464.2	67.0
Partner/family	411.9	11.2	2876.2	78.2
Hired labor	672.7	18.3	3548.9	96.5
Other	130.4	3.5	3679.3	100.0

Table 4-51. Estimates of lost-time injuries by gender for the State of Illinois, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	3473.3	94.4	3473.3	94.4
Female	206.0	5.6	3679.3	100.0

Table 4-52. Estimates of lost-time injuries by age group for the State of Illinois, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	672.7	18.3	672.7	18.3
20-29	206.0	5.6	878.7	23.9
30-39	521.6	14.2	1400.3	38.1
40-49	748.3	20.3	2148.6	58.4
50-59	466.8	12.7	2615.4	71.1
60-69	597.2	16.2	3212.5	87.3
>=70	466.8	12.7	3679.3	100.0

Table 4-53. Estimates of lost-time injuries by race or ethnic origin for the State of Illinois, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3679.3	100.0	3679.3	100.0

Table 4-54. Estimates of lost-time injuries by month for the State of Illinois, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	260.8	7.1	260.8	7.1
March	206.0	5.6	466.8	12.7
April	336.4	9.1	803.1	21.8
May	206.0	5.6	1009.1	27.4
June	391.2	10.6	1400.3	38.1
July	542.3	14.7	1942.6	52.8
August	336.4	9.1	2279.0	61.9
September	466.8	12.7	2745.8	74.6
October	521.6	14.2	3267.4	88.8
November	206.0	5.6	3473.3	94.4
December	206.0	5.6	3679.3	100.0

Table 4-55. Estimates of lost-time injuries by severity of the injury for the State of Illinois, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	3679.3	100.0	3679.3	100.0

Table 4-56. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Illinois, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	3137.0	90.3	3137.0	90.3
No	336.4	9.7	3473.3	100.0
(Frequency Missing = 206.0)				

Table 4-57. Estimates of lost-time injuries by body part injured for the State of Illinois, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	336.4	9.1	336.4	9.1
Chest/trunk	130.4	3.5	466.8	12.7
Back	803.1	21.8	1269.9	34.5
Arm/shoulder	130.4	3.5	1400.3	38.1
Finger	542.3	14.7	1942.6	52.8
Hand/wrist	597.2	16.2	2539.8	69.0
Leg/knee/hip	411.9	11.2	2951.7	80.2
Foot	336.4	9.1	3288.1	89.4
Mult. parts	130.4	3.5	3418.5	92.9
Other	260.8	7.1	3679.3	100.0

Table 4-58. Estimates of lost-time injuries by nature of the injury for the State of Illinois, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	130.4	3.5	130.4	3.5
Cut	597.2	16.2	727.6	19.8
Crush	206.0	5.6	933.5	25.4
Fracture	597.2	16.2	1530.7	41.6
Puncture	130.4	3.5	1661.1	45.1
Sprain/strain	1009.1	27.4	2670.2	72.6
Electric shock	206.0	5.6	2876.2	78.2
Mult. injury	130.4	3.5	3006.6	81.7
Other	672.7	18.3	3679.3	100.0

Table 4-59. Estimates of lost-time injuries by type of event for the State of Illinois, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	597.2	16.2	597.2	16.2
Caught between	130.4	3.5	727.6	19.8
Caught under	130.4	3.5	858.0	23.3
Struck by/against	466.8	12.7	1324.7	36.0
Struck by falling	130.4	3.5	1455.1	39.5
Fall, same level	617.9	16.8	2073.0	56.3
Fall, elevation	672.7	18.3	2745.8	74.6
Overexertion	130.4	3.5	2876.2	78.2
Contact electric	206.0	5.6	3082.1	83.8
Other	597.2	16.2	3679.3	100.0

Table 4-60. Estimates of lost-time injuries by activity when injured for the State of Illinois, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	130.4	3.5	130.4	3.5
Machine maint.	727.6	19.8	858.0	23.3
Field work	466.8	12.7	1324.7	36.0
Crop handling	466.8	12.7	1791.5	48.7
Livestock handling	878.7	23.9	2670.2	72.6
Other	1009.1	27.4	3679.3	100.0

Table 4-61. Estimates of lost-time injuries by source of injury for the State of Illinois, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	130.4	3.5	130.4	3.5
Machinery	727.6	19.8	858.0	23.3
Livestock	617.9	16.8	1475.9	40.1
Pesticide/chem.	206.0	5.6	1681.8	45.7
Working surface	130.4	3.5	1812.2	49.3
Other vehicle	130.4	3.5	1942.6	52.8
Liquids	206.0	5.6	2148.6	58.4
Other	1530.7	41.6	3679.3	100.0

Table 4-62. Estimates of lost-time injuries by status of the injured worker for the State of Indiana, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1909.1	81.1	1909.1	81.1
Partner/family	85.2	3.6	1994.4	84.7
Hired labor	274.1	11.6	2268.5	96.4
Unpaid nonfamily	85.3	3.6	2353.7	100.0

Table 4-63. Estimates of lost-time injuries by gender for the State of Indiana, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2268.5	96.4	2268.5	96.4
Female	85.3	3.6	2353.7	100.0

Table 4-64. Estimates of lost-time injuries by age group for the State of Indiana, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	274.1	11.6	274.1	11.6
20-29	185.3	7.9	459.4	19.5
30-39	455.8	19.4	915.1	38.9
40-49	429.9	18.3	1345.0	57.1
50-59	325.1	13.8	1670.0	71.0
60-69	598.4	25.4	2268.5	96.4
>=70	85.3	3.6	2353.7	100.0

Table 4-65. Estimates of lost-time injuries by race or ethnic origin for the State of Indiana, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2353.7	100.0	2353.7	100.0

Table 4-66. Estimates of lost-time injuries by month for the State of Indiana, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	125.1	5.3	125.1	5.3
April	274.1	11.6	399.2	17.0
May	185.3	7.9	584.5	24.8
June	170.5	7.2	755.0	32.1
August	399.2	17.0	1154.2	49.0
September	170.5	7.2	1324.7	56.3
October	259.4	11.0	1584.1	67.3
November	429.9	18.3	2013.9	85.6
December	339.8	14.4	2353.7	100.0

Table 4-67. Estimates of lost-time injuries by severity of the injury for the State of Indiana, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2143.4	91.1	2143.4	91.1
Permanent	125.1	5.3	2268.8	96.4
Fatality	85.3	3.6	2353.7	100.0

Table 4-68. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Indiana, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	210.4	8.9	210.4	8.9
Yes	1447.8	61.5	1658.2	70.4
No	695.6	29.6	2353.7	100.0

Table 4-69. Estimates of lost-time injuries by body part injured for the State of Indiana, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	85.3	3.6	85.3	3.6
Eye	85.3	3.6	170.5	7.2
Chest/trunk	85.3	3.6	255.8	10.9
Back	594.9	25.3	850.6	36.1
Arm/shoulder	85.3	3.6	935.9	39.8
Finger	359.4	15.3	1295.2	55.0
Hand/wrist	174.1	7.4	1469.3	62.4
Leg/knee/hip	599.2	25.5	2068.5	87.9
Foot	100.0	4.2	2168.5	92.1
Mult. parts	185.3	7.9	2353.7	100.0

Table 4-70. Estimates of lost-time injuries by nature of the injury for the State of Indiana, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	239.8	10.2	239.8	10.2
Cut	607.5	25.8	847.3	36.0
Crush	480.9	20.4	1328.2	56.4
Fracture	85.3	3.6	1413.5	60.1
Puncture	185.3	7.9	1598.7	67.9
Sprain/strain	444.6	18.9	2043.4	86.8
Mult. injury	100.0	4.2	2143.4	91.1
Other	210.4	8.9	2353.7	100.0

Table 4-71. Estimates of lost-time injuries by type of event for the State of Indiana, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	270.5	11.5	270.5	11.5
Caught under	85.3	3.6	355.8	15.1
Struck by/against	325.1	13.8	680.8	28.9
Struck by flying	85.3	3.6	766.1	32.5
Contact sharp obj.	448.2	19.0	1214.3	51.6
Fall, same level	185.3	7.9	1399.5	59.5
Fall, elevation	210.4	8.9	1609.9	68.4
Overexertion	170.5	7.2	1780.4	75.6
Other	573.3	24.4	2353.7	100.0

Table 4-72. Estimates of lost-time injuries by activity when injured for the State of Indiana, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	259.4	11.0	259.4	11.0
Machine maint.	484.5	20.6	743.8	31.6
Field work	239.8	10.2	983.6	41.8
Crop handling	380.9	16.2	1364.5	58.0
Livestock handling	729.9	31.0	2094.4	89.0
Other	259.4	11.0	2353.7	100.0

Table 4-73. Estimates of lost-time injuries by source of injury for the State of Indiana, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	85.3	3.6	85.3	3.6
Machinery	413.9	17.6	499.2	21.2
Livestock	285.3	12.1	784.4	33.3
Hand tool	85.3	3.6	869.7	36.9
Power tool	174.1	7.4	1043.8	44.3
Working surface	100.0	4.2	1143.8	48.6
Truck/auto	210.4	8.9	1354.1	57.5
Other vehicle	170.5	7.2	1524.6	64.8
Other	829.1	35.2	2353.7	100.0

Table 4-74. Estimates of lost-time injuries by status of the injured worker for the State of Kentucky, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2356.6	84.7	2356.6	84.7
Partner/family	412.7	14.8	2769.3	99.5
Hired labor	13.5	0.5	2782.8	100.0

Table 4-75. Estimates of lost-time injuries by gender for the State of Kentucky, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2049.2	73.6	2049.2	73.6
Female	733.6	26.4	2782.8	100.0

Table 4-76. Estimates of lost-time injuries by age group for the State of Kentucky, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	294.2	10.6	294.2	10.6
30-39	145.2	5.2	439.4	15.8
40-49	1424.9	51.2	1864.3	67.0
50-59	654.8	23.5	2519.2	90.5
60-69	104.9	3.8	2624.1	94.3
>=70	158.8	5.7	2782.8	100.0

Table 4-77. Estimates of lost-time injuries by race or ethnic origin for the State of Kentucky, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2782.8	100.0	2782.8	100.0

Table 4-78. Estimates of lost-time injuries by month for the State of Kentucky, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
March	319.2	11.5	319.2	11.5
April	215.4	7.7	534.6	19.2
June	172.3	6.2	706.9	25.4
July	408.9	14.7	1115.8	40.1
August	574.9	20.7	1690.7	60.8
September	530.8	19.1	2221.5	79.8
October	280.7	10.1	2502.2	89.9
November	280.7	10.1	2782.8	100.0

Table 4-79. Estimates of lost-time injuries by severity of the injury for the State of Kentucky, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2637.6	94.8	2637.6	94.8
Permanent	145.2	5.2	2782.8	100.0

Table 4-80. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Kentucky, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	145.2	5.2	145.2	5.2
Yes	2492.1	89.6	2637.3	94.8
No	145.5	5.2	2782.8	100.0

Table 4-81. Estimates of lost-time injuries by body part injured for the State of Kentucky, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	214.3	7.7	214.3	7.7
Back	544.4	19.6	758.6	27.3
Arm/shoulder	382.1	13.7	1140.8	41.0
Finger	439.4	15.8	1580.2	56.8
Leg/knee/hip	922.0	33.1	2502.2	89.9
Toe	280.7	10.1	2782.8	100.0

Table 4-82. Estimates of lost-time injuries by nature of the injury for the State of Kentucky, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	668.4	24.0	668.4	24.0
Cut	640.2	23.0	1308.5	47.0
Crush	145.2	5.2	1453.7	52.2
Fracture	947.0	34.0	2400.7	86.3
Sprain/strain	277.2	10.0	2677.9	96.2
Other	104.9	3.8	2782.8	100.0

Table 4-83. Estimates of lost-time injuries by type of event for the State of Kentucky, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	294.2	10.6	294.2	10.6
Caught under	280.7	10.1	574.9	20.7
Struck by falling	359.5	12.9	934.4	33.6
Contact sharp obj.	425.9	15.3	1360.3	48.9
Fall, same level	385.6	13.9	1745.9	62.7
Fall, elevation	628.1	22.6	2374.0	85.3
Overexertion	158.8	5.7	2532.7	91.0
Other	250.1	9.0	2782.8	100.0

Table 4-84. Estimates of lost-time injuries by activity when injured for the State of Kentucky, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	145.2	5.2	145.2	5.2
Machine maint.	478.0	17.2	623.2	22.4
Field work	949.0	34.1	1572.2	56.5
Crop handling	784.7	28.2	2356.9	84.7
Livestock handling	425.9	15.3	2782.8	100.0

Table 4-85. Estimates of lost-time injuries by source of injury for the State of Kentucky, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	557.9	20.0	557.9	20.0
Livestock	425.9	15.3	983.8	35.4
Hand tool	280.7	10.1	1264.5	45.4
Power tool	145.2	5.2	1409.7	50.7
Plant/tree	145.2	5.2	1554.9	55.9
Working surface	13.5	0.5	1568.4	56.4
Other vehicle	13.5	0.5	1582.0	56.8
Other	1200.9	43.2	2782.8	100.0

Table 4-86. Estimates of lost-time injuries by status of the injured worker for the State of Missouri, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2700.3	82.2	2700.3	82.2
Hired labor	431.2	13.1	3131.5	95.3
Other	154.9	4.7	3286.4	100.0

Table 4-87. Estimates of lost-time injuries by gender for the State of Missouri, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	3092.1	94.1	3092.1	94.1
Female	194.3	5.9	3286.4	100.0

Table 4-88. Estimates of lost-time injuries by age group for the State of Missouri, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	154.9	4.7	154.9	4.7
20-29	321.6	9.8	476.5	14.5
30-39	419.4	12.8	895.9	27.3
40-49	517.1	15.7	1413.0	43.0
50-59	504.1	15.3	1917.1	58.3
60-69	1014.1	30.9	2931.3	89.2
>=70	355.1	10.8	3286.4	100.0

Table 4-89. Estimates of lost-time injuries by race or ethnic origin for the State of Missouri, 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3119.7	94.9	3119.7	94.9
Hispanic	166.7	5.1	3286.4	100.0

Table 4-90. Estimates of lost-time injuries by month for the State of Missouri, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	287.2	8.7	287.2	8.7
March	504.1	15.3	791.3	24.1
April	321.6	9.8	1112.9	33.9
May	448.0	13.6	1560.9	47.5
July	315.8	9.6	1876.7	57.1
August	659.0	20.1	2535.7	77.2
September	132.3	4.0	2668.0	81.2
November	75.0	2.3	2743.0	83.5
December	543.4	16.5	3286.4	100.0

Table 4-91. Estimates of lost-time injuries by severity of the injury for the State of Missouri, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	3286.4	100.0	3286.4	100.0

Table 4-92. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Missouri, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	2826.6	86.0	2826.6	86.0
No	459.8	14.0	3286.4	100.0

Table 4-93. Estimates of lost-time injuries by body part injured for the State of Missouri, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	670.8	20.4	670.8	20.4
Eye	194.3	5.9	865.0	26.3
Back	504.1	15.3	1369.1	41.7
Arm/shoulder	390.8	11.9	1759.9	53.6
Finger	132.3	4.0	1892.2	57.6
Hand/wrist	442.1	13.5	2334.3	71.0
Leg/knee/hip	642.3	19.5	2976.6	90.6
Foot	154.9	4.7	3131.5	95.3
Mult. parts	154.9	4.7	3286.4	100.0

Table 4-94. Estimates of lost-time injuries by nature of the injury for the State of Missouri, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	293.1	9.5	293.1	9.5
Burn	154.9	5.0	448.0	14.5
Cut	648.1	21.0	1096.2	35.4
Crush	154.9	5.0	1251.1	40.5
Fracture	1301.3	42.1	2552.4	82.5
Puncture	75.0	2.4	2627.4	85.0
Sprain/strain	309.8	10.0	2937.2	95.0
Other	154.9	5.0	3092.1	100.0

(Frequency Missing = 194.3)

Table 4-95. Estimates of lost-time injuries by type of event for the State of Missouri, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	154.9	4.7	154.9	4.7
Caught between	287.2	8.7	442.1	13.5
Struck by/against	803.2	24.4	1245.3	37.9
Struck by falling	194.3	5.9	1439.5	43.8
Struck by flying	269.3	8.2	1708.8	52.0
Contact sharp obj.	166.7	5.1	1875.5	57.1
Fall, same level	154.9	4.7	2030.4	61.8
Fall, elevation	751.9	22.9	2782.3	84.7
Overexertion	154.9	4.7	2937.2	89.4
Other	349.2	10.6	3286.4	100.0

Table 4-96. Estimates of lost-time injuries by activity when injured for the State of Missouri, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	504.1	15.3	504.1	15.3
Machine maint.	207.3	6.3	711.4	21.6
Field work	448.0	13.6	1159.4	35.3
Crop handling	326.5	9.9	1485.9	45.2
Livestock handling	935.5	28.5	2421.4	73.7
Other	865.0	26.3	3286.4	100.0

Table 4-97. Estimates of lost-time injuries by source of injury for the State of Missouri, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	154.9	4.7	154.9	4.7
Machinery	632.6	19.3	787.6	24.0
Livestock	625.6	19.0	1413.2	43.0
Plant/tree	194.3	5.9	1607.4	48.9
Working surface	309.8	9.4	1917.3	58.3
Truck/auto	349.2	10.6	2266.5	69.0
Liquids	154.9	4.7	2421.4	73.7
Other	865.0	26.3	3286.4	100.0

Table 4-98. Estimates of lost-time injuries by status of the injured worker for the States of Montana and Wyoming, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1288.2	47.5	1288.2	47.5
Partner/family	140.2	5.2	1428.4	52.6
Hired labor	1004.1	37.0	2432.5	89.6
Unpaid nonfamily	282.2	10.4	2714.8	100.0

Table 4-99. Estimates of lost-time injuries by gender for the States of Montana and Wyoming, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2152.2	79.3	2152.2	79.3
Female	562.6	20.7	2714.8	100.0

Table 4-100. Estimates of lost-time injuries by age group for the States of Montana and Wyoming, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	94.1	3.5	94.1	3.5
10-19	282.2	10.4	376.3	13.9
20-29	328.3	12.1	704.6	26.0
30-39	559.8	20.6	1264.5	46.6
40-49	516.5	19.0	1781.0	65.6
50-59	325.2	12.0	2106.2	77.6
60-69	350.0	12.9	2456.2	90.5
>=70	258.5	9.5	2714.8	100.0

Table 4-101 Estimates of lost-time injuries by race or ethnic origin for the States of Montana and Wyoming, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2714.8	100.0	2714.8	100.0

Table 4-102. Estimates of lost-time injuries by month for the States of Montana and Wyoming, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	46.1	1.7	46.1	1.7
February	254.7	9.4	300.8	11.1
March	69.6	2.6	370.4	13.6
April	163.7	6.0	534.1	19.7
May	94.1	3.5	628.2	23.1
June	46.1	1.7	674.3	24.8
July	376.3	13.9	1050.6	38.7
August	841.7	31.0	1892.3	69.7
September	50.0	1.8	1942.3	71.5
October	444.1	16.4	2386.4	87.9
November	94.1	3.5	2480.5	91.4
December	234.3	8.6	2714.8	100.0

Table 4-103. Estimates of lost-time injuries by severity of the injury for the States of Montana and Wyoming, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2506.2	92.3	2506.2	92.3
Permanent	208.5	7.7	2714.8	100.0

Table 4-104. Estimates of lost-time injuries by whether professional medical attention was sought for the States of Montana and Wyoming, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	208.5	7.7	208.5	7.7
Yes	2250.3	82.9	2458.8	90.6
No	255.9	9.4	2714.8	100.0

Table 4-105. Estimates of lost-time injuries by body part injured for the States of Montana and Wyoming, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	46.1	1.7	46.1	1.7
Eye	92.2	3.4	138.3	5.1
Chest/trunk	300.8	11.1	439.1	16.2
Back	257.8	9.5	696.9	25.7
Arm/shoulder	188.2	6.9	885.1	32.6
Finger	445.9	16.4	1331.0	49.0
Hand/wrist	94.0	3.5	1425.1	52.5
Leg/knee/hip	540.2	19.9	1965.3	72.4
Toe	94.1	3.5	2059.4	75.9
Foot	188.2	6.9	2247.5	82.8
Mult. parts	373.2	13.7	2620.7	96.5
Other	94.1	3.5	2714.8	100.0

Table 4-106. Estimates of lost-time injuries by nature of the injury for the States of Montana and Wyoming, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	94.1	3.5	94.1	3.5
Bruise	185.0	6.8	279.1	10.3
Burn	46.1	1.7	325.2	12.0
Cut	420.6	15.5	745.8	27.5
Crush	94.1	3.5	839.8	30.9
Fracture	655.8	24.2	1495.6	55.1
Poisoning	46.1	1.7	1541.7	56.8
Puncture	94.1	3.5	1635.8	60.3
Sprain/strain	542.1	20.0	2177.9	80.2
Mult. injury	442.8	16.3	2620.7	96.5
Other	94.1	3.5	2714.8	100.0

Table 4-107. Estimates of lost-time injuries by type of event for the States of Montana and Wyoming, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	94.1	3.5	94.1	3.5
Caught between	470.4	17.3	564.5	20.8
Caught under	302.6	11.1	867.1	31.9
Struck by/against	442.8	16.3	1309.9	48.3
Struck by falling	234.3	8.6	1544.2	56.9
Struck by flying	140.2	5.2	1684.3	62.0
Contact sharp obj.	140.2	5.2	1824.5	67.2
Fall, same level	307.8	11.3	2132.3	78.5
Fall, elevation	326.5	12.0	2458.8	90.6
Overexertion	69.6	2.6	2528.5	93.1
Other	186.3	6.9	2714.8	100.0

Table 4-108. Estimates of lost-time injuries by activity when injured for the States of Montana and Wyoming, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	190.2	7.0	190.2	7.0
Machine maint.	466.7	17.2	656.9	24.2
Field work	492.1	18.1	1148.9	42.3
Crop handling	325.6	12.0	1474.5	54.3
Livestock handling	1052.1	38.8	2526.6	93.1
Other	188.2	6.9	2714.8	100.0

Table 4-109. Estimates of lost-time injuries by source of injury for the States of Montana and Wyoming, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	140.2	5.2	140.2	5.2
Machinery	492.1	18.1	632.2	23.3
Livestock	958.0	35.3	1590.3	58.6
Power tool	92.2	3.4	1682.5	62.0
Plant/tree	50.0	1.8	1732.5	63.8
Working surface	209.8	7.7	1942.3	71.5
Truck/auto	280.4	10.3	2222.7	81.9
Other vehicle	94.1	3.5	2316.8	85.3
Other	398.0	14.7	2714.8	100.0

Table 4-110. Estimates of lost-time injuries by status of the injured worker for the States of Nevada and Utah, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1238.4	57.4	1238.4	57.4
Partner/family	117.7	5.5	1356.1	62.8
Hired labor	802.6	37.2	2158.7	100.0

Table 4-111. Estimates of lost-time injuries by gender for the States of Nevada and Utah, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1920.6	89.0	1920.6	89.0
Female	238.1	11.0	2158.7	100.0

Table 4-112. Estimates of lost-time injuries by age group for the States of Nevada and Utah, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	362.3	16.8	362.3	16.8
20-29	117.7	5.5	479.9	22.2
30-39	280.4	13.0	760.3	35.2
40-49	479.0	22.2	1239.3	57.4
50-59	325.9	15.1	1565.2	72.5
60-69	232.2	10.8	1797.3	83.3
>=70	361.3	16.7	2158.7	100.0

Table 4-113. Estimates of lost-time injuries by race or ethnic origin for the States of Nevada and Utah, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1992.8	92.3	1992.8	92.3
Hispanic	165.9	7.7	2158.7	100.0

Table 4-114. Estimates of lost-time injuries by month for the States of Nevada and Utah, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	114.5	5.3	114.5	5.3
February	163.1	7.6	277.6	12.9
March	6.0	0.3	283.6	13.1
April	11.9	0.6	295.5	13.7
May	515.9	23.9	811.3	37.6
June	232.2	10.8	1043.5	48.3
July	404.0	18.7	1447.5	67.1
August	238.1	11.0	1685.6	78.1
September	129.6	6.0	1815.2	84.1
October	114.5	5.3	1929.7	89.4
November	229.0	10.6	2158.7	100.0

Table 4-115. Estimates of lost-time injuries by severity of the injury for the States of Nevada and Utah, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2044.2	94.7	2044.2	94.7
Permanent	114.5	5.3	2158.7	100.0

Table 4-116. Estimates of lost-time injuries by whether professional medical attention was sought for the States of Nevada and Utah, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	114.5	5.3	114.5	5.3
Yes	1796.9	83.2	1911.4	88.5
No	247.2	11.5	2158.7	100.0

Table 4-117. Estimates of lost-time injuries by body part injured for the States of Nevada and Utah, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	169.1	7.8	169.1	7.8
Eye	114.5	5.3	283.6	13.1
Chest/trunk	123.6	5.7	407.2	18.9
Back	57.4	2.7	464.5	21.5
Arm/shoulder	114.5	5.3	579.0	26.8
Finger	349.4	16.2	928.5	43.0
Hand/wrist	470.4	21.8	1398.9	64.8
Leg/knee/hip	747.5	34.6	2146.4	99.4
Foot	9.1	0.4	2155.5	99.9
Mult. parts	3.2	0.1	2158.7	100.0

Table 4-118. Estimates of lost-time injuries by nature of the injury for the States of Nevada and Utah, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	467.1	21.6	467.1	21.6
Cut	9.1	0.4	476.2	22.1
Crush	349.4	16.2	825.7	38.2
Fracture	832.1	38.5	1657.8	76.8
Puncture	114.5	5.3	1772.3	82.1
Sprain/strain	217.3	10.1	1989.6	92.2
Mult. injury	48.6	2.3	2038.2	94.4
Other	120.4	5.6	2158.7	100.0

Table 4-119. Estimates of lost-time injuries by type of event for the States of Nevada and Utah, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	343.5	15.9	343.5	15.9
Caught under	117.7	5.5	461.1	21.4
Struck by/against	232.4	10.8	693.5	32.1
Struck by falling	343.5	15.9	1037.0	48.0
Struck by flying	114.5	5.3	1151.5	53.3
Fall, same level	159.9	7.4	1311.5	60.8
Fall, elevation	364.9	16.9	1676.4	77.7
Overexertion	11.9	0.6	1688.3	78.2
Other	470.4	21.8	2158.7	100.0

Table 4-120. Estimates of lost-time injuries by activity when injured for the States of Nevada and Utah, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	240.9	11.2	240.9	11.2
Machine maint.	238.1	11.0	479.0	22.2
Field work	708.5	32.8	1187.5	55.0
Crop handling	234.9	10.9	1422.5	65.9
Livestock handling	723.9	33.5	2146.4	99.4
Other	12.3	0.6	2158.7	100.0

Table 4-121. Estimates of lost-time injuries by source of injury for the States of Nevada and Utah, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	359.1	16.6	359.1	16.6
Machinery	463.9	21.5	823.0	38.1
Livestock	494.9	22.9	1317.9	61.1
Hand tool	120.4	5.6	1438.4	66.6
Power tool	120.4	5.6	1558.8	72.2
Working surface	117.7	5.5	1676.5	77.7
Truck/auto	114.5	5.3	1791.0	83.0
Other	367.7	17.0	2158.7	100.0

Table 4-122. Estimates of lost-time injuries by status of the injured worker for the State of New York, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1971.5	70.5	1971.5	70.5
Partner/family	285.9	10.2	2257.4	80.7
Hired labor	387.9	13.9	2645.3	94.6
Unpaid nonfamily	99.2	3.5	2744.5	98.1
Other	51.9	1.9	2796.4	100.0

Table 4-123. Estimates of lost-time injuries by gender for the State of New York, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2543.5	91.0	2543.5	91.0
Female	252.9	9.0	2796.4	100.0

Table 4-124. Estimates of lost-time injuries by age group for the State of New York, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	118.1	4.2	118.1	4.2
10-19	182.1	6.5	300.2	10.7
20-29	416.2	14.9	716.4	25.6
30-39	594.3	21.3	1310.7	46.9
40-49	835.8	29.9	2146.5	76.8
50-59	327.3	11.7	2473.8	88.5
60-69	231.6	8.3	2705.4	96.7
>=70	91.1	3.3	2796.4	100.0

Table 4-125. Estimates of lost-time injuries by race or ethnic origin for the State of New York, 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2692.6	96.3	2692.6	96.3
Hispanic	51.9	1.9	2744.5	98.1
Black	51.9	1.9	2796.4	100.0

Table 4-126. Estimates of lost-time injuries by month for the State of New York, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	182.1	6.5	182.1	6.5
February	273.2	9.8	455.3	16.3
April	91.1	3.3	546.4	19.5
May	276.6	9.9	823.0	29.4
July	185.6	6.6	1008.6	36.1
August	232.8	8.3	1241.4	44.4
September	330.7	11.8	1572.1	56.2
October	523.4	18.7	2095.5	74.9
November	333.3	11.9	2428.7	86.9
December	367.7	13.1	2796.4	100.0

Table 4-127. Estimates of lost-time injuries by severity of the injury for the State of New York, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2519.8	90.1	2519.8	90.1
Permanent	276.6	9.9	2796.4	100.0

Table 4-128. Estimates of lost-time injuries by whether professional medical attention was sought for the State of New York, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	276.6	9.9	276.6	9.9
Yes	2160.8	77.3	2437.4	87.2
No	359.0	12.8	2796.4	100.0

Table 4-129. Estimates of lost-time injuries by body part injured for the State of New York, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	296.8	10.6	296.8	10.6
Chest/trunk	250.5	9.0	547.3	19.6
Back	91.1	3.3	638.3	22.8
Arm/shoulder	463.5	16.6	1101.8	39.4
Finger	452.5	16.2	1554.3	55.6
Hand/wrist	146.4	5.2	1700.7	60.8
Leg/knee/hip	609.9	21.8	2310.6	82.6
Foot	209.2	7.5	2519.8	90.1
Mult. parts	94.5	3.4	2614.3	93.5
Other	182.1	6.5	2796.4	100.0

Table 4-130. Estimates of lost-time injuries by nature of the injury for the State of New York, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	91.1	3.3	91.1	3.3
Asphyxiation	91.1	3.3	182.1	6.5
Bruise	481.1	17.2	663.2	23.7
Burn	185.6	6.6	848.8	30.4
Cut	218.5	7.8	1067.2	38.2
Crush	166.6	6.0	1233.8	44.1
Fracture	332.0	11.9	1565.8	56.0
Puncture	276.6	9.9	1842.4	65.9
Sprain/strain	495.3	17.7	2337.7	83.6
Mult. injury	185.6	6.6	2523.2	90.2
Other	273.2	9.8	2796.4	100.0

Table 4-131. Estimates of lost-time injuries by type of event for the State of New York, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	91.1	3.3	91.1	3.3
Caught between	377.0	13.5	468.1	16.7
Caught under	185.6	6.6	653.6	23.4
Struck by/against	304.8	10.9	958.5	34.3
Struck by flying	91.1	3.3	1049.5	37.5
Contact sharp obj.	237.5	8.5	1287.0	46.0
Fall, same level	404.2	14.5	1691.2	60.5
Fall, elevation	278.8	10.0	1970.0	70.4
Overexertion	273.2	9.8	2243.2	80.2
Other	553.3	19.8	2796.4	100.0

Table 4-132. Estimates of lost-time injuries by activity when injured for the State of New York, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	751.6	26.9	751.6	26.9
Machine maint.	325.1	11.6	1076.7	38.5
Field work	194.9	7.0	1271.6	45.5
Crop handling	417.2	14.9	1688.7	60.4
Livestock handling	688.1	24.6	2376.8	85.0
Other	419.6	15.0	2796.4	100.0

Table 4-133. Estimates of lost-time injuries by source of injury for the State of New York, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	276.6	9.9	276.6	9.9
Machinery	285.9	10.2	562.6	20.1
Livestock	506.0	18.1	1068.5	38.2
Hand tool	328.5	11.7	1397.1	50.0
Pesticide/chem.	91.1	3.3	1488.1	53.2
Plant/tree	99.2	3.5	1587.4	56.8
Working surface	122.8	4.4	1710.2	61.2
Truck/auto	182.1	6.5	1892.3	67.7
Other	904.1	32.3	2796.4	100.0

Table 4-134. Estimates of lost-time injuries by status of the injured worker for the State of Oregon, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1188.2	51.9	1188.2	51.9
Partner/family	67.7	3.0	1255.9	54.8
Hired labor	1034.2	45.2	2290.1	100.0

Table 4-135. Estimates of lost-time injuries by gender for the State of Oregon, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1864.1	81.4	1864.1	81.4
Female	426.1	18.6	2290.1	100.0

Table 4-136. Estimates of lost-time injuries by age group for the State of Oregon, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	133.2	6.0	133.2	6.0
20-29	348.9	15.7	482.0	21.7
30-39	562.9	25.3	1044.9	47.0
40-49	539.7	24.3	1584.6	71.3
50-59	225.4	10.1	1809.9	81.4
60-69	200.9	9.0	2010.8	90.4
>=70	212.7	9.6	2223.6	100.0
(Frequency Missing = 66.6)				

Table 4-137. Estimates of lost-time injuries by race or ethnic origin for the State of Oregon, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1641.1	71.7	1641.1	71.7
Hispanic	582.4	25.4	2223.6	97.1
American Indian	6.6	2.9	2290.1	100.0

Table 4-138. Estimates of lost-time injuries by month for the State of Oregon, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	451.7	19.7	451.7	19.7
February	203.4	8.9	655.1	28.6
March	106.4	4.6	761.5	33.2
April	70.3	3.1	831.7	36.3
May	217.5	9.5	1049.2	45.8
June	275.2	12.0	1324.4	57.8
July	221.0	9.7	1545.4	67.5
August	145.6	6.4	1690.9	73.8
September	142.0	6.2	1833.0	80.0
October	66.6	2.9	1899.5	82.9
November	200.9	8.8	2100.4	91.7
December	189.7	8.3	2290.1	100.0

Table 4-139. Estimates of lost-time injuries by severity of the injury for the State of Oregon, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2147.0	93.7	2147.0	93.7
Permanent	143.2	6.3	2290.1	100.0

Table 4-140. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Oregon, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	143.2	6.3	143.2	6.3
Yes	1898.6	82.9	2041.8	89.2
No	248.4	10.8	2290.1	100.0

Table 4-141. Estimates of lost-time injuries by body part injured for the State of Oregon, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	70.1	3.1	70.1	3.1
Chest/trunk	176.6	7.7	246.8	10.8
Back	501.0	21.9	747.8	32.7
Arm/shoulder	389.4	17.0	1137.2	49.7
Finger	75.4	3.3	1212.7	53.0
Hand/wrist	323.8	14.1	1536.5	67.1
Leg/knee/hip	341.8	14.9	1878.2	82.0
Toe	70.1	3.1	1948.4	85.1
Foot	208.6	9.1	2157.0	94.2
Mult. parts	133.2	5.8	2290.1	100.0

Table 4-142. Estimates of lost-time injuries by nature of the injury for the State of Oregon, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	266.3	11.6	266.3	11.6
Cut	66.6	2.9	332.9	14.5
Fracture	543.9	23.7	876.8	38.3
Puncture	199.7	8.7	1076.5	47.0
Sprain/strain	933.7	40.8	2010.2	87.8
Other	279.9	12.2	2290.1	100.0

Table 4-143. Estimates of lost-time injuries by type of event for the State of Oregon, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	142.0	6.2	142.0	6.2
Caught under	66.6	2.9	208.6	9.1
Struck by/against	208.6	9.1	417.2	18.2
Struck by falling	136.7	6.0	553.9	24.2
Contact sharp obj.	133.2	5.8	687.1	30.0
Fall, same level	181.8	7.9	868.9	37.9
Fall, elevation	642.6	28.1	1511.4	66.0
Overexertion	432.2	18.9	1943.7	84.9
Other	346.5	15.1	2290.1	100.0

Table 4-144. Estimates of lost-time injuries by activity when injured for the State of Oregon, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	385.1	16.8	385.1	16.8
Machine maint.	246.8	10.8	631.8	27.6
Field work	548.5	24.0	1180.4	51.5
Crop handling	425.1	18.6	1605.5	70.1
Livestock handling	474.9	20.7	2080.4	90.8
Other	209.8	9.2	2290.1	100.0

Table 4-145. Estimates of lost-time injuries by source of injury for the State of Oregon, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	142.0	6.2	142.0	6.2
Machinery	345.5	15.1	487.5	21.3
Livestock	275.2	12.0	762.7	33.3
Power tool	174.1	7.6	936.8	40.9
Plant/tree	39.8	1.7	976.5	42.6
Working surface	567.1	24.8	1543.6	67.4
Truck/auto	133.2	5.8	1676.8	73.2
Other	613.3	26.8	2290.1	100.0

Table 4-146. Estimates of lost-time injuries by status of the injured worker for the State of South Carolina, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	449.4	88.6	449.4	88.6
Hired labor	57.8	11.4	507.2	100.0

Table 4-147. Estimates of lost-time injuries by gender for the State of South Carolina, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	507.2	100.0	507.2	100.0

Table 4-148. Estimates of lost-time injuries by age group for the State of South Carolina, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	30.3	6.0	30.3	6.0
30-39	341.2	67.3	371.5	73.2
40-49	77.5	15.3	449.0	88.5
50-59	55.4	10.9	504.4	99.4
60-69	2.9	0.6	507.2	100.0

Table 4-149. Estimates of lost-time injuries by race or ethnic origin for the State of South Carolina, 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	507.2	100.0	507.2	100.0

Table 4-150. Estimates of lost-time injuries by month for the State of South Carolina, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	55.4	10.9	55.4	10.9
May	2.9	0.6	58.2	11.5
June	27.5	5.4	85.7	16.9
August	30.3	6.0	116.1	22.9
September	50.0	9.9	166.1	32.7
December	341.2	67.3	507.2	100.0

Table 4-151. Estimates of lost-time injuries by severity of the injury for the State of South Carolina, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	507.2	100.0	507.2	100.0

Table 4-152. Estimates of lost-time injuries by whether professional medical attention was sought for the State of South Carolina, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	504.4	99.4	504.4	99.4
No	2.9	0.6	507.2	100.0

Table 4-153. Estimates of lost-time injuries by body part injured for the State of South Carolina, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Chest/trunk	27.5	5.4	27.5	5.4
Back	105.4	20.8	132.9	26.2
Arm/shoulder	2.9	0.6	135.7	26.8
Leg/knee/hip	2.9	0.6	138.6	27.3
Toe	368.7	72.7	507.2	100.0

Table 4-154. Estimates of lost-time injuries by nature of the injury for the State of South Carolina, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	33.2	6.5	33.2	6.5
Burn	27.5	5.4	60.7	12.0
Fracture	341.2	67.3	401.8	79.2
Sprain/strain	105.4	20.8	507.2	100.0

Table 4-155. Estimates of lost-time injuries by type of event for the State of South Carolina, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2.9	0.6	2.9	0.6
Caught between	2.9	0.6	5.7	1.1
Struck by falling	368.7	72.7	374.4	73.8
Overexertion	105.4	20.8	479.8	94.6
Other	27.5	5.4	507.2	100.0

Table 4-156. Estimates of lost-time injuries by activity when injured for the State of South Carolina, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	27.5	5.4	27.5	5.4
Machine maint.	344.0	67.8	371.5	73.2
Field work	27.5	5.4	399.0	78.7
Crop handling	105.4	20.8	504.4	99.4
Livestock handling	2.9	0.6	507.2	100.0

Table 4-157. Estimates of lost-time injuries by source of injury for the State of South Carolina, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2.9	0.6	2.9	0.6
Machinery	341.2	67.3	344.0	67.8
Livestock	2.9	0.6	346.9	68.4
Plant/tree	50.0	9.9	396.9	78.2
Liquids	27.5	5.4	424.4	83.7
Other	82.9	16.3	507.2	100.0

Table 4-158. Estimates of lost-time injuries by status of the injured worker for the State of South Dakota, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1565.1	72.5	1565.1	72.5
Partner/family	284.9	13.2	1850.1	85.7
Hired labor	148.3	6.9	1998.4	92.6
Unpaid nonfamily	160.3	7.4	2158.7	100.0

Table 4-159. Estimates of lost-time injuries by gender for the State of South Dakota, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1793.6	83.1	1793.6	83.1
Female	365.1	16.9	2158.7	100.0

Table 4-160. Estimates of lost-time injuries by age group for the State of South Dakota, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	184.1	8.5	184.1	8.5
30-39	834.0	38.6	1018.1	47.2
40-49	477.7	22.1	1495.8	69.3
50-59	369.1	17.1	1864.9	86.4
60-69	213.6	9.9	2078.5	96.3
>=70	80.1	3.7	2158.7	100.0

Table 4-161. Estimates of lost-time injuries by race or ethnic origin for the State of South Dakota, 1994.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1974.6	91.5	1974.6	91.5
Hispanic	80.1	3.7	2054.7	95.2
American Indian	104.0	4.8	2158.7	100.0

Table 4-162. Estimates of lost-time injuries by month for the State of South Dakota, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	80.1	3.7	80.1	3.7
February	80.1	3.7	160.3	7.4
March	169.1	7.8	329.4	15.3
April	216.6	10.0	546.0	25.3
May	204.8	9.5	750.8	34.8
June	244.3	11.3	995.2	46.1
July	80.1	3.7	1075.3	49.8
August	344.4	16.0	1419.7	65.8
September	124.6	5.8	1544.3	71.5
October	124.6	5.8	1669.0	77.3
November	204.8	9.5	1873.7	86.8
December	284.9	13.2	2158.7	100.0

Table 4-163. Estimates of lost-time injuries by severity of the injury for the State of South Dakota, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2158.7	100.0	2158.7	100.0

Table 4-164. Estimates of lost-time injuries by whether professional medical attention was sought for the State of South Dakota, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1953.9	94.0	1953.9	94.0
No	124.6	6.0	2078.5	100.0
(Frequency Missing = 80.1)				

Table 4-165. Estimates of lost-time injuries by body part injured for the State of South Dakota, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	89.0	4.1	89.0	4.1
Eye	104.0	4.8	192.9	8.9
Chest/trunk	23.8	1.1	216.7	10.0
Back	445.2	20.6	662.0	30.7
Arm/shoulder	317.5	14.7	979.4	45.4
Finger	240.4	11.1	1219.9	56.5
Hand/wrist	44.5	2.1	1264.3	58.6
Leg/knee/hip	513.4	23.8	1777.7	82.4
Toe	80.1	3.7	1857.9	86.1
Foot	300.8	13.9	2158.7	100.0

Table 4-166. Estimates of lost-time injuries by nature of the injury for the State of South Dakota, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	124.6	5.8	124.635781	5.8
Cut	273.0	12.6	397.599366	18.4
Crush	240.4	11.1	638.037322	29.6
Fracture	725.3	33.6	1363.35818	63.2
Puncture	23.8	1.1	1387.16771	64.3
Sprain/strain	771.5	35.7	2158.67442	100.0

Table 4-167. Estimates of lost-time injuries by type of event for the State of South Dakota, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	160.3	7.4	160.3	7.4
Caught under	308.7	14.3	469.0	21.7
Struck by/against	513.5	23.8	982.5	45.5
Struck by falling	140.5	6.5	1123.0	52.0
Struck by flying	80.1	3.7	1203.2	55.7
Contact sharp obj.	148.3	6.9	1351.5	62.6
Fall, same level	433.3	20.1	1784.8	82.7
Fall, elevation	204.8	9.5	1989.5	92.2
Overexertion	169.1	7.8	2158.7	100.0

Table 4-168. Estimates of lost-time injuries by activity when injured for the State of South Dakota, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	445.2	20.6	445.2	20.6
Machine maint.	308.7	14.3	754.0	34.9
Field work	192.8	8.9	946.8	43.9
Crop handling	204.8	9.5	1151.6	53.3
Livestock handling	927.0	42.9	2078.5	96.3
Other	80.1	3.7	2158.7	100.0

Table 4-169. Estimates of lost-time injuries by source of injury for the State of South Dakota, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	124.6	5.8	124.6	5.8
Machinery	513.4	23.8	638.0	29.6
Livestock	778.6	36.1	1416.7	65.6
Hand tool	80.1	3.7	1496.8	69.3
Power tool	23.8	1.1	1520.6	70.4
Plant/tree	80.1	3.7	1600.8	74.2
Working surface	273.0	12.6	1873.7	86.8
Truck/auto	124.6	5.8	1998.4	92.6
Other vehicle	80.1	3.7	2078.5	96.3
Other	80.1	3.7	2158.7	100.0

Table 4-170. Estimates of lost-time injuries by status of the injured worker for the State of West Virginia, 1994.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	355.2	40.2	355.2	40.2
Partner/family	84.3	9.5	439.5	49.8
Hired labor	320.4	36.3	759.9	86.0
Other	123.5	14.0	883.3	100.0

Table 4-171. Estimates of lost-time injuries by gender for the State of West Virginia, 1994.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	869.0	98.4	869.0	98.4
Female	14.3	1.6	883.3	100.0

Table 4-172. Estimates of lost-time injuries by age group for the State of West Virginia, 1994.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	14.3	1.6	14.3	1.6
20-29	90.3	10.4	104.6	12.0
30-39	370.9	42.7	475.6	54.7
40-49	124.1	14.3	599.7	69.0
50-59	134.7	15.5	734.4	84.5
60-69	123.5	14.2	857.8	98.7
>=70	11.2	1.3	869.0	100.0

(Frequency Missing = 14.3)

Table 4-173. Estimates of lost-time injuries by race or ethnic origin for the State of West Virginia, 1994.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	869.0	98.4	869.0	98.4
Hispanic	14.3	1.6	883.3	100.0

Table 4-174. Estimates of lost-time injuries by month for the State of West Virginia, 1994.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	61.7	7.0	61.7	7.0
February	61.7	7.0	123.5	14.0
April	11.2	1.3	134.7	15.2
May	76.0	8.6	210.7	23.9
June	76.0	8.6	286.7	32.5
July	247.5	28.0	534.2	60.5
August	28.6	3.2	562.8	63.7
September	90.3	10.2	653.2	73.9
October	84.1	9.5	737.3	83.5
November	146.0	16.5	883.3	100.0

Table 4-175. Estimates of lost-time injuries by severity of the injury for the State of West Virginia, 1994.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	869.0	98.4	869.0	98.4
Fatality	14.3	1.6	883.3	100.0

Table 4-176. Estimates of lost-time injuries by whether professional medical attention was sought for the State of West Virginia, 1994.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	14.3	1.6	14.3	1.6
Yes	793.0	89.8	807.3	91.4
No	76.0	8.6	883.3	100.0

Table 4-177. Estimates of lost-time injuries by body part injured for the State of West Virginia, 1994.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	270.0	30.6	270.0	30.6
Eye	25.5	2.9	295.6	33.5
Back	137.8	15.6	433.3	49.1
Arm/shoulder	61.7	7.0	495.1	56.0
Hand/wrist	149.0	16.9	644.0	72.9
Leg/knee/hip	25.5	2.9	669.5	75.8
Foot	199.5	22.6	869.0	98.4
Mult. parts	14.3	1.6	883.3	100.0

Table 4-178. Estimates of lost-time injuries by nature of the injury for the State of West Virginia, 1994.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	185.2	21.0	185.2	21.0
Burn	61.7	7.0	246.9	28.0
Cut	14.3	1.6	261.2	29.6
Crush	72.9	8.3	334.2	37.8
Fracture	87.2	9.9	421.4	47.7
Puncture	137.8	15.6	559.2	63.3
Sprain/strain	112.9	12.8	672.1	76.1
Mult. injury	28.6	3.2	700.7	79.3
Other	182.6	20.7	883.3	100.0

Table 4-179. Estimates of lost-time injuries by type of event for the State of West Virginia, 1994.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	39.8	4.6	39.8	4.6
Caught under	76.0	8.7	115.9	13.3
Struck by/against	14.3	1.6	130.2	15.0
Struck by falling	22.6	2.6	152.7	17.6
Struck by flying	76.0	8.7	228.8	26.3
Contact sharp obj.	123.5	14.2	352.2	40.5
Fall, same level	123.5	14.2	475.7	54.7
Overexertion	14.3	1.6	490.0	56.4
Other	379.0	43.6	869.0	100.0

(Frequency Missing = 14.3)

Table 4-180. Estimates of lost-time injuries by activity when injured for the State of West Virginia, 1994.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	135.3	15.3	135.3	15.3
Machine maint.	137.8	15.6	273.1	30.9
Field work	185.7	21.0	458.8	51.9
Crop handling	90.3	10.2	549.2	62.2
Livestock handling	334.2	37.8	883.3	100.0

Table 4-181. Estimates of lost-time injuries by source of injury for the State of West Virginia, 1994.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	115.9	13.1	115.9	13.1
Machinery	101.5	11.5	217.4	24.6
Livestock	134.7	15.2	352.1	39.9
Hand tool	137.8	15.6	489.8	55.5
Other vehicle	36.9	4.2	526.7	59.6
Other	356.6	40.4	883.3	100.0

Appendix A: Survey Instrument



U.S. Dept. of Agriculture
Rm 5809
Washington, D.C. 20250
202-720-7017

1994 AGRICULTURAL INJURY SURVEY

Form Approved
OMB Number 0535-0223
Expiration Date 6/30/96
QID-1100915
Project Code 915

Dear Reporter:

We are conducting this survey for the Centers for Disease Control. The purpose of this survey is to learn the extent of farm and ranch injuries and accidents. The information will be used to develop injury prevention programs. Please mail your report, which will be kept confidential, in the enclosed envelope. Response to this survey is voluntary and not required by law. Thank you for your cooperation.

Sincerely,

Rich Allen

Richard D. Allen, Chairperson
Agricultural Statistics Board

Please make corrections in name, address and zip code, if necessary.

Part I WORK-RELATED INJURIES

A WORK-RELATED INJURY is an injury associated with the business of operating your farm or ranch which resulted in 1/2 day or more of restricted activity. RESTRICTED ACTIVITY is defined as the inability to perform normal activities. A change in work performed as a result of an injury is also considered restricted activity. A DISABILITY is defined as full or partial loss of body part or activity.

1. Did any farm work-related injuries occur in 1994?

☐ Yes - How many?

Number

☐ No - Skip to question 18 on page 3.

INCLUDE

Injuries which occurred while performing farm work on or off the farm.
Injuries to the operator, partners, paid and unpaid family members, full and part-time hired farm workers, and other unpaid farm workers

EXCLUDE

Injuries which occurred during household and recreational activities.
Injuries to contractors, custom operators, special service workers, and farm visitors.

2. Did any injury result in a disability?

☐ Yes - How many?

Number

☐ No

3. How many injuries (reported in question 1) involved a tractor as the major source of injury?

Number

THE FOLLOWING QUESTIONS REFER TO THE MOST RECENT INJURY REPORTED IN QUESTION 1.

4. Describe the most recent injury. Include what the person was doing, what objects were involved, what sequence of events led to the injury, and where the event occurred.

CONTINUE ON NEXT PAGE

5. Relationship of the victim to the farm:

Operator or family (paid or unpaid)	1	Enter code 007
Partner or family (paid or unpaid)	2	
Hired farm labor	3	
Non-family unpaid labor	4	
Other (specify)	5	

6. Sex of victim:

Male	1	008
Female	2	

7. Age of victim:

Less than 10	1	009
10 - 19	2	
20 - 29	3	
30 - 39	4	
40 - 49	5	
50 - 59	6	
60 - 69	7	
70 or older	8	

8. Race of victim:

White, Non-Hispanic	1	010
White, Hispanic	2	
Black	3	
Asian or Pacific Islander	4	
American Indian	5	
Other (specify)	6	

9. Month injury occurred:

January	1	011
February	2	
March	3	
April	4	
May	5	
June	6	
July	7	
August	8	
September	9	
October	10	
November	11	
December	12	

10. Severity of injury:

Restricted activity	1	012
Disability	2	
Fatality	3	

If disability or fatality, skip to question 13.

11. Was professional medical attention required?

Yes	1	013
No	2	

12. Number of days of restricted work activity:

014

13. Part of body injured:

Head/neck	1	015
Eye	2	
Chest/trunk	3	
Back	4	
Arm/shoulder	5	
Finger	6	
Hand/wrist	7	
Leg/knee/hip	8	
Toe	9	
Foot	10	
Multiple body parts	11	
Other (specify)	12	

14. Nature of injury:

Amputation	1	016
Asphyxiation	2	
Bruise	3	
Burn	4	
Cut	5	
Crushed	6	
Fracture	7	
Poisoning	8	
Puncture	9	
Sprain/strain	10	
Drowning	11	
Electric shock	12	
Multiple injuries	13	
Other (specify)	14	

15. Type of injury:

Caught part of body in object	1	017
Caught part of body between objects	2	
Caught part of body under object	3	
Struck by or against object	4	
Struck by falling object	5	
Struck by flying object	6	
Contact with sharp object	7	
Fall to same level (slip or trip)	8	
Fall from elevation	9	
Overexertion	10	
Contact with electricity	11	
Other (specify)	12	

16. Type of work being performed when injury occurred:

Farmstead maintenance or construction	1	018
Machinery service or repair	2	
Field work (tillage, planting, harvesting)	3	
Storing or handling harvested crops	4	
Livestock handling	5	
Other (specify)	6	

17. Object or substance which caused the injury:

Tractor	1	019
Machinery (specify)	2	
Livestock	3	
Hand tool	4	
Power tool	5	
Pesticide/other chemical	6	
Plant/tree	7	
Working surface	8	
Truck/automobile	9	
Other vehicles (specify)	10	
Liquids (not chemical)	11	
Other (specify)	12	

CONTINUE ON NEXT PAGE

Part II TRACTOR ACCIDENTS

18. Did any tractor accidents occur in 1994 (regardless of whether any injury occurred)?

Yes 1 105
 No 2

If no, skip to question 26.

THE FOLLOWING QUESTIONS REFER TO THE MOST RECENT TRACTOR ACCIDENT.

19. Did the tractor accident involve an overturn?

Yes 1 106
 No 2

If no, skip to question 26.

20. Did the tractor belong to this operation?

Yes 1 107
 No 2

21. What was the result of the overturn?

Injury 1
 Fatality 2 108
 Individual unharmed 3

If the individual was unharmed, skip to question 23.

22. Who was the injured person?

Tractor operator 1
 Passenger/extra rider 2 109
 Other (specify) 3

23. Was the tractor equipped with a Rollover Protective Structure (ROPS) or other rollover protection?

Yes 1 110
 No 2

24. Was a seat belt being used?

Yes 1
 No, but a seat belt was present 2 111
 No seat belt was present 3

25. Describe the tractor overturn (unless it was described in question 2 on page 1). Include what the person was doing, what objects were involved, what sequence of events led to the overturn, and where the event occurred.

Tractor overturns are the leading cause of accidental deaths on farms. In order to design programs to reduce the risk of tractor overturns, we need basic information about farm tractors.

26. How many farm tractors over 20 PTO horse power were used on this operation in 1994? 115
-
- (If none, skip to question 27 on page 4.)

Complete the table below regardless of whether any tractor accidents occurred.

Tractors Used In 1994		Office use	Rollover Protection (Enter code)		Hours In Use On This Operation In 1994			
Make and Model	Model Year		1 = None	2 = ROPS ^{1/}	Field	Road	Stationary and other ^{3/}	Total
	021	022	023		024	025	026	027
	028	029	030		031	032	033	034
	035	036	037		038	039	040	041
	042	043	044		045	046	047	048
	049	050	051		052	053	054	055
	056	057	058		059	060	061	062
	063	064	065		066	067	068	069
	070	071	072		073	074	075	076
	077	078	079		080	081	082	083
	084	085	086		087	088	089	090
	091	092	093		094	095	096	097
	098	099	100		101	102	103	104

^{1/} Roll-over protective structure. ^{2/} include only if the cab is designed for roll-over protection^{3/} Plowing snow, scraping feed lots, etc.

CONTINUE ON NEXT PAGE

PART III - OPERATION CHARACTERISTICS

27. How many acres were in your operation in 1994 (include set aside acres)? _____ Acres 001

The hours of work performed for your operation is needed to assess the risk of being injured while working for a farm or ranch. This estimate of risk will be compared to risk estimates for other industries.

28. Estimated total hours of farm work performed in 1994 by:
(Do not include hours worked by contractors, custom operators or special service workers.)

The operator (Paid or Unpaid)	Hours	116
Operator's family (Paid or Unpaid)	Hours	117
Partner(s) (Paid or Unpaid)	Hours	118
Partner's family (Paid or Unpaid)	Hours	119
Full-time hired workers	Hours	120
Part-time hired workers	Hours	121
Other unpaid workers	Hours	122
Total Hours		002

29. Which part of your operation contributed the most to 1994 value of agricultural sales?

- Cash grains (wheat, corn, soybeans, etc.) 1
 Field crops (cotton, hay, tobacco, etc.) 2
 Specialty crops (fruit, vegetables, etc.) 3
 Horticultural specialties (flowers, nursery, etc.) 4
 Livestock (cattle, hogs, etc.) 5
 Dairy 6
 Poultry and eggs 7
 Animal specialties (horses, fur bearing animals, aquaculture, etc.) 8
 Other (specify) 9
 Conservation Reserve Program only 10

112

30. Would you like to receive a copy of the results of this survey? Yes 1
 No 2

113

Public reporting burden for this survey averages 20 minutes per response. This includes time for reviewing instructions, gathering the data, and completing the questionnaire. Send comments about this burden estimate or any other aspect of this survey, including suggestions for reducing the burden, to the Office of Management and Budget, Paperwork Reduction Project (0535-0223), Washington, D.C. 20503. Please do not mail questionnaire to this address.

Reported by _____ Date _____

Thank you for your assistance. Please return this survey form in the enclosed envelope.

Office use

114

Appendix B: Sample-based Estimators

1. Sampling Estimators and Variance Estimators for State Estimates

$$\bar{y}_i = \frac{\sum_{h=1}^L M_{ih} y_{ih}}{M_i} = \text{state mean of the variable of interest}$$

$$v(\bar{y}_i) = \frac{1}{M_i^2} \sum_{h=1}^L M_{ih} (M_{ih} - m_{ih}) \frac{s_{ih}^2}{m_{ih}} = \text{variance of } \bar{y}_i$$

where:

$$y_{ih} = \frac{\sum_{j=1}^{m_{ih}} y_{ihj}}{m_{ih}} = \text{mean of stratum } h \text{ in state } i$$

$$s_{ih}^2 = \frac{\sum_{j=1}^{m_{ih}} (y_{ihj} - y_{ih})^2}{m_{ih} - 1} = \text{variance of stratum } h \text{ in state } i$$

m_{ih} = number of farms sampled in stratum h in state i

M_{ih} = number of farms in stratum h in state i

M_i = number of farms in state i

L = number of strata in the state

2. Unbiased Sampling Estimator and Variance Estimator for Regional Estimates

$$\bar{Y}_{Reg} = \frac{N_{Reg}}{n_{Reg} M_{Reg}} \sum_{i=1}^{n_{Reg}} M_{Reg_i} \bar{Y}_{Reg_i} = \text{regional mean of the variable of interest}$$

$$V(\bar{Y}_{Reg}) = \frac{N_{Reg}^2}{n_{Reg} M_{Reg}^2} (1 - f_{Reg}) \frac{\sum_{i=1}^{n_{Reg}} M_{Reg_i} (\bar{Y}_{Reg_i} - \bar{Y}_{Reg})^2}{n_{Reg} - 1} + \frac{N_{Reg}}{n_{Reg} M_{Reg}^2} \sum_{i=1}^{n_{Reg}} M_{Reg_i}^2 v(\bar{Y}_{Reg_i})$$

= variance of \bar{Y}_{Reg}

where:

\bar{Y}_{Reg_i} = second-stage mean for state i in region R

$v(\bar{Y}_{Reg_i})$ = second-stage variance for state i in region R

M_{Reg_i} = number of farms in state i of region R

M_{Reg} = number of farms in region R

n_{Reg} = number of states sampled in region R

N_{Reg} = number of states in region R

$f_{Reg} = \frac{N_{Reg} - n_{Reg}}{N_{Reg}} = \text{finite population correction (fpc) for region } R$

3. Sampling Estimators and Variance Equations for National Estimates

$$\bar{Y}_{Total} = \sum_{Reg=1}^P \frac{M_{Reg}}{M_{Total}} \bar{Y}_{Reg} = \text{national mean of the variable of interest}$$

$$V(\bar{Y}_{Total}) = \sum_{Reg=1}^P \frac{M_{Reg}}{M_{Total}} V(\bar{Y}_{Reg}) = \text{variance of } \bar{Y}_{Total}$$

where:

P = number of regional strata

M_{Total} = number of farms in the United States

4. Estimators for the rate of injuries per hours worked.

A. State estimates:

$$R_i = \frac{\bar{Y}_i}{\bar{X}_i} = \text{ratio of mean for injuries divided by mean for hours in state } i$$

$$V(R_i) = (s_{\bar{Y}_i})^2 + (R_i)^2 (s_{\bar{X}_i})^2 - 2\rho_i s_{\bar{Y}_i} R_i s_{\bar{X}_i} = \text{variance for } R_i$$

where:

ρ_i = correlation between injuries and hours in state i

B. Regional estimates:

$$R_{Reg} = \frac{\bar{Y}_{Reg}}{\bar{X}_{Reg}} = \text{ratio of mean for injuries divided by mean for hours in a region}$$

$$\begin{aligned} V(R_{Reg}) &= V(\bar{Y}_{Reg}) + (R_{Reg})^2 V(\bar{X}_{Reg}) - 2 \text{COV}(\bar{Y}_{Reg}, \bar{X}_{Reg}) \\ &= \text{variance of } R_{Reg} \end{aligned}$$

where:

$$\begin{aligned} \text{COV}(\bar{Y}_{Reg}, \bar{X}_{Reg}) &= \frac{N_{Reg}^2}{n_{Reg} M_{Reg}^2} (1 - f_{Reg}) \frac{\sum_{i=1}^{n_{Reg}} M_{Reg_i} (\bar{Y}_{Reg_i} - \bar{Y}_{Reg}) (\bar{X}_{Reg_i} - \bar{X}_{Reg})}{n_{Reg} - 1} \\ &= \text{covariance between } \bar{Y}_{Reg} \text{ and } \bar{X}_{Reg} \end{aligned}$$

C. National Estimates:

$$R_{Total} = \frac{\bar{Y}_{Total}}{\bar{X}_{Total}} = \text{ratio of means for injuries divided by hours}$$

$$V(R_{Total}) = V(\bar{Y}_{Total}) + (R_{Total})^2 V(\bar{X}_{Total}) - 2 COV(\bar{Y}_{Total} , \bar{X}_{Total})$$

= variance of R_{Total}

where:

$$COV(\bar{Y}_{Total} , \bar{X}_{Total}) = \sum_{Reg=1}^P \frac{M_{Reg}}{M_{Total}} COV(Y_{Reg} , X_{Reg})$$

= covariance between \bar{Y}_{Total} and \bar{X}_{Total}

All equations are derived from chapters 5, 6, and 11 of "Sampling Techniques, 3rd Edition" by W.G. Cochran (John Wiley and Sons, 1977).

