

Winnable Battles-related Healthy People 2020 Objectives

Tobacco	
TU 1.1	Reduce cigarette smoking by adults 2020 Target: 12.0% Baseline: 20.6% (2008)
TU 2.2	Reduce cigarette smoking (past month) by adolescents 2020 Target: 16.0% Baseline: 19.5% (2009)
TU 11.1	Reduce the proportion of children aged 3 to 11 years exposed to secondhand smoke 2020 Target: 47.0% Baseline: 52.2% (2005-2008)
TU 11.2	Reduce the proportion of adolescents aged 12 to 17 years exposed to secondhand smoke 2020 Target: 41% Baseline: 45.5% (2005-2008)
TU 11.3	Reduce the proportion of adults aged 18 years and older exposed to secondhand smoke 2020 Target: 33.8% Baseline: 37.6% (2005-2008)
TU 13.1	Establish laws in States and District of Columbia on smoke-free indoor air that prohibit smoking in private worksites 2020 Target: 50 states and DC (100% of the population) Baseline: 30 states and DC (2009)
TU 13.2	Establish laws in States and District of Columbia on smoke-free indoor air that prohibit smoking in public worksites 2020 Target: 50 states and DC (100% of the population) Baseline: 34 states and DC (2009)
TU 13.3	Establish laws in States and District of Columbia on smoke-free indoor air that prohibit smoking in restaurants 2020 Target: 50 states and DC (100% of the population) Baseline: 28 states and DC (2009)
TU 13.4	Establish laws in States and District of Columbia on smoke-free indoor air that prohibit smoking in bars 2020 Target: 50 states and DC (100% of the population) Baseline: 22 states and DC (2009)

Nutrition, Physical Activity, and Obesity

NWS 8	Increase the proportion of adults who are at a healthy weight 2020 Target: 33.9% Baseline: 30.8% (2005-2008)
NWS 9	Reduce the proportion of adults who are obese 2020 Target: 30.5% Baseline: 34.0% (2005-2008)
NWS 10.4	Reduce the proportion of children aged 2 to 19 years who are considered obese 2020 Target: 14.5% Baseline: 16.2% (2005-2008)
NWS 17.2	Reduce consumption of calories from added sugars 2020 Target: 10.8% Baseline: 15.7% (2001-2004)
NWS 19	Reduce consumption of sodium in the population aged 2 years and older 2020 Target: 2,300 mg Baseline: 3,640 mg (2003-2006)
PA 1	Reduce the proportion of adults who engage in no leisure-time physical activity 2020 Target: 32.6% Baseline: 36.2% (2008)
PA 3.1	Increase the proportion of adolescents who meet current Federal physical activity guidelines 2020 Target: 20.2% Baseline: 18.4% (2009)
MICH 21.2	Increase the proportion of infants who are breastfed at 6 months 2020 Target: 60.6% Baseline: 43.5% (2007-2009)

Food Safety

FS 1.2	Reduce infections caused by Shiga toxin-producing <i>Escherichia coli</i> (STEC) O157:H7 2020 Target: 0.6 cases per 100,000 Baseline: 1.2 cases on average per 100,000 population per year (2006-2008)
FS 1.4	Reduce infections caused by <i>Salmonella</i> species 2020 Target: 11.4 cases per 100,000 Baseline: 15 cases on average per 100,000 population per year (2006-2008)
FS 2.3	Reduce the number of outbreak-associated infections due to Shiga toxin-producing <i>E. coli</i> O157, or <i>Campylobacter</i> , <i>Listeria</i> , or <i>Salmonella</i> species associated with fruits and nuts Target: 280 cases per year Baseline: 311 reported outbreak-associated infections, on average, per year (2005-2007)
FS 2.5	Reduce the number of outbreak-associated infections due to Shiga toxin-producing <i>E. coli</i> O157, or <i>Campylobacter</i> , <i>Listeria</i> , or <i>Salmonella</i> species

associated with poultry
 Target: 232 cases per year
 Baseline: 258 reported outbreak-associated infections, on average, per year (2005-2007)

Healthcare Associated Infections (HAIs)

HAI 1	Reduce central line-associated bloodstream infections (CLABSI) 2020 Target: 0.25 SIR or 75% reduction Baseline: 1.0 Standardized Infection Ratio (SIR) (2006-2008)
HAI 2	Reduce invasive healthcare-associated methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) infections 2020 Target: 6.5 infections per 100,000 persons or 75% reduction Baseline: 27.08 infections per 100,000 persons (2007-2008)

Motor Vehicle Safety

IVP 13.1	Reduce motor vehicle crash-related deaths 2020 Target: 12.4 deaths per 100,000 population Baseline: 13.8 deaths per 100,000 population (2007)
IVP 14	Reduce nonfatal motor vehicle crash-related injuries 2020 Target: 694.3 nonfatal injuries per 100,000 population Baseline: 771.4 nonfatal injuries per 100,000 population (2008)

Teen Pregnancy

FP 8.1	Reduce the pregnancy rate among adolescent females aged 15 to 17 years 2020 target: 36.2 pregnancies per 1,000 Baseline: 40.2 pregnancies per 1,000 (2005)
FP 8.2	Reduce the pregnancy rate among adolescent females aged 18 to 19 years 2020 target: 105.9 pregnancies per 1,000 Baseline: 117.7 pregnancies per 1,000 (2005)

HIV

HIV 3	Reduce the rate of HIV transmission among adolescents and adults 2020 Target: 3.5 new infections per 100 persons living with HIV Baseline: 4.6 new infections per 100 persons living with HIV (2006)
HIV 12	Reduce deaths from HIV infection 2020 Target: 3.3 deaths per 100,000 population Baseline: 3.7 deaths per 100,000 population (2007)
HIV 13	Increase the proportion of people living with HIV who know their serostatus

2020 Target: 90.0%
Baseline: 80.6% (2006)