

# NIOSH highlights mine fire research

With a growing concern over mine fires, prevention and suppression are hot topics. NIOSH researchers Michael Trevits, Alex Smith and Edward Thimons discuss their research in the area.

The leading causes of US mine fires include flame cutting and welding operations, frictional heating and ignitions, electrical shorts, mobile equipment malfunctions and spontaneous combustion. From 1990 through 2007, there were 1601 reportable fires that occurred in the US mining industry - an average of 89 fires per year.

The fact that mine fires are occurring with alarming regularity reinforces the importance of recognizing and eliminating the potential hazards. These statistics also show the need for improved control and suppression technology to ensure worker health and safety if a mine fire does occur.

National Institute for Occupational Safety and Health is conducting a comprehensive program of research addressing metal/nonmetal and coal mine fire prevention, detection and suppression. They include the areas of spontaneous combustion, flame cutting and welding, conveyor belt fire suppression and remote methods for addressing coal mine fires.

## Spontaneous combustion

Most spontaneous combustion fires occur in gob areas that are not accessible and require remote detection and extinguishing efforts. The hazard is of particular concern in mines with both a high spontaneous combustion risk and high levels of methane gas.

A computer model has been developed from existing computational fluid dynamic (commonly called "CFD") codes to describe the ventilation pathways through the immediate gob. Simulations have been conducted for a variety of bleederless and bleeder ventilation scenarios and also to evaluate the effect of methane emission rate and ventilation on self-heating in longwall gob areas with a bleederless ventilation system.

This work can be used to assist in the design of ventilation systems where spontaneous combustion risk is high.

## Flame cutting and welding

To determine the causes of the fires and injuries caused by flame cutting or welding operations, accident investigations were scrutinized, workers were interviewed, and flame cutting and welding operations at several underground coal mines were observed. The data from these investigations were analyzed

to determine the root cause of flame cutting and welding fires in the coal mining sector.

Promising direct interventions to prevent the root causes of flame cutting and welding fires were identified and evaluated in field tests at operating underground coal mines. Existing training methods and procedures were examined and improvements to these methods and procedures were developed and tested in the field. A safety awareness toolbox, *Tame the Flame*, is planned for release in the near future.

## Conveyor belt fire suppression

NIOSH, in partnership with the US Mine Safety and Health Administration (MSHA), initiated a test program to determine the effectiveness of fire suppression systems on conveyor belt fires in entries with high-velocity airflow. Full-scale experiments evaluated the effectiveness of dry powder chemical suppression systems, water sprinkler systems and water deluge systems in conveyor belt entries at air velocities of zero, 500ft/min and 1400ft/min.

The data from this work will be used to develop guidelines for the installation and use of fire suppression systems in ventilated belt entries. In late 2007, the scope of this research was modified to include the recommendations made by the Technical Study Panel on the utilization of belt air and the composition and fire retardant properties of belt materials in underground coal mining.

In a related study, conveyor belting, typical of the types used in metal/nonmetal mines, where no mandatory fire resistance standards apply, were evaluated for their fire resistance. The results clearly showed the hazards of using non-approved conveyor belting and demonstrated that the use of approved conveyor belting can significantly reduce potential fire hazards.

## Remote methods for addressing coal mine fires

The ability to remotely address coal mine fires can reduce worker exposure to hazardous situations. The objective of this work is to evaluate, improve or modify remote fire-fighting technologies, including remotely installed mine seals (ventilation barriers), and fire control and suppression technology.

This research effort is being conducted with active industry participation and with the input from MSHA technical specialists serving as research partners. Full-scale remote mine seal installation experiments have been conducted to evaluate cement-based and rigid-foam-based materials.

This work has resulted in new understandings of the limitations of the technology and development of novel down-hole tools to facilitate accurate placement of mine seal materials. Preliminary research on nitrogen gas-enhanced foam (foam resulting from commingling of nitrogen gas, water and a specialized foam concentrate) shows that foam



Compressed air gas-enhanced foam accumulating behind and moving through crib block sets at the NIOSH Lake Lynn mine.

can be stable in the mine opening and can accumulate and flow through mine workings.

Planned work in the summer of 2008 will evaluate the capability of inert gas, nitrogen gas-enhanced foam and jet engine exhaust gas to extinguish full-scale, deep-seated coal fires at the NIOSH Lake Lynn Experimental Mine.

Mine fires represent one of the greatest threats to those working in the underground mine environment. NIOSH mine fire research is addressing a wide spectrum of problem areas facing the metal/ nonmetal and coal mining industries.

The intent of the research is to provide the mine operator and miners with an understanding of the conditions that could lead to a fire, the capability to detect unusual heating or fire conditions and the technology to suppress and extinguish a fire to ensure the best outcome possible.

Research papers outlining much of the work presented in this article, including the research program, are available through NIOSH's website: <http://www.cdc.gov/niosh/mining> D111

## Fire Station demand warrants expansion

DEMAND for safety products since the MINER Act has led Maryland company Pillar Innovations, producer of the Fire Station fire suppression system, to expand to a new facility.

Long known for its safety, monitoring and communication products - which include atmospheric monitoring, fire suppression and wireless communications - officials said the interest for the patent-pending suppression system forced an expansion to meet production requirements.

"[It] warranted a move to a larger manufacturing facility," according to company product manager Chris Yoder, who said Pillar purchased the building about 7 miles from its headquarters in Garrett County and expanded it to a spacious 20,000 square feet. The additional space will be shared between the company's Fire Station manufacturing and the assembly of safety chambers.

Yoder noted that Pillar will continue to provide complete systems as well as offer turn-key installation for those with specific needs. The move also allows the company to offer fire extinguisher service, repairs and sales as well as surface sprinkler systems.

Company officials said Pillar has in excess of 75 Fire Station system installations at more than 12 operations throughout the Appalachia and Midwest coal regions on belt drives, take-ups, storage units and belt heads. Current turnaround time for a system is about 1-2 weeks, improved by the recent addition of seven employees in sales, engineering and fabrication.

Pillar has ambitious plans for the near future as well. "We are continuing ongoing research and development in all our product lines to help meet customer needs, MSHA guidelines and future demands," Yoder said.



The Fire Station system.



**g~ SITE**  
**Field Services**  
A Division of On Site Gas Systems, Inc.

**Buy**  
**Lease**  
**Rent**

### MINE ATMOSPHERE INERTING

- \* Nitrogen for Mine Fires or Behind Seals
- \* High Volume Portable Nitrogen Systems
- \* Above Ground or Under Ground
- \* Tremendous Savings Over liquid Nitrogen

**WHERE YOU NEED IT. WHEN YOU NEED IT.**

*We can provide all equipment and experienced technicians.*



**SAFE - ECONOMICAL**  
**RELIABLE - PORTABLE - FLEXIBLE**  
**MADE IN THE USA**

**24 hr. Emergency Response Hotline:**  
**888 -748 - 3429 x 261**

Phone: 860-667-8888

Fax: 860-667-2222

Web: [www.onsitegas.com](http://www.onsitegas.com)

Email: [info@onsitegas.com](mailto:info@onsitegas.com)

# COAL USA

MAGAZINE

Inside the longwall and room & pillar industries

[www.CoalUSAMagazine.com](http://www.CoalUSAMagazine.com)

MAY 2008



## Profiled: Deer Creek Bear Canyon

PLUS

- Cumberland drilling
- Latest gas, ventilation & fire research
- Mining engineering's future

FORMERLY

AMERICAN

**LONGWALL**

MAGAZINE

# regular features

Round up .....	4
What they said .....	5
Flashback .....	5
Index .....	46
Room & Pillar statistics .....	47
Longwall statistics .....	48



# COAL USA

MAGAZINE

Inside the longwall and room & pillar industries

  
**Aspermont**  
Information for Industry

Published by Aspermont Ltd  
(ABN: 66 000 375 048)

**COALOO~**

www.coalusamagazine.com

MANAGING EDITOR: Greg Tubby

EDITOR: Angie Bahr

WRITERS: Donna Caudill

PRODUCTION TEAM LEADER: Mata Henry

PRODUCTION COORDINATOR: Kelly Somers

SENIOR LAYOUT DESIGNER: Diane Igglesden

LAYOUT DESIGNER: Catherine Hogan

SENIOR SUB EDITOR: Sonja Moore

SUB EDITOR: Sarah McCabe

ADVERTISING SALES: Debbie Barca (USA),  
Lisa Fisher

NATIONAL ADVERTISING SALES MANAGER:  
Chris Le Messurier

ADVERTISING PRODUCTION:

Isaac Burrows, Christine Lim

SUBSCRIPTIONS : Kerin Dragicevich

4 issues per annum: airmail overseas AUD\$96.00,  
within Australia AUD\$61.60 (GST included)

3 issues *Australian Longwall* + 4 issues *Coal USA*  
per annum: airmail overseas AUD\$148.50, within  
Australia AUD\$97.00 (GST included)

EXECUTIVES:

Chief Executive Officer - Calm O'Brien

Chief Operating Officer - Chris Bond

Chief Financial Officer - Henry Thong

HEAD OFFICE: Aspermont Limited, 613-619

Wellington Street, Perth, Western Australia 6000

PO Box 78, Leederville, Western Australia 6902

Ph: 61862689100 Fax: 61862639148

EMAIL: [editorial@coalusamagazine.com](mailto:editorial@coalusamagazine.com)

[subscriptions@coalusamagazine.com](mailto:subscriptions@coalusamagazine.com)

[advertising@coalusamagazine.com](mailto:advertising@coalusamagazine.com)

WEBSITE: [www.coalusamagazine.com](http://www.coalusamagazine.com)

[www.industry-news.net](http://www.industry-news.net)

[www.longwalls.com](http://www.longwalls.com)

COPYRIGHT WARNING: All editorial copy and some advertisements in this magazine are subject to copyright and cannot be reproduced in any form without the written permission of the managing editor. Offenders may be prosecuted.

## news and features

### 08 Investigation

Findings into the Crandall Canyon disaster are released.

### 10 Training

Consol explains the benefits of its training centers in West Virginia, Virginia and Pennsylvania.

### 18 Fire R&D

NIOSH discusses its latest research into mine fires, prevention and suppression.

### 23 Coal dust

*Coal USA* details the real picture of coal and rock dust exposure in US underground coal mines.

### 25 Safety

The mine rescue competition season gains momentum.