WHY WON'T IT STOP: WORKPLACE VIOLENCE IN EMERGENCY CARE



Authors: Gordon L. Gillespie, PhD, DNP, RN, CEN, CNE, CPEN, PHCNS-BC, ANEF, FAEN, FAAN and Sara Tamsukhin, PhD, RD, Cincinnati, OH, and Jonesboro, AR

Why Hasn't It Stopped: Workplace Violence in Emergency Care

Workplace violence by patients and visitors against emergency nurses has been ongoing for over 40 years. In 1981, Dubin reported on the conditions most associated with patient violence, including substance use, intoxication, and withdrawal; acute psychosis; paranoia; borderline personality; and organic brain disease. He further warned clinicians to watch for signs of escalation, such as aggressive body posture, speech, and motor activity. These patient conditions and "warning signs" have not changed in the last 40 years, although the catalog of conditions and signs has increased. Additional considerations are patients dissatisfied with care, diagnosed with cornoavirus disease-2019, with a chief complaint of injury, and over the age of 60 years, as well as environmental factors such as emergency department crowding and staffing shortages.^{2,3} Given that emergency nurses have had this knowledge for over 40 years, why is workplace violence still a problem? Why hasn't it stopped?

Workplace violence in emergency care persists for a myriad of reasons. As the number of inpatient beds and outpatient treatment centers has decreased over the decades, access to mental health services also has decreased. These changes created a health care system where the emergency department has become the safety net for mental health care. However, the emergency department continues to be ill-prepared for managing mental health emergencies due to a lack of expert clinicians to provide diagnoses, treatment, and care, as well as limited availability of rooms to

Gordon L. Gillespie, *Member, Greater Cincinnati Chapter*, is a Professor, University of Cincinnati College of Nursing, Cincinnati, OH. **Twitter:** @glgillespie2. **ORCID identifier:** https://orcid.org/0000-0002-0231-1123. Sara Tamsukhin, Assistant Professor, College of Nursing and Health Professions, Arkansas State University, Cincinnati, OH. **Twitter:** @thepurpleRD. **ORCID identifier:** https://orcid.org/0000-0002-3922-1439. For correspondence, write: Gordon L. Gillespie, PhD, DNP, RN, CEN, CNE, CPEN, PHCNS-BC, ANEF, FAEN, FAAN, University of Cincinnati College of Nursing, Post Office 210038, Cincinnati, OH 45221-0038; E-mail: gordon.gillespie@uc.edu

J Emerg Nurs 2023;49:310-6. 0099-1767

Copyright © 2023 Emergency Nurses Association. Published by Elsevier Inc. All rights reserved.

https://doi.org/10.1016/j.jen.2023.02.001

provide the care safely. An additional aspect of this problem is the lack of funding to support mental health services in the emergency department for patients reporting both physical and mental health problems. 4-6

Even if the public health crisis for mental health could be curbed, incidents of workplace violence will persist due to the general public not having the resources to manage a situational crisis. In moments of crisis, emotions, fear, and frustration can reduce individuals' abilities to control their actions. As an example, consider a scenario where you, as an emergency nurse, get a call that your 6-year-old child was struck by a motor vehicle running from the school playground onto a city street. Your child was transported to the regional trauma center in the adjacent town. Upon your arrival at the trauma center, you don't recognize anyone. You see a reception desk that has a registration clerk, triage nurse, and security officer. You ask to be taken to your child's bedside. You are informed, "Take a seat, please. We'll get with you as soon as we can. The trauma team is still working on your child." Are you really willing to "take a seat"? Or are you more likely to raise your voice, try to walk around the person telling you to wait, or even push through the door to get into the trauma bay? Are you willing to use profanity or threats to get to your child? If you say "Yes" to any of these questions, then you are admitting that you are willing to use workplace violence during a situational crisis. This demonstrates that even rational and professional emergency nurses who understand that workplace violence is wrong can experience a circumstance where aggressive behaviors could be used.

The aim of emergency nurses and members of the public health system should always be to strive for the complete eradication of workplace violence so that emergency nurses can work in safe, caring environments. Until that perfect world comes, emergency nurses need to recognize that workplace violence will occur. But workplace violence should not be condoned, and emergency nurses should never give up their efforts toward eradication. Emergency nurses should recognize that workplace violence can happen and plan for it. In 2011, a delegation of emergency nurses traveled to Cuba to study the health care system. The delegation learned that "...anger was an expected outcome for poor health or significant changes in health status" (p. 561) and that health care providers began educating patients and families upon

arrival on how to prevent and manage their anger. If emergency nurses could assume that workplace violence is likely to occur in all patients, then a strategy for universal violence precautions could be routinely used. This perspective could improve the safety of all emergency nurses and persons in emergency care settings.

Definition and Typology for Workplace Violence

The National Institute for Occupational Safety and Health, a division of the United States Centers for Disease Control and Prevention, defines workplace violence as "the act or threat of violence, ranging from verbal abuse to physical assaults directed toward persons at work or on duty."8 A definition that more broadly defines the construct in terms of where work takes place is provided by the International Labor Office, International Council of Nurses, World Health Organization, and Public Services International. They jointly define workplace violence as "incidents where staff is abused, threatened or assaulted in the circumstances related to their work, including commuting to and from work, involving an explicit or implicit challenge to their safety, well-being or health" (p. 3). In addition to definitions for workplace violence, there are myriad of terms used to depict workplace violence. Workplace aggression and occupational violence are other terms you will see used in this special issue. 10,11

Workplace violence is not confined to the actions of patients and visitors. The University of Iowa Injury Prevention Research Center convened a national panel of experts to discuss workplace violence.¹² From that panel, a new typology for workplace violence based on the relationship of the aggressor to the employee was developed. Type I of this typology is criminal intent violence. In emergency care, type I workplace violence occurs when a person enters the emergency department to seek and injure someone they previously had an altercation with (eg, gang violence). Other actions include a person entering the emergency department seeking to steal property such as purses or opioid medications from an automated medication dispensing machine or keys to patient vehicles. 13 Type II is customer/client violence. Type II workplace violence is the most frequently reported type of violence in the emergency care setting. This type of violence against emergency nurses includes patient and visitor behaviors such as hitting, spitting upon, throwing objects, etc. The majority of the articles published in this special issue will address type II workplace violence. Type III is worker-on-worker violence. Type III workplace violence in the emergency department occurs when a current or previous employee targets another employee. The behaviors can include verbal abuse and assault; however, they also can include bullying or mobbing-type behaviors. Type IV is personal relationship violence. Type IV workplace violence is rarely addressed in the literature. This type of violence can include a current or previous intimate partner of the emergency nurse coming into the emergency department and demonstrating harassing or assaultive behaviors.

Workplace violence is further defined based on the actions taken or behaviors exhibited by an aggressor, not the intention of the aggressor. For example, an older adult who is confused and pinches or hits an emergency nurse during a physical examination or invasive procedure still commits workplace violence. Despite the older adult not meaning to assault the emergency nurse, physical and emotional pain can still be experienced by the emergency nurse, as noted by Somes in this special issue. ¹⁵ Specific categories of workplace violence include verbal abuse, sexual abuse, physical threats, and assaults. Each category can occur across the 4 types (I, II, III, and IV) of workplace violence.

Universal Violence Precautions

The term "Universal Violence Precautions" was first used by Gillespie to describe interventions that emergency nurses could use to prevent or manage workplace violence. 16 This construct is similar to universal bloodborne pathogen precautions in which emergency nurses wear gloves during invasive procedures to prevent the risk of acquiring hepatitis and other bloodborne diseases. Rather than being selective on who might have a bloodborne disease, the emergency nurse assumes everyone might be infected and therefore takes universal precautions. The need for universal violence precautions is similar. The emergency nurse should maintain the assumption that anyone can enact violence at any time, and therefore, the emergency nurse would change how they might typically interact with others to promote personal safety.

The Occupational Safety and Health Administration (OSHA), a division of the United States Department of Labor, provides a framework for workplace violence prevention guidelines. ¹⁷ In their framework, there are 5 categories for prevention interventions: (1) management

commitment and employee participation, (2) worksite analysis, (3) hazard prevention and control, (4) safety and health training, and (5) recordkeeping and program evaluation. The following Table provides examples of strategies based on the OSHA framework. Additional

the emergency care setting	
Categories for workplace violence prevention programs	Workplace violence prevention strategies
Management commitment and participation 11,17-21	Maintaining security/police presence in the emergency department
	• Distributing personal alarm systems to emergency nurses to activate during workplace violence incident
	• Providing mental health services to the victimized emergency nurse following an incident of workplace violence
	• Requiring all threats and assaults be reported
Worksite analysis ^{17,22,23}	Conducting walkthrough assessments looking for hazards
	• Talking with staff about their recommendations for improvement an prevention
	• Assessing for adherence to policies and procedures for workplace violence
	 Identifying occupational groups/situations most likely to encounter workplace violence
Hazard prevention and control ^{10,15,17-19,23-27}	 Adjusting the physical environment to promote safety, such as incorporation high/deep counters, panic buttons, and lockdown procedures
	• Using comfort carts or other forms of distraction
	Screening for risk of workplace violence
	• Having a chaplain staff stay with a family experiencing a situational crisis
	 Administering pharmacologic therapy to patients
	 Conducting safety huddles periodically throughout the day
	• Reassigning violent patients to a different team member after they significantly threaten or physically assault a team member (when staffing permits)
	Conducting root cause analyses
Safety and health training 11,17-19,21,23,28	 Providing annual (at minimum) educational programming; suggested topic include:
	Workplace violence policies and procedures
	Early recognition and violence de-escalation
	O Situational awareness
	O Crisis prevention
	Stress inoculation trainingCaregiver fatigue and burnout
	Mental health first aid
Recordkeeping and program evaluation 17,19,23,25,29	Developing a workplace violence reporting system useful for nonpatier incidents
	Reviewing workplace violence data to identify trends
	 Measuring frequency and severity of incidents to determine if interventions at effective

strategies are detailed by Howard and Robinson in this special issue. ¹⁸

in overall work productivity with patients, delayed treatment for non-violent patients, and errors in patient care. 11,21

Consequences of Workplace Violence

In this special issue, Gillespie and Berry¹¹ provide a framework for the consequences incurred by patients and visitors, the worker, the workplace, and patient care when workplace violence occurs. The negative impact on patients and visitors exhibiting workplace violence includes patients being restrained, visitors being evicted or removed from the emergency department, and offenders having charges pressed against them.^{11,28} Worker effects are physical injuries, psychological stress, and supportive care by coworkers.^{11,21,30,31} Effects of workplace violence on the workplace or employer are absenteeism and emergency nurses quitting and seeking employment elsewhere.^{21,32} Consequences to patient care resulting from workplace violence can manifest as a decrease

BOX 1

Worker's rights outlined by the United States OSHA.¹⁷

Workers have the right to:

- Working conditions that do not pose a risk of serious harm.
- Receive information and training (in a language and vocabulary the worker understands) about workplace hazards, methods to prevent them, and the OSHA standards that apply to their workplace.
- Review records of work-related injuries and illnesses.
- File a complaint asking OSHA to inspect their workplace if they believe there is a serious hazard or that their employer is not following OSHA's rules. OSHA will keep all identities confidential.
- Exercise their rights under the law without retaliation, including reporting an injury or raising health and safety concerns with their employer or OSHA. If a worker has been retaliated against for using their rights, they must file a complaint with OSHA as soon as possible, but no later than 30 days.

Special Issue on Workplace Violence

In this special issue, you will find a series of articles focusing on workplace violence against emergency nurses. We recommend paying particular attention to the clinical articles by Spradlin and Dunseth-Rosenbaum,²³ Cabilan et al,¹⁰ and Carr and Derouin.²⁴ The authors provide extensive details of their project procedures and implications for emergency nurses. Spradlin and Dunseth-Rosenbaum²³ describe the components of their intervention: zero tolerance for workplace violence campaign, daily safety huddles, review of policies and procedures, senior leadership support, behavioral health response team, case reviews, and data dashboard.²³ Cabilan et al¹⁰ incorporated the Queensland Occupational Violence Risk Assessment Tool for use with the electronic health record of their emergency patients. The tool is being used to identify patients at higher risk for workplace violence so that preventive interventions can be deployed. Carr and Derouin²⁴ implemented a duress alarm system for emergency nurses to use when needing to call for help during workplace violence.²⁴ Although their project did not reduce the prevalence of workplace violence, they provide sound recommendations for future use of duress alarms to yield a desirable outcome.

Final Thoughts

After you read this special issue on workplace violence, we recommend you continue your exploration of the prevention and management of workplace violence. The articles in this special issue are not exhaustive regarding the recommendations available to emergency nurses. First, it is important to know your rights as an employee before, during, and after workplace violence. For emergency nurses in the United States, please see Box 1, which displays the rights of workers granted by OSHA. To remergency nurses who practice outside of the United States, we encourage you to contact relevant nursing advocacy groups, legislators, and occupational health agencies to determine your rights. Resources, including position statements, white papers, and policy recommendations, are provided in Box 2.

We do dream of a future where the tenured emergency nurse reads this editorial and says, "Workplace violence? Was that ever really a thing?" These questions will indicate that the efforts of the emergency nursing and public health community will have achieved their ultimate aim for the safety and well-being of emergency nurses across the globe.

BOX 2

Position statements, white papers, and policy recommendations for the prevention and management of workplace violence.

American College of Emergency Physicians (2022)

• Protection from violence and the threat of violence in the emergency department: https://www.acep.org/patient-care/policy-statements/protection-from-violence-and-the-threat-of-violence-in-the-emergency-department/

American Hospital Association (2023)

• Workforce and workplace violence prevention: https://www.aha.org/workplace-violence

American Hospital Association and International Association for Healthcare Security & Safety (2021)

• Creating safer workplaces: a guide to mitigating violence in health care settings: https://www.aha.org/system/files/media/file/2021/10/creating-safer-workplaces-guide-to-mitigating-violence-in-health-care-settings-f.pdf

American Nurses Association (2015)

Position statement on incivility, bullying, and workplace violence: https://www.nursingworld.org/practice-policy/nursing-excellence/official-position-statements/id/incivility-bullying-and-workplace-violence/

American Organization for Nursing Leadership and Emergency Nurses Association (2022)

Toolkit for mitigating violence in the workplace: https://www.aonl.org/system/files/media/file/2022/10/AONL-ENA_workplace_toolkit.pdf

Emergency Nurses Association (2020)

 ENA position statement: Violence and its impact on the emergency nurse: https://www.jenonline.org/article/S0099-1767(20)30005-2/pdf

International Labor Office, International Council of Nurses, World Health Organization, and Public Services International (2002)

• Framework guidelines for addressing workplace violence in the health sector: https://apps.who.int/iris/bitstream/handle/10665/42617/9221134466.pdf?sequence=1&isAllowed=y

National Quality Forum (2020)

• National Quality Partners issue brief: NQP action team to prevent healthcare workplace violence: https://www.qualityforum.org/WorkArea/linkit.aspx?LinkIdentifier=id&ItemID=93050

Registered Nurses Association of Ontario (2019)

Preventing violence, harassment, and bullying against health workers: https://rnao.ca/bpg/guidelines/preventing-violence-harassment-and-bullying-against-health-workers?_ga=2.148417015.1743565705.1674963891-1104841806.1674963891

The Joint Commission (2022)

Workplace violence prevention standards: https://www.jointcommission.org/standards/r3-report/r3-report-issue-30-workplace-violence-prevention-standards/#.Y9XtdxPMI0Q

United States Government Accountability Office (2016)

 Workplace safety and health: Additional efforts needed to help protect healthcare workers from workplace violence: https://www.gao.gov/products/gao-16-11

United States Occupational Safety and Health Administration 17

- Guidelines for preventing workplace violence for health care and social service workers: https://www.osha.gov/sites/default/files/publications/osha3148.pdf
- Online workplace violence prevention course for nurses: https://www.cdc.gov/niosh/topics/violence/default.html

Author Disclosures

Conflicts of interest: none to report.

This work was partially supported by the National Institute for Occupational Safety and Health through the University of Cincinnati Education and Research Center Grant #T42OH008432.

REFERENCES

- Dubin WR. Evaluating and managing the violent patient. Ann Emerg Med. 1981;10(9):481-484. https://doi.org/10.1016/s0196-0644(81) 80282-x
- Lee H, Yun H, Choi M, Kim H. Predicting workplace violence in the emergency department based on electronic health record data. *J Emerg Nurs*. 2023;49(3):415-424. https://doi.org/10.1016/j.jen.2023.01.010
- McGuire SS, Gazley B, Majerus AC, Mullan AF, Clements CM. Impact of the COVID-19 pandemic on workplace violence at an academic emergency department. *Am J Emerg Med.* 2022;53(285):e1-e5. https:// doi.org/10.1016/j.ajem.2021.09.045
- Cohen J. Mental health awareness isn't enough: more funding is needed. Published October 15, 2022. Accessed February 7, 2023. https://www.forbes.com/sites/joshuacohen/2022/10/15/mental-health-awareness-isnt-enough-more-funding-is-needed/?sh=2b4f594026a1
- Chekijian SA. Emergency departments a frayed safety net for behavioral, mental health. Published January 7, 2022. Accessed February 7, 2023. https://www.usnews.com/news/health-news/articles/2022-01-07/emergency-departments-a-frayed-safety-net-for-behavioral-mental-health
- Mahomed F. Addressing the problem of severe underinvestment in mental health and well-being from a human rights perspective. *Health Hum Rights J.* 2020;22(1):35-49.
- Gillespie GL, Papa A, Gómez LC. Workplace aggression in Cuban health care settings. J Transcult Nurs. 2017;28(6):558-565. https://doi.org/ 10.1177/1043659616666327
- National Institute for Occupational Safety and Health. Occupational violence. Published August 31, 2022. Accessed January 28, 2023. https://www.cdc.gov/niosh/topics/violence/default.html
- International Labour Office, International Council of Nurses, World Health Organization, Public Services International, Public Services International. Framework guidelines for addressing workplace violence in the health sector. Accessed January 28, 2023. https://apps.who.int/iris/bitstream/handle/10665/42617/9221134466.pdf?sequence=1&isAllowed=y
- Cabilan CJ, McRae J, Ganzon K, et al. Introducing a digital occupational violence risk assessment tool into an emergency department: a pilot implementation study. J Emerg Nurs. 2023;49(3):360-370. https://doi. org/10.1016/j.jen.2023.01.007
- Gillespie GL, Berry P. Qualitative analysis of workplace assault outcomes from the perspectives of emergency nurses. *J Emerg Nurs*. 2023;49(3):450-460. https://doi.org/10.1016/j.jen.2022.09.015

- Injury Prevention Research Center, University of Iowa. Workplace violence: a report to the Nation. Accessed January 28, 2023. https://iprc.public-health. uiowa.edu/wp-content/uploads/2015/09/workplace-violence-report-1.pdf
- Ninke J. Man charged with stealing car from College Station emergency room. KLTV. Published July 2, 2021. Accessed February 7, 2023. https://www.kltv.com/2021/07/02/man-charged-with-stealing-car-colle ge-station-emergency-room/
- Luong AD, Green CA. Mental health and harassment in the workplace. J *Emerg Nurs*. 2023;49(3):341-344. https://doi.org/10.1016/j.jen.2022.09.011
- Somes J. Agitated geriatric patients and violence in the workplace. J Emerg Nurs. 2023;49(3):320-325.
- Gillespie GL. Violence Against Healthcare Workers in a Pediatric Emergency Department. Dissertation. University of Cincinnati. https://etd.ohiolink.edu/apexprod/rws_etd/send_file/send?accession=ucin1212109392 &cdisposition=inline
- Guidelines for preventing workplace violence for healthcare and social service workers. Occupational Safety and Health Administration. Published 2016. Accessed January 28, 2023. https://www.osha.gov/sites/default/files/publications/osha3148.pdf
- Howard PK, Robinson K. Addressing a key leadership challenge: workplace violence. J Emerg Nurs. 2023;49(3):326-329. https://doi.org/10. 1016/j.jen.2023.01.001
- Gillespie GL, Fisher B, Kennebeck S, et al. Leveraging a public health framework and Community Advisory Board to innovate workplace violence intervention strategies. *Adv Emerg Nurs J.* 2019;41(4):357-371. https://doi.org/10.1097/TME.0000000000000263
- Marett BE, Nadworny D, Robinson K, Allen-Thompson W. Workplace violence emergency nursing review questions: May 2023. *J Emerg Nurs*. 2023;49(3):333-335. https://doi.org/10.1016/j.jen.2023.01.003
- Powell N, Ford L, Rochinski D, McEvoy V. The lived experience of workplace violence among emergency nurses. *J Emerg Nurs*. 2023;49(3):425-430. https://doi.org/10.1016/j.jen.2022.11.004
- Gillespie GL, Leming-Lee TS. Chart it to stop it: failure modes and effect analysis for the reporting of workplace aggression. *Nurs Clin North Am*. 2019;54(1):21-32. https://doi.org/10.1016/j.cnur.2018.10.004
- Dunseth-Rosenbaum T, Krueger K, Spradlin E, et al. Workplace violence in the hospital: strategies for meaningful change. *J Emerg Nurs*. 2023;49(3):345-351. https://doi.org/10.1016/j.jen.2023.01.005
- Carr MA, Derouin A. Staff duress alarms for workplace violence in the emergency department: a mixed-methods evaluation. *J Emerg Nurs*. 2023;49(3):387-394. https://doi.org/10.1016/j.jen.2023.01.008
- Hamrick B, Van Hassel T, Snyder D, Stephens C. Screening for behavioral health patient aggression in emergency departments to reduce workplace violence. *J Emerg Nurs*. 2023;49(3):403-414. https://doi.org/10.1016/j.jen.2022.09.010
- Rutherford-Hemming T, Taber E, Linder G. Pharmacologic therapy to mitigate acute agitation in the emergency department: case reports of diverse patient presentations. *J Emerg Nurs.* 2023;49(3):336-340. https://doi.org/10.1016/j.jen.2022.12.005
- Sammut D, Hallett N, Lees-Deutsch L, Dickens GL. A systematic review of violence risk assessment tools currently used in emergency care settings. *J Emerg Nurs*. 2023;49(3):371-386. https://doi.org/10.1016/j.jen.2022.11.006

- Öztas I, Yava A, Koyuncu A. Exposure of emergency nurses to workplace violence and their coping strategies: a cross-sectional design. *J Emerg Nurs*. 2023;49(3):441-449. https://doi.org/10.1016/j.jen.2022.09.002
- Wolf LA, Burchill CN. Researching workplace violence: challenges for emergency nursing researchers. *J Emerg Nurs*. 2023;49(3):330-332. https://doi.org/10.1016/j.jen.2023.01.004
- Boles JM, Maccarone D, Brown B, et al. Nurse, provider, and emergency department technician: perceptions and experiences of violence and aggression in the ED. J Emerg Nurs. 2023;49(3):431-440. https:// doi.org/10.1016/j.jen.2022.07.008
- Blanton O. Providing peer support after workplace violence. J Emerg Nurs. 2023;49(3):319. https://doi.org/10.1016/j.jen.2023.01.012
- Park JE, Song MR. Effects of emergency nurses' experiences of violence, resilience, and nursing work environment on turnover intention: a crosssectional survey. *J Emerg Nurs.* 2023;49(3):461-469. https://doi.org/ 10.1016/j.jen.2022.10.001



Dr. Gordon Gillespie has been a registered nurse for over 25 years working in emergency department, public health, and academic settings. His research on workplace violence against healthcare workers has been funded by the CDC-National Institute for Occupational Safety and Health (NIOSH), Robert Wood Johnson Foundation, American Nurses Foundation, and Emergency Nurses Association Foundation. He has been invited by the CDC-NIOSH to develop an educational program on workplace bullying and consult on two national online learning modules. His work has been cited by the Occupational Safety and Health Administration, U.S. Government Accountability Office, American Nurses Association, and practitioners and researchers across six continents. He has chaired the national workplace violence conference, guest edited two interprofessional journal issues on workplace violence, co-chaired the Registered Nurses' Association of Ontario's second edition of the Best Practice Guideline "Preventing and Managing Bullying and Violence in the Workplace", and served as an international Director of the Emergency Nurses Association. Currently he is a Professor and Interim Dean at the University of Cincinnati College of Nursing.