

This is an official **CDC HEALTH UPDATE**

Distributed via Health Alert Network
Tuesday, February 02, 2010, 18:45 EST (6:45 PM EST)
CDCHAN-00309-2010-02-02-UPD-N

Sanofi Pasteur Monovalent 2009 (H1N1) Influenza Vaccine in Pre-Filled Syringes - Shortened Shelf Life of Certain Lots

Summary

Sanofi Pasteur has notified CDC and FDA that some lots of monovalent 2009 (H1N1) influenza vaccine in prefilled syringes will have a shorter expiration period than indicated on the label. The lots of Sanofi Pasteur monovalent 2009 H1N1 influenza vaccine in prefilled syringes should be used by February 15, 2010, as indicated in the table below regardless of the expiration imprinted on the package. This is to ensure that the vaccine is used while it remains within its potency specification. There are no safety concerns with these lots of 2009 H1N1 vaccine. People who received vaccine from the lots listed below with shortened shelf life do not need to take any action.

Background

As part of its quality assurance program, Sanofi Pasteur performs routine, ongoing stability testing of the vaccine after it has been shipped to providers. Stability testing means measuring the strength of a vaccine over time.

The 50 lots subject to this change in expiration date include approximately 12 million doses. These lots were shipped to providers between November 2009 and January 2010. Although these lots remain potent, they are losing their potency more rapidly than expected, and therefore the shelf life is being shortened. While many of the doses from these lots are believed to have already been administered, there are almost certainly some doses that have not yet been used.

The change in expiration date described here is specific to the 50 lots of Sanofi Pasteur 2009 H1N1 influenza vaccine in pre-filled syringes listed below. However, two related recalls (See <http://www2a.cdc.gov/HAN/ArchiveSys/ViewMsgV.asp?AlertNum=00306> and <http://www2a.cdc.gov/HAN/ArchiveSys/ViewMsgV.asp?AlertNum=00303>) were conducted recently, which involved lots from Sanofi Pasteur's 2009 H1N1 vaccine in 0.25 mL and 0.5 mL pre-filled syringes. The field adjustment and these related recalls affect all of the Sanofi Pasteur H1N1 vaccine in prefilled syringes that was distributed this season. These actions do not, however, affect Sanofi Pasteur's 2009 H1N1 vaccine in multi-dose vials.

Sanofi Pasteur will send a notification to providers who received doses from any of the 50 lots of vaccine described below.

Lot Information

These lots should be used by February 15, 2010, as indicated in the table below regardless of the expiration date imprinted on the package.

All pre-filled syringes that have not been used by February 15, 2010 should be discarded in an appropriate manner, or you may return the product for destruction to Sanofi Pasteur Inc., c/o Capital Returns at 6101 N. 64th Street, Milwaukee, WI 53218.

**Influenza A (H1N1) 2009 Monovalent Vaccine
in Pre-Filled Syringes Expiration Date Change**

Product Code (NDC)	Description	Lot Number	Labeled Expiration Date	Re-Assigned Expiration Date
49281-650-25	0.25mL syringes in 10-packs	UT014AA	March 4, 2011	February 15, 2010
		UT014BA	March 4, 2011	February 15, 2010
		UT014CA	March 4, 2011	February 15, 2010
		UT014DA	March 4, 2011	February 15, 2010
		UT014FA	March 27, 2011	February 15, 2010
		UT014EA	March 25, 2011	February 15, 2010
		UT029DA	April 7, 2011	February 15, 2010
		UT029BA	April 6, 2011	February 15, 2010
		UT029CA	April 6, 2011	February 15, 2010
		UT029EA	April 8, 2011	February 15, 2010
		UT030EA	April 10, 2011	February 15, 2010
		UT030FA	April 11, 2011	February 15, 2010
		UT033CA	April 12, 2011	February 15, 2010
		UT033DA	April 12, 2011	February 15, 2010
49281-650-50	0.5mL syringes in 10-packs	UP033CA	April 16, 2011	February 15, 2010
		UP036CA	April 19, 2011	February 15, 2010
		UP034BB	April 22, 2011	February 15, 2010
		UP036EA	May 3, 2011	February 15, 2010
		UP037CA	April 30, 2011	February 15, 2010
		UP037DA	May 2, 2011	February 15, 2010
		UP048CA	May 6, 2011	February 15, 2010
		UP040CA	May 4, 2011	February 15, 2010

		UP048DA	May 9, 2011	February 15, 2010
		UP049FA	May 16, 2011	February 15, 2010
		UP049CA	May 11, 2011	February 15, 2010
		UP049DA	May 13, 2011	February 15, 2010
		UP035BA	April 15, 2011	February 15, 2010
		UP059DA	May 16, 2011	February 15, 2010
		UP060CA	May 17, 2011	February 15, 2010
		UP060DA	May 19, 2011	February 15, 2010
		UT047BA	May 11, 2011	February 15, 2010
		UP033AB	April 9, 2011	February 15, 2010
		UP041BA	April 30, 2011	February 15, 2010
		UT041AA	April 29, 2011	February 15, 2010
		UT034AA	April 19, 2011	February 15, 2010
		UT045BA	May 5, 2011	February 15, 2010
		UP061DA	May 21, 2011	February 15, 2010
		UP061FA	May 23, 2011	February 15, 2010
		UP035AA	April 12, 2011	February 15, 2010
		UT048BA	May 12, 2011	February 15, 2010
		UT058BA	May 16, 2011	February 15, 2010
		UT059AA	May 18, 2011	February 15, 2010
		UT058AA	May 14, 2011	February 15, 2010
		UT061GA	May 24, 2011	February 15, 2010
		UP045EA	June 9, 2011	February 15, 2010
49281-650-90	0.5mL syringes in 25-packs	UT036DA	April 26, 2011	February 15, 2010
		UT040BA	April 28, 2011	February 15, 2010
		UT047AA	May 9, 2011	February 15, 2010
		UT046BA	May 9, 2011	February 15, 2010
		UT046AA	May 4, 2011	February 15, 2010

For More Information:

- CDC's toll-free information line, 800-CDC-INFO (800-232-4636)
TTY: (888) 232-6348, is available 24 hours a day, every day.
- For other inquiries, please contact Sanofi Pasteur Customer Services:
1-800-VACCINE (1-800-822-2463) or visit www.vaccineshoppe.com.

The Centers for Disease Control and Prevention (CDC) protects people's health and safety by preventing and controlling diseases and injuries; enhances health decisions by providing credible information on critical health issues; and promotes healthy living through strong partnerships with local, national and international organizations.

DEPARTMENT OF HEALTH AND HUMAN SERVICES