



TOBACCO USE

Healthy People 2020 Leading Health Indicators (LHIs)

Goal: Reduce illness, disability, and death related to tobacco use and secondhand smoke exposure.

TU-1.1 Reduce cigarette smoking by adults




of **adults** aged 18 years and older were current cigarette smokers in 2012
(age adjusted to the year 2000 standard population)
Data Source: National Health Interview Survey

TARGET
12%
YEAR 2020



TU-2.2 Reduce use of cigarette by adolescents (past month)




of **adolescents** in grades 9 through 12 smoked cigarettes in the past 30 days in 2011
Data Source: Youth Risk Behavior Surveillance System

TARGET
16%
YEAR 2020



TU-11.1 Reduce the proportion of children aged 3 to 11 years exposed to secondhand smoke



of **children** aged 3 to 11 years were exposed to secondhand smoke in 2009-2012
Data Source: National Health and Nutrition Examination Survey

TARGET
47%
YEAR 2020



For more information, please visit <http://www.cdc.gov/tobacco/hp2020>

Email Questions to: hp2020tobacco@cdc.gov



USE YOUR
SMARTPHONE
TO SCAN THIS
QR CODE



Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion