




U.S. CENTERS FOR DISEASE
CONTROL AND PREVENTION

HIV Disease, Stage 3 (AIDS), 2024




NATIONAL HIV
SURVEILLANCE SYSTEM



Data Sources and Technical Notes

- For more information on data sources, data collection and reporting practices, and case definitions, see the National HIV Surveillance System (NHSS) Technical Notes, available at <https://www.cdc.gov/hiv-data/nhss/index.html>
- For more information on classifications, deaths, and prevalence, see HIV Surveillance Report Technical Notes at <https://www.cdc.gov/hiv-data/nhss/hiv-diagnoses-deaths-prevalence.html>
- Additional data, stratifications, and years are available via NCHHSTP AtlasPlus, accessible at <https://www.cdc.gov/nchhstp/about/atlasplus.html>


Stage 3 (AIDS) classifications, deaths (any cause), and persons living with diagnosed HIV ever classified as stage 3 (AIDS), 1985–2024— United States and 7 territories and freely associated states



Note. Data are presented for persons of all ages.



Rates of Stage 3 (AIDS) classifications and deaths (any cause) of persons with diagnosed HIV ever classified as stage 3 (AIDS), 1985–2024—United States and 6 territories and freely associated states



Note. Data are presented for persons of all ages.



Stage 3 (AIDS) classifications and deaths of persons with stage 3 (AIDS), by age at classification or death (any cause), cumulative as of year-end 2024—United States and 7 territories and freely associated states

Age at Classification or Death	Classifications		Deaths	
	No.	%	No.	%
< 13	10,107	0.7	5,194	0.6
13–14	1,615	0.1	306	0.0
15–19	10,942	0.8	1,397	0.2
20–24	62,747	4.5	11,160	1.3
25–29	164,436	11.9	51,887	6.2
30–34	252,773	18.3	110,808	13.2
35–39	267,768	19.4	139,543	16.7
40–44	224,708	16.2	134,912	16.1
45–49	158,872	11.5	111,600	13.3
50–54	101,960	7.4	88,746	10.6
55–59	61,564	4.5	68,781	8.2
60–64	34,982	2.5	49,785	5.9
65–69	18,123	1.3	31,629	3.8
70–74	8,088	0.6	17,406	2.1
≥ 75	4,716	0.3	14,503	1.7
Total	1,383,401	100	837,657	100



Stage 3 (AIDS) classifications and deaths (any cause) of persons with stage 3 (AIDS), by race/ethnicity, cumulative as of year-end 2024—United States and 7 territories and freely associated states

Race/ethnicity	Classifications		Deaths	
	No.	%	No.	%
American Indian/Alaska Native	3,711	0.3	2,331	0.3
Asian	11,675	0.8	4,250	0.5
Black/African American	547,971	39.6	335,065	40.0
Hispanic/Latino	301,554	21.8	156,006	18.6
Native Hawaiian/other Pacific Islander	896	0.1	473	0.1
White	457,571	33.1	314,061	37.5
Multiracial	59,950	4.3	25,427	3.0
Total	1,383,401	100	837,657	100

Note. Data are presented for persons of all ages. Persons who did not report Hispanic or Latino ethnicity were categorized by race. Hispanic or Latino persons could be of any race.



Stage 3 (AIDS) classifications and deaths (any cause) of persons with stage 3 (AIDS) among males, by transmission category, cumulative as of year-end 2024—United States and 7 territories and freely associated states

Transmission Category	Classifications		Deaths	
	No.	%	No.	%
Male-to-male sexual contact (MMSC)	672,644	61.9	380,872	56.7
Injection drug use (IDU)	197,064	18.1	158,374	23.6
MMSC <i>and</i> IDU	103,905	9.6	69,159	10.3
Heterosexual contact	99,975	9.2	53,060	7.9
Perinatal	1,663	0.2	891	0.1
Other	10,656	1.0	9,283	1.4
Total	1,085,907	100	671,639	100

Note. Data are presented for persons aged ≥ 13 years. Data are based on sex.



Stage 3 (AIDS) classifications and deaths (any cause) of persons with stage 3 (AIDS) among females, by transmission category, cumulative as of year-end 2024—United States and 7 territories and freely associated states

Transmission Category	Classifications		Deaths	
	No.	%	No.	%
Injection drug use (IDU)	98,934	34.4	71,336	44.4
Heterosexual contact	181,634	63.2	84,537	52.6
Perinatal	2,048	0.7	988	0.6
Other	4,771	1.7	3,963	2.5
Total	287,387	100	160,824	100

Note. Data are presented for persons aged ≥ 13 years. Data are based on sex.



Stage 3 (AIDS) classifications and deaths (any cause) of persons with stage 3 (AIDS), by region of residence, cumulative as of year-end 2024—United States and 7 territories and freely associated states

Region of Residence	Classifications		Deaths	
	No.	%	No.	%
Northeast	368,495	26.6	237,836	28.4
Midwest	147,703	10.7	88,264	10.5
South	564,753	40.8	329,737	39.4
West	265,380	19.2	153,750	18.4
U.S. territories and freely associated states	37,070	2.7	28,070	3.4
Total	1,383,401	100	837,657	100

Note. Data are presented for persons of all ages. Data are based on residence at time of stage 3 (AIDS) classification or death.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 1 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Akron, OH	31	4.4	57	1,158	1	1,159	575	81.9
Albany-Schenectady-Troy, NY	39	4.3	62	2,825	26	2,851	1,225	134.1
Albuquerque, NM	34	3.7	77	2,017	4	2,021	1,055	113.9
Allentown-Bethlehem-Easton, PA-NJ	23	2.6	97	1,900	18	1,918	1,066	120.3
Atlanta-Sandy Springs-Roswell, GA	649	10.1	4	39,460	165	39,625	20,337	317.2
Atlanta-Sandy Springs-Roswell, GA	560	11.2	—	36,033	157	36,190	17,991	360.4
Marietta, GA	89	6.3	—	3,427	8	3,435	2,346	165.3
Augusta-Richmond County, GA-SC	42	6.6	26	3,043	26	3,069	1,405	220.6
Austin-Round Rock-San Marcos, TX	135	5.3	42	7,240	26	7,266	3,291	129.0
Bakersfield-Delano, CA	69	7.5	18	2,583	9	2,592	1,108	120.1
Baltimore-Columbia-Towson, MD	200	7.0	22	27,447	231	27,678	8,930	312.3
Baton Rouge, LA	71	8.0	13	6,453	27	6,480	2,640	299.1
Birmingham, AL	60	5.0	47	4,148	25	4,173	1,915	160.6
Boise City, ID	10	1.2	—	535	0	535	276	32.6

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 2 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Boston-Cambridge-Newton, MA-NH	218	4.3	60	18,401	169	18,570	7,355	146.4
Boston, MA	125	6.0	—	11,310	99	11,409	4,270	205.7
Cambridge-Newton-Framingham, MA	89	3.6	—	6,679	69	6,748	2,927	117.4
Bridgeport-Stamford-Danbury, CT	41	4.2	64	4,455	57	4,512	1,464	150.5
Buffalo-Cheektowaga, NY	37	3.2	86	3,288	22	3,310	1,280	110.3
Cape Coral-Fort Myers, FL	42	4.9	50	2,599	28	2,627	1,278	148.4
Charleston-North Charleston, SC	38	4.4	59	3,180	26	3,206	1,321	151.8
Charlotte-Concord-Gastonia, NC-SC	213	7.4	20	7,442	33	7,475	4,461	154.7
Chattanooga, TN-GA	17	2.9	92	1,506	3	1,509	695	118.2
Chicago-Naperville-Elgin, IL-IN	488	5.2	43	41,964	271	42,235	14,963	159.0
Chicago-Naperville-Schaumburg, IL	428	5.9	—	38,434	246	38,680	13,400	186.2
Elgin, IL	29	3.8	—	961	10	971	454	59.3
Lake County, IL	11	1.5	—	958	4	962	473	65.8
Lake County-Porter County-Jasper County, IN	20	2.8	—	1,611	11	1,622	636	87.6
Cincinnati, OH-KY-IN	84	3.6	78	4,748	22	4,770	2,343	101.7

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 3 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Cleveland, OH	94	4.3	61	6,263	50	6,313	2,803	129.1
Colorado Springs, CO	22	2.8	94	902	8	910	501	64.4
Columbia, SC	53	6.1	31	5,243	26	5,269	2,293	263.5
Columbus, OH	102	4.6	55	5,714	26	5,740	2,778	124.8
Dallas-Fort Worth-Arlington, TX	678	8.1	11	32,338	66	32,404	15,457	185.2
Dallas-Plano-Irving, TX	490	8.7	—	25,429	39	25,468	11,860	210.2
Fort Worth-Arlington-Grapevine, TX	188	7.0	—	6,909	27	6,936	3,597	133.1
Dayton-Kettering-Beavercreek, OH	35	4.3	63	1,933	15	1,948	938	114.1
Deltona-Daytona Beach-Ormond Beach, FL	46	6.2	29	2,427	17	2,444	1,280	173.1
Denver-Aurora-Centennial, CO	150	4.9	48	9,531	29	9,560	4,036	132.2
Des Moines-West Des Moines, IA	22	2.9	91	930	4	934	523	69.4
Detroit-Warren-Dearborn, MI	202	4.6	54	15,200	80	15,280	5,332	121.2
Detroit-Dearborn-Livonia, MI	138	7.8	—	11,662	63	11,725	3,520	198.8
Warren-Troy-Farmington Hills, MI	64	2.4	—	3,538	17	3,555	1,812	68.9
Durham-Chapel Hill, NC	46	7.4	19	1,951	10	1,961	1,006	162.1
El Paso, TX	51	5.8	36	2,507	11	2,518	1,317	149.8

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 4 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged	Children aged	Total	No.	Rate (per 100,000)
				≥13 years	<13 years			
Fayetteville-Springdale-Rogers, AR	11	1.8	—	559	5	564	115	19.0
Fresno, CA	83	7.0	23	2,874	15	2,889	1,317	110.7
Grand Rapids-Wyoming-Kentwood, MI	28	2.4	101	1,426	7	1,433	667	56.6
Greensboro-High Point, NC	65	8.1	12	2,120	19	2,139	1,121	140.0
Greenville-Anderson-Greer, SC	42	4.2	65	2,503	7	2,510	1,277	128.1
Harrisburg-Carlisle, PA	25	4.1	67	1,812	9	1,821	797	129.5
Hartford-West Hartford-East Hartford, CT	39	3.3	84	5,995	46	6,041	1,934	165.4
Honolulu (Urban), HI	23	2.3	103	2,698	15	2,713	803	80.4
Houston-Pasadena-The Woodlands, TX	717	9.2	7	40,119	187	40,306	16,931	217.2
Huntsville, AL	22	4.1	68	853	6	859	412	76.0
Indianapolis-Carmel-Greenwood, IN	140	6.4	28	6,330	29	6,359	3,063	140.8
Jackson, MS	65	10.7	2	4,309	32	4,341	1,630	268.9
Jacksonville, FL	173	9.8	5	9,500	78	9,578	4,056	230.4
Kansas City, MO-KS	86	3.8	73	6,650	18	6,668	2,558	113.5
Killeen-Temple, TX	39	7.7	17	761	6	767	573	112.5
Kiryas Joel-Poughkeepsie-Newburgh, NY	16	2.2	105	3,431	26	3,457	1,079	151.6

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 5 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total No.	No.	Rate
		(per 100,000)		No.	No.			(per 100,000)
Knoxville, TN	45	4.7	52	1,554	8	1,562	673	70.3
Lakeland-Winter Haven, FL	72	8.4	9	3,014	23	3,037	1,666	195.3
Lancaster, PA	16	2.8	93	974	22	996	446	79.2
Las Vegas-Henderson-North Las Vegas, NV	196	8.2	10	7,980	30	8,010	4,513	188.1
Lexington-Fayette, KY	32	6.0	34	1,201	1	1,202	681	127.7
Little Rock-North Little Rock-Conway, AR	30	3.9	71	2,267	14	2,281	342	44.5
Los Angeles-Long Beach-Anaheim, CA	788	6.1	30	77,850	309	78,159	28,238	218.4
Anaheim-Santa Ana-Irvine, CA	132	4.2	—	9,361	47	9,408	3,542	111.7
Los Angeles-Long Beach-Glendale, CA	656	6.7	—	68,489	262	68,751	24,696	253.1
Louisville/Jefferson County, KY-IN	94	6.7	24	3,928	30	3,958	1,887	135.3
Madison, WI	17	2.4	100	765	5	770	412	58.2
McAllen-Edinburg-Mission, TX	42	4.6	53	1,427	13	1,440	914	99.9
Memphis, TN-MS-AR	143	10.7	3	8,634	25	8,659	3,540	264.3
Miami-Fort Lauderdale-West Palm Beach, FL	865	13.4	1	75,511	1,021	76,532	27,280	422.4
Fort Lauderdale-Pompano Beach-Sunrise, FL	280	13.7	—	23,320	270	23,590	10,136	497.5
Miami-Miami Beach-Kendall, FL	387	13.6	—	39,288	517	39,805	12,427	437.8
West Palm Beach-Boca Raton-Delray Beach, FL	198	12.5	—	12,903	234	13,137	4,717	298.2

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 6 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Milwaukee-Waukesha, WI	58	3.7	75	3,691	20	3,711	1,559	99.0
Minneapolis-St. Paul-Bloomington, MN-WI	117	3.1	88	6,758	24	6,782	3,389	90.2
Modesto, CA	19	3.4	82	1,037	6	1,043	466	83.7
Nashville-Davidson-Murfreesboro-Franklin, TN	102	4.7	51	5,964	27	5,991	2,687	124.9
New Haven, CT	24	4.2	66	4,017	56	4,073	1,406	243.8
New Orleans-Metairie, LA	91	9.4	6	11,795	76	11,871	3,772	390.4
New York-Newark-Jersey City, NY-NJ	1,527	7.7	16	232,692	2,953	235,645	70,933	355.7
Lakewood-New Brunswick, NJ	67	2.6	—	8,354	134	8,488	2,782	108.6
Nassau County-Suffolk County, NY	111	3.8	—	10,037	118	10,155	3,394	115.9
Newark, NJ	186	8.2	—	24,659	350	25,009	6,091	267.4
New York-Jersey City-White Plains, NY-NJ	1,163	9.6	—	189,642	2,351	191,993	58,666	482.0
North Port-Bradenton-Sarasota, FL	41	4.4	58	2,757	30	2,787	1,250	133.7
Ogden, UT	15	2.2	106	390	4	394	235	35.2
Oklahoma City, OK	99	6.6	25	3,703	4	3,707	1,623	108.4
Omaha, NE-IA	33	3.3	85	1,599	5	1,604	204	20.4
Orlando-Kissimmee-Sanford, FL	234	8.0	14	13,781	95	13,876	6,585	223.9

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 7 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Oxnard-Thousand Oaks-Ventura, CA	19	2.3	104	1,421	5	1,426	589	70.5
Palm Bay-Melbourne-Titusville, FL	40	6.1	32	2,102	12	2,114	997	151.4
Pensacola-Ferry Pass-Brent, FL	20	3.7	74	2,149	13	2,162	839	155.7
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	367	5.8	37	37,525	318	37,843	14,211	224.5
Camden, NJ	79	6.0	—	4,203	47	4,250	1,611	121.9
Montgomery County-Bucks County-Chester County, PA	36	1.7	—	3,221	11	3,232	1,470	70.3
Philadelphia, PA	213	9.9	—	26,089	233	26,322	9,651	447.1
Wilmington, DE-MD-NJ	39	5.1	—	4,012	27	4,039	1,479	194.5
Phoenix-Mesa-Scottsdale, AZ	262	5.1	45	11,980	36	12,016	6,084	117.3
Pittsburgh, PA	57	2.3	102	4,571	22	4,593	2,064	84.9
Portland-South Portland, ME	14	2.4	99	831	3	834	472	82.6
Portland-Vancouver-Hillsboro, OR-WA	68	2.7	96	6,508	9	6,517	2,887	113.8
Port St. Lucie, FL	32	5.8	38	3,263	42	3,305	1,472	264.6
Providence-Warwick, RI-MA	47	2.8	95	5,123	44	5,167	1,115	65.6

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 8 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Provo-Orem-Lehi, UT	5	0.7	—	206	3	209	128	16.8
Raleigh-Cary, NC	87	5.6	40	3,654	20	3,674	2,053	131.4
Reno, NV	17	3.0	90	1,173	1	1,174	553	96.2
Richmond, VA	83	6.1	33	5,153	35	5,188	2,299	167.8
Riverside-San Bernardino-Ontario, CA	262	5.5	41	12,746	64	12,810	8,319	175.4
Rochester, NY	41	3.9	72	3,875	17	3,892	1,515	143.3
Sacramento-Roseville-Folsom, CA	85	3.5	81	5,822	30	5,852	2,730	110.8
St. Louis, MO-IL	145	5.2	44	8,697	45	8,742	3,554	126.4
Salt Lake City-Murray, UT	41	3.2	87	2,397	11	2,408	1,081	83.1
San Antonio-New Braunfels, TX	157	5.7	39	8,176	32	8,208	3,900	141.2
San Diego-Chula Vista-Carlsbad, CA	196	5.9	35	16,923	74	16,997	6,853	207.7
San Francisco-Oakland-Fremont, CA	227	4.9	49	47,660	106	47,766	11,719	252.1
Oakland-Fremont-Berkeley, CA	121	4.3	—	12,860	54	12,914	4,564	161.7
San Francisco-San Mateo-Redwood City, CA	100	6.4	—	33,061	47	33,108	6,742	429.3
San Jose-Sunnyvale-Santa Clara, CA	67	3.4	83	5,249	16	5,265	1,929	96.7
San Juan-Bayamón-Caguas, PR	93	4.6	56	25,651	282	25,933	5,690	279.5

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 9 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Scranton--Wilkes-Barre, PA	12	2.1	107	840	6	846	552	96.2
Seattle-Tacoma-Bellevue, WA	162	3.9	70	12,259	29	12,288	4,994	120.5
Everett, WA	22	2.5	—	1,041	5	1,046	650	75.2
Seattle-Bellevue-Kent, WA	107	4.6	—	9,696	13	9,709	3,500	149.6
Tacoma-Lakewood, WA	33	3.5	—	1,522	11	1,533	844	89.7
Spokane-Spokane Valley, WA	15	2.5	98	756	1	757	410	67.8
Stockton, CA	33	4.0	69	1,744	15	1,759	784	96.1
Syracuse, NY	33	5.0	46	1,764	10	1,774	709	108.2
Tampa-St. Petersburg-Clearwater, FL	241	7.0	21	16,629	119	16,748	7,380	215.5
St. Petersburg-Clearwater-Largo, FL	72	7.5	—	5,914	32	5,946	2,528	261.7
Tampa, FL	169	6.9	—	10,715	87	10,802	4,852	197.3
Toledo, OH	21	3.5	80	1,235	14	1,249	570	94.8
Tucson, AZ	33	3.1	89	2,776	13	2,789	1,350	125.0
Tulsa, OK	39	3.7	76	2,268	13	2,281	1,042	98.3
Virginia Beach-Chesapeake-Norfolk, VA-NC	138	7.7	15	7,309	66	7,375	3,037	169.3

Note. Data are presented for persons of all ages.



Stage 3 (AIDS), 2024 and cumulative, and persons living with diagnosed HIV ever classified as stage 3 (AIDS) (prevalence), year-end 2024 by metropolitan statistical area of residence—United States and Puerto Rico (Slide 10 of 10)

MSA of residence	Classification, 2024			Classification, cumulative			Prevalence of stage 3 (AIDS) year-end 2024	
	No.	Rate (per 100,000)	Rank (based on rate)	Persons aged ≥13 years	Children aged <13 years	Total	No.	Rate (per 100,000)
				No.	No.	No.		
Washington-Arlington-Alexandria, DC-VA-MD-WV	423	6.6	27	44,255	337	44,592	17,687	274.8
Arlington-Alexandria-Reston, VA-WV	88	2.7	—	8,917	50	8,967	3,937	122.6
Frederick-Gaithersburg-Bethesda, MD	63	4.6	—	4,720	26	4,746	2,305	166.8
Washington, DC-MD	272	14.8	—	30,618	261	30,879	11,445	620.9
Wichita, KS	13	2.0	108	1,159	2	1,161	488	73.8
Winston-Salem, NC	62	8.8	8	1,795	12	1,807	1,014	143.8
Worcester, MA	31	3.5	79	2,470	21	2,491	1,170	132.8
Subtotal for MSAs (population ≥ 500,000)	14,004	5.9	—	1,156,674	8,735	1,165,409	444,521	188.4
Metropolitan areas (population of 50,000–499,999)	2,186	3.6	—	135,777	868	136,645	60,152	98.7
Nonmetropolitan areas	1,340	2.9	—	76,130	458	76,588	33,762	72.7
Total	17,573	5.1	—	1,372,306	10,084	1,382,390	546,236	159.1

Note. Data are presented for persons of all ages.

