

Table S3: Clinical and related characteristics of culture-confirmed *Salmonella* infections, including cases initially diagnosed by culture-independent diagnostic tests (CIDT) with a positive reflex culture, and infections that were unconfirmed (i.e., cases initially diagnosed by CIDT that were reflex culture negative or not performed) in the FoodNet catchment during 2006–2014 and 2015–2023.

	No. (%)			
	2006–2014, N = 66,993		2015–2023, N = 73,254	
	Confirmed n = 66,681	Unconfirmed n = 312	Confirmed n = 64,806	Unconfirmed n = 8,448
Clinical Outcomes				
Hospitalization *				
Yes	18,623 (28%)	10 (3%)	18,790 (29%)	1,655 (20%)
No	45,491 (68%)	281 (90%)	43,407 (67%)	6,224 (74%)
Not Reported	2,567 (4%)	21 (7%)	2,609 (4%)	569 (7%)
Disposition †				
Survived	63,405 (95%)	304 (97%)	62,103 (96%)	7,800 (92%)
Died	277 (<1%)	0 (0%)	404 (1%)	29 (<1%)
Not Reported	2,999 (5%)	8 (3%)	2,299 (4%)	619 (7%)
Symptoms §				
Bloody Diarrhea				
Yes	6,706 (10%)	54 (17%)	17,891 (29%)	1,978 (26%)
No	11,159 (17%)	118 (38%)	35,248 (58%)	4,696 (61%)
Not Reported	48,816 (73%)	140 (45%)	8,029 (13%)	1,034 (13%)
Any Diarrhea				
Yes	18,023 (27%)	174 (56%)	50,892 (82%)	6,616 (85%)
No	2,122 (3%)	7 (2%)	4,932 (8%)	363 (5%)
Not Reported	46,536 (70%)	131 (42%)	6,077 (10%)	833 (11%)
Fever				
Yes	12,012 (18%)	107 (34%)	33,485 (54%)	3,337 (43%)
No	5,697 (9%)	68 (22%)	20,003 (32%)	3,359 (43%)
Not Reported	48,972 (73%)	137 (44%)	8,236 (13%)	1,083 (14%)
Travel Status ¶				
Travel-Associated	4,663 (7%)	8 (3%)	6,409 (10%)	880 (10%)
Domestically Acquired	45,463 (68%)	226 (72%)	46,362 (72%)	5,567 (66%)
Not Reported	16,555 (25%)	78 (25%)	12,035 (19%)	2,001 (24%)
Serotype Available	63,188 (95%)	0 (0%)	59,929 (92%)	0 (0%)

* Defined as admission to a hospital inpatient unit or an observation stay of >24 hours ≤7 days before or after specimen collection or determined to be related to the infection if beyond this time frame.

[†] Attributed to infection when death occurred during hospitalization or ≤ 7 days after specimen collection from nonhospitalized patients.

[§] Symptom data were collected beginning in 2011.

[¶] If the patient did not report international travel or had an unknown travel history, the illness was considered to have been domestically acquired. A history of international travel was defined as travel ≤ 7 days before onset for NTS infections and ≤ 30 days before onset for TS infections.