




Monitoring Selected National HIV Prevention and Care Objectives by Using HIV Surveillance Data—United States and 6 Territories and Freely Associated States, 2023

Data Sources and Technical Notes


- For more information on data sources, data collection and reporting practices, and case definitions, see the National HIV Surveillance System (NHSS) Technical Notes, available at <https://www.cdc.gov/hiv-data/nhss/index.html>
- For more information on the calculation of care outcomes, see the Monitoring HIV Prevention and Care Outcomes Report Technical Notes available at <https://www.cdc.gov/hiv-data/nhss/national-hiv-prevention-and-care-outcomes.html>

Status of CD4 and viral load reporting by HIV surveillance reporting area, as of December 2024 – United States and Puerto Rico




Stage of disease at HIV diagnosis

Stage of disease at diagnosis among persons with HIV, by selected characteristics, 2023—United States



Stage 3 (AIDS) at time of HIV diagnosis during 2023—United States



Note. Data are presented for persons aged ≥ 13 years at diagnosis.

HIV care continuum for persons living with diagnosed HIV at year-end 2023— United States


In 2023, for every 100 people living with diagnosed HIV in the United States



76
received
some HIV care




55
were retained in
care



67
were virally
suppressed


Linkage to HIV medical care

Linkage to HIV medical care within 1 month of HIV diagnosis, by selected characteristics, 2023—United States



Note. Data are presented for persons aged ≥ 13 years at diagnosis. Hispanic/Latino persons can be of any race.


Linkage to HIV medical care within 1 month of HIV diagnosis during 2023— United States and Puerto Rico



Note. Data are presented for persons aged ≥ 13 years at diagnosis. [†]Total does not include Puerto Rico.

Viral suppression within 6 months of HIV diagnosis


Viral suppression within 6 months of HIV diagnosis, by selected characteristics, 2023—United States




Note. Data are presented for persons aged ≥ 13 years at diagnosis. Hispanic/Latino persons can be of any race.



Viral suppression within 6 months of HIV diagnosis during 2023—United States and Puerto Rico




Linkage to HIV medical care within 1 month and viral suppression within 6 months of HIV diagnosis during 2023 among males with HIV attributed to male-to-male sexual contact, by race/ethnicity—United States



Note. Data are presented for persons aged ≥ 13 years at diagnosis. Hispanic/Latino persons can be of any race.




Linkage to HIV medical care within 1 month and viral suppression within 6 months of HIV diagnosis during 2023 among males with HIV attributed to injection drug use, by race/ethnicity—United States



Note. Data are presented for persons aged ≥ 13 years at diagnosis. Hispanic/Latino persons can be of any race. Data for Native Hawaiian/other Pacific Islander persons not shown due to small numbers.




Linkage to HIV medical care within 1 month and viral suppression within 6 months of HIV diagnosis during 2023 among females with HIV attributed to injection drug use, by race/ethnicity—United States



Note. Data are presented for persons aged ≥ 13 years at diagnosis. Hispanic/Latino persons can be of any race.




Linkage to HIV medical care within 1 month and viral suppression within 6 months of HIV diagnosis during 2023 among Hispanic/Latino persons, by selected characteristics—United States



Note. Data are presented for persons aged ≥ 13 years at diagnosis. Hispanic/Latino persons can be of any race.




Linkage to HIV medical care within 1 month and viral suppression within 6 months of HIV diagnosis among Black/African American females, 2023—United States



Note. Data are presented for persons aged ≥ 13 years at diagnosis.




Linkage to HIV medical care within 1 month and viral suppression within 6 months of HIV diagnosis among persons aged 13–24 years, by race/ethnicity, 2023—United States



Note. Hispanic/Latino persons can be of any race. Data are presented for persons aged ≥ 13 years at diagnosis.



Linkage to HIV medical care within 1 month and viral suppression within 6 months of HIV diagnosis during 2023 among persons aged ≥ 55 years, by race/ethnicity—United States




Note. Hispanic/Latino persons can be of any race.



Receipt of HIV medical care


Receipt of HIV medical care during 2023 among persons living with diagnosed HIV, by selected characteristics—United States



Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.




Receipt of HIV medical care during 2023 among persons living with diagnosed HIV—United States and Puerto Rico



Note. Data are presented for persons aged ≥ 13 years by year-end 2023. [†]Total does not include Puerto Rico.

Receipt of HIV medical care during 2023 among males with HIV attributed to male-to-male sexual contact, by race/ethnicity—United States




Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.




Receipt of HIV medical care during 2023 among persons with HIV attributed to injection drug use, by sex and race/ethnicity—United States

Total Percentage = 61.5%



Total Percentage = 72.5%




Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.



Receipt of HIV medical care during 2023 among Hispanic/Latino persons, by selected characteristics—United States


Total Percentage = 74.0%



Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.




Receipt of HIV medical care during 2023 among Black/African American females— United States



Note. Data are presented for persons aged ≥ 13 years by year-end 2023.




Receipt of HIV medical care during 2023 among persons aged 13–24 years, by race/ethnicity—United States



Note. Hispanic/Latino persons can be of any race. Data are presented for persons aged ≥ 13 years by year-end 2023.



Receipt of HIV medical care during 2023 among persons aged ≥ 55 years, by race/ethnicity—United States




Note. Hispanic/Latino persons can be of any race.



Viral suppression among persons living with diagnosed HIV


Viral suppression during 2023 among persons living with diagnosed HIV, by selected characteristics—United States



Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.




Viral suppression during 2023 among persons living with diagnosed HIV— United States and Puerto Rico



Note. Data are presented for persons aged ≥ 13 years by year-end 2023. [†]Total does not include Puerto Rico.

Viral suppression during 2023 among males with HIV attributed to male-to-male sexual contact, by race/ethnicity—United States




Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.



Viral suppression during 2023 among persons with HIV attributed to injection drug use, by sex and race/ethnicity—United States


Total Percentage = 52.7%

MALES



Total Percentage = 62.0%

FEMALES




Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.



Viral suppression during 2023 among Hispanic/Latino persons, by selected characteristics—United States

Total Percentage = 66.3%




Note. Data are presented for persons aged ≥ 13 years by year-end 2023. Hispanic/Latino persons can be of any race.



Viral suppression during 2023 among Black/African American females— United States

Total Percentage = 65.2%

AGE AT YEAR-END (YEARS)



TRANSMISSION CATEGORY



POPULATION AREA OF RESIDENCE



0%


VIRAL SUPPRESSION

100%

Note. Data are presented for persons aged ≥ 13 years by year-end 2023.




Viral suppression during 2023 among persons aged 13–24 years, by race/ethnicity— United States



Note. Hispanic/Latino persons can be of any race. Data are presented for persons aged ≥ 13 years by year-end 2023.



Viral suppression during 2023 among persons aged ≥ 55 years, by race/ethnicity— United States



Note. Hispanic/Latino persons can be of any race.




HIV care continuum for persons living with diagnosed HIV at year-end 2023—U.S. Southern Region

In 2023, for every 100 people living with diagnosed HIV in the South




77

**received
some HIV care**



57

were retained in care




67

**were virally
suppressed**


Note. Data are presented for persons aged ≥ 13 years at diagnosis.

Perinately acquired HIV among persons born in the United States, by year of birth and biological mother's race/ethnicity, 2019–2023—United States



Note. Hispanic/Latino persons can be of any race. Rates are per 100,000 live births.

Diagnoses of perinatally acquired HIV among children born during 2023—United States and 6 territories and freely associated states



Time of biological mother's HIV testing among children with diagnosed, perinatally acquired HIV and children exposed to HIV, birth years 2019–2022—United States and Puerto Rico

