

TOTAL WORKER HEALTH™

INTEGRATING HEALTH PROTECTION AND HEALTH PROMOTION



**Top Reasons
to Create a New
Pathway for a
Safer and Healthier
Workforce**




Annually, employers report...




Nearly
4 Million
nonfatal workplace
injuries and illnesses^{1,2}



Over
55,000
deaths from work-
related injuries and
illnesses³



The health of workers is tied to the health and productivity of organizations.⁴



Nearly

50%


of Americans have one chronic health condition. And, of this group almost half have multiple conditions.⁵

The estimated annual health
cost of obesity in the U.S. is

\$147 Billion⁶

Prevalence* of Self-Reported Obesity Among U.S. Adults, 2012⁷

*Prevalence reflects BRFSS methodological changes in 2011, and these estimates should not be compared to those before 2011.



15-19%

20-24%


25-29%

≥30%



By 2015, **one in five** American workers will be 55 years of age or older.⁸

In 2010...



44%

of Americans reported that
work is often or always
stressful.⁹

With access to **65%**
of the U.S. adult population...




...workplaces are effective
settings for addressing
individual health and the
health of communities.^{10,11}



Up to **50%** of employees report that work regularly interferes with responsibilities at home and keeps them from spending time with their families.^{12,13}



And, **40%** of employees do not take their allotted vacation time.¹³



Workers' risk of disease may be increased by exposure to both occupational hazards and individual risk-related behaviors.¹⁴

In 2012...

U.S. healthcare
spending reached

\$2.79 Trillion¹⁵



References

1. BLS [2008]. Workplace injury and illness summary. Economic news release: November 7, 2013. Washington, DC: U.S. Department of Labor, Bureau of Labor Statistics [<http://www.bls.gov/news.release/osh.nr0.htm>].
2. CDC (Centers for Disease Control and Prevention) [2013]. Workers' Memorial Day: April 28, 2013. MMWR **62(16):301**. [http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6216a1.htm?s_cid=mm6216a1_w].
3. BLS [2008]. Census of fatal occupational injuries summary, 2012. Washington, DC: U.S. Department of Labor, Bureau of Labor Statistics [<http://www.bls.gov/news.release/cfoi.nr0.htm>].
4. Hymel P, Loeppke R, Baase C, Burton W, Hartenbaum N, Hudson T, McLelann R, Mueller K, Roberts M, Yarborough C, Konicki D, Larson P [2011]. Workplace health protection and health promotion: a new pathway for a healthier—and safer—workforce. J Occup Environ Med 53(6):695–702.
5. Partnership for Solutions [2004]. Chronic conditions: making the case for ongoing care. Baltimore, MD: Partnership for Solutions. [<http://www.partnershipforsolutions.org/DMS/files/chronicbook2004.pdf>].
6. Finkelstein EA, Trogdon JG, Cohen JW, Dietz W [2009]. Annual medical spending attributable to obesity: payer- and service-specific estimates. Health Affairs 28(5): w822–w831.
7. BRFSS (Behavioral Risk Factor Surveillance System) [2012]. Prevalence of self-reported obesity among U.S. adults. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Health Statistics.
8. BLS [2008]. Older workers: BLS spotlight on statistics. Washington, DC: U.S. Department of Labor, Bureau of Labor Statistics [http://www.bls.gov/spotlight/2008/older_workers/]. Date accessed: September 26, 2013.
9. National Opinion Research Center [2013]. General Social Survey (GSS) 2010 [Data file and code book] [<http://www3.norc.umd.edu/gss+website/>]. Date accessed: December 9, 2013.
10. CDC [2005]. Public health strategies for preventing and controlling overweight and obesity in school and worksite settings: a report on recommendations of the Task Force on Community Preventive Services. MMWR 54(RR10):1–12. [<http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5410a1.htm>].
11. Anderko L, Roffenbender JS, Goetzel RZ, Millard F, Wildenhaus K, et al. [2012]. Promoting prevention through the Affordable Care Act: workplace wellness. Prev Chronic Dis 9:120092. [http://www.cdc.gov/pcd/issues/2012/12_0092.htm].
12. American Psychological Association Practice Organization [2010]. Psychologically Healthy Workplace Program Fact Sheet: by the numbers [http://www.phwa.org/dl/2010phwp_fact_sheet.pdf].
13. Families and Work Institute [2008]. National study of the changing workforce. New York: Families and Work Institute [http://familiesandwork.org/site/research/reports/time_work_flex.pdf].
14. NIOSH [2012]. The Research Compendium: The NIOSH Total Worker Health™ Program: Seminal Research Papers 2012. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2012-146. [<http://www.cdc.gov/niosh/docs/2012-146/>].
15. Martin A, Hartman M, Whittle L, Catlin A, and the National Health Expenditure Accounts Team [2014]. National Health Spending In 2012: Rate Of Health Spending Growth Remained Low For The Fourth Consecutive Year. *Health Affairs* 33:67-77.