

2012

Assisted Reproductive Technology

Fertility Clinic Success Rates Report

National Center for Chronic Disease Prevention and Health Promotion

Division of Reproductive Health



Updates to this report will be posted on the CDC Web site at the following address:

<http://www.cdc.gov/art/ART2012>

For additional information, send an e-mail to cdcinfo@cdc.gov (Subject: ART)

Or write to CDC, ATTN: ART Surveillance and Research Team
4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta, GA 30341-3717.

2012

Assisted Reproductive Technology

Fertility Clinic Success Rates Report

August 2014

Acknowledgments

The Centers for Disease Control and Prevention, the Society for Assisted Reproductive Technology, and the American Society for Reproductive Medicine thank RESOLVE: The National Infertility Association and The American Fertility Association for their commitment to assisted reproductive technology (ART) surveillance. Their assistance in making this report informative and helpful to people considering an ART procedure is greatly appreciated. Appendix D has current contact information for these national consumer organizations.

This publication was developed and produced by the National Center for Chronic Disease Prevention and Health Promotion of the Centers for Disease Control and Prevention in consultation with the American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology.

Centers for Disease Control and Prevention

National Center for Chronic Disease Prevention
and Health Promotion

Ursula E. Bauer, PhD, MPH, Director

Division of Reproductive Health

CAPT Wanda D. Barfield, MD, MPH, Director
Kelly Brumbaugh, MPH, CHES

Women's Health and Fertility Branch

Denise J. Jamieson, MD, MPH, Chief
Sheree Lynn Boulet, DrPH
Jeani Chang, MPH
Sara Crawford, PhD
Dmitry Kissin, MD, MPH
Aniket D. Kulkarni, MBBS, MPH
Allison S. Mneimneh, MPH, CPM
Mithi Sunderam, PhD
Yujia Zhang, PhD

American Society for Reproductive Medicine

Rebecca Sokol, MD, MPH, Acting President

Society for Assisted Reproductive Technology

Charles C. Coddington, III, MD, President
Kelley Jefferson

The data included in this report and publication support were provided by Westat under Contract No. GS-23F-8144H for the National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, US Department of Health and Human Services.

Suggested Citation: Centers for Disease Control and Prevention, American Society for Reproductive Medicine, Society for Assisted Reproductive Technology. *2012 Assisted Reproductive Technology Fertility Clinic Success Rates Report*. Atlanta (GA): US Dept of Health and Human Services; 2014.

Table of Contents

Preface	1
Commonly Asked Questions About the US ART Clinic Reporting System	3
2012 Fertility Clinic Tables	9
Introduction to Fertility Clinic Tables	11
Important Factors to Consider When Using These Tables to Assess a Clinic	11
How to Read a Fertility Clinic Table	15
2012 National Summary	23
Alabama	25
Alaska	31
Arizona	32
Arkansas	43
California	44
Colorado	119
Connecticut	127
Delaware	136
District of Columbia	138
Florida	142
Georgia	172
Hawaii	181
Idaho	187
Illinois	188
Indiana	216
Iowa	226
Kansas	228
Kentucky	233
Louisiana	238
Maryland	242
Massachusetts	251
Michigan	260
Minnesota	274
Mississippi	279
Missouri	282
Montana	291
Nebraska	292

Nevada	294
New Hampshire	299
New Jersey	300
New Mexico	323
New York	324
North Carolina	362
North Dakota	373
Ohio	374
Oklahoma	385
Oregon	389
Pennsylvania	393
Puerto Rico	412
Rhode Island	415
South Carolina	416
South Dakota	420
Tennessee	421
Texas	429
Utah	472
Vermont	476
Virginia	477
Washington	491
West Virginia	501
Wisconsin	504
Appendix A: Technical Notes	511
Validation of 2012 ART Data	513
Appendix B: Glossary of Terms	515
Appendix C: ART Clinics	521
Reporting ART Clinics for 2012, by State	523
Nonreporting ART Clinics for 2012, by State	563
Appendix D: National Consumer Organizations	565

Preface

For many people who want to start a family, the dream of having a child is not easily realized; about 12% of women of childbearing age in the United States have used an infertility service. Assisted reproductive technology (ART) has been used in the United States since 1981 to help women become pregnant, most commonly through the transfer of fertilized human eggs into a woman's uterus. However, for many people, deciding whether to undergo this expensive and time-consuming treatment can be difficult.

The goal of this report is to help potential ART users make informed decisions about ART by providing some of the information needed to answer the following questions:

- What are my chances of having a child by using ART?
- Where can I go to get this treatment?

The Society for Assisted Reproductive Technology (SART), an organization of ART providers affiliated with the American Society for Reproductive Medicine (ASRM), has been collecting data and publishing annual reports of pregnancy success rates for fertility clinics in the United States and Canada since 1989. In 1992, the US Congress passed the Fertility Clinic Success Rate and Certification Act. This law requires the Centers for Disease Control and Prevention (CDC) to publish pregnancy success rates for ART in fertility clinics in the United States. (For more details about the law, see <http://www.cdc.gov/art/Policy.htm>.) Since 1995, CDC has worked in consultation with SART and ASRM to report ART success rates.

The 2012 report of pregnancy success rates is the eighteenth to be issued under the law. This report is based on the latest available data on the type, number, and outcome of ART cycles performed in US clinics.

The 2012 ART report has three major sections:

- ***Commonly Asked Questions About the US ART Clinic Reporting System***

This section provides background information on infertility and ART and an explanation of the data collection, analysis, and publication processes.

- ***Fertility Clinic Tables***

Many factors contribute to the success of ART, including the training and experience of the ART clinic and laboratory professionals, the quality of services, and the characteristics of the patient population. The Fertility Clinic Tables section displays ART results and success rates for individual US fertility clinics in 2012. The section also includes the 2012 National Summary table, which combines data from all clinics.

- ***Appendixes***

Appendix A provides information about 2012 data validation activities.

Appendix B provides definitions for technical and medical terms used throughout the report.

Appendix C includes the current names and addresses of all reporting clinics along with a list of clinics known to be in operation in 2012 that did not report their data to CDC as required by law.

Appendix D includes the names and addresses of national consumer organizations that offer support to people experiencing infertility.

Success rates can be reported in a variety of ways, and the statistical aspects of these rates can be difficult to interpret. This report is intended for the general public, and the emphasis is on presenting the information in an easily understandable form. CDC hopes that this report is informative and helpful to people considering an ART procedure. We welcome any suggestions for improving the report and making it easier to use. (Please contact us at cdcinfo@cdc.gov [Subject: ART].)

In addition to the *2012 Assisted Reproductive Technology Fertility Clinic Success Rates Report*, CDC also publishes the *2012 Assisted Reproductive Technology National Summary Report* (available in December 2014), which provides an overall national picture that uses 2012 data to answer specific questions related to ART success rates.

Commonly Asked Questions About the US ART Clinic Reporting System

Background Information, Data Collection Methods, Content and Design of the Report, and Additional Information About ART in the United States

1. How many people in the United States have infertility problems?

The latest data on infertility available to the Centers for Disease Control and Prevention (CDC) are from the 2006–2010 National Survey of Family Growth. (For more details about the data, see http://www.cdc.gov/nchs/nsfg/key_statistics/i.htm#infertility).

- Of the approximately 62 million women aged 15–44 years in 2010, about 7.4 million, or 12%, had received infertility services at some time in their lives. (Infertility services include medical tests to diagnose infertility, medical advice and treatments to help a woman become pregnant, and services other than routine prenatal care to prevent miscarriage.)
- Additionally, 1.5 million married women aged 15–44 years are infertile (unable to get pregnant after at least 12 consecutive months of trying to conceive).

2. What is assisted reproductive technology (ART)?

Although various definitions have been used for ART, the definition used in this report is based on the 1992 law that requires CDC to publish this report. According to this definition, ART includes all fertility treatments in which either eggs or embryos are handled. In general, ART procedures involve surgically removing eggs from a woman's ovaries, combining them with sperm in the laboratory, and returning them to the woman's body or donating them to another woman. They do NOT include treatments in which only sperm are handled (i.e., intrauterine insemination) or procedures in which a woman takes drugs only to stimulate egg production without the intention of having eggs surgically retrieved.

The main type of ART is **in vitro fertilization (IVF)**. IVF involves extracting a woman's eggs, fertilizing the eggs in the laboratory, and then transferring the resulting embryos into the woman's uterus through the cervix. For some IVF procedures, fertilization involves a specialized technique known as intracytoplasmic sperm injection (ICSI). In ICSI, a single sperm is injected directly into the woman's egg.

Other types of ART exist, but are rarely performed. **Gamete intrafallopian transfer (GIFT)** involves using a fiber optic instrument called a laparoscope to guide the transfer of unfertilized eggs and sperm (gametes) into the woman's fallopian tubes through small incisions in her abdomen. **Zygote intrafallopian transfer (ZIFT)** involves fertilizing a woman's eggs in the laboratory and then using a laparoscope to guide the transfer of the fertilized eggs (zygotes) into her fallopian tubes.

In addition, ART often is categorized according to whether the procedure used a woman's own eggs (nondonor) or eggs from another woman (donor) and according to whether the embryos used were newly fertilized (fresh) or previously fertilized, frozen, and then thawed (frozen).

3. What is an ART cycle?

Because ART consists of several steps over an interval of approximately 2 weeks, an ART procedure is typically referred to as a **cycle** of treatment rather than a procedure at a single point in time. The start of an ART cycle is when a woman begins taking drugs to stimulate egg production or starts ovarian monitoring with the intent of having embryos transferred. For the purposes of this report, data on **all cycles that were started**, even those that were discontinued before all steps were undertaken, are counted in the clinic's success rates.

4. How do US ART clinics report data to CDC about their success rates?

CDC contracts with a statistical survey research organization, Westat, to obtain the data published in the *Fertility Clinic Success Rates Report*. Westat maintains a list of all ART clinics known to be in operation, identifies new clinics throughout the year, and tracks clinic reorganizations and closings. This list includes clinics and individual providers that are members of the Society for Assisted Reproductive Technology (SART) as well as clinics and providers that are not SART members. Westat maintains the National ART Surveillance System (NASS), the Web-based data collection system that all ART clinics use to submit data to CDC. Clinics either electronically enter or import data into NASS for each ART cycle started in a given reporting year. SART-member clinics can report directly to SART, and SART submits the data to NASS. The data collected include information on the client's medical history (such as infertility diagnoses), clinical information pertaining to the ART procedure, and information on resulting pregnancies and births.

5. Why is the report of 2012 success rates being published in 2014?

Before success rates based on live births can be calculated, every ART pregnancy must be followed up to determine whether a birth occurred. Therefore, the earliest possible date that clinics can report complete annual data is late in the year after ART treatment was initiated (about 9 months past year-end, when all the births have occurred). Accordingly, the results of all the cycles initiated in 2012 were not known until October 2013. After ART outcomes are known, the following occurs before the report is published:

- Clinics enter their 2012 data into NASS and verify the data's accuracy before submitting the data at the end of 2013 to Westat.
- Westat compiles a national data set in the beginning of 2014 from the data submitted by individual clinics.
- CDC data analysts conduct comprehensive checks of the numbers reported for every clinic.
- Individual fertility clinic tables are available in the spring of 2014 on CDC's Web site at <http://www.cdc.gov/art/ARTReports.htm>.
- Clinic tables and accompanying text for both the printed and electronic versions of the full report are compiled and laid out.
- Necessary changes are incorporated and proofread.
- The report is submitted to the Government Printing Office to begin the printing and production process.

These steps are time-consuming but essential for ensuring that the report provides the public with correct information particularly regarding each clinic's success rates.

6. Which clinics are represented in this report?

The data in this report come from 456 fertility clinics that provided and verified information about the outcomes of the ART cycles started in their clinics in 2012.

Although almost all clinics that provided ART services in the United States during 2012 are represented in this report, data from 30 clinics or practitioners are not included because they did not report as required. Clinics and practitioners known to have been in operation as of January 1, 2012, that did not report and verify their data are listed in this report as nonreporters, as required by law (see Appendix C: Nonreporting ART Clinics for 2012, by State on pages 563–564). Given the estimated number of ART cycles performed in nonreporting clinics, we estimate that ART surveillance covered 98% of ART cycles performed in the United States in 2012. We will continue to make every effort to include in future reports all clinics and practitioners providing ART services.

7. Why aren't the clinics ranked by their success rates?

Many factors contribute to the success rate of an ART procedure in particular patients, and a difference in success rates between two ART clinics may reflect differences in the groups of patients treated, the types of procedures performed, or other factors. More explanations on how to use the success rates and other statistics published in this report are in the Introduction to Fertility Clinic Tables section (see pages 11–22). The report should be used to help people considering an ART procedure find clinics where they can meet personally with ART providers to discuss their specific medical situation and their likelihood of success using ART. Contacting a clinic also may provide additional information that could be helpful in deciding whether or not to use ART. Because ART offers several treatment options for infertility, there are many other factors that may affect the decision. This report may be a helpful starting point for consumers to obtain information and consider their options.

8. Does this report include all ART cycles performed by the reporting clinics?

This report includes 176,247 ART cycles performed in 2012 by the 456 clinics that reported their data as required. Of those 176,247 cycles, 18,585 were cycles started with the intent of cryopreserving (freezing and banking) all resulting eggs/embryos for potential future use. However, because these cycles did not result in an embryo transfer, they are not included in the majority of clinic success rates and are shown for each clinic in their table as part of the total number of cycles performed. The 176,247 total cycles performed in 2012 excludes 27 cycles started in which a new treatment procedure was being evaluated. The number of new treatment procedures performed is shown for each clinic in footnote "e" of their table.

9. How are the success rates determined?

This report presents several measures of success for ART, including the percentage of ART cycles that result in a pregnancy. (Please note that not all pregnancies result in live birth; some pregnancies may result in miscarriage, induced abortion, or stillbirth.) All live-birth deliveries were reported to the ART clinic by either the patient or the patient's obstetric provider. Because this report is geared toward patients, the focus is on the percentage of cycles resulting in live births. Singleton live births

are emphasized as a separate measure of success because they have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death. Success rates additionally were calculated at various steps of the ART cycle to provide a complete picture of the chances for success as the cycle progresses.

10. What are my chances of getting pregnant using ART?

Many consumers ask this question because they assume that the pregnancy will lead to a live birth. Unfortunately, not all ART procedures that result in a pregnancy lead to the delivery of a live infant. For example, 99,665 fresh nondonor ART cycles were started in 2012. Of those, 35,840 (36%) led to a pregnancy, but only 29,307 (29%) resulted in a live birth. In other words, 6,533 (almost 1 in 5) of ART pregnancies did not result in a live birth. The percentage of cycles resulting in live births will give a more accurate answer to the question, “If I have an ART procedure, what is my chance that I will have a baby?”

It is important to note that ART success rates vary in the context of patient and treatment characteristics. These characteristics include age, infertility diagnosis, number of embryos transferred, type of ART procedure, use of techniques such as ICSI, and history of previous births, miscarriages, and ART cycles.

11. If a patient has had more than one ART treatment cycle, how is the success rate calculated? Alternatively, how many cycles does a patient usually go through before getting pregnant?

As required by law, this report presents ART success rates in terms of how many cycles were started each year. Because clinics report information based on outcomes for each cycle started, success rates on a “per patient” basis, or the number of cycles that an average patient may undergo before achieving success, are not presented in this report. While it is possible to achieve success with one ART cycle, success rates vary in the context of patient and treatment characteristics. Consumers should consult with their physician to understand their specific medical situation and their chances of pregnancy using ART.

12. What quality control steps are used to ensure data accuracy?

To have their success rates published in this annual report, clinics have to submit their data in time for analysis and the clinics’ medical directors have to verify by signature that the tabulated success rates are accurate. Then, Westat conducts an in-house review and contacts the clinics if corrections are necessary. After the data have been verified, a quality control process called validation begins. This year, 35 (7.7%) of the 456 reporting clinics were selected after taking into consideration some cycle and clinic characteristics and whether the clinic had been selected before. (See Appendix A: Technical Notes on page 513 for a more detailed presentation of sampling strategy.) Members of the Westat Validation Team visit these clinics and review medical record data for a sample of the clinic’s ART cycles. For each cycle, the validation team abstracts information from the patient’s medical record. The abstracted information is then reviewed onsite and compared with the data submitted for the report. The data validation process does not include any assessment of clinical practice or overall record keeping. Validation primarily helps ensure that clinics submit accurate data. It also serves to identify any systematic problems that could cause data collection to be inconsistent or incomplete. Findings and discrepancy rates from the 2012 validation visits will be available on the CDC Web site later this year at <http://www.cdc.gov/art/ARTReports.htm>.

13. How does CDC use the variables/data collected but not reported in the annual *Assisted Reproductive Technology Fertility Clinic Success Rates Report* and *National Summary Report*?

CDC uses the data collected and not reported in the annual ART reports to evaluate emerging ART research questions and to monitor safety and efficacy issues related to ART treatment for improving maternal and child health outcomes. A list of ART publications is available at <http://www.cdc.gov/art/pubs.htm>. Other data may not be released in order to protect the ART patient's confidentiality. However, CDC has established a way that researchers outside of CDC can securely access limited, de-identified NASS data to conduct analyses. CDC's Research Data Center, housed within the National Center for Health Statistics, allows researchers to analyze restricted data in a secure environment after their proposed research has been reviewed and approved by CDC.

14. How does CDC ensure the confidentiality of the ART data it collects?

CDC has an Assurance of Confidentiality for the ART database. An Assurance of Confidentiality is a formal confidentiality protection authorized under Section 308(d) of the Public Health Service Act (42 U.S.C. 242[m]). An assurance is used for projects conducted by CDC staff or contractors involving the collection or maintenance of sensitive identifiable or potentially identifiable information. The assurance allows CDC programs to assure that individuals and institutions involved in research or nonresearch projects protect the confidentiality of the data collected. Under Public Health Service Act Section 308(d), no identifiable information may be used for any purpose other than that for which it was supplied unless such institution or individual has consented to that disclosure. CDC's current Assurance of Confidentiality for this project is ongoing.

15. Why doesn't the report contain specific medical information about ART?

This report describes a woman's average chances of success per ART cycle. Although the report provides some information about factors such as age and infertility diagnosis, consumers face many unique medical situations. This population-based registry of ART procedures cannot capture detailed information about specific medical conditions associated with infertility. Consumers should consult with their physician to understand their specific medical situation and their chances of success using ART.

16. Why are statistics in the Fertility Clinic Tables published by CDC different from statistics reported by SART's IVF Success Rate Reports?

During 1996–2012, the percentage of ART clinics with a SART membership reporting data to CDC ranged from approximately 83% to 95%. Annual summary statistics of ART treatments performed in each of these clinics are available online at <http://www.sart.org>. For the same table items that are presented in both the CDC's Fertility Clinic Tables and SART's IVF Success Rate Reports, discrepancies in tabulated statistics between the SART and CDC tables may be due to (1) the inclusion in the CDC Fertility Clinic Reports of ART treatments performed at non-SART member clinics; (2) differences in the data submission deadlines between SART and CDC, which may result in ART clinics being excluded from CDC's annual Fertility Clinic Reports; and (3) differences in data processing procedures and statistical methods used to generate statistics.

17. Does CDC have any information on the women who donate eggs?

CDC only collects information on the age of egg donors, but does not present it in the individual clinic tables for this report. In 2012, the average age of egg donors was approximately 28 years. Success rates for cycles using donor eggs or using embryos derived from donor eggs is related to the age of the woman who produced the eggs. Thus, the percentage of transfers that resulted in live births for cycles using fresh embryos from donor eggs remained consistently high—above 55% among most patients of different ages.

18. Are there any medical guidelines for ART performed in the United States?

The American Society for Reproductive Medicine (ASRM) and the Society of Assisted Reproductive Technology (SART) issue guidelines dealing with specific ART practice issues, such as the number of embryos to be transferred in an ART procedure. Further information can be obtained from ASRM or SART (both at telephone 205-978-5000 or at Web sites <http://www.asrm.org> and <http://www.sart.org>).

19. Where can I get additional information on US fertility clinics?

For further information on specific clinics, contact the clinic directly (see Appendix C for current contact information). In addition, SART can provide general information on its member clinics (telephone 205-978-5000, extension 109).

20. What's new in the 2012 report?


CDC is constantly striving to present the most accurate and relevant ART clinic success rates to help potential ART users make decisions. Changes to the clinic table and National Summary table format have been made to provide a more comprehensive and user-friendly presentation of clinic and national success rates data. Highlights of modifications designed to enhance clarity, readability, and improve the presentation of data include the following:

2012 ART Success Rates Section

- Addition of total number of ART cycles performed, which includes the total number of egg/embryo banking cycles for each clinic (indicated in parentheses).
- Addition of footnote providing the total number of cycles in which a new treatment procedure was being evaluated for each clinic.
- Addition of the new measure, estimated average number of transfers per retrieval, for frozen nondonor cycles.

2012

Fertility Clinic Tables



INTRODUCTION TO FERTILITY CLINIC TABLES

The first table in this section is the 2012 National Summary of combined data from all clinics. Individual clinic tables follow, with each clinic's data presented in a one-page table that includes the types of assisted reproductive technology (ART) used, patient diagnoses, success rates, and individual clinic characteristics. Clinics reporting their data to the Centers for Disease Control and Prevention (CDC) are listed in alphabetical order by state, city, and clinic name. Each known nonreporting clinic is also included in alphabetical order, although no data are presented for these clinics.

Many people considering ART will want to use this report to find the “best” clinic. However, comparisons between clinics must be made with caution. Many factors contribute to the success of an ART procedure. Some factors are related to the training and experience of the ART clinic and laboratory professionals and the quality of services they provide. Other factors are related to the patients themselves, such as their age, quality of their eggs and sperm, cause of their infertility, genetic factors, and diagnosis. Some clinics may be more willing than others to accept patients with low chances of success or may specialize in ART treatments that attract particular types of patients.

We encourage consumers considering ART to contact clinics to discuss their specific medical situations and their potential for success using ART. Because clinics did not have the opportunity to provide narratives to explain their data in this report, such conversations could provide additional information to help consumers decide whether to use ART.

Although ART offers important options for the treatment of infertility, the decision to use ART involves many factors in addition to success rates. Therefore, consumers should carefully examine all related financial, psychological, and medical issues before beginning treatment. They also will want to consider the location of the clinic, the counseling and support services available, and the rapport that staff members have with their patients.

Important Factors to Consider When Using These Tables to Assess a Clinic

- ***ART statistics are from 2012***

Data for cycles started in 2012 could not be published until 2014 because the final outcomes of pregnancies conceived in December 2012 were not known until October 2013. Additional time was then required to collect and analyze the data and prepare the report. Many factors that contribute to a clinic's success rate may have changed in the 2 years since these cycles were performed. Personnel may be different. Equipment and training may or may not have been updated. As a result, success rates for 2012 may not necessarily represent current rates.

- **Success rates may vary**

A clinic's success rates may vary from year to year even if all determining factors remain the same. The more cycles that a clinic carries out, the less the rate is likely to vary. Conversely, clinics that perform fewer cycles are likely to have more variability in success rates from year to year. As an extreme example, if a clinic reports only one ART cycle in a given category, as is sometimes the case in the data presented here, the clinic's success rate in that category would be either 0% or 100%. Because success rates may be misleading if they are based on a small number, the rates are shown as fractions rather than percentages when fewer than 20 cycles or outcomes (pregnancies, transfers, births) are reported in a given category.

- **Some clinics see more than the average number of patients with difficult infertility problems**

Some clinics are willing to offer ART to most potential patients, even those who have a low probability of success. Others discourage such patients or encourage them to use donor eggs, a practice that results in higher success rates among older women. Clinics that accept a higher percentage of women who previously have had multiple unsuccessful ART cycles will generally have lower success rates. In contrast, clinics that offer ART procedures to women who might have become pregnant with less technologically advanced treatment will generally have higher success rates.

- **The percentage of cycles that are canceled varies**

Percentages of canceled cycles using fresh nondonor eggs or embryos vary among clinics from less than 1% to, in a few cases, more than 25%. A high percentage of cancellations tends to lower the percentage of cycles resulting in live births but may increase the percentage of embryo transfers resulting in live births.

- **Percentages of unstimulated (or "natural") cycles are included with those for stimulated cycles**

In an unstimulated cycle, the woman ovulates naturally rather than as the result of the daily injections used in stimulated cycles. Unstimulated cycles are less expensive because they require no daily injections and fewer ultrasounds and blood tests. However, women who use natural or mild stimulation produce only one or two follicles, thus reducing the potential number of embryos for transfer. As a result, clinics that perform a relatively high percentage of unstimulated cycles may have lower success rates. Nationally, 1% of ART cycles using fresh nondonor eggs or embryos in 2012 were unstimulated.

- **Success rates are calculated per cycle rather than per patient**

Success rates shown in this report are presented in terms of cycles, as required by law, rather than in terms of patients. As a result, patients who had more than one ART cycle in 2012 are represented in multiple cycles that are not linked. In addition, for patients who undergo both fresh and frozen cycles, success rates are calculated separately for each cycle. Clinics that have a very high percentage of cycles resulting in live births with frozen embryos would have higher ART success rates if these births were included as successes from the original stimulated cycle. Consumers should look at both rates (for cycles using fresh embryos and for those using frozen embryos) when assessing a clinic's success rates.

- ***The number of embryos transferred varies from clinic to clinic***

In 2012, the average number of embryos that nearly all clinics transferred to women younger than age 35 ranged from 1 to 3 for fresh nondonor cycles. The American Society for Reproductive Medicine (ASRM) and the Society for Assisted Reproductive Technology (SART) discourage the transfer of a large number of embryos because of the increased likelihood of multiple-fetus pregnancies. Multiple-fetus pregnancies, in turn, increase the probability of premature births and related health problems.

An explanation of how to read a fertility clinic table begins on page 15.

How to Read a Fertility Clinic Table

This section is provided to help consumers understand the information presented in the fertility clinic tables. The number before each heading refers to the number of the corresponding section in the sample clinic table on page 14. Technical terms are defined in the Glossary of Terms (see Appendix B on pages 517–519).

1. Verification

To have success rates published in the annual report, a clinic's medical director must verify the accuracy of the data reported to CDC. The name of the medical director who verified the clinic's data is shown.

2. Type of ART and procedural factors

This section gives the percentage of in vitro fertilization (IVF) cycles using fresh nondonor embryos. It also lists the percentage of ART cycles using fresh nondonor eggs or embryos that were unstimulated, that used a gestational carrier, that involved intracytoplasmic sperm injection (ICSI), and that used preimplantation genetic diagnosis (PGD).

3. Patient diagnosis

This section gives the percentage of ART cycles for which patients had a particular diagnosis out of the total number of cycles performed at the clinic. Cycles started with the intent of freezing and banking all eggs/embryos for future use are not included in the calculations of percentages in this section.

Consumers may want to know what percentage of cycles are performed for a clinic's patients with the same diagnosis as they have. In addition, patients' diagnoses may affect a clinic's success rates. However, the use of these diagnostic categories may vary somewhat from clinic to clinic, and total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

4. Total number of cycles performed, including banking cycles

The first number represents total ART cycles started at the clinic in 2012. It includes the total number of cycles with the intention of freezing and banking (cryopreserving) all resulting eggs/embryos for potential future use, which is shown in parentheses. The total number of ART cycles performed excludes any cycles in which a new procedure was being evaluated (a small number nationwide). The number of cycles in which a new procedure was being evaluated is shown in footnote e, and this cycle type is not used to calculate clinic success rates presented in clinic tables or the national summary.

5. Success rates by type of cycle

Success rates are given for the three categories of ART cycles included in Sections 7–9: cycles using fresh embryos from nondonor eggs, cycles using frozen embryos from nondonor eggs, and cycles using donor eggs. The success rates shown are calculated on the basis of data from all ART cycle procedures (IVF, gamete intrafallopian transfer or GIFT, and zygote intrafallopian transfer or ZIFT).

Success rates for the birth of a single live infant (a singleton live birth) are emphasized in the table because they are an important measure of success. Multiple-infant births are associated with increased risk of adverse outcomes for mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.

Clinic table success rates indicate the average chance of success for cycles started at the clinic in 2012. Success rates are calculated by ART cycle stage (start, transfer, pregnancy) and by age group or for all ages combined. For example, if a clinic started 50 cycles in 2012, and these resulted in 15 live births, the average success rate for cycles started at that clinic would be

$$15 \text{ (births)} \div 50 \text{ (cycles)} = 0.3 \text{ or } 30\%$$

Thus, the success rate at that clinic in 2012 was 30%, meaning that 30% of cycles started that year resulted in a live birth.

Success rate calculations may be misleading if they are based on a small number. Therefore, when fewer than 20 cycles or outcomes (pregnancies, transfers) are reported in a given category, the rates are shown as fractions rather than percentages. For example, suppose that the sample clinic performed only 19 fresh embryo cycles using nondonor eggs among women aged 41–42 years. Of these 19 cycles, 2—or about 10%—resulted in a live birth. Because of the small number of cycles, 10% is not a statistically reliable success rate, so the success rate is presented as 2/19, meaning 2 out of 19 cycles started resulted in a live birth.

6. Age of woman

Because a woman's fertility declines with age, clinics report lower success rates for older women attempting to become pregnant with their own eggs. For this reason, rates for women using nondonor eggs or embryos are reported separately for women younger than age 35, for women aged 35–37, aged 38–40, aged 41–42, aged 43–44, and for woman older than age 44. The sample clinic table illustrates the decline in ART success rates among older women. For example, for cycles that used fresh embryos from nondonor eggs, the percentage of cycles resulting in live births among women younger than age 35 was 37.4%, whereas the percentage of cycles resulting in live births among women aged 38–40 was 20.6%.

7. Cycles using fresh embryos from nondonor eggs

This section includes success rates for all ART cycles started with the intent to use fresh embryos from a woman's own eggs. Cycles started with the intention of freezing and banking all eggs/embryos for future use are not included in the calculations of success rates in this section.

- **Number of cycles**

This represents the number of ART cycles by age of woman.

- **Percentage of cancellations**

This is calculated as follows: number of cycles canceled divided by the total number of cycles, expressed as a percentage of cycles.

This refers to cycles that were stopped before an egg retrieval was attempted. A cycle may be canceled if a woman's ovaries do not respond to fertility medications and thus do not produce a sufficient number of follicles. Cycles also may be canceled because of illness or other medical or personal reasons.

- **Average number of embryos transferred**

This is calculated as follows: number of embryos transferred divided by number of cycles in which one or more embryos were transferred.

The average number of embryos transferred varies from clinic to clinic. ASRM and SART have practice guidelines that address this issue. Further information can be obtained from ASRM or SART (both at telephone 205-978-5000 or at Web sites <http://www.asrm.org> and <http://www.sart.org>).

- **Percentage of embryos transferred resulting in implantation**

This is calculated as follows: the larger of either the maximum number of fetal hearts or maximum number of infants born [live births + stillbirths] divided by the number of embryos transferred, expressed as a percentage of embryos transferred.

This represents the cycles resulting in an intrauterine clinical pregnancy out of the total number of embryos transferred in which one or more embryos were transferred. Not all fetal hearts can be detected by ultrasound. For this reason, a positive intrauterine clinical pregnancy is defined as the larger of either the maximum number of fetal hearts detected by ultrasound or maximum number of infants born, including live births and stillbirths.

- **Percentage of elective single embryo transfer (eSET)**

This is calculated as follows: the number of cycles in which one embryo was transferred and one or more embryos were cryopreserved, divided by the number of transfer procedures in which either one embryo was transferred and one or more embryos were cryopreserved or more than one embryo was transferred, expressed as a percentage of these transfer procedures.

This represents the cycles in which one embryo is selected to be transferred from a larger number of available embryos, usually for the purpose of reducing the chance of having a multiple birth. For these cycles, one or more of the extra embryos are cryopreserved during the current cycle for future use.

7A. Outcomes per cycle

In this section, success rates using fresh embryos from nondonor eggs are calculated as a percentage of the fresh nondonor ART cycles started. The number of cycles that a clinic starts is not the same as the number of patients treated because some patients start more than one cycle in a year.

- **Percentage of cycles resulting in singleton live births**

This is calculated as follows: number of singleton live births divided by number of cycles, expressed as a percentage of cycles.

This represents the cycles that resulted in the birth of a single live infant out of all cycles started.

- **Percentage of cycles resulting in triplets or more live births**

This is calculated as follows: number of triplet or more live births divided by number of cycles, expressed as a percentage of cycles.

This represents the cycles that resulted in a triplet or more live birth out of all cycles started. A multiple-infant birth with one or more infants born live is counted as one live birth.

- **Percentage of cycles resulting in live births**

This is calculated as follows: number of live births divided by number of cycles, expressed as a percentage of cycles.

This represents the cycles that resulted in a live birth out of all cycles started. A cycle resulting in live birth may include one or more infants born alive; that is, a multiple-infant birth (e.g., twins, triplets) with at least one live-born infant is counted as one live birth.

- **Percentage of cycles resulting in pregnancy**

This is calculated as follows: number of pregnancies divided by number of cycles, expressed as a percentage of cycles.

This represents the cycles that resulted in a pregnancy out of all cycles started. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of cycles resulting in pregnancies is usually higher than the percentage of cycles resulting in live births.

7B. Outcomes per transfer

In this section, success rates using fresh embryos from nondonor eggs are calculated as a percentage of fresh nondonor ART cycles in which an embryo transfer procedure was attempted, even if no embryos were successfully transferred. A clinic may begin cycles that do not proceed to transfer because not every cycle started results in successful egg retrieval, fertilization, and embryo transfer. For this reason, percentages of transfers resulting in pregnancies and live births generally are higher than the percentage for cycles started.

- **Number of transfers**

This represents the number of transfers by age of woman.

- **Percentage of transfers resulting in singleton live births**

This is calculated as follows: number of singleton live births divided by number of transfers, expressed as a percentage of transfers.

This represents the transfer procedures that resulted in the birth of a single live infant out of all cycles in which a transfer was attempted.

- **Percentage of transfers resulting in triplets or more live births**

This is calculated as follows: number of triplet or more live births divided by number of transfers, expressed as a percentage of transfers.

This represents the transfer procedures that resulted in a triplet or more live birth out of all cycles in which a transfer was attempted. A multiple-infant birth with one or more infants born live is counted as one live birth.

- **Percentage of transfers resulting in live births**

This is calculated as follows: number of live births divided by number of transfers, expressed as a percentage of transfers.

This represents the transfer procedures that resulted in a live birth out of all cycles in which a transfer was attempted. A transfer resulting in live birth may include one or more infants born alive; that is, a multiple-infant birth (e.g., twins, triplets) with at least one live-born infant is counted as one live birth.

- **Percentage of transfers resulting in pregnancy**

This is calculated as follows: number of pregnancies divided by number of transfers, expressed as a percentage of transfers.

This represents the transfer procedures that resulted in a pregnancy out of all cycles in which a transfer was attempted. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of transfers resulting in pregnancies is usually higher than the percentage of transfers resulting in live births.

7C. Outcomes per pregnancy

In this section, success rates using fresh embryos from nondonor eggs are calculated as a percentage of fresh nondonor ART cycles resulting in pregnancy. A pregnancy with more than one fetus is counted as one pregnancy. Because not every cycle started results in successful egg retrieval, fertilization, transfer, and pregnancy, the percentage of pregnancies resulting in live births generally is higher than percentages for cycles started or transfers attempted.

- **Number of pregnancies**

This represents the number of pregnancies by age of woman.

- **Percentage of pregnancies resulting in singleton live births**

This is calculated as follows: number of singleton live births divided by number of pregnancies, expressed as a percentage of pregnancies.

This represents the pregnancies that resulted in the birth of a single live infant out of all cycles resulting in a pregnancy. It includes multiple-fetus pregnancies that may have been reduced to a single-fetus pregnancy by the time of birth, either naturally (e.g., fetal death) or because a woman and her doctor decided to reduce the number of fetuses through a procedure called multifetal pregnancy reduction. (CDC does not collect information on multifetal pregnancy reductions.)

- **Percentage of pregnancies resulting in triplets or more live births**

This is calculated as follows: number of triplet or more live births divided by number of pregnancies, expressed as a percentage of pregnancies.

This represents the pregnancies that resulted in a triplet or more live birth out of all cycles resulting in a pregnancy. A multiple-infant birth with one or more infants born live is counted as one live birth.

- **Percentage of pregnancies resulting in live births**

This is calculated as follows: number of live births divided by number of pregnancies, expressed as a percentage of pregnancies.

This represents the pregnancies that resulted in a live birth out of all cycles resulting in a pregnancy. A pregnancy resulting in live birth may include one or more infants born alive; that is, a multiple-infant birth (e.g., twins, triplets) with at least one live-born infant is counted as one live birth.

8. Cycles using frozen embryos from nondonor eggs

Frozen embryo cycles are those in which previously frozen (cryopreserved) embryos are thawed and transferred. Because these cycles use embryos formed from a previous cycle, no stimulation or retrieval is involved in the current cycle. As a result, these cycles usually are less expensive and less invasive than cycles using fresh embryos. In addition, freezing some of the embryos from a retrieval procedure may increase a woman's overall chances of having a child from a single retrieval.

Success rates for cycles using frozen embryos from nondonor eggs are calculated as the percentage of these cycles resulting in embryo transfer, not the percentage of cycles started; not every cycle started results in successful thaw of frozen embryos or proceeds to transfer. The embryos transferred in frozen nondonor cycles come from prior cycles with the original intent to retrieve and transfer embryos (fresh nondonor cycles) and in which one or more embryos were frozen (cryopreserved). Embryos transferred in frozen nondonor cycles also come from "banking cycles" with the original intent to cryopreserve all retrieved eggs/embryos for future use. Banking cycles may be performed to avoid potentially negative effects of stimulation, or when it is necessary to wait for results of genetic testing. Since some patients may only develop a small number of eggs during a single cycle, women may undergo several short-term banking cycles to improve availability of good-quality eggs/embryos for later transfer. In other situations, patients may choose to freeze eggs or embryos because the patient or partner needs to undergo medical treatment that may harm their future reproduction capabilities or to delay childbearing for other reasons.

The average number of frozen nondonor transfers per fresh nondonor retrieval is the only calculation in the clinic table that includes banking cycles. See Sections 8A for the interpretation of this success rate and Sections 7 and 7B on pages 16–19 for the interpretation of other success rates.

8A. Estimated average number of transfers per retrieval

This is calculated as follows: number of frozen nondonor cycles in which embryos were transferred divided by the sum of the number of banking cycles among all patients and the number of fresh nondonor cycles among those patients with at least one frozen nondonor cycle resulting in embryo transfer.

This measure provides an estimate of the average number of transfers from frozen nondonor cycles for a patient per retrieval. All banking cycles started during the reporting year, and any fresh nondonor cycles performed during the reporting year among patients who received a transfer of frozen nondonor embryos are included. Frozen nondonor transfers performed early in the reporting year might have involved eggs/embryos retrieved and frozen during cycles performed in previous years. Additionally, cycles in which retrieval and cryopreservation occurred late in the reporting year may not contribute to frozen nondonor cycles in which thawed embryos are transferred until subsequent years.

This measure will be lower in clinics performing a larger number of short-term banking cycles to increase the number of good-quality embryos available for transfer, or in clinics performing a larger number of long-term banking cycles for fertility preservation. On the other hand, this measure will be higher in clinics practicing elective single embryo transfer (eSET) when one retrieval cycle results in several subsequent frozen nondonor cycles.

9. Cycles using donor eggs

Women who are older, have premature ovarian failure (early menopause), whose ovaries have been removed, and who have a genetic concern about using their own eggs may consider using eggs that are donated by a young, healthy woman. Embryos donated by patients who previously had ART also may be available. Many clinics provide services for donor egg and embryo cycles.

In this section, success rates are presented separately for ART cycles using fresh donor eggs or embryos and those using frozen donor embryos. For these cycle types, results among women in all age groups are reported together because previous data show that patient age does not affect success rates with donor eggs. Success rates using donor eggs or embryos are calculated as a percentage of transfers, and cycles started with the intention of freezing and banking all eggs/embryos for future use are not included in any calculations of success rates in this section. See Sections 7 and 7B on pages 16–19 for the interpretation of success rates.

10. Current clinic services and profile

- **Current name**

This may reflect a clinic name change that occurred since 2012, whereas the clinic name at the top of the table was the name of the ART clinic as it existed in 2012. Some clinics not only have changed their names but have reorganized as well. Reorganization is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). In such cases, no current name is listed, but a statement that the clinic has undergone reorganization since 2012 is included, and no current clinic services or profile are listed.

- **Donor egg**

Some clinics have programs for ART using donor eggs. Donor eggs are eggs that have been retrieved from one woman (the donor) and then transferred to another woman (the recipient). Policies regarding sharing of donor eggs vary from clinic to clinic.

- **Donor embryo**

This refers to whether the clinic has a program for ART using embryos that were donated by other patients who previously underwent ART treatment and had extra embryos available.

- **Single women**

Clinics have varying policies regarding ART services for single (unmarried) women.

- **Gestational carriers**

A gestational carrier is a woman who carries a child for others; sometimes such women are referred to as gestational surrogates. Policies regarding ART services using gestational carriers vary from clinic to clinic. Some states do not permit clinics to offer this service.

- **Embryo cryopreservation**

This item refers to whether the clinic has a program for freezing extra embryos that may be available from a patient's ART cycle.

- **SART member**

In 2012, 377 of the 456 reporting clinics were SART members.

- **Verified lab accreditation**

If "Yes" appears next to this item, the ART clinic uses an embryo laboratory accredited by one or more of three specific accrediting organizations. If "Pending" appears here, it means that the clinic has submitted an application for accreditation to one or more of the three organizations and has provided proof of such application to CDC. "No" indicates that the embryo laboratory has not been accredited by any of these three organizations or has not provided proof of accreditation to CDC.

CDC provides this information as a public service. Please note that CDC does not oversee any of these accreditation programs. They are all nonfederal programs. To become certified, laboratories must have in place systems and processes that comply with the accrediting organization's standards. Depending on the organization, standards may include those for personnel, quality control and quality assurance, specimen tracking, results reporting, and the performance of technical procedures. Compliance with these standards is confirmed by documentation provided by the laboratory and by on-site inspections. For further information, consumers may contact the three accrediting organizations directly:

- College of American Pathologists (CAP): For a list of accredited laboratories, call 800-323-4040 and follow the prompts for Laboratory Accreditation.
- The Joint Commission: Call 630-792-5800 to inquire about the status of individual laboratories.
- New York State Tissue Bank Program (NYSTB): Call 518-485-5341 to find out which laboratories are certified under the tissue bank regulations.

Further information on laboratory accreditation for specific clinics is provided in Appendix C.

2012 NATIONAL SUMMARY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	68%	Tubal factor	14%	Uterine factor	6%	
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	14%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	15%	
				Endometriosis	9%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				17%

2012 ART SUCCESS RATES^c

Total number of cycles performed:^d 176,247 (includes 18,585 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41,798	20,920	19,556	10,740	5,050	1,601
Percentage of cancellations	6.1	9.0	12.4	15.5	20.5	22.4
Average number of embryos transferred	1.9	2.1	2.4	2.8	3.0	2.7
Percentage of embryos transferred resulting in implantation	37.1	27.5	18.3	9.7	4.1	2.2
Percentage of elective single embryo transfer (eSET)	15.3	9.6	3.3	1.4	0.6	1.4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	23.1	17.5	10.0	4.0	1.6
Percentage of cycles resulting in triplets or more live births	0.5	0.2	0.2	0.1	0.0	0.0
Percentage of cycles resulting in live births	40.5	31.3	22.2	11.7	4.5	1.8
Percentage of cycles resulting in pregnancy	46.6	37.8	29.6	19.6	9.6	4.6
Outcomes per Transfer						
Number of transfers	36,110	17,332	15,263	7,786	3,351	941
Percentage of transfers resulting in singleton live births	32.4	27.9	22.4	13.8	6.1	2.8
Percentage of transfers resulting in triplets or more live births	0.5	0.3	0.2	0.1	0.0	0.0
Percentage of transfers resulting in live births	46.9	37.8	28.4	16.1	6.7	3.1
Percentage of transfers resulting in pregnancy	54.0	45.6	37.9	27.0	14.5	7.8
Outcomes per Pregnancy						
Number of pregnancies	19,483	7,903	5,790	2,104	487	73
Percentage of pregnancies resulting in singleton live births	60.1	61.2	59.2	51.2	41.9	35.6
Percentage of pregnancies resulting in triplets or more live births	1.0	0.6	0.5	0.5	0.2	0.0
Percentage of pregnancies resulting in live births	86.8	82.8	74.9	59.7	46.2	39.7
Frozen Embryos from Nondonor Eggs						
Number of cycles	17,828	9,040	6,588	2,727	1,204	763
Number of transfers	16,804	8,397	6,041	2,508	1,078	680
Estimated average number of transfers per retrieval	1.4	1.2	0.9	0.7	0.5	0.4
Average number of embryos transferred	1.8	1.8	1.8	1.9	2.0	1.8
Percentage of embryos transferred resulting in implantation	34.3	31.7	26.7	20.1	14.4	12.1
Percentage of transfers resulting in singleton live births	31.9	31.2	26.7	22.0	15.3	10.1
Percentage of transfers resulting in triplets or more live births	0.4	0.2	0.2	0.1	0.1	0.0
Percentage of transfers resulting in live births	42.0	39.3	33.4	25.9	18.3	13.5
Percentage of transfers resulting in pregnancy	51.4	48.6	44.4	37.5	28.2	19.4
All Ages Combined^e						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	10,954	8,893			
Number of transfers	9,946	8,208				
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation	47.8	29.5				
Percentage of transfers resulting in singleton live births	37.2	28.6				
Percentage of transfers resulting in live births	56.4	37.0				
Percentage of transfers resulting in pregnancy	66.0	46.7				

CURRENT CLINIC SERVICES AND PROFILE

Number of reporting clinics: 456

Percentage of clinics that offer the following services:				Clinic profile:	
Donor egg	93%	Gestational carriers	85%	SART member	83%
Donor embryo	69%	Embryo cryopreservation	>99%	Verified lab accreditation	
Single women	96%			Yes	92%
				No	7%
				Pending	<1%

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d Number of cycles excludes 27 cycle(s) in which new procedures were evaluated.

^e All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Michael P. Steinkampf, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	16%	Uterine factor	6%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	25%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	16%	
				Endometriosis	28%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				31%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 81 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		33	12	2	3	1	0
Percentage of cancellations		9.1	2 / 12	1 / 2	2 / 3	0 / 1	
Average number of embryos transferred		2.2	2.2	1.0	5.0	4.0	
Percentage of embryos transferred resulting in implantation		34.4	22.7	0 / 1	1 / 5	0 / 4	
Percentage of elective single embryo transfer (eSET)		0.0	0 / 8		0 / 1	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		30.3	5 / 12	0 / 2	1 / 3	0 / 1	
Percentage of cycles resulting in triplets or more live births		3.0	0 / 12	0 / 2	0 / 3	0 / 1	
Percentage of cycles resulting in live births		42.4	5 / 12	0 / 2	1 / 3	0 / 1	
Percentage of cycles resulting in pregnancy		48.5	5 / 12	0 / 2	1 / 3	0 / 1	
Outcomes per Transfer							
Number of transfers		29	10	1	1	1	0
Percentage of transfers resulting in singleton live births		34.5	5 / 10	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births		3.4	0 / 10	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births		48.3	5 / 10	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy		55.2	5 / 10	0 / 1	1 / 1	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		16	5	0	1	0	0
Percentage of pregnancies resulting in singleton live births		10 / 16	5 / 5		1 / 1		
Percentage of pregnancies resulting in triplets or more live births		1 / 16	0 / 5		0 / 1		
Percentage of pregnancies resulting in live births		14 / 16	5 / 5		1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	3	2	0	0	0
Number of transfers		12	3	1	0	0	0
Estimated average number of transfers per retrieval		2.0	3.0				
Average number of embryos transferred		2.2	2.0	2.0			
Percentage of embryos transferred resulting in implantation		26.9	1 / 6	0 / 2			
Percentage of transfers resulting in singleton live births		3 / 12	1 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births		0 / 12	0 / 3	0 / 1			
Percentage of transfers resulting in live births		4 / 12	1 / 3	0 / 1			
Percentage of transfers resulting in pregnancy		6 / 12	1 / 3	0 / 1			
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			7		
Number of transfers		6			7		
Average number of embryos transferred		2.2			1.9		
Percentage of embryos transferred resulting in implantation		3 / 13			4 / 13		
Percentage of transfers resulting in singleton live births		2 / 6			1 / 7		
Percentage of transfers resulting in live births		2 / 6			2 / 7		
Percentage of transfers resulting in pregnancy		3 / 6			2 / 7		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Alabama Fertility Specialists					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael C. Allemand, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	28%	Uterine factor	5%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	19%	Male factor	63%	
Used gestational carrier	1%			Diminished ovarian reserve	21%	Other factor	71%	
				Endometriosis	21%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				55%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 346 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	131	44	39	5	4	0
Percentage of cancellations	12.2	18.2	20.5	0 / 5	1 / 4	
Average number of embryos transferred	2.0	1.8	2.4	3.4	3.3	
Percentage of embryos transferred resulting in implantation	30.3	22.4	15.5	3 / 17	0 / 10	
Percentage of elective single embryo transfer (eSET)	5.3	0.0	0.0	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.6	13.6	7.7	1 / 5	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 5	0 / 4	
Percentage of cycles resulting in live births	28.2	18.2	12.8	2 / 5	0 / 4	
Percentage of cycles resulting in pregnancy	34.4	25.0	20.5	2 / 5	0 / 4	
Outcomes per Transfer						
Number of transfers	99	32	29	5	3	0
Percentage of transfers resulting in singleton live births	23.2	18.8	10.3	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	37.4	25.0	17.2	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	45.5	34.4	27.6	2 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	45	11	8	2	0	0
Percentage of pregnancies resulting in singleton live births	51.1	6 / 11	3 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.2	0 / 11	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	82.2	8 / 11	5 / 8	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	9	12	2	0	0
Number of transfers	30	7	8	2	0	0
Estimated average number of transfers per retrieval	1.4	3.5	1.6			
Average number of embryos transferred	1.8	1.7	1.8	1.0		
Percentage of embryos transferred resulting in implantation	24.5	4 / 12	2 / 14	0 / 2		
Percentage of transfers resulting in singleton live births	36.7	2 / 7	1 / 8	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 8	0 / 2		
Percentage of transfers resulting in live births	40.0	3 / 7	1 / 8	0 / 2		
Percentage of transfers resulting in pregnancy	43.3	4 / 7	2 / 8	0 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		35		
Number of transfers		23		26		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		36.6		15.1		
Percentage of transfers resulting in singleton live births		21.7		19.2		
Percentage of transfers resulting in live births		43.5		19.2		
Percentage of transfers resulting in pregnancy		43.5		38.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ART Fertility Program of Alabama

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ALABAMA AT BIRMINGHAM BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Gordon W. Bates, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	23%	Uterine factor	1%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	16%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	8%	
				Endometriosis	13%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				18%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 97 (includes 4 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		39	14	1	5	0	0
Percentage of cancellations		2.6	2 / 14	0 / 1	1 / 5		
Average number of embryos transferred		2.0	2.4	2.0	2.5		
Percentage of embryos transferred resulting in implantation		45.2	26.9	1 / 2	3 / 10		
Percentage of elective single embryo transfer (eSET)		0.0	0 / 11	0 / 1	0 / 3		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		48.7	3 / 14	1 / 1	1 / 5		
Percentage of cycles resulting in triplets or more live births		0.0	0 / 14	0 / 1	0 / 5		
Percentage of cycles resulting in live births		61.5	5 / 14	1 / 1	1 / 5		
Percentage of cycles resulting in pregnancy		66.7	5 / 14	1 / 1	3 / 5		
Outcomes per Transfer							
Number of transfers		37	11	1	4	0	0
Percentage of transfers resulting in singleton live births		51.4	3 / 11	1 / 1	1 / 4		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 11	0 / 1	0 / 4		
Percentage of transfers resulting in live births		64.9	5 / 11	1 / 1	1 / 4		
Percentage of transfers resulting in pregnancy		70.3	5 / 11	1 / 1	3 / 4		
Outcomes per Pregnancy							
Number of pregnancies		26	5	1	3	0	0
Percentage of pregnancies resulting in singleton live births		73.1	3 / 5	1 / 1	1 / 3		
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 5	0 / 1	0 / 3		
Percentage of pregnancies resulting in live births		92.3	5 / 5	1 / 1	1 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		13	5	3	0	0	0
Number of transfers		13	5	3	0	0	0
Estimated average number of transfers per retrieval		1.4	2.5	1.0			
Average number of embryos transferred		2.1	1.8	2.0			
Percentage of embryos transferred resulting in implantation		25.9	2 / 9	0 / 6			
Percentage of transfers resulting in singleton live births		3 / 13	0 / 5	0 / 3			
Percentage of transfers resulting in triplets or more live births		1 / 13	0 / 5	0 / 3			
Percentage of transfers resulting in live births		4 / 13	1 / 5	0 / 3			
Percentage of transfers resulting in pregnancy		5 / 13	1 / 5	0 / 3			
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		7			6		
Number of transfers		6			6		
Average number of embryos transferred		1.5			2.2		
Percentage of embryos transferred resulting in implantation		6 / 9			5 / 13		
Percentage of transfers resulting in singleton live births		3 / 6			2 / 6		
Percentage of transfers resulting in live births		4 / 6			3 / 6		
Percentage of transfers resulting in pregnancy		4 / 6			3 / 6		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: University of Alabama at Birmingham					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC HUNTSVILLE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Andrew J. Harper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	31%	Uterine factor	6%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	12%	
				Endometriosis	11%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				32%
				Female & male factors				29%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 128 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	15	18	9	1	0
Percentage of cancellations	3.3	1 / 15	1 / 18	1 / 9	0 / 1	
Average number of embryos transferred	2.1	2.4	3.0	3.3	4.0	
Percentage of embryos transferred resulting in implantation	40.9	47.1	10.4	4.3	0 / 4	
Percentage of elective single embryo transfer (eSET)	12.7	1 / 14	0 / 16	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	7 / 15	2 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in live births	53.3	10 / 15	3 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	58.3	11 / 15	4 / 18	1 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	56	14	16	7	1	0
Percentage of transfers resulting in singleton live births	41.1	7 / 14	2 / 16	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 16	0 / 7	0 / 1	
Percentage of transfers resulting in live births	57.1	10 / 14	3 / 16	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	62.5	11 / 14	4 / 16	1 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	35	11	4	1	0	0
Percentage of pregnancies resulting in singleton live births	65.7	7 / 11	2 / 4	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	91.4	10 / 11	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	4	1	1	0	0
Number of transfers	12	4	1	1	0	0
Estimated average number of transfers per retrieval	1.7		0.5			
Average number of embryos transferred	1.9	1.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation	13.0	0 / 4	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 12	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 12	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 12	1 / 4	0 / 1	1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	5			1		
Number of transfers	5			1		
Average number of embryos transferred	1.6			1.0		
Percentage of embryos transferred resulting in implantation	3 / 8			1 / 1		
Percentage of transfers resulting in singleton live births	1 / 5			1 / 1		
Percentage of transfers resulting in live births	1 / 5			1 / 1		
Percentage of transfers resulting in pregnancy	2 / 5			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by George T. Koulianos, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	26%	Uterine factor	<1%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	31%
Used gestational carrier	4%			Diminished ovarian reserve	20%	Other factor	12%
				Endometriosis	23%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 14% Female & male factors 9%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 210 (includes 3 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	81	31	18	13	2	0	
Percentage of cancellations	6.2	16.1	5 / 18	2 / 13	0 / 2		
Average number of embryos transferred	2.0	2.1	2.9	3.2	5.0		
Percentage of embryos transferred resulting in implantation	37.5	24.1	17.1	0.0	0 / 10		
Percentage of elective single embryo transfer (eSET)	4.2	0.0	0 / 12	0 / 9	0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	27.2	12.9	2 / 18	0 / 13	0 / 2		
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0 / 18	0 / 13	0 / 2		
Percentage of cycles resulting in live births	43.2	22.6	3 / 18	0 / 13	0 / 2		
Percentage of cycles resulting in pregnancy	50.6	29.0	4 / 18	1 / 13	1 / 2		
Outcomes per Transfer							
Number of transfers	76	26	12	11	2	0	
Percentage of transfers resulting in singleton live births	28.9	15.4	2 / 12	0 / 11	0 / 2		
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 12	0 / 11	0 / 2		
Percentage of transfers resulting in live births	46.1	26.9	3 / 12	0 / 11	0 / 2		
Percentage of transfers resulting in pregnancy	53.9	34.6	4 / 12	1 / 11	1 / 2		
Outcomes per Pregnancy							
Number of pregnancies	41	9	4	1	1	0	
Percentage of pregnancies resulting in singleton live births	53.7	4 / 9	2 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 9	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	85.4	7 / 9	3 / 4	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	17	9	5	0	1	0	
Number of transfers	14	8	4	0	1	0	
Estimated average number of transfers per retrieval	1.3	1.3					
Average number of embryos transferred	1.9	1.6	2.8		1.0		
Percentage of embryos transferred resulting in implantation	14.8	1 / 13	3 / 11		1 / 1		
Percentage of transfers resulting in singleton live births	4 / 14	1 / 8	1 / 4		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 8	0 / 4		0 / 1		
Percentage of transfers resulting in live births	4 / 14	1 / 8	2 / 4		1 / 1		
Percentage of transfers resulting in pregnancy	4 / 14	2 / 8	2 / 4		1 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		18			12		
Number of transfers		18			12		
Average number of embryos transferred		2.1			2.2		
Percentage of embryos transferred resulting in implantation		29.7			23.1		
Percentage of transfers resulting in singleton live births		6 / 18			2 / 12		
Percentage of transfers resulting in live births		8 / 18			3 / 12		
Percentage of transfers resulting in pregnancy		9 / 18			6 / 12		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	36%	Uterine factor	36%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	57%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	5%	
				Endometriosis	27%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				41%
				Female & male factors				46%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 45 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	3	2	2	0	0
Percentage of cancellations	3.6	0/3	1/2	0/2		
Average number of embryos transferred	2.4	1.5	3.0	1.5		
Percentage of embryos transferred resulting in implantation	16.9	0/3	1/3	0/3		
Percentage of elective single embryo transfer (eSET)	0.0	0/1	0/1	0/1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	0/3	0/2	0/2		
Percentage of cycles resulting in triplets or more live births	0.0	0/3	0/2	0/2		
Percentage of cycles resulting in live births	28.6	0/3	0/2	0/2		
Percentage of cycles resulting in pregnancy	32.1	0/3	1/2	0/2		
Outcomes per Transfer						
Number of transfers	27	2	1	2	0	0
Percentage of transfers resulting in singleton live births	29.6	0/2	0/1	0/2		
Percentage of transfers resulting in triplets or more live births	0.0	0/2	0/1	0/2		
Percentage of transfers resulting in live births	29.6	0/2	0/1	0/2		
Percentage of transfers resulting in pregnancy	33.3	0/2	1/1	0/2		
Outcomes per Pregnancy						
Number of pregnancies	9	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	8/9		0/1			
Percentage of pregnancies resulting in triplets or more live births	0/9		0/1			
Percentage of pregnancies resulting in live births	8/9		0/1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	0	0	0	0	0
Number of transfers	6	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	2/18					
Percentage of transfers resulting in singleton live births	2/6					
Percentage of transfers resulting in triplets or more live births	0/6					
Percentage of transfers resulting in live births	2/6					
Percentage of transfers resulting in pregnancy	2/6					
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENINSULA MEDICAL CENTER
JOHN NELS ANDERSON, MD
SOLDOTNA, ALASKA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John N. Anderson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	24%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	25%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	19%	
				Endometriosis	8%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				38%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 85 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	9	12	5	1	3
Percentage of cancellations	0.0	0/9	0/12	0/5	0/1	0/3
Average number of embryos transferred	2.7	2.6	2.8	3.0	1.0	2.5
Percentage of embryos transferred resulting in implantation	8.0	21.7	8.0	0/9	0/1	0/5
Percentage of elective single embryo transfer (eSET)	0.0	0/9	0/9	0/3		0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8.8	1/9	2/12	0/5	0/1	0/3
Percentage of cycles resulting in triplets or more live births	0.0	0/9	0/12	0/5	0/1	0/3
Percentage of cycles resulting in live births	14.7	3/9	2/12	0/5	0/1	0/3
Percentage of cycles resulting in pregnancy	14.7	3/9	2/12	0/5	0/1	0/3
Outcomes per Transfer						
Number of transfers	32	9	9	3	1	2
Percentage of transfers resulting in singleton live births	9.4	1/9	2/9	0/3	0/1	0/2
Percentage of transfers resulting in triplets or more live births	0.0	0/9	0/9	0/3	0/1	0/2
Percentage of transfers resulting in live births	15.6	3/9	2/9	0/3	0/1	0/2
Percentage of transfers resulting in pregnancy	15.6	3/9	2/9	0/3	0/1	0/2
Outcomes per Pregnancy						
Number of pregnancies	5	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	3/5	1/3	2/2			
Percentage of pregnancies resulting in triplets or more live births	0/5	0/3	0/2			
Percentage of pregnancies resulting in live births	5/5	3/3	2/2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	2	0	0	0
Number of transfers	13	3	2	0	0	0
Estimated average number of transfers per retrieval	1.1	3.0	1.0			
Average number of embryos transferred	2.3	2.0	1.5			
Percentage of embryos transferred resulting in implantation	3.3	0/6	0/3			
Percentage of transfers resulting in singleton live births	1/13	0/3	0/2			
Percentage of transfers resulting in triplets or more live births	0/13	0/3	0/2			
Percentage of transfers resulting in live births	1/13	0/3	0/2			
Percentage of transfers resulting in pregnancy	3/13	0/3	0/2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	3	0			
Number of transfers	2	0				
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation	0/5					
Percentage of transfers resulting in singleton live births	0/2					
Percentage of transfers resulting in live births	0/2					
Percentage of transfers resulting in pregnancy	0/2					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Peninsula Medical Center, John Nels Anderson, MD

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Vladimir Troché, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	16%	Male factor	62%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	10%	
				Endometriosis	6%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				29%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 205 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	36	19	12	3	0
Percentage of cancellations	4.8	5.6	2 / 19	3 / 12	0 / 3	
Average number of embryos transferred	2.0	2.3	3.2	4.1	2.3	
Percentage of embryos transferred resulting in implantation	34.8	18.7	25.5	10.8	0 / 7	
Percentage of elective single embryo transfer (eSET)	12.7	6.5	1 / 17	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.8	19.4	6 / 19	2 / 12	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	2.8	0 / 19	0 / 12	0 / 3	
Percentage of cycles resulting in live births	39.7	25.0	8 / 19	3 / 12	0 / 3	
Percentage of cycles resulting in pregnancy	44.4	33.3	8 / 19	3 / 12	0 / 3	
Outcomes per Transfer						
Number of transfers	57	33	17	9	3	0
Percentage of transfers resulting in singleton live births	26.3	21.2	6 / 17	2 / 9	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	3.0	0 / 17	0 / 9	0 / 3	
Percentage of transfers resulting in live births	43.9	27.3	8 / 17	3 / 9	0 / 3	
Percentage of transfers resulting in pregnancy	49.1	36.4	8 / 17	3 / 9	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	28	12	8	3	0	0
Percentage of pregnancies resulting in singleton live births	53.6	7 / 12	6 / 8	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	0 / 8	0 / 3		
Percentage of pregnancies resulting in live births	89.3	9 / 12	8 / 8	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	21	7	0	1	2
Number of transfers	22	18	7	0	1	2
Estimated average number of transfers per retrieval	1.7	2.3	1.4			
Average number of embryos transferred	1.7	1.8	2.3		1.0	1.5
Percentage of embryos transferred resulting in implantation	26.3	25.0	3 / 16		0 / 1	0 / 3
Percentage of transfers resulting in singleton live births	27.3	6 / 18	0 / 7		0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 7		0 / 1	0 / 2
Percentage of transfers resulting in live births	27.3	7 / 18	0 / 7		0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	36.4	7 / 18	3 / 7		0 / 1	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	10		7			
Number of transfers	10		6			
Average number of embryos transferred	1.7		2.5			
Percentage of embryos transferred resulting in implantation	5 / 17		1 / 15			
Percentage of transfers resulting in singleton live births	5 / 10		1 / 6			
Percentage of transfers resulting in live births	5 / 10		1 / 6			
Percentage of transfers resulting in pregnancy	5 / 10		1 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Troché Fertility Centers					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Drew V. Moffitt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	15%	Uterine factor	2%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	19%	Male factor	58%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	8%	
				Endometriosis	9%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				41%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 354 (includes 34 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	25	27	14	3	2
Percentage of cancellations	7.5	12.0	18.5	1 / 14	0 / 3	0 / 2
Average number of embryos transferred	2.0	2.1	2.0	2.1	2.0	4.0
Percentage of embryos transferred resulting in implantation	20.8	13.2	14.7	8.0	0 / 2	0 / 4
Percentage of elective single embryo transfer (eSET)	8.8	2 / 16	0 / 13	0 / 10	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.9	12.0	14.8	1 / 14	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 3	0 / 2
Percentage of cycles resulting in live births	26.9	12.0	14.8	1 / 14	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	32.8	20.0	22.2	3 / 14	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	59	18	17	12	1	1
Percentage of transfers resulting in singleton live births	27.1	3 / 18	4 / 17	1 / 12	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 17	0 / 12	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.5	3 / 18	4 / 17	1 / 12	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	37.3	5 / 18	6 / 17	3 / 12	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	22	5	6	3	0	0
Percentage of pregnancies resulting in singleton live births	72.7	3 / 5	4 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	81.8	3 / 5	4 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	27	25	8	2	1
Number of transfers	75	23	21	8	2	0
Estimated average number of transfers per retrieval	1.7	2.6	3.5	1.0	1.0	
Average number of embryos transferred	1.6	1.7	1.9	1.9	1.0	
Percentage of embryos transferred resulting in implantation	24.0	23.7	35.0	0 / 15	0 / 2	
Percentage of transfers resulting in singleton live births	18.7	13.0	19.0	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	25.3	26.1	38.1	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	36.0	30.4	42.9	0 / 8	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos			Frozen Embryos	
Number of cycles		13			29	
Number of transfers		12			22	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation		55.0			19.4	
Percentage of transfers resulting in singleton live births		2 / 12			9.1	
Percentage of transfers resulting in live births		6 / 12			18.2	
Percentage of transfers resulting in pregnancy		7 / 12			27.3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Reproductive Medicine Specialists					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	22%	Uterine factor	9%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	8%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	9%	
				Endometriosis	17%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				28%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 85 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	13	3	4	2	0
Percentage of cancellations	4.3	1 / 13	1 / 3	0 / 4	0 / 2	
Average number of embryos transferred	1.7	2.0	2.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation	27.3	1 / 16	2 / 5	0 / 9	0 / 6	
Percentage of elective single embryo transfer (eSET)	15.6	1 / 8	0 / 2	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	1 / 13	1 / 3	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 3	0 / 4	0 / 2	
Percentage of cycles resulting in live births	28.3	1 / 13	1 / 3	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	32.6	2 / 13	2 / 3	0 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	39	8	2	3	2	0
Percentage of transfers resulting in singleton live births	25.6	1 / 8	1 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in live births	33.3	1 / 8	1 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	38.5	2 / 8	2 / 2	0 / 3	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	15	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 15	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	13 / 15	1 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	0	1	0	0
Number of transfers	7	2	0	1	0	0
Estimated average number of transfers per retrieval	1.2	2.0		1.0		
Average number of embryos transferred	1.9	2.0		2.0		
Percentage of embryos transferred resulting in implantation	4 / 13	1 / 4		0 / 2		
Percentage of transfers resulting in singleton live births	2 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2		0 / 1		
Percentage of transfers resulting in live births	3 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancy	3 / 7	1 / 2		0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		3		4		
Number of transfers		3		4		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		1 / 5		5 / 8		
Percentage of transfers resulting in singleton live births		1 / 3		2 / 4		
Percentage of transfers resulting in live births		1 / 3		3 / 4		
Percentage of transfers resulting in pregnancy		1 / 3		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	23%	Uterine factor	8%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	49%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	3%	
				Endometriosis	12%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 239 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	46	21	11	5	0
Percentage of cancellations	11.7	10.9	28.6	1 / 11	2 / 5	
Average number of embryos transferred	1.7	1.9	2.5	2.3	3.3	
Percentage of embryos transferred resulting in implantation	43.4	39.7	28.1	13.0	0 / 10	
Percentage of elective single embryo transfer (eSET)	28.1	21.6	0 / 12	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.8	39.1	9.5	0 / 11	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	2.2	0.0	0 / 11	0 / 5	
Percentage of cycles resulting in live births	45.5	45.7	14.3	1 / 11	0 / 5	
Percentage of cycles resulting in pregnancy	51.9	50.0	28.6	2 / 11	0 / 5	
Outcomes per Transfer						
Number of transfers	66	39	13	10	3	0
Percentage of transfers resulting in singleton live births	39.4	46.2	2 / 13	0 / 10	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	2.6	0 / 13	0 / 10	0 / 3	
Percentage of transfers resulting in live births	53.0	53.8	3 / 13	1 / 10	0 / 3	
Percentage of transfers resulting in pregnancy	60.6	59.0	6 / 13	2 / 10	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	40	23	6	2	0	0
Percentage of pregnancies resulting in singleton live births	65.0	78.3	2 / 6	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	4.3	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	87.5	91.3	3 / 6	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	6	3	0	1	0
Number of transfers	24	6	2	0	1	0
Estimated average number of transfers per retrieval	2.0	1.2	2.0		1.0	
Average number of embryos transferred	1.8	1.5	2.0		2.0	
Percentage of embryos transferred resulting in implantation	44.2	5 / 9	0 / 4		0 / 2	
Percentage of transfers resulting in singleton live births	33.3	1 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in live births	54.2	2 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	58.3	3 / 6	0 / 2		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		13		
Number of transfers		21		13		
Average number of embryos transferred		1.5		1.5		
Percentage of embryos transferred resulting in implantation		51.6		40.0		
Percentage of transfers resulting in singleton live births		28.6		4 / 13		
Percentage of transfers resulting in live births		38.1		5 / 13		
Percentage of transfers resulting in pregnancy		71.4		7 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	5%	Uterine factor	4%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	8%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	6%	
				Endometriosis	3%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 257 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	30	35	11	5	0
Percentage of cancellations	8.7	10.0	17.1	1 / 11	1 / 5	
Average number of embryos transferred	1.9	1.7	2.4	2.7	3.0	
Percentage of embryos transferred resulting in implantation	41.4	40.0	31.4	8.3	0 / 12	
Percentage of elective single embryo transfer (eSET)	7.8	21.7	0 / 18	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.2	33.3	22.9	0 / 11	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 11	0 / 5	
Percentage of cycles resulting in live births	43.5	43.3	28.6	0 / 11	0 / 5	
Percentage of cycles resulting in pregnancy	48.9	46.7	34.3	2 / 11	1 / 5	
Outcomes per Transfer						
Number of transfers	82	26	21	9	4	0
Percentage of transfers resulting in singleton live births	30.5	38.5	38.1	0 / 9	0 / 4	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 9	0 / 4	
Percentage of transfers resulting in live births	48.8	50.0	47.6	0 / 9	0 / 4	
Percentage of transfers resulting in pregnancy	54.9	53.8	57.1	2 / 9	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	45	14	12	2	1	0
Percentage of pregnancies resulting in singleton live births	55.6	10 / 14	8 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.2	0 / 14	0 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	88.9	13 / 14	10 / 12	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	10	3	0	1
Number of transfers	27	9	10	3	0	1
Estimated average number of transfers per retrieval	1.6	3.0	1.0	1.5		
Average number of embryos transferred	1.8	1.7	1.7	1.3		2.0
Percentage of embryos transferred resulting in implantation	53.1	7 / 15	6 / 17	1 / 4		0 / 2
Percentage of transfers resulting in singleton live births	48.1	5 / 9	3 / 10	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	3.7	0 / 9	0 / 10	0 / 3		0 / 1
Percentage of transfers resulting in live births	66.7	6 / 9	3 / 10	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	70.4	6 / 9	6 / 10	1 / 3		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	10			6		
Number of transfers	10			6		
Average number of embryos transferred	1.8			2.2		
Percentage of embryos transferred resulting in implantation	12 / 18			3 / 13		
Percentage of transfers resulting in singleton live births	4 / 10			0 / 6		
Percentage of transfers resulting in live births	8 / 10			1 / 6		
Percentage of transfers resulting in pregnancy	8 / 10			2 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Associates for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	27%	
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	12%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	30%	
				Endometriosis	8%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 197 (includes 77 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	4	0	4	1	0
Percentage of cancellations	1 / 11	0 / 4		1 / 4	1 / 1	
Average number of embryos transferred	2.0	2.8		1.5		
Percentage of embryos transferred resulting in implantation	50.0	3 / 11		0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 4		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 11	2 / 4		0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	1 / 11	0 / 4		0 / 4	0 / 1	
Percentage of cycles resulting in live births	5 / 11	2 / 4		0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	5 / 11	2 / 4		0 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	10	4	0	2	0	0
Percentage of transfers resulting in singleton live births	2 / 10	2 / 4		0 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 4		0 / 2		
Percentage of transfers resulting in live births	5 / 10	2 / 4		0 / 2		
Percentage of transfers resulting in pregnancy	5 / 10	2 / 4		0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	5	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 5	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	1 / 5	0 / 2				
Percentage of pregnancies resulting in live births	5 / 5	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	15	6	6	2	1
Number of transfers	28	12	5	5	2	0
Estimated average number of transfers per retrieval	0.8	0.9	0.4	0.6	0.3	0.0
Average number of embryos transferred	1.8	1.8	1.6	1.6	1.5	
Percentage of embryos transferred resulting in implantation	43.1	33.3	2 / 8	6 / 8	2 / 3	
Percentage of transfers resulting in singleton live births	25.0	2 / 12	2 / 5	3 / 5	2 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5	0 / 5	0 / 2	
Percentage of transfers resulting in live births	42.9	4 / 12	2 / 5	4 / 5	2 / 2	
Percentage of transfers resulting in pregnancy	53.6	4 / 12	2 / 5	4 / 5	2 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		24		
Number of transfers		7		20		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		4 / 13		35.0		
Percentage of transfers resulting in singleton live births		4 / 7		40.0		
Percentage of transfers resulting in live births		4 / 7		50.0		
Percentage of transfers resulting in pregnancy		4 / 7		55.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Fertility Studies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF ARIZONA
SCOTTSDALE, ARIZONA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

IVF PHOENIX SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	21%	Uterine factor	13%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	8%	
				Endometriosis	1%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 104 (includes 29 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	6	6	8	0	1
Percentage of cancellations	4.8	0/6	0/6	1/8		1/1
Average number of embryos transferred	2.1	2.0	2.0	2.5		
Percentage of embryos transferred resulting in implantation	34.5	3/10	0/8	0/5		
Percentage of elective single embryo transfer (eSET)	0/14	1/5	0/4	0/2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	3/6	0/6	0/8		0/1
Percentage of cycles resulting in triplets or more live births	0.0	0/6	0/6	0/8		0/1
Percentage of cycles resulting in live births	33.3	3/6	0/6	0/8		0/1
Percentage of cycles resulting in pregnancy	38.1	3/6	0/6	0/8		0/1
Outcomes per Transfer						
Number of transfers	14	5	4	2	0	0
Percentage of transfers resulting in singleton live births	4/14	3/5	0/4	0/2		
Percentage of transfers resulting in triplets or more live births	0/14	0/5	0/4	0/2		
Percentage of transfers resulting in live births	7/14	3/5	0/4	0/2		
Percentage of transfers resulting in pregnancy	8/14	3/5	0/4	0/2		
Outcomes per Pregnancy						
Number of pregnancies	8	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4/8	3/3				
Percentage of pregnancies resulting in triplets or more live births	0/8	0/3				
Percentage of pregnancies resulting in live births	7/8	3/3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	6	3	4	2	0
Number of transfers	11	6	3	4	2	0
Estimated average number of transfers per retrieval	0.3	3.0	1.5	1.0		
Average number of embryos transferred	1.6	1.5	1.3	2.0	2.5	
Percentage of embryos transferred resulting in implantation	3/18	5/9	0/4	1/8	0/5	
Percentage of transfers resulting in singleton live births	2/11	3/6	0/3	1/4	0/2	
Percentage of transfers resulting in triplets or more live births	0/11	0/6	0/3	0/4	0/2	
Percentage of transfers resulting in live births	2/11	3/6	0/3	1/4	0/2	
Percentage of transfers resulting in pregnancy	2/11	3/6	0/3	1/4	0/2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		4		2		
Number of transfers		4		2		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		3/8		0/4		
Percentage of transfers resulting in singleton live births		1/4		0/2		
Percentage of transfers resulting in live births		2/4		0/2		
Percentage of transfers resulting in pregnancy		3/4		0/2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Phoenix

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER TEMPE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	5%	Uterine factor	<1%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	38%	Male factor	5%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	3%	
				Endometriosis	3%	Unknown factor	27%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				1%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 459 (includes 24 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	44	50	35	22	1
Percentage of cancellations	0.0	0.0	0.0	0.0	0.0	0 / 1
Average number of embryos transferred	2.0	2.5	2.3	2.3	2.4	4.0
Percentage of embryos transferred resulting in implantation	32.0	22.7	15.4	6.7	6.5	0 / 4
Percentage of elective single embryo transfer (eSET)	3.3	0.0	3.4	1 / 17	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.8	11.4	14.0	8.6	0.0	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	22.4	15.9	16.0	8.6	0.0	0 / 1
Percentage of cycles resulting in pregnancy	34.6	25.0	24.0	11.4	4.5	0 / 1
Outcomes per Transfer						
Number of transfers	63	26	34	20	13	1
Percentage of transfers resulting in singleton live births	30.2	19.2	20.6	15.0	0 / 13	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of transfers resulting in live births	38.1	26.9	23.5	15.0	0 / 13	0 / 1
Percentage of transfers resulting in pregnancy	58.7	42.3	35.3	20.0	1 / 13	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	37	11	12	4	1	0
Percentage of pregnancies resulting in singleton live births	51.4	5 / 11	7 / 12	3 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	64.9	7 / 11	8 / 12	3 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	26	26	17	4	0
Number of transfers	53	26	26	17	4	0
Estimated average number of transfers per retrieval	1.2	1.4	1.3	0.8	0.7	
Average number of embryos transferred	2.1	2.2	2.3	2.4	2.8	
Percentage of embryos transferred resulting in implantation	47.3	46.6	31.7	14.6	0 / 11	
Percentage of transfers resulting in singleton live births	28.3	30.8	15.4	4 / 17	0 / 4	
Percentage of transfers resulting in triplets or more live births	1.9	3.8	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births	47.2	46.2	30.8	4 / 17	0 / 4	
Percentage of transfers resulting in pregnancy	71.7	69.2	42.3	7 / 17	0 / 4	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		23		27		
Number of transfers		16		27		
Average number of embryos transferred		1.8		2.3		
Percentage of embryos transferred resulting in implantation		55.2		19.4		
Percentage of transfers resulting in singleton live births		8 / 16		22.2		
Percentage of transfers resulting in live births		11 / 16		25.9		
Percentage of transfers resulting in pregnancy		12 / 16		44.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Treatment Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 1 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	11%	Uterine factor	13%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	10%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	1%	
				Endometriosis	68%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				6%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 301 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	28	37	16	5	7
Percentage of cancellations	1.1	0.0	2.7	0 / 16	0 / 5	0 / 7
Average number of embryos transferred	2.6	2.9	3.2	3.8	2.8	2.3
Percentage of embryos transferred resulting in implantation	35.2	22.8	18.2	3.5	1 / 14	2 / 16
Percentage of elective single embryo transfer (eSET)	1.2	0.0	0.0	0 / 14	0 / 3	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.0	50.0	18.9	0 / 16	1 / 5	0 / 7
Percentage of cycles resulting in triplets or more live births	2.3	0.0	0.0	0 / 16	0 / 5	0 / 7
Percentage of cycles resulting in live births	55.7	50.0	27.0	0 / 16	1 / 5	0 / 7
Percentage of cycles resulting in pregnancy	67.0	60.7	40.5	2 / 16	1 / 5	2 / 7
Outcomes per Transfer						
Number of transfers	86	27	31	15	5	7
Percentage of transfers resulting in singleton live births	43.0	51.9	22.6	0 / 15	1 / 5	0 / 7
Percentage of transfers resulting in triplets or more live births	2.3	0.0	0.0	0 / 15	0 / 5	0 / 7
Percentage of transfers resulting in live births	57.0	51.9	32.3	0 / 15	1 / 5	0 / 7
Percentage of transfers resulting in pregnancy	68.6	63.0	48.4	2 / 15	1 / 5	2 / 7
Outcomes per Pregnancy						
Number of pregnancies	59	17	15	2	1	2
Percentage of pregnancies resulting in singleton live births	62.7	14 / 17	7 / 15	0 / 2	1 / 1	0 / 2
Percentage of pregnancies resulting in triplets or more live births	3.4	0 / 17	0 / 15	0 / 2	0 / 1	0 / 2
Percentage of pregnancies resulting in live births	83.1	14 / 17	10 / 15	0 / 2	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	18	7	3	0	2
Number of transfers	66	18	7	3	0	2
Estimated average number of transfers per retrieval	2.8	3.6	2.3	1.5		
Average number of embryos transferred	2.9	3.3	3.4	4.0		3.5
Percentage of embryos transferred resulting in implantation	12.1	10.2	8.3	1 / 12		1 / 7
Percentage of transfers resulting in singleton live births	19.7	2 / 18	2 / 7	0 / 3		1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 7	0 / 3		0 / 2
Percentage of transfers resulting in live births	22.7	3 / 18	2 / 7	0 / 3		1 / 2
Percentage of transfers resulting in pregnancy	30.3	5 / 18	3 / 7	1 / 3		1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		11		
Number of transfers		10		11		
Average number of embryos transferred		2.5		2.8		
Percentage of embryos transferred resulting in implantation		24.0		16.1		
Percentage of transfers resulting in singleton live births		2 / 10		0 / 11		
Percentage of transfers resulting in live births		4 / 10		1 / 11		
Percentage of transfers resulting in pregnancy		4 / 10		2 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Scot M. Hutchison, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	20%	Uterine factor	10%	Multiple Factors: Female factors only 9% Female & male factors 30%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	54%	
Used gestational carrier	2%			Diminished ovarian reserve	11%	Other factor	8%	
				Endometriosis	19%	Unknown factor	7%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 332 (includes 89 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	18	16	4	2	0
Percentage of cancellations	4.3	3 / 18	6 / 16	1 / 4	0 / 2	
Average number of embryos transferred	1.6	1.8	1.8	2.0	1.5	
Percentage of embryos transferred resulting in implantation	50.0	21.7	4 / 14	1 / 4	0 / 3	
Percentage of elective single embryo transfer (eSET)	7 / 18	2 / 12	1 / 7	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	47.8	3 / 18	3 / 16	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 16	0 / 4	0 / 2	
Percentage of cycles resulting in live births	56.5	4 / 18	3 / 16	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	56.5	4 / 18	4 / 16	1 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	19	13	8	2	2	0
Percentage of transfers resulting in singleton live births	11 / 19	3 / 13	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 13	0 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births	13 / 19	4 / 13	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	13 / 19	4 / 13	4 / 8	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	13	4	4	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 13	3 / 4	3 / 4	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	13 / 13	4 / 4	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	32	15	8	3	3
Number of transfers	85	31	14	8	3	3
Estimated average number of transfers per retrieval	1.5	1.5	0.9	1.6		1.5
Average number of embryos transferred	1.4	1.3	1.4	1.8	1.0	2.0
Percentage of embryos transferred resulting in implantation	47.0	22.0	10.0	1 / 14	0 / 3	0 / 6
Percentage of transfers resulting in singleton live births	40.0	19.4	2 / 14	1 / 8	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 8	0 / 3	0 / 3
Percentage of transfers resulting in live births	47.1	22.6	2 / 14	1 / 8	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	57.6	32.3	3 / 14	1 / 8	0 / 3	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		21		
Number of transfers		12		21		
Average number of embryos transferred		1.3		1.2		
Percentage of embryos transferred resulting in implantation		5 / 15		16.0		
Percentage of transfers resulting in singleton live births		5 / 12		19.0		
Percentage of transfers resulting in live births		5 / 12		19.0		
Percentage of transfers resulting in pregnancy		5 / 12		33.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER LITTLE ROCK, ARKANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	46%	Tubal factor	26%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	16%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	2%	
				Endometriosis	10%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 336 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	127	47	37	8	1	0
Percentage of cancellations	7.1	21.3	10.8	0 / 8	0 / 1	
Average number of embryos transferred	1.8	2.0	2.2	2.6	2.0	
Percentage of embryos transferred resulting in implantation	40.6	26.9	19.0	2 / 18	0 / 2	
Percentage of elective single embryo transfer (eSET)	18.2	3.4	0.0	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.1	12.8	21.6	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	42.5	21.3	27.0	0 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	48.0	29.8	27.0	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	111	34	29	7	1	0
Percentage of transfers resulting in singleton live births	33.3	17.6	27.6	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	48.6	29.4	34.5	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	55.0	41.2	34.5	2 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	61	14	10	2	0	0
Percentage of pregnancies resulting in singleton live births	60.7	6 / 14	8 / 10	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 2		
Percentage of pregnancies resulting in live births	88.5	10 / 14	10 / 10	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	14	8	4	2	1
Number of transfers	59	13	7	3	2	1
Estimated average number of transfers per retrieval	3.5	3.3	0.7			
Average number of embryos transferred	1.7	1.8	1.3	2.0	1.5	2.0
Percentage of embryos transferred resulting in implantation	21.4	29.2	1 / 9	0 / 6	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births	23.7	4 / 13	0 / 7	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	27.1	5 / 13	0 / 7	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	35.6	7 / 13	1 / 7	1 / 3	1 / 2	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		17		
Number of transfers		7		17		
Average number of embryos transferred		1.7		1.9		
Percentage of embryos transferred resulting in implantation		7 / 12		24.2		
Percentage of transfers resulting in singleton live births		3 / 7		5 / 17		
Percentage of transfers resulting in live births		4 / 7		6 / 17		
Percentage of transfers resulting in pregnancy		5 / 7		7 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arkansas Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anita P. Singh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	6%	Uterine factor	13%	
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	13%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	69%	Other factor	0%	
				Endometriosis	13%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 16 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	2	3	2	2	1
Percentage of cancellations	0/2	0/2	1/3	0/2	0/2	0/1
Average number of embryos transferred	1.5	2.5	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	0/3	0/5	2/6	0/3	0/2	
Percentage of elective single embryo transfer (eSET)	1/2	0/2	0/2	0/1	0/1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0/2	0/2	0/3	0/2	0/2	0/1
Percentage of cycles resulting in triplets or more live births	0/2	0/2	0/3	0/2	0/2	0/1
Percentage of cycles resulting in live births	0/2	0/2	1/3	0/2	0/2	0/1
Percentage of cycles resulting in pregnancy	0/2	1/2	1/3	0/2	0/2	0/1
Outcomes per Transfer						
Number of transfers	2	2	2	1	1	0
Percentage of transfers resulting in singleton live births	0/2	0/2	0/2	0/1	0/1	
Percentage of transfers resulting in triplets or more live births	0/2	0/2	0/2	0/1	0/1	
Percentage of transfers resulting in live births	0/2	0/2	1/2	0/1	0/1	
Percentage of transfers resulting in pregnancy	0/2	1/2	1/2	0/1	0/1	
Outcomes per Pregnancy						
Number of pregnancies	0	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births		0/1	0/1			
Percentage of pregnancies resulting in triplets or more live births		0/1	0/1			
Percentage of pregnancies resulting in live births		0/1	1/1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation	0/3					
Percentage of transfers resulting in singleton live births	0/2					
Percentage of transfers resulting in triplets or more live births	0/2					
Percentage of transfers resulting in live births	0/2					
Percentage of transfers resulting in pregnancy	0/2					
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	1.0			2.0		
Percentage of embryos transferred resulting in implantation	0/1			0/2		
Percentage of transfers resulting in singleton live births	0/1			0/1		
Percentage of transfers resulting in live births	0/1			0/1		
Percentage of transfers resulting in pregnancy	0/1			0/1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeStart Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Ryszard J. Chetkowski, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	11%	Uterine factor	9%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	23%	
Used gestational carrier	8%			Diminished ovarian reserve	59%	Other factor	8%	
				Endometriosis	2%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				12%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 121 (includes 11 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		7	13	13	7	3	5
Percentage of cancellations		0 / 7	0 / 13	1 / 13	0 / 7	0 / 3	1 / 5
Average number of embryos transferred		2.3	2.4	2.2	3.7	5.0	6.3
Percentage of embryos transferred resulting in implantation		4 / 16	23.1	18.2	15.4	2 / 15	0 / 19
Percentage of elective single embryo transfer (eSET)		0 / 7	0 / 11	0 / 7	0 / 7	0 / 3	0 / 3
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		2 / 7	2 / 13	1 / 13	1 / 7	2 / 3	0 / 5
Percentage of cycles resulting in triplets or more live births		0 / 7	0 / 13	0 / 13	0 / 7	0 / 3	0 / 5
Percentage of cycles resulting in live births		3 / 7	3 / 13	2 / 13	1 / 7	2 / 3	0 / 5
Percentage of cycles resulting in pregnancy		3 / 7	5 / 13	3 / 13	2 / 7	2 / 3	0 / 5
Outcomes per Transfer							
Number of transfers		7	11	10	7	3	3
Percentage of transfers resulting in singleton live births		2 / 7	2 / 11	1 / 10	1 / 7	2 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births		0 / 7	0 / 11	0 / 10	0 / 7	0 / 3	0 / 3
Percentage of transfers resulting in live births		3 / 7	3 / 11	2 / 10	1 / 7	2 / 3	0 / 3
Percentage of transfers resulting in pregnancy		3 / 7	5 / 11	3 / 10	2 / 7	2 / 3	0 / 3
Outcomes per Pregnancy							
Number of pregnancies		3	5	3	2	2	0
Percentage of pregnancies resulting in singleton live births		2 / 3	2 / 5	1 / 3	1 / 2	2 / 2	
Percentage of pregnancies resulting in triplets or more live births		0 / 3	0 / 5	0 / 3	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births		3 / 3	3 / 5	2 / 3	1 / 2	2 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		5	7	7	4	1	0
Number of transfers		5	7	7	3	1	0
Estimated average number of transfers per retrieval		0.8	1.8	1.4			
Average number of embryos transferred		1.8	1.6	2.3	2.0	4.0	
Percentage of embryos transferred resulting in implantation		6 / 9	4 / 11	1 / 16	0 / 6	1 / 4	
Percentage of transfers resulting in singleton live births		4 / 5	1 / 7	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 5	0 / 7	0 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in live births		4 / 5	2 / 7	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy		5 / 5	3 / 7	1 / 7	1 / 3	1 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		19			19		
Number of transfers		18			17		
Average number of embryos transferred		1.8			1.8		
Percentage of embryos transferred resulting in implantation		63.6			22.6		
Percentage of transfers resulting in singleton live births		5 / 18			7 / 17		
Percentage of transfers resulting in live births		12 / 18			7 / 17		
Percentage of transfers resulting in pregnancy		12 / 18			7 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alta Bates In Vitro Fertilization Program					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH
BEVERLY HILLS REPRODUCTIVE FERTILITY CENTER
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Eliran Mor, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	14%	Uterine factor	5%	
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	50%	Other factor	14%	
				Endometriosis	7%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 347 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	53	42	33	26	12
Percentage of cancellations	1.1	0.0	0.0	0.0	0.0	0 / 12
Average number of embryos transferred	2.8	2.9	3.1	3.3	3.8	2.4
Percentage of embryos transferred resulting in implantation	32.8	24.0	14.7	12.4	3.2	1 / 19
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	32.1	26.2	18.2	7.7	1 / 12
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births	51.1	41.5	31.0	21.2	7.7	1 / 12
Percentage of cycles resulting in pregnancy	62.5	56.6	47.6	36.4	19.2	1 / 12
Outcomes per Transfer						
Number of transfers	86	53	42	32	25	8
Percentage of transfers resulting in singleton live births	27.9	32.1	26.2	18.8	8.0	1 / 8
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	52.3	41.5	31.0	21.9	8.0	1 / 8
Percentage of transfers resulting in pregnancy	64.0	56.6	47.6	37.5	20.0	1 / 8
Outcomes per Pregnancy						
Number of pregnancies	55	30	20	12	5	1
Percentage of pregnancies resulting in singleton live births	43.6	56.7	55.0	6 / 12	2 / 5	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	0 / 1
Percentage of pregnancies resulting in live births	81.8	73.3	65.0	7 / 12	2 / 5	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	13	7	4	0	2
Number of transfers	15	13	7	4	0	2
Estimated average number of transfers per retrieval	1.4	0.6	1.0	1.3	0.0	1.0
Average number of embryos transferred	2.7	3.3	2.9	2.8		6.0
Percentage of embryos transferred resulting in implantation	32.5	16.3	25.0	1 / 11		0 / 12
Percentage of transfers resulting in singleton live births	7 / 15	6 / 13	3 / 7	1 / 4		0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 13	0 / 7	0 / 4		0 / 2
Percentage of transfers resulting in live births	8 / 15	6 / 13	3 / 7	1 / 4		0 / 2
Percentage of transfers resulting in pregnancy	10 / 15	8 / 13	4 / 7	1 / 4		0 / 2

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	21	4
Number of transfers	21	4
Average number of embryos transferred	2.3	2.8
Percentage of embryos transferred resulting in implantation	42.9	1 / 11
Percentage of transfers resulting in singleton live births	38.1	1 / 4
Percentage of transfers resulting in live births	47.6	1 / 4
Percentage of transfers resulting in pregnancy	71.4	1 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Center for Reproductive Health, Beverly Hills Reproductive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sam Najmabadi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	15%	Uterine factor	<1%	
Unstimulated	<1%	Used PGD	35%	Ovulatory dysfunction	2%	Male factor	54%	
Used gestational carrier	4%			Diminished ovarian reserve	41%	Other factor	36%	
				Endometriosis	6%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				36%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 173 (includes 29 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	26	27	26	9	6
Percentage of cancellations	2 / 19	3.8	14.8	23.1	2 / 9	3 / 6
Average number of embryos transferred	2.1	2.0	2.0	1.8	1.7	3.0
Percentage of embryos transferred resulting in implantation	54.5	43.2	42.5	36.7	4 / 10	0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 14	2 / 17	2 / 16	0 / 10	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 19	38.5	25.9	15.4	2 / 9	0 / 6
Percentage of cycles resulting in triplets or more live births	0 / 19	0.0	0.0	0.0	0 / 9	0 / 6
Percentage of cycles resulting in live births	12 / 19	50.0	29.6	15.4	3 / 9	0 / 6
Percentage of cycles resulting in pregnancy	12 / 19	50.0	44.4	34.6	3 / 9	0 / 6
Outcomes per Transfer						
Number of transfers	16	22	20	17	6	1
Percentage of transfers resulting in singleton live births	7 / 16	45.5	35.0	4 / 17	2 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0.0	0.0	0 / 17	0 / 6	0 / 1
Percentage of transfers resulting in live births	12 / 16	59.1	40.0	4 / 17	3 / 6	0 / 1
Percentage of transfers resulting in pregnancy	12 / 16	59.1	60.0	9 / 17	3 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	13	12	9	3	0
Percentage of pregnancies resulting in singleton live births	7 / 12	10 / 13	7 / 12	4 / 9	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 13	0 / 12	0 / 9	0 / 3	
Percentage of pregnancies resulting in live births	12 / 12	13 / 13	8 / 12	4 / 9	3 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	8	0	2	0	0
Number of transfers	6	7	0	2	0	0
Estimated average number of transfers per retrieval	0.5	1.2	0.0	0.7	0.0	0.0
Average number of embryos transferred	2.7	2.6		2.0		
Percentage of embryos transferred resulting in implantation	7 / 16	7 / 18		0 / 4		
Percentage of transfers resulting in singleton live births	0 / 6	4 / 7		0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 7		0 / 2		
Percentage of transfers resulting in live births	3 / 6	5 / 7		0 / 2		
Percentage of transfers resulting in pregnancy	4 / 6	5 / 7		0 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		7		8		
Number of transfers		7		7		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		8 / 14		7 / 14		
Percentage of transfers resulting in singleton live births		4 / 7		4 / 7		
Percentage of transfers resulting in live births		5 / 7		4 / 7		
Percentage of transfers resulting in pregnancy		5 / 7		5 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark W. Surrey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	4%	Uterine factor	2%	Multiple Factors: Female factors only 6% Female & male factors 9%
Unstimulated	0%	Used PGD	31%	Ovulatory dysfunction	6%	Male factor	26%	
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	30%	
				Endometriosis	5%	Unknown factor	10%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 611 (includes 64 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	64	99	47	38	7
Percentage of cancellations	1.3	0.0	5.1	4.3	7.9	1 / 7
Average number of embryos transferred	1.8	1.7	2.2	2.4	2.5	2.8
Percentage of embryos transferred resulting in implantation	50.5	41.5	30.8	13.8	12.7	0 / 14
Percentage of elective single embryo transfer (eSET)	22.7	26.3	7.3	4.3	1 / 18	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.6	23.4	25.3	14.9	18.4	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births	44.9	32.8	29.3	17.0	18.4	0 / 7
Percentage of cycles resulting in pregnancy	48.7	39.1	34.3	21.3	21.1	0 / 7
Outcomes per Transfer						
Number of transfers	55	47	66	33	25	5
Percentage of transfers resulting in singleton live births	49.1	31.9	37.9	21.2	28.0	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	63.6	44.7	43.9	24.2	28.0	0 / 5
Percentage of transfers resulting in pregnancy	69.1	53.2	51.5	30.3	32.0	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	38	25	34	10	8	0
Percentage of pregnancies resulting in singleton live births	71.1	60.0	73.5	7 / 10	7 / 8	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 8	
Percentage of pregnancies resulting in live births	92.1	84.0	85.3	8 / 10	7 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	28	26	6	6	2
Number of transfers	45	28	25	6	6	2
Estimated average number of transfers per retrieval	2.6	1.0	0.6	0.8	0.8	1.0
Average number of embryos transferred	1.8	1.5	1.7	1.8	2.2	1.5
Percentage of embryos transferred resulting in implantation	41.8	56.1	41.9	4 / 11	2 / 13	0 / 3
Percentage of transfers resulting in singleton live births	40.0	46.4	28.0	2 / 6	2 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 6	0 / 2
Percentage of transfers resulting in live births	51.1	50.0	40.0	3 / 6	2 / 6	0 / 2
Percentage of transfers resulting in pregnancy	60.0	57.1	64.0	3 / 6	2 / 6	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		54		46		
Number of transfers		51		45		
Average number of embryos transferred		1.5		1.6		
Percentage of embryos transferred resulting in implantation		46.1		48.6		
Percentage of transfers resulting in singleton live births		43.1		35.6		
Percentage of transfers resulting in live births		51.0		48.9		
Percentage of transfers resulting in pregnancy		54.9		57.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by C. Terence Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 5%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	6%	
				Endometriosis	3%	Unknown factor	28%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 130 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	16	17	6	5	0
Percentage of cancellations	2 / 18	3 / 16	2 / 17	3 / 6	2 / 5	
Average number of embryos transferred	2.2	2.1	2.6	3.3	2.0	
Percentage of embryos transferred resulting in implantation	44.8	23.8	32.4	1 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)	1 / 13	1 / 9	0 / 12	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 18	5 / 16	4 / 17	1 / 6	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 16	0 / 17	0 / 6	0 / 5	
Percentage of cycles resulting in live births	7 / 18	5 / 16	7 / 17	1 / 6	0 / 5	
Percentage of cycles resulting in pregnancy	8 / 18	5 / 16	8 / 17	1 / 6	0 / 5	
Outcomes per Transfer						
Number of transfers	13	10	13	3	1	0
Percentage of transfers resulting in singleton live births	2 / 13	5 / 10	4 / 13	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 10	0 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births	7 / 13	5 / 10	7 / 13	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	8 / 13	5 / 10	8 / 13	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	8	5	8	1	0	0
Percentage of pregnancies resulting in singleton live births	2 / 8	5 / 5	4 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 5	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	7 / 8	5 / 5	7 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	14	10	1	0	0
Number of transfers	11	12	10	1	0	0
Estimated average number of transfers per retrieval	1.2	1.2	1.3	0.3		0.0
Average number of embryos transferred	1.6	1.8	2.2	2.0		
Percentage of embryos transferred resulting in implantation	9 / 18	59.1	54.5	0 / 2		
Percentage of transfers resulting in singleton live births	6 / 11	4 / 12	5 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	1 / 12	0 / 10	0 / 1		
Percentage of transfers resulting in live births	7 / 11	6 / 12	6 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 11	8 / 12	9 / 10	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		10			
Number of transfers	1		7			
Average number of embryos transferred	1.0		1.7			
Percentage of embryos transferred resulting in implantation	1 / 1		5 / 12			
Percentage of transfers resulting in singleton live births	1 / 1		0 / 7			
Percentage of transfers resulting in live births	1 / 1		2 / 7			
Percentage of transfers resulting in pregnancy	1 / 1		3 / 7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Care of Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTRAL CALIFORNIA IVF PROGRAM
WOMEN'S SPECIALTY AND FERTILITY CENTER
CLOVIS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	16%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	<1%	
				Endometriosis	5%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 205 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	39	23	5	8	3
Percentage of cancellations	5.2	10.3	26.1	1 / 5	3 / 8	1 / 3
Average number of embryos transferred	2.2	2.2	2.4	2.7	1.8	2.0
Percentage of embryos transferred resulting in implantation	36.6	26.0	15.4	0 / 8	0 / 9	0 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 13	0 / 3	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	23.1	21.7	0 / 5	0 / 8	0 / 3
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0.0	0 / 5	0 / 8	0 / 3
Percentage of cycles resulting in live births	41.4	30.8	21.7	0 / 5	0 / 8	0 / 3
Percentage of cycles resulting in pregnancy	44.8	38.5	26.1	0 / 5	2 / 8	0 / 3
Outcomes per Transfer						
Number of transfers	52	35	16	3	5	2
Percentage of transfers resulting in singleton live births	21.2	25.7	5 / 16	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	1.9	0.0	0 / 16	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in live births	46.2	34.3	5 / 16	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	50.0	42.9	6 / 16	0 / 3	2 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	26	15	6	0	2	0
Percentage of pregnancies resulting in singleton live births	42.3	9 / 15	5 / 6		0 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.8	0 / 15	0 / 6		0 / 2	
Percentage of pregnancies resulting in live births	92.3	12 / 15	5 / 6		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	12	6	1	1	0
Number of transfers	29	11	5	1	1	0
Estimated average number of transfers per retrieval	2.2	2.8	5.0	0.5		
Average number of embryos transferred	2.1	2.2	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	24.2	16.7	5 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births	27.6	2 / 11	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births	34.5	3 / 11	3 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	41.4	3 / 11	3 / 5	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		5		
Number of transfers		10		5		
Average number of embryos transferred		2.1		2.2		
Percentage of embryos transferred resulting in implantation		38.1		2 / 11		
Percentage of transfers resulting in singleton live births		4 / 10		2 / 5		
Percentage of transfers resulting in live births		6 / 10		2 / 5		
Percentage of transfers resulting in pregnancy		7 / 10		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF FERTILITY CENTER, INC. DAVIS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Ernest J. Zeringue, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	7%	Uterine factor	5%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	10%	Male factor	48%
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	29%
				Endometriosis	5%	Unknown factor	10%
				<i>Multiple Factors:</i> Female factors only 8% Female & male factors 25%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 525 (includes 19 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	84	41	32	13	5	2	
Percentage of cancellations	2.4	4.9	12.5	0 / 13	1 / 5	0 / 2	
Average number of embryos transferred	2.1	2.3	2.3	2.8	2.5	3.0	
Percentage of embryos transferred resulting in implantation	31.6	25.9	8.3	3.6	1 / 10	0 / 3	
Percentage of elective single embryo transfer (eSET)	1.4	5.4	0.0	0 / 9	0 / 3	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	22.6	26.8	9.4	0 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in live births	35.7	31.7	9.4	0 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	42.9	41.5	15.6	1 / 13	1 / 5	0 / 2	
Outcomes per Transfer							
Number of transfers	73	37	26	10	4	1	
Percentage of transfers resulting in singleton live births	26.0	29.7	11.5	0 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in live births	41.1	35.1	11.5	0 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	49.3	45.9	19.2	1 / 10	1 / 4	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies	36	17	5	1	1	0	
Percentage of pregnancies resulting in singleton live births	52.8	11 / 17	3 / 5	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 5	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	83.3	13 / 17	3 / 5	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	45	18	10	5	0	2	
Number of transfers	43	16	10	5	0	2	
Estimated average number of transfers per retrieval	1.9	1.1	5.0	1.3	0.0	1.0	
Average number of embryos transferred	2.0	2.1	2.0	2.8		2.0	
Percentage of embryos transferred resulting in implantation	29.8	20.6	20.0	1 / 14		0 / 4	
Percentage of transfers resulting in singleton live births	27.9	5 / 16	2 / 10	1 / 5		0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 10	0 / 5		0 / 2	
Percentage of transfers resulting in live births	39.5	5 / 16	2 / 10	1 / 5		0 / 2	
Percentage of transfers resulting in pregnancy	51.2	7 / 16	3 / 10	1 / 5		0 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		157		92			
Number of transfers		155		91			
Average number of embryos transferred		1.9		1.9			
Percentage of embryos transferred resulting in implantation		53.6		23.6			
Percentage of transfers resulting in singleton live births		36.8		27.5			
Percentage of transfers resulting in live births		61.3		33.0			
Percentage of transfers resulting in pregnancy		75.5		42.9			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: California IVF Fertility Center, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Lori L. Arnold, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	7%	Uterine factor	16%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 26%
Unstimulated	0%	Used PGD	19%	Ovulatory dysfunction	7%	Male factor	36%	
Used gestational carrier	6%			Diminished ovarian reserve	49%	Other factor	28%	
				Endometriosis	4%	Unknown factor	3%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 91 (includes 15 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		12	12	2	4	1	1
Percentage of cancellations		0 / 12	0 / 12	0 / 2	2 / 4	0 / 1	0 / 1
Average number of embryos transferred		2.3	2.0	2.5	3.0	3.0	2.0
Percentage of embryos transferred resulting in implantation		25.0	33.3	1 / 5	0 / 3	0 / 3	0 / 2
Percentage of elective single embryo transfer (eSET)		0 / 12	2 / 11	0 / 2	0 / 1	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		4 / 12	3 / 12	1 / 2	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births		0 / 12	0 / 12	0 / 2	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births		5 / 12	5 / 12	1 / 2	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy		6 / 12	7 / 12	1 / 2	0 / 4	0 / 1	0 / 1
Outcomes per Transfer							
Number of transfers		12	12	2	1	1	1
Percentage of transfers resulting in singleton live births		4 / 12	3 / 12	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 12	0 / 12	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births		5 / 12	5 / 12	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		6 / 12	7 / 12	1 / 2	0 / 1	0 / 1	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		6	7	1	0	0	0
Percentage of pregnancies resulting in singleton live births		4 / 6	3 / 7	1 / 1			
Percentage of pregnancies resulting in triplets or more live births		0 / 6	0 / 7	0 / 1			
Percentage of pregnancies resulting in live births		5 / 6	5 / 7	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		8	3	1	2	1	0
Number of transfers		8	3	1	2	1	0
Estimated average number of transfers per retrieval		1.3	3.0	0.5	0.3	1.0	0.0
Average number of embryos transferred		2.1	2.7	2.0	1.5	3.0	
Percentage of embryos transferred resulting in implantation		5 / 17	4 / 8	0 / 2	2 / 3	0 / 3	
Percentage of transfers resulting in singleton live births		2 / 8	2 / 3	0 / 1	2 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 8	0 / 3	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births		3 / 8	2 / 3	0 / 1	2 / 2	0 / 1	
Percentage of transfers resulting in pregnancy		5 / 8	2 / 3	0 / 1	2 / 2	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		19			10		
Number of transfers		19			10		
Average number of embryos transferred		2.4			2.7		
Percentage of embryos transferred resulting in implantation		43.5			40.7		
Percentage of transfers resulting in singleton live births		4 / 19			6 / 10		
Percentage of transfers resulting in live births		10 / 19			8 / 10		
Percentage of transfers resulting in pregnancy		12 / 19			9 / 10		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: California Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jeffrey Steinberg, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	2%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 4%
Unstimulated	0%	Used PGD	70%	Ovulatory dysfunction	<1%	Male factor	6%	
Used gestational carrier	6%			Diminished ovarian reserve	15%	Other factor	84%	
				Endometriosis	2%	Unknown factor	<1%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 185 (includes 21 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		44	30	23	11	0	1
Percentage of cancellations		2.3	0.0	0.0	0 / 11		1 / 1
Average number of embryos transferred		1.7	1.7	2.1	1.7		
Percentage of embryos transferred resulting in implantation		31.8	17.4	15.4	1 / 12		
Percentage of elective single embryo transfer (eSET)		18.8	2 / 19	0 / 15	0 / 4		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		25.0	16.7	13.0	1 / 11		0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0 / 11		0 / 1
Percentage of cycles resulting in live births		31.8	16.7	13.0	1 / 11		0 / 1
Percentage of cycles resulting in pregnancy		38.6	16.7	21.7	1 / 11		0 / 1
Outcomes per Transfer							
Number of transfers		39	27	19	7	0	0
Percentage of transfers resulting in singleton live births		28.2	18.5	3 / 19	1 / 7		
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 19	0 / 7		
Percentage of transfers resulting in live births		35.9	18.5	3 / 19	1 / 7		
Percentage of transfers resulting in pregnancy		43.6	18.5	5 / 19	1 / 7		
Outcomes per Pregnancy							
Number of pregnancies		17	5	5	1	0	0
Percentage of pregnancies resulting in singleton live births		11 / 17	5 / 5	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 17	0 / 5	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births		14 / 17	5 / 5	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		6	5	1	0	1	2
Number of transfers		6	5	1	0	1	2
Estimated average number of transfers per retrieval		0.7	1.0	0.3	0.0		
Average number of embryos transferred		1.7	2.0	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation		4 / 10	3 / 10	0 / 2		1 / 2	0 / 4
Percentage of transfers resulting in singleton live births		1 / 6	2 / 5	0 / 1		1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		0 / 6	0 / 5	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in live births		2 / 6	2 / 5	0 / 1		1 / 1	0 / 2
Percentage of transfers resulting in pregnancy		3 / 6	2 / 5	0 / 1		1 / 1	0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		32			8		
Number of transfers		31			8		
Average number of embryos transferred		1.8			2.1		
Percentage of embryos transferred resulting in implantation		32.1			5 / 17		
Percentage of transfers resulting in singleton live births		16.1			3 / 8		
Percentage of transfers resulting in live births		25.8			3 / 8		
Percentage of transfers resulting in pregnancy		41.9			4 / 8		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael A. Feinman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	70%	Tubal factor	3%	Uterine factor	2%	
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	6%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	46%	
				Endometriosis	2%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 423 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	34	60	40	19	8
Percentage of cancellations	8.5	14.7	21.7	12.5	6 / 19	2 / 8
Average number of embryos transferred	1.9	2.2	2.8	3.1	3.4	3.0
Percentage of embryos transferred resulting in implantation	57.1	36.9	26.2	11.9	2.3	1 / 18
Percentage of elective single embryo transfer (eSET)	11.5	0.0	0.0	0.0	0 / 10	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	52.1	32.4	33.3	17.5	0 / 19	1 / 8
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0.0	0.0	0 / 19	0 / 8
Percentage of cycles resulting in live births	71.8	50.0	40.0	20.0	0 / 19	1 / 8
Percentage of cycles resulting in pregnancy	78.9	61.8	45.0	30.0	3 / 19	1 / 8
Outcomes per Transfer						
Number of transfers	65	29	47	35	13	6
Percentage of transfers resulting in singleton live births	56.9	37.9	42.6	20.0	0 / 13	1 / 6
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0.0	0 / 13	0 / 6
Percentage of transfers resulting in live births	78.5	58.6	51.1	22.9	0 / 13	1 / 6
Percentage of transfers resulting in pregnancy	86.2	72.4	57.4	34.3	3 / 13	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	56	21	27	12	3	1
Percentage of pregnancies resulting in singleton live births	66.1	52.4	74.1	7 / 12	0 / 3	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.8	0.0	0.0	0 / 12	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	91.1	81.0	88.9	8 / 12	0 / 3	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	12	20	15	9	9
Number of transfers	18	12	18	14	9	9
Estimated average number of transfers per retrieval	1.6	6.0	3.0	2.8	4.5	
Average number of embryos transferred	2.0	2.3	2.1	2.6	2.4	1.8
Percentage of embryos transferred resulting in implantation	69.4	40.7	32.4	21.6	13.6	9 / 16
Percentage of transfers resulting in singleton live births	7 / 18	9 / 12	5 / 18	7 / 14	3 / 9	5 / 9
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 18	0 / 14	0 / 9	0 / 9
Percentage of transfers resulting in live births	14 / 18	10 / 12	8 / 18	7 / 14	3 / 9	7 / 9
Percentage of transfers resulting in pregnancy	15 / 18	10 / 12	11 / 18	10 / 14	3 / 9	8 / 9
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		99		6		
Number of transfers		81		6		
Average number of embryos transferred		1.9		2.8		
Percentage of embryos transferred resulting in implantation		59.2		5 / 17		
Percentage of transfers resulting in singleton live births		48.1		3 / 6		
Percentage of transfers resulting in live births		71.6		4 / 6		
Percentage of transfers resulting in pregnancy		87.7		5 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Encino

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Christo Zouves, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	8%	Uterine factor	4%	
Unstimulated	0%	Used PGD	50%	Ovulatory dysfunction	18%	Male factor	26%	
Used gestational carrier	7%			Diminished ovarian reserve	31%	Other factor	12%	
				Endometriosis	20%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				12%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 640 (includes 163 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		49	54	51	35	12	3
Percentage of cancellations		4.1	0.0	0.0	5.7	2 / 12	0 / 3
Average number of embryos transferred		2.4	2.3	2.5	2.8	1.4	2.5
Percentage of embryos transferred resulting in implantation		21.6	19.2	12.1	2.9	0 / 11	0 / 5
Percentage of elective single embryo transfer (eSET)		2.4	4.4	0.0	0.0	0 / 2	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		14.3	24.1	25.5	2.9	0 / 12	0 / 3
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 12	0 / 3
Percentage of cycles resulting in live births		28.6	31.5	25.5	2.9	0 / 12	0 / 3
Percentage of cycles resulting in pregnancy		28.6	35.2	29.4	5.7	0 / 12	0 / 3
Outcomes per Transfer							
Number of transfers		43	52	46	24	8	2
Percentage of transfers resulting in singleton live births		16.3	25.0	28.3	4.2	0 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births		32.6	32.7	28.3	4.2	0 / 8	0 / 2
Percentage of transfers resulting in pregnancy		32.6	36.5	32.6	8.3	0 / 8	0 / 2
Outcomes per Pregnancy							
Number of pregnancies		14	19	15	2	0	0
Percentage of pregnancies resulting in singleton live births		7 / 14	13 / 19	13 / 15	1 / 2		
Percentage of pregnancies resulting in triplets or more live births		0 / 14	0 / 19	0 / 15	0 / 2		
Percentage of pregnancies resulting in live births		14 / 14	17 / 19	13 / 15	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		64	37	22	10	2	1
Number of transfers		64	37	22	10	2	1
Estimated average number of transfers per retrieval		1.3	0.9	0.4	0.3	0.1	0.2
Average number of embryos transferred		2.0	2.0	1.9	1.7	2.0	4.0
Percentage of embryos transferred resulting in implantation		36.9	29.7	23.8	3 / 17	2 / 4	0 / 4
Percentage of transfers resulting in singleton live births		35.9	35.1	18.2	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		1.6	0.0	0.0	0 / 10	0 / 2	0 / 1
Percentage of transfers resulting in live births		51.6	40.5	31.8	1 / 10	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy		60.9	48.6	40.9	4 / 10	1 / 2	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		64			73		
Number of transfers		63			73		
Average number of embryos transferred		2.0			1.9		
Percentage of embryos transferred resulting in implantation		46.0			25.5		
Percentage of transfers resulting in singleton live births		33.3			26.0		
Percentage of transfers resulting in live births		57.1			34.2		
Percentage of transfers resulting in pregnancy		63.5			43.8		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Zouves Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	27%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 24%
Unstimulated	3%	Used PGD	27%	Ovulatory dysfunction	15%	Male factor	41%	
Used gestational carrier	1%			Diminished ovarian reserve	38%	Other factor	25%	
				Endometriosis	8%	Unknown factor	3%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 189 (includes 43 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	19	17	7	2	1
Percentage of cancellations	4.2	0 / 19	0 / 17	0 / 7	0 / 2	1 / 1
Average number of embryos transferred	1.7	1.9	2.0	1.5		
Percentage of embryos transferred resulting in implantation	37.1	25.0	31.3	0 / 3		
Percentage of elective single embryo transfer (eSET)	30.0	1 / 16	0 / 13	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	5 / 19	3 / 17	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 17	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in live births	33.3	6 / 19	4 / 17	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	50.0	7 / 19	7 / 17	0 / 7	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	21	19	16	2	0	0
Percentage of transfers resulting in singleton live births	28.6	5 / 19	3 / 16	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 16	0 / 2		
Percentage of transfers resulting in live births	38.1	6 / 19	4 / 16	0 / 2		
Percentage of transfers resulting in pregnancy	57.1	7 / 19	7 / 16	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	12	7	7	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 12	5 / 7	3 / 7			
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 7	0 / 7			
Percentage of pregnancies resulting in live births	8 / 12	6 / 7	4 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	17	8	2	1	0
Number of transfers	30	16	8	2	1	0
Estimated average number of transfers per retrieval	1.3	0.8	0.9	2.0	1.0	0.0
Average number of embryos transferred	1.9	1.8	1.6	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.1	34.5	2 / 13	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	23.3	3 / 16	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births	36.7	6 / 16	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	60.0	7 / 16	2 / 8	0 / 2	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		5		13		
Number of transfers		4		11		
Average number of embryos transferred		1.5		1.6		
Percentage of embryos transferred resulting in implantation		2 / 6		5 / 18		
Percentage of transfers resulting in singleton live births		2 / 4		1 / 11		
Percentage of transfers resulting in live births		2 / 4		2 / 11		
Percentage of transfers resulting in pregnancy		2 / 4		4 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Coast Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**XPERT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Minh N. Ho, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	9%	Uterine factor	21%	Multiple Factors: Female factors only 9% Female & male factors 35%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	29%	Male factor	41%	
Used gestational carrier	4%			Diminished ovarian reserve	35%	Other factor	0%	
				Endometriosis	3%	Unknown factor	12%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 34 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		6	8	6	4	1	0
Percentage of cancellations		0 / 6	0 / 8	0 / 6	0 / 4	0 / 1	
Average number of embryos transferred		2.3	2.4	3.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation		10 / 14	5 / 19	30.0	0 / 12	0 / 3	
Percentage of elective single embryo transfer (eSET)		0 / 6	1 / 7	0 / 6	0 / 4	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		0 / 6	5 / 8	2 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births		0 / 6	0 / 8	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in live births		3 / 6	5 / 8	3 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy		5 / 6	5 / 8	4 / 6	0 / 4	0 / 1	
Outcomes per Transfer							
Number of transfers		6	8	6	4	1	0
Percentage of transfers resulting in singleton live births		0 / 6	5 / 8	2 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 6	0 / 8	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births		3 / 6	5 / 8	3 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy		5 / 6	5 / 8	4 / 6	0 / 4	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		5	5	4	0	0	0
Percentage of pregnancies resulting in singleton live births		0 / 5	5 / 5	2 / 4			
Percentage of pregnancies resulting in triplets or more live births		0 / 5	0 / 5	0 / 4			
Percentage of pregnancies resulting in live births		3 / 5	5 / 5	3 / 4			
Frozen Embryos from Nondonor Eggs							
Number of cycles		4	1	2	0	0	0
Number of transfers		4	1	2	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred		3.0	4.0	2.5			
Percentage of embryos transferred resulting in implantation		5 / 12	0 / 4	1 / 5			
Percentage of transfers resulting in singleton live births		1 / 4	0 / 1	1 / 2			
Percentage of transfers resulting in triplets or more live births		0 / 4	0 / 1	0 / 2			
Percentage of transfers resulting in live births		3 / 4	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy		3 / 4	0 / 1	1 / 2			
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		1			1		
Number of transfers		1			1		
Average number of embryos transferred		2.0			4.0		
Percentage of embryos transferred resulting in implantation		1 / 2			1 / 4		
Percentage of transfers resulting in singleton live births		1 / 1			0 / 1		
Percentage of transfers resulting in live births		1 / 1			0 / 1		
Percentage of transfers resulting in pregnancy		1 / 1			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Lisa Farah-Eways, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	7%	Uterine factor	6%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	46%
Used gestational carrier	<1%			Diminished ovarian reserve	54%	Other factor	4%
				Endometriosis	3%	Unknown factor	5%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 29%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 862 (includes 15 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	173	132	138	80	16	14	
Percentage of cancellations	5.2	9.1	11.6	18.8	3 / 16	6 / 14	
Average number of embryos transferred	1.9	2.2	2.9	3.6	3.5	3.3	
Percentage of embryos transferred resulting in implantation	52.5	32.5	19.6	6.3	2.6	20.0	
Percentage of elective single embryo transfer (eSET)	11.0	6.9	2.9	1.8	0 / 10	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	37.0	33.3	23.2	8.8	1 / 16	3 / 14	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 14	
Percentage of cycles resulting in live births	60.1	40.2	29.0	11.3	1 / 16	3 / 14	
Percentage of cycles resulting in pregnancy	65.3	48.5	39.9	17.5	2 / 16	3 / 14	
Outcomes per Transfer							
Number of transfers	157	107	113	62	11	6	
Percentage of transfers resulting in singleton live births	40.8	41.1	28.3	11.3	1 / 11	3 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 6	
Percentage of transfers resulting in live births	66.2	49.5	35.4	14.5	1 / 11	3 / 6	
Percentage of transfers resulting in pregnancy	72.0	59.8	48.7	22.6	2 / 11	3 / 6	
Outcomes per Pregnancy							
Number of pregnancies	113	64	55	14	2	3	
Percentage of pregnancies resulting in singleton live births	56.6	68.8	58.2	7 / 14	1 / 2	3 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 2	0 / 3	
Percentage of pregnancies resulting in live births	92.0	82.8	72.7	9 / 14	1 / 2	3 / 3	
Frozen Embryos from Nondonor Eggs							
Number of cycles	84	61	58	21	10	6	
Number of transfers	81	60	54	19	10	6	
Estimated average number of transfers per retrieval	2.8	2.1	2.8	2.4	10.0		
Average number of embryos transferred	1.8	1.7	2.0	2.4	2.2	2.0	
Percentage of embryos transferred resulting in implantation	41.5	37.0	34.3	24.4	22.7	3 / 12	
Percentage of transfers resulting in singleton live births	33.3	45.0	37.0	5 / 19	2 / 10	1 / 6	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 19	0 / 10	0 / 6	
Percentage of transfers resulting in live births	49.4	50.0	42.6	6 / 19	3 / 10	1 / 6	
Percentage of transfers resulting in pregnancy	56.8	60.0	59.3	9 / 19	4 / 10	3 / 6	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		36		18			
Number of transfers		34		17			
Average number of embryos transferred		1.8		1.9			
Percentage of embryos transferred resulting in implantation		59.0		18.8			
Percentage of transfers resulting in singleton live births		47.1		4 / 17			
Percentage of transfers resulting in live births		67.6		5 / 17			
Percentage of transfers resulting in pregnancy		85.3		5 / 17			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Kaiser Permanente Center for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY GLENDALE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Rudy Quintero, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	17%	Uterine factor	6%	
Unstimulated	4%	Used PGD	5%	Ovulatory dysfunction	13%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	18%	
				Endometriosis	3%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				4%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 340 (includes 14 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	79	51	22	24	9	10	
Percentage of cancellations	3.8	9.8	0.0	0.0	1 / 9	1 / 10	
Average number of embryos transferred	2.1	2.5	2.5	3.1	3.0	2.3	
Percentage of embryos transferred resulting in implantation	26.2	12.7	16.0	8.2	0 / 15	0 / 7	
Percentage of elective single embryo transfer (eSET)	12.5	3.7	1 / 17	1 / 14	0 / 4	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	19.0	13.7	9.1	4.2	0 / 9	0 / 10	
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0.0	0 / 9	0 / 10	
Percentage of cycles resulting in live births	27.8	13.7	18.2	4.2	0 / 9	0 / 10	
Percentage of cycles resulting in pregnancy	34.2	17.6	22.7	20.8	1 / 9	0 / 10	
Outcomes per Transfer							
Number of transfers	59	31	20	16	5	3	
Percentage of transfers resulting in singleton live births	25.4	22.6	10.0	1 / 16	0 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0 / 16	0 / 5	0 / 3	
Percentage of transfers resulting in live births	37.3	22.6	20.0	1 / 16	0 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	45.8	29.0	25.0	5 / 16	1 / 5	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	27	9	5	5	1	0	
Percentage of pregnancies resulting in singleton live births	55.6	7 / 9	2 / 5	1 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 9	0 / 5	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	81.5	7 / 9	4 / 5	1 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	51	27	4	14	6	0	
Number of transfers	48	25	4	11	6	0	
Estimated average number of transfers per retrieval	1.5	1.0	1.0	1.6	1.2	0.0	
Average number of embryos transferred	2.1	2.2	2.3	2.3	3.3		
Percentage of embryos transferred resulting in implantation	18.4	18.5	3 / 9	28.0	20.0		
Percentage of transfers resulting in singleton live births	16.7	24.0	0 / 4	2 / 11	0 / 6		
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0 / 4	0 / 11	0 / 6		
Percentage of transfers resulting in live births	25.0	28.0	0 / 4	4 / 11	1 / 6		
Percentage of transfers resulting in pregnancy	41.7	32.0	1 / 4	5 / 11	2 / 6		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		14		15			
Number of transfers		10		14			
Average number of embryos transferred		1.9		1.7			
Percentage of embryos transferred resulting in implantation		5 / 19		12.5			
Percentage of transfers resulting in singleton live births		4 / 10		2 / 14			
Percentage of transfers resulting in live births		4 / 10		2 / 14			
Percentage of transfers resulting in pregnancy		6 / 10		4 / 14			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: CARE Fertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**KATHLEEN KORNAFEL, MD, PhD
GLENDALE, CALIFORNIA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER GREENBRAE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	5%	Uterine factor	2%	
Unstimulated	6%	Used PGD	0%	Ovulatory dysfunction	2%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	0%	
				Endometriosis	5%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 62 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	13	9	12	5	0
Percentage of cancellations	0 / 11	1 / 13	0 / 9	1 / 12	0 / 5	
Average number of embryos transferred	1.6	2.2	2.4	2.5	3.7	
Percentage of embryos transferred resulting in implantation	6 / 18	22.7	18.2	0.0	1 / 11	
Percentage of elective single embryo transfer (eSET)	3 / 10	0 / 9	0 / 8	0 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 11	1 / 13	0 / 9	0 / 12	1 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 13	0 / 9	0 / 12	0 / 5	
Percentage of cycles resulting in live births	6 / 11	2 / 13	2 / 9	0 / 12	1 / 5	
Percentage of cycles resulting in pregnancy	7 / 11	3 / 13	3 / 9	1 / 12	1 / 5	
Outcomes per Transfer						
Number of transfers	11	10	9	8	3	0
Percentage of transfers resulting in singleton live births	6 / 11	1 / 10	0 / 9	0 / 8	1 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 10	0 / 9	0 / 8	0 / 3	
Percentage of transfers resulting in live births	6 / 11	2 / 10	2 / 9	0 / 8	1 / 3	
Percentage of transfers resulting in pregnancy	7 / 11	3 / 10	3 / 9	1 / 8	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	7	3	3	1	1	0
Percentage of pregnancies resulting in singleton live births	6 / 7	1 / 3	0 / 3	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	6 / 7	2 / 3	2 / 3	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval	1.0	0.7	0.0	0.0		
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	2 / 4	0 / 4				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	1 / 2	0 / 2				
Percentage of transfers resulting in pregnancy	2 / 2	0 / 2				

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	4	1
Number of transfers	4	1
Average number of embryos transferred	1.5	2.0
Percentage of embryos transferred resulting in implantation	4 / 6	0 / 2
Percentage of transfers resulting in singleton live births	2 / 4	0 / 1
Percentage of transfers resulting in live births	3 / 4	0 / 1
Percentage of transfers resulting in pregnancy	3 / 4	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Marin Fertility Center

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 1 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN REPRODUCTIVE CENTERS IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Maher Abdallah, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	5%	Uterine factor	1%	
Unstimulated	0%	Used PGD	48%	Ovulatory dysfunction	8%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	4%	
				Endometriosis	3%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 75 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	14	9	9	2	0
Percentage of cancellations	0.0	0 / 14	0 / 9	0 / 9	0 / 2	
Average number of embryos transferred	1.8	1.7	1.8	1.5	1.5	
Percentage of embryos transferred resulting in implantation	50.0	25.0	5 / 16	3 / 12	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	2 / 14	4 / 9	1 / 9	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 9	0 / 9	0 / 2	
Percentage of cycles resulting in live births	53.3	3 / 14	4 / 9	1 / 9	0 / 2	
Percentage of cycles resulting in pregnancy	70.0	4 / 14	5 / 9	3 / 9	0 / 2	
Outcomes per Transfer						
Number of transfers	30	12	9	8	2	0
Percentage of transfers resulting in singleton live births	33.3	2 / 12	4 / 9	1 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 8	0 / 2	
Percentage of transfers resulting in live births	53.3	3 / 12	4 / 9	1 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	70.0	4 / 12	5 / 9	3 / 8	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	21	4	5	3	0	0
Percentage of pregnancies resulting in singleton live births	47.6	2 / 4	4 / 5	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 5	0 / 3		
Percentage of pregnancies resulting in live births	76.2	3 / 4	4 / 5	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	1	0
Number of transfers	1	0	0	0	1	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0				2.0	
Percentage of embryos transferred resulting in implantation	0 / 2				0 / 2	
Percentage of transfers resulting in singleton live births	0 / 1				0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 1				0 / 1	
Percentage of transfers resulting in live births	0 / 1				0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1				0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		0		
Number of transfers		9		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		12 / 18				
Percentage of transfers resulting in singleton live births		4 / 9				
Percentage of transfers resulting in live births		7 / 9				
Percentage of transfers resulting in pregnancy		8 / 9				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: American Reproductive Centers–Costa Mesa

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**COASTAL FERTILITY MEDICAL CENTER, INC.
IRVINE, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	8%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	12%	Ovulatory dysfunction	4%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	37%	Other factor	15%	
				Endometriosis	8%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				4%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 236 (includes 46 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	28	20	14	0	1
Percentage of cancellations	0.0	7.1	10.0	0 / 14		0 / 1
Average number of embryos transferred	2.2	2.8	2.5	2.3		
Percentage of embryos transferred resulting in implantation	25.6	18.5	9.3	0 / 16		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	1 / 14	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.4	14.3	20.0	0 / 14		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	3.6	0.0	0 / 14		0 / 1
Percentage of cycles resulting in live births	34.2	17.9	20.0	0 / 14		0 / 1
Percentage of cycles resulting in pregnancy	44.7	25.0	20.0	0 / 14		0 / 1
Outcomes per Transfer						
Number of transfers	37	19	17	7	0	0
Percentage of transfers resulting in singleton live births	18.9	4 / 19	4 / 17	0 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 19	0 / 17	0 / 7		
Percentage of transfers resulting in live births	35.1	5 / 19	4 / 17	0 / 7		
Percentage of transfers resulting in pregnancy	45.9	7 / 19	4 / 17	0 / 7		
Outcomes per Pregnancy						
Number of pregnancies	17	7	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 17	4 / 7	4 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	1 / 7	0 / 4			
Percentage of pregnancies resulting in live births	13 / 17	5 / 7	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	11	4	0	0
Number of transfers	22	10	11	3	0	0
Estimated average number of transfers per retrieval	1.8	1.0	0.6	0.2	0.0	
Average number of embryos transferred	2.8	2.7	2.5	3.7		
Percentage of embryos transferred resulting in implantation	30.6	22.2	17.9	0 / 11		
Percentage of transfers resulting in singleton live births	31.8	1 / 10	3 / 11	0 / 3		
Percentage of transfers resulting in triplets or more live births	4.5	0 / 10	0 / 11	0 / 3		
Percentage of transfers resulting in live births	50.0	3 / 10	4 / 11	0 / 3		
Percentage of transfers resulting in pregnancy	72.7	4 / 10	4 / 11	0 / 3		
All Ages Combined^f						
		Fresh Embryos	Frozen Embryos			
Donor Eggs						
Number of cycles		25	15			
Number of transfers		24	15			
Average number of embryos transferred		2.1	2.5			
Percentage of embryos transferred resulting in implantation		42.0	18.4			
Percentage of transfers resulting in singleton live births		33.3	4 / 15			
Percentage of transfers resulting in live births		58.3	5 / 15			
Percentage of transfers resulting in pregnancy		58.3	7 / 15			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	16%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	43%	Other factor	11%	
				Endometriosis	10%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 151 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	18	13	9	7	2
Percentage of cancellations	0.0	2 / 18	0 / 13	2 / 9	0 / 7	0 / 2
Average number of embryos transferred	2.0	2.4	2.5	3.1	4.0	4.0
Percentage of embryos transferred resulting in implantation	45.5	36.8	18.2	4.5	0.0	0 / 8
Percentage of elective single embryo transfer (eSET)	13.6	0 / 16	0 / 13	0 / 6	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	6 / 18	6 / 13	1 / 9	0 / 7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 9	0 / 7	0 / 2
Percentage of cycles resulting in live births	58.3	10 / 18	6 / 13	1 / 9	0 / 7	0 / 2
Percentage of cycles resulting in pregnancy	58.3	11 / 18	8 / 13	2 / 9	0 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	22	16	13	7	6	2
Percentage of transfers resulting in singleton live births	40.9	6 / 16	6 / 13	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 13	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in live births	63.6	10 / 16	6 / 13	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in pregnancy	63.6	11 / 16	8 / 13	2 / 7	0 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	14	11	8	2	0	0
Percentage of pregnancies resulting in singleton live births	9 / 14	6 / 11	6 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 11	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	14 / 14	10 / 11	6 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	13	8	2	2	0
Number of transfers	7	13	7	2	1	0
Estimated average number of transfers per retrieval	2.3	4.3	1.2	0.3	0.2	0.0
Average number of embryos transferred	2.0	1.6	1.9	1.5	2.0	
Percentage of embryos transferred resulting in implantation	10 / 14	42.9	4 / 13	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	3 / 7	4 / 13	2 / 7	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 13	0 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births	6 / 7	6 / 13	3 / 7	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 7	7 / 13	5 / 7	1 / 2	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		16		
Number of transfers		12		15		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		66.7		51.7		
Percentage of transfers resulting in singleton live births		4 / 12		7 / 15		
Percentage of transfers resulting in live births		9 / 12		9 / 15		
Percentage of transfers resulting in pregnancy		10 / 12		13 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Southern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOPE IVF AND FERTILITY CENTER
IRVINE, CALIFORNIA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

LIFE IVF CENTER IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	99%	Tubal factor	16%	Uterine factor	7%	
Unstimulated	79%	Used PGD	7%	Ovulatory dysfunction	4%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	32%	
				Endometriosis	16%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,737 (includes 1,111 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	24	30	30	31	19
Percentage of cancellations	0.0	4.2	0.0	0.0	0.0	0 / 19
Average number of embryos transferred	1.3	1.4	1.3	1.2	1.3	1.4
Percentage of embryos transferred resulting in implantation	40.6	40.6	17.5	5.4	10.3	0.0
Percentage of elective single embryo transfer (eSET)	5 / 12	7 / 16	2 / 12	2 / 9	1 / 9	2 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.0	33.3	16.7	6.7	6.5	0 / 19
Percentage of cycles resulting in triplets or more live births	4.0	0.0	0.0	0.0	0.0	0 / 19
Percentage of cycles resulting in live births	40.0	41.7	16.7	6.7	6.5	0 / 19
Percentage of cycles resulting in pregnancy	40.0	50.0	30.0	6.7	16.1	0 / 19
Outcomes per Transfer						
Number of transfers	25	23	30	30	31	19
Percentage of transfers resulting in singleton live births	32.0	34.8	16.7	6.7	6.5	0 / 19
Percentage of transfers resulting in triplets or more live births	4.0	0.0	0.0	0.0	0.0	0 / 19
Percentage of transfers resulting in live births	40.0	43.5	16.7	6.7	6.5	0 / 19
Percentage of transfers resulting in pregnancy	40.0	52.2	30.0	6.7	16.1	0 / 19
Outcomes per Pregnancy						
Number of pregnancies	10	12	9	2	5	0
Percentage of pregnancies resulting in singleton live births	8 / 10	8 / 12	5 / 9	2 / 2	2 / 5	
Percentage of pregnancies resulting in triplets or more live births	1 / 10	0 / 12	0 / 9	0 / 2	0 / 5	
Percentage of pregnancies resulting in live births	10 / 10	10 / 12	5 / 9	2 / 2	2 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	77	95	72	61	62
Number of transfers	67	74	94	71	56	61
Estimated average number of transfers per retrieval	0.6	0.5	0.5	0.3	0.3	0.3
Average number of embryos transferred	1.3	1.1	1.3	1.3	1.3	1.4
Percentage of embryos transferred resulting in implantation	52.9	47.6	35.5	18.0	4.1	4.8
Percentage of transfers resulting in singleton live births	38.8	32.4	24.5	12.7	3.6	1.6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	47.8	36.5	29.8	12.7	3.6	1.6
Percentage of transfers resulting in pregnancy	65.7	52.7	45.7	29.6	10.7	8.2
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Donor Eggs						
Number of cycles	0		30			
Number of transfers	0		28			
Average number of embryos transferred			1.4			
Percentage of embryos transferred resulting in implantation			53.8			
Percentage of transfers resulting in singleton live births			42.9			
Percentage of transfers resulting in live births			53.6			
Percentage of transfers resulting in pregnancy			67.9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Life IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER-OC IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by James Lin, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	95%	Tubal factor	7%	Uterine factor	3%
Unstimulated	<1%	Used PGD	18%	Ovulatory dysfunction	3%	Male factor	22%
Used gestational carrier	1%			Diminished ovarian reserve	36%	Other factor	24%
				Endometriosis	3%	Unknown factor	16%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 8%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 616 (includes 15 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		168	83	95	45	31	6
Percentage of cancellations		0.6	2.4	2.1	2.2	16.1	0 / 6
Average number of embryos transferred		2.2	2.5	2.8	2.9	2.8	2.7
Percentage of embryos transferred resulting in implantation		35.4	24.6	14.8	7.5	0.0	0 / 16
Percentage of elective single embryo transfer (eSET)		8.4	2.7	1.3	0.0	0 / 19	0 / 4
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		33.3	21.7	23.2	6.7	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births		1.2	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births		47.0	36.1	25.3	8.9	0.0	0 / 6
Percentage of cycles resulting in pregnancy		53.6	39.8	30.5	15.6	0.0	0 / 6
Outcomes per Transfer							
Number of transfers		161	78	83	37	23	6
Percentage of transfers resulting in singleton live births		34.8	23.1	26.5	8.1	0.0	0 / 6
Percentage of transfers resulting in triplets or more live births		1.2	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births		49.1	38.5	28.9	10.8	0.0	0 / 6
Percentage of transfers resulting in pregnancy		55.9	42.3	34.9	18.9	0.0	0 / 6
Outcomes per Pregnancy							
Number of pregnancies		90	33	29	7	0	0
Percentage of pregnancies resulting in singleton live births		62.2	54.5	75.9	3 / 7		
Percentage of pregnancies resulting in triplets or more live births		2.2	0.0	0.0	0 / 7		
Percentage of pregnancies resulting in live births		87.8	90.9	82.8	4 / 7		
Frozen Embryos from Nondonor Eggs							
Number of cycles		39	21	10	2	1	0
Number of transfers		38	20	7	2	1	0
Estimated average number of transfers per retrieval		1.7	1.4	1.0	0.5	1.0	0.0
Average number of embryos transferred		2.3	2.7	2.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation		15.9	13.2	3 / 16	2 / 6	0 / 3	
Percentage of transfers resulting in singleton live births		21.1	25.0	2 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births		28.9	25.0	2 / 7	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy		31.6	40.0	2 / 7	1 / 2	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		62			38		
Number of transfers		57			37		
Average number of embryos transferred		2.1			2.5		
Percentage of embryos transferred resulting in implantation		49.2			12.8		
Percentage of transfers resulting in singleton live births		42.1			21.6		
Percentage of transfers resulting in live births		59.6			27.0		
Percentage of transfers resulting in pregnancy		66.7			29.7		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Reproductive Fertility Center-OC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LA JOLLA IVF
LA JOLLA, CALIFORNIA

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS-UCSD REGIONAL FERTILITY CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by V. Gabriel Garzo, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	5%	Uterine factor	6%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	31%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	16%	
				Endometriosis	8%	Unknown factor	9%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 831 (includes 233 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		96	74	48	36	11	3
Percentage of cancellations		8.3	17.6	29.2	27.8	4 / 11	0 / 3
Average number of embryos transferred		1.5	1.6	2.1	2.5	2.8	
Percentage of embryos transferred resulting in implantation		53.6	36.3	30.0	25.6	0 / 11	
Percentage of elective single embryo transfer (eSET)		50.0	38.3	12.5	0 / 16	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		32.3	24.3	18.8	19.4	0 / 11	0 / 3
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 11	0 / 3
Percentage of cycles resulting in live births		38.5	29.7	20.8	22.2	0 / 11	0 / 3
Percentage of cycles resulting in pregnancy		49.0	37.8	27.1	27.8	0 / 11	0 / 3
Outcomes per Transfer							
Number of transfers		66	50	24	17	4	0
Percentage of transfers resulting in singleton live births		47.0	36.0	37.5	7 / 17	0 / 4	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births		56.1	44.0	41.7	8 / 17	0 / 4	
Percentage of transfers resulting in pregnancy		71.2	56.0	54.2	10 / 17	0 / 4	
Outcomes per Pregnancy							
Number of pregnancies		47	28	13	10	0	0
Percentage of pregnancies resulting in singleton live births		66.0	64.3	9 / 13	7 / 10		
Percentage of pregnancies resulting in triplets or more live births		0.0	0.0	0 / 13	0 / 10		
Percentage of pregnancies resulting in live births		78.7	78.6	10 / 13	8 / 10		
Frozen Embryos from Nondonor Eggs							
Number of cycles		104	69	34	29	16	8
Number of transfers		93	51	25	23	10	2
Estimated average number of transfers per retrieval		1.1	0.8	0.4	0.4	0.4	0.5
Average number of embryos transferred		1.4	1.5	1.9	2.2	2.1	3.5
Percentage of embryos transferred resulting in implantation		52.0	38.7	36.2	18.0	14.3	0 / 7
Percentage of transfers resulting in singleton live births		39.8	33.3	24.0	13.0	2 / 10	0 / 2
Percentage of transfers resulting in triplets or more live births		1.1	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of transfers resulting in live births		46.2	37.3	36.0	17.4	2 / 10	0 / 2
Percentage of transfers resulting in pregnancy		68.8	58.8	56.0	39.1	3 / 10	0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		33			37		
Number of transfers		26			28		
Average number of embryos transferred		1.2			1.6		
Percentage of embryos transferred resulting in implantation		75.0			37.0		
Percentage of transfers resulting in singleton live births		57.7			39.3		
Percentage of transfers resulting in live births		69.2			50.0		
Percentage of transfers resulting in pregnancy		88.5			57.1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Reproductive Partners-UCSD Regional Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Samuel H. Wood, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	7%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 32%
Unstimulated	0%	Used PGD	32%	Ovulatory dysfunction	9%	Male factor	42%	
Used gestational carrier	8%			Diminished ovarian reserve	56%	Other factor	28%	
				Endometriosis	5%	Unknown factor	1%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 102 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	8	3	6	1	1
Percentage of cancellations	1 / 19	1 / 8	0 / 3	0 / 6	0 / 1	0 / 1
Average number of embryos transferred	1.7	2.0	2.0	2.8	4.0	5.0
Percentage of embryos transferred resulting in implantation	40.7	8 / 14	3 / 6	3 / 14	1 / 4	0 / 5
Percentage of elective single embryo transfer (eSET)	5 / 16	1 / 7	0 / 2	0 / 5	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 19	3 / 8	2 / 3	0 / 6	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 8	0 / 3	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births	7 / 19	5 / 8	2 / 3	0 / 6	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	10 / 19	6 / 8	2 / 3	4 / 6	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	16	7	3	5	1	1
Percentage of transfers resulting in singleton live births	7 / 16	3 / 7	2 / 3	0 / 5	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 3	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births	7 / 16	5 / 7	2 / 3	0 / 5	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	10 / 16	6 / 7	2 / 3	4 / 5	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	10	6	2	4	1	0
Percentage of pregnancies resulting in singleton live births	7 / 10	3 / 6	2 / 2	0 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 6	0 / 2	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	7 / 10	5 / 6	2 / 2	0 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	5	2	1	0
Number of transfers	5	2	5	2	1	0
Estimated average number of transfers per retrieval	0.7	2.0	0.8	1.0	1.0	
Average number of embryos transferred	2.0	2.5	2.0	4.0	4.0	
Percentage of embryos transferred resulting in implantation	5 / 10	1 / 5	3 / 10	1 / 8	0 / 4	
Percentage of transfers resulting in singleton live births	1 / 5	0 / 2	0 / 5	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births	2 / 5	0 / 2	0 / 5	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	3 / 5	1 / 2	2 / 5	1 / 2	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		18		
Number of transfers		17		18		
Average number of embryos transferred		2.0		2.7		
Percentage of embryos transferred resulting in implantation		50.0		25.0		
Percentage of transfers resulting in singleton live births		7 / 17		2 / 18		
Percentage of transfers resulting in live births		12 / 17		5 / 18		
Percentage of transfers resulting in pregnancy		12 / 17		8 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ACACIO FERTILITY CENTER LAGUNA NIGUEL, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Brian D. Acacio, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	86%	Tubal factor	16%	Uterine factor	16%
Unstimulated	<1%	Used PGD	23%	Ovulatory dysfunction	5%	Male factor	36%
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	57%
				Endometriosis	12%	Unknown factor	<1%
				<i>Multiple Factors:</i> Female factors only 22% Female & male factors 28%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 351 (includes 12 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	73	53	41	41	24	11	
Percentage of cancellations	5.5	17.0	19.5	12.2	12.5	2 / 11	
Average number of embryos transferred	2.2	2.3	2.7	2.8	2.9	3.4	
Percentage of embryos transferred resulting in implantation	24.1	10.0	23.9	10.8	6.5	0.0	
Percentage of elective single embryo transfer (eSET)	3.4	5.1	9.1	11.1	2 / 15	0 / 8	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	21.9	17.0	22.0	12.2	4.2	0 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11	
Percentage of cycles resulting in live births	30.1	17.0	29.3	14.6	8.3	0 / 11	
Percentage of cycles resulting in pregnancy	34.2	17.0	31.7	24.4	8.3	1 / 11	
Outcomes per Transfer							
Number of transfers	61	43	25	30	16	8	
Percentage of transfers resulting in singleton live births	26.2	20.9	36.0	16.7	1 / 16	0 / 8	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 8	
Percentage of transfers resulting in live births	36.1	20.9	48.0	20.0	2 / 16	0 / 8	
Percentage of transfers resulting in pregnancy	41.0	20.9	52.0	33.3	2 / 16	1 / 8	
Outcomes per Pregnancy							
Number of pregnancies	25	9	13	10	2	1	
Percentage of pregnancies resulting in singleton live births	64.0	9 / 9	9 / 13	5 / 10	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 13	0 / 10	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	88.0	9 / 9	12 / 13	6 / 10	2 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles	24	11	12	5	0	2	
Number of transfers	24	11	12	5	0	2	
Estimated average number of transfers per retrieval	1.3	1.2	2.0	1.3		2.0	
Average number of embryos transferred	2.1	2.2	2.4	1.4		1.0	
Percentage of embryos transferred resulting in implantation	32.0	29.2	24.1	1 / 7		0 / 2	
Percentage of transfers resulting in singleton live births	29.2	5 / 11	5 / 12	1 / 5		0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 5		0 / 2	
Percentage of transfers resulting in live births	45.8	6 / 11	5 / 12	1 / 5		0 / 2	
Percentage of transfers resulting in pregnancy	50.0	6 / 11	7 / 12	2 / 5		0 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		33		9			
Number of transfers		30		8			
Average number of embryos transferred		2.2		2.9			
Percentage of embryos transferred resulting in implantation		53.8		26.1			
Percentage of transfers resulting in singleton live births		26.7		4 / 8			
Percentage of transfers resulting in live births		66.7		5 / 8			
Percentage of transfers resulting in pregnancy		73.3		6 / 8			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Acacio Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by John D. Jacobson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	21%	Uterine factor	10%	
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	24%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	7%	
				Endometriosis	11%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				22%
				Female & male factors				30%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 220 (includes 6 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		73	33	31	15	1	3
Percentage of cancellations		8.2	6.1	16.1	3 / 15	0 / 1	0 / 3
Average number of embryos transferred		2.1	2.5	3.0	3.3	4.0	1.0
Percentage of embryos transferred resulting in implantation		36.4	23.1	21.9	8.3	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)		4.7	0.0	4.5	0 / 9	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		30.1	33.3	25.8	1 / 15	0 / 1	0 / 3
Percentage of cycles resulting in triplets or more live births		1.4	0.0	0.0	0 / 15	0 / 1	0 / 3
Percentage of cycles resulting in live births		46.6	42.4	32.3	1 / 15	0 / 1	0 / 3
Percentage of cycles resulting in pregnancy		56.2	45.5	41.9	4 / 15	0 / 1	0 / 3
Outcomes per Transfer							
Number of transfers		66	31	24	11	1	1
Percentage of transfers resulting in singleton live births		33.3	35.5	33.3	1 / 11	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		1.5	0.0	0.0	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births		51.5	45.2	41.7	1 / 11	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		62.1	48.4	54.2	4 / 11	0 / 1	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		41	15	13	4	0	0
Percentage of pregnancies resulting in singleton live births		53.7	11 / 15	8 / 13	1 / 4		
Percentage of pregnancies resulting in triplets or more live births		2.4	0 / 15	0 / 13	0 / 4		
Percentage of pregnancies resulting in live births		82.9	14 / 15	10 / 13	1 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		22	9	9	1	1	0
Number of transfers		21	9	8	1	1	0
Estimated average number of transfers per retrieval		1.4	1.3	1.3			
Average number of embryos transferred		2.5	2.7	3.1	5.0	1.0	
Percentage of embryos transferred resulting in implantation		28.3	16.7	8.0	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births		38.1	1 / 9	1 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	1 / 9	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births		47.6	2 / 9	1 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy		47.6	3 / 9	2 / 8	0 / 1	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			10		
Number of transfers		5			10		
Average number of embryos transferred		2.0			2.9		
Percentage of embryos transferred resulting in implantation		7 / 10			41.4		
Percentage of transfers resulting in singleton live births		3 / 5			1 / 10		
Percentage of transfers resulting in live births		5 / 5			5 / 10		
Percentage of transfers resulting in pregnancy		5 / 5			6 / 10		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Loma Linda University Center for Fertility and IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Richard P. Marrs, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	31%	Multiple Factors: Female factors only 28% Female & male factors 27%
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	5%	Male factor	33%	
Used gestational carrier	16%			Diminished ovarian reserve	61%	Other factor	20%	
				Endometriosis	8%	Unknown factor	2%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 860 (includes 109 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		50	69	77	91	82	35
Percentage of cancellations		6.0	18.8	11.7	22.0	34.1	40.0
Average number of embryos transferred		2.1	2.5	3.0	3.6	3.4	3.5
Percentage of embryos transferred resulting in implantation		39.6	30.7	12.2	8.5	4.8	3.0
Percentage of elective single embryo transfer (eSET)		11.4	0.0	1.6	0.0	0.0	0 / 17
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		34.0	29.0	15.6	11.0	1.2	0.0
Percentage of cycles resulting in triplets or more live births		2.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births		50.0	40.6	19.5	13.2	1.2	0.0
Percentage of cycles resulting in pregnancy		56.0	52.2	27.3	25.3	11.0	11.4
Outcomes per Transfer							
Number of transfers		45	55	64	62	49	19
Percentage of transfers resulting in singleton live births		37.8	36.4	18.8	16.1	2.0	0 / 19
Percentage of transfers resulting in triplets or more live births		2.2	0.0	0.0	0.0	0.0	0 / 19
Percentage of transfers resulting in live births		55.6	50.9	23.4	19.4	2.0	0 / 19
Percentage of transfers resulting in pregnancy		62.2	65.5	32.8	37.1	18.4	4 / 19
Outcomes per Pregnancy							
Number of pregnancies		28	36	21	23	9	4
Percentage of pregnancies resulting in singleton live births		60.7	55.6	57.1	43.5	1 / 9	0 / 4
Percentage of pregnancies resulting in triplets or more live births		3.6	0.0	0.0	0.0	0 / 9	0 / 4
Percentage of pregnancies resulting in live births		89.3	77.8	71.4	52.2	1 / 9	0 / 4
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	21	21	12	9	8
Number of transfers		14	17	16	10	8	7
Estimated average number of transfers per retrieval		0.5	0.6	0.4	0.3	0.5	0.9
Average number of embryos transferred		2.1	2.3	2.8	3.4	3.4	3.1
Percentage of embryos transferred resulting in implantation		31.0	20.5	22.7	11.8	0.0	13.6
Percentage of transfers resulting in singleton live births		4 / 14	7 / 17	3 / 16	1 / 10	0 / 8	0 / 7
Percentage of transfers resulting in triplets or more live births		0 / 14	0 / 17	1 / 16	0 / 10	0 / 8	0 / 7
Percentage of transfers resulting in live births		6 / 14	7 / 17	5 / 16	2 / 10	0 / 8	1 / 7
Percentage of transfers resulting in pregnancy		7 / 14	8 / 17	6 / 16	2 / 10	2 / 8	1 / 7
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		155			102		
Number of transfers		148			91		
Average number of embryos transferred		1.8			2.0		
Percentage of embryos transferred resulting in implantation		47.6			37.1		
Percentage of transfers resulting in singleton live births		38.5			33.0		
Percentage of transfers resulting in live births		58.1			49.5		
Percentage of transfers resulting in pregnancy		65.5			58.2		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: California Fertility Partners					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	19%	Uterine factor	19%	Multiple Factors: Female factors only 20% Female & male factors 28%
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	8%	Male factor	46%	
Used gestational carrier	7%			Diminished ovarian reserve	35%	Other factor	20%	
				Endometriosis	6%	Unknown factor	5%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 73 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	9	12	9	0	0
Percentage of cancellations	0 / 11	0 / 9	0 / 12	2 / 9		
Average number of embryos transferred	1.4	1.8	2.0	2.3		
Percentage of embryos transferred resulting in implantation	4 / 13	2 / 14	8.3	1 / 14		
Percentage of elective single embryo transfer (eSET)	5 / 9	2 / 7	1 / 9	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 11	2 / 9	2 / 12	1 / 9		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 9	0 / 12	0 / 9		
Percentage of cycles resulting in live births	4 / 11	2 / 9	2 / 12	1 / 9		
Percentage of cycles resulting in pregnancy	4 / 11	2 / 9	2 / 12	2 / 9		
Outcomes per Transfer						
Number of transfers	9	8	12	6	0	0
Percentage of transfers resulting in singleton live births	4 / 9	2 / 8	2 / 12	1 / 6		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 8	0 / 12	0 / 6		
Percentage of transfers resulting in live births	4 / 9	2 / 8	2 / 12	1 / 6		
Percentage of transfers resulting in pregnancy	4 / 9	2 / 8	2 / 12	2 / 6		
Outcomes per Pregnancy						
Number of pregnancies	4	2	2	2	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	2 / 2	2 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	10	1	1	1	0
Number of transfers	5	8	1	1	1	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.0		
Average number of embryos transferred	1.4	1.8	1.0	2.0	4.0	
Percentage of embryos transferred resulting in implantation	0 / 7	6 / 14	0 / 1	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	0 / 5	3 / 8	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 8	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	0 / 5	4 / 8	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 5	4 / 8	0 / 1	1 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		1		
Number of transfers		3		1		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		2 / 5		0 / 2		
Percentage of transfers resulting in singleton live births		1 / 3		0 / 1		
Percentage of transfers resulting in live births		1 / 3		0 / 1		
Percentage of transfers resulting in pregnancy		1 / 3		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Vicken P. Sepilian, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	2%	Uterine factor	1%	
Unstimulated	0%	Used PGD	21%	Ovulatory dysfunction	5%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	60%	Other factor	10%	
				Endometriosis	1%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				4%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 398 (includes 48 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	40	29	25	15	10	3	
Percentage of cancellations	0.0	0.0	0.0	0 / 15	1 / 10	0 / 3	
Average number of embryos transferred	2.2	2.2	2.5	2.2	3.1	3.0	
Percentage of embryos transferred resulting in implantation	40.0	29.5	27.3	16.1	4.5	0 / 6	
Percentage of elective single embryo transfer (eSET)	5.1	4.0	0 / 18	0 / 11	0 / 6	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	35.0	31.0	20.0	2 / 15	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	2.5	0.0	0.0	0 / 15	0 / 10	0 / 3	
Percentage of cycles resulting in live births	50.0	44.8	36.0	3 / 15	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	62.5	51.7	44.0	4 / 15	1 / 10	0 / 3	
Outcomes per Transfer							
Number of transfers	39	28	22	14	7	2	
Percentage of transfers resulting in singleton live births	35.9	32.1	22.7	2 / 14	0 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.6	0.0	0.0	0 / 14	0 / 7	0 / 2	
Percentage of transfers resulting in live births	51.3	46.4	40.9	3 / 14	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	64.1	53.6	50.0	4 / 14	1 / 7	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	25	15	11	4	1	0	
Percentage of pregnancies resulting in singleton live births	56.0	9 / 15	5 / 11	2 / 4	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.0	0 / 15	0 / 11	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	80.0	13 / 15	9 / 11	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	36	9	4	2	3	1	
Number of transfers	35	9	4	2	3	1	
Estimated average number of transfers per retrieval	1.4	1.1	2.0	1.0	0.8	0.1	
Average number of embryos transferred	2.0	1.9	1.8	2.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	38.0	7 / 17	3 / 7	1 / 4	3 / 9	0 / 2	
Percentage of transfers resulting in singleton live births	28.6	3 / 9	1 / 4	0 / 2	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births	34.3	4 / 9	2 / 4	0 / 2	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	60.0	6 / 9	2 / 4	1 / 2	2 / 3	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		90		83			
Number of transfers		85		78			
Average number of embryos transferred		2.0		2.1			
Percentage of embryos transferred resulting in implantation		46.7		38.2			
Percentage of transfers resulting in singleton live births		40.0		33.3			
Percentage of transfers resulting in live births		61.2		51.3			
Percentage of transfers resulting in pregnancy		70.6		62.8			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: CHA Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PACIFIC FERTILITY CENTER-LOS ANGELES
LOS ANGELES, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Vicken Sahakian, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	14%	Uterine factor	5%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	11%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	40%
				Endometriosis	2%	Unknown factor	12%
				Multiple Factors: Female factors only 7% Female & male factors 21%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 351 (includes 7 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	61	52	52	46	20	4	
Percentage of cancellations	1.6	1.9	0.0	0.0	0.0	0 / 4	
Average number of embryos transferred	1.9	2.2	2.6	2.3	2.8	2.3	
Percentage of embryos transferred resulting in implantation	33.0	32.7	22.6	17.9	2.2	2 / 7	
Percentage of elective single embryo transfer (eSET)	6.1	0.0	7.0	0.0	0 / 13	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	39.3	26.9	17.3	13.0	5.0	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4	
Percentage of cycles resulting in live births	45.9	40.4	30.8	17.4	5.0	1 / 4	
Percentage of cycles resulting in pregnancy	50.8	48.1	40.4	28.3	10.0	1 / 4	
Outcomes per Transfer							
Number of transfers	56	49	47	34	16	3	
Percentage of transfers resulting in singleton live births	42.9	28.6	19.1	17.6	1 / 16	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 3	
Percentage of transfers resulting in live births	50.0	42.9	34.0	23.5	1 / 16	1 / 3	
Percentage of transfers resulting in pregnancy	55.4	51.0	44.7	38.2	2 / 16	1 / 3	
Outcomes per Pregnancy							
Number of pregnancies	31	25	21	13	2	1	
Percentage of pregnancies resulting in singleton live births	77.4	56.0	42.9	6 / 13	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	90.3	84.0	76.2	8 / 13	1 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles	13	8	5	4	1	5	
Number of transfers	13	8	4	4	1	5	
Estimated average number of transfers per retrieval	1.6	1.3	0.8	0.7	1.0	5.0	
Average number of embryos transferred	2.2	2.0	1.5	3.0	1.0	1.8	
Percentage of embryos transferred resulting in implantation	21.4	4 / 16	2 / 6	1 / 12	0 / 1	1 / 9	
Percentage of transfers resulting in singleton live births	3 / 13	4 / 8	2 / 4	1 / 4	0 / 1	1 / 5	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 8	0 / 4	0 / 4	0 / 1	0 / 5	
Percentage of transfers resulting in live births	4 / 13	4 / 8	2 / 4	1 / 4	0 / 1	1 / 5	
Percentage of transfers resulting in pregnancy	5 / 13	4 / 8	2 / 4	1 / 4	0 / 1	1 / 5	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		58		15			
Number of transfers		52		15			
Average number of embryos transferred		1.9		1.9			
Percentage of embryos transferred resulting in implantation		56.1		35.7			
Percentage of transfers resulting in singleton live births		46.2		8 / 15			
Percentage of transfers resulting in live births		67.3		9 / 15			
Percentage of transfers resulting in pregnancy		73.1		9 / 15			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Pacific Fertility Center-Los Angeles					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by T.C. Jackson Wu, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	7%	Uterine factor	5%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	6%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	45%	
				Endometriosis	8%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				10%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 187 (includes 13 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		31	37	21	23	11	1
Percentage of cancellations		0.0	2.7	4.8	4.3	0 / 11	0 / 1
Average number of embryos transferred		1.5	1.7	1.9	2.4	3.0	4.0
Percentage of embryos transferred resulting in implantation		50.0	28.8	38.9	18.2	0.0	0 / 4
Percentage of elective single embryo transfer (eSET)		50.0	30.8	4 / 17	1 / 17	0 / 8	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		41.9	24.3	19.0	34.8	0 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births		51.6	32.4	33.3	34.8	0 / 11	0 / 1
Percentage of cycles resulting in pregnancy		51.6	32.4	42.9	34.8	0 / 11	0 / 1
Outcomes per Transfer							
Number of transfers		27	31	19	18	9	1
Percentage of transfers resulting in singleton live births		48.1	29.0	4 / 19	8 / 18	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 19	0 / 18	0 / 9	0 / 1
Percentage of transfers resulting in live births		59.3	38.7	7 / 19	8 / 18	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy		59.3	38.7	9 / 19	8 / 18	0 / 9	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		16	12	9	8	0	0
Percentage of pregnancies resulting in singleton live births		13 / 16	9 / 12	4 / 9	8 / 8		
Percentage of pregnancies resulting in triplets or more live births		0 / 16	0 / 12	0 / 9	0 / 8		
Percentage of pregnancies resulting in live births		16 / 16	12 / 12	7 / 9	8 / 8		
Frozen Embryos from Nondonor Eggs							
Number of cycles		17	8	5	1	5	1
Number of transfers		17	8	5	1	5	1
Estimated average number of transfers per retrieval		2.4	0.5	0.6	1.0		
Average number of embryos transferred		1.4	1.6	1.6	3.0	2.2	1.0
Percentage of embryos transferred resulting in implantation		25.0	3 / 13	1 / 8	0 / 3	0 / 11	0 / 1
Percentage of transfers resulting in singleton live births		6 / 17	3 / 8	1 / 5	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 17	0 / 8	0 / 5	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in live births		6 / 17	3 / 8	1 / 5	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy		9 / 17	5 / 8	1 / 5	1 / 1	0 / 5	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			7		
Number of transfers		4			7		
Average number of embryos transferred		1.3			1.4		
Percentage of embryos transferred resulting in implantation		3 / 5			5 / 10		
Percentage of transfers resulting in singleton live births		3 / 4			2 / 7		
Percentage of transfers resulting in live births		3 / 4			3 / 7		
Percentage of transfers resulting in pregnancy		3 / 4			3 / 7		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: UCLA Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	98%	With ICSI	73%	Tubal factor	14%	Uterine factor	12%	
Unstimulated	2%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	50%	
Used gestational carrier	4%			Diminished ovarian reserve	64%	Other factor	7%	
				Endometriosis	10%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				41%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 523 (includes 87 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	34	73	56	30	6
Percentage of cancellations	6.9	2.9	11.0	7.1	6.7	0 / 6
Average number of embryos transferred	1.9	2.6	2.9	4.0	4.8	2.0
Percentage of embryos transferred resulting in implantation	27.7	26.5	17.6	9.6	2.3	0 / 10
Percentage of elective single embryo transfer (eSET)	8.3	3.2	3.6	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	35.3	23.3	16.1	6.7	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	37.9	44.1	28.8	17.9	6.7	0 / 6
Percentage of cycles resulting in pregnancy	43.1	52.9	39.7	33.9	13.3	0 / 6
Outcomes per Transfer						
Number of transfers	53	32	61	47	27	5
Percentage of transfers resulting in singleton live births	37.7	37.5	27.9	19.1	7.4	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	41.5	46.9	34.4	21.3	7.4	0 / 5
Percentage of transfers resulting in pregnancy	47.2	56.3	47.5	40.4	14.8	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	25	18	29	19	4	0
Percentage of pregnancies resulting in singleton live births	80.0	12 / 18	58.6	9 / 19	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 19	0 / 4	
Percentage of pregnancies resulting in live births	88.0	15 / 18	72.4	10 / 19	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	27	36	14	12	3
Number of transfers	24	27	36	14	12	3
Estimated average number of transfers per retrieval	0.7	0.9	1.0	0.9	0.7	1.0
Average number of embryos transferred	1.9	2.1	2.8	3.0	4.3	3.0
Percentage of embryos transferred resulting in implantation	31.1	12.3	9.9	19.0	5.8	0 / 9
Percentage of transfers resulting in singleton live births	25.0	25.9	19.4	4 / 14	3 / 12	0 / 3
Percentage of transfers resulting in triplets or more live births	4.2	0.0	0.0	0 / 14	0 / 12	0 / 3
Percentage of transfers resulting in live births	33.3	25.9	19.4	4 / 14	3 / 12	0 / 3
Percentage of transfers resulting in pregnancy	33.3	25.9	36.1	6 / 14	3 / 12	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		31		32		
Number of transfers		29		32		
Average number of embryos transferred		2.0		2.1		
Percentage of embryos transferred resulting in implantation		43.9		13.4		
Percentage of transfers resulting in singleton live births		31.0		9.4		
Percentage of transfers resulting in live births		48.3		12.5		
Percentage of transfers resulting in pregnancy		65.5		25.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: USC Reproductive Endocrinology and Infertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FOR THE BAY AREA LOS GATOS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Karen J. Purcell, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	3%	Uterine factor	30%	
Unstimulated	3%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	51%	
Used gestational carrier	3%			Diminished ovarian reserve	27%	Other factor	3%	
				Endometriosis	8%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				32%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 44 (includes 7 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		13	7	1	8	1	1
Percentage of cancellations		0 / 13	0 / 7	0 / 1	1 / 8	0 / 1	0 / 1
Average number of embryos transferred		1.5	1.9	2.0	3.2	3.0	
Percentage of embryos transferred resulting in implantation		7 / 12	5 / 13	0 / 2	1 / 19	0 / 3	
Percentage of elective single embryo transfer (eSET)		4 / 8	1 / 6	0 / 1	0 / 5	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		6 / 13	1 / 7	0 / 1	1 / 8	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births		0 / 13	0 / 7	0 / 1	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in live births		6 / 13	3 / 7	0 / 1	1 / 8	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy		7 / 13	3 / 7	0 / 1	3 / 8	0 / 1	0 / 1
Outcomes per Transfer							
Number of transfers		8	7	1	6	1	0
Percentage of transfers resulting in singleton live births		6 / 8	1 / 7	0 / 1	1 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 8	0 / 7	0 / 1	0 / 6	0 / 1	
Percentage of transfers resulting in live births		6 / 8	3 / 7	0 / 1	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancy		7 / 8	3 / 7	0 / 1	3 / 6	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		7	3	0	3	0	0
Percentage of pregnancies resulting in singleton live births		6 / 7	1 / 3		1 / 3		
Percentage of pregnancies resulting in triplets or more live births		0 / 7	0 / 3		0 / 3		
Percentage of pregnancies resulting in live births		6 / 7	3 / 3		1 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		3	1	1	1	0	0
Number of transfers		3	1	1	1	0	0
Estimated average number of transfers per retrieval		3.0	0.3	0.3		0.0	
Average number of embryos transferred		1.7	1.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation		1 / 5	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births		1 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births		1 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy		1 / 3	0 / 1	0 / 1	0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: CARE for the Bay Area					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF PROGRAM
MONTEREY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Edward J. Ramirez, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	18%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	28%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	31%	
				Endometriosis	1%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				27%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 82 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		21	15	12	5	5	1
Percentage of cancellations		0.0	0 / 15	4 / 12	2 / 5	2 / 5	0 / 1
Average number of embryos transferred		2.2	2.4	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation		20.0	9.1	3 / 18	0 / 9	0 / 6	
Percentage of elective single embryo transfer (eSET)		0 / 18	0 / 13	0 / 5	0 / 2	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		9.5	1 / 15	3 / 12	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0 / 15	0 / 12	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in live births		23.8	1 / 15	3 / 12	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in pregnancy		33.3	2 / 15	3 / 12	0 / 5	0 / 5	0 / 1
Outcomes per Transfer							
Number of transfers		18	14	6	3	3	0
Percentage of transfers resulting in singleton live births		2 / 18	1 / 14	3 / 6	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births		0 / 18	0 / 14	0 / 6	0 / 3	0 / 3	
Percentage of transfers resulting in live births		5 / 18	1 / 14	3 / 6	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy		7 / 18	2 / 14	3 / 6	0 / 3	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies		7	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births		2 / 7	1 / 2	3 / 3			
Percentage of pregnancies resulting in triplets or more live births		0 / 7	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births		5 / 7	1 / 2	3 / 3			
Frozen Embryos from Nondonor Eggs							
Number of cycles		8	2	0	2	1	1
Number of transfers		8	2	0	2	1	1
Estimated average number of transfers per retrieval		4.0					
Average number of embryos transferred		2.1	1.0		3.0	1.0	3.0
Percentage of embryos transferred resulting in implantation		3 / 17	1 / 2		1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births		3 / 8	1 / 2		1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 8	0 / 2		0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births		3 / 8	1 / 2		1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		5 / 8	1 / 2		1 / 2	0 / 1	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		8			1		
Number of transfers		4			1		
Average number of embryos transferred		2.0			1.0		
Percentage of embryos transferred resulting in implantation		3 / 8			0 / 1		
Percentage of transfers resulting in singleton live births		1 / 4			0 / 1		
Percentage of transfers resulting in live births		2 / 4			0 / 1		
Percentage of transfers resulting in pregnancy		2 / 4			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Richard J. Schmidt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	26%	Tubal factor	14%	Uterine factor	6%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	12%	Male factor	15%
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	11%
				Endometriosis	8%	Unknown factor	9%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 2%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 349 (includes 46 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	37	51	22	17	4
Percentage of cancellations	0.0	0.0	2.0	9.1	2 / 17	0 / 4
Average number of embryos transferred	2.0	2.1	2.8	3.6	2.9	4.5
Percentage of embryos transferred resulting in implantation	32.3	29.9	20.8	13.2	2.5	2 / 18
Percentage of elective single embryo transfer (eSET)	16.9	11.4	15.6	0 / 15	0 / 11	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	43.2	27.5	13.6	0 / 17	1 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 4
Percentage of cycles resulting in live births	43.1	51.4	33.3	18.2	0 / 17	1 / 4
Percentage of cycles resulting in pregnancy	53.8	56.8	41.2	31.8	1 / 17	1 / 4
Outcomes per Transfer						
Number of transfers	65	37	47	19	14	4
Percentage of transfers resulting in singleton live births	29.2	43.2	29.8	3 / 19	0 / 14	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 14	0 / 4
Percentage of transfers resulting in live births	43.1	51.4	36.2	4 / 19	0 / 14	1 / 4
Percentage of transfers resulting in pregnancy	53.8	56.8	44.7	7 / 19	1 / 14	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	35	21	21	7	1	1
Percentage of pregnancies resulting in singleton live births	54.3	76.2	66.7	3 / 7	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	80.0	90.5	81.0	4 / 7	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	31	15	7	3	1
Number of transfers	41	31	15	7	3	1
Estimated average number of transfers per retrieval	1.2	1.5	0.8	0.5	0.5	0.2
Average number of embryos transferred	2.1	2.0	2.4	4.1	4.3	6.0
Percentage of embryos transferred resulting in implantation	25.9	11.1	19.4	6.9	1 / 13	0 / 6
Percentage of transfers resulting in singleton live births	31.7	16.1	3 / 15	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	39.0	19.4	4 / 15	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	46.3	19.4	5 / 15	3 / 7	1 / 3	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		4		
Number of transfers		5		4		
Average number of embryos transferred		2.0		1.5		
Percentage of embryos transferred resulting in implantation		5 / 10		3 / 6		
Percentage of transfers resulting in singleton live births		2 / 5		1 / 4		
Percentage of transfers resulting in live births		3 / 5		2 / 4		
Percentage of transfers resulting in pregnancy		4 / 5		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nova In Vitro Fertilization					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Daniel A. Potter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	4%	Uterine factor	1%
Unstimulated	0%	Used PGD	36%	Ovulatory dysfunction	6%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	7%	Other factor	44%
				Endometriosis	5%	Unknown factor	9%
				<i>Multiple Factors:</i> Female factors only <1% Female & male factors 5%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 505 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	149	71	71	29	17	10
Percentage of cancellations	9.4	16.9	29.6	44.8	10 / 17	6 / 10
Average number of embryos transferred	1.6	1.6	2.0	2.1	3.1	2.3
Percentage of embryos transferred resulting in implantation	53.0	44.3	39.8	14.7	0.0	0 / 9
Percentage of elective single embryo transfer (eSET)	33.3	28.6	4.9	0 / 8	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	47.0	39.4	26.8	10.3	0 / 17	0 / 10
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 17	0 / 10
Percentage of cycles resulting in live births	58.4	49.3	38.0	10.3	0 / 17	0 / 10
Percentage of cycles resulting in pregnancy	61.1	52.1	45.1	20.7	0 / 17	0 / 10
Outcomes per Transfer						
Number of transfers	134	59	50	16	7	4
Percentage of transfers resulting in singleton live births	52.2	47.5	38.0	3 / 16	0 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0 / 16	0 / 7	0 / 4
Percentage of transfers resulting in live births	64.9	59.3	54.0	3 / 16	0 / 7	0 / 4
Percentage of transfers resulting in pregnancy	67.9	62.7	64.0	6 / 16	0 / 7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	91	37	32	6	0	0
Percentage of pregnancies resulting in singleton live births	76.9	75.7	59.4	3 / 6		
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0 / 6		
Percentage of pregnancies resulting in live births	95.6	94.6	84.4	3 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	22	18	9	6	6
Number of transfers	51	22	17	9	6	6
Estimated average number of transfers per retrieval	2.8	4.4	4.3	4.5	6.0	
Average number of embryos transferred	1.6	1.6	1.8	1.3	1.8	1.8
Percentage of embryos transferred resulting in implantation	45.0	42.9	33.3	3 / 12	4 / 11	4 / 11
Percentage of transfers resulting in singleton live births	37.3	45.5	3 / 17	3 / 9	3 / 6	3 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1 / 17	0 / 9	0 / 6	0 / 6
Percentage of transfers resulting in live births	51.0	54.5	5 / 17	3 / 9	3 / 6	3 / 6
Percentage of transfers resulting in pregnancy	56.9	63.6	9 / 17	4 / 9	3 / 6	4 / 6
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		39		4		
Number of transfers		36		4		
Average number of embryos transferred		1.8		2.5		
Percentage of embryos transferred resulting in implantation		61.9		0 / 10		
Percentage of transfers resulting in singleton live births		50.0		0 / 4		
Percentage of transfers resulting in live births		75.0		0 / 4		
Percentage of transfers resulting in pregnancy		80.6		0 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Beth A. Ary, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	8%	Uterine factor	0%	
Unstimulated	0%	Used PGD	29%	Ovulatory dysfunction	18%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	3%	
				Endometriosis	7%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 62 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	4	10	6	2	0
Percentage of cancellations	0 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Average number of embryos transferred	2.4	2.5	2.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation	7.7	1 / 5	0 / 16	0 / 12	0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 2	0 / 4	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 4	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in live births	2 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	2 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	11	2	7	4	2	0
Percentage of transfers resulting in singleton live births	2 / 11	1 / 2	0 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 2	0 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in live births	2 / 11	1 / 2	0 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	2 / 11	1 / 2	0 / 7	0 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of pregnancies resulting in live births	2 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	3	0	1	0	0
Number of transfers	6	3	0	1	0	0
Estimated average number of transfers per retrieval	6.0					
Average number of embryos transferred	2.0	2.3		1.0		
Percentage of embryos transferred resulting in implantation	2 / 12	0 / 7		1 / 1		
Percentage of transfers resulting in singleton live births	2 / 6	0 / 3		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3		0 / 1		
Percentage of transfers resulting in live births	2 / 6	0 / 3		1 / 1		
Percentage of transfers resulting in pregnancy	2 / 6	0 / 3		1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
	Number of cycles	14			4	
Number of transfers	13			4		
Average number of embryos transferred	2.7			2.0		
Percentage of embryos transferred resulting in implantation	42.9			2 / 8		
Percentage of transfers resulting in singleton live births	4 / 13			0 / 4		
Percentage of transfers resulting in live births	8 / 13			1 / 4		
Percentage of transfers resulting in pregnancy	9 / 13			1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Robert E. Anderson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	13%	Uterine factor	8%	
Unstimulated	0%	Used PGD	20%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	39%	
				Endometriosis	16%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				16%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 428 (includes 107 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		48	30	27	22	11	0
Percentage of cancellations		4.2	10.0	7.4	13.6	4 / 11	
Average number of embryos transferred		1.9	2.0	2.3	2.1	2.0	
Percentage of embryos transferred resulting in implantation		39.1	27.5	15.1	14.8	1 / 6	
Percentage of elective single embryo transfer (eSET)		9.1	8.3	14.3	0 / 9	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		31.3	30.0	18.5	4.5	1 / 11	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 11	
Percentage of cycles resulting in live births		45.8	36.7	22.2	9.1	1 / 11	
Percentage of cycles resulting in pregnancy		54.2	43.3	33.3	18.2	1 / 11	
Outcomes per Transfer							
Number of transfers		45	26	23	13	3	0
Percentage of transfers resulting in singleton live births		33.3	34.6	21.7	1 / 13	1 / 3	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in live births		48.9	42.3	26.1	2 / 13	1 / 3	
Percentage of transfers resulting in pregnancy		57.8	50.0	39.1	4 / 13	1 / 3	
Outcomes per Pregnancy							
Number of pregnancies		26	13	9	4	1	0
Percentage of pregnancies resulting in singleton live births		57.7	9 / 13	5 / 9	1 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 13	0 / 9	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births		84.6	11 / 13	6 / 9	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		57	38	22	19	3	2
Number of transfers		53	33	22	16	2	1
Estimated average number of transfers per retrieval		1.2	1.0	0.7	1.1	0.2	0.5
Average number of embryos transferred		1.7	1.8	1.7	1.6	1.5	1.0
Percentage of embryos transferred resulting in implantation		59.1	58.6	35.1	28.0	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births		41.5	42.4	45.5	5 / 16	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0 / 16	0 / 2	0 / 1
Percentage of transfers resulting in live births		66.0	66.7	50.0	5 / 16	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy		79.2	78.8	50.0	8 / 16	2 / 2	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		20			22		
Number of transfers		20			22		
Average number of embryos transferred		1.7			2.0		
Percentage of embryos transferred resulting in implantation		67.6			58.1		
Percentage of transfers resulting in singleton live births		45.0			40.9		
Percentage of transfers resulting in live births		70.0			68.2		
Percentage of transfers resulting in pregnancy		85.0			72.7		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Southern California Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE
NORTHRIDGE, CALIFORNIA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Danielle E. Lane, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	5%	Uterine factor	1%	Multiple Factors: Female factors only 5% Female & male factors 4%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	2%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	7%	
				Endometriosis	9%	Unknown factor	22%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 101 (includes 16 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	9	14	14	5	0
Percentage of cancellations	0 / 13	0 / 9	0 / 14	1 / 14	0 / 5	
Average number of embryos transferred	2.2	2.4	3.2	3.5	3.2	
Percentage of embryos transferred resulting in implantation	57.1	13.6	14.3	6.7	0 / 16	
Percentage of elective single embryo transfer (eSET)	0 / 12	1 / 9	1 / 11	0 / 11	1 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 13	3 / 9	3 / 14	3 / 14	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 9	0 / 14	0 / 14	0 / 5	
Percentage of cycles resulting in live births	9 / 13	3 / 9	4 / 14	3 / 14	0 / 5	
Percentage of cycles resulting in pregnancy	10 / 13	3 / 9	5 / 14	3 / 14	1 / 5	
Outcomes per Transfer						
Number of transfers	13	9	11	13	5	0
Percentage of transfers resulting in singleton live births	3 / 13	3 / 9	3 / 11	3 / 13	0 / 5	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 9	0 / 11	0 / 13	0 / 5	
Percentage of transfers resulting in live births	9 / 13	3 / 9	4 / 11	3 / 13	0 / 5	
Percentage of transfers resulting in pregnancy	10 / 13	3 / 9	5 / 11	3 / 13	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	10	3	5	3	1	0
Percentage of pregnancies resulting in singleton live births	3 / 10	3 / 3	3 / 5	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 3	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	9 / 10	3 / 3	4 / 5	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	4	9	3	0	1
Number of transfers	1	4	9	3	0	1
Estimated average number of transfers per retrieval	0.3	0.7	1.3	1.0		0.5
Average number of embryos transferred	2.0	2.3	1.9	4.3		2.0
Percentage of embryos transferred resulting in implantation	1 / 2	3 / 9	4 / 17	2 / 13		0 / 2
Percentage of transfers resulting in singleton live births	1 / 1	3 / 4	3 / 9	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 4	0 / 9	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 1	3 / 4	3 / 9	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	1 / 1	3 / 4	5 / 9	2 / 3		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		7		5		
Number of transfers		6		5		
Average number of embryos transferred		2.3		2.2		
Percentage of embryos transferred resulting in implantation		7 / 14		5 / 11		
Percentage of transfers resulting in singleton live births		2 / 6		0 / 5		
Percentage of transfers resulting in live births		4 / 6		2 / 5		
Percentage of transfers resulting in pregnancy		5 / 6		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Lane Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF-ORANGE SURGERY CENTER ORANGE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Darush L. Mohyi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	25%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	25%	
				Endometriosis	19%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 16 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	2	3	2	0	0
Percentage of cancellations	0/3	0/2	0/3	0/2		
Average number of embryos transferred	4.3	3.0	3.0	5.0		
Percentage of embryos transferred resulting in implantation	1/13	0/3	0/9	0/10		
Percentage of elective single embryo transfer (eSET)	0/3	0/1	0/3	0/2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/3	0/2	0/3	0/2		
Percentage of cycles resulting in triplets or more live births	0/3	0/2	0/3	0/2		
Percentage of cycles resulting in live births	1/3	0/2	0/3	0/2		
Percentage of cycles resulting in pregnancy	1/3	0/2	0/3	0/2		
Outcomes per Transfer						
Number of transfers	3	1	3	2	0	0
Percentage of transfers resulting in singleton live births	1/3	0/1	0/3	0/2		
Percentage of transfers resulting in triplets or more live births	0/3	0/1	0/3	0/2		
Percentage of transfers resulting in live births	1/3	0/1	0/3	0/2		
Percentage of transfers resulting in pregnancy	1/3	0/1	0/3	0/2		
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1/1					
Percentage of pregnancies resulting in triplets or more live births	0/1					
Percentage of pregnancies resulting in live births	1/1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	1	0	0
Number of transfers	1	0	0	1	0	0
Estimated average number of transfers per retrieval	1.0			0.5		
Average number of embryos transferred	8.0			4.0		
Percentage of embryos transferred resulting in implantation	0/8			0/4		
Percentage of transfers resulting in singleton live births	0/1			0/1		
Percentage of transfers resulting in triplets or more live births	0/1			0/1		
Percentage of transfers resulting in live births	0/1			0/1		
Percentage of transfers resulting in pregnancy	0/1			0/1		
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	3			1		
Number of transfers	3			1		
Average number of embryos transferred	3.0			5.0		
Percentage of embryos transferred resulting in implantation	0/9			0/5		
Percentage of transfers resulting in singleton live births	0/3			0/1		
Percentage of transfers resulting in live births	0/3			0/1		
Percentage of transfers resulting in pregnancy	0/3			0/1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF-Orange Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN REPRODUCTIVE CENTERS-PALM SPRINGS PALM SPRINGS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Maher Abdallah, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	12%	Uterine factor	0%
Unstimulated	0%	Used PGD	28%	Ovulatory dysfunction	14%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	0%
				Endometriosis	10%	Unknown factor	4%
				<i>Multiple Factors:</i> Female factors only 8% Female & male factors 20%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 50 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	25	8	11	0	3	0	
Percentage of cancellations	0.0	0 / 8	0 / 11		0 / 3		
Average number of embryos transferred	2.0	2.3	2.1		1.0		
Percentage of embryos transferred resulting in implantation	42.9	8 / 18	21.7		1 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 7				
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	24.0	2 / 8	3 / 11		0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 11		0 / 3		
Percentage of cycles resulting in live births	44.0	5 / 8	3 / 11		0 / 3		
Percentage of cycles resulting in pregnancy	60.0	6 / 8	6 / 11		1 / 3		
Outcomes per Transfer							
Number of transfers	25	8	11	0	3	0	
Percentage of transfers resulting in singleton live births	24.0	2 / 8	3 / 11		0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 11		0 / 3		
Percentage of transfers resulting in live births	44.0	5 / 8	3 / 11		0 / 3		
Percentage of transfers resulting in pregnancy	60.0	6 / 8	6 / 11		1 / 3		
Outcomes per Pregnancy							
Number of pregnancies	15	6	6	0	1	0	
Percentage of pregnancies resulting in singleton live births	6 / 15	2 / 6	3 / 6		0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 6	0 / 6		0 / 1		
Percentage of pregnancies resulting in live births	11 / 15	5 / 6	3 / 6		0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	0	0	0	0	0	0	
Number of transfers	0	0	0	0	0	0	
Estimated average number of transfers per retrieval							
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in triplets or more live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							
All Ages Combined^f							
	Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles			3		0		
Number of transfers			3		0		
Average number of embryos transferred			2.0				
Percentage of embryos transferred resulting in implantation			3 / 6				
Percentage of transfers resulting in singleton live births			3 / 3				
Percentage of transfers resulting in live births			3 / 3				
Percentage of transfers resulting in pregnancy			3 / 3				

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: American Reproductive Centers–Palm Springs					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Francis Polansky, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	17%	Uterine factor	6%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	25%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	6%	
				Endometriosis	<1%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				22%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 146 (includes 4 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		39	24	29	21	4	1
Percentage of cancellations		5.1	4.2	10.3	9.5	1 / 4	0 / 1
Average number of embryos transferred		2.3	2.5	3.0	3.5	4.0	2.0
Percentage of embryos transferred resulting in implantation		16.7	30.4	7.7	1.7	1 / 12	0 / 2
Percentage of elective single embryo transfer (eSET)		6.1	0.0	4.0	0 / 16	0 / 3	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		23.1	16.7	3.4	4.8	1 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	4.2	0.0	0.0	0 / 4	0 / 1
Percentage of cycles resulting in live births		28.2	41.7	10.3	4.8	1 / 4	0 / 1
Percentage of cycles resulting in pregnancy		35.9	50.0	13.8	4.8	2 / 4	0 / 1
Outcomes per Transfer							
Number of transfers		36	22	26	17	3	1
Percentage of transfers resulting in singleton live births		25.0	18.2	3.8	1 / 17	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	4.5	0.0	0 / 17	0 / 3	0 / 1
Percentage of transfers resulting in live births		30.6	45.5	11.5	1 / 17	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy		38.9	54.5	15.4	1 / 17	2 / 3	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		14	12	4	1	2	0
Percentage of pregnancies resulting in singleton live births		9 / 14	4 / 12	1 / 4	1 / 1	1 / 2	
Percentage of pregnancies resulting in triplets or more live births		0 / 14	1 / 12	0 / 4	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births		11 / 14	10 / 12	3 / 4	1 / 1	1 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		5	3	3	0	0	0
Number of transfers		5	3	3	0	0	0
Estimated average number of transfers per retrieval		1.0	1.5	3.0	0.0	0.0	
Average number of embryos transferred		2.6	2.3	3.0			
Percentage of embryos transferred resulting in implantation		2 / 13	2 / 7	2 / 9			
Percentage of transfers resulting in singleton live births		1 / 5	0 / 3	0 / 3			
Percentage of transfers resulting in triplets or more live births		0 / 5	0 / 3	0 / 3			
Percentage of transfers resulting in live births		1 / 5	1 / 3	1 / 3			
Percentage of transfers resulting in pregnancy		2 / 5	1 / 3	1 / 3			

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	10	3
Number of transfers	10	3
Average number of embryos transferred	2.2	2.0
Percentage of embryos transferred resulting in implantation	22.7	2 / 6
Percentage of transfers resulting in singleton live births	3 / 10	2 / 3
Percentage of transfers resulting in live births	4 / 10	2 / 3
Percentage of transfers resulting in pregnancy	4 / 10	2 / 3

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Bay In Vitro Fertilization Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION
REPRODUCTIVE ENDOCRINOLOGY & FERTILITY
PALO ALTO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Salli I. Tazuke, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	14%	Uterine factor	6%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	18%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	11%	
				Endometriosis	10%	Unknown factor	25%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 186 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	32	27	15	13	2
Percentage of cancellations	16.2	6.3	3.7	2 / 15	3 / 13	0 / 2
Average number of embryos transferred	2.1	2.1	3.0	3.5	3.0	
Percentage of embryos transferred resulting in implantation	36.2	21.3	7.6	5.1	11.1	
Percentage of elective single embryo transfer (eSET)	19.2	11.1	0.0	0 / 10	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.8	15.6	11.1	0 / 15	2 / 13	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 13	0 / 2
Percentage of cycles resulting in live births	43.2	25.0	11.1	0 / 15	2 / 13	0 / 2
Percentage of cycles resulting in pregnancy	48.6	31.3	29.6	3 / 15	3 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	28	29	26	11	9	0
Percentage of transfers resulting in singleton live births	50.0	17.2	11.5	0 / 11	2 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 9	
Percentage of transfers resulting in live births	57.1	27.6	11.5	0 / 11	2 / 9	
Percentage of transfers resulting in pregnancy	64.3	34.5	30.8	3 / 11	3 / 9	
Outcomes per Pregnancy						
Number of pregnancies	18	10	8	3	3	0
Percentage of pregnancies resulting in singleton live births	14 / 18	5 / 10	3 / 8	0 / 3	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 10	0 / 8	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	16 / 18	8 / 10	3 / 8	0 / 3	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	14	20	1	0	0
Number of transfers	12	14	20	1	0	0
Estimated average number of transfers per retrieval	1.5	2.3	4.0	0.5		
Average number of embryos transferred	1.5	1.6	1.6	3.0		
Percentage of embryos transferred resulting in implantation	6 / 18	21.7	21.9	0 / 3		
Percentage of transfers resulting in singleton live births	4 / 12	3 / 14	15.0	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 14	0.0	0 / 1		
Percentage of transfers resulting in live births	5 / 12	4 / 14	20.0	0 / 1		
Percentage of transfers resulting in pregnancy	6 / 12	5 / 14	25.0	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palo Alto Medical Foundation, Reproductive Endocrinology & Fertility					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER
STANFORD UNIVERSITY DEPARTMENT OF GYNECOLOGY AND OBSTETRICS
PALO ALTO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Valerie Baker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	14%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	9%	Ovulatory dysfunction	12%	Male factor	57%	
Used gestational carrier	2%			Diminished ovarian reserve	46%	Other factor	10%	
				Endometriosis	9%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				44%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 857 (includes 109 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	108	101	146	67	35	9
Percentage of cancellations	2.8	9.9	14.4	14.9	17.1	2 / 9
Average number of embryos transferred	2.2	2.1	2.8	3.2	3.6	3.5
Percentage of embryos transferred resulting in implantation	23.5	17.1	12.8	4.8	1.1	1 / 14
Percentage of elective single embryo transfer (eSET)	22.0	15.8	4.0	0.0	4.2	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	20.8	16.4	7.5	0.0	1 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	37.0	23.8	19.9	7.5	0.0	1 / 9
Percentage of cycles resulting in pregnancy	39.8	28.7	28.8	16.4	2.9	1 / 9
Outcomes per Transfer						
Number of transfers	96	83	107	52	25	4
Percentage of transfers resulting in singleton live births	34.4	25.3	22.4	9.6	0.0	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	41.7	28.9	27.1	9.6	0.0	1 / 4
Percentage of transfers resulting in pregnancy	44.8	34.9	39.3	21.2	4.0	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	43	29	42	11	1	1
Percentage of pregnancies resulting in singleton live births	76.7	72.4	57.1	5 / 11	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	93.0	82.8	69.0	5 / 11	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	55	43	17	7	3
Number of transfers	50	46	34	13	5	0
Estimated average number of transfers per retrieval	1.0	1.0	0.7	0.5	0.5	0.0
Average number of embryos transferred	1.4	1.4	1.6	1.5	1.4	
Percentage of embryos transferred resulting in implantation	35.2	30.3	40.0	5.0	0 / 7	
Percentage of transfers resulting in singleton live births	32.0	32.6	32.4	1 / 13	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 5	
Percentage of transfers resulting in live births	40.0	34.8	44.1	1 / 13	0 / 5	
Percentage of transfers resulting in pregnancy	46.0	43.5	52.9	1 / 13	1 / 5	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		35		60		
Number of transfers		32		56		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		58.5		31.4		
Percentage of transfers resulting in singleton live births		34.4		30.4		
Percentage of transfers resulting in live births		56.3		39.3		
Percentage of transfers resulting in pregnancy		65.6		41.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Stanford Fertility and Reproductive Medicine Center, Stanford University Department of Gynecology and Obstetrics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Bradford A. Kolb, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	64%	Tubal factor	1%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	6%	Male factor	26%	
Used gestational carrier	2%			Diminished ovarian reserve	4%	Other factor	52%	
				Endometriosis	3%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				3%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 598 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	121	66	74	45	17	5	
Percentage of cancellations	30.6	15.2	41.9	46.7	14 / 17	1 / 5	
Average number of embryos transferred	2.2	2.4	2.3	3.2	1.7	3.5	
Percentage of embryos transferred resulting in implantation	37.0	39.7	26.8	11.0	0 / 5	0 / 14	
Percentage of elective single embryo transfer (eSET)	6.5	9.1	0.0	0 / 19	0 / 1	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	25.6	25.8	14.9	11.1	0 / 17	0 / 5	
Percentage of cycles resulting in triplets or more live births	2.5	0.0	1.4	0.0	0 / 17	0 / 5	
Percentage of cycles resulting in live births	38.0	50.0	23.0	11.1	0 / 17	0 / 5	
Percentage of cycles resulting in pregnancy	43.0	51.5	28.4	17.8	0 / 17	0 / 5	
Outcomes per Transfer							
Number of transfers	84	55	43	23	3	4	
Percentage of transfers resulting in singleton live births	36.9	30.9	25.6	21.7	0 / 3	0 / 4	
Percentage of transfers resulting in triplets or more live births	3.6	0.0	2.3	0.0	0 / 3	0 / 4	
Percentage of transfers resulting in live births	54.8	60.0	39.5	21.7	0 / 3	0 / 4	
Percentage of transfers resulting in pregnancy	61.9	61.8	48.8	34.8	0 / 3	0 / 4	
Outcomes per Pregnancy							
Number of pregnancies	52	34	21	8	0	0	
Percentage of pregnancies resulting in singleton live births	59.6	50.0	52.4	5 / 8			
Percentage of pregnancies resulting in triplets or more live births	5.8	0.0	4.8	0 / 8			
Percentage of pregnancies resulting in live births	88.5	97.1	81.0	5 / 8			
Frozen Embryos from Nondonor Eggs							
Number of cycles	59	16	22	11	11	17	
Number of transfers	55	16	19	9	11	15	
Estimated average number of transfers per retrieval	3.9	3.2	2.7	9.0	11.0		
Average number of embryos transferred	2.2	2.4	2.5	2.2	2.3	1.9	
Percentage of embryos transferred resulting in implantation	22.7	39.5	23.4	5.0	24.0	27.6	
Percentage of transfers resulting in singleton live births	29.1	7 / 16	4 / 19	1 / 9	3 / 11	5 / 15	
Percentage of transfers resulting in triplets or more live births	1.8	0 / 16	0 / 19	0 / 9	1 / 11	0 / 15	
Percentage of transfers resulting in live births	38.2	10 / 16	7 / 19	1 / 9	4 / 11	6 / 15	
Percentage of transfers resulting in pregnancy	43.6	10 / 16	9 / 19	2 / 9	4 / 11	8 / 15	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		134		0			
Number of transfers		112		0			
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation		47.3					
Percentage of transfers resulting in singleton live births		42.0					
Percentage of transfers resulting in live births		61.6					
Percentage of transfers resulting in pregnancy		70.5					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: HRC Fertility-Pasadena					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bill Yee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	4%	Male factor	16%	
Used gestational carrier	1%			Diminished ovarian reserve	21%	Other factor	36%	
				Endometriosis	4%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				4%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,189 (includes 264 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	128	135	112	64	15
Percentage of cancellations	6.0	10.2	10.4	17.9	35.9	8 / 15
Average number of embryos transferred	1.7	1.9	2.3	2.9	3.5	3.3
Percentage of embryos transferred resulting in implantation	42.4	30.3	24.6	10.5	6.0	0.0
Percentage of elective single embryo transfer (eSET)	29.9	16.7	6.1	2.6	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.8	22.7	23.7	10.7	6.3	0 / 15
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 15
Percentage of cycles resulting in live births	51.5	32.8	30.4	13.4	6.3	0 / 15
Percentage of cycles resulting in pregnancy	55.2	41.4	38.5	26.8	14.1	0 / 15
Outcomes per Transfer						
Number of transfers	122	109	108	86	38	6
Percentage of transfers resulting in singleton live births	45.9	26.6	29.6	14.0	10.5	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	56.6	38.5	38.0	17.4	10.5	0 / 6
Percentage of transfers resulting in pregnancy	60.7	48.6	48.1	34.9	23.7	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	74	53	52	30	9	0
Percentage of pregnancies resulting in singleton live births	75.7	54.7	61.5	40.0	4 / 9	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	
Percentage of pregnancies resulting in live births	93.2	79.2	78.8	50.0	4 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	69	72	27	25	6
Number of transfers	56	63	64	23	22	4
Estimated average number of transfers per retrieval	0.9	0.7	0.7	0.4	0.4	0.2
Average number of embryos transferred	1.6	1.7	1.9	2.3	2.5	2.3
Percentage of embryos transferred resulting in implantation	41.3	35.2	19.7	17.0	10.7	2 / 9
Percentage of transfers resulting in singleton live births	37.5	30.2	23.4	39.1	4.5	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	50.0	41.3	25.0	39.1	4.5	2 / 4
Percentage of transfers resulting in pregnancy	62.5	52.4	40.6	39.1	31.8	2 / 4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		34		41		
Number of transfers		33		36		
Average number of embryos transferred		1.6		1.8		
Percentage of embryos transferred resulting in implantation		54.7		22.2		
Percentage of transfers resulting in singleton live births		36.4		30.6		
Percentage of transfers resulting in live births		60.6		33.3		
Percentage of transfers resulting in pregnancy		60.6		41.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Redondo Beach

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Carlos E. Soto-Albors, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	19%	Uterine factor	8%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	19%	Male factor	56%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	28%	
				Endometriosis	13%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				41%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 568 (includes 21 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	134	57	66	31	16	6	
Percentage of cancellations	5.2	3.5	9.1	6.5	4 / 16	0 / 6	
Average number of embryos transferred	2.1	2.1	2.6	2.5	2.3	3.3	
Percentage of embryos transferred resulting in implantation	33.1	26.0	20.6	8.3	0 / 18	0.0	
Percentage of elective single embryo transfer (eSET)	3.5	4.5	2.2	0 / 19	0 / 7	0 / 5	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	29.9	28.1	18.2	6.5	0 / 16	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 6	
Percentage of cycles resulting in live births	41.8	33.3	25.8	6.5	0 / 16	0 / 6	
Percentage of cycles resulting in pregnancy	46.3	36.8	36.4	16.1	0 / 16	1 / 6	
Outcomes per Transfer							
Number of transfers	119	47	52	24	8	6	
Percentage of transfers resulting in singleton live births	33.6	34.0	23.1	8.3	0 / 8	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 6	
Percentage of transfers resulting in live births	47.1	40.4	32.7	8.3	0 / 8	0 / 6	
Percentage of transfers resulting in pregnancy	52.1	44.7	46.2	20.8	0 / 8	1 / 6	
Outcomes per Pregnancy							
Number of pregnancies	62	21	24	5	0	1	
Percentage of pregnancies resulting in singleton live births	64.5	76.2	50.0	2 / 5		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 5		0 / 1	
Percentage of pregnancies resulting in live births	90.3	90.5	70.8	2 / 5		0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles	68	51	26	9	2	2	
Number of transfers	59	44	22	9	1	2	
Estimated average number of transfers per retrieval	2.0	2.1	2.0	1.5	0.5	2.0	
Average number of embryos transferred	2.0	2.0	1.5	1.8	1.0	2.5	
Percentage of embryos transferred resulting in implantation	51.3	28.7	44.1	5 / 16	0 / 1	1 / 5	
Percentage of transfers resulting in singleton live births	39.0	20.5	18.2	2 / 9	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0 / 9	0 / 1	0 / 2	
Percentage of transfers resulting in live births	64.4	36.4	40.9	3 / 9	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	67.8	47.7	45.5	4 / 9	0 / 1	1 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		44		35			
Number of transfers		40		30			
Average number of embryos transferred		1.9		1.8			
Percentage of embryos transferred resulting in implantation		57.3		39.6			
Percentage of transfers resulting in singleton live births		42.5		23.3			
Percentage of transfers resulting in live births		67.5		40.0			
Percentage of transfers resulting in pregnancy		77.5		53.3			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Northern California Fertility Medical Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kenneth Vu, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	1%	
Unstimulated	1%	Used PGD	9%	Ovulatory dysfunction	14%	Male factor	47%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	3%	
				Endometriosis	5%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 285 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	46	28	20	8	0
Percentage of cancellations	2.4	4.3	0.0	5.0	0 / 8	
Average number of embryos transferred	1.9	2.3	2.9	2.9	3.6	
Percentage of embryos transferred resulting in implantation	42.4	23.8	30.7	12.5	8.0	
Percentage of elective single embryo transfer (eSET)	23.7	4.8	3.8	0 / 17	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.8	30.4	28.6	25.0	1 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	3.6	0.0	0 / 8	
Percentage of cycles resulting in live births	50.6	37.0	42.9	25.0	1 / 8	
Percentage of cycles resulting in pregnancy	57.6	41.3	60.7	35.0	1 / 8	
Outcomes per Transfer						
Number of transfers	76	44	26	19	7	0
Percentage of transfers resulting in singleton live births	43.4	31.8	30.8	5 / 19	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.8	0 / 19	0 / 7	
Percentage of transfers resulting in live births	56.6	38.6	46.2	5 / 19	1 / 7	
Percentage of transfers resulting in pregnancy	64.5	43.2	65.4	7 / 19	1 / 7	
Outcomes per Pregnancy						
Number of pregnancies	49	19	17	7	1	0
Percentage of pregnancies resulting in singleton live births	67.3	14 / 19	8 / 17	5 / 7	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	1 / 17	0 / 7	0 / 1	
Percentage of pregnancies resulting in live births	87.8	17 / 19	12 / 17	5 / 7	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	17	11	4	0	0
Number of transfers	39	17	11	4	0	0
Estimated average number of transfers per retrieval	1.6	1.7	3.7	2.0		
Average number of embryos transferred	1.7	1.9	1.8	2.3		
Percentage of embryos transferred resulting in implantation	40.3	25.0	50.0	3 / 9		
Percentage of transfers resulting in singleton live births	28.2	4 / 17	4 / 11	0 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 11	0 / 4		
Percentage of transfers resulting in live births	41.0	4 / 17	6 / 11	1 / 4		
Percentage of transfers resulting in pregnancy	48.7	6 / 17	7 / 11	3 / 4		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		13		
Number of transfers		12		13		
Average number of embryos transferred		1.7		1.7		
Percentage of embryos transferred resulting in implantation		25.0		40.9		
Percentage of transfers resulting in singleton live births		3 / 12		5 / 13		
Percentage of transfers resulting in live births		4 / 12		7 / 13		
Percentage of transfers resulting in pregnancy		4 / 12		7 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Arlene J. Morales, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	8%	Uterine factor	10%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	66%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	7%	
				Endometriosis	5%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				37%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 300 (includes 58 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	45	34	23	11	0	1	
Percentage of cancellations	8.9	17.6	26.1	0 / 11		0 / 1	
Average number of embryos transferred	1.3	2.1	2.4	2.4		4.0	
Percentage of embryos transferred resulting in implantation	50.0	18.9	23.5	12.5		0 / 4	
Percentage of elective single embryo transfer (eSET)	67.6	16.7	0 / 11	0 / 9		0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	33.3	26.5	13.0	0 / 11		0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11		0 / 1	
Percentage of cycles resulting in live births	40.0	26.5	21.7	1 / 11		0 / 1	
Percentage of cycles resulting in pregnancy	44.4	32.4	21.7	2 / 11		0 / 1	
Outcomes per Transfer							
Number of transfers	37	25	14	10	0	1	
Percentage of transfers resulting in singleton live births	40.5	36.0	3 / 14	0 / 10		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 10		0 / 1	
Percentage of transfers resulting in live births	48.6	36.0	5 / 14	1 / 10		0 / 1	
Percentage of transfers resulting in pregnancy	54.1	44.0	5 / 14	2 / 10		0 / 1	
Outcomes per Pregnancy							
Number of pregnancies	20	11	5	2	0	0	
Percentage of pregnancies resulting in singleton live births	75.0	9 / 11	3 / 5	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 2			
Percentage of pregnancies resulting in live births	90.0	9 / 11	5 / 5	1 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles	53	20	17	6	0	0	
Number of transfers	50	19	16	5	0	0	
Estimated average number of transfers per retrieval	1.5	1.0	1.0	0.5		0.0	
Average number of embryos transferred	1.9	1.8	2.1	2.6			
Percentage of embryos transferred resulting in implantation	39.4	23.5	17.6	1 / 13			
Percentage of transfers resulting in singleton live births	44.0	5 / 19	4 / 16	0 / 5			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 16	0 / 5			
Percentage of transfers resulting in live births	54.0	6 / 19	4 / 16	0 / 5			
Percentage of transfers resulting in pregnancy	68.0	7 / 19	4 / 16	2 / 5			
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		20		12			
Number of transfers		20		12			
Average number of embryos transferred		1.6		1.9			
Percentage of embryos transferred resulting in implantation		45.2		30.4			
Percentage of transfers resulting in singleton live births		45.0		6 / 12			
Percentage of transfers resulting in live births		55.0		6 / 12			
Percentage of transfers resulting in pregnancy		60.0		7 / 12			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fertility Specialists Medical Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NTC INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Larry R. Laufer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	31%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	9%	
				Endometriosis	<1%	Unknown factor	23%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 205 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	20	15	5	0	0
Percentage of cancellations	4.7	0.0	2 / 15	0 / 5		
Average number of embryos transferred	1.9	2.0	2.1	2.0		
Percentage of embryos transferred resulting in implantation	42.9	27.8	33.3	2 / 10		
Percentage of elective single embryo transfer (eSET)	8.5	0 / 18	0 / 10	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.6	15.0	1 / 15	1 / 5		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5		
Percentage of cycles resulting in live births	31.3	25.0	2 / 15	1 / 5		
Percentage of cycles resulting in pregnancy	46.9	40.0	5 / 15	2 / 5		
Outcomes per Transfer						
Number of transfers	48	18	10	5	0	0
Percentage of transfers resulting in singleton live births	20.8	3 / 18	1 / 10	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 5		
Percentage of transfers resulting in live births	41.7	5 / 18	2 / 10	1 / 5		
Percentage of transfers resulting in pregnancy	62.5	8 / 18	5 / 10	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	30	8	5	2	0	0
Percentage of pregnancies resulting in singleton live births	33.3	3 / 8	1 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	66.7	5 / 8	2 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	29	4	2	2	0
Number of transfers	46	29	4	2	2	0
Estimated average number of transfers per retrieval	2.2	4.1	4.0	2.0		
Average number of embryos transferred	1.9	1.9	2.0	2.5	2.0	
Percentage of embryos transferred resulting in implantation	40.2	27.3	1 / 8	1 / 5	0 / 4	
Percentage of transfers resulting in singleton live births	28.3	27.6	0 / 4	1 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	47.8	37.9	0 / 4	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	54.3	48.3	1 / 4	1 / 2	0 / 2	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		6		3		
Number of transfers		4		3		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		1 / 8		2 / 6		
Percentage of transfers resulting in singleton live births		1 / 4		0 / 3		
Percentage of transfers resulting in live births		1 / 4		1 / 3		
Percentage of transfers resulting in pregnancy		2 / 4		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Naval Medical Center San Diego Infertility Clinic

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SAN DIEGO FERTILITY CENTER (SDFC) SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William P. Hummel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	92%	Tubal factor	7%	Uterine factor	8%
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	5%	Male factor	35%
Used gestational carrier	1%			Diminished ovarian reserve	57%	Other factor	6%
				Endometriosis	6%	Unknown factor	6%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 17%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 765 (includes 49 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	100	61	57	38	25	2
Percentage of cancellations	4.0	6.6	3.5	10.5	20.0	0 / 2
Average number of embryos transferred	2.2	2.2	2.5	2.8	2.8	4.0
Percentage of embryos transferred resulting in implantation	37.6	17.4	11.6	11.4	3.6	0 / 8
Percentage of elective single embryo transfer (eSET)	3.3	7.5	4.2	0.0	0 / 18	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.0	16.4	17.5	18.4	4.0	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 2
Percentage of cycles resulting in live births	45.0	21.3	19.3	18.4	4.0	0 / 2
Percentage of cycles resulting in pregnancy	52.0	29.5	22.8	28.9	12.0	1 / 2
Outcomes per Transfer						
Number of transfers	93	55	52	31	20	2
Percentage of transfers resulting in singleton live births	24.7	18.2	19.2	22.6	5.0	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 2
Percentage of transfers resulting in live births	48.4	23.6	21.2	22.6	5.0	0 / 2
Percentage of transfers resulting in pregnancy	55.9	32.7	25.0	35.5	15.0	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	52	18	13	11	3	1
Percentage of pregnancies resulting in singleton live births	44.2	10 / 18	10 / 13	7 / 11	1 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 11	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	86.5	13 / 18	11 / 13	7 / 11	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	33	35	5	7	1
Number of transfers	37	32	34	5	7	1
Estimated average number of transfers per retrieval	1.5	1.5	1.1	0.5	1.0	0.2
Average number of embryos transferred	2.1	2.0	2.0	2.4	1.7	2.0
Percentage of embryos transferred resulting in implantation	19.2	18.8	19.1	2 / 12	0 / 12	0 / 2
Percentage of transfers resulting in singleton live births	21.6	25.0	26.5	0 / 5	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 7	0 / 1
Percentage of transfers resulting in live births	27.0	31.3	29.4	0 / 5	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy	35.1	34.4	38.2	2 / 5	0 / 7	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		187		128		
Number of transfers		184		123		
Average number of embryos transferred		2.0		2.1		
Percentage of embryos transferred resulting in implantation		60.4		29.5		
Percentage of transfers resulting in singleton live births		37.5		34.1		
Percentage of transfers resulting in live births		72.3		45.5		
Percentage of transfers resulting in pregnancy		82.1		56.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: San Diego Fertility Center (SDFC)					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WILLIAMS OB/GYN ASSOCIATES
SAN DIMAS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard Williams, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	14%	
Used gestational carrier	7%			Diminished ovarian reserve	0%	Other factor	10%	
				Endometriosis	0%	Unknown factor	67%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 21 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	4	1	3	2	1
Percentage of cancellations	0/4	0/4	0/1	0/3	0/2	0/1
Average number of embryos transferred	1.8	2.5		4.3	3.5	2.0
Percentage of embryos transferred resulting in implantation	3/7	0/10		1/13	0/7	0/2
Percentage of elective single embryo transfer (eSET)	0/2	0/3		0/3	0/2	0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/4	0/4	0/1	1/3	0/2	0/1
Percentage of cycles resulting in triplets or more live births	0/4	0/4	0/1	0/3	0/2	0/1
Percentage of cycles resulting in live births	1/4	0/4	0/1	1/3	0/2	0/1
Percentage of cycles resulting in pregnancy	2/4	0/4	0/1	1/3	0/2	0/1
Outcomes per Transfer						
Number of transfers	4	4	0	3	2	1
Percentage of transfers resulting in singleton live births	1/4	0/4		1/3	0/2	0/1
Percentage of transfers resulting in triplets or more live births	0/4	0/4		0/3	0/2	0/1
Percentage of transfers resulting in live births	1/4	0/4		1/3	0/2	0/1
Percentage of transfers resulting in pregnancy	2/4	0/4		1/3	0/2	0/1
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	1	0	0
Percentage of pregnancies resulting in singleton live births	1/2			1/1		
Percentage of pregnancies resulting in triplets or more live births	0/2			0/1		
Percentage of pregnancies resulting in live births	1/2			1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	1	1	0
Number of transfers	1	0	0	1	0	0
Estimated average number of transfers per retrieval				1.0		
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	2/3			0/2		
Percentage of transfers resulting in singleton live births	0/1			0/1		
Percentage of transfers resulting in triplets or more live births	0/1			0/1		
Percentage of transfers resulting in live births	1/1			0/1		
Percentage of transfers resulting in pregnancy	1/1			0/1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		1			
Number of transfers	2		0			
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation	1/5					
Percentage of transfers resulting in singleton live births	1/2					
Percentage of transfers resulting in live births	1/2					
Percentage of transfers resulting in pregnancy	1/2					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Williams OB/GYN Associates

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Collin B. Smikle, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	12%	Uterine factor	8%
Unstimulated	0%	Used PGD	19%	Ovulatory dysfunction	12%	Male factor	30%
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	6%
				Endometriosis	4%	Unknown factor	19%
				<i>Multiple Factors:</i> Female factors only 7% Female & male factors 15%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 190 (includes 19 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	44	22	24	15	13	1	
Percentage of cancellations	0.0	0.0	8.3	0 / 15	3 / 13	0 / 1	
Average number of embryos transferred	1.9	2.0	2.1	3.2	3.7		
Percentage of embryos transferred resulting in implantation	42.6	28.2	30.0	14.6	6.1		
Percentage of elective single embryo transfer (eSET)	15.2	2 / 18	0 / 14	1 / 11	0 / 9		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	36.4	36.4	29.2	0 / 15	1 / 13	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 13	0 / 1	
Percentage of cycles resulting in live births	45.5	40.9	33.3	1 / 15	1 / 13	0 / 1	
Percentage of cycles resulting in pregnancy	52.3	45.5	45.8	5 / 15	2 / 13	0 / 1	
Outcomes per Transfer							
Number of transfers	36	20	19	13	9	0	
Percentage of transfers resulting in singleton live births	44.4	40.0	7 / 19	0 / 13	1 / 9		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 13	0 / 9		
Percentage of transfers resulting in live births	55.6	45.0	8 / 19	1 / 13	1 / 9		
Percentage of transfers resulting in pregnancy	63.9	50.0	11 / 19	5 / 13	2 / 9		
Outcomes per Pregnancy							
Number of pregnancies	23	10	11	5	2	0	
Percentage of pregnancies resulting in singleton live births	69.6	8 / 10	7 / 11	0 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	87.0	9 / 10	8 / 11	1 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	12	8	4	5	2	4	
Number of transfers	12	8	4	5	2	4	
Estimated average number of transfers per retrieval	1.5	2.7	0.7	0.5	0.4		
Average number of embryos transferred	1.9	2.1	2.3	1.8	2.5	2.3	
Percentage of embryos transferred resulting in implantation	60.9	4 / 17	2 / 9	3 / 9	2 / 5	4 / 9	
Percentage of transfers resulting in singleton live births	6 / 12	3 / 8	1 / 4	2 / 5	0 / 2	1 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 8	0 / 4	0 / 5	0 / 2	0 / 4	
Percentage of transfers resulting in live births	9 / 12	3 / 8	1 / 4	2 / 5	0 / 2	2 / 4	
Percentage of transfers resulting in pregnancy	10 / 12	4 / 8	2 / 4	3 / 5	2 / 2	2 / 4	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		12		5			
Number of transfers		11		5			
Average number of embryos transferred		1.5		2.2			
Percentage of embryos transferred resulting in implantation		10 / 17		5 / 11			
Percentage of transfers resulting in singleton live births		6 / 11		4 / 5			
Percentage of transfers resulting in live births		6 / 11		4 / 5			
Percentage of transfers resulting in pregnancy		8 / 11		4 / 5			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Laurel Fertility Care					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Philip E. Chenette, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	40%	Tubal factor	6%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	7%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	24%	
				Endometriosis	7%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,416 (includes 260 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	103	140	82	42	8
Percentage of cancellations	13.3	15.5	18.6	28.0	52.4	4 / 8
Average number of embryos transferred	1.7	2.1	2.7	3.2	4.2	6.0
Percentage of embryos transferred resulting in implantation	31.2	24.7	17.7	9.2	2.8	1 / 18
Percentage of elective single embryo transfer (eSET)	42.7	17.3	4.8	0.0	0 / 15	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.1	20.4	14.3	9.8	0.0	1 / 8
Percentage of cycles resulting in triplets or more live births	0.0	1.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	32.7	25.2	17.1	11.0	2.4	1 / 8
Percentage of cycles resulting in pregnancy	38.1	34.0	28.6	17.1	2.4	1 / 8
Outcomes per Transfer						
Number of transfers	92	82	111	54	18	3
Percentage of transfers resulting in singleton live births	37.0	25.6	18.0	14.8	0 / 18	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	1.2	0.0	0.0	0 / 18	0 / 3
Percentage of transfers resulting in live births	40.2	31.7	21.6	16.7	1 / 18	1 / 3
Percentage of transfers resulting in pregnancy	46.7	42.7	36.0	25.9	1 / 18	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	43	35	40	14	1	1
Percentage of pregnancies resulting in singleton live births	79.1	60.0	50.0	8 / 14	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	2.9	0.0	0 / 14	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	86.0	74.3	60.0	9 / 14	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	93	93	74	51	18	22
Number of transfers	86	78	64	42	16	18
Estimated average number of transfers per retrieval	1.6	0.9	0.6	0.9	0.5	1.5
Average number of embryos transferred	1.3	1.4	1.6	1.7	1.4	1.8
Percentage of embryos transferred resulting in implantation	54.5	55.6	49.5	23.9	21.7	28.1
Percentage of transfers resulting in singleton live births	34.9	51.3	43.8	28.6	4 / 16	6 / 18
Percentage of transfers resulting in triplets or more live births	1.2	1.3	0.0	0.0	0 / 16	0 / 18
Percentage of transfers resulting in live births	50.0	60.3	53.1	31.0	4 / 16	7 / 18
Percentage of transfers resulting in pregnancy	55.8	66.7	64.1	45.2	4 / 16	7 / 18
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		122		195		
Number of transfers		116		177		
Average number of embryos transferred		1.3		1.3		
Percentage of embryos transferred resulting in implantation		54.1		31.5		
Percentage of transfers resulting in singleton live births		44.8		27.7		
Percentage of transfers resulting in live births		51.7		31.6		
Percentage of transfers resulting in pregnancy		61.2		45.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Marcelle I. Cedars, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	8%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	28%	
Used gestational carrier	1%			Diminished ovarian reserve	40%	Other factor	8%	
				Endometriosis	5%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				14%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 1,328 (includes 185 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	126	130	156	117	50	12	
Percentage of cancellations	11.1	17.7	18.6	21.4	18.0	6 / 12	
Average number of embryos transferred	1.6	2.0	2.7	3.8	4.6	5.0	
Percentage of embryos transferred resulting in implantation	41.4	30.1	14.2	9.5	1.2	0.0	
Percentage of elective single embryo transfer (eSET)	40.4	13.5	4.1	0.0	2.9	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	30.2	23.8	17.9	14.5	2.0	0 / 12	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12	
Percentage of cycles resulting in live births	38.1	31.5	19.2	16.2	2.0	0 / 12	
Percentage of cycles resulting in pregnancy	42.1	37.7	27.6	28.2	12.0	0 / 12	
Outcomes per Transfer							
Number of transfers	96	93	109	85	37	5	
Percentage of transfers resulting in singleton live births	39.6	33.3	25.7	20.0	2.7	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	50.0	44.1	27.5	22.4	2.7	0 / 5	
Percentage of transfers resulting in pregnancy	55.2	52.7	39.4	38.8	16.2	0 / 5	
Outcomes per Pregnancy							
Number of pregnancies	53	49	43	33	6	0	
Percentage of pregnancies resulting in singleton live births	71.7	63.3	65.1	51.5	1 / 6		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6		
Percentage of pregnancies resulting in live births	90.6	83.7	69.8	57.6	1 / 6		
Frozen Embryos from Nondonor Eggs							
Number of cycles	90	99	94	52	37	6	
Number of transfers	78	94	88	52	31	6	
Estimated average number of transfers per retrieval	1.0	1.3	0.9	1.4	1.0	1.0	
Average number of embryos transferred	1.5	1.7	2.3	2.9	3.1	3.5	
Percentage of embryos transferred resulting in implantation	42.1	28.0	23.1	12.8	8.2	14.3	
Percentage of transfers resulting in singleton live births	47.4	33.0	21.6	19.2	12.9	2 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6	
Percentage of transfers resulting in live births	52.6	37.2	33.0	25.0	16.1	2 / 6	
Percentage of transfers resulting in pregnancy	56.4	44.7	44.3	40.4	29.0	3 / 6	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		87		87			
Number of transfers		75		78			
Average number of embryos transferred		1.4		1.7			
Percentage of embryos transferred resulting in implantation		69.5		29.8			
Percentage of transfers resulting in singleton live births		53.3		33.3			
Percentage of transfers resulting in live births		70.7		38.5			
Percentage of transfers resulting in pregnancy		80.0		51.3			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: UCSF Center for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by G. David Adamson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	71%	Tubal factor	14%	Uterine factor	3%
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	10%	Male factor	47%
Used gestational carrier	<1%			Diminished ovarian reserve	46%	Other factor	14%
				Endometriosis	8%	Unknown factor	7%
				<i>Multiple Factors:</i> Female factors only 12% Female & male factors 29%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 552 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	82	61	40	37	11
Percentage of cancellations	5.6	3.7	11.5	7.5	18.9	0 / 11
Average number of embryos transferred	1.8	1.9	2.6	3.2	3.3	3.7
Percentage of embryos transferred resulting in implantation	34.2	30.9	12.6	9.9	2.4	3.0
Percentage of elective single embryo transfer (eSET)	13.2	17.1	0.0	0.0	0.0	0 / 9
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.4	36.6	19.7	15.0	5.4	1 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	42.2	43.9	23.0	17.5	5.4	1 / 11
Percentage of cycles resulting in pregnancy	50.0	47.6	37.7	37.5	16.2	2 / 11
Outcomes per Transfer						
Number of transfers	80	75	51	35	26	9
Percentage of transfers resulting in singleton live births	38.8	40.0	23.5	17.1	7.7	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	47.5	48.0	27.5	20.0	7.7	1 / 9
Percentage of transfers resulting in pregnancy	56.3	52.0	45.1	42.9	23.1	2 / 9
Outcomes per Pregnancy						
Number of pregnancies	45	39	23	15	6	2
Percentage of pregnancies resulting in singleton live births	68.9	76.9	52.2	6 / 15	2 / 6	1 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 6	0 / 2
Percentage of pregnancies resulting in live births	84.4	92.3	60.9	7 / 15	2 / 6	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	46	41	12	6	0
Number of transfers	58	45	41	11	6	0
Estimated average number of transfers per retrieval	2.4	4.1	2.9	11.0	2.0	
Average number of embryos transferred	1.8	1.7	1.9	2.4	2.3	
Percentage of embryos transferred resulting in implantation	23.5	28.2	16.9	7.7	0 / 14	
Percentage of transfers resulting in singleton live births	31.0	20.0	17.1	2 / 11	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 6	
Percentage of transfers resulting in live births	36.2	33.3	24.4	2 / 11	0 / 6	
Percentage of transfers resulting in pregnancy	37.9	37.8	31.7	2 / 11	0 / 6	
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	24			42		
Number of transfers	24			42		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation	43.9			20.8		
Percentage of transfers resulting in singleton live births	41.7			19.0		
Percentage of transfers resulting in live births	54.2			26.2		
Percentage of transfers resulting in pregnancy	66.7			35.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Physicians of Northern California					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Louis N. Weckstein, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	13%	Uterine factor	8%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	15%	
				Endometriosis	7%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				20%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 1,139 (includes 11 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	211	134	142	62	28	2	
Percentage of cancellations	5.2	10.4	9.9	19.4	17.9	0 / 2	
Average number of embryos transferred	1.6	2.0	2.5	3.0	3.5	4.0	
Percentage of embryos transferred resulting in implantation	45.6	32.0	21.4	18.3	6.3	0 / 8	
Percentage of elective single embryo transfer (eSET)	39.7	25.0	4.0	2.4	0.0	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	29.9	26.1	21.1	16.1	3.6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.9	1.5	0.0	0.0	0.0	0 / 2	
Percentage of cycles resulting in live births	42.7	32.8	25.4	19.4	7.1	0 / 2	
Percentage of cycles resulting in pregnancy	50.7	38.1	34.5	37.1	21.4	0 / 2	
Outcomes per Transfer							
Number of transfers	181	102	106	43	23	2	
Percentage of transfers resulting in singleton live births	34.8	34.3	28.3	23.3	4.3	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.1	2.0	0.0	0.0	0.0	0 / 2	
Percentage of transfers resulting in live births	49.7	43.1	34.0	27.9	8.7	0 / 2	
Percentage of transfers resulting in pregnancy	59.1	50.0	46.2	53.5	26.1	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	107	51	49	23	6	0	
Percentage of pregnancies resulting in singleton live births	58.9	68.6	61.2	43.5	1 / 6		
Percentage of pregnancies resulting in triplets or more live births	1.9	3.9	0.0	0.0	0 / 6		
Percentage of pregnancies resulting in live births	84.1	86.3	73.5	52.2	2 / 6		
Frozen Embryos from Nondonor Eggs							
Number of cycles	133	85	65	27	17	6	
Number of transfers	122	75	60	24	13	5	
Estimated average number of transfers per retrieval	2.3	1.9	2.1	1.6	4.3		
Average number of embryos transferred	1.6	1.7	1.7	1.9	1.7	1.6	
Percentage of embryos transferred resulting in implantation	41.5	30.8	29.8	22.2	4.5	2 / 8	
Percentage of transfers resulting in singleton live births	38.5	32.0	35.0	29.2	1 / 13	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	1.3	0.0	0.0	0 / 13	0 / 5	
Percentage of transfers resulting in live births	46.7	37.3	38.3	33.3	1 / 13	1 / 5	
Percentage of transfers resulting in pregnancy	58.2	46.7	51.7	37.5	3 / 13	2 / 5	
All Ages Combined^f							
Donor Eggs	Fresh Embryos		Frozen Embryos				
Number of cycles	101		115				
Number of transfers	96		96				
Average number of embryos transferred	1.5		1.6				
Percentage of embryos transferred resulting in implantation	62.9		27.4				
Percentage of transfers resulting in singleton live births	47.9		29.2				
Percentage of transfers resulting in live births	65.6		32.3				
Percentage of transfers resulting in pregnancy	74.0		43.8				

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Reproductive Science Center of the San Francisco Bay Area					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by René B. Allen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	10%	Uterine factor	6%	
Unstimulated	2%	Used PGD	4%	Ovulatory dysfunction	9%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	9%	
				Endometriosis	8%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 99 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	10	11	9	9	0
Percentage of cancellations	0 / 18	3 / 10	1 / 11	2 / 9	1 / 9	
Average number of embryos transferred	2.1	2.5	3.1	3.1	4.0	
Percentage of embryos transferred resulting in implantation	35.3	1 / 15	12.9	9.1	0.0	
Percentage of elective single embryo transfer (eSET)	1 / 16	0 / 6	0 / 10	0 / 6	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 18	1 / 10	2 / 11	1 / 9	0 / 9	
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 10	0 / 11	0 / 9	0 / 9	
Percentage of cycles resulting in live births	9 / 18	1 / 10	3 / 11	1 / 9	0 / 9	
Percentage of cycles resulting in pregnancy	9 / 18	1 / 10	3 / 11	2 / 9	0 / 9	
Outcomes per Transfer						
Number of transfers	16	6	10	7	5	0
Percentage of transfers resulting in singleton live births	6 / 16	1 / 6	2 / 10	1 / 7	0 / 5	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 10	0 / 7	0 / 5	
Percentage of transfers resulting in live births	9 / 16	1 / 6	3 / 10	1 / 7	0 / 5	
Percentage of transfers resulting in pregnancy	9 / 16	1 / 6	3 / 10	2 / 7	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	9	1	3	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	1 / 1	2 / 3	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 1	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	9 / 9	1 / 1	3 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	7	4	1	0	0
Number of transfers	8	7	4	1	0	0
Estimated average number of transfers per retrieval	1.0	2.3	0.8			
Average number of embryos transferred	1.8	2.1	2.0	1.0		
Percentage of embryos transferred resulting in implantation	5 / 14	4 / 15	1 / 8	1 / 1		
Percentage of transfers resulting in singleton live births	0 / 8	2 / 7	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in live births	2 / 8	3 / 7	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 8	3 / 7	1 / 4	1 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		8		4		
Number of transfers		8		4		
Average number of embryos transferred		3.0		2.0		
Percentage of embryos transferred resulting in implantation		8.3		4 / 8		
Percentage of transfers resulting in singleton live births		2 / 8		2 / 4		
Percentage of transfers resulting in live births		2 / 8		3 / 4		
Percentage of transfers resulting in pregnancy		2 / 8		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Barbara Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PARKER-ROSENMAN-RODI GYNECOLOGY AND INFERTILITY MEDICAL GROUP
SANTA MONICA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	3%	Uterine factor	5%	
Unstimulated	5%	Used PGD	14%	Ovulatory dysfunction	19%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	8%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 49 (includes 12 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	5	7	3	1	1
Percentage of cancellations	0/5	1/5	2/7	1/3	0/1	0/1
Average number of embryos transferred	2.0	2.3	1.8	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation	1/4	1/7	2/9	1/2	0/3	0/2
Percentage of elective single embryo transfer (eSET)	0/2	0/3	2/5	0/1	0/1	0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/5	1/5	2/7	1/3	0/1	0/1
Percentage of cycles resulting in triplets or more live births	0/5	0/5	0/7	0/3	0/1	0/1
Percentage of cycles resulting in live births	1/5	1/5	2/7	1/3	0/1	0/1
Percentage of cycles resulting in pregnancy	1/5	1/5	3/7	1/3	0/1	0/1
Outcomes per Transfer						
Number of transfers	2	3	5	1	1	1
Percentage of transfers resulting in singleton live births	1/2	1/3	2/5	1/1	0/1	0/1
Percentage of transfers resulting in triplets or more live births	0/2	0/3	0/5	0/1	0/1	0/1
Percentage of transfers resulting in live births	1/2	1/3	2/5	1/1	0/1	0/1
Percentage of transfers resulting in pregnancy	1/2	1/3	3/5	1/1	0/1	0/1
Outcomes per Pregnancy						
Number of pregnancies	1	1	3	1	0	0
Percentage of pregnancies resulting in singleton live births	1/1	1/1	2/3	1/1		
Percentage of pregnancies resulting in triplets or more live births	0/1	0/1	0/3	0/1		
Percentage of pregnancies resulting in live births	1/1	1/1	2/3	1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	4	0	0	0
Number of transfers	2	2	2	0	0	0
Estimated average number of transfers per retrieval	0.7	0.3	0.5			
Average number of embryos transferred	1.5	1.5	2.0			
Percentage of embryos transferred resulting in implantation	3/3	0/3	0/4			
Percentage of transfers resulting in singleton live births	1/2	0/2	0/2			
Percentage of transfers resulting in triplets or more live births	0/2	0/2	0/2			
Percentage of transfers resulting in live births	2/2	0/2	0/2			
Percentage of transfers resulting in pregnancy	2/2	0/2	0/2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		6			
Number of transfers	1		4			
Average number of embryos transferred	2.0		1.5			
Percentage of embryos transferred resulting in implantation	1/2		2/6			
Percentage of transfers resulting in singleton live births	1/1		2/4			
Percentage of transfers resulting in live births	1/1		2/4			
Percentage of transfers resulting in pregnancy	1/1		2/4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	86%	With ICSI	94%	Tubal factor	4%	Uterine factor	0%	
Unstimulated	2%	Used PGD	31%	Ovulatory dysfunction	2%	Male factor	3%	
Used gestational carrier	6%			Diminished ovarian reserve	75%	Other factor	25%	
				Endometriosis	2%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 205 (includes 82 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	9	9	10	2
Percentage of cancellations	0 / 11	0 / 8	0 / 9	0 / 9	1 / 10	0 / 2
Average number of embryos transferred	1.3	1.6	2.3	3.1	5.3	2.0
Percentage of embryos transferred resulting in implantation	4 / 13	3 / 13	0 / 16	16.0	2.7	0 / 2
Percentage of elective single embryo transfer (eSET)	5 / 8	2 / 7	0 / 4	1 / 6	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 8	0 / 9	2 / 9	0 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 8	0 / 9	0 / 9	0 / 10	0 / 2
Percentage of cycles resulting in live births	3 / 11	1 / 8	0 / 9	2 / 9	0 / 10	0 / 2
Percentage of cycles resulting in pregnancy	5 / 11	3 / 8	1 / 9	4 / 9	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	11	8	8	8	8	1
Percentage of transfers resulting in singleton live births	3 / 11	1 / 8	0 / 8	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8	0 / 8	0 / 8	0 / 8	0 / 1
Percentage of transfers resulting in live births	3 / 11	1 / 8	0 / 8	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	5 / 11	3 / 8	1 / 8	4 / 8	1 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	5	3	1	4	1	0
Percentage of pregnancies resulting in singleton live births	3 / 5	1 / 3	0 / 1	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 3	0 / 1	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	3 / 5	1 / 3	0 / 1	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	2	3	1	4	1
Number of transfers	8	2	3	1	4	1
Estimated average number of transfers per retrieval	0.5	0.1	0.1	0.1	0.3	0.3
Average number of embryos transferred	1.6	1.5	2.0	3.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	4 / 13	2 / 3	0 / 6	0 / 3	1 / 8	1 / 3
Percentage of transfers resulting in singleton live births	4 / 8	0 / 2	0 / 3	0 / 1	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 2	0 / 3	0 / 1	0 / 4	0 / 1
Percentage of transfers resulting in live births	4 / 8	1 / 2	0 / 3	0 / 1	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	4 / 8	1 / 2	0 / 3	1 / 1	1 / 4	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		33		22		
Number of transfers		32		22		
Average number of embryos transferred		1.5		1.3		
Percentage of embryos transferred resulting in implantation		59.6		31.0		
Percentage of transfers resulting in singleton live births		43.8		36.4		
Percentage of transfers resulting in live births		59.4		36.4		
Percentage of transfers resulting in pregnancy		71.9		40.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Monica Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jennifer V. Ratcliffe, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	22%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	11%	
				Endometriosis	10%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				12%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 223 (includes 33 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		39	18	30	7	10	1
Percentage of cancellations		5.1	0 / 18	23.3	1 / 7	3 / 10	0 / 1
Average number of embryos transferred		1.9	2.7	2.5	2.8	3.0	3.0
Percentage of embryos transferred resulting in implantation		46.2	30.2	10.0	1 / 14	0 / 18	0 / 3
Percentage of elective single embryo transfer (eSET)		11.8	0 / 16	0 / 18	0 / 4	0 / 5	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		23.1	4 / 18	10.0	1 / 7	0 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0 / 18	0.0	0 / 7	0 / 10	0 / 1
Percentage of cycles resulting in live births		43.6	7 / 18	10.0	1 / 7	0 / 10	0 / 1
Percentage of cycles resulting in pregnancy		48.7	10 / 18	13.3	1 / 7	1 / 10	1 / 1
Outcomes per Transfer							
Number of transfers		34	16	20	5	6	1
Percentage of transfers resulting in singleton live births		26.5	4 / 16	15.0	1 / 5	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0.0	0 / 5	0 / 6	0 / 1
Percentage of transfers resulting in live births		50.0	7 / 16	15.0	1 / 5	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy		55.9	10 / 16	20.0	1 / 5	1 / 6	1 / 1
Outcomes per Pregnancy							
Number of pregnancies		19	10	4	1	1	1
Percentage of pregnancies resulting in singleton live births		9 / 19	4 / 10	3 / 4	1 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births		0 / 19	0 / 10	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in live births		17 / 19	7 / 10	3 / 4	1 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		21	11	11	5	1	1
Number of transfers		21	11	10	5	1	1
Estimated average number of transfers per retrieval		1.2	0.9	1.4	0.8	0.2	0.3
Average number of embryos transferred		1.7	1.7	2.5	2.4	1.0	1.0
Percentage of embryos transferred resulting in implantation		41.7	6 / 19	24.0	4 / 12	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births		23.8	2 / 11	2 / 10	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		4.8	0 / 11	0 / 10	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births		42.9	4 / 11	4 / 10	3 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		57.1	4 / 11	5 / 10	3 / 5	0 / 1	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		13			22		
Number of transfers		12			21		
Average number of embryos transferred		1.9			1.7		
Percentage of embryos transferred resulting in implantation		56.5			34.3		
Percentage of transfers resulting in singleton live births		3 / 12			19.0		
Percentage of transfers resulting in live births		7 / 12			33.3		
Percentage of transfers resulting in pregnancy		8 / 12			47.6		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Advanced Fertility Associates Medical Group, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VALLEY CENTER FOR REPRODUCTIVE HEALTH
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	18%	Uterine factor	9%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	21%	Male factor	32%	
Used gestational carrier	5%			Diminished ovarian reserve	24%	Other factor	15%	
				Endometriosis	3%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 37 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	8	4	1	2	0
Percentage of cancellations	0/7	0/8	0/4	0/1	0/2	
Average number of embryos transferred	1.7	2.1	3.0	2.0	4.0	
Percentage of embryos transferred resulting in implantation	3/10	3/15	2/9	0/2	0/4	
Percentage of elective single embryo transfer (eSET)	2/6	1/7	0/3	0/1	0/1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2/7	2/8	1/4	0/1	0/2	
Percentage of cycles resulting in triplets or more live births	0/7	0/8	0/4	0/1	0/2	
Percentage of cycles resulting in live births	2/7	2/8	1/4	0/1	0/2	
Percentage of cycles resulting in pregnancy	3/7	3/8	1/4	0/1	0/2	
Outcomes per Transfer						
Number of transfers	6	7	3	1	1	0
Percentage of transfers resulting in singleton live births	2/6	2/7	1/3	0/1	0/1	
Percentage of transfers resulting in triplets or more live births	0/6	0/7	0/3	0/1	0/1	
Percentage of transfers resulting in live births	2/6	2/7	1/3	0/1	0/1	
Percentage of transfers resulting in pregnancy	3/6	3/7	1/3	0/1	0/1	
Outcomes per Pregnancy						
Number of pregnancies	3	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	2/3	2/3	1/1			
Percentage of pregnancies resulting in triplets or more live births	0/3	0/3	0/1			
Percentage of pregnancies resulting in live births	2/3	2/3	1/1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	1	1	0	0
Number of transfers	3	2	1	1	0	0
Estimated average number of transfers per retrieval	1.0	0.7			0.0	
Average number of embryos transferred	2.0	2.0	1.0	3.0		
Percentage of embryos transferred resulting in implantation	2/6	1/4	0/1	0/3		
Percentage of transfers resulting in singleton live births	2/3	1/2	0/1	0/1		
Percentage of transfers resulting in triplets or more live births	0/3	0/2	0/1	0/1		
Percentage of transfers resulting in live births	2/3	1/2	0/1	0/1		
Percentage of transfers resulting in pregnancy	2/3	1/2	0/1	0/1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		3		
Number of transfers		2		3		
Average number of embryos transferred		1.5		2.0		
Percentage of embryos transferred resulting in implantation		1/3		0/6		
Percentage of transfers resulting in singleton live births		0/2		0/3		
Percentage of transfers resulting in live births		0/2		0/3		
Percentage of transfers resulting in pregnancy		1/2		0/3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GARFIELD FERTILITY CENTER SOUTH PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Brian C. Su, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	23%	Uterine factor	15%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	19%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	0%
				Endometriosis	15%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 28% Female & male factors 21%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 47 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	13	6	6	4	6	2	
Percentage of cancellations	1 / 13	0 / 6	0 / 6	0 / 4	0 / 6	0 / 2	
Average number of embryos transferred	2.0	2.0	2.8	2.0	2.6	3.0	
Percentage of embryos transferred resulting in implantation	36.4	5 / 10	4 / 11	0 / 8	1 / 13	0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 5	0 / 4	0 / 2	0 / 4	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	6 / 13	3 / 6	1 / 6	0 / 4	0 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 6	0 / 6	0 / 4	0 / 6	0 / 2	
Percentage of cycles resulting in live births	7 / 13	4 / 6	2 / 6	0 / 4	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	8 / 13	4 / 6	2 / 6	0 / 4	2 / 6	0 / 2	
Outcomes per Transfer							
Number of transfers	11	5	4	4	5	2	
Percentage of transfers resulting in singleton live births	6 / 11	3 / 5	1 / 4	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 5	0 / 4	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in live births	7 / 11	4 / 5	2 / 4	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	8 / 11	4 / 5	2 / 4	0 / 4	2 / 5	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	8	4	2	0	2	0	
Percentage of pregnancies resulting in singleton live births	6 / 8	3 / 4	1 / 2		0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4	0 / 2		0 / 2		
Percentage of pregnancies resulting in live births	7 / 8	4 / 4	2 / 2		0 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	0	2	2	0	1	0	
Number of transfers	0	2	2	0	1	0	
Estimated average number of transfers per retrieval		2.0	1.0				
Average number of embryos transferred		2.0	2.0		3.0		
Percentage of embryos transferred resulting in implantation		0 / 4	2 / 4		0 / 3		
Percentage of transfers resulting in singleton live births		0 / 2	1 / 2		0 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in live births		0 / 2	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancy		1 / 2	2 / 2		0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		3			2		
Number of transfers		3			2		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation		3 / 6			4 / 4		
Percentage of transfers resulting in singleton live births		1 / 3			2 / 2		
Percentage of transfers resulting in live births		2 / 3			2 / 2		
Percentage of transfers resulting in pregnancy		2 / 3			2 / 2		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Garfield Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	11%	Uterine factor	4%	
Unstimulated	4%	Used PGD	11%	Ovulatory dysfunction	2%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	50%	Other factor	20%	
				Endometriosis	2%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 304 (includes 75 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	13	33	36	14	6
Percentage of cancellations	6.7	1 / 13	3.0	2.8	1 / 14	1 / 6
Average number of embryos transferred	1.9	2.4	3.2	3.3	2.3	1.5
Percentage of embryos transferred resulting in implantation	53.7	13.8	11.9	7.8	6.7	0 / 6
Percentage of elective single embryo transfer (eSET)	11.1	0 / 10	3.3	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	2 / 13	21.2	13.9	1 / 14	0 / 6
Percentage of cycles resulting in triplets or more live births	3.3	0 / 13	0.0	0.0	0 / 14	0 / 6
Percentage of cycles resulting in live births	56.7	3 / 13	24.2	16.7	1 / 14	0 / 6
Percentage of cycles resulting in pregnancy	63.3	5 / 13	42.4	30.6	3 / 14	0 / 6
Outcomes per Transfer						
Number of transfers	28	12	32	35	13	4
Percentage of transfers resulting in singleton live births	25.0	2 / 12	21.9	14.3	1 / 13	0 / 4
Percentage of transfers resulting in triplets or more live births	3.6	0 / 12	0.0	0.0	0 / 13	0 / 4
Percentage of transfers resulting in live births	60.7	3 / 12	25.0	17.1	1 / 13	0 / 4
Percentage of transfers resulting in pregnancy	67.9	5 / 12	43.8	31.4	3 / 13	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	19	5	14	11	3	0
Percentage of pregnancies resulting in singleton live births	7 / 19	2 / 5	7 / 14	5 / 11	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	1 / 19	0 / 5	0 / 14	0 / 11	0 / 3	
Percentage of pregnancies resulting in live births	17 / 19	3 / 5	8 / 14	6 / 11	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	10	7	8	2	1
Number of transfers	11	10	7	7	2	1
Estimated average number of transfers per retrieval	0.9	0.8	0.4	0.2	0.7	0.1
Average number of embryos transferred	1.9	2.4	2.4	3.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	71.4	37.5	6 / 17	8.0	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births	2 / 11	4 / 10	4 / 7	1 / 7	0 / 2	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 10	0 / 7	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	6 / 11	6 / 10	4 / 7	1 / 7	0 / 2	1 / 1
Percentage of transfers resulting in pregnancy	9 / 11	6 / 10	5 / 7	2 / 7	1 / 2	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		36		22		
Number of transfers		36		22		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		62.7		45.2		
Percentage of transfers resulting in singleton live births		36.1		31.8		
Percentage of transfers resulting in live births		72.2		59.1		
Percentage of transfers resulting in pregnancy		77.8		59.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TREE OF LIFE CENTER FOR FERTILITY
SNUNIT BEN-OZER, MD
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Snunit Ben-Ozer, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	14%	Uterine factor	24%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	10%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	17%	
				Endometriosis	3%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				24%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 43 (includes 14 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		7	8	4	1	2	0
Percentage of cancellations		1 / 7	0 / 8	0 / 4	0 / 1	0 / 2	
Average number of embryos transferred		1.7	2.1	2.0		3.0	
Percentage of embryos transferred resulting in implantation		4 / 10	5 / 17	2 / 8		0 / 6	
Percentage of elective single embryo transfer (eSET)		0 / 4	0 / 8	1 / 4		0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		2 / 7	3 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births		0 / 7	0 / 8	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in live births		3 / 7	4 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy		3 / 7	4 / 8	3 / 4	0 / 1	0 / 2	
Outcomes per Transfer							
Number of transfers		6	8	4	0	2	0
Percentage of transfers resulting in singleton live births		2 / 6	3 / 8	1 / 4		0 / 2	
Percentage of transfers resulting in triplets or more live births		0 / 6	0 / 8	0 / 4		0 / 2	
Percentage of transfers resulting in live births		3 / 6	4 / 8	1 / 4		0 / 2	
Percentage of transfers resulting in pregnancy		3 / 6	4 / 8	3 / 4		0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		3	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births		2 / 3	3 / 4	1 / 3			
Percentage of pregnancies resulting in triplets or more live births		0 / 3	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births		3 / 3	4 / 4	1 / 3			
Frozen Embryos from Nondonor Eggs							
Number of cycles		2	0	0	0	0	1
Number of transfers		2	0	0	0	0	1
Estimated average number of transfers per retrieval		0.5	0.0	0.0	0.0	0.0	1.0
Average number of embryos transferred		2.5					2.0
Percentage of embryos transferred resulting in implantation		3 / 5					0 / 2
Percentage of transfers resulting in singleton live births		1 / 2					0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 2					0 / 1
Percentage of transfers resulting in live births		2 / 2					0 / 1
Percentage of transfers resulting in pregnancy		2 / 2					0 / 1
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		3			1		
Number of transfers		3			1		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation		5 / 6			2 / 2		
Percentage of transfers resulting in singleton live births		1 / 3			0 / 1		
Percentage of transfers resulting in live births		3 / 3			1 / 1		
Percentage of transfers resulting in pregnancy		3 / 3			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Gary Hubert, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	10%	Uterine factor	4%	
Unstimulated	0%	Used PGD	16%	Ovulatory dysfunction	11%	Male factor	22%	
Used gestational carrier	4%			Diminished ovarian reserve	48%	Other factor	9%	
				Endometriosis	3%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				8%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 937 (includes 238 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	90	50	63	48	20	3	
Percentage of cancellations	2.2	0.0	0.0	2.1	0.0	0 / 3	
Average number of embryos transferred	1.8	1.9	2.6	3.1	3.2	4.0	
Percentage of embryos transferred resulting in implantation	37.5	25.8	14.8	16.3	1.6	0 / 12	
Percentage of elective single embryo transfer (eSET)	20.7	20.4	3.8	4.9	0 / 15	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	26.7	26.0	22.2	27.1	5.0	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3	
Percentage of cycles resulting in live births	43.3	34.0	25.4	31.3	5.0	0 / 3	
Percentage of cycles resulting in pregnancy	50.0	42.0	31.7	41.7	5.0	0 / 3	
Outcomes per Transfer							
Number of transfers	88	50	63	47	20	3	
Percentage of transfers resulting in singleton live births	27.3	26.0	22.2	27.7	5.0	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3	
Percentage of transfers resulting in live births	44.3	34.0	25.4	31.9	5.0	0 / 3	
Percentage of transfers resulting in pregnancy	51.1	42.0	31.7	42.6	5.0	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	45	21	20	20	1	0	
Percentage of pregnancies resulting in singleton live births	53.3	61.9	70.0	65.0	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 1		
Percentage of pregnancies resulting in live births	86.7	81.0	80.0	75.0	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	97	53	34	9	6	3	
Number of transfers	97	53	34	9	6	3	
Estimated average number of transfers per retrieval	1.3	1.1	0.4	0.2	0.2	0.2	
Average number of embryos transferred	1.9	2.0	2.3	2.2	1.8	2.3	
Percentage of embryos transferred resulting in implantation	33.2	21.5	27.8	25.0	0 / 11	1 / 7	
Percentage of transfers resulting in singleton live births	33.0	18.9	38.2	4 / 9	0 / 6	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 6	0 / 3	
Percentage of transfers resulting in live births	44.3	26.4	47.1	4 / 9	0 / 6	1 / 3	
Percentage of transfers resulting in pregnancy	60.8	49.1	58.8	5 / 9	0 / 6	1 / 3	

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	101	122
Number of transfers	101	122
Average number of embryos transferred	1.8	2.1
Percentage of embryos transferred resulting in implantation	56.0	27.3
Percentage of transfers resulting in singleton live births	41.6	21.3
Percentage of transfers resulting in live births	66.3	35.2
Percentage of transfers resulting in pregnancy	73.3	47.5

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fertility and Surgical Associates of California					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Rifaat Salem, MD, PhD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	99%	Tubal factor	17%	Uterine factor	4%
Unstimulated	2%	Used PGD	11%	Ovulatory dysfunction	17%	Male factor	48%
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	15%
				Endometriosis	11%	Unknown factor	2%
				Multiple Factors: Female factors only 9% Female & male factors 21%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 301 (includes 8 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		116	50	49	25	5	2
Percentage of cancellations		0.0	0.0	0.0	0.0	0 / 5	0 / 2
Average number of embryos transferred		2.0	2.2	2.8	2.6	2.0	2.5
Percentage of embryos transferred resulting in implantation		37.1	32.1	19.7	17.7	0 / 10	0 / 5
Percentage of elective single embryo transfer (eSET)		1.8	0.0	0.0	0.0	0 / 3	0 / 2
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		37.9	32.0	20.4	16.0	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births		0.9	0.0	2.0	0.0	0 / 5	0 / 2
Percentage of cycles resulting in live births		52.6	42.0	32.7	20.0	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy		58.6	56.0	38.8	32.0	0 / 5	0 / 2
Outcomes per Transfer							
Number of transfers		115	50	49	24	5	2
Percentage of transfers resulting in singleton live births		38.3	32.0	20.4	16.7	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births		0.9	0.0	2.0	0.0	0 / 5	0 / 2
Percentage of transfers resulting in live births		53.0	42.0	32.7	20.8	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy		59.1	56.0	38.8	33.3	0 / 5	0 / 2
Outcomes per Pregnancy							
Number of pregnancies		68	28	19	8	0	0
Percentage of pregnancies resulting in singleton live births		64.7	57.1	10 / 19	4 / 8		
Percentage of pregnancies resulting in triplets or more live births		1.5	0.0	1 / 19	0 / 8		
Percentage of pregnancies resulting in live births		89.7	75.0	16 / 19	5 / 8		
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	11	4	3	0	1
Number of transfers		12	11	4	3	0	1
Estimated average number of transfers per retrieval		2.0	2.8	2.0		0.0	
Average number of embryos transferred		2.3	2.4	2.8	3.0		2.0
Percentage of embryos transferred resulting in implantation		21.4	23.1	0 / 11	1 / 9		2 / 2
Percentage of transfers resulting in singleton live births		4 / 12	2 / 11	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 12	0 / 11	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births		5 / 12	4 / 11	0 / 4	0 / 3		1 / 1
Percentage of transfers resulting in pregnancy		5 / 12	4 / 11	0 / 4	1 / 3		1 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		14			1		
Number of transfers		14			1		
Average number of embryos transferred		2.1			1.0		
Percentage of embryos transferred resulting in implantation		37.9			0 / 1		
Percentage of transfers resulting in singleton live births		2 / 14			0 / 1		
Percentage of transfers resulting in live births		6 / 14			0 / 1		
Percentage of transfers resulting in pregnancy		7 / 14			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Pacific Reproductive Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	24%	Uterine factor	1%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	7%	Male factor	24%	
Used gestational carrier	2%			Diminished ovarian reserve	7%	Other factor	13%	
				Endometriosis	3%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 216 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	31	34	13	4	0
Percentage of cancellations	3.2	9.7	5.9	1 / 13	0 / 4	
Average number of embryos transferred	2.4	2.4	2.8	3.6	1.8	
Percentage of embryos transferred resulting in implantation	28.5	32.3	14.9	11.6	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	3.7	0.0	0 / 12	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.6	29.0	17.6	3 / 13	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 4	
Percentage of cycles resulting in live births	31.7	45.2	20.6	3 / 13	0 / 4	
Percentage of cycles resulting in pregnancy	47.6	51.6	35.3	5 / 13	0 / 4	
Outcomes per Transfer						
Number of transfers	60	27	31	12	4	0
Percentage of transfers resulting in singleton live births	21.7	33.3	19.4	3 / 12	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 4	
Percentage of transfers resulting in live births	33.3	51.9	22.6	3 / 12	0 / 4	
Percentage of transfers resulting in pregnancy	50.0	59.3	38.7	5 / 12	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	30	16	12	5	0	0
Percentage of pregnancies resulting in singleton live births	43.3	9 / 16	6 / 12	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 12	0 / 5		
Percentage of pregnancies resulting in live births	66.7	14 / 16	7 / 12	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	11	13	3	2	0
Number of transfers	22	11	13	3	2	0
Estimated average number of transfers per retrieval	1.5	5.5	1.3		2.0	
Average number of embryos transferred	3.0	3.0	3.3	3.7	2.5	
Percentage of embryos transferred resulting in implantation	31.7	15.2	20.0	2 / 11	1 / 5	
Percentage of transfers resulting in singleton live births	18.2	0 / 11	1 / 13	1 / 3	1 / 2	
Percentage of transfers resulting in triplets or more live births	4.5	0 / 11	0 / 13	0 / 3	0 / 2	
Percentage of transfers resulting in live births	50.0	2 / 11	3 / 13	1 / 3	1 / 2	
Percentage of transfers resulting in pregnancy	50.0	3 / 11	5 / 13	2 / 3	1 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		7		
Number of transfers		11		7		
Average number of embryos transferred		2.2		3.0		
Percentage of embryos transferred resulting in implantation		29.2		38.1		
Percentage of transfers resulting in singleton live births		2 / 11		2 / 7		
Percentage of transfers resulting in live births		4 / 11		3 / 7		
Percentage of transfers resulting in pregnancy		5 / 11		4 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
AURORA, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ruben J. Alvero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	11%	Uterine factor	4%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	40%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	10%	
				Endometriosis	3%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 149 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	28	8	1	0	2
Percentage of cancellations	8.1	17.9	1 / 8	0 / 1		0 / 2
Average number of embryos transferred	1.9	2.3	2.6	4.0		3.5
Percentage of embryos transferred resulting in implantation	37.1	22.6	1 / 18	0 / 4		0 / 7
Percentage of elective single embryo transfer (eSET)	15.2	9.1	0 / 7	0 / 1		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	28.6	0 / 8	0 / 1		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 1		0 / 2
Percentage of cycles resulting in live births	40.5	28.6	0 / 8	0 / 1		0 / 2
Percentage of cycles resulting in pregnancy	45.9	32.1	2 / 8	0 / 1		0 / 2
Outcomes per Transfer						
Number of transfers	33	23	7	1	0	2
Percentage of transfers resulting in singleton live births	21.2	34.8	0 / 7	0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 1		0 / 2
Percentage of transfers resulting in live births	45.5	34.8	0 / 7	0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	51.5	39.1	2 / 7	0 / 1		0 / 2
Outcomes per Pregnancy						
Number of pregnancies	17	9	2	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 17	8 / 9	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 9	0 / 2			
Percentage of pregnancies resulting in live births	15 / 17	8 / 9	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	6	5	0	1	0
Number of transfers	20	6	5	0	1	0
Estimated average number of transfers per retrieval	1.2	0.7	0.8			0.0
Average number of embryos transferred	1.6	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation	22.6	2 / 11	1 / 10		0 / 2	
Percentage of transfers resulting in singleton live births	25.0	0 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 5		0 / 1	
Percentage of transfers resulting in live births	30.0	1 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	35.0	2 / 6	1 / 5		0 / 1	
All Ages Combined^f						
		Fresh Embryos	Frozen Embryos			
Donor Eggs						
Number of cycles		15	8			
Number of transfers		15	8			
Average number of embryos transferred		1.9	1.9			
Percentage of embryos transferred resulting in implantation		51.7	8 / 15			
Percentage of transfers resulting in singleton live births		6 / 15	3 / 8			
Percentage of transfers resulting in live births		9 / 15	5 / 8			
Percentage of transfers resulting in pregnancy		11 / 15	6 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine, University of Colorado					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	19%	Uterine factor	2%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	12%	Male factor	76%
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	11%
				Endometriosis	<1%	Unknown factor	2%
				Multiple Factors:			
				Female factors only <1%			
				Female & male factors 38%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 137 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	22	17	1	1	0
Percentage of cancellations	4.9	9.1	3 / 17	0 / 1	0 / 1	
Average number of embryos transferred	2.5	2.7	2.8	2.0	4.0	
Percentage of embryos transferred resulting in implantation	37.7	23.5	16.1	1 / 2	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 19	0 / 10	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	13.6	3 / 17	1 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 1	0 / 1	
Percentage of cycles resulting in live births	43.9	22.7	3 / 17	1 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	43.9	40.9	5 / 17	1 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	28	19	11	1	1	0
Percentage of transfers resulting in singleton live births	35.7	3 / 19	3 / 11	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 11	0 / 1	0 / 1	
Percentage of transfers resulting in live births	64.3	5 / 19	3 / 11	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	64.3	9 / 19	5 / 11	1 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	9	5	1	0	0
Percentage of pregnancies resulting in singleton live births	10 / 18	3 / 9	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 9	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	18 / 18	5 / 9	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	3	1	0	0	0
Number of transfers	18	2	1	0	0	0
Estimated average number of transfers per retrieval	1.6	0.5	0.5	0.0		
Average number of embryos transferred	2.3	1.5	3.0			
Percentage of embryos transferred resulting in implantation	26.8	0 / 3	0 / 3			
Percentage of transfers resulting in singleton live births	3 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in live births	6 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	9 / 18	1 / 2	0 / 1			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		11		
Number of transfers		9		11		
Average number of embryos transferred		2.3		2.2		
Percentage of embryos transferred resulting in implantation		23.8		16.7		
Percentage of transfers resulting in singleton live births		5 / 9		1 / 11		
Percentage of transfers resulting in live births		5 / 9		2 / 11		
Percentage of transfers resulting in pregnancy		6 / 9		4 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ERIC H. SILVERSTEIN, MD, PROFESSIONAL LLC DBA
THE FERTILITY CENTER OF COLORADO
COLORADO SPRINGS, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Eric H. Silverstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	20%	Uterine factor	4%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	27%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	10%	
				Endometriosis	9%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 70 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	5	9	5	0	0
Percentage of cancellations	2 / 18	0 / 5	0 / 9	0 / 5		
Average number of embryos transferred	1.5	2.0	1.8	2.5		
Percentage of embryos transferred resulting in implantation	38.1	3 / 10	2 / 14	2 / 10		
Percentage of elective single embryo transfer (eSET)	5 / 12	1 / 5	1 / 7	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 18	1 / 5	0 / 9	2 / 5		
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 5	0 / 9	0 / 5		
Percentage of cycles resulting in live births	7 / 18	2 / 5	0 / 9	2 / 5		
Percentage of cycles resulting in pregnancy	7 / 18	2 / 5	1 / 9	2 / 5		
Outcomes per Transfer						
Number of transfers	14	5	8	4	0	0
Percentage of transfers resulting in singleton live births	6 / 14	1 / 5	0 / 8	2 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 5	0 / 8	0 / 4		
Percentage of transfers resulting in live births	7 / 14	2 / 5	0 / 8	2 / 4		
Percentage of transfers resulting in pregnancy	7 / 14	2 / 5	1 / 8	2 / 4		
Outcomes per Pregnancy						
Number of pregnancies	7	2	1	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 7	1 / 2	0 / 1	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	7 / 7	2 / 2	0 / 1	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	6	0	0	0
Number of transfers	9	3	6	0	0	0
Estimated average number of transfers per retrieval	3.0	1.5	1.2			
Average number of embryos transferred	1.7	2.3	2.0			
Percentage of embryos transferred resulting in implantation	3 / 15	1 / 7	0 / 12			
Percentage of transfers resulting in singleton live births	2 / 9	1 / 3	0 / 6			
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 3	0 / 6			
Percentage of transfers resulting in live births	2 / 9	1 / 3	0 / 6			
Percentage of transfers resulting in pregnancy	3 / 9	1 / 3	1 / 6			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		9			
Number of transfers	5		9			
Average number of embryos transferred	1.4		1.8			
Percentage of embryos transferred resulting in implantation	4 / 7		4 / 16			
Percentage of transfers resulting in singleton live births	2 / 5		3 / 9			
Percentage of transfers resulting in live births	3 / 5		3 / 9			
Percentage of transfers resulting in pregnancy	3 / 5		5 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Eric H. Silverstein, MD, Professional LLC dba, The Fertility Center of Colorado					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	10%	Uterine factor	7%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	16%	Male factor	11%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	4%	
				Endometriosis	6%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				5%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 108 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	15	8	9	0	0
Percentage of cancellations	0.0	1 / 15	4 / 8	2 / 9		
Average number of embryos transferred	1.9	2.1	2.5	2.8		
Percentage of embryos transferred resulting in implantation	14.3	11.1	0 / 10	1 / 17		
Percentage of elective single embryo transfer (eSET)	1 / 17	1 / 10	0 / 4	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	2 / 15	0 / 8	0 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 8	0 / 9		
Percentage of cycles resulting in live births	19.0	2 / 15	0 / 8	0 / 9		
Percentage of cycles resulting in pregnancy	23.8	6 / 15	0 / 8	1 / 9		
Outcomes per Transfer						
Number of transfers	18	13	4	6	0	0
Percentage of transfers resulting in singleton live births	4 / 18	2 / 13	0 / 4	0 / 6		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 13	0 / 4	0 / 6		
Percentage of transfers resulting in live births	4 / 18	2 / 13	0 / 4	0 / 6		
Percentage of transfers resulting in pregnancy	5 / 18	6 / 13	0 / 4	1 / 6		
Outcomes per Pregnancy						
Number of pregnancies	5	6	0	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 5	2 / 6		0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 6		0 / 1		
Percentage of pregnancies resulting in live births	4 / 5	2 / 6		0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	7	5	2	0	1
Number of transfers	15	7	5	1	0	0
Estimated average number of transfers per retrieval	2.1	1.8	1.3			
Average number of embryos transferred	2.0	2.3	2.4	2.0		
Percentage of embryos transferred resulting in implantation	26.7	3 / 16	4 / 12	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 15	3 / 7	2 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 7	0 / 5	0 / 1		
Percentage of transfers resulting in live births	5 / 15	3 / 7	3 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 15	3 / 7	3 / 5	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		13			
Number of transfers	6		9			
Average number of embryos transferred	1.8		1.9			
Percentage of embryos transferred resulting in implantation	3 / 11		5 / 17			
Percentage of transfers resulting in singleton live births	1 / 6		1 / 9			
Percentage of transfers resulting in live births	1 / 6		3 / 9			
Percentage of transfers resulting in pregnancy	3 / 6		3 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	27%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	0%	
				Endometriosis	8%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 52 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	4	1	0	0	0
Percentage of cancellations	0 / 18	0 / 4	0 / 1			
Average number of embryos transferred	2.1	2.8	3.0			
Percentage of embryos transferred resulting in implantation	31.6	2 / 11	1 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 18	0 / 4	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 18	2 / 4	1 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 4	0 / 1			
Percentage of cycles resulting in live births	8 / 18	2 / 4	1 / 1			
Percentage of cycles resulting in pregnancy	10 / 18	2 / 4	1 / 1			
Outcomes per Transfer						
Number of transfers	18	4	1	0	0	0
Percentage of transfers resulting in singleton live births	5 / 18	2 / 4	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 4	0 / 1			
Percentage of transfers resulting in live births	8 / 18	2 / 4	1 / 1			
Percentage of transfers resulting in pregnancy	10 / 18	2 / 4	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	10	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	2 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	8 / 10	2 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	4	1	0	1	0
Number of transfers	9	4	1	0	1	0
Estimated average number of transfers per retrieval	1.0	4.0				
Average number of embryos transferred	2.4	2.8	2.0		1.0	
Percentage of embryos transferred resulting in implantation	18.2	2 / 11	0 / 2		1 / 1	
Percentage of transfers resulting in singleton live births	4 / 9	2 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in live births	4 / 9	2 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 9	2 / 4	0 / 1		1 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		6		8		
Number of transfers		6		8		
Average number of embryos transferred		2.5		2.5		
Percentage of embryos transferred resulting in implantation		8 / 15		20.0		
Percentage of transfers resulting in singleton live births		2 / 6		0 / 8		
Percentage of transfers resulting in live births		4 / 6		0 / 8		
Percentage of transfers resulting in pregnancy		6 / 6		2 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES LITTLETON, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Mark R. Bush, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	53%	
Used gestational carrier	<1%			Diminished ovarian reserve	58%	Other factor	9%	
				Endometriosis	3%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				38%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 597 (includes 199 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	25	11	4	2	0
Percentage of cancellations	1.1	4.0	0 / 11	0 / 4	0 / 2	
Average number of embryos transferred	1.6	1.8	1.6	1.8	2.0	
Percentage of embryos transferred resulting in implantation	58.6	56.3	6 / 18	1 / 7	0 / 4	
Percentage of elective single embryo transfer (eSET)	32.4	2 / 16	3 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.6	36.0	5 / 11	1 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4	0 / 2	
Percentage of cycles resulting in live births	57.8	44.0	5 / 11	1 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	61.1	52.0	6 / 11	1 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	80	18	11	4	2	0
Percentage of transfers resulting in singleton live births	40.0	9 / 18	5 / 11	1 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 4	0 / 2	
Percentage of transfers resulting in live births	65.0	11 / 18	5 / 11	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	68.8	13 / 18	6 / 11	1 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	55	13	6	1	0	0
Percentage of pregnancies resulting in singleton live births	58.2	9 / 13	5 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	94.5	11 / 13	5 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	46	35	5	5	1
Number of transfers	72	46	35	5	5	1
Estimated average number of transfers per retrieval	0.9	1.0	0.7	0.2	0.4	1.0
Average number of embryos transferred	1.6	1.5	1.4	1.8	1.6	2.0
Percentage of embryos transferred resulting in implantation	70.5	64.7	54.0	6 / 9	3 / 8	0 / 2
Percentage of transfers resulting in singleton live births	50.0	41.3	54.3	1 / 5	3 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	2.2	0.0	0 / 5	0 / 5	0 / 1
Percentage of transfers resulting in live births	76.4	63.0	60.0	3 / 5	3 / 5	0 / 1
Percentage of transfers resulting in pregnancy	80.6	67.4	77.1	3 / 5	3 / 5	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		52		50		
Number of transfers		45		50		
Average number of embryos transferred		1.8		1.4		
Percentage of embryos transferred resulting in implantation		69.6		56.9		
Percentage of transfers resulting in singleton live births		20.0		52.0		
Percentage of transfers resulting in live births		66.7		62.0		
Percentage of transfers resulting in pregnancy		75.6		70.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Conceptions Reproductive Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	5%	Uterine factor	11%	Multiple Factors: Female factors only 29% Female & male factors 16%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	56%	Other factor	30%	
				Endometriosis	10%	Unknown factor	11%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 3,015 (includes 1,523 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	136	61	51	6	17	0
Percentage of cancellations	2.2	1.6	5.9	0 / 6	1 / 17	
Average number of embryos transferred	1.8	2.0	2.3	2.4	3.1	
Percentage of embryos transferred resulting in implantation	52.7	38.7	26.1	1 / 12	2.0	
Percentage of elective single embryo transfer (eSET)	19.5	8.5	2.3	0 / 4	0 / 16	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.0	27.9	29.4	1 / 6	1 / 17	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 17	
Percentage of cycles resulting in live births	60.3	45.9	39.2	1 / 6	1 / 17	
Percentage of cycles resulting in pregnancy	69.9	57.4	41.2	1 / 6	1 / 17	
Outcomes per Transfer						
Number of transfers	133	60	48	5	16	0
Percentage of transfers resulting in singleton live births	39.8	28.3	31.3	1 / 5	1 / 16	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 16	
Percentage of transfers resulting in live births	61.7	46.7	41.7	1 / 5	1 / 16	
Percentage of transfers resulting in pregnancy	71.4	58.3	43.8	1 / 5	1 / 16	
Outcomes per Pregnancy						
Number of pregnancies	95	35	21	1	1	0
Percentage of pregnancies resulting in singleton live births	55.8	48.6	71.4	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	86.3	80.0	95.2	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	303	233	253	114	64	15
Number of transfers	303	233	251	114	62	12
Estimated average number of transfers per retrieval	0.8	0.8	0.6	0.4	0.4	0.3
Average number of embryos transferred	1.7	1.7	1.7	1.5	1.9	1.6
Percentage of embryos transferred resulting in implantation	63.6	59.6	50.7	45.7	37.4	8 / 18
Percentage of transfers resulting in singleton live births	43.2	41.2	37.5	32.5	29.0	4 / 12
Percentage of transfers resulting in triplets or more live births	0.3	0.4	0.4	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	69.3	62.7	57.0	44.7	41.9	6 / 12
Percentage of transfers resulting in pregnancy	78.5	73.4	69.3	61.4	53.2	6 / 12
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		107		132		
Number of transfers		106		131		
Average number of embryos transferred		1.6		1.8		
Percentage of embryos transferred resulting in implantation		74.9		55.7		
Percentage of transfers resulting in singleton live births		57.5		36.6		
Percentage of transfers resulting in live births		83.0		60.3		
Percentage of transfers resulting in pregnancy		91.5		74.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER, PC PARKER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Deborah L. Smith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	14%	Uterine factor	3%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	18%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	61%	Other factor	8%	
				Endometriosis	3%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 137 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	22	18	4	3	0
Percentage of cancellations	6.1	4.5	2 / 18	1 / 4	0 / 3	
Average number of embryos transferred	2.0	2.2	2.1	2.7	3.3	
Percentage of embryos transferred resulting in implantation	45.7	39.0	19.4	2 / 8	0 / 10	
Percentage of elective single embryo transfer (eSET)	8.9	2 / 19	1 / 12	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	44.9	45.5	2 / 18	0 / 4	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 4	0 / 3	
Percentage of cycles resulting in live births	59.2	50.0	4 / 18	0 / 4	0 / 3	
Percentage of cycles resulting in pregnancy	63.3	59.1	5 / 18	2 / 4	0 / 3	
Outcomes per Transfer						
Number of transfers	45	19	15	3	3	0
Percentage of transfers resulting in singleton live births	48.9	10 / 19	2 / 15	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 15	0 / 3	0 / 3	
Percentage of transfers resulting in live births	64.4	11 / 19	4 / 15	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	68.9	13 / 19	5 / 15	2 / 3	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	31	13	5	2	0	0
Percentage of pregnancies resulting in singleton live births	71.0	10 / 13	2 / 5	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	93.5	11 / 13	4 / 5	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	4	1	0	0
Number of transfers	11	2	4	1	0	0
Estimated average number of transfers per retrieval	1.4	0.7	1.3			
Average number of embryos transferred	1.8	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation	35.0	2 / 4	2 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 11	2 / 2	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births	5 / 11	2 / 2	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	5 / 11	2 / 2	2 / 4	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		2		
Number of transfers		10		2		
Average number of embryos transferred		1.8		2.5		
Percentage of embryos transferred resulting in implantation		10 / 18		0 / 5		
Percentage of transfers resulting in singleton live births		6 / 10		0 / 2		
Percentage of transfers resulting in live births		6 / 10		0 / 2		
Percentage of transfers resulting in pregnancy		8 / 10		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Fertility Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONNECTICUT FERTILITY ASSOCIATES BRIDGEPORT, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael B. Doyle, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	35%	Tubal factor	5%	Uterine factor	15%	
Unstimulated	1%	Used PGD	11%	Ovulatory dysfunction	2%	Male factor	11%	
Used gestational carrier	12%			Diminished ovarian reserve	31%	Other factor	38%	
				Endometriosis	3%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				4%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 353 (includes 43 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	13	34	14	5	2
Percentage of cancellations	0.0	1 / 13	5.9	2 / 14	0 / 5	1 / 2
Average number of embryos transferred	2.3	2.2	2.7	2.7	2.8	
Percentage of embryos transferred resulting in implantation	33.9	38.5	10.8	12.5	0 / 11	
Percentage of elective single embryo transfer (eSET)	7.7	1 / 11	0.0	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.3	3 / 13	8.8	3 / 14	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	3.8	0 / 13	0.0	0 / 14	0 / 5	0 / 2
Percentage of cycles resulting in live births	53.8	6 / 13	14.7	3 / 14	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	65.4	7 / 13	20.6	5 / 14	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	26	12	27	12	4	0
Percentage of transfers resulting in singleton live births	42.3	3 / 12	11.1	3 / 12	0 / 4	
Percentage of transfers resulting in triplets or more live births	3.8	0 / 12	0.0	0 / 12	0 / 4	
Percentage of transfers resulting in live births	53.8	6 / 12	18.5	3 / 12	0 / 4	
Percentage of transfers resulting in pregnancy	65.4	7 / 12	25.9	5 / 12	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	17	7	7	5	0	0
Percentage of pregnancies resulting in singleton live births	11 / 17	3 / 7	3 / 7	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	1 / 17	0 / 7	0 / 7	0 / 5		
Percentage of pregnancies resulting in live births	14 / 17	6 / 7	5 / 7	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	6	11	1	0	2
Number of transfers	19	6	11	1	0	2
Estimated average number of transfers per retrieval	1.5	0.5	0.6	0.3	0.0	0.3
Average number of embryos transferred	2.5	2.0	2.2	2.0		2.5
Percentage of embryos transferred resulting in implantation	21.3	3 / 12	16.7	1 / 2		1 / 5
Percentage of transfers resulting in singleton live births	4 / 19	1 / 6	2 / 11	1 / 1		1 / 2
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 6	0 / 11	0 / 1		0 / 2
Percentage of transfers resulting in live births	6 / 19	2 / 6	2 / 11	1 / 1		1 / 2
Percentage of transfers resulting in pregnancy	6 / 19	2 / 6	5 / 11	1 / 1		1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		93		84		
Number of transfers		91		84		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		50.8		19.8		
Percentage of transfers resulting in singleton live births		36.3		22.6		
Percentage of transfers resulting in live births		60.4		27.4		
Percentage of transfers resulting in pregnancy		72.5		39.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Connecticut Fertility Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES
AT THE UNIVERSITY OF CONNECTICUT HEALTH CENTER
FARMINGTON, CONNECTICUT**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	12%	Uterine factor	6%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	15%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	7%	Other factor	29%	
				Endometriosis	13%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,218 (includes 10 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	411	190	180	113	67	9
Percentage of cancellations	8.3	16.8	26.7	16.8	32.8	3 / 9
Average number of embryos transferred	1.8	1.8	2.4	3.2	3.4	4.2
Percentage of embryos transferred resulting in implantation	37.3	24.9	27.8	8.7	4.1	0.0
Percentage of elective single embryo transfer (eSET)	21.0	11.2	3.1	0.0	0.0	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	24.2	17.2	9.7	4.5	0 / 9
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	38.7	25.8	26.7	12.4	4.5	0 / 9
Percentage of cycles resulting in pregnancy	44.3	32.1	32.2	20.4	11.9	0 / 9
Outcomes per Transfer						
Number of transfers	350	137	114	75	36	6
Percentage of transfers resulting in singleton live births	34.6	33.6	27.2	14.7	8.3	0 / 6
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	45.4	35.8	42.1	18.7	8.3	0 / 6
Percentage of transfers resulting in pregnancy	52.0	44.5	50.9	30.7	22.2	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	182	61	58	23	8	0
Percentage of pregnancies resulting in singleton live births	66.5	75.4	53.4	47.8	3 / 8	
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 8	
Percentage of pregnancies resulting in live births	87.4	80.3	82.8	60.9	3 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	101	45	37	8	4	4
Number of transfers	97	40	34	8	4	3
Estimated average number of transfers per retrieval	1.7	3.6	2.1	8.0	1.0	
Average number of embryos transferred	1.5	1.6	1.8	2.3	2.3	1.7
Percentage of embryos transferred resulting in implantation	39.3	38.1	28.3	5 / 18	3 / 9	1 / 5
Percentage of transfers resulting in singleton live births	36.1	50.0	17.6	0 / 8	1 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 4	0 / 3
Percentage of transfers resulting in live births	44.3	55.0	29.4	1 / 8	2 / 4	0 / 3
Percentage of transfers resulting in pregnancy	55.7	60.0	38.2	4 / 8	2 / 4	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	18		21			
Number of transfers	18		20			
Average number of embryos transferred	1.8		1.6			
Percentage of embryos transferred resulting in implantation	54.5		34.4			
Percentage of transfers resulting in singleton live births	7 / 18		25.0			
Percentage of transfers resulting in live births	12 / 18		35.0			
Percentage of transfers resulting in pregnancy	13 / 18		45.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Advanced Reproductive Services at the University of Connecticut Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	31%	Tubal factor	11%	Uterine factor	1%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	5%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	4%	
				Endometriosis	5%	Unknown factor	25%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 212 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	38	39	22	13	6
Percentage of cancellations	8.3	10.5	12.8	4.5	4 / 13	2 / 6
Average number of embryos transferred	1.8	1.9	2.2	2.8	3.0	2.7
Percentage of embryos transferred resulting in implantation	34.6	35.0	19.4	10.7	3.7	0 / 8
Percentage of elective single embryo transfer (eSET)	20.5	3.3	3.4	0.0	0 / 8	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	23.7	23.1	22.7	1 / 13	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 6
Percentage of cycles resulting in live births	41.7	36.8	25.6	22.7	1 / 13	0 / 6
Percentage of cycles resulting in pregnancy	50.0	52.6	33.3	27.3	1 / 13	0 / 6
Outcomes per Transfer						
Number of transfers	43	31	33	20	9	3
Percentage of transfers resulting in singleton live births	32.6	29.0	27.3	25.0	1 / 9	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 3
Percentage of transfers resulting in live births	46.5	45.2	30.3	25.0	1 / 9	0 / 3
Percentage of transfers resulting in pregnancy	55.8	64.5	39.4	30.0	1 / 9	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	24	20	13	6	1	0
Percentage of pregnancies resulting in singleton live births	58.3	45.0	9 / 13	5 / 6	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	83.3	70.0	10 / 13	5 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	14	4	5	2	0
Number of transfers	11	13	4	3	1	0
Estimated average number of transfers per retrieval	5.5	2.2	1.3	0.5	1.0	
Average number of embryos transferred	1.9	1.8	1.8	2.3	2.0	
Percentage of embryos transferred resulting in implantation	52.4	25.0	4 / 7	3 / 7	0 / 2	
Percentage of transfers resulting in singleton live births	5 / 11	4 / 13	1 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 13	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	7 / 11	5 / 13	2 / 4	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	8 / 11	5 / 13	3 / 4	2 / 3	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		2		
Number of transfers		0		2		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation				0 / 2		
Percentage of transfers resulting in singleton live births				0 / 2		
Percentage of transfers resulting in live births				0 / 2		
Percentage of transfers resulting in pregnancy				0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	10%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	40%	
				Endometriosis	7%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 513 (includes 26 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	145	94	79	40	18	11
Percentage of cancellations	3.4	9.6	13.9	25.0	4 / 18	4 / 11
Average number of embryos transferred	2.1	2.2	2.3	2.5	2.5	2.7
Percentage of embryos transferred resulting in implantation	22.6	20.6	9.8	6.3	0.0	0 / 16
Percentage of elective single embryo transfer (eSET)	4.5	1.5	2.0	0.0	0 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.4	17.0	11.4	7.5	0 / 18	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 11
Percentage of cycles resulting in live births	29.0	22.3	13.9	7.5	0 / 18	0 / 11
Percentage of cycles resulting in pregnancy	33.1	30.9	21.5	12.5	0 / 18	0 / 11
Outcomes per Transfer						
Number of transfers	120	72	62	26	10	6
Percentage of transfers resulting in singleton live births	28.3	22.2	14.5	11.5	0 / 10	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 6
Percentage of transfers resulting in live births	35.0	29.2	17.7	11.5	0 / 10	0 / 6
Percentage of transfers resulting in pregnancy	40.0	40.3	27.4	19.2	0 / 10	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	48	29	17	5	0	0
Percentage of pregnancies resulting in singleton live births	70.8	55.2	9 / 17	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 5		
Percentage of pregnancies resulting in live births	87.5	72.4	11 / 17	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	12	7	4	5	4
Number of transfers	16	10	6	4	4	3
Estimated average number of transfers per retrieval	0.5	0.8	2.0	0.8	1.3	
Average number of embryos transferred	1.7	2.0	1.5	2.0	2.5	2.0
Percentage of embryos transferred resulting in implantation	11.1	5.0	1 / 9	0 / 8	0 / 10	0 / 6
Percentage of transfers resulting in singleton live births	2 / 16	1 / 10	1 / 6	0 / 4	0 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 10	0 / 6	0 / 4	0 / 4	0 / 3
Percentage of transfers resulting in live births	2 / 16	1 / 10	1 / 6	0 / 4	0 / 4	0 / 3
Percentage of transfers resulting in pregnancy	3 / 16	1 / 10	2 / 6	0 / 4	0 / 4	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		34		15		
Number of transfers		27		14		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation		52.9		8.7		
Percentage of transfers resulting in singleton live births		29.6		2 / 14		
Percentage of transfers resulting in live births		55.6		2 / 14		
Percentage of transfers resulting in pregnancy		70.4		3 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Yale Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Mark P. Leondires, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	9%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	24%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	21%	
				Endometriosis	4%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				13%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 920 (includes 229 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	160	91	68	51	12	4	
Percentage of cancellations	2.5	6.6	10.3	17.6	2 / 12	0 / 4	
Average number of embryos transferred	1.7	1.8	2.1	2.5	3.2	3.0	
Percentage of embryos transferred resulting in implantation	45.6	40.2	30.2	16.1	2 / 19	0 / 9	
Percentage of elective single embryo transfer (eSET)	26.2	10.8	2.8	0.0	0 / 5	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	24.4	28.6	17.6	9.8	1 / 12	0 / 4	
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0.0	0 / 12	0 / 4	
Percentage of cycles resulting in live births	36.9	40.7	20.6	15.7	1 / 12	0 / 4	
Percentage of cycles resulting in pregnancy	48.1	47.3	32.4	23.5	3 / 12	0 / 4	
Outcomes per Transfer							
Number of transfers	133	72	41	35	6	3	
Percentage of transfers resulting in singleton live births	29.3	36.1	29.3	14.3	1 / 6	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0.0	0 / 6	0 / 3	
Percentage of transfers resulting in live births	44.4	51.4	34.1	22.9	1 / 6	0 / 3	
Percentage of transfers resulting in pregnancy	57.9	59.7	53.7	34.3	3 / 6	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	77	43	22	12	3	0	
Percentage of pregnancies resulting in singleton live births	50.6	60.5	54.5	5 / 12	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0.0	0 / 12	0 / 3		
Percentage of pregnancies resulting in live births	76.6	86.0	63.6	8 / 12	1 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles	104	66	51	17	5	0	
Number of transfers	92	56	46	14	5	0	
Estimated average number of transfers per retrieval	1.0	0.8	0.6	0.3	0.2	0.0	
Average number of embryos transferred	1.7	1.6	1.8	1.6	1.6		
Percentage of embryos transferred resulting in implantation	48.7	45.6	37.8	34.8	5 / 8		
Percentage of transfers resulting in singleton live births	42.4	44.6	34.8	4 / 14	2 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 5		
Percentage of transfers resulting in live births	56.5	53.6	50.0	6 / 14	3 / 5		
Percentage of transfers resulting in pregnancy	64.1	64.3	52.2	7 / 14	4 / 5		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		33		29			
Number of transfers		29		26			
Average number of embryos transferred		1.8		1.6			
Percentage of embryos transferred resulting in implantation		66.0		41.5			
Percentage of transfers resulting in singleton live births		37.9		26.9			
Percentage of transfers resulting in live births		69.0		46.2			
Percentage of transfers resulting in pregnancy		75.9		46.2			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Reproductive Medicine Associates of Connecticut					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Gad Lavy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	2%
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	18%
Used gestational carrier	4%			Diminished ovarian reserve	44%	Other factor	23%
				Endometriosis	1%	Unknown factor	16%
				<i>Multiple Factors:</i> Female factors only 9% Female & male factors 8%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 335 (includes 36 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	18	31	26	21	15
Percentage of cancellations	0.0	2 / 18	9.7	15.4	28.6	6 / 15
Average number of embryos transferred	2.3	2.7	2.7	2.4	2.6	3.7
Percentage of embryos transferred resulting in implantation	28.0	7.5	7.4	7.8	2.7	0.0
Percentage of elective single embryo transfer (eSET)	3.2	0 / 15	0.0	0 / 17	0 / 9	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.9	1 / 18	6.5	0.0	4.8	0 / 15
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0.0	0.0	0.0	0 / 15
Percentage of cycles resulting in live births	34.4	2 / 18	9.7	7.7	4.8	0 / 15
Percentage of cycles resulting in pregnancy	56.3	2 / 18	22.6	11.5	9.5	1 / 15
Outcomes per Transfer						
Number of transfers	32	15	25	21	14	7
Percentage of transfers resulting in singleton live births	21.9	1 / 15	8.0	0.0	1 / 14	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0.0	0.0	0 / 14	0 / 7
Percentage of transfers resulting in live births	34.4	2 / 15	12.0	9.5	1 / 14	0 / 7
Percentage of transfers resulting in pregnancy	56.3	2 / 15	28.0	14.3	2 / 14	1 / 7
Outcomes per Pregnancy						
Number of pregnancies	18	2	7	3	2	1
Percentage of pregnancies resulting in singleton live births	7 / 18	1 / 2	2 / 7	0 / 3	1 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 2	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	11 / 18	2 / 2	3 / 7	2 / 3	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	19	2	0	9
Number of transfers	20	8	18	2	0	9
Estimated average number of transfers per retrieval	1.8	1.0	1.3	0.3	0.0	1.3
Average number of embryos transferred	2.2	1.6	2.4	3.0		2.3
Percentage of embryos transferred resulting in implantation	20.5	3 / 13	11.6	0 / 6		0.0
Percentage of transfers resulting in singleton live births	30.0	1 / 8	2 / 18	0 / 2		0 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 18	0 / 2		0 / 9
Percentage of transfers resulting in live births	35.0	1 / 8	3 / 18	0 / 2		0 / 9
Percentage of transfers resulting in pregnancy	45.0	3 / 8	7 / 18	0 / 2		0 / 9
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		50		48		
Number of transfers		48		48		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		41.2		23.6		
Percentage of transfers resulting in singleton live births		31.3		25.0		
Percentage of transfers resulting in live births		47.9		31.3		
Percentage of transfers resulting in pregnancy		62.5		43.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New England Fertility Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	50%	Tubal factor	33%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	42%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	17%
				Endometriosis	8%	Unknown factor	8%
				<i>Multiple Factors:</i> Female factors only 17% Female & male factors 25%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 12 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	2	2	0	0	0
Percentage of cancellations	1 / 4	1 / 2	1 / 2			
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	4 / 6	0 / 2	1 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 1	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	0 / 2	1 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 2	0 / 2			
Percentage of cycles resulting in live births	2 / 4	0 / 2	1 / 2			
Percentage of cycles resulting in pregnancy	2 / 4	1 / 2	1 / 2			
Outcomes per Transfer						
Number of transfers	3	1	1	0	0	0
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births	2 / 3	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	2 / 3	1 / 1	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	2	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	0 / 1	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of pregnancies resulting in live births	2 / 2	0 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	3	0	0	0
Number of transfers	0	1	2	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		2.0	2.0			
Percentage of embryos transferred resulting in implantation		1 / 2	2 / 4			
Percentage of transfers resulting in singleton live births		1 / 1	1 / 2			
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 2			
Percentage of transfers resulting in live births		1 / 1	1 / 2			
Percentage of transfers resulting in pregnancy		1 / 1	1 / 2			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Stamford Hospital					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Nora Miller, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	20%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	6%	
				Endometriosis	0%	Unknown factor	29%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				22%

2012 ART SUCCESS RATES ^{c,d}	Total number of cycles performed: ^e 49 (includes 0 banking cycle(s))					
	Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	3	15	3	2	1
Percentage of cancellations	0 / 17	0 / 3	1 / 15	1 / 3	0 / 2	0 / 1
Average number of embryos transferred	2.1	2.0	2.7	4.5	1.0	
Percentage of embryos transferred resulting in implantation	22.2	1 / 6	7.9	0 / 9	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 3	0 / 13	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 17	0 / 3	1 / 15	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 17	0 / 3	0 / 15	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births	3 / 17	0 / 3	1 / 15	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	4 / 17	1 / 3	3 / 15	0 / 3	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	17	3	14	2	2	0
Percentage of transfers resulting in singleton live births	1 / 17	0 / 3	1 / 14	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 3	0 / 14	0 / 2	0 / 2	
Percentage of transfers resulting in live births	3 / 17	0 / 3	1 / 14	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	4 / 17	1 / 3	3 / 14	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	4	1	3	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 4	0 / 1	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 3			
Percentage of pregnancies resulting in live births	3 / 4	0 / 1	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Estimated average number of transfers per retrieval	1.5	3.0				
Average number of embryos transferred	2.3	2.7				
Percentage of embryos transferred resulting in implantation	1 / 7	1 / 8				
Percentage of transfers resulting in singleton live births	1 / 3	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	1 / 3	1 / 3				
Percentage of transfers resulting in pregnancy	2 / 3	1 / 3				

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		1 / 4
Percentage of transfers resulting in singleton live births		1 / 2
Percentage of transfers resulting in live births		1 / 2
Percentage of transfers resulting in pregnancy		1 / 2

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Women's Fertility Center					
Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	No	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Andrew J. Levi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	5%	Male factor	18%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	9%	
				Endometriosis	1%	Unknown factor	35%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				6%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 176 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	30	28	13	10	8
Percentage of cancellations	0.0	3.3	10.7	2 / 13	7 / 10	6 / 8
Average number of embryos transferred	2.0	1.6	2.4	3.0	2.5	4.0
Percentage of embryos transferred resulting in implantation	28.9	28.6	1.9	7.4	1 / 5	0 / 8
Percentage of elective single embryo transfer (eSET)	10.9	25.0	1 / 17	0 / 7	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.5	16.7	3.6	0 / 13	1 / 10	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 10	0 / 8
Percentage of cycles resulting in live births	34.0	26.7	3.6	0 / 13	1 / 10	0 / 8
Percentage of cycles resulting in pregnancy	37.7	30.0	3.6	2 / 13	1 / 10	0 / 8
Outcomes per Transfer						
Number of transfers	48	26	22	9	2	2
Percentage of transfers resulting in singleton live births	27.1	19.2	4.5	0 / 9	1 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	0 / 2
Percentage of transfers resulting in live births	37.5	30.8	4.5	0 / 9	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	41.7	34.6	4.5	2 / 9	1 / 2	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	20	9	1	2	1	0
Percentage of pregnancies resulting in singleton live births	65.0	5 / 9	1 / 1	0 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 1	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	90.0	8 / 9	1 / 1	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	6	1	1	0	0
Number of transfers	9	6	1	1	0	0
Estimated average number of transfers per retrieval	4.5	1.5		0.5		
Average number of embryos transferred	1.8	1.5	2.0	6.0		
Percentage of embryos transferred resulting in implantation	5 / 16	3 / 9	1 / 2	0 / 6		
Percentage of transfers resulting in singleton live births	4 / 9	0 / 6	1 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in live births	4 / 9	1 / 6	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	5 / 9	2 / 6	1 / 1	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		8			
Number of transfers	8		8			
Average number of embryos transferred	1.8		1.8			
Percentage of embryos transferred resulting in implantation	7 / 14		1 / 14			
Percentage of transfers resulting in singleton live births	2 / 8		1 / 8			
Percentage of transfers resulting in live births	4 / 8		1 / 8			
Percentage of transfers resulting in pregnancy	5 / 8		1 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jeffrey B. Russell, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	41%	Uterine factor	8%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	7%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	3%	
				Endometriosis	29%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				2%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 206 (includes 3 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		66	16	17	10	3	0
Percentage of cancellations		7.6	1 / 16	1 / 17	3 / 10	0 / 3	
Average number of embryos transferred		1.6	1.4	2.1	2.3	3.0	
Percentage of embryos transferred resulting in implantation		30.9	3 / 13	2 / 15	2 / 7	0 / 3	
Percentage of elective single embryo transfer (eSET)		35.5	5 / 8	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		19.7	3 / 16	1 / 17	2 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 16	0 / 17	0 / 10	0 / 3	
Percentage of cycles resulting in live births		22.7	3 / 16	1 / 17	2 / 10	0 / 3	
Percentage of cycles resulting in pregnancy		24.2	4 / 16	2 / 17	2 / 10	0 / 3	
Outcomes per Transfer							
Number of transfers		34	9	7	3	1	0
Percentage of transfers resulting in singleton live births		38.2	3 / 9	1 / 7	2 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 9	0 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in live births		44.1	3 / 9	1 / 7	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancy		47.1	4 / 9	2 / 7	2 / 3	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		16	4	2	2	0	0
Percentage of pregnancies resulting in singleton live births		13 / 16	3 / 4	1 / 2	2 / 2		
Percentage of pregnancies resulting in triplets or more live births		0 / 16	0 / 4	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births		15 / 16	3 / 4	1 / 2	2 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		41	11	8	1	0	0
Number of transfers		28	8	5	0	0	0
Estimated average number of transfers per retrieval		1.3	1.1	1.7			
Average number of embryos transferred		1.9	1.8	1.8			
Percentage of embryos transferred resulting in implantation		24.1	3 / 14	1 / 9			
Percentage of transfers resulting in singleton live births		25.0	3 / 8	0 / 5			
Percentage of transfers resulting in triplets or more live births		0.0	0 / 8	0 / 5			
Percentage of transfers resulting in live births		32.1	3 / 8	0 / 5			
Percentage of transfers resulting in pregnancy		39.3	3 / 8	1 / 5			

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	4	26
Number of transfers	2	18
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 4	33.3
Percentage of transfers resulting in singleton live births	1 / 2	6 / 18
Percentage of transfers resulting in live births	1 / 2	8 / 18
Percentage of transfers resulting in pregnancy	1 / 2	10 / 18

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Delaware Institute for Reproductive Medicine, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	31%	Uterine factor	21%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	18%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	14%	
				Endometriosis	51%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				38%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 487 (includes 65 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	94	37	21	9	1	0
Percentage of cancellations	9.6	18.9	28.6	5 / 9	0 / 1	
Average number of embryos transferred	1.2	1.3	1.5	1.7		
Percentage of embryos transferred resulting in implantation	53.7	33.3	13.6	0 / 5		
Percentage of elective single embryo transfer (eSET)	83.8	72.7	5 / 12	1 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	24.3	9.5	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	41.5	24.3	9.5	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	45.7	27.0	19.0	0 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	71	24	15	3	0	0
Percentage of transfers resulting in singleton live births	50.7	37.5	2 / 15	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3		
Percentage of transfers resulting in live births	54.9	37.5	2 / 15	0 / 3		
Percentage of transfers resulting in pregnancy	60.6	41.7	4 / 15	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	43	10	4	0	0	0
Percentage of pregnancies resulting in singleton live births	83.7	9 / 10	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 4			
Percentage of pregnancies resulting in live births	90.7	9 / 10	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	123	55	29	12	6	0
Number of transfers	107	50	26	12	6	0
Estimated average number of transfers per retrieval	1.9	2.8	1.4	0.9	0.8	
Average number of embryos transferred	1.1	1.2	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation	64.1	53.4	60.0	6 / 14	2 / 8	
Percentage of transfers resulting in singleton live births	57.9	44.0	57.7	5 / 12	2 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 6	
Percentage of transfers resulting in live births	58.9	48.0	61.5	5 / 12	2 / 6	
Percentage of transfers resulting in pregnancy	67.3	58.0	73.1	6 / 12	2 / 6	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		33		
Number of transfers		2		31		
Average number of embryos transferred		1.0		1.2		
Percentage of embryos transferred resulting in implantation		1 / 2		33.3		
Percentage of transfers resulting in singleton live births		1 / 2		32.3		
Percentage of transfers resulting in live births		1 / 2		32.3		
Percentage of transfers resulting in pregnancy		1 / 2		38.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Associates of Delaware					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED ARMY MEDICAL CENTER
WASHINGTON, DISTRICT OF COLUMBIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James Segars, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	27%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	13%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	1%	
				Endometriosis	7%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d}Total number of cycles performed:^e 525 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	218	99	98	32	0	0
Percentage of cancellations	3.7	5.1	5.1	6.3		
Average number of embryos transferred	1.5	1.7	2.2	2.5		
Percentage of embryos transferred resulting in implantation	40.4	37.1	19.5	24.6		
Percentage of elective single embryo transfer (eSET)	31.6	16.2	1.3	0.0		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.2	28.3	20.4	21.9		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of cycles resulting in live births	44.0	35.4	23.5	28.1		
Percentage of cycles resulting in pregnancy	49.1	45.5	35.7	40.6		
Outcomes per Transfer						
Number of transfers	203	87	87	28	0	0
Percentage of transfers resulting in singleton live births	38.9	32.2	23.0	25.0		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of transfers resulting in live births	47.3	40.2	26.4	32.1		
Percentage of transfers resulting in pregnancy	52.7	51.7	40.2	46.4		
Outcomes per Pregnancy						
Number of pregnancies	107	45	35	13	0	0
Percentage of pregnancies resulting in singleton live births	73.8	62.2	57.1	7 / 13		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 13		
Percentage of pregnancies resulting in live births	89.7	77.8	65.7	9 / 13		
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	18	8	0	2	1
Number of transfers	45	16	8	0	1	1
Estimated average number of transfers per retrieval	2.0	2.3	2.7	0.0		
Average number of embryos transferred	1.4	1.9	1.8		2.0	1.0
Percentage of embryos transferred resulting in implantation	32.8	20.0	3 / 14		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	31.1	0 / 16	0 / 8		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 8		0 / 1	0 / 1
Percentage of transfers resulting in live births	35.6	3 / 16	1 / 8		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	53.3	4 / 16	3 / 8		0 / 1	0 / 1
All Ages Combined^f						
		Fresh Embryos	Frozen Embryos			
Donor Eggs						
Number of cycles		0	0			
Number of transfers		0	0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE**Current Name:** The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.^c A multiple-infant birth is counted as one live birth if at least one infant is live born.^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Safa Rifka, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	5%	Uterine factor	4%	
Unstimulated	4%	Used PGD	5%	Ovulatory dysfunction	10%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	32%	
				Endometriosis	3%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				18%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 710 (includes 27 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		119	96	119	101	64	40
Percentage of cancellations		7.6	10.4	11.8	20.8	20.3	15.0
Average number of embryos transferred		1.8	1.9	1.9	2.1	2.5	2.5
Percentage of embryos transferred resulting in implantation		26.6	20.5	15.6	5.1	3.5	3.4
Percentage of elective single embryo transfer (eSET)		21.8	7.1	7.9	2.0	0.0	0 / 16
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		21.8	18.8	12.6	4.0	6.3	2.5
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births		28.6	22.9	14.3	5.0	6.3	2.5
Percentage of cycles resulting in pregnancy		31.9	28.1	18.5	5.9	6.3	5.0
Outcomes per Transfer							
Number of transfers		98	76	89	64	46	24
Percentage of transfers resulting in singleton live births		26.5	23.7	16.9	6.3	8.7	4.2
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births		34.7	28.9	19.1	7.8	8.7	4.2
Percentage of transfers resulting in pregnancy		38.8	35.5	24.7	9.4	8.7	8.3
Outcomes per Pregnancy							
Number of pregnancies		38	27	22	6	4	2
Percentage of pregnancies resulting in singleton live births		68.4	66.7	68.2	4 / 6	4 / 4	1 / 2
Percentage of pregnancies resulting in triplets or more live births		0.0	0.0	0.0	0 / 6	0 / 4	0 / 2
Percentage of pregnancies resulting in live births		89.5	81.5	77.3	5 / 6	4 / 4	1 / 2
Frozen Embryos from Nondonor Eggs							
Number of cycles		29	13	26	13	6	5
Number of transfers		27	13	25	12	4	4
Estimated average number of transfers per retrieval		1.0	0.8	0.9	0.9	4.0	4.0
Average number of embryos transferred		1.7	1.8	1.8	1.8	1.5	2.0
Percentage of embryos transferred resulting in implantation		15.6	26.1	22.7	9.5	1 / 6	0 / 8
Percentage of transfers resulting in singleton live births		3.7	2 / 13	24.0	2 / 12	1 / 4	0 / 4
Percentage of transfers resulting in triplets or more live births		0.0	0 / 13	0.0	0 / 12	0 / 4	0 / 4
Percentage of transfers resulting in live births		3.7	3 / 13	32.0	2 / 12	1 / 4	0 / 4
Percentage of transfers resulting in pregnancy		25.9	5 / 13	32.0	2 / 12	1 / 4	0 / 4
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		37			15		
Number of transfers		33			15		
Average number of embryos transferred		1.8			1.7		
Percentage of embryos transferred resulting in implantation		31.7			15.4		
Percentage of transfers resulting in singleton live births		27.3			1 / 15		
Percentage of transfers resulting in live births		42.4			1 / 15		
Percentage of transfers resulting in pregnancy		42.4			4 / 15		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Columbia Fertility Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by David Frankfurter, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	3%	Uterine factor	<1%	
Unstimulated	10%	Used PGD	9%	Ovulatory dysfunction	2%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	6%	
				Endometriosis	1%	Unknown factor	67%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				3%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 507 (includes 25 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	76	74	81	78	34	5	
Percentage of cancellations	2.6	10.8	4.9	5.1	8.8	1 / 5	
Average number of embryos transferred	1.6	1.6	2.2	2.4	2.3	2.8	
Percentage of embryos transferred resulting in implantation	28.6	14.6	18.9	5.4	2.0	0 / 11	
Percentage of elective single embryo transfer (eSET)	43.4	25.7	4.5	2.6	0 / 13	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	28.9	9.5	14.8	5.1	2.9	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5	
Percentage of cycles resulting in live births	31.6	9.5	17.3	5.1	2.9	0 / 5	
Percentage of cycles resulting in pregnancy	36.8	16.2	28.4	9.0	2.9	0 / 5	
Outcomes per Transfer							
Number of transfers	63	50	60	53	22	4	
Percentage of transfers resulting in singleton live births	34.9	14.0	20.0	7.5	4.5	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4	
Percentage of transfers resulting in live births	38.1	14.0	23.3	7.5	4.5	0 / 4	
Percentage of transfers resulting in pregnancy	44.4	24.0	38.3	13.2	4.5	0 / 4	
Outcomes per Pregnancy							
Number of pregnancies	28	12	23	7	1	0	
Percentage of pregnancies resulting in singleton live births	78.6	7 / 12	52.2	4 / 7	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0.0	0 / 7	0 / 1		
Percentage of pregnancies resulting in live births	85.7	7 / 12	60.9	4 / 7	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	31	32	20	12	5	3	
Number of transfers	27	28	16	11	5	3	
Estimated average number of transfers per retrieval	1.0	1.4	1.0	1.6	0.7	1.0	
Average number of embryos transferred	1.7	1.9	2.3	2.4	2.2	3.0	
Percentage of embryos transferred resulting in implantation	30.2	19.2	18.9	7.7	0 / 11	0 / 9	
Percentage of transfers resulting in singleton live births	14.8	25.0	3 / 16	1 / 11	0 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 11	0 / 5	0 / 3	
Percentage of transfers resulting in live births	29.6	28.6	4 / 16	1 / 11	0 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	37.0	32.1	5 / 16	3 / 11	0 / 5	0 / 3	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		17		14			
Number of transfers		16		13			
Average number of embryos transferred		1.4		2.1			
Percentage of embryos transferred resulting in implantation		40.9		11.1			
Percentage of transfers resulting in singleton live births		8 / 16		3 / 13			
Percentage of transfers resulting in live births		8 / 16		3 / 13			
Percentage of transfers resulting in pregnancy		9 / 16		4 / 13			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**JAMES A. SIMON, MD, PC
WASHINGTON, DISTRICT OF COLUMBIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by James A. Simon, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	33%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	67%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%
				Endometriosis	0%	Unknown factor	33%
				Multiple Factors: Female factors only 0% Female & male factors 33%			

2012 ART SUCCESS RATES ^{c,d}	Total number of cycles performed: ^e 3 (includes 0 banking cycle(s))					
	Type of Cycle		Age of Woman			
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	0	0
Percentage of cancellations			0 / 1			
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation			0 / 1			
Percentage of elective single embryo transfer (eSET)						
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births			0 / 1			
Percentage of cycles resulting in triplets or more live births			0 / 1			
Percentage of cycles resulting in live births			0 / 1			
Percentage of cycles resulting in pregnancy			0 / 1			
Outcomes per Transfer						
Number of transfers	0	0	1	0	0	0
Percentage of transfers resulting in singleton live births			0 / 1			
Percentage of transfers resulting in triplets or more live births			0 / 1			
Percentage of transfers resulting in live births			0 / 1			
Percentage of transfers resulting in pregnancy			0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	1	0
Number of transfers	0	1	0	0	1	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		1.0			2.0	
Percentage of embryos transferred resulting in implantation		1 / 1			0 / 2	
Percentage of transfers resulting in singleton live births		1 / 1			0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 1			0 / 1	
Percentage of transfers resulting in live births		1 / 1			0 / 1	
Percentage of transfers resulting in pregnancy		1 / 1			0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		0
Number of transfers		0		0		0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: James A. Simon, MD, PC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Maurice (Moshe) R. Peress, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	5%	Male factor	24%	
Used gestational carrier	4%			Diminished ovarian reserve	51%	Other factor	13%	
				Endometriosis	6%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 109 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	16	22	9	3	0
Percentage of cancellations	7.1	0 / 16	4.5	2 / 9	0 / 3	
Average number of embryos transferred	1.9	1.5	1.9	2.1	1.5	
Percentage of embryos transferred resulting in implantation	36.4	42.9	13.5	1 / 15	0 / 3	
Percentage of elective single embryo transfer (eSET)	4.5	4 / 11	0 / 15	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.9	3 / 16	9.1	1 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births	32.1	4 / 16	9.1	1 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	35.7	7 / 16	27.3	1 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	23	14	19	7	2	0
Percentage of transfers resulting in singleton live births	21.7	3 / 14	2 / 19	1 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 19	0 / 7	0 / 2	
Percentage of transfers resulting in live births	39.1	4 / 14	2 / 19	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	43.5	7 / 14	6 / 19	1 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	7	6	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	3 / 7	2 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 7	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	9 / 10	4 / 7	2 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	4	4	2	0	0
Number of transfers	3	4	4	2	0	0
Estimated average number of transfers per retrieval	1.0	1.3	1.3	1.0		
Average number of embryos transferred	1.0	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	0 / 2	4 / 7	4 / 8	2 / 4		
Percentage of transfers resulting in singleton live births	0 / 3	2 / 4	2 / 4	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 4	0 / 4	0 / 2		
Percentage of transfers resulting in live births	0 / 3	3 / 4	3 / 4	1 / 2		
Percentage of transfers resulting in pregnancy	0 / 3	3 / 4	4 / 4	1 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		3		
Number of transfers		13		3		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		46.2		3 / 6		
Percentage of transfers resulting in singleton live births		5 / 13		3 / 3		
Percentage of transfers resulting in live births		7 / 13		3 / 3		
Percentage of transfers resulting in pregnancy		10 / 13		3 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: BocaFertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	12%	Uterine factor	11%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	13%	Male factor	62%	
Used gestational carrier	4%			Diminished ovarian reserve	63%	Other factor	8%	
				Endometriosis	19%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				52%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 114 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	12	13	3	2	2
Percentage of cancellations	12.5	2 / 12	1 / 13	0 / 3	0 / 2	0 / 2
Average number of embryos transferred	1.9	2.4	1.8	1.7	1.0	2.0
Percentage of embryos transferred resulting in implantation	32.1	4 / 19	0.0	2 / 5	0 / 1	0 / 4
Percentage of elective single embryo transfer (eSET)	8.7	0 / 7	0 / 8	0 / 2		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	2 / 12	0 / 13	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 13	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in live births	32.5	3 / 12	0 / 13	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	37.5	3 / 12	0 / 13	1 / 3	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	30	8	11	3	1	2
Percentage of transfers resulting in singleton live births	36.7	2 / 8	0 / 11	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 11	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births	43.3	3 / 8	0 / 11	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	50.0	3 / 8	0 / 11	1 / 3	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	15	3	0	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	2 / 3		0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 3		0 / 1		
Percentage of pregnancies resulting in live births	13 / 15	3 / 3		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	1	0	0	1
Number of transfers	3	1	0	0	0	1
Estimated average number of transfers per retrieval	1.0	1.0	0.0		0.0	1.0
Average number of embryos transferred	2.0	2.0				2.0
Percentage of embryos transferred resulting in implantation	2 / 6	0 / 2				0 / 2
Percentage of transfers resulting in singleton live births	2 / 3	0 / 1				0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1				0 / 1
Percentage of transfers resulting in live births	2 / 3	0 / 1				0 / 1
Percentage of transfers resulting in pregnancy	2 / 3	0 / 1				1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		9		
Number of transfers		21		6		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		36.6		0 / 10		
Percentage of transfers resulting in singleton live births		28.6		0 / 6		
Percentage of transfers resulting in live births		47.6		0 / 6		
Percentage of transfers resulting in pregnancy		47.6		0 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palm Beach Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER BOYNTON BEACH, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Tibor Polcz, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	25%	Tubal factor	31%	Uterine factor	8%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	23%
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	0%
				Endometriosis	0%	Unknown factor	8%
				<i>Multiple Factors:</i> Female factors only 8% Female & male factors 15%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 13 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	4	1	2	1	0	0	
Percentage of cancellations	0 / 4	0 / 1	0 / 2	0 / 1			
Average number of embryos transferred	2.0	2.0	2.5	2.0			
Percentage of embryos transferred resulting in implantation	4 / 8	2 / 2	2 / 5	0 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 1	0 / 2	0 / 1			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	0 / 4	0 / 1	1 / 2	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1	0 / 2	0 / 1			
Percentage of cycles resulting in live births	2 / 4	1 / 1	1 / 2	0 / 1			
Percentage of cycles resulting in pregnancy	3 / 4	1 / 1	1 / 2	0 / 1			
Outcomes per Transfer							
Number of transfers	4	1	2	1	0	0	
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1	1 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 2	0 / 1			
Percentage of transfers resulting in live births	2 / 4	1 / 1	1 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	3 / 4	1 / 1	1 / 2	0 / 1			
Outcomes per Pregnancy							
Number of pregnancies	3	1	1	0	0	0	
Percentage of pregnancies resulting in singleton live births	0 / 3	0 / 1	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1	0 / 1				
Percentage of pregnancies resulting in live births	2 / 3	1 / 1	1 / 1				
Frozen Embryos from Nondonor Eggs							
Number of cycles	0	0	1	0	0	0	
Number of transfers	0	0	1	0	0	0	
Estimated average number of transfers per retrieval			1.0				
Average number of embryos transferred			1.0				
Percentage of embryos transferred resulting in implantation			0 / 1				
Percentage of transfers resulting in singleton live births			0 / 1				
Percentage of transfers resulting in triplets or more live births			0 / 1				
Percentage of transfers resulting in live births			0 / 1				
Percentage of transfers resulting in pregnancy			0 / 1				
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		1		3			
Number of transfers		1		3			
Average number of embryos transferred		1.0		2.0			
Percentage of embryos transferred resulting in implantation		0 / 1		3 / 6			
Percentage of transfers resulting in singleton live births		0 / 1		1 / 3			
Percentage of transfers resulting in live births		0 / 1		2 / 3			
Percentage of transfers resulting in pregnancy		0 / 1		2 / 3			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Advanced Reproductive Care Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	24%	Uterine factor	7%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	17%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	18%	
				Endometriosis	15%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 133 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	15	8	11	3	0
Percentage of cancellations	4.2	1 / 15	1 / 8	1 / 11	0 / 3	
Average number of embryos transferred	2.4	2.7	3.2	2.6	4.0	
Percentage of embryos transferred resulting in implantation	23.4	23.7	4 / 19	4.3	0 / 12	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 6	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	4 / 15	1 / 8	1 / 11	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	1 / 8	0 / 11	0 / 3	
Percentage of cycles resulting in live births	37.5	5 / 15	2 / 8	1 / 11	0 / 3	
Percentage of cycles resulting in pregnancy	39.6	6 / 15	2 / 8	2 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	45	14	6	9	3	0
Percentage of transfers resulting in singleton live births	26.7	4 / 14	1 / 6	1 / 9	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	1 / 6	0 / 9	0 / 3	
Percentage of transfers resulting in live births	40.0	5 / 14	2 / 6	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancy	42.2	6 / 14	2 / 6	2 / 9	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	19	6	2	2	0	0
Percentage of pregnancies resulting in singleton live births	12 / 19	4 / 6	1 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 6	1 / 2	0 / 2		
Percentage of pregnancies resulting in live births	18 / 19	5 / 6	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	0	2	0	0
Number of transfers	13	3	0	2	0	0
Estimated average number of transfers per retrieval	1.6	1.0		1.0	0.0	
Average number of embryos transferred	2.7	2.7		2.5		
Percentage of embryos transferred resulting in implantation	25.7	1 / 8		2 / 5		
Percentage of transfers resulting in singleton live births	1 / 13	1 / 3		1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3		0 / 2		
Percentage of transfers resulting in live births	5 / 13	1 / 3		1 / 2		
Percentage of transfers resulting in pregnancy	5 / 13	1 / 3		2 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		10		
Number of transfers		12		9		
Average number of embryos transferred		2.3		2.6		
Percentage of embryos transferred resulting in implantation		40.7		13.0		
Percentage of transfers resulting in singleton live births		2 / 12		1 / 9		
Percentage of transfers resulting in live births		6 / 12		1 / 9		
Percentage of transfers resulting in pregnancy		7 / 12		3 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD COOPER CITY, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Kenneth Gelman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	22%	Uterine factor	9%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	22%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	9%	
				Endometriosis	9%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 23 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	2	5	1	1	0
Percentage of cancellations	0 / 10	0 / 2	1 / 5	0 / 1	0 / 1	
Average number of embryos transferred	2.1	2.0	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation	38.1	4 / 4	0 / 7	2 / 2	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 2	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 10	0 / 2	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 2	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births	5 / 10	2 / 2	0 / 5	1 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	5 / 10	2 / 2	1 / 5	1 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	10	2	3	1	1	0
Percentage of transfers resulting in singleton live births	3 / 10	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	5 / 10	2 / 2	0 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 10	2 / 2	1 / 3	1 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	5	2	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5	0 / 2	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 2	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	5 / 5	2 / 2	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	2.5				
Percentage of embryos transferred resulting in implantation	3 / 4	2 / 5				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	2 / 2	0 / 2				
Percentage of transfers resulting in pregnancy	2 / 2	1 / 2				
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			0		0	
Number of transfers			0		0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility and Reproductive Medicine of South Broward					
Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jacob L. Glock, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	22%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 17%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	30%	
Used gestational carrier	6%			Diminished ovarian reserve	22%	Other factor	0%	
				Endometriosis	17%	Unknown factor	13%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 23 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	9	4	3	1	0	1	
Percentage of cancellations	0 / 9	0 / 4	0 / 3	0 / 1		0 / 1	
Average number of embryos transferred	2.8	3.0	2.7				
Percentage of embryos transferred resulting in implantation	36.0	3 / 12	1 / 8				
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 4	0 / 3				
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	0 / 9	1 / 4	1 / 3	0 / 1		0 / 1	
Percentage of cycles resulting in triplets or more live births	1 / 9	0 / 4	0 / 3	0 / 1		0 / 1	
Percentage of cycles resulting in live births	4 / 9	2 / 4	1 / 3	0 / 1		0 / 1	
Percentage of cycles resulting in pregnancy	4 / 9	2 / 4	1 / 3	0 / 1		0 / 1	
Outcomes per Transfer							
Number of transfers	9	4	3	0	0	0	
Percentage of transfers resulting in singleton live births	0 / 9	1 / 4	1 / 3				
Percentage of transfers resulting in triplets or more live births	1 / 9	0 / 4	0 / 3				
Percentage of transfers resulting in live births	4 / 9	2 / 4	1 / 3				
Percentage of transfers resulting in pregnancy	4 / 9	2 / 4	1 / 3				
Outcomes per Pregnancy							
Number of pregnancies	4	2	1	0	0	0	
Percentage of pregnancies resulting in singleton live births	0 / 4	1 / 2	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	1 / 4	0 / 2	0 / 1				
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs							
Number of cycles	1	2	0	0	0	0	
Number of transfers	1	2	0	0	0	0	
Estimated average number of transfers per retrieval							
Average number of embryos transferred	3.0	3.0					
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 6					
Percentage of transfers resulting in singleton live births	0 / 1	0 / 2					
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2					
Percentage of transfers resulting in live births	0 / 1	0 / 2					
Percentage of transfers resulting in pregnancy	0 / 1	0 / 2					
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		2			
Number of transfers		0		2			
Average number of embryos transferred				3.0			
Percentage of embryos transferred resulting in implantation				3 / 6			
Percentage of transfers resulting in singleton live births				1 / 2			
Percentage of transfers resulting in live births				2 / 2			
Percentage of transfers resulting in pregnancy				2 / 2			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Southwest Florida Fertility Center, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA
CRAIG R. SWEET, MD
FORT MYERS, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	21%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	16%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	50%	Other factor	12%	
				Endometriosis	23%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 127 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	24	10	4	1	0
Percentage of cancellations	5.7	0.0	4 / 10	0 / 4	0 / 1	
Average number of embryos transferred	2.0	2.7	2.7	2.3	2.0	
Percentage of embryos transferred resulting in implantation	33.9	11.9	3 / 16	1 / 9	0 / 2	
Percentage of elective single embryo transfer (eSET)	10.7	4.8	0 / 6	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.7	12.5	1 / 10	1 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 4	0 / 1	
Percentage of cycles resulting in live births	40.0	16.7	1 / 10	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	42.9	29.2	3 / 10	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	29	22	6	4	1	0
Percentage of transfers resulting in singleton live births	31.0	13.6	1 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births	48.3	18.2	1 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	51.7	31.8	3 / 6	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	15	7	3	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 15	3 / 7	1 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 7	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	4 / 7	1 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	0	1	0	0
Number of transfers	5	4	0	1	0	0
Estimated average number of transfers per retrieval	1.3	1.3				
Average number of embryos transferred	3.0	2.8		3.0		
Percentage of embryos transferred resulting in implantation	5 / 15	0 / 11		0 / 3		
Percentage of transfers resulting in singleton live births	2 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in live births	3 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in pregnancy	3 / 5	0 / 4		0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		16		23		
Number of transfers		12		19		
Average number of embryos transferred		2.2		3.0		
Percentage of embryos transferred resulting in implantation		30.8		19.3		
Percentage of transfers resulting in singleton live births		6 / 12		6 / 19		
Percentage of transfers resulting in live births		7 / 12		7 / 19		
Percentage of transfers resulting in pregnancy		7 / 12		9 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA, Craig R. Sweet, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF FLORIDA WOMEN'S HEALTH AT MAGNOLIA PARKE GAINESVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Alice Rhoton-Vlasak, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	11%	Uterine factor	0%
Unstimulated	2%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	40%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	38%
				Endometriosis	25%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 17% Female & male factors 26%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 81 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	10	9	8	1	0
Percentage of cancellations	6.5	1 / 10	2 / 9	2 / 8	1 / 1	
Average number of embryos transferred	1.7	1.9	2.6	3.5		
Percentage of embryos transferred resulting in implantation	51.0	4 / 17	1 / 18	19.0		
Percentage of elective single embryo transfer (eSET)	25.0	0 / 7	0 / 7	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.5	3 / 10	1 / 9	1 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 9	0 / 8	0 / 1	
Percentage of cycles resulting in live births	51.6	3 / 10	1 / 9	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	61.3	4 / 10	1 / 9	3 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	29	9	7	6	0	0
Percentage of transfers resulting in singleton live births	37.9	3 / 9	1 / 7	1 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 7	0 / 6		
Percentage of transfers resulting in live births	55.2	3 / 9	1 / 7	1 / 6		
Percentage of transfers resulting in pregnancy	65.5	4 / 9	1 / 7	3 / 6		
Outcomes per Pregnancy						
Number of pregnancies	19	4	1	3	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	3 / 4	1 / 1	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 1	0 / 3		
Percentage of pregnancies resulting in live births	16 / 19	3 / 4	1 / 1	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	0	0	2	0
Number of transfers	5	2	0	0	2	0
Estimated average number of transfers per retrieval	2.5	1.0				
Average number of embryos transferred	1.4	1.5			2.0	
Percentage of embryos transferred resulting in implantation	2 / 7	2 / 3			0 / 4	
Percentage of transfers resulting in singleton live births	2 / 5	1 / 2			0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2			0 / 2	
Percentage of transfers resulting in live births	2 / 5	1 / 2			0 / 2	
Percentage of transfers resulting in pregnancy	2 / 5	2 / 2			0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		1		
Number of transfers		9		1		
Average number of embryos transferred		1.3		1.0		
Percentage of embryos transferred resulting in implantation		8 / 12		1 / 1		
Percentage of transfers resulting in singleton live births		6 / 9		1 / 1		
Percentage of transfers resulting in live births		6 / 9		1 / 1		
Percentage of transfers resulting in pregnancy		7 / 9		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Florida Reproductive Medicine at Springhill					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM OF NORTH FLORIDA JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	21%	Uterine factor	6%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	19%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	15%	
				Endometriosis	15%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 68 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	14	4	1	0	2
Percentage of cancellations	3.2	1 / 14	0 / 4	0 / 1		0 / 2
Average number of embryos transferred	2.0	2.7	4.0	1.0		1.0
Percentage of embryos transferred resulting in implantation	16.9	11.4	1 / 16	0 / 1		0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	0 / 11	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.9	1 / 14	0 / 4	0 / 1		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 4	0 / 1		0 / 2
Percentage of cycles resulting in live births	19.4	2 / 14	0 / 4	0 / 1		0 / 2
Percentage of cycles resulting in pregnancy	29.0	3 / 14	1 / 4	0 / 1		0 / 2
Outcomes per Transfer						
Number of transfers	29	13	4	1	0	1
Percentage of transfers resulting in singleton live births	13.8	1 / 13	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	20.7	2 / 13	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	31.0	3 / 13	1 / 4	0 / 1		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	9	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 9	1 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	6 / 9	2 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	0 / 4	1 / 2				
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 2	1 / 1				
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		4		
Number of transfers		9		4		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		5 / 17		1 / 6		
Percentage of transfers resulting in singleton live births		3 / 9		1 / 4		
Percentage of transfers resulting in live births		4 / 9		1 / 4		
Percentage of transfers resulting in pregnancy		4 / 9		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Assisted Fertility Program of North Florida					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	9%	Uterine factor	9%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	19%	Male factor	31%	
Used gestational carrier	3%			Diminished ovarian reserve	17%	Other factor	17%	
				Endometriosis	30%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 184 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	23	32	6	4	2
Percentage of cancellations	1.3	0.0	9.4	0 / 6	2 / 4	0 / 2
Average number of embryos transferred	1.9	2.2	2.4	2.2	2.5	4.5
Percentage of embryos transferred resulting in implantation	31.9	30.0	17.6	0 / 11	2 / 5	0 / 9
Percentage of elective single embryo transfer (eSET)	17.1	13.0	0.0	0 / 4	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.0	17.4	21.9	0 / 6	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 4	0 / 2
Percentage of cycles resulting in live births	33.3	30.4	25.0	0 / 6	1 / 4	0 / 2
Percentage of cycles resulting in pregnancy	49.3	52.2	34.4	0 / 6	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	71	23	28	5	2	2
Percentage of transfers resulting in singleton live births	25.4	17.4	25.0	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in live births	35.2	30.4	28.6	0 / 5	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	52.1	52.2	39.3	0 / 5	1 / 2	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	37	12	11	0	1	0
Percentage of pregnancies resulting in singleton live births	48.6	4 / 12	7 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	67.6	7 / 12	8 / 11		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	2	5	1	0	0
Number of transfers	12	2	5	1	0	0
Estimated average number of transfers per retrieval	1.1	1.0	1.3	1.0		
Average number of embryos transferred	1.9	2.0	2.4	2.0		
Percentage of embryos transferred resulting in implantation	34.8	0 / 4	4 / 12	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 12	0 / 2	1 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 2	0 / 5	0 / 1		
Percentage of transfers resulting in live births	3 / 12	0 / 2	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 12	0 / 2	3 / 5	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		22		0		
Number of transfers		20		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		43.6				
Percentage of transfers resulting in singleton live births		35.0				
Percentage of transfers resulting in live births		60.0				
Percentage of transfers resulting in pregnancy		75.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brown Fertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	5%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	18%	Male factor	60%
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	6%
				Endometriosis	15%	Unknown factor	4%
				<i>Multiple Factors:</i> Female factors only 11% Female & male factors 34%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 801 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	230	77	72	21	11	4
Percentage of cancellations	1.7	7.8	2.8	4.8	1 / 11	0 / 4
Average number of embryos transferred	2.0	2.2	2.3	2.9	2.6	3.0
Percentage of embryos transferred resulting in implantation	34.4	31.7	19.7	15.2	0.0	0 / 12
Percentage of elective single embryo transfer (eSET)	8.6	4.8	1.9	1 / 16	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.7	20.8	27.8	19.0	0 / 11	0 / 4
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0.0	0 / 11	0 / 4
Percentage of cycles resulting in live births	38.3	35.1	29.2	23.8	0 / 11	0 / 4
Percentage of cycles resulting in pregnancy	44.3	42.9	30.6	28.6	0 / 11	1 / 4
Outcomes per Transfer						
Number of transfers	201	67	57	16	10	4
Percentage of transfers resulting in singleton live births	29.4	23.9	35.1	4 / 16	0 / 10	0 / 4
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 16	0 / 10	0 / 4
Percentage of transfers resulting in live births	43.8	40.3	36.8	5 / 16	0 / 10	0 / 4
Percentage of transfers resulting in pregnancy	50.7	49.3	38.6	6 / 16	0 / 10	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	102	33	22	6	0	1
Percentage of pregnancies resulting in singleton live births	57.8	48.5	90.9	4 / 6		0 / 1
Percentage of pregnancies resulting in triplets or more live births	2.0	0.0	0.0	0 / 6		0 / 1
Percentage of pregnancies resulting in live births	86.3	81.8	95.5	5 / 6		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	145	52	40	8	2	6
Number of transfers	143	51	39	8	2	6
Estimated average number of transfers per retrieval	1.9	2.7	1.8	2.0		
Average number of embryos transferred	1.8	1.8	1.9	2.4	2.5	3.0
Percentage of embryos transferred resulting in implantation	28.7	27.8	6.6	4 / 19	0 / 5	0 / 18
Percentage of transfers resulting in singleton live births	28.7	27.5	10.3	1 / 8	0 / 2	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	2.0	0.0	0 / 8	0 / 2	0 / 6
Percentage of transfers resulting in live births	36.4	35.3	10.3	2 / 8	0 / 2	0 / 6
Percentage of transfers resulting in pregnancy	44.1	41.2	10.3	3 / 8	0 / 2	0 / 6
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		54		65		
Number of transfers		53		65		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		42.7		29.0		
Percentage of transfers resulting in singleton live births		30.2		24.6		
Percentage of transfers resulting in live births		49.1		33.8		
Percentage of transfers resulting in pregnancy		60.4		46.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Institute for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	26%	Tubal factor	6%	Uterine factor	4%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	11%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	5%
				Endometriosis	40%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only <1% Female & male factors <1%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 314 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	57	37	10	6	1
Percentage of cancellations	3.3	1.8	5.4	1 / 10	2 / 6	0 / 1
Average number of embryos transferred	1.9	2.0	2.2	2.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	29.6	22.0	13.2	0 / 16	0 / 4	0 / 2
Percentage of elective single embryo transfer (eSET)	6.8	5.0	0.0	0 / 6	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	19.3	16.2	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in live births	37.4	26.3	18.9	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	41.8	36.8	21.6	0 / 10	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	79	50	31	8	3	1
Percentage of transfers resulting in singleton live births	36.7	22.0	19.4	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0.0	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births	43.0	30.0	22.6	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	48.1	42.0	25.8	0 / 8	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	38	21	8	0	0	0
Percentage of pregnancies resulting in singleton live births	76.3	52.4	6 / 8			
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0 / 8			
Percentage of pregnancies resulting in live births	89.5	71.4	7 / 8			
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	16	8	3	0	0
Number of transfers	41	15	8	3	0	0
Estimated average number of transfers per retrieval	2.2	1.5	2.0	1.5		
Average number of embryos transferred	1.9	1.5	2.1	2.0		
Percentage of embryos transferred resulting in implantation	11.8	8.7	2 / 17	1 / 6		
Percentage of transfers resulting in singleton live births	19.5	0 / 15	0 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 8	0 / 3		
Percentage of transfers resulting in live births	19.5	1 / 15	1 / 8	0 / 3		
Percentage of transfers resulting in pregnancy	26.8	1 / 15	1 / 8	1 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		16		22		
Number of transfers		15		20		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		44.8		3.0		
Percentage of transfers resulting in singleton live births		4 / 15		0.0		
Percentage of transfers resulting in live births		8 / 15		0.0		
Percentage of transfers resulting in pregnancy		12 / 15		15.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jacksonville Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR NATURAL IVF JUPITER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gene Manko, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	46%	Tubal factor	14%	Uterine factor	0%	
Unstimulated	8%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	71%	Other factor	14%	
				Endometriosis	14%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 50 (includes 22 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	1	7	10	2	1
Percentage of cancellations	1/3	0/1	2/7	4/10	1/2	0/1
Average number of embryos transferred	1.0		1.0			
Percentage of embryos transferred resulting in implantation	0/1		0/1			
Percentage of elective single embryo transfer (eSET)						
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0/3	0/1	0/7	0/10	0/2	0/1
Percentage of cycles resulting in triplets or more live births	0/3	0/1	0/7	0/10	0/2	0/1
Percentage of cycles resulting in live births	0/3	0/1	0/7	0/10	0/2	0/1
Percentage of cycles resulting in pregnancy	0/3	0/1	0/7	0/10	0/2	0/1
Outcomes per Transfer						
Number of transfers	1	0	1	0	0	0
Percentage of transfers resulting in singleton live births	0/1		0/1			
Percentage of transfers resulting in triplets or more live births	0/1		0/1			
Percentage of transfers resulting in live births	0/1		0/1			
Percentage of transfers resulting in pregnancy	0/1		0/1			
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	1	1	0
Number of transfers	1	1	0	0	1	0
Estimated average number of transfers per retrieval		0.5	0.0	0.0	0.1	0.0
Average number of embryos transferred	2.0	1.0			1.0	
Percentage of embryos transferred resulting in implantation	0/2	0/1			0/1	
Percentage of transfers resulting in singleton live births	0/1	0/1			0/1	
Percentage of transfers resulting in triplets or more live births	0/1	0/1			0/1	
Percentage of transfers resulting in live births	0/1	0/1			0/1	
Percentage of transfers resulting in pregnancy	0/1	0/1			0/1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		0
Number of transfers		0		0		0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Natural IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

IVF FLORIDA MARGATE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by David I. Hoffman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	17%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	9%	
				Endometriosis	8%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				14%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 1,062 (includes 12 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	263	161	166	77	37	5	
Percentage of cancellations	4.9	7.5	15.1	10.4	13.5	0 / 5	
Average number of embryos transferred	1.7	2.0	2.4	3.2	3.9	3.3	
Percentage of embryos transferred resulting in implantation	33.5	23.4	15.6	5.5	1.9	0 / 10	
Percentage of elective single embryo transfer (eSET)	23.9	8.3	1.7	0.0	0.0	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	27.0	23.0	12.7	11.7	0.0	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5	
Percentage of cycles resulting in live births	35.0	28.0	17.5	11.7	0.0	0 / 5	
Percentage of cycles resulting in pregnancy	41.4	32.9	26.5	15.6	10.8	0 / 5	
Outcomes per Transfer							
Number of transfers	224	131	127	62	27	3	
Percentage of transfers resulting in singleton live births	31.7	28.2	16.5	14.5	0.0	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3	
Percentage of transfers resulting in live births	41.1	34.4	22.8	14.5	0.0	0 / 3	
Percentage of transfers resulting in pregnancy	48.7	40.5	34.6	19.4	14.8	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	109	53	44	12	4	0	
Percentage of pregnancies resulting in singleton live births	65.1	69.8	47.7	9 / 12	0 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 4		
Percentage of pregnancies resulting in live births	84.4	84.9	65.9	9 / 12	0 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles	107	47	42	22	10	8	
Number of transfers	104	45	41	21	9	7	
Estimated average number of transfers per retrieval	1.6	1.6	2.0	4.2	9.0		
Average number of embryos transferred	1.6	1.5	1.7	1.8	2.2	1.7	
Percentage of embryos transferred resulting in implantation	27.8	39.1	27.5	26.3	15.0	2 / 12	
Percentage of transfers resulting in singleton live births	29.8	37.8	31.7	28.6	1 / 9	0 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 7	
Percentage of transfers resulting in live births	35.6	46.7	36.6	33.3	1 / 9	1 / 7	
Percentage of transfers resulting in pregnancy	45.2	51.1	43.9	42.9	2 / 9	1 / 7	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		72		33			
Number of transfers		63		32			
Average number of embryos transferred		1.5		1.7			
Percentage of embryos transferred resulting in implantation		45.3		29.1			
Percentage of transfers resulting in singleton live births		36.5		31.3			
Percentage of transfers resulting in live births		46.0		40.6			
Percentage of transfers resulting in pregnancy		63.5		59.4			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: IVF Florida					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VIERA FERTILITY CENTER
FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN
MELBOURNE, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Diran Chamoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	35%	Tubal factor	29%	Uterine factor	12%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	22%	Male factor	42%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	5%	
				Endometriosis	2%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				22%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 41 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	6	6	3	4	2
Percentage of cancellations	2 / 16	0 / 6	0 / 6	0 / 3	2 / 4	0 / 2
Average number of embryos transferred	1.8	2.0	2.6	3.5	1.0	1.0
Percentage of embryos transferred resulting in implantation	31.8	1 / 6	1 / 13	1 / 7	0 / 1	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 3	0 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 16	1 / 6	1 / 6	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 6	0 / 6	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in live births	5 / 16	1 / 6	1 / 6	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	5 / 16	1 / 6	1 / 6	1 / 3	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	12	3	5	2	1	2
Percentage of transfers resulting in singleton live births	4 / 12	1 / 3	1 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	5 / 12	1 / 3	1 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	5 / 12	1 / 3	1 / 5	1 / 2	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	5	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 5	1 / 1	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	5 / 5	1 / 1	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		3.0				
Percentage of embryos transferred resulting in implantation		3 / 3				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		1 / 1				
Percentage of transfers resulting in pregnancy		1 / 1				
All Ages Combined^f						
	Donor Eggs			Fresh Embryos		Frozen Embryos
Number of cycles				2		1
Number of transfers				2		1
Average number of embryos transferred				2.0		3.0
Percentage of embryos transferred resulting in implantation				2 / 4		2 / 3
Percentage of transfers resulting in singleton live births				1 / 2		1 / 1
Percentage of transfers resulting in live births				1 / 2		1 / 1
Percentage of transfers resulting in pregnancy				2 / 2		1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	17%	Uterine factor	13%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	52%	Other factor	33%	
				Endometriosis	12%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				30%
				Female & male factors				27%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 425 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	70	97	29	7	10
Percentage of cancellations	6.4	8.6	14.4	31.0	1 / 7	5 / 10
Average number of embryos transferred	2.0	2.2	2.1	2.5	1.8	3.3
Percentage of embryos transferred resulting in implantation	41.7	35.1	21.3	16.3	1 / 9	0 / 13
Percentage of elective single embryo transfer (eSET)	9.7	0.0	3.1	0 / 17	0 / 4	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	21.4	21.6	0.0	1 / 7	0 / 10
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0.0	0 / 7	0 / 10
Percentage of cycles resulting in live births	38.5	31.4	23.7	3.4	1 / 7	0 / 10
Percentage of cycles resulting in pregnancy	42.3	38.6	28.9	17.2	1 / 7	0 / 10
Outcomes per Transfer						
Number of transfers	64	53	77	17	5	4
Percentage of transfers resulting in singleton live births	32.8	28.3	27.3	0 / 17	1 / 5	0 / 4
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0 / 17	0 / 5	0 / 4
Percentage of transfers resulting in live births	46.9	41.5	29.9	1 / 17	1 / 5	0 / 4
Percentage of transfers resulting in pregnancy	51.6	50.9	36.4	5 / 17	1 / 5	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	33	27	28	5	1	0
Percentage of pregnancies resulting in singleton live births	63.6	55.6	75.0	0 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.0	0.0	0.0	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	90.9	81.5	82.1	1 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	22	17	13	3	6
Number of transfers	32	21	16	13	3	6
Estimated average number of transfers per retrieval	2.1	2.3	1.3	3.3		3.0
Average number of embryos transferred	1.8	2.0	2.1	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation	39.7	33.3	26.5	20.8	0 / 6	7 / 12
Percentage of transfers resulting in singleton live births	34.4	33.3	3 / 16	3 / 13	0 / 3	1 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 13	0 / 3	0 / 6
Percentage of transfers resulting in live births	46.9	42.9	5 / 16	4 / 13	0 / 3	4 / 6
Percentage of transfers resulting in pregnancy	53.1	47.6	7 / 16	4 / 13	0 / 3	4 / 6
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		38		2		
Number of transfers		31		2		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		60.7		0 / 4		
Percentage of transfers resulting in singleton live births		32.3		0 / 2		
Percentage of transfers resulting in live births		64.5		0 / 2		
Percentage of transfers resulting in pregnancy		77.4		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by George R. Attia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	19%	Uterine factor	2%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	6%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	13%	
				Endometriosis	6%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 165 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	33	28	18	2	0
Percentage of cancellations	4.7	9.1	28.6	2 / 18	1 / 2	
Average number of embryos transferred	2.2	2.3	2.3	2.8	2.0	
Percentage of embryos transferred resulting in implantation	32.6	33.9	20.9	6.7	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.8	0.0	0 / 16	0 / 16	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.6	21.2	17.9	2 / 18	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 2	
Percentage of cycles resulting in live births	41.9	36.4	25.0	2 / 18	0 / 2	
Percentage of cycles resulting in pregnancy	46.5	48.5	25.0	3 / 18	0 / 2	
Outcomes per Transfer						
Number of transfers	39	27	19	16	1	0
Percentage of transfers resulting in singleton live births	28.2	25.9	5 / 19	2 / 16	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 16	0 / 1	
Percentage of transfers resulting in live births	46.2	44.4	7 / 19	2 / 16	0 / 1	
Percentage of transfers resulting in pregnancy	51.3	59.3	7 / 19	3 / 16	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	20	16	7	3	0	0
Percentage of pregnancies resulting in singleton live births	55.0	7 / 16	5 / 7	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 7	0 / 3		
Percentage of pregnancies resulting in live births	90.0	12 / 16	7 / 7	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	7	6	3	1	0
Number of transfers	13	7	5	2	1	0
Estimated average number of transfers per retrieval	1.9	2.3	1.7	2.0		
Average number of embryos transferred	2.0	2.1	2.4	2.0	2.0	
Percentage of embryos transferred resulting in implantation	23.1	2 / 15	1 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	3 / 13	1 / 7	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births	3 / 13	1 / 7	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 13	2 / 7	1 / 5	0 / 2	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		1			
Number of transfers	6		1			
Average number of embryos transferred	1.8		4.0			
Percentage of embryos transferred resulting in implantation	5 / 11		0 / 4			
Percentage of transfers resulting in singleton live births	2 / 6		0 / 1			
Percentage of transfers resulting in live births	3 / 6		0 / 1			
Percentage of transfers resulting in pregnancy	4 / 6		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Miami Infertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALMETTO FERTILITY CENTER OF SOUTH FLORIDA
MIAMI LAKES, FLORIDA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	11%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	37%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	9%	
				Endometriosis	17%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 802 (includes 85 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	95	78	39	14	2
Percentage of cancellations	11.2	16.8	17.9	30.8	5 / 14	0 / 2
Average number of embryos transferred	1.6	1.7	2.3	2.5	3.3	2.0
Percentage of embryos transferred resulting in implantation	40.7	29.4	21.4	10.5	3.8	0 / 4
Percentage of elective single embryo transfer (eSET)	31.0	23.3	6.7	0 / 19	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	22.1	12.8	5.1	1 / 14	0 / 2
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 14	0 / 2
Percentage of cycles resulting in live births	37.8	27.4	19.2	7.7	1 / 14	0 / 2
Percentage of cycles resulting in pregnancy	45.4	36.8	29.5	17.9	2 / 14	0 / 2
Outcomes per Transfer						
Number of transfers	164	75	52	23	8	2
Percentage of transfers resulting in singleton live births	32.9	28.0	19.2	8.7	1 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births	45.1	34.7	28.8	13.0	1 / 8	0 / 2
Percentage of transfers resulting in pregnancy	54.3	46.7	44.2	30.4	2 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	89	35	23	7	2	0
Percentage of pregnancies resulting in singleton live births	60.7	60.0	43.5	2 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	83.1	74.3	65.2	3 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	47	51	13	5	4
Number of transfers	79	40	38	10	5	4
Estimated average number of transfers per retrieval	1.6	1.5	1.2	0.6	0.7	
Average number of embryos transferred	1.7	1.8	1.8	1.4	1.2	2.0
Percentage of embryos transferred resulting in implantation	42.3	23.6	25.7	2 / 14	3 / 6	3 / 8
Percentage of transfers resulting in singleton live births	40.5	35.0	28.9	2 / 10	1 / 5	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in live births	55.7	37.5	31.6	2 / 10	2 / 5	2 / 4
Percentage of transfers resulting in pregnancy	60.8	50.0	44.7	2 / 10	2 / 5	2 / 4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		36		42		
Number of transfers		29		36		
Average number of embryos transferred		1.7		1.8		
Percentage of embryos transferred resulting in implantation		27.1		15.6		
Percentage of transfers resulting in singleton live births		27.6		22.2		
Percentage of transfers resulting in live births		27.6		25.0		
Percentage of transfers resulting in pregnancy		48.3		41.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	45%	Tubal factor	38%	Uterine factor	5%	
Unstimulated	0%	Used PGD	18%	Ovulatory dysfunction	52%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	14%	
				Endometriosis	14%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				45%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 42 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	6	8	8	2	0
Percentage of cancellations	1 / 16	0 / 6	0 / 8	1 / 8	0 / 2	
Average number of embryos transferred	1.8	1.6	2.1	1.6	3.0	
Percentage of embryos transferred resulting in implantation	34.8	5 / 8	4 / 15	0 / 8	0 / 6	
Percentage of elective single embryo transfer (eSET)	1 / 11	0 / 3	0 / 7	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 16	4 / 6	2 / 8	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 6	0 / 8	0 / 8	0 / 2	
Percentage of cycles resulting in live births	3 / 16	4 / 6	3 / 8	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	6 / 16	4 / 6	4 / 8	0 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	13	5	7	5	2	0
Percentage of transfers resulting in singleton live births	0 / 13	4 / 5	2 / 7	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 5	0 / 7	0 / 5	0 / 2	
Percentage of transfers resulting in live births	3 / 13	4 / 5	3 / 7	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	6 / 13	4 / 5	4 / 7	0 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	6	4	4	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 6	4 / 4	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 4	0 / 4			
Percentage of pregnancies resulting in live births	3 / 6	4 / 4	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			1		1	
Number of transfers			1		1	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			0 / 2		0 / 2	
Percentage of transfers resulting in singleton live births			0 / 1		0 / 1	
Percentage of transfers resulting in live births			0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy			0 / 1		0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN INFERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Barry A. Ripps, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	25%	Uterine factor	1%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	2%
				Endometriosis	21%	Unknown factor	5%
				<i>Multiple Factors:</i> Female factors only 14% Female & male factors 13%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 187 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	95	37	20	13	4	1	
Percentage of cancellations	11.6	8.1	15.0	0 / 13	0 / 4	0 / 1	
Average number of embryos transferred	1.9	2.1	2.2	2.6	2.0		
Percentage of embryos transferred resulting in implantation	41.2	20.8	16.1	7.7	1 / 6		
Percentage of elective single embryo transfer (eSET)	7.3	0 / 19	0 / 11	0 / 7	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	28.4	18.9	5.0	2 / 13	1 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.1	0.0	5.0	0 / 13	0 / 4	0 / 1	
Percentage of cycles resulting in live births	37.9	18.9	10.0	2 / 13	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	44.2	29.7	15.0	2 / 13	2 / 4	0 / 1	
Outcomes per Transfer							
Number of transfers	69	25	14	10	3	0	
Percentage of transfers resulting in singleton live births	39.1	28.0	1 / 14	2 / 10	1 / 3		
Percentage of transfers resulting in triplets or more live births	1.4	0.0	1 / 14	0 / 10	0 / 3		
Percentage of transfers resulting in live births	52.2	28.0	2 / 14	2 / 10	1 / 3		
Percentage of transfers resulting in pregnancy	60.9	44.0	3 / 14	2 / 10	2 / 3		
Outcomes per Pregnancy							
Number of pregnancies	42	11	3	2	2	0	
Percentage of pregnancies resulting in singleton live births	64.3	7 / 11	1 / 3	2 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 11	1 / 3	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	85.7	7 / 11	2 / 3	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	9	4	2	0	0	0	
Number of transfers	7	4	2	0	0	0	
Estimated average number of transfers per retrieval	1.8	1.3	0.7				
Average number of embryos transferred	1.9	1.8	2.0				
Percentage of embryos transferred resulting in implantation	4 / 13	0 / 7	0 / 4				
Percentage of transfers resulting in singleton live births	3 / 7	0 / 4	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 2				
Percentage of transfers resulting in live births	3 / 7	0 / 4	0 / 2				
Percentage of transfers resulting in pregnancy	5 / 7	1 / 4	0 / 2				
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		2			
Number of transfers		0		2			
Average number of embryos transferred				2.0			
Percentage of embryos transferred resulting in implantation				0 / 4			
Percentage of transfers resulting in singleton live births				0 / 2			
Percentage of transfers resulting in live births				0 / 2			
Percentage of transfers resulting in pregnancy				0 / 2			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: New Leaders in Infertility & Endocrinology, LLC					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	21%	Uterine factor	16%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	8%	Male factor	75%	
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	19%	
				Endometriosis	14%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				67%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 206 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	34	38	27	3	0
Percentage of cancellations	4.9	5.9	2.6	11.1	1 / 3	
Average number of embryos transferred	2.1	2.5	3.1	3.1	3.0	
Percentage of embryos transferred resulting in implantation	33.7	21.5	16.9	6.5	0 / 3	
Percentage of elective single embryo transfer (eSET)	2.4	4.0	0.0	0 / 17	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.6	8.8	26.3	11.1	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 3	
Percentage of cycles resulting in live births	32.8	14.7	26.3	11.1	0 / 3	
Percentage of cycles resulting in pregnancy	41.0	32.4	28.9	14.8	0 / 3	
Outcomes per Transfer						
Number of transfers	45	26	27	20	1	0
Percentage of transfers resulting in singleton live births	33.3	11.5	37.0	15.0	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	44.4	19.2	37.0	15.0	0 / 1	
Percentage of transfers resulting in pregnancy	55.6	42.3	40.7	20.0	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	25	11	11	4	0	0
Percentage of pregnancies resulting in singleton live births	60.0	3 / 11	10 / 11	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 11	0 / 4		
Percentage of pregnancies resulting in live births	80.0	5 / 11	10 / 11	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	5	2	1	1	0
Number of transfers	10	5	2	1	1	0
Estimated average number of transfers per retrieval	1.0	1.3				
Average number of embryos transferred	2.5	2.0	2.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation	0.0	3 / 10	0 / 5	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births	0 / 10	1 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	0 / 10	1 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 10	2 / 5	0 / 2	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		19		5		
Number of transfers		18		5		
Average number of embryos transferred		2.1		2.4		
Percentage of embryos transferred resulting in implantation		28.9		2 / 12		
Percentage of transfers resulting in singleton live births		5 / 18		2 / 5		
Percentage of transfers resulting in live births		7 / 18		2 / 5		
Percentage of transfers resulting in pregnancy		8 / 18		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER AND APPLIED GENETICS OF FLORIDA, INC. SARASOTA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Julio E. Pabon, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	5%	Uterine factor	3%	
Unstimulated	0%	Used PGD	25%	Ovulatory dysfunction	7%	Male factor	47%	
Used gestational carrier	8%			Diminished ovarian reserve	35%	Other factor	22%	
				Endometriosis	5%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				17%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 143 (includes 27 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	30	23	10	4	0	0	
Percentage of cancellations	10.0	17.4	1 / 10	1 / 4			
Average number of embryos transferred	2.0	2.2	2.5	2.7			
Percentage of embryos transferred resulting in implantation	36.2	30.0	0 / 15	1 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 19	0 / 16	0 / 5	0 / 3			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	30.0	39.1	0 / 10	1 / 4			
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 4			
Percentage of cycles resulting in live births	36.7	39.1	0 / 10	1 / 4			
Percentage of cycles resulting in pregnancy	43.3	52.2	0 / 10	1 / 4			
Outcomes per Transfer							
Number of transfers	24	18	6	3	0	0	
Percentage of transfers resulting in singleton live births	37.5	9 / 18	0 / 6	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 6	0 / 3			
Percentage of transfers resulting in live births	45.8	9 / 18	0 / 6	1 / 3			
Percentage of transfers resulting in pregnancy	54.2	12 / 18	0 / 6	1 / 3			
Outcomes per Pregnancy							
Number of pregnancies	13	12	0	1	0	0	
Percentage of pregnancies resulting in singleton live births	9 / 13	9 / 12		1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 12		0 / 1			
Percentage of pregnancies resulting in live births	11 / 13	9 / 12		1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles	17	6	1	0	0	0	
Number of transfers	17	6	1	0	0	0	
Estimated average number of transfers per retrieval	0.8	0.8	1.0	0.0		0.0	
Average number of embryos transferred	1.9	1.8	2.0				
Percentage of embryos transferred resulting in implantation	42.4	5 / 11	1 / 2				
Percentage of transfers resulting in singleton live births	8 / 17	5 / 6	1 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 6	0 / 1				
Percentage of transfers resulting in live births	11 / 17	5 / 6	1 / 1				
Percentage of transfers resulting in pregnancy	11 / 17	5 / 6	1 / 1				
All Ages Combined^f							
Donor Eggs	Fresh Embryos		Frozen Embryos				
Number of cycles	14		11				
Number of transfers	14		11				
Average number of embryos transferred	1.6		2.1				
Percentage of embryos transferred resulting in implantation	60.9		13.0				
Percentage of transfers resulting in singleton live births	6 / 14		3 / 11				
Percentage of transfers resulting in live births	10 / 14		3 / 11				
Percentage of transfers resulting in pregnancy	11 / 14		5 / 11				

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fertility Center and Applied Genetics of Florida, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	17%	Uterine factor	4%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	10%	Male factor	56%	
Used gestational carrier	<1%			Diminished ovarian reserve	13%	Other factor	48%	
				Endometriosis	12%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				40%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 919 (includes 30 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	219	187	153	93	19	2
Percentage of cancellations	5.0	15.5	23.5	21.5	1 / 19	1 / 2
Average number of embryos transferred	1.8	1.8	1.9	2.1	2.2	2.0
Percentage of embryos transferred resulting in implantation	52.3	39.3	22.8	21.2	17.9	0 / 2
Percentage of elective single embryo transfer (eSET)	16.8	7.0	2.7	0.0	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	26.7	13.7	10.8	3 / 19	0 / 2
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	1.1	0 / 19	0 / 2
Percentage of cycles resulting in live births	48.4	38.5	17.0	12.9	3 / 19	0 / 2
Percentage of cycles resulting in pregnancy	54.8	42.8	18.3	19.4	4 / 19	0 / 2
Outcomes per Transfer						
Number of transfers	182	146	90	48	13	1
Percentage of transfers resulting in singleton live births	35.2	34.2	23.3	20.8	3 / 13	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	2.1	0 / 13	0 / 1
Percentage of transfers resulting in live births	58.2	49.3	28.9	25.0	3 / 13	0 / 1
Percentage of transfers resulting in pregnancy	65.9	54.8	31.1	37.5	4 / 13	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	120	80	28	18	4	0
Percentage of pregnancies resulting in singleton live births	53.3	62.5	75.0	10 / 18	3 / 4	
Percentage of pregnancies resulting in triplets or more live births	3.3	0.0	0.0	1 / 18	0 / 4	
Percentage of pregnancies resulting in live births	88.3	90.0	92.9	12 / 18	3 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	37	28	13	0	1
Number of transfers	46	36	25	13	0	1
Estimated average number of transfers per retrieval	1.8	1.1	1.5	0.9	0.0	
Average number of embryos transferred	1.8	1.7	2.0	1.8		2.0
Percentage of embryos transferred resulting in implantation	38.8	32.3	22.4	30.4		1 / 2
Percentage of transfers resulting in singleton live births	45.7	25.0	32.0	5 / 13		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13		0 / 1
Percentage of transfers resulting in live births	54.3	36.1	36.0	5 / 13		1 / 1
Percentage of transfers resulting in pregnancy	58.7	44.4	40.0	7 / 13		1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		55		34		
Number of transfers		50		32		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		73.1		44.6		
Percentage of transfers resulting in singleton live births		36.0		43.8		
Percentage of transfers resulting in live births		82.0		56.3		
Percentage of transfers resulting in pregnancy		84.0		59.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Florida Institute for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE HEALTH ASSOCIATES, PA
CATHERINE COWART, MD, FACOG
TAMPA, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Catherine L. Cowart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	38%	Uterine factor	0%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	10%	Male factor	86%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				38%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 21 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	5	3	1	0	0
Percentage of cancellations	1 / 10	2 / 5	0 / 3	1 / 1		
Average number of embryos transferred	2.1	2.3	2.7			
Percentage of embryos transferred resulting in implantation	3 / 19	3 / 7	3 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 3	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 10	1 / 5	1 / 3	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 5	0 / 3	0 / 1		
Percentage of cycles resulting in live births	3 / 10	2 / 5	2 / 3	0 / 1		
Percentage of cycles resulting in pregnancy	3 / 10	2 / 5	2 / 3	0 / 1		
Outcomes per Transfer						
Number of transfers	9	3	3	0	0	0
Percentage of transfers resulting in singleton live births	3 / 9	1 / 3	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 3	0 / 3			
Percentage of transfers resulting in live births	3 / 9	2 / 3	2 / 3			
Percentage of transfers resulting in pregnancy	3 / 9	2 / 3	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	3	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 3	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	3 / 3	2 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			1		0	
Number of transfers			1		0	
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			1 / 2			
Percentage of transfers resulting in singleton live births			1 / 1			
Percentage of transfers resulting in live births			1 / 1			
Percentage of transfers resulting in pregnancy			1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Associates, PA, Catherine Cowart, MD, FACOG					
Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Timothy Yeko, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	46%	Tubal factor	20%	Uterine factor	1%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	7%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	4%	
				Endometriosis	12%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				11%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 597 (includes 1 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	202	103	89	29	7	0	
Percentage of cancellations	5.4	7.8	7.9	6.9	1 / 7		
Average number of embryos transferred	1.8	2.0	2.6	2.7	3.2		
Percentage of embryos transferred resulting in implantation	39.2	33.0	21.6	8.7	1 / 19		
Percentage of elective single embryo transfer (eSET)	14.7	5.1	0.0	0.0	0 / 5		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	34.7	19.4	28.1	6.9	1 / 7		
Percentage of cycles resulting in triplets or more live births	1.5	1.0	0.0	0.0	0 / 7		
Percentage of cycles resulting in live births	44.6	33.0	34.8	10.3	1 / 7		
Percentage of cycles resulting in pregnancy	50.5	39.8	39.3	17.2	1 / 7		
Outcomes per Transfer							
Number of transfers	179	87	73	26	6	0	
Percentage of transfers resulting in singleton live births	39.1	23.0	34.2	7.7	1 / 6		
Percentage of transfers resulting in triplets or more live births	1.7	1.1	0.0	0.0	0 / 6		
Percentage of transfers resulting in live births	50.3	39.1	42.5	11.5	1 / 6		
Percentage of transfers resulting in pregnancy	57.0	47.1	47.9	19.2	1 / 6		
Outcomes per Pregnancy							
Number of pregnancies	102	41	35	5	1	0	
Percentage of pregnancies resulting in singleton live births	68.6	48.8	71.4	2 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.9	2.4	0.0	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	88.2	82.9	88.6	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	33	24	11	3	1	0	
Number of transfers	32	23	9	3	0	0	
Estimated average number of transfers per retrieval	2.7	2.3	2.3				
Average number of embryos transferred	1.6	1.5	1.9	1.7			
Percentage of embryos transferred resulting in implantation	33.3	57.1	2 / 17	2 / 5			
Percentage of transfers resulting in singleton live births	37.5	39.1	1 / 9	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 3			
Percentage of transfers resulting in live births	40.6	52.2	1 / 9	1 / 3			
Percentage of transfers resulting in pregnancy	50.0	73.9	2 / 9	2 / 3			

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	71	23
Number of transfers	63	23
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation	41.3	48.6
Percentage of transfers resulting in singleton live births	39.7	30.4
Percentage of transfers resulting in live births	49.2	47.8
Percentage of transfers resulting in pregnancy	61.9	60.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Shayne Plosker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	45%	Tubal factor	25%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	26%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	11%	
				Endometriosis	9%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 237 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	31	35	13	8	4
Percentage of cancellations	6.8	12.9	14.3	4 / 13	2 / 8	1 / 4
Average number of embryos transferred	1.8	2.4	2.9	3.3	2.3	1.5
Percentage of embryos transferred resulting in implantation	24.7	24.2	18.4	0.0	2 / 14	0 / 3
Percentage of elective single embryo transfer (eSET)	16.3	0.0	3.3	0 / 6	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	29.0	17.1	0 / 13	1 / 8	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 8	0 / 4
Percentage of cycles resulting in live births	32.2	38.7	22.9	0 / 13	1 / 8	0 / 4
Percentage of cycles resulting in pregnancy	35.6	38.7	40.0	0 / 13	1 / 8	0 / 4
Outcomes per Transfer						
Number of transfers	50	26	30	7	6	2
Percentage of transfers resulting in singleton live births	36.0	34.6	20.0	0 / 7	1 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in live births	38.0	46.2	26.7	0 / 7	1 / 6	0 / 2
Percentage of transfers resulting in pregnancy	42.0	46.2	46.7	0 / 7	1 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	21	12	14	0	1	0
Percentage of pregnancies resulting in singleton live births	85.7	9 / 12	6 / 14		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 14		0 / 1	
Percentage of pregnancies resulting in live births	90.5	12 / 12	8 / 14		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	13	11	3	0	0
Number of transfers	20	11	10	3	0	0
Estimated average number of transfers per retrieval	2.5	11.0	2.0			
Average number of embryos transferred	1.8	1.6	2.0	2.3		
Percentage of embryos transferred resulting in implantation	38.9	3 / 18	0.0	2 / 7		
Percentage of transfers resulting in singleton live births	20.0	2 / 11	0 / 10	2 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 10	0 / 3		
Percentage of transfers resulting in live births	45.0	2 / 11	0 / 10	2 / 3		
Percentage of transfers resulting in pregnancy	45.0	3 / 11	0 / 10	3 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		22		15		
Number of transfers		17		12		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		38.7		26.1		
Percentage of transfers resulting in singleton live births		6 / 17		1 / 12		
Percentage of transfers resulting in live births		8 / 17		3 / 12		
Percentage of transfers resulting in pregnancy		8 / 17		5 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Florida IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Minna R. Selub, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	97%	With ICSI	79%	Tubal factor	25%	Uterine factor	3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	27%
Used gestational carrier	6%			Diminished ovarian reserve	86%	Other factor	4%
				Endometriosis	7%	Unknown factor	1%
				Multiple Factors:			
				Female factors only 23%			
				Female & male factors 22%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 73 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	13	8	4	0	1
Percentage of cancellations	0 / 8	1 / 13	0 / 8	0 / 4		0 / 1
Average number of embryos transferred	2.4	2.9	2.1	2.3		1.0
Percentage of embryos transferred resulting in implantation	0 / 17	4.3	1 / 17	1 / 9		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 8	0 / 6	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 8	1 / 13	1 / 8	0 / 4		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 13	0 / 8	0 / 4		0 / 1
Percentage of cycles resulting in live births	0 / 8	1 / 13	1 / 8	0 / 4		0 / 1
Percentage of cycles resulting in pregnancy	0 / 8	1 / 13	1 / 8	1 / 4		0 / 1
Outcomes per Transfer						
Number of transfers	7	8	8	4	0	1
Percentage of transfers resulting in singleton live births	0 / 7	1 / 8	1 / 8	0 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 8	0 / 8	0 / 4		0 / 1
Percentage of transfers resulting in live births	0 / 7	1 / 8	1 / 8	0 / 4		0 / 1
Percentage of transfers resulting in pregnancy	0 / 7	1 / 8	1 / 8	1 / 4		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	0	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births		1 / 1	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births		1 / 1	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	35			4		
Number of transfers	33			4		
Average number of embryos transferred	2.5			2.5		
Percentage of embryos transferred resulting in implantation	8.3			0 / 10		
Percentage of transfers resulting in singleton live births	15.2			0 / 4		
Percentage of transfers resulting in live births	15.2			0 / 4		
Percentage of transfers resulting in pregnancy	24.2			0 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY WINTER PARK, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Mark P. Trolice, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	6%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	14%	Male factor	27%
Used gestational carrier	3%			Diminished ovarian reserve	54%	Other factor	4%
				Endometriosis	5%	Unknown factor	9%
				<i>Multiple Factors:</i> Female factors only 11% Female & male factors 19%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 166 (includes 1 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	53	29	17	12	1	2	
Percentage of cancellations	1.9	3.4	1 / 17	2 / 12	0 / 1	1 / 2	
Average number of embryos transferred	2.0	2.4	2.6	3.2	5.0	1.0	
Percentage of embryos transferred resulting in implantation	39.8	25.9	31.0	12.5	0 / 5	0 / 1	
Percentage of elective single embryo transfer (eSET)	5.3	0.0	0 / 9	0 / 9	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	34.0	24.1	2 / 17	1 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	1 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in live births	43.4	37.9	4 / 17	2 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	47.2	44.8	6 / 17	2 / 12	0 / 1	0 / 2	
Outcomes per Transfer							
Number of transfers	42	24	11	10	1	1	
Percentage of transfers resulting in singleton live births	42.9	29.2	2 / 11	1 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	1 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in live births	54.8	45.8	4 / 11	2 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	59.5	54.2	6 / 11	2 / 10	0 / 1	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies	25	13	6	2	0	0	
Percentage of pregnancies resulting in singleton live births	72.0	7 / 13	2 / 6	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	1 / 2			
Percentage of pregnancies resulting in live births	92.0	11 / 13	4 / 6	2 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles	16	9	1	3	0	0	
Number of transfers	14	9	1	3	0	0	
Estimated average number of transfers per retrieval	1.3	1.8	1.0	3.0			
Average number of embryos transferred	2.1	2.2	3.0	2.0			
Percentage of embryos transferred resulting in implantation	26.7	40.0	0 / 3	1 / 6			
Percentage of transfers resulting in singleton live births	3 / 14	4 / 9	0 / 1	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 1	0 / 3			
Percentage of transfers resulting in live births	4 / 14	5 / 9	0 / 1	1 / 3			
Percentage of transfers resulting in pregnancy	8 / 14	6 / 9	0 / 1	1 / 3			
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		16		6			
Number of transfers		14		6			
Average number of embryos transferred		1.9		1.8			
Percentage of embryos transferred resulting in implantation		57.7		1 / 11			
Percentage of transfers resulting in singleton live births		5 / 14		1 / 6			
Percentage of transfers resulting in live births		9 / 14		1 / 6			
Percentage of transfers resulting in pregnancy		11 / 14		2 / 6			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fertility Center of Assisted Reproduction & Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	13%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	17%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	12%	
				Endometriosis	10%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 818 (includes 81 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	244	119	90	39	16	0
Percentage of cancellations	7.8	8.4	2.2	7.7	6 / 16	
Average number of embryos transferred	2.0	2.2	2.7	2.9	2.7	
Percentage of embryos transferred resulting in implantation	50.5	29.2	18.9	10.4	0.0	
Percentage of elective single embryo transfer (eSET)	11.2	5.3	0.0	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.9	26.9	18.9	20.5	0 / 16	
Percentage of cycles resulting in triplets or more live births	2.0	1.7	0.0	0.0	0 / 16	
Percentage of cycles resulting in live births	50.8	38.7	26.7	20.5	0 / 16	
Percentage of cycles resulting in pregnancy	57.0	43.7	36.7	25.6	0 / 16	
Outcomes per Transfer						
Number of transfers	215	104	83	33	9	0
Percentage of transfers resulting in singleton live births	34.0	30.8	20.5	24.2	0 / 9	
Percentage of transfers resulting in triplets or more live births	2.3	1.9	0.0	0.0	0 / 9	
Percentage of transfers resulting in live births	57.7	44.2	28.9	24.2	0 / 9	
Percentage of transfers resulting in pregnancy	64.7	50.0	39.8	30.3	0 / 9	
Outcomes per Pregnancy						
Number of pregnancies	139	52	33	10	0	0
Percentage of pregnancies resulting in singleton live births	52.5	61.5	51.5	8 / 10		
Percentage of pregnancies resulting in triplets or more live births	3.6	3.8	0.0	0 / 10		
Percentage of pregnancies resulting in live births	89.2	88.5	72.7	8 / 10		
Frozen Embryos from Nondonor Eggs						
Number of cycles	87	36	28	5	1	2
Number of transfers	83	35	27	5	1	2
Estimated average number of transfers per retrieval	1.2	1.1	1.1	0.5	0.5	
Average number of embryos transferred	1.6	1.8	2.0	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation	41.7	34.9	24.5	3 / 8	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births	36.1	25.7	29.6	3 / 5	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	44.6	40.0	33.3	3 / 5	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	53.0	45.7	40.7	3 / 5	1 / 1	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		47		23		
Number of transfers		44		22		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation		54.2		36.1		
Percentage of transfers resulting in singleton live births		36.4		36.4		
Percentage of transfers resulting in live births		65.9		36.4		
Percentage of transfers resulting in pregnancy		70.5		45.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Donna R. Session, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	30%	Uterine factor	20%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	17%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	1%	
				Endometriosis	11%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 278 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	51	46	17	4	2
Percentage of cancellations	3.9	11.8	28.3	3 / 17	0 / 4	0 / 2
Average number of embryos transferred	1.9	2.2	3.1	3.7	5.0	4.0
Percentage of embryos transferred resulting in implantation	49.3	34.7	23.5	9.6	0.0	0 / 8
Percentage of elective single embryo transfer (eSET)	9.9	7.0	0.0	0 / 13	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.9	41.2	21.7	4 / 17	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in live births	62.3	52.9	28.3	4 / 17	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	68.8	52.9	37.0	5 / 17	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	72	43	32	14	4	2
Percentage of transfers resulting in singleton live births	45.8	48.8	31.3	4 / 14	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 4	0 / 2
Percentage of transfers resulting in live births	66.7	62.8	40.6	4 / 14	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	73.6	62.8	53.1	5 / 14	0 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	53	27	17	5	0	0
Percentage of pregnancies resulting in singleton live births	62.3	77.8	10 / 17	4 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 5		
Percentage of pregnancies resulting in live births	90.6	100.0	13 / 17	4 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	12	8	2	0	1
Number of transfers	32	12	8	2	0	1
Estimated average number of transfers per retrieval	1.4	2.4	1.6		0.0	
Average number of embryos transferred	2.0	2.5	2.5	2.5		3.0
Percentage of embryos transferred resulting in implantation	25.4	36.7	25.0	2 / 5		0 / 3
Percentage of transfers resulting in singleton live births	31.3	2 / 12	5 / 8	2 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 2		0 / 1
Percentage of transfers resulting in live births	37.5	5 / 12	5 / 8	2 / 2		0 / 1
Percentage of transfers resulting in pregnancy	46.9	7 / 12	6 / 8	2 / 2		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		5		
Number of transfers		10		3		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		60.0		3 / 6		
Percentage of transfers resulting in singleton live births		1 / 10		3 / 3		
Percentage of transfers resulting in live births		5 / 10		3 / 3		
Percentage of transfers resulting in pregnancy		6 / 10		3 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Emory Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Mark Perloe, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	54%	Tubal factor	15%	Uterine factor	<1%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	20%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	15%
				Endometriosis	11%	Unknown factor	14%
				<i>Multiple Factors:</i> Female factors only 14% Female & male factors 18%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 423 (includes 36 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	92	44	46	11	0	0	
Percentage of cancellations	9.8	11.4	8.7	3 / 11			
Average number of embryos transferred	2.1	2.3	2.8	2.7			
Percentage of embryos transferred resulting in implantation	33.5	19.8	17.6	3 / 19			
Percentage of elective single embryo transfer (eSET)	8.0	5.6	0.0	0 / 7			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	25.0	13.6	15.2	1 / 11			
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11			
Percentage of cycles resulting in live births	39.1	22.7	19.6	2 / 11			
Percentage of cycles resulting in pregnancy	42.4	29.5	32.6	2 / 11			
Outcomes per Transfer							
Number of transfers	76	38	38	7	0	0	
Percentage of transfers resulting in singleton live births	30.3	15.8	18.4	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7			
Percentage of transfers resulting in live births	47.4	26.3	23.7	2 / 7			
Percentage of transfers resulting in pregnancy	51.3	34.2	39.5	2 / 7			
Outcomes per Pregnancy							
Number of pregnancies	39	13	15	2	0	0	
Percentage of pregnancies resulting in singleton live births	59.0	6 / 13	7 / 15	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 15	0 / 2			
Percentage of pregnancies resulting in live births	92.3	10 / 13	9 / 15	2 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles	83	33	29	10	4	0	
Number of transfers	72	30	24	9	2	0	
Estimated average number of transfers per retrieval	2.1	1.4	3.0	2.3			
Average number of embryos transferred	1.8	1.7	1.8	1.9	2.0		
Percentage of embryos transferred resulting in implantation	21.5	21.2	33.3	4 / 17	2 / 4		
Percentage of transfers resulting in singleton live births	19.4	26.7	25.0	2 / 9	2 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2		
Percentage of transfers resulting in live births	25.0	30.0	33.3	2 / 9	2 / 2		
Percentage of transfers resulting in pregnancy	34.7	33.3	50.0	3 / 9	2 / 2		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		22		13			
Number of transfers		19		13			
Average number of embryos transferred		2.1		1.8			
Percentage of embryos transferred resulting in implantation		27.5		26.1			
Percentage of transfers resulting in singleton live births		5 / 19		1 / 13			
Percentage of transfers resulting in live births		7 / 19		3 / 13			
Percentage of transfers resulting in pregnancy		12 / 19		4 / 13			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Georgia Reproductive Specialists, LLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Lawrence C. Layman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	22%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	27%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	2%
				Endometriosis	10%	Unknown factor	10%
				<i>Multiple Factors:</i> Female factors only 0% Female & male factors 5%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 41 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	4	2	4	1	0
Percentage of cancellations	1 / 19	0 / 4	0 / 2	1 / 4	0 / 1	
Average number of embryos transferred	2.0	2.3	2.0	2.3	5.0	
Percentage of embryos transferred resulting in implantation	44.4	5 / 9	1 / 4	0 / 7	0 / 5	
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 4	0 / 1	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 19	3 / 4	1 / 2	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 4	0 / 2	0 / 4	0 / 1	
Percentage of cycles resulting in live births	11 / 19	4 / 4	1 / 2	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	13 / 19	4 / 4	1 / 2	0 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	18	4	2	3	1	0
Percentage of transfers resulting in singleton live births	8 / 18	3 / 4	1 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 4	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births	11 / 18	4 / 4	1 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	13 / 18	4 / 4	1 / 2	0 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 13	3 / 4	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	11 / 13	4 / 4	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	0	1	0	0	0
Number of transfers	4	0	1	0	0	0
Estimated average number of transfers per retrieval	4.0					
Average number of embryos transferred	1.8		1.0			
Percentage of embryos transferred resulting in implantation	4 / 7		0 / 1			
Percentage of transfers resulting in singleton live births	2 / 4		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4		0 / 1			
Percentage of transfers resulting in live births	3 / 4		0 / 1			
Percentage of transfers resulting in pregnancy	3 / 4		0 / 1			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	1			3		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	0 / 2			1 / 4		
Percentage of transfers resulting in singleton live births	0 / 1			0 / 2		
Percentage of transfers resulting in live births	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancy	0 / 1			1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Infertility Associates					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Edouard Servy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	24%	Uterine factor	11%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	11%	
				Endometriosis	9%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 250 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	45	32	24	6	3
Percentage of cancellations	13.3	13.3	15.6	20.8	2 / 6	1 / 3
Average number of embryos transferred	1.9	2.2	2.5	2.9	3.0	5.0
Percentage of embryos transferred resulting in implantation	36.9	16.5	13.6	2.1	1 / 12	0 / 5
Percentage of elective single embryo transfer (eSET)	9.1	0.0	0.0	1 / 14	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	8.9	15.6	0.0	0 / 6	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6	0 / 3
Percentage of cycles resulting in live births	28.9	13.3	18.8	0.0	0 / 6	0 / 3
Percentage of cycles resulting in pregnancy	40.0	24.4	21.9	4.2	1 / 6	0 / 3
Outcomes per Transfer						
Number of transfers	69	36	24	16	4	1
Percentage of transfers resulting in singleton live births	26.1	11.1	20.8	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in live births	37.7	16.7	25.0	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.2	30.6	29.2	1 / 16	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	36	11	7	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	4 / 11	5 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	72.2	6 / 11	6 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	9	4	4	0	0
Number of transfers	16	9	4	4	0	0
Estimated average number of transfers per retrieval	1.6	1.0	1.3	0.8		
Average number of embryos transferred	1.9	2.2	2.3	2.3		
Percentage of embryos transferred resulting in implantation	36.7	0.0	1 / 9	2 / 9		
Percentage of transfers resulting in singleton live births	3 / 16	0 / 9	1 / 4	1 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 9	0 / 4	0 / 4		
Percentage of transfers resulting in live births	5 / 16	0 / 9	1 / 4	1 / 4		
Percentage of transfers resulting in pregnancy	9 / 16	0 / 9	1 / 4	1 / 4		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	8			5		
Number of transfers	7			5		
Average number of embryos transferred	2.1			1.8		
Percentage of embryos transferred resulting in implantation	2 / 15			7 / 9		
Percentage of transfers resulting in singleton live births	0 / 7			2 / 5		
Percentage of transfers resulting in live births	1 / 7			4 / 5		
Percentage of transfers resulting in pregnancy	1 / 7			4 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	39%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 32% Female & male factors 54%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	80%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	0%	
				Endometriosis	25%	Unknown factor	0%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 99 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	16	7	1	0	0
Percentage of cancellations	4.4	3 / 16	0 / 7	0 / 1		
Average number of embryos transferred	2.4	2.5	2.4	1.0		
Percentage of embryos transferred resulting in implantation	41.2	40.0	1 / 17	0 / 1		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	2 / 16	1 / 7	0 / 1		
Percentage of cycles resulting in triplets or more live births	2.2	1 / 16	0 / 7	0 / 1		
Percentage of cycles resulting in live births	42.2	5 / 16	1 / 7	0 / 1		
Percentage of cycles resulting in pregnancy	46.7	7 / 16	1 / 7	0 / 1		
Outcomes per Transfer						
Number of transfers	35	12	7	1	0	0
Percentage of transfers resulting in singleton live births	28.6	2 / 12	1 / 7	0 / 1		
Percentage of transfers resulting in triplets or more live births	2.9	1 / 12	0 / 7	0 / 1		
Percentage of transfers resulting in live births	54.3	5 / 12	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancy	60.0	7 / 12	1 / 7	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	21	7	1	0	0	0
Percentage of pregnancies resulting in singleton live births	47.6	2 / 7	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	4.8	1 / 7	0 / 1			
Percentage of pregnancies resulting in live births	90.5	5 / 7	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	4	3	0	0	0
Number of transfers	14	4	3	0	0	0
Estimated average number of transfers per retrieval	2.0	4.0				
Average number of embryos transferred	2.1	2.0	1.3			
Percentage of embryos transferred resulting in implantation	56.7	3 / 8	0 / 4			
Percentage of transfers resulting in singleton live births	4 / 14	0 / 4	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 4	0 / 3			
Percentage of transfers resulting in live births	10 / 14	1 / 4	0 / 3			
Percentage of transfers resulting in pregnancy	11 / 14	2 / 4	0 / 3			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		4		4		
Number of transfers		4		4		
Average number of embryos transferred		2.3		2.8		
Percentage of embryos transferred resulting in implantation		4 / 9		3 / 11		
Percentage of transfers resulting in singleton live births		2 / 4		2 / 4		
Percentage of transfers resulting in live births		3 / 4		2 / 4		
Percentage of transfers resulting in pregnancy		3 / 4		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE BIOLOGY ASSOCIATES SANDY SPRINGS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Daniel Shapiro, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	11%	Uterine factor	3%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	16%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	17%	
				Endometriosis	9%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				18%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 1,145 (includes 131 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	191	120	67	41	17	5	
Percentage of cancellations	4.2	5.0	4.5	12.2	4 / 17	0 / 5	
Average number of embryos transferred	1.6	1.8	2.3	2.9	3.2	2.4	
Percentage of embryos transferred resulting in implantation	38.6	25.4	14.7	10.9	15.6	0 / 12	
Percentage of elective single embryo transfer (eSET)	48.0	29.0	16.4	3.4	0 / 7	0 / 5	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	32.5	30.8	16.4	17.1	2 / 17	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.5	0.8	0.0	0.0	0 / 17	0 / 5	
Percentage of cycles resulting in live births	41.9	35.0	20.9	17.1	3 / 17	0 / 5	
Percentage of cycles resulting in pregnancy	46.6	42.5	26.9	24.4	3 / 17	0 / 5	
Outcomes per Transfer							
Number of transfers	177	111	63	32	10	5	
Percentage of transfers resulting in singleton live births	35.0	33.3	17.5	21.9	2 / 10	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.6	0.9	0.0	0.0	0 / 10	0 / 5	
Percentage of transfers resulting in live births	45.2	37.8	22.2	21.9	3 / 10	0 / 5	
Percentage of transfers resulting in pregnancy	50.3	45.9	28.6	31.3	3 / 10	0 / 5	
Outcomes per Pregnancy							
Number of pregnancies	89	51	18	10	3	0	
Percentage of pregnancies resulting in singleton live births	69.7	72.5	11 / 18	7 / 10	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	1.1	2.0	0 / 18	0 / 10	0 / 3		
Percentage of pregnancies resulting in live births	89.9	82.4	14 / 18	7 / 10	3 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles	175	117	79	31	6	6	
Number of transfers	175	117	78	31	6	6	
Estimated average number of transfers per retrieval	1.8	1.7	2.0	1.6	1.5	1.2	
Average number of embryos transferred	1.6	1.6	1.9	1.7	2.5	2.5	
Percentage of embryos transferred resulting in implantation	42.9	38.8	31.5	23.1	1 / 15	3 / 15	
Percentage of transfers resulting in singleton live births	38.9	34.2	32.1	35.5	1 / 6	0 / 6	
Percentage of transfers resulting in triplets or more live births	1.1	0.0	1.3	0.0	0 / 6	0 / 6	
Percentage of transfers resulting in live births	49.1	46.2	43.6	35.5	1 / 6	1 / 6	
Percentage of transfers resulting in pregnancy	63.4	54.7	57.7	48.4	2 / 6	1 / 6	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		10		149			
Number of transfers		10		149			
Average number of embryos transferred		1.3		1.4			
Percentage of embryos transferred resulting in implantation		8 / 13		35.9			
Percentage of transfers resulting in singleton live births		8 / 10		30.2			
Percentage of transfers resulting in live births		8 / 10		36.9			
Percentage of transfers resulting in pregnancy		9 / 10		47.0			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Reproductive Biology Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	19%	Uterine factor	3%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	19%	Male factor	63%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	2%
				Endometriosis	13%	Unknown factor	2%
				<i>Multiple Factors:</i> Female factors only 7% Female & male factors 37%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 148 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	20	12	5	1	0
Percentage of cancellations	5.0	15.0	1 / 12	1 / 5	0 / 1	
Average number of embryos transferred	2.0	2.1	2.1	2.5	4.0	
Percentage of embryos transferred resulting in implantation	45.1	50.0	26.1	1 / 10	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 11	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	43.3	25.0	3 / 12	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.7	5.0	0 / 12	0 / 5	0 / 1	
Percentage of cycles resulting in live births	61.7	50.0	4 / 12	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	63.3	55.0	5 / 12	1 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	56	17	11	4	1	0
Percentage of transfers resulting in singleton live births	46.4	5 / 17	3 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.8	1 / 17	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	66.1	10 / 17	4 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	67.9	11 / 17	5 / 11	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	38	11	5	1	0	0
Percentage of pregnancies resulting in singleton live births	68.4	5 / 11	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.6	1 / 11	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	97.4	10 / 11	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	12	2	1	4	0
Number of transfers	23	12	2	1	4	0
Estimated average number of transfers per retrieval	2.9	6.0	2.0	1.0		
Average number of embryos transferred	1.8	2.0	2.5	1.0	1.5	
Percentage of embryos transferred resulting in implantation	31.0	25.0	1 / 5	0 / 1	2 / 6	
Percentage of transfers resulting in singleton live births	39.1	5 / 12	1 / 2	0 / 1	1 / 4	
Percentage of transfers resulting in triplets or more live births	4.3	0 / 12	0 / 2	0 / 1	0 / 4	
Percentage of transfers resulting in live births	43.5	5 / 12	1 / 2	0 / 1	1 / 4	
Percentage of transfers resulting in pregnancy	52.2	7 / 12	1 / 2	0 / 1	2 / 4	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		2		
Number of transfers		5		2		
Average number of embryos transferred		2.0		2.5		
Percentage of embryos transferred resulting in implantation		2 / 10		1 / 5		
Percentage of transfers resulting in singleton live births		2 / 5		0 / 2		
Percentage of transfers resulting in live births		2 / 5		0 / 2		
Percentage of transfers resulting in pregnancy		3 / 5		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Georgia Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	17%	Uterine factor	<1%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	<1%	Male factor	91%
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	2%
				Endometriosis	7%	Unknown factor	<1%
				<i>Multiple Factors:</i> Female factors only 2% Female & male factors 63%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 161 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	15	25	18	8	9
Percentage of cancellations	4.0	2 / 15	12.0	1 / 18	0 / 8	5 / 9
Average number of embryos transferred	2.0	2.5	2.9	3.9	4.9	2.0
Percentage of embryos transferred resulting in implantation	44.7	15.6	13.3	1.6	5.1	0 / 8
Percentage of elective single embryo transfer (eSET)	13.0	0 / 13	0 / 18	0 / 14	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.0	4 / 15	16.0	1 / 18	1 / 8	0 / 9
Percentage of cycles resulting in triplets or more live births	4.0	0 / 15	0.0	0 / 18	0 / 8	0 / 9
Percentage of cycles resulting in live births	48.0	4 / 15	20.0	1 / 18	1 / 8	0 / 9
Percentage of cycles resulting in pregnancy	48.0	5 / 15	20.0	1 / 18	2 / 8	0 / 9
Outcomes per Transfer						
Number of transfers	24	13	21	16	8	4
Percentage of transfers resulting in singleton live births	16.7	4 / 13	19.0	1 / 16	1 / 8	0 / 4
Percentage of transfers resulting in triplets or more live births	4.2	0 / 13	0.0	0 / 16	0 / 8	0 / 4
Percentage of transfers resulting in live births	50.0	4 / 13	23.8	1 / 16	1 / 8	0 / 4
Percentage of transfers resulting in pregnancy	50.0	5 / 13	23.8	1 / 16	2 / 8	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	12	5	5	1	2	0
Percentage of pregnancies resulting in singleton live births	4 / 12	4 / 5	4 / 5	1 / 1	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1 / 12	0 / 5	0 / 5	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births	12 / 12	4 / 5	5 / 5	1 / 1	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	7	5	3	0	0
Number of transfers	7	7	5	3	0	0
Estimated average number of transfers per retrieval	0.9	1.8	0.5	0.3	0.0	0.0
Average number of embryos transferred	2.3	2.4	2.0	2.3		
Percentage of embryos transferred resulting in implantation	6 / 16	8 / 17	2 / 10	0 / 7		
Percentage of transfers resulting in singleton live births	1 / 7	1 / 7	2 / 5	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 7	0 / 5	0 / 3		
Percentage of transfers resulting in live births	2 / 7	3 / 7	2 / 5	0 / 3		
Percentage of transfers resulting in pregnancy	3 / 7	5 / 7	2 / 5	0 / 3		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		8		1		
Number of transfers		8		1		
Average number of embryos transferred		2.1		3.0		
Percentage of embryos transferred resulting in implantation		7 / 17		3 / 3		
Percentage of transfers resulting in singleton live births		1 / 8		0 / 1		
Percentage of transfers resulting in live births		4 / 8		1 / 1		
Percentage of transfers resulting in pregnancy		4 / 8		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Center of Hawaii					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	7%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 45%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	98%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	2%	
				Endometriosis	11%	Unknown factor	0%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 264 (includes 64 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	36	27	17	5	2
Percentage of cancellations	2.8	11.1	3.7	5 / 17	0 / 5	2 / 2
Average number of embryos transferred	2.1	2.4	2.6	2.7	4.0	
Percentage of embryos transferred resulting in implantation	31.4	26.0	20.9	12.5	0 / 16	
Percentage of elective single embryo transfer (eSET)	6.1	0.0	4.0	0 / 11	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.1	33.3	18.5	2 / 17	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 5	0 / 2
Percentage of cycles resulting in live births	44.4	41.7	25.9	3 / 17	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	52.8	44.4	48.1	3 / 17	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	33	31	26	12	4	0
Percentage of transfers resulting in singleton live births	39.4	38.7	19.2	2 / 12	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 4	
Percentage of transfers resulting in live births	48.5	48.4	26.9	3 / 12	0 / 4	
Percentage of transfers resulting in pregnancy	57.6	51.6	50.0	3 / 12	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	19	16	13	3	0	0
Percentage of pregnancies resulting in singleton live births	13 / 19	12 / 16	5 / 13	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 16	0 / 13	0 / 3		
Percentage of pregnancies resulting in live births	16 / 19	15 / 16	7 / 13	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	10	13	7	5	2
Number of transfers	22	10	13	6	5	2
Estimated average number of transfers per retrieval	1.0	1.7	1.2	0.8	0.4	0.2
Average number of embryos transferred	1.8	1.8	1.9	1.8	1.6	2.0
Percentage of embryos transferred resulting in implantation	55.0	6 / 18	28.0	9 / 11	4 / 8	1 / 4
Percentage of transfers resulting in singleton live births	31.8	6 / 10	5 / 13	1 / 6	2 / 5	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 13	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in live births	63.6	6 / 10	6 / 13	4 / 6	2 / 5	1 / 2
Percentage of transfers resulting in pregnancy	77.3	7 / 10	8 / 13	4 / 6	3 / 5	2 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		6		12		
Number of transfers		4		12		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		2 / 8		39.1		
Percentage of transfers resulting in singleton live births		2 / 4		5 / 12		
Percentage of transfers resulting in live births		2 / 4		7 / 12		
Percentage of transfers resulting in pregnancy		2 / 4		9 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INTERNATIONAL FERTILITY CENTER OF HAWAII
HONOLULU, HAWAII**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

IVF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Benton Chun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	37%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	17%	
				Endometriosis	61%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				36%
				Female & male factors				43%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 115 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	20	26	9	8	3
Percentage of cancellations	0 / 17	20.0	26.9	2 / 9	0 / 8	0 / 3
Average number of embryos transferred	1.4	1.9	3.2	3.6	3.8	4.0
Percentage of embryos transferred resulting in implantation	10 / 18	43.5	19.3	0 / 18	3.3	1 / 12
Percentage of elective single embryo transfer (eSET)	7 / 12	3 / 12	0 / 17	0 / 5	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 17	20.0	15.4	0 / 9	1 / 8	0 / 3
Percentage of cycles resulting in triplets or more live births	0 / 17	0.0	0.0	0 / 9	0 / 8	0 / 3
Percentage of cycles resulting in live births	8 / 17	35.0	23.1	0 / 9	1 / 8	0 / 3
Percentage of cycles resulting in pregnancy	9 / 17	40.0	26.9	1 / 9	1 / 8	1 / 3
Outcomes per Transfer						
Number of transfers	13	12	18	5	8	3
Percentage of transfers resulting in singleton live births	8 / 13	4 / 12	4 / 18	0 / 5	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 12	0 / 18	0 / 5	0 / 8	0 / 3
Percentage of transfers resulting in live births	8 / 13	7 / 12	6 / 18	0 / 5	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	9 / 13	8 / 12	7 / 18	1 / 5	1 / 8	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	9	8	7	1	1	1
Percentage of pregnancies resulting in singleton live births	8 / 9	4 / 8	4 / 7	0 / 1	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 8	0 / 7	0 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	8 / 9	7 / 8	6 / 7	0 / 1	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	5	5	2	0	0
Number of transfers	10	5	4	2	0	0
Estimated average number of transfers per retrieval	3.3	1.7		2.0		
Average number of embryos transferred	1.6	1.8	3.0	2.0		
Percentage of embryos transferred resulting in implantation	3 / 16	4 / 9	3 / 12	0 / 4		
Percentage of transfers resulting in singleton live births	3 / 10	2 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in live births	3 / 10	3 / 5	1 / 4	0 / 2		
Percentage of transfers resulting in pregnancy	3 / 10	3 / 5	1 / 4	0 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		8		1		
Number of transfers		6		1		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		3 / 11		1 / 2		
Percentage of transfers resulting in singleton live births		3 / 6		1 / 1		
Percentage of transfers resulting in live births		3 / 6		1 / 1		
Percentage of transfers resulting in pregnancy		3 / 6		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Hawaii

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	16%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	7%	
				Endometriosis	33%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 476 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	51	48	34	21	13
Percentage of cancellations	8.1	13.7	8.3	35.3	9.5	3 / 13
Average number of embryos transferred	2.3	2.3	3.3	3.7	3.4	4.2
Percentage of embryos transferred resulting in implantation	27.8	27.7	7.1	5.6	9.8	4.0
Percentage of elective single embryo transfer (eSET)	2.2	5.6	0.0	0 / 18	0 / 16	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.1	23.5	16.7	5.9	14.3	0 / 13
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 13
Percentage of cycles resulting in live births	29.0	29.4	16.7	5.9	19.0	0 / 13
Percentage of cycles resulting in pregnancy	35.5	35.3	22.9	11.8	23.8	1 / 13
Outcomes per Transfer						
Number of transfers	46	36	38	19	18	6
Percentage of transfers resulting in singleton live births	21.7	33.3	21.1	2 / 19	3 / 18	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 18	0 / 6
Percentage of transfers resulting in live births	39.1	41.7	21.1	2 / 19	4 / 18	0 / 6
Percentage of transfers resulting in pregnancy	47.8	50.0	28.9	4 / 19	5 / 18	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	22	18	11	4	5	1
Percentage of pregnancies resulting in singleton live births	45.5	12 / 18	8 / 11	2 / 4	3 / 5	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 4	0 / 5	0 / 1
Percentage of pregnancies resulting in live births	81.8	15 / 18	8 / 11	2 / 4	4 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	23	15	5	3	2
Number of transfers	22	22	15	4	3	2
Estimated average number of transfers per retrieval	2.2	2.8	3.0	2.0	3.0	2.0
Average number of embryos transferred	2.3	2.1	2.5	2.3	2.0	4.0
Percentage of embryos transferred resulting in implantation	37.3	40.4	21.6	1 / 9	2 / 6	2 / 8
Percentage of transfers resulting in singleton live births	36.4	18.2	4 / 15	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in live births	50.0	50.0	5 / 15	0 / 4	1 / 3	1 / 2
Percentage of transfers resulting in pregnancy	63.6	59.1	8 / 15	2 / 4	2 / 3	1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		97		79		
Number of transfers		92		69		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		44.3		30.1		
Percentage of transfers resulting in singleton live births		30.4		29.0		
Percentage of transfers resulting in live births		53.3		37.7		
Percentage of transfers resulting in pregnancy		60.9		47.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific In Vitro Fertilization Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Nia Middleton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	34%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	3%	
				Endometriosis	8%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				40%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 39 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	10	3	3	0	0
Percentage of cancellations	0 / 11	1 / 10	0 / 3	1 / 3		
Average number of embryos transferred	2.2	2.1	2.7	2.5		
Percentage of embryos transferred resulting in implantation	41.7	10 / 17	0 / 8	0 / 5		
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 7	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 11	3 / 10	0 / 3	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 10	0 / 3	0 / 3		
Percentage of cycles resulting in live births	7 / 11	6 / 10	0 / 3	0 / 3		
Percentage of cycles resulting in pregnancy	7 / 11	6 / 10	0 / 3	0 / 3		
Outcomes per Transfer						
Number of transfers	11	8	3	2	0	0
Percentage of transfers resulting in singleton live births	5 / 11	3 / 8	0 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8	0 / 3	0 / 2		
Percentage of transfers resulting in live births	7 / 11	6 / 8	0 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	7 / 11	6 / 8	0 / 3	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	7	6	0	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	3 / 6				
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 6				
Percentage of pregnancies resulting in live births	7 / 7	6 / 6				
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	0	1	1	0
Number of transfers	7	1	0	1	1	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred	2.0	3.0		3.0	2.0	
Percentage of embryos transferred resulting in implantation	6 / 14	0 / 3		1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 7	0 / 1		1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in live births	3 / 7	0 / 1		1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 7	0 / 1		1 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				2 / 2		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in live births				1 / 1		
Percentage of transfers resulting in pregnancy				1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tripler Army Medical Center IVF Institute					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	15%	Uterine factor	5%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	17%	Male factor	32%	
Used gestational carrier	10%			Diminished ovarian reserve	34%	Other factor	17%	
				Endometriosis	10%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 366 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	111	27	14	10	3	0
Percentage of cancellations	2.7	0.0	2 / 14	0 / 10	0 / 3	
Average number of embryos transferred	2.1	2.4	2.7	3.1	1.7	
Percentage of embryos transferred resulting in implantation	38.7	21.1	21.9	19.4	0 / 5	
Percentage of elective single embryo transfer (eSET)	2.0	0.0	0 / 10	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.6	33.3	3 / 14	3 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	2.7	0.0	0 / 14	0 / 10	0 / 3	
Percentage of cycles resulting in live births	43.2	33.3	4 / 14	4 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	48.6	37.0	4 / 14	4 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	103	24	12	10	3	0
Percentage of transfers resulting in singleton live births	23.3	37.5	3 / 12	3 / 10	0 / 3	
Percentage of transfers resulting in triplets or more live births	2.9	0.0	0 / 12	0 / 10	0 / 3	
Percentage of transfers resulting in live births	46.6	37.5	4 / 12	4 / 10	0 / 3	
Percentage of transfers resulting in pregnancy	52.4	41.7	4 / 12	4 / 10	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	54	10	4	4	0	0
Percentage of pregnancies resulting in singleton live births	44.4	9 / 10	3 / 4	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	5.6	0 / 10	0 / 4	0 / 4		
Percentage of pregnancies resulting in live births	88.9	9 / 10	4 / 4	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	13	16	3	0	4
Number of transfers	46	13	15	3	0	3
Estimated average number of transfers per retrieval	1.5	1.4	3.0	3.0	0.0	1.5
Average number of embryos transferred	2.2	1.8	2.3	2.7		1.3
Percentage of embryos transferred resulting in implantation	42.0	25.0	32.4	2 / 8		2 / 4
Percentage of transfers resulting in singleton live births	26.1	2 / 13	8 / 15	0 / 3		0 / 3
Percentage of transfers resulting in triplets or more live births	4.3	0 / 13	0 / 15	0 / 3		0 / 3
Percentage of transfers resulting in live births	50.0	4 / 13	9 / 15	1 / 3		1 / 3
Percentage of transfers resulting in pregnancy	56.5	7 / 13	10 / 15	1 / 3		1 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		40		58		
Number of transfers		38		55		
Average number of embryos transferred		1.9		2.1		
Percentage of embryos transferred resulting in implantation		62.5		47.0		
Percentage of transfers resulting in singleton live births		28.9		27.3		
Percentage of transfers resulting in live births		65.8		56.4		
Percentage of transfers resulting in pregnancy		76.3		61.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Zvi Binor, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	5%	Uterine factor	3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	10%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	57%
				Endometriosis	13%	Unknown factor	<1%
				<i>Multiple Factors:</i> Female factors only 16% Female & male factors 4%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 115 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	55	14	7	10	7	5	
Percentage of cancellations	9.1	1 / 14	1 / 7	3 / 10	4 / 7	0 / 5	
Average number of embryos transferred	2.2	2.2	2.0	2.2	2.7	2.0	
Percentage of embryos transferred resulting in implantation	30.5	19.2	0 / 10	3 / 13	0 / 8	0 / 10	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 11	0 / 4	0 / 6	0 / 3	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	20.0	2 / 14	0 / 7	2 / 10	0 / 7	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 7	0 / 10	0 / 7	0 / 5	
Percentage of cycles resulting in live births	30.9	3 / 14	0 / 7	2 / 10	0 / 7	0 / 5	
Percentage of cycles resulting in pregnancy	36.4	3 / 14	0 / 7	3 / 10	0 / 7	0 / 5	
Outcomes per Transfer							
Number of transfers	44	12	5	6	3	5	
Percentage of transfers resulting in singleton live births	25.0	2 / 12	0 / 5	2 / 6	0 / 3	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5	0 / 6	0 / 3	0 / 5	
Percentage of transfers resulting in live births	38.6	3 / 12	0 / 5	2 / 6	0 / 3	0 / 5	
Percentage of transfers resulting in pregnancy	45.5	3 / 12	0 / 5	3 / 6	0 / 3	0 / 5	
Outcomes per Pregnancy							
Number of pregnancies	20	3	0	3	0	0	
Percentage of pregnancies resulting in singleton live births	55.0	2 / 3		2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3		0 / 3			
Percentage of pregnancies resulting in live births	85.0	3 / 3		2 / 3			
Frozen Embryos from Nondonor Eggs							
Number of cycles	9	1	1	0	0	0	
Number of transfers	9	1	1	0	0	0	
Estimated average number of transfers per retrieval	1.8	1.0					
Average number of embryos transferred	1.9	2.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 17	0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births	1 / 9	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 1	0 / 1				
Percentage of transfers resulting in live births	1 / 9	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 9	0 / 1	0 / 1				
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		6		0			
Number of transfers		6		0			
Average number of embryos transferred		2.3					
Percentage of embryos transferred resulting in implantation		1 / 14					
Percentage of transfers resulting in singleton live births		1 / 6					
Percentage of transfers resulting in live births		1 / 6					
Percentage of transfers resulting in pregnancy		1 / 6					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Rush-Copley Center for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**CENTER FOR REPRODUCTIVE MEDICINE & FERTILITY
THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	19%	Uterine factor	6%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	17%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	4%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 241 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	31	22	14	9	0
Percentage of cancellations	6.9	9.7	36.4	4 / 14	5 / 9	
Average number of embryos transferred	1.7	2.2	2.3	2.7	2.0	
Percentage of embryos transferred resulting in implantation	38.3	36.7	14.8	3 / 19	0 / 8	
Percentage of elective single embryo transfer (eSET)	23.3	4.5	0 / 10	1 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	22.6	13.6	1 / 14	0 / 9	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 9	
Percentage of cycles resulting in live births	37.9	38.7	13.6	1 / 14	0 / 9	
Percentage of cycles resulting in pregnancy	43.1	41.9	27.3	3 / 14	0 / 9	
Outcomes per Transfer						
Number of transfers	47	22	12	7	4	0
Percentage of transfers resulting in singleton live births	38.3	31.8	3 / 12	1 / 7	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 7	0 / 4	
Percentage of transfers resulting in live births	46.8	54.5	3 / 12	1 / 7	0 / 4	
Percentage of transfers resulting in pregnancy	53.2	59.1	6 / 12	3 / 7	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	25	13	6	3	0	0
Percentage of pregnancies resulting in singleton live births	72.0	7 / 13	3 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	88.0	12 / 13	3 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	19	14	4	0	0
Number of transfers	32	16	12	4	0	0
Estimated average number of transfers per retrieval	1.9	4.0	1.5	1.3	0.0	
Average number of embryos transferred	1.8	1.9	1.9	1.8		
Percentage of embryos transferred resulting in implantation	35.7	10.0	17.4	2 / 7		
Percentage of transfers resulting in singleton live births	28.1	1 / 16	1 / 12	2 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 12	0 / 4		
Percentage of transfers resulting in live births	40.6	1 / 16	2 / 12	2 / 4		
Percentage of transfers resulting in pregnancy	46.9	4 / 16	5 / 12	2 / 4		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		18		
Number of transfers		9		16		
Average number of embryos transferred		1.3		1.6		
Percentage of embryos transferred resulting in implantation		7 / 12		19.2		
Percentage of transfers resulting in singleton live births		3 / 9		5 / 16		
Percentage of transfers resulting in live births		4 / 9		5 / 16		
Percentage of transfers resulting in pregnancy		6 / 9		6 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine & Fertility, The University of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ilan Tur-Kaspa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	4%
Unstimulated	0%	Used PGD	22%	Ovulatory dysfunction	14%	Male factor	43%
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	25%
				Endometriosis	5%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 27%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 300 (includes 40 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	24	43	19	4	3
Percentage of cancellations	4.0	4.2	9.3	0 / 19	0 / 4	0 / 3
Average number of embryos transferred	1.9	1.7	2.1	2.1	4.0	1.0
Percentage of embryos transferred resulting in implantation	47.5	36.4	27.6	13.3	0 / 8	0 / 1
Percentage of elective single embryo transfer (eSET)	15.0	6 / 18	17.4	1 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	20.8	18.6	4 / 19	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 4	0 / 3
Percentage of cycles resulting in live births	48.0	29.2	23.3	4 / 19	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	52.0	41.7	27.9	4 / 19	0 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	42	20	28	14	2	1
Percentage of transfers resulting in singleton live births	33.3	25.0	28.6	4 / 14	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 2	0 / 1
Percentage of transfers resulting in live births	57.1	35.0	35.7	4 / 14	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	61.9	50.0	42.9	4 / 14	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	10	12	4	0	0
Percentage of pregnancies resulting in singleton live births	53.8	5 / 10	8 / 12	4 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 4		
Percentage of pregnancies resulting in live births	92.3	7 / 10	10 / 12	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	15	23	10	6	3
Number of transfers	37	15	23	10	6	3
Estimated average number of transfers per retrieval	1.5	2.1	1.4	0.9	1.5	3.0
Average number of embryos transferred	1.5	1.3	1.4	1.4	1.2	2.0
Percentage of embryos transferred resulting in implantation	50.9	8 / 19	21.2	3 / 14	4 / 7	4 / 6
Percentage of transfers resulting in singleton live births	37.8	8 / 15	13.0	3 / 10	2 / 6	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 10	0 / 6	0 / 3
Percentage of transfers resulting in live births	54.1	8 / 15	17.4	3 / 10	3 / 6	2 / 3
Percentage of transfers resulting in pregnancy	56.8	8 / 15	26.1	3 / 10	3 / 6	2 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		10		
Number of transfers		12		2		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		60.0		2 / 4		
Percentage of transfers resulting in singleton live births		8 / 12		0 / 2		
Percentage of transfers resulting in live births		10 / 12		1 / 2		
Percentage of transfers resulting in pregnancy		10 / 12		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Human Reproduction (IHR)					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Edmond Confino, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	5%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	4%
				Endometriosis	5%	Unknown factor	18%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 18%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 784 (includes 59 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	142	131	150	84	26	5
Percentage of cancellations	2.1	6.9	10.7	9.5	15.4	2 / 5
Average number of embryos transferred	1.8	1.9	2.2	2.4	3.1	2.3
Percentage of embryos transferred resulting in implantation	41.1	28.1	10.9	4.1	13.8	0 / 7
Percentage of elective single embryo transfer (eSET)	20.6	4.8	6.5	1.7	0 / 18	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	40.1	25.2	11.3	4.8	11.5	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	51.4	32.1	13.3	4.8	11.5	0 / 5
Percentage of cycles resulting in pregnancy	58.5	38.2	18.0	9.5	26.9	0 / 5
Outcomes per Transfer						
Number of transfers	137	118	124	71	19	3
Percentage of transfers resulting in singleton live births	41.6	28.0	13.7	5.6	3 / 19	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 3
Percentage of transfers resulting in live births	53.3	35.6	16.1	5.6	3 / 19	0 / 3
Percentage of transfers resulting in pregnancy	60.6	42.4	21.8	11.3	7 / 19	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	83	50	27	8	7	0
Percentage of pregnancies resulting in singleton live births	68.7	66.0	63.0	4 / 8	3 / 7	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 7	
Percentage of pregnancies resulting in live births	88.0	84.0	74.1	4 / 8	3 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	38	31	14	4	4
Number of transfers	35	33	30	12	3	4
Estimated average number of transfers per retrieval	0.6	1.2	1.2	1.3	3.0	1.3
Average number of embryos transferred	1.9	2.2	2.2	2.1	2.7	2.5
Percentage of embryos transferred resulting in implantation	16.7	15.3	12.1	12.0	2 / 8	1 / 10
Percentage of transfers resulting in singleton live births	25.7	6.1	13.3	2 / 12	0 / 3	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 3	0 / 4
Percentage of transfers resulting in live births	25.7	18.2	20.0	2 / 12	1 / 3	1 / 4
Percentage of transfers resulting in pregnancy	34.3	21.2	26.7	4 / 12	1 / 3	1 / 4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		23		38		
Number of transfers		21		35		
Average number of embryos transferred		1.9		2.1		
Percentage of embryos transferred resulting in implantation		30.0		16.7		
Percentage of transfers resulting in singleton live births		33.3		22.9		
Percentage of transfers resulting in live births		42.9		25.7		
Percentage of transfers resulting in pregnancy		47.6		31.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwestern University					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RIVER NORTH IVF-FERTILITY CENTERS OF ILLINOIS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Angeline Beltsos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	6%	Uterine factor	3%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	20%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	12%	
				Endometriosis	4%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 2,081 (includes 122 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	534	260	252	142	90	14
Percentage of cancellations	14.0	21.9	23.0	27.5	40.0	3 / 14
Average number of embryos transferred	1.7	1.9	2.2	2.6	2.9	3.0
Percentage of embryos transferred resulting in implantation	41.2	28.8	20.6	13.4	6.5	0.0
Percentage of elective single embryo transfer (eSET)	32.2	14.0	5.3	1.3	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	20.4	16.3	9.9	5.6	0 / 14
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.4	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	40.3	26.9	20.6	11.3	5.6	0 / 14
Percentage of cycles resulting in pregnancy	45.9	32.7	27.4	21.1	13.3	1 / 14
Outcomes per Transfer						
Number of transfers	427	189	179	92	47	10
Percentage of transfers resulting in singleton live births	39.8	28.0	22.9	15.2	10.6	0 / 10
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.6	0.0	0.0	0 / 10
Percentage of transfers resulting in live births	50.4	37.0	29.1	17.4	10.6	0 / 10
Percentage of transfers resulting in pregnancy	57.4	45.0	38.5	32.6	25.5	1 / 10
Outcomes per Pregnancy						
Number of pregnancies	245	85	69	30	12	1
Percentage of pregnancies resulting in singleton live births	69.4	62.4	59.4	46.7	5 / 12	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.8	0.0	1.4	0.0	0 / 12	0 / 1
Percentage of pregnancies resulting in live births	87.8	82.4	75.4	53.3	5 / 12	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	229	129	92	36	18	11
Number of transfers	212	122	84	35	17	9
Estimated average number of transfers per retrieval	1.7	1.8	1.5	1.5	1.5	0.8
Average number of embryos transferred	1.7	1.6	1.8	1.8	1.6	1.3
Percentage of embryos transferred resulting in implantation	41.6	32.2	33.6	19.4	25.9	1 / 12
Percentage of transfers resulting in singleton live births	43.4	33.6	38.1	20.0	2 / 17	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.2	0.0	0 / 17	0 / 9
Percentage of transfers resulting in live births	52.8	41.0	44.0	22.9	3 / 17	1 / 9
Percentage of transfers resulting in pregnancy	61.3	45.1	56.0	37.1	8 / 17	1 / 9
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		64		88		
Number of transfers		58		71		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		49.5		36.2		
Percentage of transfers resulting in singleton live births		44.8		29.6		
Percentage of transfers resulting in live births		58.6		42.3		
Percentage of transfers resulting in pregnancy		70.7		50.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: River North IVF-Fertility Centers of Illinois					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	28%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	12%	
				Endometriosis	12%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 129 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	17	37	17	1	1
Percentage of cancellations	9.1	3 / 17	27.0	5 / 17	0 / 1	1 / 1
Average number of embryos transferred	1.7	1.9	2.4	3.1	2.0	
Percentage of embryos transferred resulting in implantation	29.4	12.0	17.2	13.5	1 / 2	
Percentage of elective single embryo transfer (eSET)	6 / 18	2 / 13	0.0	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	3 / 17	8.1	4 / 17	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	2.7	0 / 17	0 / 1	0 / 1
Percentage of cycles resulting in live births	31.8	3 / 17	13.5	4 / 17	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	40.9	4 / 17	24.3	5 / 17	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	20	13	24	12	1	0
Percentage of transfers resulting in singleton live births	30.0	3 / 13	12.5	4 / 12	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	4.2	0 / 12	0 / 1	
Percentage of transfers resulting in live births	35.0	3 / 13	20.8	4 / 12	1 / 1	
Percentage of transfers resulting in pregnancy	45.0	4 / 13	37.5	5 / 12	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	9	4	9	5	1	0
Percentage of pregnancies resulting in singleton live births	6 / 9	3 / 4	3 / 9	4 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	1 / 9	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	7 / 9	3 / 4	5 / 9	4 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	8	3	2	1	0
Number of transfers	8	8	3	1	1	0
Estimated average number of transfers per retrieval	2.0	2.0	3.0		0.5	
Average number of embryos transferred	1.5	1.4	2.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	5 / 12	2 / 11	2 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	3 / 8	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 8	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	4 / 8	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 8	4 / 8	2 / 3	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		5			
Number of transfers	4		5			
Average number of embryos transferred	1.3		1.6			
Percentage of embryos transferred resulting in implantation	3 / 5		0 / 8			
Percentage of transfers resulting in singleton live births	3 / 4		0 / 5			
Percentage of transfers resulting in live births	3 / 4		0 / 5			
Percentage of transfers resulting in pregnancy	4 / 4		0 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Mary W. Molo, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	91%	Tubal factor	21%	Uterine factor	26%	Multiple Factors: Female factors only 34% Female & male factors 35%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	26%	Male factor	49%	
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	22%	
				Endometriosis	16%	Unknown factor	2%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 176 (includes 10 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		54	29	15	9	9	7
Percentage of cancellations		0.0	3.4	1 / 15	2 / 9	0 / 9	1 / 7
Average number of embryos transferred		2.0	2.2	1.9	2.4	3.2	1.8
Percentage of embryos transferred resulting in implantation		20.6	17.0	29.6	3 / 12	1 / 19	0 / 7
Percentage of elective single embryo transfer (eSET)		9.1	0.0	2 / 11	0 / 4	0 / 5	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		20.4	17.2	2 / 15	2 / 9	0 / 9	0 / 7
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0 / 15	0 / 9	0 / 9	0 / 7
Percentage of cycles resulting in live births		25.9	20.7	3 / 15	2 / 9	0 / 9	0 / 7
Percentage of cycles resulting in pregnancy		33.3	27.6	5 / 15	3 / 9	1 / 9	0 / 7
Outcomes per Transfer							
Number of transfers		50	24	14	5	6	4
Percentage of transfers resulting in singleton live births		22.0	20.8	2 / 14	2 / 5	0 / 6	0 / 4
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 14	0 / 5	0 / 6	0 / 4
Percentage of transfers resulting in live births		28.0	25.0	3 / 14	2 / 5	0 / 6	0 / 4
Percentage of transfers resulting in pregnancy		36.0	33.3	5 / 14	3 / 5	1 / 6	0 / 4
Outcomes per Pregnancy							
Number of pregnancies		18	8	5	3	1	0
Percentage of pregnancies resulting in singleton live births		11 / 18	5 / 8	2 / 5	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		0 / 18	0 / 8	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births		14 / 18	6 / 8	3 / 5	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		17	8	4	2	1	1
Number of transfers		16	8	4	1	1	1
Estimated average number of transfers per retrieval		1.6	0.9	4.0			
Average number of embryos transferred		2.4	2.1	2.3	3.0	1.0	3.0
Percentage of embryos transferred resulting in implantation		10.5	3 / 17	1 / 9	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births		3 / 16	0 / 8	1 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 16	0 / 8	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births		3 / 16	1 / 8	1 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		4 / 16	2 / 8	1 / 4	0 / 1	0 / 1	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		9			1		
Number of transfers		8			1		
Average number of embryos transferred		1.8			3.0		
Percentage of embryos transferred resulting in implantation		7 / 14			0 / 3		
Percentage of transfers resulting in singleton live births		3 / 8			0 / 1		
Percentage of transfers resulting in live births		4 / 8			0 / 1		
Percentage of transfers resulting in pregnancy		5 / 8			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Women's Health Consultants					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF
CREST HILL, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Scott Springer, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	3%	
				Endometriosis	5%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 132 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	19	13	7	0	0
Percentage of cancellations	5.9	2 / 19	1 / 13	1 / 7		
Average number of embryos transferred	2.0	2.1	2.7	2.2		
Percentage of embryos transferred resulting in implantation	37.8	16.1	16.7	0 / 11		
Percentage of elective single embryo transfer (eSET)	1.8	1 / 15	0 / 11	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.1	3 / 19	3 / 13	0 / 7		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 13	0 / 7		
Percentage of cycles resulting in live births	41.2	4 / 19	3 / 13	0 / 7		
Percentage of cycles resulting in pregnancy	50.0	6 / 19	4 / 13	0 / 7		
Outcomes per Transfer						
Number of transfers	63	15	11	5	0	0
Percentage of transfers resulting in singleton live births	23.8	3 / 15	3 / 11	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 5		
Percentage of transfers resulting in live births	44.4	4 / 15	3 / 11	0 / 5		
Percentage of transfers resulting in pregnancy	54.0	6 / 15	4 / 11	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	34	6	4	0	0	0
Percentage of pregnancies resulting in singleton live births	44.1	3 / 6	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 4			
Percentage of pregnancies resulting in live births	82.4	4 / 6	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	2	3	0	0	1
Number of transfers	15	2	3	0	0	1
Estimated average number of transfers per retrieval	1.5	0.7				
Average number of embryos transferred	1.9	2.5	1.7			3.0
Percentage of embryos transferred resulting in implantation	10.7	0 / 5	0 / 5			0 / 3
Percentage of transfers resulting in singleton live births	1 / 15	0 / 2	0 / 3			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 2	0 / 3			0 / 1
Percentage of transfers resulting in live births	2 / 15	0 / 2	0 / 3			0 / 1
Percentage of transfers resulting in pregnancy	2 / 15	0 / 2	0 / 3			0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		3		1		
Number of transfers		3		1		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		5 / 6		1 / 2		
Percentage of transfers resulting in singleton live births		1 / 3		0 / 1		
Percentage of transfers resulting in live births		3 / 3		0 / 1		
Percentage of transfers resulting in pregnancy		3 / 3		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	43%	Tubal factor	21%	Uterine factor	0%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	21%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	10%
				Endometriosis	15%	Unknown factor	4%
				<i>Multiple Factors:</i> Female factors only 7% Female & male factors 14%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 155 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	15	24	9	7	0
Percentage of cancellations	11.9	2 / 15	16.7	1 / 9	3 / 7	
Average number of embryos transferred	2.1	2.8	2.8	3.8	3.0	
Percentage of embryos transferred resulting in implantation	34.9	11.1	9.1	0.0	0 / 12	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 13	5.0	0 / 8	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.9	2 / 15	20.8	0 / 9	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 9	0 / 7	
Percentage of cycles resulting in live births	35.6	2 / 15	20.8	0 / 9	0 / 7	
Percentage of cycles resulting in pregnancy	40.7	4 / 15	20.8	0 / 9	0 / 7	
Outcomes per Transfer						
Number of transfers	51	13	20	8	4	0
Percentage of transfers resulting in singleton live births	19.6	2 / 13	25.0	0 / 8	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 8	0 / 4	
Percentage of transfers resulting in live births	41.2	2 / 13	25.0	0 / 8	0 / 4	
Percentage of transfers resulting in pregnancy	47.1	4 / 13	25.0	0 / 8	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	24	4	5	0	0	0
Percentage of pregnancies resulting in singleton live births	41.7	2 / 4	5 / 5			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 5			
Percentage of pregnancies resulting in live births	87.5	2 / 4	5 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	7	5	2	1	2
Number of transfers	11	7	5	2	1	2
Estimated average number of transfers per retrieval	2.2	3.5	2.5			
Average number of embryos transferred	2.1	2.0	2.2	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	8.7	7 / 14	2 / 11	0 / 5	0 / 2	2 / 4
Percentage of transfers resulting in singleton live births	1 / 11	4 / 7	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 7	0 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	1 / 11	4 / 7	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	3 / 11	6 / 7	2 / 5	0 / 2	0 / 1	1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		0		
Number of transfers		7		0		
Average number of embryos transferred		2.1				
Percentage of embryos transferred resulting in implantation		2 / 15				
Percentage of transfers resulting in singleton live births		1 / 7				
Percentage of transfers resulting in live births		1 / 7				
Percentage of transfers resulting in pregnancy		2 / 7				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	10%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	6%	
				Endometriosis	9%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 644 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	239	79	61	19	8	2
Percentage of cancellations	3.3	6.3	9.8	5 / 19	1 / 8	0 / 2
Average number of embryos transferred	1.9	2.1	2.5	2.9	2.8	4.5
Percentage of embryos transferred resulting in implantation	47.1	34.7	33.3	22.0	1 / 14	1 / 9
Percentage of elective single embryo transfer (eSET)	9.2	7.4	2.1	0 / 13	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.2	40.5	31.1	3 / 19	1 / 8	1 / 2
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 19	0 / 8	0 / 2
Percentage of cycles resulting in live births	53.1	50.6	41.0	5 / 19	1 / 8	1 / 2
Percentage of cycles resulting in pregnancy	62.3	54.4	50.8	7 / 19	1 / 8	1 / 2
Outcomes per Transfer						
Number of transfers	224	73	51	14	5	2
Percentage of transfers resulting in singleton live births	34.4	43.8	37.3	3 / 14	1 / 5	1 / 2
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 14	0 / 5	0 / 2
Percentage of transfers resulting in live births	56.7	54.8	49.0	5 / 14	1 / 5	1 / 2
Percentage of transfers resulting in pregnancy	66.5	58.9	60.8	7 / 14	1 / 5	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	149	43	31	7	1	1
Percentage of pregnancies resulting in singleton live births	51.7	74.4	61.3	3 / 7	1 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 7	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	85.2	93.0	80.6	5 / 7	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	14	17	2	2	0
Number of transfers	61	14	17	2	2	0
Estimated average number of transfers per retrieval	1.4	1.6	3.4	0.7	2.0	
Average number of embryos transferred	1.5	1.6	1.6	1.5	2.5	
Percentage of embryos transferred resulting in implantation	57.4	77.3	51.9	1 / 3	1 / 5	
Percentage of transfers resulting in singleton live births	45.9	7 / 14	7 / 17	1 / 2	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in live births	59.0	12 / 14	10 / 17	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancy	73.8	12 / 14	11 / 17	1 / 2	1 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		97		34		
Number of transfers		93		33		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		77.2		51.0		
Percentage of transfers resulting in singleton live births		40.9		36.4		
Percentage of transfers resulting in live births		81.7		54.5		
Percentage of transfers resulting in pregnancy		88.2		60.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD. HANOVER PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Ketan Jobanputra, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	29%	Uterine factor	10%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	14%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	14%	Unknown factor	33%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				10%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 21 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		10	4	2	1	3	0
Percentage of cancellations		0 / 10	0 / 4	0 / 2	0 / 1	0 / 3	
Average number of embryos transferred		2.7	2.5	4.0	5.0	4.5	
Percentage of embryos transferred resulting in implantation		12.5	0 / 10	0 / 8	0 / 5	1 / 9	
Percentage of elective single embryo transfer (eSET)		0 / 8	0 / 3	0 / 2	0 / 1	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		3 / 10	0 / 4	0 / 2	0 / 1	1 / 3	
Percentage of cycles resulting in triplets or more live births		0 / 10	0 / 4	0 / 2	0 / 1	0 / 3	
Percentage of cycles resulting in live births		3 / 10	0 / 4	0 / 2	0 / 1	1 / 3	
Percentage of cycles resulting in pregnancy		3 / 10	0 / 4	0 / 2	0 / 1	1 / 3	
Outcomes per Transfer							
Number of transfers		9	4	2	1	2	0
Percentage of transfers resulting in singleton live births		3 / 9	0 / 4	0 / 2	0 / 1	1 / 2	
Percentage of transfers resulting in triplets or more live births		0 / 9	0 / 4	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in live births		3 / 9	0 / 4	0 / 2	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancy		3 / 9	0 / 4	0 / 2	0 / 1	1 / 2	
Outcomes per Pregnancy							
Number of pregnancies		3	0	0	0	1	0
Percentage of pregnancies resulting in singleton live births		3 / 3				1 / 1	
Percentage of pregnancies resulting in triplets or more live births		0 / 3				0 / 1	
Percentage of pregnancies resulting in live births		3 / 3				1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	0	0	1	0	0
Number of transfers		0	0	0	1	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation					0 / 1		
Percentage of transfers resulting in singleton live births					0 / 1		
Percentage of transfers resulting in triplets or more live births					0 / 1		
Percentage of transfers resulting in live births					0 / 1		
Percentage of transfers resulting in pregnancy					0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Chicago Infertility Associates, Ltd.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Edward L. Marut, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	4%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	13%	Male factor	19%	
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	39%	
				Endometriosis	3%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 2,533 (includes 347 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	410	267	264	185	86	14
Percentage of cancellations	6.8	13.1	19.3	19.5	34.9	5 / 14
Average number of embryos transferred	1.9	2.0	2.2	2.4	2.5	2.2
Percentage of embryos transferred resulting in implantation	39.8	26.0	16.9	7.7	7.1	0.0
Percentage of elective single embryo transfer (eSET)	19.1	11.3	3.1	7.8	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.2	18.7	15.9	5.4	3.5	0 / 14
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	37.8	26.6	17.8	6.5	3.5	0 / 14
Percentage of cycles resulting in pregnancy	46.3	31.5	22.3	11.4	8.1	0 / 14
Outcomes per Transfer						
Number of transfers	352	211	191	126	45	9
Percentage of transfers resulting in singleton live births	27.0	23.7	22.0	7.9	6.7	0 / 9
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	44.0	33.6	24.6	9.5	6.7	0 / 9
Percentage of transfers resulting in pregnancy	54.0	39.8	30.9	16.7	15.6	0 / 9
Outcomes per Pregnancy						
Number of pregnancies	190	84	59	21	7	0
Percentage of pregnancies resulting in singleton live births	50.0	59.5	71.2	47.6	3 / 7	
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0.0	0.0	0 / 7	
Percentage of pregnancies resulting in live births	81.6	84.5	79.7	57.1	3 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	254	171	113	52	16	5
Number of transfers	240	155	103	46	12	5
Estimated average number of transfers per retrieval	1.5	1.2	0.8	0.6	0.5	0.3
Average number of embryos transferred	1.6	1.6	1.6	1.7	1.7	2.6
Percentage of embryos transferred resulting in implantation	32.9	34.3	29.4	25.0	10.0	0 / 13
Percentage of transfers resulting in singleton live births	32.9	36.1	28.2	21.7	2 / 12	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 5
Percentage of transfers resulting in live births	40.8	43.2	32.0	28.3	2 / 12	0 / 5
Percentage of transfers resulting in pregnancy	51.3	48.4	40.8	43.5	2 / 12	0 / 5
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		139		210		
Number of transfers		121		194		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		50.9		29.5		
Percentage of transfers resulting in singleton live births		33.1		25.3		
Percentage of transfers resulting in live births		59.5		34.0		
Percentage of transfers resulting in pregnancy		71.9		42.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Highland Park IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	7%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 23%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	12%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	8%	
				Endometriosis	4%	Unknown factor	4%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 100 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	10	12	5	0	0
Percentage of cancellations	20.6	4 / 10	3 / 12	4 / 5		
Average number of embryos transferred	2.1	2.8	2.6			
Percentage of embryos transferred resulting in implantation	24.4	3 / 14	3 / 18			
Percentage of elective single embryo transfer (eSET)	0 / 18	0 / 5	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.7	0 / 10	1 / 12	0 / 5		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 5		
Percentage of cycles resulting in live births	20.6	1 / 10	2 / 12	0 / 5		
Percentage of cycles resulting in pregnancy	20.6	2 / 10	2 / 12	0 / 5		
Outcomes per Transfer						
Number of transfers	20	5	7	0	0	0
Percentage of transfers resulting in singleton live births	25.0	0 / 5	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 7			
Percentage of transfers resulting in live births	35.0	1 / 5	2 / 7			
Percentage of transfers resulting in pregnancy	35.0	2 / 5	2 / 7			
Outcomes per Pregnancy						
Number of pregnancies	7	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	0 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	7 / 7	1 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	11	6	0	1	1
Number of transfers	16	10	4	0	1	1
Estimated average number of transfers per retrieval	1.2	2.0	1.3			1.0
Average number of embryos transferred	2.4	2.1	2.8		2.0	3.0
Percentage of embryos transferred resulting in implantation	7.9	9.5	2 / 11		0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	3 / 16	0 / 10	0 / 4		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 10	0 / 4		0 / 1	0 / 1
Percentage of transfers resulting in live births	3 / 16	1 / 10	1 / 4		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	4 / 16	1 / 10	1 / 4		0 / 1	0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hinsdale Center for Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	2%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	48%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	19%	
				Endometriosis	6%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 57 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	4	7	6	1	1
Percentage of cancellations	3 / 19	0 / 4	0 / 7	0 / 6	0 / 1	1 / 1
Average number of embryos transferred	1.9	2.0	2.6	2.3		
Percentage of embryos transferred resulting in implantation	44.0	2 / 8	2 / 18	0 / 9		
Percentage of elective single embryo transfer (eSET)	3 / 13	0 / 3	0 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 19	2 / 4	1 / 7	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 4	0 / 7	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births	8 / 19	2 / 4	1 / 7	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	8 / 19	2 / 4	2 / 7	0 / 6	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	13	4	7	4	0	0
Percentage of transfers resulting in singleton live births	6 / 13	2 / 4	1 / 7	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4	0 / 7	0 / 4		
Percentage of transfers resulting in live births	8 / 13	2 / 4	1 / 7	0 / 4		
Percentage of transfers resulting in pregnancy	8 / 13	2 / 4	2 / 7	0 / 4		
Outcomes per Pregnancy						
Number of pregnancies	8	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 8	2 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	2 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	2	0	0	1
Number of transfers	8	3	2	0	0	1
Estimated average number of transfers per retrieval	1.1	3.0	2.0			
Average number of embryos transferred	1.5	1.7	1.5			1.0
Percentage of embryos transferred resulting in implantation	3 / 12	3 / 5	2 / 3			0 / 1
Percentage of transfers resulting in singleton live births	2 / 8	1 / 3	1 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2			0 / 1
Percentage of transfers resulting in live births	2 / 8	2 / 3	1 / 2			0 / 1
Percentage of transfers resulting in pregnancy	3 / 8	3 / 3	1 / 2			0 / 1
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reena Jabamoni, MD, SC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**KARANDE AND ASSOCIATES, SC DBA
InVIA FERTILITY SPECIALISTS
HOFFMAN ESTATES, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Vishvanath C. Karande, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 1% Female & male factors 8%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	1%	
				Endometriosis	7%	Unknown factor	33%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 621 (includes 28 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	222	96	64	38	11	2	
Percentage of cancellations	10.4	13.5	20.3	13.2	0 / 11	0 / 2	
Average number of embryos transferred	1.9	2.0	2.6	2.8	3.8	1.0	
Percentage of embryos transferred resulting in implantation	34.6	22.9	12.0	9.3	3.3	0 / 1	
Percentage of elective single embryo transfer (eSET)	4.6	0.0	0.0	0.0	0 / 7		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	24.3	15.6	14.1	15.8	1 / 11	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 11	0 / 2	
Percentage of cycles resulting in live births	38.7	25.0	17.2	15.8	1 / 11	0 / 2	
Percentage of cycles resulting in pregnancy	41.9	28.1	20.3	21.1	1 / 11	0 / 2	
Outcomes per Transfer							
Number of transfers	197	80	48	31	8	1	
Percentage of transfers resulting in singleton live births	27.4	18.8	18.8	19.4	1 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of transfers resulting in live births	43.7	30.0	22.9	19.4	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	47.2	33.8	27.1	25.8	1 / 8	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies	93	27	13	8	1	0	
Percentage of pregnancies resulting in singleton live births	58.1	55.6	9 / 13	6 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0 / 13	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	92.5	88.9	11 / 13	6 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	55	19	11	5	0	2	
Number of transfers	42	15	10	3	0	0	
Estimated average number of transfers per retrieval	1.3	0.9	2.5	3.0		0.0	
Average number of embryos transferred	1.5	1.6	1.7	1.0			
Percentage of embryos transferred resulting in implantation	42.2	39.1	8 / 17	1 / 3			
Percentage of transfers resulting in singleton live births	54.8	4 / 15	4 / 10	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	1 / 15	0 / 10	0 / 3			
Percentage of transfers resulting in live births	54.8	6 / 15	4 / 10	1 / 3			
Percentage of transfers resulting in pregnancy	57.1	6 / 15	5 / 10	1 / 3			
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		31		37			
Number of transfers		30		30			
Average number of embryos transferred		1.8		1.5			
Percentage of embryos transferred resulting in implantation		50.9		59.1			
Percentage of transfers resulting in singleton live births		30.0		46.7			
Percentage of transfers resulting in live births		53.3		63.3			
Percentage of transfers resulting in pregnancy		66.7		66.7			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Karande and Associates, SC dba, InVia Fertility Specialists					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Marek W. Piekos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	23%	Uterine factor	14%	
Unstimulated	2%	Used PGD	3%	Ovulatory dysfunction	30%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	10%	
				Endometriosis	16%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 85 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	12	12	6	1	1
Percentage of cancellations	10.0	0 / 12	2 / 12	2 / 6	1 / 1	0 / 1
Average number of embryos transferred	2.2	2.6	2.3	3.0		
Percentage of embryos transferred resulting in implantation	40.4	10.3	13.0	0 / 12		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 10	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.0	1 / 12	1 / 12	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	3.3	0 / 12	0 / 12	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births	40.0	2 / 12	1 / 12	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	43.3	2 / 12	3 / 12	0 / 6	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	26	11	10	4	0	0
Percentage of transfers resulting in singleton live births	11.5	1 / 11	1 / 10	0 / 4		
Percentage of transfers resulting in triplets or more live births	3.8	0 / 11	0 / 10	0 / 4		
Percentage of transfers resulting in live births	46.2	2 / 11	1 / 10	0 / 4		
Percentage of transfers resulting in pregnancy	50.0	2 / 11	3 / 10	0 / 4		
Outcomes per Pregnancy						
Number of pregnancies	13	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 13	1 / 2	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	1 / 13	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	12 / 13	2 / 2	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	1	4	0	0
Number of transfers	7	5	1	4	0	0
Estimated average number of transfers per retrieval	2.3	1.3		4.0		
Average number of embryos transferred	2.4	2.2	1.0	2.3		
Percentage of embryos transferred resulting in implantation	3 / 17	3 / 11	0 / 1	2 / 9		
Percentage of transfers resulting in singleton live births	2 / 7	1 / 5	0 / 1	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 5	0 / 1	0 / 4		
Percentage of transfers resulting in live births	2 / 7	1 / 5	0 / 1	1 / 4		
Percentage of transfers resulting in pregnancy	2 / 7	2 / 5	0 / 1	1 / 4		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		4		
Number of transfers		0		4		
Average number of embryos transferred				2.3		
Percentage of embryos transferred resulting in implantation				1 / 9		
Percentage of transfers resulting in singleton live births				1 / 4		
Percentage of transfers resulting in live births				1 / 4		
Percentage of transfers resulting in pregnancy				1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD & ASSOCIATES
NAPERVILLE, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	5%	Uterine factor	12%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	4%	
				Endometriosis	8%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 481 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	93	80	48	12	11
Percentage of cancellations	7.6	18.3	21.3	18.8	5 / 12	2 / 11
Average number of embryos transferred	1.9	2.3	2.7	2.8	2.2	3.9
Percentage of embryos transferred resulting in implantation	36.8	24.5	19.3	6.8	1 / 11	0.0
Percentage of elective single embryo transfer (eSET)	1.4	3.4	0.0	0 / 19	0 / 3	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	21.5	16.3	4.2	0 / 12	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 11
Percentage of cycles resulting in live births	32.8	25.8	20.0	4.2	0 / 12	0 / 11
Percentage of cycles resulting in pregnancy	38.7	32.3	23.8	12.5	1 / 12	0 / 11
Outcomes per Transfer						
Number of transfers	85	65	54	26	5	7
Percentage of transfers resulting in singleton live births	34.1	30.8	24.1	7.7	0 / 5	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 7
Percentage of transfers resulting in live births	45.9	36.9	29.6	7.7	0 / 5	0 / 7
Percentage of transfers resulting in pregnancy	54.1	46.2	35.2	23.1	1 / 5	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	46	30	19	6	1	0
Percentage of pregnancies resulting in singleton live births	63.0	66.7	13 / 19	2 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	84.8	80.0	16 / 19	2 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	25	10	9	1	1
Number of transfers	41	24	10	8	1	1
Estimated average number of transfers per retrieval	1.6	2.0	1.7	1.6		1.0
Average number of embryos transferred	1.9	2.1	2.3	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation	39.2	35.3	26.1	1 / 15	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	39.0	37.5	2 / 10	1 / 8	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.2	50.0	4 / 10	1 / 8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	58.5	62.5	5 / 10	1 / 8	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		4		
Number of transfers		15		3		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		46.7		2 / 5		
Percentage of transfers resulting in singleton live births		3 / 15		0 / 3		
Percentage of transfers resulting in live births		8 / 15		1 / 3		
Percentage of transfers resulting in pregnancy		9 / 15		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	14%	Uterine factor	8%
Unstimulated	<1%	Used PGD	34%	Ovulatory dysfunction	12%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	10%
				Endometriosis	6%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 13% Female & male factors 17%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 473 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	111	41	37	29	12	3
Percentage of cancellations	8.1	4.9	10.8	20.7	3 / 12	1 / 3
Average number of embryos transferred	1.9	1.9	2.6	2.5	2.0	1.5
Percentage of embryos transferred resulting in implantation	29.9	17.5	21.2	20.0	0 / 6	0 / 3
Percentage of elective single embryo transfer (eSET)	9.1	7.7	15.0	2 / 10	1 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.6	14.6	16.2	6.9	0 / 12	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 3
Percentage of cycles resulting in live births	30.6	19.5	21.6	10.3	0 / 12	0 / 3
Percentage of cycles resulting in pregnancy	36.9	19.5	24.3	17.2	0 / 12	0 / 3
Outcomes per Transfer						
Number of transfers	93	30	20	12	3	2
Percentage of transfers resulting in singleton live births	25.8	20.0	30.0	2 / 12	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births	36.6	26.7	40.0	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	44.1	26.7	45.0	5 / 12	0 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	41	8	9	5	0	0
Percentage of pregnancies resulting in singleton live births	58.5	6 / 8	6 / 9	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 5		
Percentage of pregnancies resulting in live births	82.9	8 / 8	8 / 9	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	30	19	16	3	0
Number of transfers	61	28	17	11	3	0
Estimated average number of transfers per retrieval	1.6	1.2	2.4	1.0	0.8	
Average number of embryos transferred	1.8	1.8	1.8	1.8	1.7	
Percentage of embryos transferred resulting in implantation	30.4	22.0	19.4	15.0	0 / 5	
Percentage of transfers resulting in singleton live births	36.1	35.7	4 / 17	3 / 11	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 11	0 / 3	
Percentage of transfers resulting in live births	44.3	35.7	5 / 17	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancy	55.7	39.3	8 / 17	5 / 11	1 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		38		62		
Number of transfers		33		49		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		44.4		19.1		
Percentage of transfers resulting in singleton live births		24.2		18.4		
Percentage of transfers resulting in live births		48.5		26.5		
Percentage of transfers resulting in pregnancy		60.6		36.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF1					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by W. Paul Dmowski, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	8%	Uterine factor	3%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	23%	Male factor	21%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	20%	
				Endometriosis	8%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 783 (includes 16 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	210	99	97	63	21	6
Percentage of cancellations	7.6	14.1	12.4	17.5	14.3	0 / 6
Average number of embryos transferred	1.8	1.9	2.0	2.4	2.6	2.2
Percentage of embryos transferred resulting in implantation	35.2	32.8	20.6	12.3	0.0	0 / 11
Percentage of elective single embryo transfer (eSET)	13.8	11.1	9.8	6.9	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.5	18.2	14.4	7.9	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	28.6	25.3	17.5	9.5	0.0	0 / 6
Percentage of cycles resulting in pregnancy	32.4	35.4	21.6	14.3	0.0	0 / 6
Outcomes per Transfer						
Number of transfers	133	67	64	34	9	5
Percentage of transfers resulting in singleton live births	30.8	26.9	21.9	14.7	0 / 9	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 5
Percentage of transfers resulting in live births	45.1	37.3	26.6	17.6	0 / 9	0 / 5
Percentage of transfers resulting in pregnancy	51.1	52.2	32.8	26.5	0 / 9	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	68	35	21	9	0	0
Percentage of pregnancies resulting in singleton live births	60.3	51.4	66.7	5 / 9		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	88.2	71.4	81.0	6 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	114	42	39	5	2	0
Number of transfers	108	37	32	5	2	0
Estimated average number of transfers per retrieval	1.9	1.9	1.9	1.0	0.7	
Average number of embryos transferred	1.8	1.9	1.9	2.2	2.5	
Percentage of embryos transferred resulting in implantation	32.2	27.1	29.0	4 / 11	0 / 5	
Percentage of transfers resulting in singleton live births	31.5	24.3	12.5	3 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.1	0 / 5	0 / 2	
Percentage of transfers resulting in live births	38.9	29.7	31.3	3 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	49.1	45.9	43.8	4 / 5	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		31		38		
Number of transfers		26		35		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		43.5		38.8		
Percentage of transfers resulting in singleton live births		50.0		31.4		
Percentage of transfers resulting in live births		57.7		42.9		
Percentage of transfers resulting in pregnancy		65.4		51.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	13%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	88%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 8 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	1	1	0	0
Percentage of cancellations			0 / 1	0 / 1		
Average number of embryos transferred			3.0	3.0		
Percentage of embryos transferred resulting in implantation			0 / 3	0 / 3		
Percentage of elective single embryo transfer (eSET)			0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births			0 / 1	0 / 1		
Percentage of cycles resulting in triplets or more live births			0 / 1	0 / 1		
Percentage of cycles resulting in live births			0 / 1	0 / 1		
Percentage of cycles resulting in pregnancy			0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	0	0	1	1	0	0
Percentage of transfers resulting in singleton live births			0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births			0 / 1	0 / 1		
Percentage of transfers resulting in live births			0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy			0 / 1	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	2	0	0	1
Number of transfers	0	1	2	0	0	1
Estimated average number of transfers per retrieval						
Average number of embryos transferred		2.0	2.0			3.0
Percentage of embryos transferred resulting in implantation		2 / 2	1 / 4			0 / 3
Percentage of transfers resulting in singleton live births		0 / 1	1 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 2			0 / 1
Percentage of transfers resulting in live births		1 / 1	1 / 2			0 / 1
Percentage of transfers resulting in pregnancy		1 / 1	1 / 2			0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		0		
Number of transfers		2		0		
Average number of embryos transferred		2.5				
Percentage of embryos transferred resulting in implantation		1 / 5				
Percentage of transfers resulting in singleton live births		0 / 2				
Percentage of transfers resulting in live births		0 / 2				
Percentage of transfers resulting in pregnancy		1 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Daniel Rostein, MD, SC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	31%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	36%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	28%	
				Endometriosis	33%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				31%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 144 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	13	11	4	1	0
Percentage of cancellations	10.2	0 / 13	0 / 11	1 / 4	1 / 1	
Average number of embryos transferred	2.1	2.2	2.6	2.0		
Percentage of embryos transferred resulting in implantation	20.5	15.4	26.1	1 / 6		
Percentage of elective single embryo transfer (eSET)	7.9	0 / 12	0 / 9	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.3	2 / 13	3 / 11	1 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 4	0 / 1	
Percentage of cycles resulting in live births	22.4	3 / 13	4 / 11	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	28.6	3 / 13	5 / 11	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	41	12	9	3	0	0
Percentage of transfers resulting in singleton live births	19.5	2 / 12	3 / 9	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 3		
Percentage of transfers resulting in live births	26.8	3 / 12	4 / 9	1 / 3		
Percentage of transfers resulting in pregnancy	34.1	3 / 12	5 / 9	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	14	3	5	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 14	2 / 3	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 3	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	11 / 14	3 / 3	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	10	4	0	0	0
Number of transfers	28	10	4	0	0	0
Estimated average number of transfers per retrieval	4.0	1.7				
Average number of embryos transferred	2.3	2.3	2.3			
Percentage of embryos transferred resulting in implantation	10.8	17.4	0 / 9			
Percentage of transfers resulting in singleton live births	25.0	3 / 10	0 / 4			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 4			
Percentage of transfers resulting in live births	25.0	3 / 10	0 / 4			
Percentage of transfers resulting in pregnancy	32.1	5 / 10	0 / 4			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		10			
Number of transfers	12		8			
Average number of embryos transferred	1.7		2.1			
Percentage of embryos transferred resulting in implantation	55.0		2 / 17			
Percentage of transfers resulting in singleton live births	6 / 12		0 / 8			
Percentage of transfers resulting in live births	8 / 12		0 / 8			
Percentage of transfers resulting in pregnancy	8 / 12		1 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health and Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Joel G. Brasch, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	86%	Tubal factor	21%	Uterine factor	7%
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	18%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	3%
				Endometriosis	8%	Unknown factor	15%
				<i>Multiple Factors:</i> Female factors only 16% Female & male factors 22%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 598 (includes 10 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	191	72	82	33	26	15	
Percentage of cancellations	3.1	18.1	11.0	6.1	19.2	4 / 15	
Average number of embryos transferred	2.0	2.2	2.5	2.7	2.6	3.0	
Percentage of embryos transferred resulting in implantation	27.1	17.9	11.3	5.1	4.3	0 / 18	
Percentage of elective single embryo transfer (eSET)	6.0	2.1	0.0	0.0	0 / 15	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	22.5	19.4	18.3	12.1	3.8	0 / 15	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 15	
Percentage of cycles resulting in live births	30.4	22.2	19.5	12.1	3.8	0 / 15	
Percentage of cycles resulting in pregnancy	37.2	23.6	22.0	24.2	7.7	0 / 15	
Outcomes per Transfer							
Number of transfers	179	54	67	29	18	6	
Percentage of transfers resulting in singleton live births	24.0	25.9	22.4	13.8	1 / 18	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 6	
Percentage of transfers resulting in live births	32.4	29.6	23.9	13.8	1 / 18	0 / 6	
Percentage of transfers resulting in pregnancy	39.7	31.5	26.9	27.6	2 / 18	0 / 6	
Outcomes per Pregnancy							
Number of pregnancies	71	17	18	8	2	0	
Percentage of pregnancies resulting in singleton live births	60.6	14 / 17	15 / 18	4 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 18	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	81.7	16 / 17	16 / 18	4 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	92	24	21	4	5	2	
Number of transfers	91	24	21	4	5	2	
Estimated average number of transfers per retrieval	1.3	1.3	1.8		1.3	1.0	
Average number of embryos transferred	2.1	2.5	2.3	2.5	3.0	4.0	
Percentage of embryos transferred resulting in implantation	18.9	23.0	8.2	0 / 10	0 / 15	0 / 8	
Percentage of transfers resulting in singleton live births	25.3	33.3	14.3	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in live births	30.8	37.5	14.3	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	36.3	50.0	14.3	0 / 4	0 / 5	0 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		8		13			
Number of transfers		8		13			
Average number of embryos transferred		1.9		2.3			
Percentage of embryos transferred resulting in implantation		7 / 15		16.7			
Percentage of transfers resulting in singleton live births		3 / 8		2 / 13			
Percentage of transfers resulting in live births		4 / 8		3 / 13			
Percentage of transfers resulting in pregnancy		5 / 8		4 / 13			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Chicago IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY, SC SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Anne Borkowski, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	10%	Uterine factor	4%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	18%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	10%	
				Endometriosis	7%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 251 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	63	28	41	15	3
Percentage of cancellations	2.4	4.8	7.1	12.2	4 / 15	1 / 3
Average number of embryos transferred	2.1	2.2	2.1	2.3	3.0	1.0
Percentage of embryos transferred resulting in implantation	29.8	22.8	12.2	4.7	0 / 15	0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	2.1	0 / 10	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.6	20.6	7.1	4.9	0 / 15	0 / 3
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 15	0 / 3
Percentage of cycles resulting in live births	22.0	22.2	7.1	4.9	0 / 15	0 / 3
Percentage of cycles resulting in pregnancy	41.5	36.5	10.7	9.8	1 / 15	0 / 3
Outcomes per Transfer						
Number of transfers	72	51	20	28	5	1
Percentage of transfers resulting in singleton live births	16.7	25.5	10.0	7.1	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births	25.0	27.5	10.0	7.1	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	47.2	45.1	15.0	14.3	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	34	23	3	4	1	0
Percentage of pregnancies resulting in singleton live births	35.3	56.5	2 / 3	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0.0	0 / 3	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	52.9	60.9	2 / 3	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	5	3	3	0	1
Number of transfers	2	5	2	3	0	1
Estimated average number of transfers per retrieval	1.0	1.0	2.0	0.8		
Average number of embryos transferred	1.5	2.4	2.5	1.7		2.0
Percentage of embryos transferred resulting in implantation	2 / 3	0 / 12	0 / 5	0 / 5		0 / 2
Percentage of transfers resulting in singleton live births	0 / 2	0 / 5	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 5	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 2	0 / 5	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	1 / 2	0 / 5	0 / 2	0 / 3		0 / 1
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	4			1		
Number of transfers	3			1		
Average number of embryos transferred	2.3			1.0		
Percentage of embryos transferred resulting in implantation	4 / 7			0 / 1		
Percentage of transfers resulting in singleton live births	0 / 3			0 / 1		
Percentage of transfers resulting in live births	1 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	2 / 3			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

SOUTHERN ILLINOIS UNIVERSITY FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	18%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	26%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 122 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	24	16	0	0	0
Percentage of cancellations	5.3	8.3	0 / 16			
Average number of embryos transferred	2.0	2.1	2.6			
Percentage of embryos transferred resulting in implantation	49.0	37.8	22.0			
Percentage of elective single embryo transfer (eSET)	5.9	0.0	0 / 16			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.8	20.8	5 / 16			
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 16			
Percentage of cycles resulting in live births	56.1	41.7	5 / 16			
Percentage of cycles resulting in pregnancy	64.9	45.8	8 / 16			
Outcomes per Transfer						
Number of transfers	53	21	16	0	0	0
Percentage of transfers resulting in singleton live births	39.6	23.8	5 / 16			
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16			
Percentage of transfers resulting in live births	60.4	47.6	5 / 16			
Percentage of transfers resulting in pregnancy	69.8	52.4	8 / 16			
Outcomes per Pregnancy						
Number of pregnancies	37	11	8	0	0	0
Percentage of pregnancies resulting in singleton live births	56.8	5 / 11	5 / 8			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 8			
Percentage of pregnancies resulting in live births	86.5	10 / 11	5 / 8			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	2	1	1	0	0
Number of transfers	10	2	1	1	0	0
Estimated average number of transfers per retrieval	10.0					
Average number of embryos transferred	1.8	2.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation	5 / 18	0 / 4	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births	1 / 10	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 10	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 10	0 / 2	1 / 1	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		10		1		
Number of transfers		10		1		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		11 / 17		1 / 2		
Percentage of transfers resulting in singleton live births		7 / 10		1 / 1		
Percentage of transfers resulting in live births		8 / 10		1 / 1		
Percentage of transfers resulting in pregnancy		8 / 10		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern Illinois University Fertility and IVF Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Seth G. Levrant, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	15%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	7%	
				Endometriosis	10%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 93 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	12	8	9	0	0
Percentage of cancellations	6.8	0 / 12	2 / 8	2 / 9		
Average number of embryos transferred	1.9	2.2	2.0	2.3		
Percentage of embryos transferred resulting in implantation	15.2	25.0	2 / 12	0 / 16		
Percentage of elective single embryo transfer (eSET)	2.6	0 / 11	0 / 5	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.6	1 / 12	1 / 8	0 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 9		
Percentage of cycles resulting in live births	18.2	3 / 12	1 / 8	0 / 9		
Percentage of cycles resulting in pregnancy	22.7	3 / 12	2 / 8	0 / 9		
Outcomes per Transfer						
Number of transfers	41	11	6	7	0	0
Percentage of transfers resulting in singleton live births	14.6	1 / 11	1 / 6	0 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 6	0 / 7		
Percentage of transfers resulting in live births	19.5	3 / 11	1 / 6	0 / 7		
Percentage of transfers resulting in pregnancy	24.4	3 / 11	2 / 6	0 / 7		
Outcomes per Pregnancy						
Number of pregnancies	10	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 10	1 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	8 / 10	3 / 3	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	7	2	0	0	1
Number of transfers	5	6	2	0	0	1
Estimated average number of transfers per retrieval	0.8	6.0				
Average number of embryos transferred	2.0	1.3	2.5			2.0
Percentage of embryos transferred resulting in implantation	0 / 10	0 / 8	4 / 5			0 / 2
Percentage of transfers resulting in singleton live births	0 / 5	0 / 6	0 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 6	0 / 2			0 / 1
Percentage of transfers resulting in live births	0 / 5	0 / 6	1 / 2			0 / 1
Percentage of transfers resulting in pregnancy	0 / 5	0 / 6	2 / 2			0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
	Number of cycles	3			1	
Number of transfers	3			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	2 / 6			0 / 2		
Percentage of transfers resulting in singleton live births	2 / 3			0 / 1		
Percentage of transfers resulting in live births	2 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	2 / 3			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN HEALTH NETWORK-REPRODUCTIVE MEDICINE CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Leo M. Bonaventura, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	7%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	26%	Ovulatory dysfunction	29%	Male factor	17%	
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	17%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				2%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 121 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		68	18	6	2	3	0
Percentage of cancellations		7.4	1 / 18	1 / 6	1 / 2	0 / 3	
Average number of embryos transferred		1.8	1.6	2.0		1.0	
Percentage of embryos transferred resulting in implantation		21.3	13.6	2 / 8		0 / 2	
Percentage of elective single embryo transfer (eSET)		2.3	0 / 8	0 / 4			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		8.8	2 / 18	0 / 6	0 / 2	0 / 3	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 18	0 / 6	0 / 2	0 / 3	
Percentage of cycles resulting in live births		14.7	2 / 18	1 / 6	0 / 2	0 / 3	
Percentage of cycles resulting in pregnancy		25.0	3 / 18	1 / 6	0 / 2	0 / 3	
Outcomes per Transfer							
Number of transfers		52	14	4	0	2	0
Percentage of transfers resulting in singleton live births		11.5	2 / 14	0 / 4		0 / 2	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 14	0 / 4		0 / 2	
Percentage of transfers resulting in live births		19.2	2 / 14	1 / 4		0 / 2	
Percentage of transfers resulting in pregnancy		32.7	3 / 14	1 / 4		0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		17	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births		6 / 17	2 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births		0 / 17	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births		10 / 17	2 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	0	1	0	1	0
Number of transfers		11	0	1	0	1	0
Estimated average number of transfers per retrieval		2.2					
Average number of embryos transferred		1.7		1.0		1.0	
Percentage of embryos transferred resulting in implantation		0 / 19		0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births		0 / 11		0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 11		0 / 1		0 / 1	
Percentage of transfers resulting in live births		0 / 11		0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy		0 / 11		0 / 1		0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		10			0		
Number of transfers		9			0		
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation		3 / 18					
Percentage of transfers resulting in singleton live births		0 / 9					
Percentage of transfers resulting in live births		1 / 9					
Percentage of transfers resulting in pregnancy		2 / 9					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 3 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. JOHN C. JARRETT, II
AMERICAN HEALTH NETWORK REPRODUCTIVE MEDICINE
CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by John C. Jarrett, II, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	11%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	21%	
				Endometriosis	22%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				11%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 457 (includes 5 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		190	54	54	8	9	1
Percentage of cancellations		16.8	14.8	14.8	3 / 8	0 / 9	0 / 1
Average number of embryos transferred		1.9	2.0	2.2	2.3	1.9	3.0
Percentage of embryos transferred resulting in implantation		39.9	38.7	19.8	1 / 7	0 / 17	0 / 3
Percentage of elective single embryo transfer (eSET)		7.2	5.7	0.0	0 / 3	0 / 6	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		23.2	24.1	14.8	1 / 8	0 / 9	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	1.9	0.0	0 / 8	0 / 9	0 / 1
Percentage of cycles resulting in live births		37.9	33.3	22.2	1 / 8	0 / 9	0 / 1
Percentage of cycles resulting in pregnancy		46.3	38.9	33.3	1 / 8	0 / 9	0 / 1
Outcomes per Transfer							
Number of transfers		151	38	43	3	9	1
Percentage of transfers resulting in singleton live births		29.1	34.2	18.6	1 / 3	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	2.6	0.0	0 / 3	0 / 9	0 / 1
Percentage of transfers resulting in live births		47.7	47.4	27.9	1 / 3	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy		58.3	55.3	41.9	1 / 3	0 / 9	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		88	21	18	1	0	0
Percentage of pregnancies resulting in singleton live births		50.0	61.9	8 / 18	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0.0	4.8	0 / 18	0 / 1		
Percentage of pregnancies resulting in live births		81.8	85.7	12 / 18	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		45	24	7	5	4	2
Number of transfers		38	23	6	4	2	2
Estimated average number of transfers per retrieval		2.2	2.6	1.5		2.0	
Average number of embryos transferred		1.8	1.9	1.7	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation		14.3	9.3	4 / 10	1 / 8	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births		21.1	17.4	2 / 6	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 6	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in live births		21.1	17.4	2 / 6	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy		28.9	17.4	3 / 6	1 / 4	1 / 2	0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		33			16		
Number of transfers		31			16		
Average number of embryos transferred		1.9			1.7		
Percentage of embryos transferred resulting in implantation		37.9			14.8		
Percentage of transfers resulting in singleton live births		29.0			2 / 16		
Percentage of transfers resulting in live births		45.2			2 / 16		
Percentage of transfers resulting in pregnancy		58.1			4 / 16		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Dr. John C. Jarrett, II, American Health Network Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	12%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	15%	
				Endometriosis	9%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 533 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	231	73	33	15	4	0
Percentage of cancellations	4.8	8.2	18.2	0 / 15	1 / 4	
Average number of embryos transferred	2.0	2.1	1.9	2.3	1.0	
Percentage of embryos transferred resulting in implantation	32.1	19.7	10.4	3.6	0 / 1	
Percentage of elective single embryo transfer (eSET)	1.1	1.7	1 / 19	0 / 10		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	17.8	12.1	1 / 15	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0 / 15	0 / 4	
Percentage of cycles resulting in live births	36.8	24.7	12.1	1 / 15	0 / 4	
Percentage of cycles resulting in pregnancy	42.4	27.4	21.2	1 / 15	0 / 4	
Outcomes per Transfer						
Number of transfers	200	63	25	12	1	0
Percentage of transfers resulting in singleton live births	29.5	20.6	16.0	1 / 12	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0 / 12	0 / 1	
Percentage of transfers resulting in live births	42.5	28.6	16.0	1 / 12	0 / 1	
Percentage of transfers resulting in pregnancy	49.0	31.7	28.0	1 / 12	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	98	20	7	1	0	0
Percentage of pregnancies resulting in singleton live births	60.2	65.0	4 / 7	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0 / 7	0 / 1		
Percentage of pregnancies resulting in live births	86.7	90.0	4 / 7	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	20	15	4	1	3
Number of transfers	40	20	13	2	1	3
Estimated average number of transfers per retrieval	2.7	2.9	2.6			
Average number of embryos transferred	1.9	1.8	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	17.1	13.9	7.7	0 / 4	0 / 2	1 / 6
Percentage of transfers resulting in singleton live births	27.5	25.0	1 / 13	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in live births	30.0	25.0	1 / 13	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	35.0	35.0	2 / 13	0 / 2	1 / 1	1 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		68		18		
Number of transfers		66		13		
Average number of embryos transferred		1.9		2.1		
Percentage of embryos transferred resulting in implantation		46.0		18.5		
Percentage of transfers resulting in singleton live births		33.3		3 / 13		
Percentage of transfers resulting in live births		56.1		4 / 13		
Percentage of transfers resulting in pregnancy		57.6		4 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Specialists					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by William L. Gentry, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	18%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	42%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	5%	
				Endometriosis	21%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				32%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 187 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		78	17	13	2	1	0
Percentage of cancellations		15.4	1 / 17	4 / 13	1 / 2	0 / 1	
Average number of embryos transferred		2.0	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation		27.7	17.6	4.5	0 / 3		
Percentage of elective single embryo transfer (eSET)		3.1	0 / 15	0 / 9	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		19.2	3 / 17	1 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 17	0 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in live births		32.1	4 / 17	1 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy		33.3	5 / 17	1 / 13	0 / 2	0 / 1	
Outcomes per Transfer							
Number of transfers		64	16	9	1	0	0
Percentage of transfers resulting in singleton live births		23.4	3 / 16	1 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0 / 9	0 / 1		
Percentage of transfers resulting in live births		39.1	4 / 16	1 / 9	0 / 1		
Percentage of transfers resulting in pregnancy		40.6	5 / 16	1 / 9	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies		26	5	1	0	0	0
Percentage of pregnancies resulting in singleton live births		57.7	3 / 5	1 / 1			
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 5	0 / 1			
Percentage of pregnancies resulting in live births		96.2	4 / 5	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		37	7	6	2	0	1
Number of transfers		33	7	5	2	0	1
Estimated average number of transfers per retrieval		3.0	7.0	1.7	2.0		
Average number of embryos transferred		2.0	2.7	2.0	1.5		3.0
Percentage of embryos transferred resulting in implantation		30.8	2 / 19	1 / 10	0 / 3		0 / 3
Percentage of transfers resulting in singleton live births		42.4	2 / 7	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births		3.0	0 / 7	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births		48.5	2 / 7	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy		51.5	2 / 7	1 / 5	0 / 2		0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		13			10		
Number of transfers		10			8		
Average number of embryos transferred		2.4			2.0		
Percentage of embryos transferred resulting in implantation		29.2			2 / 16		
Percentage of transfers resulting in singleton live births		3 / 10			1 / 8		
Percentage of transfers resulting in live births		5 / 10			1 / 8		
Percentage of transfers resulting in pregnancy		5 / 10			2 / 8		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William L. Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	15%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	37%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	7%	
				Endometriosis	16%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 90 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	14	10	2	2	1
Percentage of cancellations	15.8	4 / 14	3 / 10	1 / 2	0 / 2	1 / 1
Average number of embryos transferred	1.9	2.3	1.8	3.0	1.5	
Percentage of embryos transferred resulting in implantation	42.4	4 / 18	1 / 11	0 / 3	0 / 3	
Percentage of elective single embryo transfer (eSET)	10.3	0 / 8	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.7	2 / 14	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	2.6	0 / 14	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	39.5	3 / 14	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	42.1	3 / 14	1 / 10	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	31	8	6	1	2	0
Percentage of transfers resulting in singleton live births	29.0	2 / 8	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	3.2	0 / 8	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births	48.4	3 / 8	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	51.6	3 / 8	1 / 6	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	16	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 16	2 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	1 / 16	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	15 / 16	3 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	4	4	1	0	0
Number of transfers	11	4	4	1	0	0
Estimated average number of transfers per retrieval	2.2	4.0	1.3			
Average number of embryos transferred	2.3	1.5	1.8	2.0		
Percentage of embryos transferred resulting in implantation	24.0	1 / 6	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 11	0 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births	4 / 11	0 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 11	1 / 4	2 / 4	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		0		
Number of transfers		2		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		3 / 4				
Percentage of transfers resulting in singleton live births		1 / 2				
Percentage of transfers resulting in live births		1 / 2				
Percentage of transfers resulting in pregnancy		1 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	2%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	3%	
				Endometriosis	38%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				50%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 104 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	25	6	3	0	0
Percentage of cancellations	5.5	20.0	0 / 6	2 / 3		
Average number of embryos transferred	1.8	1.9	2.0	3.0		
Percentage of embryos transferred resulting in implantation	59.8	38.9	4 / 12	0 / 3		
Percentage of elective single embryo transfer (eSET)	17.4	2 / 18	0 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	20.0	3 / 6	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 6	0 / 3		
Percentage of cycles resulting in live births	58.2	36.0	3 / 6	0 / 3		
Percentage of cycles resulting in pregnancy	63.6	40.0	6 / 6	1 / 3		
Outcomes per Transfer						
Number of transfers	49	19	6	1	0	0
Percentage of transfers resulting in singleton live births	34.7	5 / 19	3 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 6	0 / 1		
Percentage of transfers resulting in live births	65.3	9 / 19	3 / 6	0 / 1		
Percentage of transfers resulting in pregnancy	71.4	10 / 19	6 / 6	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	35	10	6	1	0	0
Percentage of pregnancies resulting in singleton live births	48.6	5 / 10	3 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	91.4	9 / 10	3 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	5	0	0	0	0
Number of transfers	7	5	0	0	0	0
Estimated average number of transfers per retrieval	1.8	2.5				
Average number of embryos transferred	1.9	2.0				
Percentage of embryos transferred resulting in implantation	4 / 13	2 / 10				
Percentage of transfers resulting in singleton live births	3 / 7	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 5				
Percentage of transfers resulting in live births	3 / 7	1 / 5				
Percentage of transfers resulting in pregnancy	5 / 7	3 / 5				
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		2		
Number of transfers		1		2		
Average number of embryos transferred		1.0		2.0		
Percentage of embryos transferred resulting in implantation		0 / 1		0 / 4		
Percentage of transfers resulting in singleton live births		0 / 1		0 / 2		
Percentage of transfers resulting in live births		0 / 1		0 / 2		
Percentage of transfers resulting in pregnancy		0 / 1		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Community Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by James G. Donahue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	25%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	15%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	0%	
				Endometriosis	8%	Unknown factor	27%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				6%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 122 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	22	17	4	3	0
Percentage of cancellations	7.0	22.7	1 / 17	2 / 4	0 / 3	
Average number of embryos transferred	1.9	2.1	2.6	1.0	1.0	
Percentage of embryos transferred resulting in implantation	25.6	24.2	4.8	0 / 1	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.5	0 / 11	0 / 14			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.1	18.2	0 / 17	0 / 4	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 4	0 / 3	
Percentage of cycles resulting in live births	29.8	27.3	1 / 17	0 / 4	0 / 3	
Percentage of cycles resulting in pregnancy	33.3	27.3	1 / 17	0 / 4	0 / 3	
Outcomes per Transfer						
Number of transfers	47	16	16	1	2	0
Percentage of transfers resulting in singleton live births	25.5	4 / 16	0 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in live births	36.2	6 / 16	1 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	40.4	6 / 16	1 / 16	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	6	1	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 19	4 / 6	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 6	0 / 1			
Percentage of pregnancies resulting in live births	17 / 19	6 / 6	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	0	0	1	0
Number of transfers	8	3	0	0	1	0
Estimated average number of transfers per retrieval	4.0	3.0				
Average number of embryos transferred	1.8	1.3			1.0	
Percentage of embryos transferred resulting in implantation	1 / 14	0 / 4			0 / 1	
Percentage of transfers resulting in singleton live births	1 / 8	0 / 3			0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3			0 / 1	
Percentage of transfers resulting in live births	1 / 8	0 / 3			0 / 1	
Percentage of transfers resulting in pregnancy	1 / 8	0 / 3			0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		3		
Number of transfers		1		3		
Average number of embryos transferred		3.0		1.3		
Percentage of embryos transferred resulting in implantation		1 / 3		1 / 4		
Percentage of transfers resulting in singleton live births		1 / 1		1 / 3		
Percentage of transfers resulting in live births		1 / 1		1 / 3		
Percentage of transfers resulting in pregnancy		1 / 1		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Beginnings, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Marguerite K. Shepard, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	15%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	42%	
				Endometriosis	12%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				19%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 26 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		15	4	0	0	0	1
Percentage of cancellations		1 / 15	0 / 4				1 / 1
Average number of embryos transferred		2.1	2.0				
Percentage of embryos transferred resulting in implantation		29.6	2 / 8				
Percentage of elective single embryo transfer (eSET)		0 / 13	0 / 3				
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		4 / 15	2 / 4				0 / 1
Percentage of cycles resulting in triplets or more live births		0 / 15	0 / 4				0 / 1
Percentage of cycles resulting in live births		5 / 15	2 / 4				0 / 1
Percentage of cycles resulting in pregnancy		7 / 15	2 / 4				0 / 1
Outcomes per Transfer							
Number of transfers		13	4	0	0	0	0
Percentage of transfers resulting in singleton live births		4 / 13	2 / 4				
Percentage of transfers resulting in triplets or more live births		0 / 13	0 / 4				
Percentage of transfers resulting in live births		5 / 13	2 / 4				
Percentage of transfers resulting in pregnancy		7 / 13	2 / 4				
Outcomes per Pregnancy							
Number of pregnancies		7	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births		4 / 7	2 / 2				
Percentage of pregnancies resulting in triplets or more live births		0 / 7	0 / 2				
Percentage of pregnancies resulting in live births		5 / 7	2 / 2				
Frozen Embryos from Nondonor Eggs							
Number of cycles		4	1	0	1	0	0
Number of transfers		4	1	0	1	0	0
Estimated average number of transfers per retrieval		1.0					
Average number of embryos transferred		2.0	1.0		2.0		
Percentage of embryos transferred resulting in implantation		2 / 8	1 / 1		1 / 2		
Percentage of transfers resulting in singleton live births		0 / 4	1 / 1		1 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 4	0 / 1		0 / 1		
Percentage of transfers resulting in live births		1 / 4	1 / 1		1 / 1		
Percentage of transfers resulting in pregnancy		1 / 4	1 / 1		1 / 1		
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Indiana University Hospital					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	99%	With ICSI	50%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	<1%	
				Endometriosis	3%	Unknown factor	81%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 118 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	11	5	3	1	0
Percentage of cancellations	1.7	0 / 11	0 / 5	0 / 3	0 / 1	
Average number of embryos transferred	2.3	2.3	1.7	2.5	2.0	
Percentage of embryos transferred resulting in implantation	48.0	21.7	1 / 5	3 / 5	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 2	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	2 / 11	1 / 5	1 / 3	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.7	0 / 11	0 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in live births	53.3	3 / 11	1 / 5	2 / 3	0 / 1	
Percentage of cycles resulting in pregnancy	63.3	3 / 11	1 / 5	2 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	56	10	3	2	1	0
Percentage of transfers resulting in singleton live births	25.0	2 / 10	1 / 3	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.8	0 / 10	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	57.1	3 / 10	1 / 3	2 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	67.9	3 / 10	1 / 3	2 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	38	3	1	2	0	0
Percentage of pregnancies resulting in singleton live births	36.8	2 / 3	1 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.6	0 / 3	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	84.2	3 / 3	1 / 1	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	9	3	2	1	0
Number of transfers	16	9	3	2	1	0
Estimated average number of transfers per retrieval	1.6	2.3				
Average number of embryos transferred	2.5	2.7	2.0	3.0	3.0	
Percentage of embryos transferred resulting in implantation	20.0	20.8	1 / 6	1 / 6	1 / 3	
Percentage of transfers resulting in singleton live births	5 / 16	3 / 9	1 / 3	1 / 2	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 9	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	6 / 16	3 / 9	1 / 3	1 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	6 / 16	3 / 9	1 / 3	1 / 2	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		1		
Number of transfers		5		1		
Average number of embryos transferred		2.2		2.0		
Percentage of embryos transferred resulting in implantation		1 / 11		0 / 2		
Percentage of transfers resulting in singleton live births		1 / 5		0 / 1		
Percentage of transfers resulting in live births		1 / 5		0 / 1		
Percentage of transfers resulting in pregnancy		1 / 5		0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care of Indiana					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David S. McLaughlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	46%	Tubal factor	11%	Uterine factor	5%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	47%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	16%
				Endometriosis	47%	Unknown factor	0%
				Multiple Factors:			
				Female factors only 32%			
				Female & male factors 32%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 19 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	2	3	1	1	0
Percentage of cancellations	0/6	0/2	0/3	0/1	0/1	
Average number of embryos transferred	3.0	4.0	1.7	5.0		
Percentage of embryos transferred resulting in implantation	3/18	1/4	0/5	1/5		
Percentage of elective single embryo transfer (eSET)	0/6	0/1	0/2	0/1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/6	0/2	0/3	1/1	0/1	
Percentage of cycles resulting in triplets or more live births	0/6	0/2	0/3	0/1	0/1	
Percentage of cycles resulting in live births	2/6	0/2	0/3	1/1	0/1	
Percentage of cycles resulting in pregnancy	2/6	1/2	0/3	1/1	0/1	
Outcomes per Transfer						
Number of transfers	6	1	3	1	0	0
Percentage of transfers resulting in singleton live births	1/6	0/1	0/3	1/1		
Percentage of transfers resulting in triplets or more live births	0/6	0/1	0/3	0/1		
Percentage of transfers resulting in live births	2/6	0/1	0/3	1/1		
Percentage of transfers resulting in pregnancy	2/6	1/1	0/3	1/1		
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	1	0	0
Percentage of pregnancies resulting in singleton live births	1/2	0/1		1/1		
Percentage of pregnancies resulting in triplets or more live births	0/2	0/1		0/1		
Percentage of pregnancies resulting in live births	2/2	0/1		1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	1	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0		1.0			
Percentage of embryos transferred resulting in implantation	1/2		0/1			
Percentage of transfers resulting in singleton live births	1/1		0/1			
Percentage of transfers resulting in triplets or more live births	0/1		0/1			
Percentage of transfers resulting in live births	1/1		0/1			
Percentage of transfers resulting in pregnancy	1/1		0/1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	1			3		
Number of transfers	1			3		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation	1/2			1/5		
Percentage of transfers resulting in singleton live births	1/1			1/3		
Percentage of transfers resulting in live births	1/1			1/3		
Percentage of transfers resulting in pregnancy	1/1			1/3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Specialty Health Centers, PC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Donald C. Young, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	10%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 464 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	201	58	35	9	0	0
Percentage of cancellations	9.5	17.2	22.9	2 / 9		
Average number of embryos transferred	1.8	1.9	2.0	2.6		
Percentage of embryos transferred resulting in implantation	48.9	35.4	38.3	2 / 13		
Percentage of elective single embryo transfer (eSET)	7.6	0.0	0.0	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.3	22.4	20.0	2 / 9		
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0 / 9		
Percentage of cycles resulting in live births	49.8	32.8	28.6	2 / 9		
Percentage of cycles resulting in pregnancy	56.7	36.2	40.0	2 / 9		
Outcomes per Transfer						
Number of transfers	173	42	23	5	0	0
Percentage of transfers resulting in singleton live births	35.3	31.0	30.4	2 / 5		
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0 / 5		
Percentage of transfers resulting in live births	57.8	45.2	43.5	2 / 5		
Percentage of transfers resulting in pregnancy	65.9	50.0	60.9	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	114	21	14	2	0	0
Percentage of pregnancies resulting in singleton live births	53.5	61.9	7 / 14	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0 / 14	0 / 2		
Percentage of pregnancies resulting in live births	87.7	90.5	10 / 14	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	17	9	1	4	1
Number of transfers	61	16	7	1	2	1
Estimated average number of transfers per retrieval	1.8	1.5	1.2	0.5		
Average number of embryos transferred	1.9	1.8	1.9	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation	41.2	32.1	3 / 13	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births	41.0	7 / 16	2 / 7	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 7	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	50.8	8 / 16	2 / 7	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	70.5	9 / 16	2 / 7	1 / 1	0 / 2	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		27		16		
Number of transfers		27		15		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		51.0		40.0		
Percentage of transfers resulting in singleton live births		48.1		8 / 15		
Percentage of transfers resulting in live births		59.3		9 / 15		
Percentage of transfers resulting in pregnancy		81.5		13 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Iowa Fertility, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	17%	Uterine factor	10%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	38%
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	42%
				Endometriosis	14%	Unknown factor	12%
				Multiple Factors:			
				Female factors only 23%			
				Female & male factors 27%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 658 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	217	77	64	20	10	0
Percentage of cancellations	1.4	11.7	9.4	15.0	1 / 10	
Average number of embryos transferred	1.5	1.6	2.4	2.6	3.0	
Percentage of embryos transferred resulting in implantation	43.0	36.2	26.1	24.4	4.2	
Percentage of elective single embryo transfer (eSET)	44.1	36.1	5.6	0 / 16	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.7	36.4	26.6	15.0	1 / 10	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	
Percentage of cycles resulting in live births	45.2	40.3	34.4	20.0	1 / 10	
Percentage of cycles resulting in pregnancy	53.0	50.6	53.1	35.0	2 / 10	
Outcomes per Transfer						
Number of transfers	192	64	57	17	8	0
Percentage of transfers resulting in singleton live births	43.8	43.8	29.8	3 / 17	1 / 8	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 8	
Percentage of transfers resulting in live births	51.0	48.4	38.6	4 / 17	1 / 8	
Percentage of transfers resulting in pregnancy	59.9	60.9	59.6	7 / 17	2 / 8	
Outcomes per Pregnancy						
Number of pregnancies	115	39	34	7	2	0
Percentage of pregnancies resulting in singleton live births	73.0	71.8	50.0	3 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	85.2	79.5	64.7	4 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	141	58	24	7	4	0
Number of transfers	119	47	20	5	3	0
Estimated average number of transfers per retrieval	2.0	3.6	3.3	2.5	1.0	
Average number of embryos transferred	1.6	1.5	1.3	2.0	2.7	
Percentage of embryos transferred resulting in implantation	37.1	40.0	34.6	4 / 10	1 / 8	
Percentage of transfers resulting in singleton live births	39.5	46.8	20.0	0 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	45.4	51.1	30.0	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	55.5	61.7	35.0	3 / 5	1 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		16		14		
Number of transfers		16		12		
Average number of embryos transferred		1.6		1.6		
Percentage of embryos transferred resulting in implantation		44.0		7 / 19		
Percentage of transfers resulting in singleton live births		7 / 16		7 / 12		
Percentage of transfers resulting in live births		8 / 16		7 / 12		
Percentage of transfers resulting in pregnancy		11 / 16		7 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	14%	Uterine factor	12%	Multiple Factors: Female factors only 14% Female & male factors 38%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	37%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	11%	
				Endometriosis	17%	Unknown factor	6%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 237 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	84	28	13	7	1	0
Percentage of cancellations	3.6	10.7	3 / 13	1 / 7	1 / 1	
Average number of embryos transferred	2.0	2.3	2.3	3.0		
Percentage of embryos transferred resulting in implantation	23.9	19.0	14.3	1 / 18		
Percentage of elective single embryo transfer (eSET)	2.7	0.0	0 / 8	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.9	14.3	1 / 13	1 / 7	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.2	3.6	0 / 13	0 / 7	0 / 1	
Percentage of cycles resulting in live births	27.4	25.0	1 / 13	1 / 7	0 / 1	
Percentage of cycles resulting in pregnancy	29.8	35.7	2 / 13	1 / 7	0 / 1	
Outcomes per Transfer						
Number of transfers	80	25	9	6	0	0
Percentage of transfers resulting in singleton live births	18.8	16.0	1 / 9	1 / 6		
Percentage of transfers resulting in triplets or more live births	1.3	4.0	0 / 9	0 / 6		
Percentage of transfers resulting in live births	28.8	28.0	1 / 9	1 / 6		
Percentage of transfers resulting in pregnancy	31.3	40.0	2 / 9	1 / 6		
Outcomes per Pregnancy						
Number of pregnancies	25	10	2	1	0	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 10	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.0	1 / 10	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	92.0	7 / 10	1 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	11	9	2	0	0
Number of transfers	49	11	9	2	0	0
Estimated average number of transfers per retrieval	2.1	1.6	4.5			
Average number of embryos transferred	2.2	2.6	2.3	2.5		
Percentage of embryos transferred resulting in implantation	15.5	24.1	9.5	0 / 5		
Percentage of transfers resulting in singleton live births	22.4	2 / 11	2 / 9	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 9	0 / 2		
Percentage of transfers resulting in live births	26.5	4 / 11	2 / 9	0 / 2		
Percentage of transfers resulting in pregnancy	30.6	5 / 11	4 / 9	0 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		22		7		
Number of transfers		19		6		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		60.5		1 / 11		
Percentage of transfers resulting in singleton live births		7 / 19		0 / 6		
Percentage of transfers resulting in live births		14 / 19		0 / 6		
Percentage of transfers resulting in pregnancy		16 / 19		1 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Reproductive Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by S. Samuel Kim, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	21%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	3%	
				Endometriosis	11%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				9%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 139 (includes 1 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		64	11	14	7	0	0
Percentage of cancellations		7.8	0 / 11	0 / 14	2 / 7		
Average number of embryos transferred		2.0	2.0	2.2	2.2		
Percentage of embryos transferred resulting in implantation		38.4	45.5	21.4	1 / 11		
Percentage of elective single embryo transfer (eSET)		7.3	0 / 9	0 / 11	0 / 5		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		23.4	2 / 11	3 / 14	1 / 7		
Percentage of cycles resulting in triplets or more live births		1.6	0 / 11	0 / 14	0 / 7		
Percentage of cycles resulting in live births		42.2	6 / 11	4 / 14	1 / 7		
Percentage of cycles resulting in pregnancy		46.9	6 / 11	5 / 14	2 / 7		
Outcomes per Transfer							
Number of transfers		56	11	13	5	0	0
Percentage of transfers resulting in singleton live births		26.8	2 / 11	3 / 13	1 / 5		
Percentage of transfers resulting in triplets or more live births		1.8	0 / 11	0 / 13	0 / 5		
Percentage of transfers resulting in live births		48.2	6 / 11	4 / 13	1 / 5		
Percentage of transfers resulting in pregnancy		53.6	6 / 11	5 / 13	2 / 5		
Outcomes per Pregnancy							
Number of pregnancies		30	6	5	2	0	0
Percentage of pregnancies resulting in singleton live births		50.0	2 / 6	3 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births		3.3	0 / 6	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births		90.0	6 / 6	4 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		18	7	6	2	0	0
Number of transfers		15	5	4	2	0	0
Estimated average number of transfers per retrieval		1.5	5.0	4.0	2.0		
Average number of embryos transferred		1.9	2.0	1.8	1.5		
Percentage of embryos transferred resulting in implantation		17.9	1 / 10	0 / 7	0 / 3		
Percentage of transfers resulting in singleton live births		1 / 15	0 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births		0 / 15	0 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in live births		3 / 15	0 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in pregnancy		3 / 15	1 / 5	0 / 4	0 / 2		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		9			0		
Number of transfers		7			0		
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation		6 / 14					
Percentage of transfers resulting in singleton live births		3 / 7					
Percentage of transfers resulting in live births		4 / 7					
Percentage of transfers resulting in pregnancy		4 / 7					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Center for Advanced Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	14%	Uterine factor	1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	27%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	20%	
				Endometriosis	6%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 338 (includes 81 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	109	22	7	2	1	1
Percentage of cancellations	15.6	9.1	1 / 7	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.0	2.3	2.0	1.0	2.0
Percentage of embryos transferred resulting in implantation	58.5	33.3	2 / 14	0 / 2	0 / 1	0 / 2
Percentage of elective single embryo transfer (eSET)	12.3	0 / 16	0 / 6	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	13.6	1 / 7	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0 / 7	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births	47.7	22.7	1 / 7	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	55.0	31.8	1 / 7	0 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	84	18	6	1	1	1
Percentage of transfers resulting in singleton live births	34.5	3 / 18	1 / 6	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	2.4	0 / 18	0 / 6	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	61.9	5 / 18	1 / 6	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	71.4	7 / 18	1 / 6	0 / 1	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	60	7	1	0	0	0
Percentage of pregnancies resulting in singleton live births	48.3	3 / 7	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	3.3	0 / 7	0 / 1			
Percentage of pregnancies resulting in live births	86.7	5 / 7	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	22	9	0	1	1
Number of transfers	46	22	9	0	1	1
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.0	1.0	1.0
Average number of embryos transferred	1.6	1.4	1.4		2.0	2.0
Percentage of embryos transferred resulting in implantation	50.7	46.7	6 / 13		1 / 2	0 / 2
Percentage of transfers resulting in singleton live births	43.5	59.1	2 / 9		1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 9		0 / 1	0 / 1
Percentage of transfers resulting in live births	54.3	59.1	3 / 9		1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	71.7	68.2	6 / 9		1 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		18		
Number of transfers		16		18		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		69.0		31.3		
Percentage of transfers resulting in singleton live births		5 / 16		6 / 18		
Percentage of transfers resulting in live births		12 / 16		7 / 18		
Percentage of transfers resulting in pregnancy		13 / 16		11 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	66%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	40%	
Used gestational carrier	5%			Diminished ovarian reserve	39%	Other factor	11%	
				Endometriosis	22%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 200 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	24	15	9	3	0
Percentage of cancellations	4.3	16.7	1 / 15	2 / 9	2 / 3	
Average number of embryos transferred	1.8	2.0	2.9	3.7	3.0	
Percentage of embryos transferred resulting in implantation	42.9	39.5	19.5	11.5	0 / 3	
Percentage of elective single embryo transfer (eSET)	19.8	2 / 17	0 / 14	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.7	16.7	2 / 15	2 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in live births	50.0	37.5	5 / 15	2 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	56.5	41.7	6 / 15	3 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	85	19	14	7	1	0
Percentage of transfers resulting in singleton live births	36.5	4 / 19	2 / 14	2 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 7	0 / 1	
Percentage of transfers resulting in live births	54.1	9 / 19	5 / 14	2 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	61.2	10 / 19	6 / 14	3 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	52	10	6	3	0	0
Percentage of pregnancies resulting in singleton live births	59.6	4 / 10	2 / 6	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	88.5	9 / 10	5 / 6	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	4	2	3	0	0
Number of transfers	25	4	2	2	0	0
Estimated average number of transfers per retrieval	2.8					
Average number of embryos transferred	1.6	1.8	1.0	2.5		
Percentage of embryos transferred resulting in implantation	23.1	1 / 7	2 / 2	1 / 5		
Percentage of transfers resulting in singleton live births	28.0	1 / 4	0 / 2	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in live births	32.0	1 / 4	1 / 2	1 / 2		
Percentage of transfers resulting in pregnancy	32.0	1 / 4	1 / 2	1 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		9		
Number of transfers		11		9		
Average number of embryos transferred		1.5		1.4		
Percentage of embryos transferred resulting in implantation		6 / 16		4 / 13		
Percentage of transfers resulting in singleton live births		2 / 11		1 / 9		
Percentage of transfers resulting in live births		3 / 11		1 / 9		
Percentage of transfers resulting in pregnancy		5 / 11		3 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James W. Akin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	11%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	<1%	Other factor	23%	
				Endometriosis	18%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 176 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	31	12	1	0	0
Percentage of cancellations	4.0	3.2	2 / 12	0 / 1		
Average number of embryos transferred	2.3	2.7	3.1	4.0		
Percentage of embryos transferred resulting in implantation	33.1	18.5	22.6	0 / 4		
Percentage of elective single embryo transfer (eSET)	1.6	0.0	0 / 10	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.0	12.9	1 / 12	0 / 1		
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0 / 12	0 / 1		
Percentage of cycles resulting in live births	46.7	29.0	3 / 12	0 / 1		
Percentage of cycles resulting in pregnancy	53.3	35.5	5 / 12	0 / 1		
Outcomes per Transfer						
Number of transfers	67	30	10	1	0	0
Percentage of transfers resulting in singleton live births	35.8	13.3	1 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births	52.2	30.0	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	59.7	36.7	5 / 10	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	40	11	5	0	0	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 11	1 / 5			
Percentage of pregnancies resulting in triplets or more live births	2.5	0 / 11	0 / 5			
Percentage of pregnancies resulting in live births	87.5	9 / 11	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	9	5	2	0	0
Number of transfers	20	9	5	2	0	0
Estimated average number of transfers per retrieval	2.0	1.8	5.0			
Average number of embryos transferred	2.0	1.9	2.4	1.5		
Percentage of embryos transferred resulting in implantation	12.8	3 / 17	1 / 12	2 / 3		
Percentage of transfers resulting in singleton live births	5.0	2 / 9	0 / 5	2 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	10.0	2 / 9	0 / 5	2 / 2		
Percentage of transfers resulting in pregnancy	25.0	4 / 9	1 / 5	2 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		4		
Number of transfers		15		4		
Average number of embryos transferred		2.5		1.8		
Percentage of embryos transferred resulting in implantation		26.3		1 / 7		
Percentage of transfers resulting in singleton live births		2 / 15		1 / 4		
Percentage of transfers resulting in live births		6 / 15		1 / 4		
Percentage of transfers resulting in pregnancy		6 / 15		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bluegrass Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE LEXINGTON FERTILITY CENTER LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	11%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	44%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	0%	
				Endometriosis	0%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				33%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 18 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	6	0	1	0	0
Percentage of cancellations	0 / 7	0 / 6		0 / 1		
Average number of embryos transferred	2.5	2.7		3.0		
Percentage of embryos transferred resulting in implantation	2 / 15	0 / 16		0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 6		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	0 / 6		0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 6		0 / 1		
Percentage of cycles resulting in live births	2 / 7	0 / 6		0 / 1		
Percentage of cycles resulting in pregnancy	2 / 7	0 / 6		0 / 1		
Outcomes per Transfer						
Number of transfers	6	6	0	1	0	0
Percentage of transfers resulting in singleton live births	2 / 6	0 / 6		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6		0 / 1		
Percentage of transfers resulting in live births	2 / 6	0 / 6		0 / 1		
Percentage of transfers resulting in pregnancy	2 / 6	0 / 6		0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2					
Percentage of pregnancies resulting in triplets or more live births	0 / 2					
Percentage of pregnancies resulting in live births	2 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	0	0	0	0
Number of transfers	0	2	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		0 / 4				
Percentage of transfers resulting in singleton live births		0 / 2				
Percentage of transfers resulting in triplets or more live births		0 / 2				
Percentage of transfers resulting in live births		0 / 2				
Percentage of transfers resulting in pregnancy		0 / 2				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		0		
Number of transfers		2		0		
Average number of embryos transferred		2.5				
Percentage of embryos transferred resulting in implantation		3 / 5				
Percentage of transfers resulting in singleton live births		1 / 2				
Percentage of transfers resulting in live births		2 / 2				
Percentage of transfers resulting in pregnancy		2 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Lexington Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

- ^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF KENTUCKY LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Kenneth N. Muse, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	23%	Tubal factor	17%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	0%	
				Endometriosis	11%	Unknown factor	39%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				28%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 18 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	1	1	0	0	0
Percentage of cancellations	7 / 11	0 / 1	1 / 1			
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	0 / 9	2 / 2				
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 11	1 / 1	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 1	0 / 1			
Percentage of cycles resulting in live births	0 / 11	1 / 1	0 / 1			
Percentage of cycles resulting in pregnancy	0 / 11	1 / 1	0 / 1			
Outcomes per Transfer						
Number of transfers	4	1	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 4	1 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of transfers resulting in live births	0 / 4	1 / 1				
Percentage of transfers resulting in pregnancy	0 / 4	1 / 1				
Outcomes per Pregnancy						
Number of pregnancies	0	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births		1 / 1				
Percentage of pregnancies resulting in triplets or more live births		0 / 1				
Percentage of pregnancies resulting in live births		1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation		1 / 1				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		1 / 1				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Donor Eggs						
Number of cycles	0		3			
Number of transfers	0		3			
Average number of embryos transferred			2.7			
Percentage of embryos transferred resulting in implantation			0 / 8			
Percentage of transfers resulting in singleton live births			0 / 3			
Percentage of transfers resulting in live births			0 / 3			
Percentage of transfers resulting in pregnancy			0 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY AND ENDOCRINE ASSOCIATES
LOUISVILLE REPRODUCTIVE CENTER
LOUISVILLE, KENTUCKY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	7%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	57%	
Used gestational carrier	1%			Diminished ovarian reserve	60%	Other factor	12%	
				Endometriosis	38%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				51%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 148 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	8	10	9	0	0
Percentage of cancellations	13.5	1 / 8	1 / 10	0 / 9		
Average number of embryos transferred	2.2	2.7	2.6	2.7		
Percentage of embryos transferred resulting in implantation	32.3	5 / 16	8.7	0.0		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 9	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.8	1 / 8	2 / 10	0 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 10	0 / 9		
Percentage of cycles resulting in live births	42.3	3 / 8	2 / 10	0 / 9		
Percentage of cycles resulting in pregnancy	44.2	3 / 8	2 / 10	0 / 9		
Outcomes per Transfer						
Number of transfers	43	6	9	9	0	0
Percentage of transfers resulting in singleton live births	34.9	1 / 6	2 / 9	0 / 9		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 9	0 / 9		
Percentage of transfers resulting in live births	51.2	3 / 6	2 / 9	0 / 9		
Percentage of transfers resulting in pregnancy	53.5	3 / 6	2 / 9	0 / 9		
Outcomes per Pregnancy						
Number of pregnancies	23	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	65.2	1 / 3	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	95.7	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	10	6	7	2	3
Number of transfers	22	10	6	7	2	3
Estimated average number of transfers per retrieval	1.7	3.3		2.3	2.0	
Average number of embryos transferred	1.7	2.0	2.0	1.9	3.5	1.7
Percentage of embryos transferred resulting in implantation	27.0	10.0	2 / 12	4 / 13	2 / 7	0 / 5
Percentage of transfers resulting in singleton live births	13.6	2 / 10	1 / 6	3 / 7	2 / 2	0 / 3
Percentage of transfers resulting in triplets or more live births	4.5	0 / 10	0 / 6	0 / 7	0 / 2	0 / 3
Percentage of transfers resulting in live births	27.3	2 / 10	1 / 6	3 / 7	2 / 2	0 / 3
Percentage of transfers resulting in pregnancy	31.8	2 / 10	2 / 6	4 / 7	2 / 2	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		5		
Number of transfers		12		5		
Average number of embryos transferred		2.1		2.4		
Percentage of embryos transferred resulting in implantation		20.0		0 / 12		
Percentage of transfers resulting in singleton live births		3 / 12		0 / 5		
Percentage of transfers resulting in live births		4 / 12		0 / 5		
Percentage of transfers resulting in pregnancy		4 / 12		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Henry C. Bohler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	14%	Uterine factor	9%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	12%	Male factor	57%	
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	19%	
				Endometriosis	19%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				38%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 216 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	40	20	8	8	0
Percentage of cancellations	6.7	20.0	10.0	2 / 8	2 / 8	
Average number of embryos transferred	1.9	2.1	2.2	2.0	2.5	
Percentage of embryos transferred resulting in implantation	35.6	27.4	25.7	0 / 8	0 / 10	
Percentage of elective single embryo transfer (eSET)	12.5	12.0	0 / 13	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	17.5	10.0	0 / 8	0 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	2.5	0.0	0 / 8	0 / 8	
Percentage of cycles resulting in live births	46.7	25.0	20.0	0 / 8	0 / 8	
Percentage of cycles resulting in pregnancy	48.3	35.0	35.0	0 / 8	0 / 8	
Outcomes per Transfer						
Number of transfers	52	29	16	4	4	0
Percentage of transfers resulting in singleton live births	44.2	24.1	2 / 16	0 / 4	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	3.4	0 / 16	0 / 4	0 / 4	
Percentage of transfers resulting in live births	53.8	34.5	4 / 16	0 / 4	0 / 4	
Percentage of transfers resulting in pregnancy	55.8	48.3	7 / 16	0 / 4	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	29	14	7	0	0	0
Percentage of pregnancies resulting in singleton live births	79.3	7 / 14	2 / 7			
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 14	0 / 7			
Percentage of pregnancies resulting in live births	96.6	10 / 14	4 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	15	1	1	2	0
Number of transfers	24	14	1	1	1	0
Estimated average number of transfers per retrieval	3.4	1.3	0.5			
Average number of embryos transferred	1.7	1.8	2.0	1.0	2.0	
Percentage of embryos transferred resulting in implantation	37.5	20.0	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births	41.7	4 / 14	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	50.0	4 / 14	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	54.2	5 / 14	0 / 1	1 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		16		
Number of transfers		17		11		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		38.7		25.0		
Percentage of transfers resulting in singleton live births		8 / 17		3 / 11		
Percentage of transfers resulting in live births		9 / 17		4 / 11		
Percentage of transfers resulting in pregnancy		10 / 17		5 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE BATON ROUGE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bobby W. Webster, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	17%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	8%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	16%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 129 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	15	19	7	2	0
Percentage of cancellations	4.9	2 / 15	4 / 19	2 / 7	1 / 2	
Average number of embryos transferred	1.9	1.9	2.0	4.0	3.0	
Percentage of embryos transferred resulting in implantation	35.7	23.8	23.3	5.0	0 / 3	
Percentage of elective single embryo transfer (eSET)	7.4	0 / 10	0 / 14	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.0	3 / 15	2 / 19	1 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	1 / 19	0 / 7	0 / 2	
Percentage of cycles resulting in live births	41.0	4 / 15	3 / 19	1 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	47.5	5 / 15	6 / 19	1 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	58	11	15	5	1	0
Percentage of transfers resulting in singleton live births	24.1	3 / 11	2 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	1 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in live births	43.1	4 / 11	3 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	50.0	5 / 11	6 / 15	1 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	29	5	6	1	0	0
Percentage of pregnancies resulting in singleton live births	48.3	3 / 5	2 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	1 / 6	0 / 1		
Percentage of pregnancies resulting in live births	86.2	4 / 5	3 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	0	1	0	0	0
Number of transfers	16	0	1	0	0	0
Estimated average number of transfers per retrieval	2.7		1.0			
Average number of embryos transferred	1.8		2.0			
Percentage of embryos transferred resulting in implantation	14.3		0 / 2			
Percentage of transfers resulting in singleton live births	3 / 16		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 16		0 / 1			
Percentage of transfers resulting in live births	3 / 16		0 / 1			
Percentage of transfers resulting in pregnancy	3 / 16		0 / 1			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		4		3		
Number of transfers		3		3		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		3 / 6		2 / 5		
Percentage of transfers resulting in singleton live births		0 / 3		1 / 3		
Percentage of transfers resulting in live births		1 / 3		1 / 3		
Percentage of transfers resulting in pregnancy		2 / 3		2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: A Woman's Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA LAFAYETTE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by John Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	34%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	0%	
				Endometriosis	11%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 158 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	23	16	5	3	0
Percentage of cancellations	9.2	13.0	2 / 16	1 / 5	0 / 3	
Average number of embryos transferred	2.1	2.3	2.1	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.4	20.0	20.0	0 / 8	0 / 6	
Percentage of elective single embryo transfer (eSET)	2.7	1 / 19	0 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	30.4	2 / 16	0 / 5	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0 / 16	0 / 5	0 / 3	
Percentage of cycles resulting in live births	41.4	34.8	3 / 16	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancy	44.8	34.8	5 / 16	0 / 5	0 / 3	
Outcomes per Transfer						
Number of transfers	76	20	12	4	3	0
Percentage of transfers resulting in singleton live births	31.6	35.0	2 / 12	0 / 4	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 12	0 / 4	0 / 3	
Percentage of transfers resulting in live births	47.4	40.0	3 / 12	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancy	51.3	40.0	5 / 12	0 / 4	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	39	8	5	0	0	0
Percentage of pregnancies resulting in singleton live births	61.5	7 / 8	2 / 5			
Percentage of pregnancies resulting in triplets or more live births	2.6	0 / 8	0 / 5			
Percentage of pregnancies resulting in live births	92.3	8 / 8	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	0	1	0	0	0
Number of transfers	14	0	1	0	0	0
Estimated average number of transfers per retrieval	2.3		1.0			
Average number of embryos transferred	2.1		2.0			
Percentage of embryos transferred resulting in implantation	23.3		0 / 2			
Percentage of transfers resulting in singleton live births	2 / 14		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 14		0 / 1			
Percentage of transfers resulting in live births	4 / 14		0 / 1			
Percentage of transfers resulting in pregnancy	7 / 14		0 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		2		4		
Number of transfers		2		4		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		4 / 4		4 / 7		
Percentage of transfers resulting in singleton live births		1 / 2		0 / 4		
Percentage of transfers resulting in live births		2 / 2		2 / 4		
Percentage of transfers resulting in pregnancy		2 / 2		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Women's Health Center of Louisiana					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE OF NEW ORLEANS METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	16%	Uterine factor	0%	
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	31%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	8%	Other factor	19%	
				Endometriosis	10%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 580 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	206	80	74	34	19	3
Percentage of cancellations	12.1	15.0	14.9	17.6	9 / 19	1 / 3
Average number of embryos transferred	2.2	2.1	2.4	2.3	1.9	2.5
Percentage of embryos transferred resulting in implantation	33.7	28.7	18.8	7.3	0 / 13	0 / 5
Percentage of elective single embryo transfer (eSET)	1.9	1.9	0.0	1 / 14	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	13.8	20.3	5.9	0 / 19	0 / 3
Percentage of cycles resulting in triplets or more live births	1.0	1.3	0.0	0.0	0 / 19	0 / 3
Percentage of cycles resulting in live births	32.5	22.5	23.0	5.9	0 / 19	0 / 3
Percentage of cycles resulting in pregnancy	39.8	30.0	27.0	11.8	0 / 19	0 / 3
Outcomes per Transfer						
Number of transfers	166	58	54	18	7	2
Percentage of transfers resulting in singleton live births	23.5	19.0	27.8	2 / 18	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	1.2	1.7	0.0	0 / 18	0 / 7	0 / 2
Percentage of transfers resulting in live births	40.4	31.0	31.5	2 / 18	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	49.4	41.4	37.0	4 / 18	0 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	82	24	20	4	0	0
Percentage of pregnancies resulting in singleton live births	47.6	45.8	75.0	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	2.4	4.2	0.0	0 / 4		
Percentage of pregnancies resulting in live births	81.7	75.0	85.0	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	29	8	4	3	1
Number of transfers	70	25	8	3	1	1
Estimated average number of transfers per retrieval	1.7	1.3	2.7	3.0		
Average number of embryos transferred	2.1	2.1	2.0	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	24.2	26.4	1 / 16	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	20.0	20.0	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.0	36.0	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	35.7	40.0	1 / 8	0 / 3	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		21		15		
Number of transfers		18		12		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		36.1		26.9		
Percentage of transfers resulting in singleton live births		7 / 18		2 / 12		
Percentage of transfers resulting in live births		9 / 18		4 / 12		
Percentage of transfers resulting in pregnancy		11 / 18		4 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute of New Orleans

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY AND REPRODUCTIVE HEALTH SHREVEPORT, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	39%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%	
				Endometriosis	23%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 13 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	5	1	0	0	0
Percentage of cancellations	0 / 3	2 / 5	0 / 1			
Average number of embryos transferred	2.0	3.0	3.0			
Percentage of embryos transferred resulting in implantation	1 / 6	2 / 9	0 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 3	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 3	2 / 5	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 3	0 / 5	0 / 1			
Percentage of cycles resulting in live births	1 / 3	2 / 5	0 / 1			
Percentage of cycles resulting in pregnancy	1 / 3	2 / 5	0 / 1			
Outcomes per Transfer						
Number of transfers	3	3	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 3	2 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3	0 / 1			
Percentage of transfers resulting in live births	1 / 3	2 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 3	2 / 3	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	1	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of pregnancies resulting in live births	1 / 1	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	1.5				
Percentage of embryos transferred resulting in implantation	2 / 4	2 / 3				
Percentage of transfers resulting in singleton live births	2 / 2	2 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	2 / 2	2 / 2				
Percentage of transfers resulting in pregnancy	2 / 2	2 / 2				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ART AT UNION MEMORIAL HOSPITAL BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Nathan G. Berger, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	4%	
				Endometriosis	21%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 68 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	8	6	5	11	1
Percentage of cancellations	3 / 17	1 / 8	2 / 6	0 / 5	3 / 11	0 / 1
Average number of embryos transferred	2.1	2.0	2.8	3.3	1.4	2.0
Percentage of embryos transferred resulting in implantation	14.8	2 / 14	1 / 11	1 / 13	1 / 7	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 4	0 / 4	0 / 4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 17	0 / 8	1 / 6	1 / 5	0 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 17	0 / 8	0 / 6	0 / 5	0 / 11	0 / 1
Percentage of cycles resulting in live births	3 / 17	0 / 8	1 / 6	1 / 5	0 / 11	0 / 1
Percentage of cycles resulting in pregnancy	4 / 17	2 / 8	2 / 6	1 / 5	1 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	13	7	4	4	5	1
Percentage of transfers resulting in singleton live births	3 / 13	0 / 7	1 / 4	1 / 4	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 4	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in live births	3 / 13	0 / 7	1 / 4	1 / 4	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	4 / 13	2 / 7	2 / 4	1 / 4	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	4	2	2	1	1	0
Percentage of pregnancies resulting in singleton live births	3 / 4	0 / 2	1 / 2	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	3 / 4	0 / 2	1 / 2	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	0	0	0	0
Number of transfers	4	2	0	0	0	0
Estimated average number of transfers per retrieval	1.3	2.0				
Average number of embryos transferred	2.8	2.0				
Percentage of embryos transferred resulting in implantation	1 / 11	0 / 4				
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2				
Percentage of transfers resulting in live births	1 / 4	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 4	0 / 2				
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	5			7		
Number of transfers	5			5		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation	3 / 10			4 / 11		
Percentage of transfers resulting in singleton live births	1 / 5			0 / 5		
Percentage of transfers resulting in live births	2 / 5			1 / 5		
Percentage of transfers resulting in pregnancy	2 / 5			2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for ART at Medstar Union Memorial Hospital					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC AT GBMC BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Eugene Katz, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	48%	Tubal factor	16%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	6%
				Endometriosis	10%	Unknown factor	21%
				<i>Multiple Factors:</i> Female factors only 7% Female & male factors 11%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 729 (includes 15 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	261	108	107	41	26	0	
Percentage of cancellations	4.6	10.2	13.1	19.5	15.4		
Average number of embryos transferred	1.5	1.8	2.5	3.1	2.7		
Percentage of embryos transferred resulting in implantation	47.2	35.6	27.5	16.3	1.8		
Percentage of elective single embryo transfer (eSET)	46.4	17.9	1.2	3.1	0 / 15		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	37.2	25.9	23.4	9.8	0.0		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.9	2.4	0.0		
Percentage of cycles resulting in live births	47.5	35.2	31.8	12.2	0.0		
Percentage of cycles resulting in pregnancy	56.3	45.4	41.1	29.3	7.7		
Outcomes per Transfer							
Number of transfers	244	90	90	32	21	0	
Percentage of transfers resulting in singleton live births	39.8	31.1	27.8	12.5	0.0		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.2	3.1	0.0		
Percentage of transfers resulting in live births	50.8	42.2	37.8	15.6	0.0		
Percentage of transfers resulting in pregnancy	60.2	54.4	48.9	37.5	9.5		
Outcomes per Pregnancy							
Number of pregnancies	147	49	44	12	2	0	
Percentage of pregnancies resulting in singleton live births	66.0	57.1	56.8	4 / 12	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	4.5	1 / 12	0 / 2		
Percentage of pregnancies resulting in live births	84.4	77.6	77.3	5 / 12	0 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	91	38	21	11	9	0	
Number of transfers	85	37	19	11	9	0	
Estimated average number of transfers per retrieval	1.8	1.9	1.1	2.8	4.5		
Average number of embryos transferred	1.5	1.7	1.6	1.9	2.6		
Percentage of embryos transferred resulting in implantation	35.9	27.4	40.0	14.3	0.0		
Percentage of transfers resulting in singleton live births	29.4	35.1	2 / 19	2 / 11	0 / 9		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 11	0 / 9		
Percentage of transfers resulting in live births	36.5	37.8	5 / 19	2 / 11	0 / 9		
Percentage of transfers resulting in pregnancy	48.2	48.6	8 / 19	3 / 11	1 / 9		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		1			
Number of transfers		0		1			
Average number of embryos transferred				2.0			
Percentage of embryos transferred resulting in implantation				1 / 2			
Percentage of transfers resulting in singleton live births				1 / 1			
Percentage of transfers resulting in live births				1 / 1			
Percentage of transfers resulting in pregnancy				1 / 1			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Shady Grove Fertility RSC-Towson					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Endrika L. Hinton, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	40%	Tubal factor	8%	Uterine factor	24%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	40%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	0%
				Endometriosis	48%	Unknown factor	0%
				Multiple Factors: Female factors only 28% Female & male factors 40%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 25 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		8	2	5	5	0	0
Percentage of cancellations		1 / 8	0 / 2	1 / 5	2 / 5		
Average number of embryos transferred		2.0	2.0	2.3	2.3		
Percentage of embryos transferred resulting in implantation		3 / 10	2 / 4	2 / 7	3 / 7		
Percentage of elective single embryo transfer (eSET)		0 / 5	0 / 2	0 / 3	0 / 3		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		1 / 8	2 / 2	0 / 5	1 / 5		
Percentage of cycles resulting in triplets or more live births		0 / 8	0 / 2	0 / 5	0 / 5		
Percentage of cycles resulting in live births		1 / 8	2 / 2	1 / 5	2 / 5		
Percentage of cycles resulting in pregnancy		2 / 8	2 / 2	1 / 5	2 / 5		
Outcomes per Transfer							
Number of transfers		5	2	3	3	0	0
Percentage of transfers resulting in singleton live births		1 / 5	2 / 2	0 / 3	1 / 3		
Percentage of transfers resulting in triplets or more live births		0 / 5	0 / 2	0 / 3	0 / 3		
Percentage of transfers resulting in live births		1 / 5	2 / 2	1 / 3	2 / 3		
Percentage of transfers resulting in pregnancy		2 / 5	2 / 2	1 / 3	2 / 3		
Outcomes per Pregnancy							
Number of pregnancies		2	2	1	2	0	0
Percentage of pregnancies resulting in singleton live births		1 / 2	2 / 2	0 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births		0 / 2	0 / 2	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births		1 / 2	2 / 2	1 / 1	2 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		5	0	0	0	0	0
Number of transfers		5	0	0	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation		4 / 10					
Percentage of transfers resulting in singleton live births		2 / 5					
Percentage of transfers resulting in triplets or more live births		0 / 5					
Percentage of transfers resulting in live births		2 / 5					
Percentage of transfers resulting in pregnancy		5 / 5					
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Endrika Hinton, MD					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jairo E. Garcia, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	50%	Tubal factor	15%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	31%
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	17%
				Endometriosis	12%	Unknown factor	5%
				<i>Multiple Factors:</i> Female factors only 11% Female & male factors 14%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 337 (includes 27 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	67	42	53	45	21	1	
Percentage of cancellations	11.9	9.5	15.1	22.2	33.3	0 / 1	
Average number of embryos transferred	1.8	2.0	1.9	2.0	2.4		
Percentage of embryos transferred resulting in implantation	30.1	16.4	28.6	9.5	0 / 19		
Percentage of elective single embryo transfer (eSET)	5.7	3.7	4.3	0 / 15	0 / 7		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	10.4	14.3	11.3	4.4	0.0	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 1	
Percentage of cycles resulting in live births	17.9	19.0	17.0	4.4	0.0	0 / 1	
Percentage of cycles resulting in pregnancy	25.4	23.8	22.6	13.3	0.0	0 / 1	
Outcomes per Transfer							
Number of transfers	40	31	29	21	8	0	
Percentage of transfers resulting in singleton live births	17.5	19.4	20.7	9.5	0 / 8		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8		
Percentage of transfers resulting in live births	30.0	25.8	31.0	9.5	0 / 8		
Percentage of transfers resulting in pregnancy	42.5	32.3	41.4	28.6	0 / 8		
Outcomes per Pregnancy							
Number of pregnancies	17	10	12	6	0	0	
Percentage of pregnancies resulting in singleton live births	7 / 17	6 / 10	6 / 12	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 10	0 / 12	0 / 6			
Percentage of pregnancies resulting in live births	12 / 17	8 / 10	9 / 12	2 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles	33	9	13	4	3	0	
Number of transfers	32	8	12	4	3	0	
Estimated average number of transfers per retrieval	1.1	1.3	1.1	2.0	1.0		
Average number of embryos transferred	1.6	1.6	1.8	2.0	1.7		
Percentage of embryos transferred resulting in implantation	28.8	1 / 13	23.8	2 / 8	0 / 5		
Percentage of transfers resulting in singleton live births	12.5	1 / 8	3 / 12	0 / 4	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 12	0 / 4	0 / 3		
Percentage of transfers resulting in live births	21.9	1 / 8	3 / 12	1 / 4	0 / 3		
Percentage of transfers resulting in pregnancy	37.5	1 / 8	5 / 12	1 / 4	0 / 3		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		7		12			
Number of transfers		4		12			
Average number of embryos transferred		2.0		1.9			
Percentage of embryos transferred resulting in implantation		2 / 8		34.8			
Percentage of transfers resulting in singleton live births		0 / 4		4 / 12			
Percentage of transfers resulting in live births		1 / 4		5 / 12			
Percentage of transfers resulting in pregnancy		2 / 4		6 / 12			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Johns Hopkins Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**CENTER FOR REPRODUCTIVE MEDICINE
ROCKVILLE, MARYLAND**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	10%	
				Endometriosis	5%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 7,069 (includes 365 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1,463	863	831	462	186	9
Percentage of cancellations	5.0	7.9	11.7	15.2	25.8	1 / 9
Average number of embryos transferred	1.5	1.6	2.1	2.6	2.9	3.6
Percentage of embryos transferred resulting in implantation	42.9	33.0	22.4	13.3	6.2	1 / 18
Percentage of elective single embryo transfer (eSET)	43.0	32.8	6.4	1.2	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.6	27.5	21.4	12.1	6.5	0 / 9
Percentage of cycles resulting in triplets or more live births	0.1	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	44.6	34.0	25.4	14.9	7.0	0 / 9
Percentage of cycles resulting in pregnancy	52.2	41.5	33.5	26.2	11.3	1 / 9
Outcomes per Transfer						
Number of transfers	1,331	759	691	351	122	5
Percentage of transfers resulting in singleton live births	40.3	31.2	25.8	16.0	9.8	0 / 5
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	49.1	38.6	30.5	19.7	10.7	0 / 5
Percentage of transfers resulting in pregnancy	57.3	47.2	40.2	34.5	17.2	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	763	358	278	121	21	1
Percentage of pregnancies resulting in singleton live births	70.2	66.2	64.0	46.3	57.1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	0 / 1
Percentage of pregnancies resulting in live births	85.6	81.8	75.9	57.0	61.9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	583	323	267	77	26	9
Number of transfers	567	313	249	69	22	8
Estimated average number of transfers per retrieval	1.5	1.3	1.2	0.9	1.0	0.7
Average number of embryos transferred	1.4	1.4	1.5	1.4	1.5	1.3
Percentage of embryos transferred resulting in implantation	45.7	45.2	33.0	36.4	30.3	1 / 10
Percentage of transfers resulting in singleton live births	39.7	41.5	32.1	24.6	22.7	0 / 8
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	47.4	47.9	37.8	29.0	22.7	0 / 8
Percentage of transfers resulting in pregnancy	57.8	60.7	48.2	46.4	36.4	1 / 8
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1,077		528			
Number of transfers	921		486			
Average number of embryos transferred	1.4		1.3			
Percentage of embryos transferred resulting in implantation	47.6		36.7			
Percentage of transfers resulting in singleton live births	44.8		31.9			
Percentage of transfers resulting in live births	50.7		36.4			
Percentage of transfers resulting in pregnancy	61.7		47.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTGOMERY FERTILITY CENTER SILVER SPRING, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Oluyemisi O. Adesanya-Famiyiwa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	28%	Uterine factor	42%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	14%	
				Endometriosis	3%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 36 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	7	7	6	0	2
Percentage of cancellations	0 / 4	0 / 7	3 / 7	2 / 6		1 / 2
Average number of embryos transferred	1.5	2.6	1.5	2.0		
Percentage of embryos transferred resulting in implantation	3 / 6	2 / 13	0 / 3	0 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 5	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	2 / 7	0 / 7	0 / 6		0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 7	0 / 7	0 / 6		0 / 2
Percentage of cycles resulting in live births	1 / 4	2 / 7	0 / 7	0 / 6		0 / 2
Percentage of cycles resulting in pregnancy	2 / 4	2 / 7	0 / 7	0 / 6		0 / 2
Outcomes per Transfer						
Number of transfers	4	5	2	3	0	0
Percentage of transfers resulting in singleton live births	0 / 4	2 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in live births	1 / 4	2 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancy	2 / 4	2 / 5	0 / 2	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	2	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of pregnancies resulting in live births	1 / 2	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	9			1		
Number of transfers	9			1		
Average number of embryos transferred	3.0			4.0		
Percentage of embryos transferred resulting in implantation	7.4			1 / 4		
Percentage of transfers resulting in singleton live births	2 / 9			1 / 1		
Percentage of transfers resulting in live births	2 / 9			1 / 1		
Percentage of transfers resulting in pregnancy	2 / 9			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Montgomery Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	27%	Uterine factor	14%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	7%	
				Endometriosis	15%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 327 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	34	44	29	17	3
Percentage of cancellations	12.4	8.8	20.5	44.8	10 / 17	3 / 3
Average number of embryos transferred	1.9	2.0	2.3	3.6	2.4	
Percentage of embryos transferred resulting in implantation	33.5	28.3	13.0	7.0	0 / 17	
Percentage of elective single embryo transfer (eSET)	5.6	6.9	0.0	0 / 15	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.2	29.4	13.6	3.4	0 / 17	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 3
Percentage of cycles resulting in live births	34.5	35.3	13.6	6.9	0 / 17	0 / 3
Percentage of cycles resulting in pregnancy	38.1	41.2	22.7	13.8	0 / 17	0 / 3
Outcomes per Transfer						
Number of transfers	95	30	34	16	7	0
Percentage of transfers resulting in singleton live births	25.3	33.3	17.6	1 / 16	0 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 7	
Percentage of transfers resulting in live births	41.1	40.0	17.6	2 / 16	0 / 7	
Percentage of transfers resulting in pregnancy	45.3	46.7	29.4	4 / 16	0 / 7	
Outcomes per Pregnancy						
Number of pregnancies	43	14	10	4	0	0
Percentage of pregnancies resulting in singleton live births	55.8	10 / 14	6 / 10	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 4		
Percentage of pregnancies resulting in live births	90.7	12 / 14	6 / 10	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	20	24	5	0	2
Number of transfers	29	17	22	5	0	2
Estimated average number of transfers per retrieval	1.6	1.5	2.4	5.0		
Average number of embryos transferred	1.9	1.9	2.1	1.6		1.5
Percentage of embryos transferred resulting in implantation	34.5	12.5	23.9	0 / 8		0 / 3
Percentage of transfers resulting in singleton live births	31.0	1 / 17	22.7	0 / 5		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 5		0 / 2
Percentage of transfers resulting in live births	44.8	2 / 17	36.4	0 / 5		0 / 2
Percentage of transfers resulting in pregnancy	55.2	5 / 17	45.5	0 / 5		1 / 2
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		5		1		
Number of transfers		3		1		
Average number of embryos transferred		2.0		1.0		
Percentage of embryos transferred resulting in implantation		1 / 6		0 / 1		
Percentage of transfers resulting in singleton live births		1 / 3		0 / 1		
Percentage of transfers resulting in live births		1 / 3		0 / 1		
Percentage of transfers resulting in pregnancy		1 / 3		0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Maryland					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Elizabeth S. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	9%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	26%	
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	10%	
				Endometriosis	6%	Unknown factor	29%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,822 (includes 32 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	412	286	341	222	59	8
Percentage of cancellations	2.4	4.5	7.3	6.3	5.1	0 / 8
Average number of embryos transferred	1.7	2.2	2.5	4.1	4.5	7.4
Percentage of embryos transferred resulting in implantation	32.9	25.5	15.0	6.4	3.0	0.0
Percentage of elective single embryo transfer (eSET)	26.3	8.2	5.5	0.6	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.9	26.6	19.4	13.5	6.8	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	37.4	35.3	23.5	14.9	8.5	0 / 8
Percentage of cycles resulting in pregnancy	45.6	43.0	33.1	27.0	13.6	0 / 8
Outcomes per Transfer						
Number of transfers	380	257	299	182	52	7
Percentage of transfers resulting in singleton live births	30.3	29.6	22.1	16.5	7.7	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	40.5	39.3	26.8	18.1	9.6	0 / 7
Percentage of transfers resulting in pregnancy	49.5	47.9	37.8	33.0	15.4	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	188	123	113	60	8	0
Percentage of pregnancies resulting in singleton live births	61.2	61.8	58.4	50.0	4 / 8	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	
Percentage of pregnancies resulting in live births	81.9	82.1	70.8	55.0	5 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	145	88	84	16	10	1
Number of transfers	134	84	74	16	7	0
Estimated average number of transfers per retrieval	1.2	1.5	1.4	1.8	1.2	
Average number of embryos transferred	1.8	1.9	2.3	3.0	4.1	
Percentage of embryos transferred resulting in implantation	31.4	25.2	15.8	12.5	3.4	
Percentage of transfers resulting in singleton live births	33.6	26.2	25.7	5 / 16	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 7	
Percentage of transfers resulting in live births	42.5	32.1	29.7	5 / 16	1 / 7	
Percentage of transfers resulting in pregnancy	50.0	47.6	40.5	7 / 16	1 / 7	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	63		55			
Number of transfers	59		54			
Average number of embryos transferred	1.9		1.7			
Percentage of embryos transferred resulting in implantation	39.1		22.8			
Percentage of transfers resulting in singleton live births	33.9		27.8			
Percentage of transfers resulting in live births	50.8		33.3			
Percentage of transfers resulting in pregnancy	57.6		35.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Thomas L. Toth, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	42%	Tubal factor	14%	Uterine factor	3%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	37%
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	8%
				Endometriosis	7%	Unknown factor	25%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 17%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 820 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	278	146	155	71	16	0
Percentage of cancellations	5.4	2.7	6.5	4.2	0 / 16	
Average number of embryos transferred	1.7	1.9	2.5	3.4	3.2	
Percentage of embryos transferred resulting in implantation	44.8	28.5	22.5	12.6	8.9	
Percentage of elective single embryo transfer (eSET)	27.8	8.8	3.1	0.0	0 / 12	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.8	28.8	23.2	14.1	0 / 16	
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.6	0.0	0 / 16	
Percentage of cycles resulting in live births	47.1	37.0	29.0	18.3	0 / 16	
Percentage of cycles resulting in pregnancy	54.7	42.5	40.6	28.2	4 / 16	
Outcomes per Transfer						
Number of transfers	252	135	137	60	14	0
Percentage of transfers resulting in singleton live births	42.9	31.1	26.3	16.7	0 / 14	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.7	0.0	0 / 14	
Percentage of transfers resulting in live births	52.0	40.0	32.8	21.7	0 / 14	
Percentage of transfers resulting in pregnancy	60.3	45.9	46.0	33.3	4 / 14	
Outcomes per Pregnancy						
Number of pregnancies	152	62	63	20	4	0
Percentage of pregnancies resulting in singleton live births	71.1	67.7	57.1	50.0	0 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	1.6	0.0	0 / 4	
Percentage of pregnancies resulting in live births	86.2	87.1	71.4	65.0	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	18	24	1	5	0
Number of transfers	50	17	23	1	5	0
Estimated average number of transfers per retrieval	1.6	1.4	1.6	1.0	5.0	
Average number of embryos transferred	1.6	1.5	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation	31.7	46.2	40.0	0 / 2	1 / 10	
Percentage of transfers resulting in singleton live births	34.0	8 / 17	43.5	0 / 1	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 1	0 / 5	
Percentage of transfers resulting in live births	40.0	9 / 17	47.8	0 / 1	0 / 5	
Percentage of transfers resulting in pregnancy	46.0	10 / 17	56.5	0 / 1	1 / 5	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		24		17		
Number of transfers		22		17		
Average number of embryos transferred		1.7		1.6		
Percentage of embryos transferred resulting in implantation		35.1		35.7		
Percentage of transfers resulting in singleton live births		31.8		5 / 17		
Percentage of transfers resulting in live births		36.4		6 / 17		
Percentage of transfers resulting in pregnancy		54.5		9 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REI DIVISION AT TUFTS MEDICAL CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Sandra A. Carson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	5%	
				Endometriosis	7%	Unknown factor	44%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				9%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 137 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		50	20	25	14	13	0
Percentage of cancellations		8.0	20.0	4.0	1 / 14	0 / 13	
Average number of embryos transferred		2.0	2.5	3.3	3.2	3.7	
Percentage of embryos transferred resulting in implantation		29.2	18.4	8.6	7.9	0.0	
Percentage of elective single embryo transfer (eSET)		2.6	0 / 14	0 / 18	0 / 10	0 / 13	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.0	5.0	16.0	1 / 14	0 / 13	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0 / 14	0 / 13	
Percentage of cycles resulting in live births		32.0	15.0	20.0	1 / 14	0 / 13	
Percentage of cycles resulting in pregnancy		38.0	20.0	20.0	3 / 14	0 / 13	
Outcomes per Transfer							
Number of transfers		44	15	21	12	13	0
Percentage of transfers resulting in singleton live births		25.0	1 / 15	19.0	1 / 12	0 / 13	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 15	0.0	0 / 12	0 / 13	
Percentage of transfers resulting in live births		36.4	3 / 15	23.8	1 / 12	0 / 13	
Percentage of transfers resulting in pregnancy		43.2	4 / 15	23.8	3 / 12	0 / 13	
Outcomes per Pregnancy							
Number of pregnancies		19	4	5	3	0	0
Percentage of pregnancies resulting in singleton live births		11 / 19	1 / 4	4 / 5	1 / 3		
Percentage of pregnancies resulting in triplets or more live births		0 / 19	0 / 4	0 / 5	0 / 3		
Percentage of pregnancies resulting in live births		16 / 19	3 / 4	5 / 5	1 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		7	3	3	2	0	0
Number of transfers		7	3	3	2	0	0
Estimated average number of transfers per retrieval		1.8	3.0				
Average number of embryos transferred		1.9	1.7	2.3	1.0		
Percentage of embryos transferred resulting in implantation		3 / 13	3 / 5	2 / 7	1 / 2		
Percentage of transfers resulting in singleton live births		1 / 7	1 / 3	0 / 3	1 / 2		
Percentage of transfers resulting in triplets or more live births		0 / 7	0 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in live births		2 / 7	2 / 3	1 / 3	1 / 2		
Percentage of transfers resulting in pregnancy		2 / 7	2 / 3	1 / 3	1 / 2		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SOLUTIONS, PC DBA
 MASSACHUSETTS FERTILITY CENTER, LLC
 DEDHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ania Kowalik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 8% Female & male factors 6%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	14%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	<1%	
				Endometriosis	7%	Unknown factor	27%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 547 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	158	91	96	58	10	2
Percentage of cancellations	6.3	11.0	12.5	15.5	2 / 10	2 / 2
Average number of embryos transferred	1.7	1.9	2.4	3.0	3.3	
Percentage of embryos transferred resulting in implantation	39.3	23.4	14.4	6.5	4.3	
Percentage of elective single embryo transfer (eSET)	27.0	14.7	2.7	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.2	17.6	17.7	8.6	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births	39.9	20.9	19.8	8.6	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	49.4	29.7	26.0	15.5	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	145	75	81	47	7	0
Percentage of transfers resulting in singleton live births	29.7	21.3	21.0	10.6	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 7	
Percentage of transfers resulting in live births	43.4	25.3	23.5	10.6	1 / 7	
Percentage of transfers resulting in pregnancy	53.8	36.0	30.9	19.1	1 / 7	
Outcomes per Pregnancy						
Number of pregnancies	78	27	25	9	1	0
Percentage of pregnancies resulting in singleton live births	55.1	59.3	68.0	5 / 9	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 9	0 / 1	
Percentage of pregnancies resulting in live births	80.8	70.4	76.0	5 / 9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	27	20	3	4	0
Number of transfers	37	25	17	2	2	0
Estimated average number of transfers per retrieval	1.8	1.5	0.9	1.0		
Average number of embryos transferred	1.8	1.9	2.2	2.5	2.0	
Percentage of embryos transferred resulting in implantation	33.3	14.6	29.7	0 / 5	0 / 4	
Percentage of transfers resulting in singleton live births	21.6	12.0	8 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.7	4.0	0 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in live births	35.1	16.0	9 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	43.2	16.0	10 / 17	0 / 2	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		27		7		
Number of transfers		24		6		
Average number of embryos transferred		1.7		1.8		
Percentage of embryos transferred resulting in implantation		58.5		5 / 11		
Percentage of transfers resulting in singleton live births		29.2		4 / 6		
Percentage of transfers resulting in live births		62.5		4 / 6		
Percentage of transfers resulting in pregnancy		70.8		5 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Solutions, PC dba, Massachusetts Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER LEXINGTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Samuel C. Pang, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^b				
IVF	100%	With ICSI	43%	Tubal factor	17%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	14%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	7%	
				Endometriosis	6%	Unknown factor	19%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				21%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 2,576 (includes 15 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	903	421	398	199	66	4	
Percentage of cancellations	4.5	6.9	9.0	14.6	6.1	1 / 4	
Average number of embryos transferred	1.6	1.9	2.5	3.1	3.5	3.5	
Percentage of embryos transferred resulting in implantation	37.5	28.4	18.9	10.5	3.5	0 / 7	
Percentage of elective single embryo transfer (eSET)	36.6	11.0	2.4	0.7	0.0	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	30.7	23.5	17.8	11.6	7.6	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.3	0.7	0.5	0.0	0.0	0 / 4	
Percentage of cycles resulting in live births	38.3	32.3	22.9	13.6	7.6	0 / 4	
Percentage of cycles resulting in pregnancy	44.9	36.3	31.2	23.1	16.7	0 / 4	
Outcomes per Transfer							
Number of transfers	789	361	326	158	57	2	
Percentage of transfers resulting in singleton live births	35.1	27.4	21.8	14.6	8.8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.4	0.8	0.6	0.0	0.0	0 / 2	
Percentage of transfers resulting in live births	43.9	37.7	27.9	17.1	8.8	0 / 2	
Percentage of transfers resulting in pregnancy	51.3	42.4	38.0	29.1	19.3	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	405	153	124	46	11	0	
Percentage of pregnancies resulting in singleton live births	68.4	64.7	57.3	50.0	5 / 11		
Percentage of pregnancies resulting in triplets or more live births	0.7	2.0	1.6	0.0	0 / 11		
Percentage of pregnancies resulting in live births	85.4	88.9	73.4	58.7	5 / 11		
Frozen Embryos from Nondonor Eggs							
Number of cycles	217	121	62	29	10	4	
Number of transfers	183	106	52	25	8	2	
Estimated average number of transfers per retrieval	1.4	1.1	1.4	1.2	2.0		
Average number of embryos transferred	1.4	1.4	1.6	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation	32.2	34.2	28.4	12.8	0 / 14	2 / 4	
Percentage of transfers resulting in singleton live births	29.5	31.1	26.9	24.0	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	35.0	36.8	34.6	24.0	0 / 8	1 / 2	
Percentage of transfers resulting in pregnancy	44.3	45.3	38.5	24.0	0 / 8	1 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		71		56			
Number of transfers		67		45			
Average number of embryos transferred		1.4		1.2			
Percentage of embryos transferred resulting in implantation		48.9		44.6			
Percentage of transfers resulting in singleton live births		46.3		37.8			
Percentage of transfers resulting in live births		52.2		44.4			
Percentage of transfers resulting in pregnancy		62.7		51.1			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Reproductive Science Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by R. Ian Hardy, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	12%	Uterine factor	10%	Multiple Factors: Female factors only 11% Female & male factors 15%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	26%	
				Endometriosis	9%	Unknown factor	20%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,176 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	404	191	167	89	33	0
Percentage of cancellations	3.5	4.2	10.8	6.7	6.1	
Average number of embryos transferred	1.6	1.8	1.8	2.2	2.3	
Percentage of embryos transferred resulting in implantation	37.9	29.5	18.9	6.5	9.1	
Percentage of elective single embryo transfer (eSET)	25.8	11.8	2.2	0.0	0 / 19	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	21.5	14.4	5.6	9.1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	
Percentage of cycles resulting in live births	36.6	29.3	16.8	5.6	9.1	
Percentage of cycles resulting in pregnancy	42.3	35.1	21.6	12.4	12.1	
Outcomes per Transfer						
Number of transfers	338	154	120	69	24	0
Percentage of transfers resulting in singleton live births	32.8	26.6	20.0	7.2	12.5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	
Percentage of transfers resulting in live births	43.8	36.4	23.3	7.2	12.5	
Percentage of transfers resulting in pregnancy	50.6	43.5	30.0	15.9	16.7	
Outcomes per Pregnancy						
Number of pregnancies	171	67	36	11	4	0
Percentage of pregnancies resulting in singleton live births	64.9	61.2	66.7	5 / 11	3 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 4	
Percentage of pregnancies resulting in live births	86.5	83.6	77.8	5 / 11	3 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	91	49	32	18	9	4
Number of transfers	81	41	27	13	8	3
Estimated average number of transfers per retrieval	1.4	1.1	1.0	1.9	1.0	3.0
Average number of embryos transferred	1.5	1.5	1.5	1.6	1.5	1.7
Percentage of embryos transferred resulting in implantation	24.6	25.4	22.5	19.0	3 / 12	0 / 5
Percentage of transfers resulting in singleton live births	22.2	29.3	22.2	3 / 13	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 13	0 / 8	0 / 3
Percentage of transfers resulting in live births	27.2	29.3	22.2	3 / 13	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	30.9	41.5	29.6	4 / 13	3 / 8	1 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		54		16		
Number of transfers		54		15		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation		51.9		45.8		
Percentage of transfers resulting in singleton live births		37.0		7 / 15		
Percentage of transfers resulting in live births		61.1		9 / 15		
Percentage of transfers resulting in pregnancy		66.7		9 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Kelly Lynch, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	13%	Uterine factor	6%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	4%	
				Endometriosis	12%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				7%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 487 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		162	62	61	28	5	0
Percentage of cancellations		9.3	3.2	4.9	14.3	0 / 5	
Average number of embryos transferred		1.5	1.8	2.6	3.2	4.4	
Percentage of embryos transferred resulting in implantation		41.9	30.8	20.7	14.9	4.5	
Percentage of elective single embryo transfer (eSET)		43.4	13.5	1.9	0.0	0 / 5	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		38.3	17.7	21.3	7.1	1 / 5	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 5	
Percentage of cycles resulting in live births		43.8	32.3	27.9	10.7	1 / 5	
Percentage of cycles resulting in pregnancy		50.0	38.7	39.3	21.4	1 / 5	
Outcomes per Transfer							
Number of transfers		142	57	56	23	5	0
Percentage of transfers resulting in singleton live births		43.7	19.3	23.2	8.7	1 / 5	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births		50.0	35.1	30.4	13.0	1 / 5	
Percentage of transfers resulting in pregnancy		57.0	42.1	42.9	26.1	1 / 5	
Outcomes per Pregnancy							
Number of pregnancies		81	24	24	6	1	0
Percentage of pregnancies resulting in singleton live births		76.5	45.8	54.2	2 / 6	1 / 1	
Percentage of pregnancies resulting in triplets or more live births		0.0	0.0	0.0	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births		87.7	83.3	70.8	3 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		78	26	25	7	1	2
Number of transfers		72	21	19	5	1	1
Estimated average number of transfers per retrieval		1.8	1.6	1.7	5.0	0.5	
Average number of embryos transferred		1.4	1.4	1.4	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation		43.0	50.0	44.4	3 / 9	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births		36.1	57.1	9 / 19	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0.0	1 / 19	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births		47.2	61.9	10 / 19	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		50.0	66.7	11 / 19	3 / 5	0 / 1	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		16			14		
Number of transfers		15			12		
Average number of embryos transferred		1.6			1.3		
Percentage of embryos transferred resulting in implantation		58.3			6 / 15		
Percentage of transfers resulting in singleton live births		7 / 15			4 / 12		
Percentage of transfers resulting in live births		10 / 15			5 / 12		
Percentage of transfers resulting in pregnancy		12 / 15			5 / 12		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Baystate Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY STONEHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Vito R. Cardone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	29%	Tubal factor	7%	Uterine factor	9%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	3%	Male factor	21%
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	9%
				Endometriosis	6%	Unknown factor	13%
				<i>Multiple Factors:</i> Female factors only 3% Female & male factors 4%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 246 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	17	25	36	17	7
Percentage of cancellations	0.0	0 / 17	4.0	8.3	4 / 17	1 / 7
Average number of embryos transferred	2.1	2.0	2.2	2.7	3.6	2.4
Percentage of embryos transferred resulting in implantation	29.8	26.9	23.3	11.0	0.0	0 / 12
Percentage of elective single embryo transfer (eSET)	3.6	1 / 12	0 / 15	0.0	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	4 / 17	8.0	11.1	0 / 17	0 / 7
Percentage of cycles resulting in triplets or more live births	1.5	0 / 17	0.0	2.8	0 / 17	0 / 7
Percentage of cycles resulting in live births	43.1	5 / 17	20.0	13.9	0 / 17	0 / 7
Percentage of cycles resulting in pregnancy	50.8	6 / 17	32.0	16.7	0 / 17	0 / 7
Outcomes per Transfer						
Number of transfers	59	13	20	27	8	5
Percentage of transfers resulting in singleton live births	39.0	4 / 13	10.0	14.8	0 / 8	0 / 5
Percentage of transfers resulting in triplets or more live births	1.7	0 / 13	0.0	3.7	0 / 8	0 / 5
Percentage of transfers resulting in live births	47.5	5 / 13	25.0	18.5	0 / 8	0 / 5
Percentage of transfers resulting in pregnancy	55.9	6 / 13	40.0	22.2	0 / 8	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	33	6	8	6	0	0
Percentage of pregnancies resulting in singleton live births	69.7	4 / 6	2 / 8	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	3.0	0 / 6	0 / 8	1 / 6		
Percentage of pregnancies resulting in live births	84.8	5 / 6	5 / 8	5 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	7	7	2	2	0
Number of transfers	16	6	7	2	2	0
Estimated average number of transfers per retrieval	2.3	2.0	3.5	1.0	1.0	
Average number of embryos transferred	2.2	2.2	2.7	2.5	5.5	
Percentage of embryos transferred resulting in implantation	25.7	4 / 13	3 / 19	0 / 5	1 / 11	
Percentage of transfers resulting in singleton live births	5 / 16	0 / 6	2 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in live births	6 / 16	2 / 6	2 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	9 / 16	3 / 6	3 / 7	0 / 2	1 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		19		
Number of transfers		25		16		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		50.0		20.0		
Percentage of transfers resulting in singleton live births		52.0		3 / 16		
Percentage of transfers resulting in live births		72.0		4 / 16		
Percentage of transfers resulting in pregnancy		80.0		6 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cardone Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	43%	Tubal factor	8%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	6%	
				Endometriosis	4%	Unknown factor	37%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 3,452 (includes 43 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	859	570	555	351	149	34
Percentage of cancellations	4.7	5.6	8.1	9.4	10.7	20.6
Average number of embryos transferred	1.7	1.9	2.4	3.1	3.7	2.4
Percentage of embryos transferred resulting in implantation	30.5	21.6	15.7	7.8	2.7	6.7
Percentage of elective single embryo transfer (eSET)	27.1	18.0	6.5	1.7	0.0	0 / 12
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.8	18.2	15.9	8.0	4.0	5.9
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.2	0.0	0.0	0.0
Percentage of cycles resulting in live births	30.7	22.3	18.9	9.7	4.0	5.9
Percentage of cycles resulting in pregnancy	35.0	28.4	27.2	18.8	9.4	11.8
Outcomes per Transfer						
Number of transfers	733	465	448	274	111	19
Percentage of transfers resulting in singleton live births	25.5	22.4	19.6	10.2	5.4	2 / 19
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.2	0.0	0.0	0 / 19
Percentage of transfers resulting in live births	36.0	27.3	23.4	12.4	5.4	2 / 19
Percentage of transfers resulting in pregnancy	41.1	34.8	33.7	24.1	12.6	4 / 19
Outcomes per Pregnancy						
Number of pregnancies	301	162	151	66	14	4
Percentage of pregnancies resulting in singleton live births	62.1	64.2	58.3	42.4	6 / 14	2 / 4
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.7	0.0	0 / 14	0 / 4
Percentage of pregnancies resulting in live births	87.7	78.4	69.5	51.5	6 / 14	2 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	277	171	100	47	15	2
Number of transfers	253	156	77	41	12	2
Estimated average number of transfers per retrieval	1.2	1.0	1.0	1.1	2.4	
Average number of embryos transferred	1.6	1.7	1.7	2.5	3.0	2.5
Percentage of embryos transferred resulting in implantation	26.2	25.9	13.7	7.9	5.6	0 / 5
Percentage of transfers resulting in singleton live births	22.9	21.8	15.6	14.6	2 / 12	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 2
Percentage of transfers resulting in live births	29.6	28.8	16.9	14.6	2 / 12	0 / 2
Percentage of transfers resulting in pregnancy	36.4	35.3	20.8	19.5	2 / 12	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		139		140		
Number of transfers		121		120		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		31.7		21.5		
Percentage of transfers resulting in singleton live births		29.8		20.0		
Percentage of transfers resulting in live births		42.1		26.7		
Percentage of transfers resulting in pregnancy		51.2		34.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Boston IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ANN ARBOR, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Senait Fisseha, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	5%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	3%	
				Endometriosis	11%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 220 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	27	15	10	3	0
Percentage of cancellations	10.0	11.1	2 / 15	3 / 10	1 / 3	
Average number of embryos transferred	1.6	1.9	2.1	2.3	1.5	
Percentage of embryos transferred resulting in implantation	30.9	15.2	17.4	2 / 16	0 / 3	
Percentage of elective single embryo transfer (eSET)	37.3	13.6	0 / 11	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.3	14.8	1 / 15	2 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 10	0 / 3	
Percentage of cycles resulting in live births	38.6	18.5	1 / 15	2 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	47.1	33.3	4 / 15	2 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	60	24	11	7	2	0
Percentage of transfers resulting in singleton live births	40.0	16.7	1 / 11	2 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 7	0 / 2	
Percentage of transfers resulting in live births	45.0	20.8	1 / 11	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	55.0	37.5	4 / 11	2 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	33	9	4	2	0	0
Percentage of pregnancies resulting in singleton live births	72.7	4 / 9	1 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	81.8	5 / 9	1 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	14	7	5	1	0
Number of transfers	33	12	7	4	1	0
Estimated average number of transfers per retrieval	1.1	1.5	1.2	4.0	0.5	
Average number of embryos transferred	1.7	1.7	2.1	1.3	3.0	
Percentage of embryos transferred resulting in implantation	19.6	30.0	5 / 15	0 / 5	1 / 3	
Percentage of transfers resulting in singleton live births	18.2	4 / 12	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births	21.2	5 / 12	2 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	27.3	5 / 12	4 / 7	0 / 4	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		8		6		
Number of transfers		8		6		
Average number of embryos transferred		1.5		1.5		
Percentage of embryos transferred resulting in implantation		6 / 12		1 / 9		
Percentage of transfers resulting in singleton live births		3 / 8		1 / 6		
Percentage of transfers resulting in live births		4 / 8		1 / 6		
Percentage of transfers resulting in pregnancy		5 / 8		2 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND SURGERY, PC BIRMINGHAM, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael S. Mersol-Barg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	7%	Uterine factor	2%	
Unstimulated	1%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	5%	
				Endometriosis	10%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 135 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	16	22	8	1	3
Percentage of cancellations	2.2	0 / 16	4.5	1 / 8	0 / 1	1 / 3
Average number of embryos transferred	2.0	2.3	2.0	2.4	2.0	2.0
Percentage of embryos transferred resulting in implantation	27.1	20.6	10.5	1 / 17	1 / 2	1 / 4
Percentage of elective single embryo transfer (eSET)	7.7	0 / 14	1 / 15	0 / 6	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	4 / 16	13.6	1 / 8	1 / 1	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 8	0 / 1	0 / 3
Percentage of cycles resulting in live births	30.4	5 / 16	13.6	1 / 8	1 / 1	0 / 3
Percentage of cycles resulting in pregnancy	34.8	6 / 16	18.2	1 / 8	1 / 1	2 / 3
Outcomes per Transfer						
Number of transfers	43	15	19	7	1	2
Percentage of transfers resulting in singleton live births	23.3	4 / 15	3 / 19	1 / 7	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 19	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in live births	32.6	5 / 15	3 / 19	1 / 7	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	37.2	6 / 15	4 / 19	1 / 7	1 / 1	2 / 2
Outcomes per Pregnancy						
Number of pregnancies	16	6	4	1	1	2
Percentage of pregnancies resulting in singleton live births	10 / 16	4 / 6	3 / 4	1 / 1	1 / 1	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 6	0 / 4	0 / 1	0 / 1	0 / 2
Percentage of pregnancies resulting in live births	14 / 16	5 / 6	3 / 4	1 / 1	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	7	4	1	0	0
Number of transfers	11	7	4	1	0	0
Estimated average number of transfers per retrieval	1.1	1.0	2.0	1.0		
Average number of embryos transferred	1.5	1.3	1.5	1.0		
Percentage of embryos transferred resulting in implantation	7 / 16	4 / 9	3 / 6	0 / 1		
Percentage of transfers resulting in singleton live births	4 / 11	4 / 7	2 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 11	0 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in live births	5 / 11	4 / 7	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	6 / 11	4 / 7	3 / 4	1 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		4		5		
Number of transfers		3		4		
Average number of embryos transferred		2.0		1.3		
Percentage of embryos transferred resulting in implantation		2 / 6		2 / 5		
Percentage of transfers resulting in singleton live births		2 / 3		2 / 4		
Percentage of transfers resulting in live births		2 / 3		2 / 4		
Percentage of transfers resulting in pregnancy		2 / 3		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	3%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	8%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	13%	
				Endometriosis	21%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 103 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	10	21	9	13	1
Percentage of cancellations	10.3	1 / 10	47.6	2 / 9	2 / 13	0 / 1
Average number of embryos transferred	2.2	3.1	2.8	3.1	3.3	3.0
Percentage of embryos transferred resulting in implantation	34.5	25.0	24.0	18.2	0.0	0 / 3
Percentage of elective single embryo transfer (eSET)	11.5	0 / 9	0 / 9	0 / 7	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	2 / 10	19.0	1 / 9	0 / 13	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1 / 10	0.0	0 / 9	0 / 13	0 / 1
Percentage of cycles resulting in live births	44.8	4 / 10	23.8	2 / 9	0 / 13	0 / 1
Percentage of cycles resulting in pregnancy	51.7	4 / 10	28.6	3 / 9	0 / 13	1 / 1
Outcomes per Transfer						
Number of transfers	26	9	9	7	9	1
Percentage of transfers resulting in singleton live births	30.8	2 / 9	4 / 9	1 / 7	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1 / 9	0 / 9	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in live births	50.0	4 / 9	5 / 9	2 / 7	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	57.7	4 / 9	6 / 9	3 / 7	0 / 9	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	15	4	6	3	0	1
Percentage of pregnancies resulting in singleton live births	8 / 15	2 / 4	4 / 6	1 / 3		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 4	0 / 6	0 / 3		0 / 1
Percentage of pregnancies resulting in live births	13 / 15	4 / 4	5 / 6	2 / 3		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	3	0	1	0
Number of transfers	7	3	2	0	1	0
Estimated average number of transfers per retrieval	1.0	1.0				
Average number of embryos transferred	1.9	1.7	1.5		1.0	
Percentage of embryos transferred resulting in implantation	3 / 13	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births	3 / 7	0 / 3	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 3	0 / 2		0 / 1	
Percentage of transfers resulting in live births	3 / 7	0 / 3	1 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 7	0 / 3	1 / 2		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		3		3		
Number of transfers		2		3		
Average number of embryos transferred		1.5		1.7		
Percentage of embryos transferred resulting in implantation		2 / 3		0 / 5		
Percentage of transfers resulting in singleton live births		0 / 2		0 / 3		
Percentage of transfers resulting in live births		1 / 2		0 / 3		
Percentage of transfers resulting in pregnancy		1 / 2		0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF BRIGHTON, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	21%	Uterine factor	13%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	17%	
				Endometriosis	17%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				26%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 115 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	15	12	8	0	0
Percentage of cancellations	0.0	0 / 15	0 / 12	0 / 8		
Average number of embryos transferred	1.8	2.4	2.7	2.4		
Percentage of embryos transferred resulting in implantation	47.4	27.3	23.3	4 / 17		
Percentage of elective single embryo transfer (eSET)	3 / 19	0 / 12	0 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	4 / 15	5 / 12	2 / 8		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 8		
Percentage of cycles resulting in live births	52.4	5 / 15	6 / 12	2 / 8		
Percentage of cycles resulting in pregnancy	61.9	7 / 15	6 / 12	4 / 8		
Outcomes per Transfer						
Number of transfers	21	14	11	7	0	0
Percentage of transfers resulting in singleton live births	33.3	4 / 14	5 / 11	2 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 11	0 / 7		
Percentage of transfers resulting in live births	52.4	5 / 14	6 / 11	2 / 7		
Percentage of transfers resulting in pregnancy	61.9	7 / 14	6 / 11	4 / 7		
Outcomes per Pregnancy						
Number of pregnancies	13	7	6	4	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	4 / 7	5 / 6	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 7	0 / 6	0 / 4		
Percentage of pregnancies resulting in live births	11 / 13	5 / 7	6 / 6	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	5	0	0	0
Number of transfers	10	1	5	0	0	0
Estimated average number of transfers per retrieval	0.7	1.0	0.8	0.0	0.0	
Average number of embryos transferred	1.8	1.0	2.0			
Percentage of embryos transferred resulting in implantation	5 / 18	1 / 1	0 / 10			
Percentage of transfers resulting in singleton live births	3 / 10	1 / 1	0 / 5			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 1	0 / 5			
Percentage of transfers resulting in live births	4 / 10	1 / 1	0 / 5			
Percentage of transfers resulting in pregnancy	4 / 10	1 / 1	0 / 5			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	9		12			
Number of transfers	9		12			
Average number of embryos transferred	1.9		1.6			
Percentage of embryos transferred resulting in implantation	5 / 17		5 / 19			
Percentage of transfers resulting in singleton live births	5 / 9		4 / 12			
Percentage of transfers resulting in live births	5 / 9		4 / 12			
Percentage of transfers resulting in pregnancy	7 / 9		5 / 12			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gago IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David M. Magyar, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	10%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	48%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	7%
				Endometriosis	12%	Unknown factor	9%
				Multiple Factors:			
				Female factors only 7%			
				Female & male factors 24%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 163 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	13	14	9	4	1
Percentage of cancellations	18.6	2 / 13	1 / 14	1 / 9	3 / 4	1 / 1
Average number of embryos transferred	2.0	2.0	2.6	2.8	3.0	
Percentage of embryos transferred resulting in implantation	29.2	15.0	24.1	0.0	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 9	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.7	1 / 13	6 / 14	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in live births	34.3	2 / 13	6 / 14	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	35.7	2 / 13	6 / 14	0 / 9	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	52	10	11	8	1	0
Percentage of transfers resulting in singleton live births	34.6	1 / 10	6 / 11	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 8	0 / 1	
Percentage of transfers resulting in live births	46.2	2 / 10	6 / 11	0 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	48.1	2 / 10	6 / 11	0 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	25	2	6	0	0	0
Percentage of pregnancies resulting in singleton live births	72.0	1 / 2	6 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 2	0 / 6			
Percentage of pregnancies resulting in live births	96.0	2 / 2	6 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	4	1	0	0
Number of transfers	10	4	3	1	0	0
Estimated average number of transfers per retrieval	1.0	1.3		0.5		
Average number of embryos transferred	2.0	1.3	2.0	2.0		
Percentage of embryos transferred resulting in implantation	25.0	0 / 5	0 / 6	1 / 2		
Percentage of transfers resulting in singleton live births	2 / 10	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in live births	3 / 10	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 10	0 / 4	0 / 3	1 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		11		18		
Number of transfers		9		15		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		4 / 18		14.8		
Percentage of transfers resulting in singleton live births		4 / 9		4 / 15		
Percentage of transfers resulting in live births		4 / 9		4 / 15		
Percentage of transfers resulting in pregnancy		4 / 9		4 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Comprehensive Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GRAND RAPIDS FERTILITY & IVF, PC
GRAND RAPIDS, MICHIGAN**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by William G. Dodds, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	83%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	13%	Male factor	67%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	6%	
				Endometriosis	16%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				32%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 945 (includes 6 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		312	80	70	17	6	0
Percentage of cancellations		10.9	11.3	18.6	6 / 17	2 / 6	
Average number of embryos transferred		2.2	2.5	3.2	3.5	5.5	
Percentage of embryos transferred resulting in implantation		29.3	19.8	20.1	2.6	0.0	
Percentage of elective single embryo transfer (eSET)		1.9	0.0	0.0	0 / 11	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		24.0	20.0	14.3	0 / 17	0 / 6	
Percentage of cycles resulting in triplets or more live births		0.6	1.3	2.9	0 / 17	0 / 6	
Percentage of cycles resulting in live births		36.5	26.3	24.3	0 / 17	0 / 6	
Percentage of cycles resulting in pregnancy		41.3	35.0	34.3	1 / 17	1 / 6	
Outcomes per Transfer							
Number of transfers		273	68	54	11	4	0
Percentage of transfers resulting in singleton live births		27.5	23.5	18.5	0 / 11	0 / 4	
Percentage of transfers resulting in triplets or more live births		0.7	1.5	3.7	0 / 11	0 / 4	
Percentage of transfers resulting in live births		41.8	30.9	31.5	0 / 11	0 / 4	
Percentage of transfers resulting in pregnancy		47.3	41.2	44.4	1 / 11	1 / 4	
Outcomes per Pregnancy							
Number of pregnancies		129	28	24	1	1	0
Percentage of pregnancies resulting in singleton live births		58.1	57.1	41.7	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		1.6	3.6	8.3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births		88.4	75.0	70.8	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		215	61	42	4	1	1
Number of transfers		212	58	41	4	1	1
Estimated average number of transfers per retrieval		2.3	3.1	2.2	1.0		
Average number of embryos transferred		2.2	2.4	2.8	2.5	2.0	1.0
Percentage of embryos transferred resulting in implantation		15.6	13.4	22.1	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births		21.2	17.2	24.4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0.5	0.0	0.0	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births		25.9	22.4	31.7	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		32.1	27.6	43.9	1 / 4	0 / 1	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		50			80		
Number of transfers		40			78		
Average number of embryos transferred		2.0			2.2		
Percentage of embryos transferred resulting in implantation		26.6			12.6		
Percentage of transfers resulting in singleton live births		27.5			15.4		
Percentage of transfers resulting in live births		32.5			19.2		
Percentage of transfers resulting in pregnancy		45.0			25.6		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Michigan Reproductive & IVF Center, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	18%	
Unstimulated	2%	Used PGD	13%	Ovulatory dysfunction	22%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	15%	
				Endometriosis	12%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				28%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,057 (includes 16 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	338	141	110	66	27	11
Percentage of cancellations	6.8	8.5	7.3	16.7	11.1	2 / 11
Average number of embryos transferred	2.0	2.0	2.3	2.1	2.3	1.5
Percentage of embryos transferred resulting in implantation	39.2	31.6	16.8	13.6	6.5	1 / 9
Percentage of elective single embryo transfer (eSET)	10.3	7.8	2.9	3.8	0 / 17	1 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.4	24.1	17.3	12.1	3.7	1 / 11
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	45.6	33.3	20.9	12.1	3.7	1 / 11
Percentage of cycles resulting in pregnancy	50.9	41.1	29.1	16.7	7.4	1 / 11
Outcomes per Transfer						
Number of transfers	285	115	87	38	20	6
Percentage of transfers resulting in singleton live births	37.2	29.6	21.8	21.1	5.0	1 / 6
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	54.0	40.9	26.4	21.1	5.0	1 / 6
Percentage of transfers resulting in pregnancy	60.4	50.4	36.8	28.9	10.0	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	172	58	32	11	2	1
Percentage of pregnancies resulting in singleton live births	61.6	58.6	59.4	8 / 11	1 / 2	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.2	0.0	0.0	0 / 11	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	89.5	81.0	71.9	8 / 11	1 / 2	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	127	41	26	10	7	7
Number of transfers	115	41	20	10	4	6
Estimated average number of transfers per retrieval	2.2	1.8	1.4	5.0	0.8	3.0
Average number of embryos transferred	2.0	2.0	2.2	2.3	2.8	2.0
Percentage of embryos transferred resulting in implantation	35.7	30.1	14.0	17.4	1 / 11	1 / 12
Percentage of transfers resulting in singleton live births	32.2	26.8	20.0	2 / 10	0 / 4	1 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 6
Percentage of transfers resulting in live births	43.5	31.7	20.0	2 / 10	0 / 4	1 / 6
Percentage of transfers resulting in pregnancy	57.4	61.0	40.0	5 / 10	1 / 4	1 / 6
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		77		53		
Number of transfers		62		44		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		51.2		16.9		
Percentage of transfers resulting in singleton live births		24.2		15.9		
Percentage of transfers resulting in live births		58.1		22.7		
Percentage of transfers resulting in pregnancy		66.1		29.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP SOUTHFIELD, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Elizabeth E. Puscheck, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	41%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	15%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 205 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	22	20	10	1	0
Percentage of cancellations	0.0	9.1	0.0	0 / 10	0 / 1	
Average number of embryos transferred	2.2	2.8	2.8	3.3	4.0	
Percentage of embryos transferred resulting in implantation	29.8	11.1	24.5	15.0	1 / 4	
Percentage of elective single embryo transfer (eSET)	1.6	0 / 18	0 / 17	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	18.2	20.0	2 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 1	
Percentage of cycles resulting in live births	41.8	18.2	40.0	2 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	44.8	22.7	50.0	2 / 10	1 / 1	
Outcomes per Transfer						
Number of transfers	63	19	19	6	1	0
Percentage of transfers resulting in singleton live births	28.6	4 / 19	4 / 19	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 19	0 / 6	0 / 1	
Percentage of transfers resulting in live births	44.4	4 / 19	8 / 19	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	47.6	5 / 19	10 / 19	2 / 6	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	30	5	10	2	1	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 5	4 / 10	2 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 10	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	93.3	4 / 5	8 / 10	2 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	22	4	3	0	1
Number of transfers	36	19	4	3	0	1
Estimated average number of transfers per retrieval	1.6	1.4	0.8	1.5		
Average number of embryos transferred	2.8	2.9	3.5	2.7		3.0
Percentage of embryos transferred resulting in implantation	18.6	12.7	0 / 14	0 / 8		0 / 3
Percentage of transfers resulting in singleton live births	27.8	4 / 19	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	36.1	5 / 19	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	55.6	6 / 19	0 / 4	0 / 3		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		4		
Number of transfers		13		4		
Average number of embryos transferred		1.9		3.0		
Percentage of embryos transferred resulting in implantation		44.0		1 / 12		
Percentage of transfers resulting in singleton live births		5 / 13		0 / 4		
Percentage of transfers resulting in live births		8 / 13		0 / 4		
Percentage of transfers resulting in pregnancy		8 / 13		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wayne State University Physician Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Kenneth Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 24%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	8%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	13%	
				Endometriosis	14%	Unknown factor	17%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 88 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	17	8	2	3	1
Percentage of cancellations	15.4	1 / 17	2 / 8	1 / 2	0 / 3	0 / 1
Average number of embryos transferred	2.2	2.4	2.2	2.0		
Percentage of embryos transferred resulting in implantation	30.0	12.1	3 / 13	0 / 2		
Percentage of elective single embryo transfer (eSET)	1 / 18	0 / 13	0 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	2 / 17	1 / 8	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	3.8	0 / 17	0 / 8	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in live births	30.8	3 / 17	2 / 8	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in pregnancy	30.8	3 / 17	2 / 8	0 / 2	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	18	14	6	1	0	0
Percentage of transfers resulting in singleton live births	6 / 18	2 / 14	1 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 14	0 / 6	0 / 1		
Percentage of transfers resulting in live births	8 / 18	3 / 14	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancy	8 / 18	3 / 14	2 / 6	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	8	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 8	2 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 8	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	4	1	0	1
Number of transfers	11	8	4	1	0	1
Estimated average number of transfers per retrieval	1.2	1.6	2.0		0.0	
Average number of embryos transferred	2.1	1.6	1.5	2.0		3.0
Percentage of embryos transferred resulting in implantation	13.0	0 / 13	0 / 6	0 / 2		0 / 3
Percentage of transfers resulting in singleton live births	1 / 11	0 / 8	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	1 / 11	0 / 8	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	4 / 11	0 / 8	0 / 4	0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
	Number of cycles	1			3	
Number of transfers	1			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	1 / 2			1 / 6		
Percentage of transfers resulting in singleton live births	1 / 1			1 / 3		
Percentage of transfers resulting in live births	1 / 1			1 / 3		
Percentage of transfers resulting in pregnancy	1 / 1			2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry Ford Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LUANA J. KYSELKA, MD, PC
TROY, MICHIGAN**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**BRENDA L. MOSKOVITZ, MD, PC
TROY, MICHIGAN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Brenda L. Moskovitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	46%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	0%	
				Endometriosis	36%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				55%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 11 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	0	3	2	0	0
Percentage of cancellations	0/5		0/3	0/2		
Average number of embryos transferred	1.4		1.0	2.5		
Percentage of embryos transferred resulting in implantation	4/7		1/3	2/5		
Percentage of elective single embryo transfer (eSET)	3/5		1/1	0/2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4/5		0/3	0/2		
Percentage of cycles resulting in triplets or more live births	0/5		0/3	0/2		
Percentage of cycles resulting in live births	4/5		0/3	1/2		
Percentage of cycles resulting in pregnancy	4/5		1/3	1/2		
Outcomes per Transfer						
Number of transfers	5	0	3	2	0	0
Percentage of transfers resulting in singleton live births	4/5		0/3	0/2		
Percentage of transfers resulting in triplets or more live births	0/5		0/3	0/2		
Percentage of transfers resulting in live births	4/5		0/3	1/2		
Percentage of transfers resulting in pregnancy	4/5		1/3	1/2		
Outcomes per Pregnancy						
Number of pregnancies	4	0	1	1	0	0
Percentage of pregnancies resulting in singleton live births	4/4		0/1	0/1		
Percentage of pregnancies resulting in triplets or more live births	0/4		0/1	0/1		
Percentage of pregnancies resulting in live births	4/4		0/1	1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1/2					
Percentage of transfers resulting in singleton live births	1/1					
Percentage of transfers resulting in triplets or more live births	0/1					
Percentage of transfers resulting in live births	1/1					
Percentage of transfers resulting in pregnancy	1/1					
Donor Eggs						
		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brenda L. Moskovitz, MD, PC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Brad T. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	9%	Uterine factor	7%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	18%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	22%
				Endometriosis	17%	Unknown factor	7%
				<i>Multiple Factors:</i> Female factors only 14% Female & male factors 13%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 383 (includes 20 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	63	39	8	8	5
Percentage of cancellations	1.1	4.8	5.1	1 / 8	2 / 8	1 / 5
Average number of embryos transferred	2.0	2.4	2.7	2.5	2.7	2.7
Percentage of embryos transferred resulting in implantation	41.7	21.6	12.1	1 / 15	1 / 16	0 / 8
Percentage of elective single embryo transfer (eSET)	21.4	3.8	0.0	0 / 5	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.4	19.0	12.8	0 / 8	1 / 8	0 / 5
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 8	0 / 8	0 / 5
Percentage of cycles resulting in live births	53.8	28.6	15.4	0 / 8	1 / 8	0 / 5
Percentage of cycles resulting in pregnancy	57.1	39.7	23.1	1 / 8	1 / 8	1 / 5
Outcomes per Transfer						
Number of transfers	88	57	34	6	6	3
Percentage of transfers resulting in singleton live births	38.6	21.1	14.7	0 / 6	1 / 6	0 / 3
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0 / 6	0 / 6	0 / 3
Percentage of transfers resulting in live births	55.7	31.6	17.6	0 / 6	1 / 6	0 / 3
Percentage of transfers resulting in pregnancy	59.1	43.9	26.5	1 / 6	1 / 6	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	52	25	9	1	1	1
Percentage of pregnancies resulting in singleton live births	65.4	48.0	5 / 9	0 / 1	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0 / 9	0 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	94.2	72.0	6 / 9	0 / 1	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	21	13	13	1	0
Number of transfers	48	21	10	12	1	0
Estimated average number of transfers per retrieval	1.9	1.8	1.3	1.7		0.0
Average number of embryos transferred	1.8	1.7	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation	28.4	31.4	9 / 19	14.3	0 / 2	
Percentage of transfers resulting in singleton live births	27.1	33.3	2 / 10	1 / 12	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in live births	35.4	38.1	4 / 10	2 / 12	0 / 1	
Percentage of transfers resulting in pregnancy	52.1	52.4	6 / 10	2 / 12	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		24		
Number of transfers		23		16		
Average number of embryos transferred		2.1		2.1		
Percentage of embryos transferred resulting in implantation		38.8		33.3		
Percentage of transfers resulting in singleton live births		30.4		4 / 16		
Percentage of transfers resulting in live births		47.8		6 / 16		
Percentage of transfers resulting in pregnancy		65.2		8 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Michigan					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Carole L. Kowalczyk, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	95%	Tubal factor	16%	Uterine factor	6%
Unstimulated	0%	Used PGD	20%	Ovulatory dysfunction	4%	Male factor	48%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	4%
				Endometriosis	3%	Unknown factor	20%
				Multiple Factors: Female factors only 5% Female & male factors 22%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 187 (includes 9 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	66	36	11	10	2	0	
Percentage of cancellations	1.5	5.6	0 / 11	3 / 10	0 / 2		
Average number of embryos transferred	2.1	2.1	1.7	1.3	3.0		
Percentage of embryos transferred resulting in implantation	38.5	25.8	4 / 12	1 / 4	0 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 5	0 / 1	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	27.3	36.1	0 / 11	1 / 10	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 10	0 / 2		
Percentage of cycles resulting in live births	45.5	38.9	1 / 11	1 / 10	0 / 2		
Percentage of cycles resulting in pregnancy	48.5	41.7	3 / 11	1 / 10	0 / 2		
Outcomes per Transfer							
Number of transfers	62	31	7	3	1	0	
Percentage of transfers resulting in singleton live births	29.0	41.9	0 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births	48.4	45.2	1 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	51.6	48.4	3 / 7	1 / 3	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies	32	15	3	1	0	0	
Percentage of pregnancies resulting in singleton live births	56.3	13 / 15	0 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	93.8	14 / 15	1 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles	20	10	6	2	0	2	
Number of transfers	19	10	6	2	0	2	
Estimated average number of transfers per retrieval	1.5	1.3	0.9	1.0			
Average number of embryos transferred	1.9	1.9	1.3	2.0		2.0	
Percentage of embryos transferred resulting in implantation	27.8	10 / 19	5 / 8	2 / 4		0 / 4	
Percentage of transfers resulting in singleton live births	4 / 19	3 / 10	2 / 6	2 / 2		0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 10	0 / 6	0 / 2		0 / 2	
Percentage of transfers resulting in live births	5 / 19	5 / 10	3 / 6	2 / 2		0 / 2	
Percentage of transfers resulting in pregnancy	9 / 19	7 / 10	4 / 6	2 / 2		0 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		11		2			
Number of transfers		11		1			
Average number of embryos transferred		2.2		2.0			
Percentage of embryos transferred resulting in implantation		45.8		2 / 2			
Percentage of transfers resulting in singleton live births		3 / 11		0 / 1			
Percentage of transfers resulting in live births		6 / 11		1 / 1			
Percentage of transfers resulting in pregnancy		7 / 11		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Michigan Center for Fertility and Women's Health, PLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	51%	Tubal factor	8%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	53%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	1%	Other factor	6%	
				Endometriosis	11%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 219 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	105	28	7	2	0	0
Percentage of cancellations	1.9	17.9	2 / 7	1 / 2		
Average number of embryos transferred	1.9	1.9	1.6	2.0		
Percentage of embryos transferred resulting in implantation	47.9	40.5	2 / 8	0 / 2		
Percentage of elective single embryo transfer (eSET)	3.2	0.0	1 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	17.9	0 / 7	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 2		
Percentage of cycles resulting in live births	56.2	35.7	1 / 7	0 / 2		
Percentage of cycles resulting in pregnancy	62.9	39.3	1 / 7	0 / 2		
Outcomes per Transfer						
Number of transfers	98	22	5	1	0	0
Percentage of transfers resulting in singleton live births	32.7	22.7	0 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 1		
Percentage of transfers resulting in live births	60.2	45.5	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	67.3	50.0	1 / 5	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	66	11	1	0	0	0
Percentage of pregnancies resulting in singleton live births	48.5	5 / 11	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 1			
Percentage of pregnancies resulting in live births	89.4	10 / 11	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	7	4	3	0	1
Number of transfers	27	7	4	3	0	1
Estimated average number of transfers per retrieval	3.4	7.0				
Average number of embryos transferred	1.6	1.6	1.8	1.3		1.0
Percentage of embryos transferred resulting in implantation	16.3	5 / 11	2 / 7	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births	18.5	4 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	18.5	4 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	33.3	4 / 7	2 / 4	0 / 3		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		11		
Number of transfers		24		11		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		60.0		1 / 17		
Percentage of transfers resulting in singleton live births		33.3		1 / 11		
Percentage of transfers resulting in live births		66.7		1 / 11		
Percentage of transfers resulting in pregnancy		83.3		2 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Midwest Center for Reproductive Health, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lisa Erickson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	14%	Uterine factor	5%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	4%	
				Endometriosis	11%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 983 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	369	159	132	42	13	4
Percentage of cancellations	4.9	5.0	8.3	21.4	4 / 13	0 / 4
Average number of embryos transferred	1.7	1.8	2.0	2.3	2.9	2.5
Percentage of embryos transferred resulting in implantation	50.3	36.8	27.6	16.4	5.0	0 / 10
Percentage of elective single embryo transfer (eSET)	15.8	5.7	2.9	0.0	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.0	29.6	22.7	7.1	1 / 13	0 / 4
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.0	2.4	0 / 13	0 / 4
Percentage of cycles resulting in live births	53.9	40.3	31.1	14.3	1 / 13	0 / 4
Percentage of cycles resulting in pregnancy	58.5	52.8	42.4	19.0	1 / 13	0 / 4
Outcomes per Transfer						
Number of transfers	331	143	112	29	7	4
Percentage of transfers resulting in singleton live births	40.2	32.9	26.8	10.3	1 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.0	3.4	0 / 7	0 / 4
Percentage of transfers resulting in live births	60.1	44.8	36.6	20.7	1 / 7	0 / 4
Percentage of transfers resulting in pregnancy	65.3	58.7	50.0	27.6	1 / 7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	216	84	56	8	1	0
Percentage of pregnancies resulting in singleton live births	61.6	56.0	53.6	3 / 8	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	0.0	1 / 8	0 / 1	
Percentage of pregnancies resulting in live births	92.1	76.2	73.2	6 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	32	13	9	2	1
Number of transfers	65	30	10	8	2	1
Estimated average number of transfers per retrieval	1.7	1.8	2.0	2.7	1.0	1.0
Average number of embryos transferred	1.9	1.8	1.6	1.5	1.0	1.0
Percentage of embryos transferred resulting in implantation	49.6	30.9	8 / 16	3 / 12	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	36.9	36.7	4 / 10	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	3.1	0.0	1 / 10	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births	60.0	43.3	5 / 10	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	70.8	53.3	6 / 10	3 / 8	0 / 2	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		91		32		
Number of transfers		87		30		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		63.0		39.1		
Percentage of transfers resulting in singleton live births		39.1		30.0		
Percentage of transfers resulting in live births		63.2		36.7		
Percentage of transfers resulting in pregnancy		70.1		46.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE CENTER MINNEAPOLIS, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William R. Phipps, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	18%	Uterine factor	9%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	62%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	5%	
				Endometriosis	21%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				36%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 310 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	147	44	34	17	10	1
Percentage of cancellations	2.0	13.6	2.9	0 / 17	3 / 10	0 / 1
Average number of embryos transferred	1.9	1.8	2.3	2.7	4.0	3.0
Percentage of embryos transferred resulting in implantation	36.5	27.1	20.6	18.6	1 / 16	0 / 3
Percentage of elective single embryo transfer (eSET)	9.5	3.1	0.0	0 / 15	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.3	27.3	20.6	5 / 17	0 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 10	0 / 1
Percentage of cycles resulting in live births	43.5	34.1	29.4	5 / 17	0 / 10	0 / 1
Percentage of cycles resulting in pregnancy	49.0	38.6	35.3	6 / 17	1 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	134	38	29	16	4	1
Percentage of transfers resulting in singleton live births	34.3	31.6	24.1	5 / 16	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.8	39.5	34.5	5 / 16	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	53.7	44.7	41.4	6 / 16	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	72	17	12	6	1	0
Percentage of pregnancies resulting in singleton live births	63.9	12 / 17	7 / 12	5 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 12	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	88.9	15 / 17	10 / 12	5 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	12	3	2	0	0
Number of transfers	26	8	2	1	0	0
Estimated average number of transfers per retrieval	1.3	2.0				
Average number of embryos transferred	1.3	1.4	2.0	2.0		
Percentage of embryos transferred resulting in implantation	22.9	2 / 11	2 / 4	1 / 2		
Percentage of transfers resulting in singleton live births	23.1	2 / 8	0 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 2	0 / 1		
Percentage of transfers resulting in live births	23.1	2 / 8	1 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	26.9	3 / 8	2 / 2	1 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		7		0		
Number of transfers		7		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		7 / 14				
Percentage of transfers resulting in singleton live births		2 / 7				
Percentage of transfers resulting in live births		3 / 7				
Percentage of transfers resulting in pregnancy		4 / 7				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Charles C. Coddington, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	10%	Uterine factor	1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	27%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	5%	
				Endometriosis	7%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				25%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 324 (includes 43 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		79	20	17	11	2	0
Percentage of cancellations		19.0	0.0	1 / 17	4 / 11	0 / 2	
Average number of embryos transferred		1.9	2.7	3.0	2.9	3.0	
Percentage of embryos transferred resulting in implantation		26.7	21.6	23.1	5.0	0 / 6	
Percentage of elective single embryo transfer (eSET)		9.1	2 / 19	0 / 13	0 / 6	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		19.0	20.0	3 / 17	1 / 11	0 / 2	
Percentage of cycles resulting in triplets or more live births		1.3	0.0	0 / 17	0 / 11	0 / 2	
Percentage of cycles resulting in live births		25.3	35.0	4 / 17	1 / 11	0 / 2	
Percentage of cycles resulting in pregnancy		29.1	40.0	6 / 17	1 / 11	0 / 2	
Outcomes per Transfer							
Number of transfers		55	19	13	7	2	0
Percentage of transfers resulting in singleton live births		27.3	4 / 19	3 / 13	1 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births		1.8	0 / 19	0 / 13	0 / 7	0 / 2	
Percentage of transfers resulting in live births		36.4	7 / 19	4 / 13	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancy		41.8	8 / 19	6 / 13	1 / 7	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		23	8	6	1	0	0
Percentage of pregnancies resulting in singleton live births		65.2	4 / 8	3 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		4.3	0 / 8	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births		87.0	7 / 8	4 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		85	27	14	2	1	0
Number of transfers		77	26	13	0	1	0
Estimated average number of transfers per retrieval		1.2	1.6	1.9			
Average number of embryos transferred		2.0	1.8	2.1		1.0	
Percentage of embryos transferred resulting in implantation		29.0	27.1	11.1		0 / 1	
Percentage of transfers resulting in singleton live births		23.4	34.6	1 / 13		0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 13		0 / 1	
Percentage of transfers resulting in live births		36.4	42.3	2 / 13		0 / 1	
Percentage of transfers resulting in pregnancy		46.8	46.2	2 / 13		0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			17		
Number of transfers		5			17		
Average number of embryos transferred		1.6			2.1		
Percentage of embryos transferred resulting in implantation		2 / 8			25.7		
Percentage of transfers resulting in singleton live births		2 / 5			6 / 17		
Percentage of transfers resulting in live births		2 / 5			7 / 17		
Percentage of transfers resulting in pregnancy		2 / 5			8 / 17		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Mayo Clinic Assisted Reproductive Technologies					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	17%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	22%	Male factor	61%
Used gestational carrier	2%			Diminished ovarian reserve	9%	Other factor	27%
				Endometriosis	21%	Unknown factor	5%
				<i>Multiple Factors:</i> Female factors only 11% Female & male factors 41%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 510 (includes 17 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	193	49	31	20	1	1
Percentage of cancellations	1.0	2.0	6.5	15.0	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.1	2.5	3.5	2.0	3.0
Percentage of embryos transferred resulting in implantation	45.5	30.2	15.3	4.3	0 / 2	0 / 3
Percentage of elective single embryo transfer (eSET)	18.1	4.7	0.0	0 / 12	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.2	32.7	9.7	5.0	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 1	0 / 1
Percentage of cycles resulting in live births	54.9	40.8	19.4	5.0	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	58.5	49.0	29.0	10.0	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	184	46	29	13	1	1
Percentage of transfers resulting in singleton live births	37.0	34.8	10.3	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births	57.6	43.5	20.7	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	61.4	52.2	31.0	2 / 13	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	113	24	9	2	0	0
Percentage of pregnancies resulting in singleton live births	60.2	66.7	3 / 9	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	93.8	83.3	6 / 9	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	74	19	15	7	4	3
Number of transfers	72	19	14	7	4	3
Estimated average number of transfers per retrieval	1.6	1.4	2.0	0.9		
Average number of embryos transferred	1.4	1.3	1.5	1.6	3.0	2.0
Percentage of embryos transferred resulting in implantation	33.7	16.0	28.6	1 / 11	1 / 12	0 / 6
Percentage of transfers resulting in singleton live births	29.2	4 / 19	6 / 14	1 / 7	1 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 7	0 / 4	0 / 3
Percentage of transfers resulting in live births	33.3	4 / 19	6 / 14	1 / 7	1 / 4	0 / 3
Percentage of transfers resulting in pregnancy	44.4	6 / 19	6 / 14	1 / 7	1 / 4	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		49		27		
Number of transfers		46		27		
Average number of embryos transferred		1.7		1.4		
Percentage of embryos transferred resulting in implantation		43.8		28.9		
Percentage of transfers resulting in singleton live births		32.6		14.8		
Percentage of transfers resulting in live births		47.8		22.2		
Percentage of transfers resulting in pregnancy		63.0		33.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC FLOWOOD, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Randall S. Hines, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	30%	Uterine factor	29%	
Unstimulated	18%	Used PGD	4%	Ovulatory dysfunction	18%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	8%	
				Endometriosis	29%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				31%
				Female & male factors				17%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 110 (includes 9 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		28	16	7	3	2	1
Percentage of cancellations		3.6	1 / 16	1 / 7	2 / 3	0 / 2	0 / 1
Average number of embryos transferred		2.0	2.2	2.0	1.0	2.5	4.0
Percentage of embryos transferred resulting in implantation		26.1	17.9	1 / 4	0 / 1	0 / 5	0 / 4
Percentage of elective single embryo transfer (eSET)		4.8	0 / 12	0 / 2		0 / 2	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		21.4	2 / 16	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0 / 16	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births		32.1	3 / 16	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy		32.1	4 / 16	1 / 7	1 / 3	0 / 2	0 / 1
Outcomes per Transfer							
Number of transfers		23	13	2	1	2	1
Percentage of transfers resulting in singleton live births		26.1	2 / 13	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0 / 13	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births		39.1	3 / 13	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy		39.1	4 / 13	1 / 2	1 / 1	0 / 2	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		9	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births		6 / 9	2 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 9	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births		9 / 9	3 / 4	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	11	1	0	0	1
Number of transfers		18	11	1	0	0	1
Estimated average number of transfers per retrieval		1.3	1.6	1.0			
Average number of embryos transferred		1.6	1.5	2.0			1.0
Percentage of embryos transferred resulting in implantation		34.5	2 / 17	1 / 2			0 / 1
Percentage of transfers resulting in singleton live births		8 / 18	0 / 11	1 / 1			0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 18	0 / 11	0 / 1			0 / 1
Percentage of transfers resulting in live births		8 / 18	0 / 11	1 / 1			0 / 1
Percentage of transfers resulting in pregnancy		9 / 18	2 / 11	1 / 1			0 / 1
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		8			4		
Number of transfers		7			4		
Average number of embryos transferred		1.7			1.8		
Percentage of embryos transferred resulting in implantation		7 / 12			2 / 7		
Percentage of transfers resulting in singleton live births		3 / 7			2 / 4		
Percentage of transfers resulting in live births		4 / 7			2 / 4		
Percentage of transfers resulting in pregnancy		5 / 7			2 / 4		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Mississippi Reproductive Medicine, PLLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI FERTILITY INSTITUTE JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John D. Isaacs, Jr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	37%	Uterine factor	13%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	<1%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	0%	
				Endometriosis	21%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 164 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	33	16	2	2	0
Percentage of cancellations	1.8	9.1	2 / 16	1 / 2	0 / 2	
Average number of embryos transferred	2.1	2.2	1.9	3.0	2.5	
Percentage of embryos transferred resulting in implantation	31.1	30.6	20.0	0 / 3	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 12	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.2	30.3	1 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	3.6	3.0	0 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in live births	35.7	39.4	3 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	41.1	39.4	3 / 16	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	50	28	13	1	2	0
Percentage of transfers resulting in singleton live births	26.0	35.7	1 / 13	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	4.0	3.6	0 / 13	0 / 1	0 / 2	
Percentage of transfers resulting in live births	40.0	46.4	3 / 13	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	46.0	46.4	3 / 13	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	23	13	3	0	0	0
Percentage of pregnancies resulting in singleton live births	56.5	10 / 13	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	8.7	1 / 13	0 / 3			
Percentage of pregnancies resulting in live births	87.0	13 / 13	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	7	4	1	1	0
Number of transfers	27	7	4	1	1	0
Estimated average number of transfers per retrieval	2.3	1.4	2.0	1.0	1.0	
Average number of embryos transferred	1.9	2.1	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation	28.0	5 / 15	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births	25.9	3 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births	33.3	4 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	37.0	4 / 7	1 / 4	1 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		6		9		
Number of transfers		6		9		
Average number of embryos transferred		1.8		2.1		
Percentage of embryos transferred resulting in implantation		7 / 11		0 / 19		
Percentage of transfers resulting in singleton live births		1 / 6		0 / 9		
Percentage of transfers resulting in live births		4 / 6		0 / 9		
Percentage of transfers resulting in pregnancy		4 / 6		0 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mississippi Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF MISSISSIPPI MEDICAL CENTER
JACKSON, MISSISSIPPI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by J. Preston Parry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	27%	Uterine factor	0%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	0%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	9%	
				Endometriosis	9%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 11 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	1	3	0	0	0
Percentage of cancellations	1 / 4	1 / 1	0 / 3			
Average number of embryos transferred	1.7		3.0			
Percentage of embryos transferred resulting in implantation	0 / 5		5 / 9			
Percentage of elective single embryo transfer (eSET)	0 / 2		0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	0 / 1	2 / 3			
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1	1 / 3			
Percentage of cycles resulting in live births	0 / 4	0 / 1	3 / 3			
Percentage of cycles resulting in pregnancy	0 / 4	0 / 1	3 / 3			
Outcomes per Transfer						
Number of transfers	3	0	3	0	0	0
Percentage of transfers resulting in singleton live births	0 / 3		2 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 3		1 / 3			
Percentage of transfers resulting in live births	0 / 3		3 / 3			
Percentage of transfers resulting in pregnancy	0 / 3		3 / 3			
Outcomes per Pregnancy						
Number of pregnancies	0	0	3	0	0	0
Percentage of pregnancies resulting in singleton live births			2 / 3			
Percentage of pregnancies resulting in triplets or more live births			1 / 3			
Percentage of pregnancies resulting in live births			3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	1	0	0	0
Number of transfers	1	1	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	3.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 2	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 1	1 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 1	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 1	1 / 1	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Mississippi Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY CENTER OF ST. LOUIS
SHERMAN J. SILBER, MD
CHESTERFIELD, MISSOURI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	99%	With ICSI	96%	Tubal factor	8%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	6%	
				Endometriosis	1%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 885 (includes 418 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	22	11	2	1	2
Percentage of cancellations	2.2	4.5	1 / 11	0 / 2	0 / 1	0 / 2
Average number of embryos transferred	2.1	2.0	2.4	3.0		2.5
Percentage of embryos transferred resulting in implantation	30.9	15.0	25.0	0 / 6		0 / 5
Percentage of elective single embryo transfer (eSET)	0.0	1 / 18	0 / 10	0 / 2		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	18.2	4 / 11	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births	37.0	22.7	5 / 11	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	46.7	22.7	6 / 11	1 / 2	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	88	20	10	2	0	2
Percentage of transfers resulting in singleton live births	26.1	20.0	4 / 10	0 / 2		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2		0 / 2
Percentage of transfers resulting in live births	38.6	25.0	5 / 10	0 / 2		0 / 2
Percentage of transfers resulting in pregnancy	48.9	25.0	6 / 10	1 / 2		0 / 2
Outcomes per Pregnancy						
Number of pregnancies	43	5	6	1	0	0
Percentage of pregnancies resulting in singleton live births	53.5	4 / 5	4 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	79.1	5 / 5	5 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	111	47	38	41	21	30
Number of transfers	106	45	36	40	19	29
Estimated average number of transfers per retrieval	1.0	0.8	0.5	0.6	0.3	0.4
Average number of embryos transferred	2.0	2.1	2.2	2.4	2.3	1.9
Percentage of embryos transferred resulting in implantation	23.8	17.2	17.7	15.8	4.5	1.8
Percentage of transfers resulting in singleton live births	28.3	17.8	25.0	12.5	1 / 19	3.4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0.0
Percentage of transfers resulting in live births	34.0	20.0	27.8	20.0	1 / 19	3.4
Percentage of transfers resulting in pregnancy	42.5	35.6	36.1	35.0	3 / 19	3.4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		23		
Number of transfers		23		22		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		28.9		28.6		
Percentage of transfers resulting in singleton live births		21.7		18.2		
Percentage of transfers resulting in live births		34.8		36.4		
Percentage of transfers resulting in pregnancy		39.1		59.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Center of St. Louis, Sherman J. Silber, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Steven A. Brody, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	10%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	47%	Male factor	65%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	9%	
				Endometriosis	28%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				50%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 116 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		40	8	7	1	0	0
Percentage of cancellations		2.5	1 / 8	0 / 7	0 / 1		
Average number of embryos transferred		1.7	1.9	2.4	3.0		
Percentage of embryos transferred resulting in implantation		40.0	3 / 13	5 / 17	0 / 3		
Percentage of elective single embryo transfer (eSET)		38.5	0 / 6	0 / 7	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		35.0	3 / 8	3 / 7	0 / 1		
Percentage of cycles resulting in triplets or more live births		2.5	0 / 8	0 / 7	0 / 1		
Percentage of cycles resulting in live births		47.5	3 / 8	4 / 7	0 / 1		
Percentage of cycles resulting in pregnancy		47.5	3 / 8	4 / 7	0 / 1		
Outcomes per Transfer							
Number of transfers		39	7	7	1	0	0
Percentage of transfers resulting in singleton live births		35.9	3 / 7	3 / 7	0 / 1		
Percentage of transfers resulting in triplets or more live births		2.6	0 / 7	0 / 7	0 / 1		
Percentage of transfers resulting in live births		48.7	3 / 7	4 / 7	0 / 1		
Percentage of transfers resulting in pregnancy		48.7	3 / 7	4 / 7	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies		19	3	4	0	0	0
Percentage of pregnancies resulting in singleton live births		14 / 19	3 / 3	3 / 4			
Percentage of pregnancies resulting in triplets or more live births		1 / 19	0 / 3	0 / 4			
Percentage of pregnancies resulting in live births		19 / 19	3 / 3	4 / 4			
Frozen Embryos from Nondonor Eggs							
Number of cycles		29	9	7	4	1	2
Number of transfers		28	8	6	4	1	1
Estimated average number of transfers per retrieval		2.2		3.0	4.0		
Average number of embryos transferred		1.9	1.8	2.3	1.5	3.0	2.0
Percentage of embryos transferred resulting in implantation		23.1	1 / 14	3 / 14	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births		25.0	1 / 8	0 / 6	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0 / 8	0 / 6	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births		32.1	1 / 8	1 / 6	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		32.1	1 / 8	1 / 6	0 / 4	0 / 1	1 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			2		
Number of transfers		6			2		
Average number of embryos transferred		1.7			2.5		
Percentage of embryos transferred resulting in implantation		4 / 10			3 / 5		
Percentage of transfers resulting in singleton live births		1 / 6			2 / 2		
Percentage of transfers resulting in live births		2 / 6			2 / 2		
Percentage of transfers resulting in pregnancy		3 / 6			2 / 2		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mira Aubuchon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	22%	Uterine factor	0%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	28%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	22%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 22 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	6	1	1	1	0
Percentage of cancellations	0/6	0/6	1/1	0/1	0/1	
Average number of embryos transferred	1.8	3.0				
Percentage of embryos transferred resulting in implantation	2/11	2/12				
Percentage of elective single embryo transfer (eSET)	1/5	0/4				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2/6	0/6	0/1	0/1	0/1	
Percentage of cycles resulting in triplets or more live births	0/6	0/6	0/1	0/1	0/1	
Percentage of cycles resulting in live births	2/6	1/6	0/1	0/1	0/1	
Percentage of cycles resulting in pregnancy	2/6	1/6	0/1	0/1	0/1	
Outcomes per Transfer						
Number of transfers	6	4	0	0	0	0
Percentage of transfers resulting in singleton live births	2/6	0/4				
Percentage of transfers resulting in triplets or more live births	0/6	0/4				
Percentage of transfers resulting in live births	2/6	1/4				
Percentage of transfers resulting in pregnancy	2/6	1/4				
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2/2	0/1				
Percentage of pregnancies resulting in triplets or more live births	0/2	0/1				
Percentage of pregnancies resulting in live births	2/2	1/1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	0.3	0.0				
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	0/3					
Percentage of transfers resulting in singleton live births	0/1					
Percentage of transfers resulting in triplets or more live births	0/1					
Percentage of transfers resulting in live births	0/1					
Percentage of transfers resulting in pregnancy	0/1					
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		2			
Number of transfers	0		2			
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			0/4			
Percentage of transfers resulting in singleton live births			0/2			
Percentage of transfers resulting in live births			0/2			
Percentage of transfers resulting in pregnancy			1/2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS CREVE COEUR, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Molina Dayal, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	5%	Uterine factor	5%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	19%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	27%	
				Endometriosis	10%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				2%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 502 (includes 26 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		202	81	38	19	12	5
Percentage of cancellations		4.0	4.9	5.3	2 / 19	0 / 12	1 / 5
Average number of embryos transferred		2.0	1.9	1.7	2.3	2.4	2.0
Percentage of embryos transferred resulting in implantation		34.2	23.6	18.0	3.1	0 / 17	0 / 2
Percentage of elective single embryo transfer (eSET)		2.6	0.0	0 / 16	0 / 13	0 / 6	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		23.3	21.0	15.8	0 / 19	0 / 12	0 / 5
Percentage of cycles resulting in triplets or more live births		1.0	0.0	0.0	0 / 19	0 / 12	0 / 5
Percentage of cycles resulting in live births		35.1	25.9	15.8	0 / 19	0 / 12	0 / 5
Percentage of cycles resulting in pregnancy		40.6	29.6	21.1	1 / 19	0 / 12	0 / 5
Outcomes per Transfer							
Number of transfers		170	66	30	14	7	1
Percentage of transfers resulting in singleton live births		27.6	25.8	20.0	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births		1.2	0.0	0.0	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in live births		41.8	31.8	20.0	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy		48.2	36.4	26.7	1 / 14	0 / 7	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		82	24	8	1	0	0
Percentage of pregnancies resulting in singleton live births		57.3	70.8	6 / 8	0 / 1		
Percentage of pregnancies resulting in triplets or more live births		2.4	0.0	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births		86.6	87.5	6 / 8	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		51	21	11	9	0	2
Number of transfers		51	21	11	9	0	2
Estimated average number of transfers per retrieval		1.9	2.1	1.6	0.8	0.0	
Average number of embryos transferred		2.3	1.6	1.7	1.7		2.0
Percentage of embryos transferred resulting in implantation		28.6	30.3	7 / 19	1 / 15		0 / 4
Percentage of transfers resulting in singleton live births		19.6	14.3	5 / 11	0 / 9		0 / 2
Percentage of transfers resulting in triplets or more live births		2.0	0.0	0 / 11	0 / 9		0 / 2
Percentage of transfers resulting in live births		39.2	23.8	5 / 11	0 / 9		0 / 2
Percentage of transfers resulting in pregnancy		39.2	28.6	6 / 11	1 / 9		0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		16			9		
Number of transfers		15			8		
Average number of embryos transferred		2.1			1.9		
Percentage of embryos transferred resulting in implantation		29.0			1 / 15		
Percentage of transfers resulting in singleton live births		3 / 15			1 / 8		
Percentage of transfers resulting in live births		5 / 15			1 / 8		
Percentage of transfers resulting in pregnancy		6 / 15			1 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	33%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	29%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	0%	
				Endometriosis	43%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				31%
				Female & male factors				34%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 97 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	17	4	2	2	0
Percentage of cancellations	15.2	5 / 17	2 / 4	2 / 2	2 / 2	
Average number of embryos transferred	1.9	1.9	2.0			
Percentage of embryos transferred resulting in implantation	60.5	28.6	0 / 4			
Percentage of elective single embryo transfer (eSET)	2.6	0 / 10	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	4 / 17	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.2	0 / 17	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in live births	56.5	5 / 17	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	65.2	5 / 17	0 / 4	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	39	11	2	0	0	0
Percentage of transfers resulting in singleton live births	35.9	4 / 11	0 / 2			
Percentage of transfers resulting in triplets or more live births	2.6	0 / 11	0 / 2			
Percentage of transfers resulting in live births	66.7	5 / 11	0 / 2			
Percentage of transfers resulting in pregnancy	76.9	5 / 11	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	30	5	0	0	0	0
Percentage of pregnancies resulting in singleton live births	46.7	4 / 5				
Percentage of pregnancies resulting in triplets or more live births	3.3	0 / 5				
Percentage of pregnancies resulting in live births	86.7	5 / 5				
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	8	5	0	1	0
Number of transfers	9	5	4	0	1	0
Estimated average number of transfers per retrieval	3.0	2.5				
Average number of embryos transferred	1.7	1.4	1.3		1.0	
Percentage of embryos transferred resulting in implantation	4 / 15	1 / 7	2 / 5		1 / 1	
Percentage of transfers resulting in singleton live births	2 / 9	1 / 5	2 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in live births	3 / 9	1 / 5	2 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 9	2 / 5	2 / 4		1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		3		0		
Number of transfers		2		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		4 / 4				
Percentage of transfers resulting in singleton live births		0 / 2				
Percentage of transfers resulting in live births		2 / 2				
Percentage of transfers resulting in pregnancy		2 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	25%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	5%	
				Endometriosis	14%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 176 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	30	15	6	1	0
Percentage of cancellations	0.0	0.0	0 / 15	0 / 6	0 / 1	
Average number of embryos transferred	2.0	2.1	2.8	2.3	3.0	
Percentage of embryos transferred resulting in implantation	48.6	22.4	9.7	1 / 7	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 11	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	20.0	3 / 15	1 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0 / 15	0 / 6	0 / 1	
Percentage of cycles resulting in live births	49.3	26.7	3 / 15	1 / 6	0 / 1	
Percentage of cycles resulting in pregnancy	49.3	33.3	3 / 15	1 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	55	23	11	3	1	0
Percentage of transfers resulting in singleton live births	34.5	26.1	3 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.8	0.0	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in live births	63.6	34.8	3 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	63.6	43.5	3 / 11	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	35	10	3	1	0	0
Percentage of pregnancies resulting in singleton live births	54.3	6 / 10	3 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.9	0 / 10	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	100.0	8 / 10	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	9	3	6	1	2
Number of transfers	25	8	3	6	1	2
Estimated average number of transfers per retrieval	1.4	1.1	1.5	3.0		
Average number of embryos transferred	2.1	2.1	2.7	3.0	2.0	1.5
Percentage of embryos transferred resulting in implantation	19.2	5 / 17	1 / 8	1 / 18	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	24.0	4 / 8	0 / 3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births	28.0	4 / 8	0 / 3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	32.0	5 / 8	1 / 3	1 / 6	0 / 1	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		3		
Number of transfers		0		3		
Average number of embryos transferred				2.7		
Percentage of embryos transferred resulting in implantation				4 / 8		
Percentage of transfers resulting in singleton live births				2 / 3		
Percentage of transfers resulting in live births				3 / 3		
Percentage of transfers resulting in pregnancy				3 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Partnership

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 1 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Saji Jacob, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	12%	Uterine factor	14%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	44%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	10%
				Endometriosis	32%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 20% Female & male factors 36%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 50 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	3	3	1	0	0
Percentage of cancellations	0.0	0 / 3	0 / 3	0 / 1		
Average number of embryos transferred	2.4	2.3	2.7			
Percentage of embryos transferred resulting in implantation	14.8	3 / 7	0 / 8			
Percentage of elective single embryo transfer (eSET)	0.0	0 / 2	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	1 / 3	0 / 3	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3	0 / 3	0 / 1		
Percentage of cycles resulting in live births	21.4	1 / 3	0 / 3	0 / 1		
Percentage of cycles resulting in pregnancy	32.1	2 / 3	0 / 3	0 / 1		
Outcomes per Transfer						
Number of transfers	25	3	3	0	0	0
Percentage of transfers resulting in singleton live births	16.0	1 / 3	0 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 3			
Percentage of transfers resulting in live births	24.0	1 / 3	0 / 3			
Percentage of transfers resulting in pregnancy	36.0	2 / 3	0 / 3			
Outcomes per Pregnancy						
Number of pregnancies	9	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 9	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2				
Percentage of pregnancies resulting in live births	6 / 9	1 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	1	1	0	0	0
Number of transfers	7	1	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.3	3.0	3.0			
Percentage of embryos transferred resulting in implantation	1 / 16	0 / 3	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 7	0 / 1	0 / 1			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	2			3		
Number of transfers	2			3		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation	0 / 5			0 / 6		
Percentage of transfers resulting in singleton live births	0 / 2			0 / 3		
Percentage of transfers resulting in live births	0 / 2			0 / 3		
Percentage of transfers resulting in pregnancy	0 / 2			0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER
AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL
ST. LOUIS, MISSOURI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	21%	Uterine factor	2%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	21%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	14%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 502 (includes 20 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	201	62	68	15	4	0
Percentage of cancellations	7.0	9.7	10.3	2 / 15	1 / 4	
Average number of embryos transferred	2.0	2.2	3.3	3.7	5.5	
Percentage of embryos transferred resulting in implantation	34.8	31.5	17.6	2.1	0 / 11	
Percentage of elective single embryo transfer (eSET)	2.3	0.0	0.0	0 / 12	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	37.1	17.6	1 / 15	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.5	0 / 15	0 / 4	
Percentage of cycles resulting in live births	43.3	48.4	26.5	1 / 15	0 / 4	
Percentage of cycles resulting in pregnancy	48.8	53.2	38.2	1 / 15	0 / 4	
Outcomes per Transfer						
Number of transfers	182	56	61	13	2	0
Percentage of transfers resulting in singleton live births	35.2	41.1	19.7	1 / 13	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.6	0 / 13	0 / 2	
Percentage of transfers resulting in live births	47.8	53.6	29.5	1 / 13	0 / 2	
Percentage of transfers resulting in pregnancy	53.8	58.9	42.6	1 / 13	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	98	33	26	1	0	0
Percentage of pregnancies resulting in singleton live births	65.3	69.7	46.2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	3.8	0 / 1		
Percentage of pregnancies resulting in live births	88.8	90.9	69.2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	11	15	3	0	0
Number of transfers	57	11	13	3	0	0
Estimated average number of transfers per retrieval	1.4	1.6	1.2	0.4		
Average number of embryos transferred	1.7	1.7	1.9	3.0		
Percentage of embryos transferred resulting in implantation	41.4	4 / 19	40.0	1 / 9		
Percentage of transfers resulting in singleton live births	31.6	4 / 11	4 / 13	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 13	0 / 3		
Percentage of transfers resulting in live births	47.4	4 / 11	4 / 13	0 / 3		
Percentage of transfers resulting in pregnancy	52.6	4 / 11	10 / 13	1 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		25		14		
Number of transfers		23		11		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		56.5		40.0		
Percentage of transfers resulting in singleton live births		30.4		2 / 11		
Percentage of transfers resulting in live births		56.5		3 / 11		
Percentage of transfers resulting in pregnancy		73.9		6 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Infertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BILLINGS CLINIC
DEPARTMENT OF REPRODUCTIVE MEDICINE AND FERTILITY CARE
BILLINGS, MONTANA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Christopher P. Montville, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	21%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	6%	
				Endometriosis	7%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 85 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	16	11	3	0	0
Percentage of cancellations	10.9	2 / 16	0 / 11	0 / 3		
Average number of embryos transferred	1.6	1.7	2.5	1.0		
Percentage of embryos transferred resulting in implantation	50.0	20.8	29.6	0 / 2		
Percentage of elective single embryo transfer (eSET)	39.4	2 / 11	1 / 10			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	4 / 16	6 / 11	0 / 3		
Percentage of cycles resulting in triplets or more live births	2.2	0 / 16	0 / 11	0 / 3		
Percentage of cycles resulting in live births	43.5	4 / 16	6 / 11	0 / 3		
Percentage of cycles resulting in pregnancy	45.7	6 / 16	7 / 11	0 / 3		
Outcomes per Transfer						
Number of transfers	36	14	11	2	0	0
Percentage of transfers resulting in singleton live births	38.9	4 / 14	6 / 11	0 / 2		
Percentage of transfers resulting in triplets or more live births	2.8	0 / 14	0 / 11	0 / 2		
Percentage of transfers resulting in live births	55.6	4 / 14	6 / 11	0 / 2		
Percentage of transfers resulting in pregnancy	58.3	6 / 14	7 / 11	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	21	6	7	0	0	0
Percentage of pregnancies resulting in singleton live births	66.7	4 / 6	6 / 7			
Percentage of pregnancies resulting in triplets or more live births	4.8	0 / 6	0 / 7			
Percentage of pregnancies resulting in live births	95.2	4 / 6	6 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	0	2	0	0	0
Number of transfers	6	0	2	0	0	0
Estimated average number of transfers per retrieval	1.2	0.0	2.0			
Average number of embryos transferred	1.5		1.5			
Percentage of embryos transferred resulting in implantation	1 / 9		0 / 3			
Percentage of transfers resulting in singleton live births	0 / 6		0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6		0 / 2			
Percentage of transfers resulting in live births	0 / 6		0 / 2			
Percentage of transfers resulting in pregnancy	1 / 6		0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Billings Clinic, Department of Reproductive Medicine and Fertility Care					
Donor egg?	No	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	54%	Tubal factor	17%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	52%
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	2%
				Endometriosis	12%	Unknown factor	11%
				Multiple Factors:			
				Female factors only 9%			
				Female & male factors 26%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 297 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	47	30	15	4	0
Percentage of cancellations	4.6	6.4	13.3	6 / 15	1 / 4	
Average number of embryos transferred	1.9	2.0	2.1	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.9	13.3	19.5	1 / 14	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0 / 16	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.2	12.8	13.3	1 / 15	0 / 4	
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 15	0 / 4	
Percentage of cycles resulting in live births	39.2	14.9	16.7	1 / 15	0 / 4	
Percentage of cycles resulting in pregnancy	43.8	27.7	26.7	1 / 15	0 / 4	
Outcomes per Transfer						
Number of transfers	112	37	20	7	1	0
Percentage of transfers resulting in singleton live births	30.4	16.2	20.0	1 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.8	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	45.5	18.9	25.0	1 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	50.9	35.1	40.0	1 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	57	13	8	1	0	0
Percentage of pregnancies resulting in singleton live births	59.6	6 / 13	4 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.5	0 / 13	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	89.5	7 / 13	5 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	7	3	0	0	0
Number of transfers	22	6	3	0	0	0
Estimated average number of transfers per retrieval	2.0	3.0				
Average number of embryos transferred	1.9	1.7	1.7			
Percentage of embryos transferred resulting in implantation	11.9	0 / 10	0 / 5			
Percentage of transfers resulting in singleton live births	22.7	0 / 6	0 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 3			
Percentage of transfers resulting in live births	22.7	0 / 6	0 / 3			
Percentage of transfers resulting in pregnancy	27.3	1 / 6	0 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	29			9		
Number of transfers	26			7		
Average number of embryos transferred	1.8			1.3		
Percentage of embryos transferred resulting in implantation	37.5			1 / 9		
Percentage of transfers resulting in singleton live births	30.8			0 / 7		
Percentage of transfers resulting in live births	46.2			0 / 7		
Percentage of transfers resulting in pregnancy	53.8			1 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEBRASKA METHODIST HOSPITAL REI OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	86%	Tubal factor	21%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	19%	
				Endometriosis	18%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 410 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	139	40	31	4	0	0
Percentage of cancellations	10.1	10.0	25.8	1 / 4		
Average number of embryos transferred	2.0	2.1	3.0	3.3		
Percentage of embryos transferred resulting in implantation	31.1	11.0	14.5	2 / 10		
Percentage of elective single embryo transfer (eSET)	7.6	8.8	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.3	2.5	12.9	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0 / 4		
Percentage of cycles resulting in live births	35.3	10.0	16.1	1 / 4		
Percentage of cycles resulting in pregnancy	41.7	20.0	16.1	2 / 4		
Outcomes per Transfer						
Number of transfers	120	34	23	3	0	0
Percentage of transfers resulting in singleton live births	25.8	2.9	17.4	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 3		
Percentage of transfers resulting in live births	40.8	11.8	21.7	1 / 3		
Percentage of transfers resulting in pregnancy	48.3	23.5	21.7	2 / 3		
Outcomes per Pregnancy						
Number of pregnancies	58	8	5	2	0	0
Percentage of pregnancies resulting in singleton live births	53.4	1 / 8	4 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.7	0 / 8	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	84.5	4 / 8	5 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	101	41	20	5	4	0
Number of transfers	78	29	10	3	1	0
Estimated average number of transfers per retrieval	1.8	1.8	2.0	1.5		
Average number of embryos transferred	2.0	2.0	2.2	2.7	2.0	
Percentage of embryos transferred resulting in implantation	38.1	25.9	31.8	1 / 8	0 / 2	
Percentage of transfers resulting in singleton live births	38.5	31.0	1 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births	50.0	41.4	3 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	59.0	44.8	4 / 10	2 / 3	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		15		8		
Number of transfers		14		6		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		57.1		1 / 10		
Percentage of transfers resulting in singleton live births		4 / 14		0 / 6		
Percentage of transfers resulting in live births		9 / 14		0 / 6		
Percentage of transfers resulting in pregnancy		9 / 14		1 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nebraska Methodist Hospital REI					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Bruce S. Shapiro, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	13%	Uterine factor	1%	
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	44%	
Used gestational carrier	2%			Diminished ovarian reserve	52%	Other factor	14%	
				Endometriosis	2%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				26%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,065 (includes 510 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	20	9	6	5	2
Percentage of cancellations	0.0	0.0	1 / 9	0 / 6	2 / 5	1 / 2
Average number of embryos transferred	1.5	1.5	1.5	1.5	2.0	1.0
Percentage of embryos transferred resulting in implantation	45.7	7 / 16	4 / 6	0 / 6	0 / 2	0 / 1
Percentage of elective single embryo transfer (eSET)	42.9	2 / 7	1 / 3	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	15.0	3 / 9	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births	28.9	20.0	3 / 9	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	33.3	20.0	3 / 9	0 / 6	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	23	11	4	4	1	1
Percentage of transfers resulting in singleton live births	47.8	3 / 11	3 / 4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	56.5	4 / 11	3 / 4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	65.2	4 / 11	3 / 4	0 / 4	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	15	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	3 / 4	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	13 / 15	4 / 4	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	180	84	73	22	12	3
Number of transfers	157	65	65	18	9	0
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.3	0.5	0.0
Average number of embryos transferred	1.6	1.7	1.8	1.5	1.9	
Percentage of embryos transferred resulting in implantation	59.4	48.6	39.5	29.6	5 / 17	
Percentage of transfers resulting in singleton live births	40.8	36.9	38.5	4 / 18	1 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 9	
Percentage of transfers resulting in live births	62.4	56.9	46.2	5 / 18	3 / 9	
Percentage of transfers resulting in pregnancy	74.5	69.2	63.1	9 / 18	5 / 9	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		57		37		
Number of transfers		48		32		
Average number of embryos transferred		1.8		1.5		
Percentage of embryos transferred resulting in implantation		53.6		44.9		
Percentage of transfers resulting in singleton live births		41.7		46.9		
Percentage of transfers resulting in live births		60.4		53.1		
Percentage of transfers resulting in pregnancy		79.2		62.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Las Vegas					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEVADA FERTILITY C.A.R.E.S.
LAS VEGAS, NEVADA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Eva D. Littman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	3%	Uterine factor	1%	
Unstimulated	0%	Used PGD	86%	Ovulatory dysfunction	18%	Male factor	5%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	3%	
				Endometriosis	1%	Unknown factor	28%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				<1%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 196 (includes 4 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		49	27	32	12	4	3
Percentage of cancellations		6.1	7.4	6.3	1 / 12	1 / 4	0 / 3
Average number of embryos transferred		2.0	1.7	2.2	1.0	2.0	1.5
Percentage of embryos transferred resulting in implantation		50.6	42.5	21.4	0 / 1	0 / 2	0 / 3
Percentage of elective single embryo transfer (eSET)		0.0	1 / 16	0 / 17		0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		28.6	18.5	9.4	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births		2.0	3.7	0.0	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in live births		51.0	29.6	15.6	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy		53.1	40.7	18.8	0 / 12	0 / 4	0 / 3
Outcomes per Transfer							
Number of transfers		39	23	19	1	1	2
Percentage of transfers resulting in singleton live births		35.9	21.7	3 / 19	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		2.6	4.3	0 / 19	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births		64.1	34.8	5 / 19	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy		66.7	47.8	6 / 19	0 / 1	0 / 1	0 / 2
Outcomes per Pregnancy							
Number of pregnancies		26	11	6	0	0	0
Percentage of pregnancies resulting in singleton live births		53.8	5 / 11	3 / 6			
Percentage of pregnancies resulting in triplets or more live births		3.8	1 / 11	0 / 6			
Percentage of pregnancies resulting in live births		96.2	8 / 11	5 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles		22	11	13	3	1	0
Number of transfers		21	10	10	3	1	0
Estimated average number of transfers per retrieval		2.3	5.0	2.5		1.0	
Average number of embryos transferred		1.8	1.8	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation		23.7	6 / 18	20.0	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births		14.3	2 / 10	4 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 10	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births		28.6	4 / 10	4 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy		28.6	4 / 10	4 / 10	0 / 3	0 / 1	
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		13			2		
Number of transfers		11			1		
Average number of embryos transferred		1.5			3.0		
Percentage of embryos transferred resulting in implantation		7 / 17			2 / 3		
Percentage of transfers resulting in singleton live births		6 / 11			0 / 1		
Percentage of transfers resulting in live births		6 / 11			0 / 1		
Percentage of transfers resulting in pregnancy		8 / 11			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Red Rock Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	18%	Uterine factor	15%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	23%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	16%	
				Endometriosis	15%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				29%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 261 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	38	24	5	7	1
Percentage of cancellations	1.5	10.5	4.2	0 / 5	2 / 7	0 / 1
Average number of embryos transferred	2.0	1.9	2.2	2.5	3.5	2.0
Percentage of embryos transferred resulting in implantation	36.1	25.0	20.0	0 / 10	0 / 14	0 / 2
Percentage of elective single embryo transfer (eSET)	7.0	0.0	0 / 12	0 / 3	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	18.4	16.7	0 / 5	0 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 5	0 / 7	0 / 1
Percentage of cycles resulting in live births	46.2	26.3	20.8	0 / 5	0 / 7	0 / 1
Percentage of cycles resulting in pregnancy	49.2	31.6	20.8	0 / 5	0 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	61	31	16	4	4	1
Percentage of transfers resulting in singleton live births	34.4	22.6	4 / 16	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0 / 16	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births	49.2	32.3	5 / 16	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.5	38.7	5 / 16	0 / 4	0 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	32	12	5	0	0	0
Percentage of pregnancies resulting in singleton live births	65.6	7 / 12	4 / 5			
Percentage of pregnancies resulting in triplets or more live births	3.1	0 / 12	0 / 5			
Percentage of pregnancies resulting in live births	93.8	10 / 12	5 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	9	7	3	0	0
Number of transfers	24	9	7	3	0	0
Estimated average number of transfers per retrieval	2.7	0.9	1.4	0.4		0.0
Average number of embryos transferred	1.7	1.9	2.3	2.7		
Percentage of embryos transferred resulting in implantation	31.7	7 / 17	4 / 16	1 / 8		
Percentage of transfers resulting in singleton live births	33.3	2 / 9	1 / 7	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 7	0 / 3		
Percentage of transfers resulting in live births	37.5	4 / 9	2 / 7	1 / 3		
Percentage of transfers resulting in pregnancy	50.0	5 / 9	3 / 7	1 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		25		38		
Number of transfers		25		38		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		45.2		16.0		
Percentage of transfers resulting in singleton live births		32.0		13.2		
Percentage of transfers resulting in live births		48.0		18.4		
Percentage of transfers resulting in pregnancy		60.0		34.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Misty B. Porter, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	28%	
				Endometriosis	0%	Unknown factor	38%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				17%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 169 (includes 2 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		58	22	19	12	2	0
Percentage of cancellations		12.1	22.7	4 / 19	4 / 12	0 / 2	
Average number of embryos transferred		1.7	1.8	2.6	3.3	2.5	
Percentage of embryos transferred resulting in implantation		24.3	31.0	23.5	3.8	0 / 5	
Percentage of elective single embryo transfer (eSET)		22.5	3 / 16	0 / 13	0 / 8	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		19.0	31.8	4 / 19	0 / 12	0 / 2	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0 / 19	0 / 12	0 / 2	
Percentage of cycles resulting in live births		22.4	31.8	5 / 19	0 / 12	0 / 2	
Percentage of cycles resulting in pregnancy		27.6	36.4	8 / 19	3 / 12	0 / 2	
Outcomes per Transfer							
Number of transfers		43	16	13	8	2	0
Percentage of transfers resulting in singleton live births		25.6	7 / 16	4 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in live births		30.2	7 / 16	5 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancy		37.2	8 / 16	8 / 13	3 / 8	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		16	8	8	3	0	0
Percentage of pregnancies resulting in singleton live births		11 / 16	7 / 8	4 / 8	0 / 3		
Percentage of pregnancies resulting in triplets or more live births		0 / 16	0 / 8	0 / 8	0 / 3		
Percentage of pregnancies resulting in live births		13 / 16	7 / 8	5 / 8	0 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	6	12	2	2	0
Number of transfers		18	6	7	2	2	0
Estimated average number of transfers per retrieval		1.6	1.2	3.5	2.0	1.0	
Average number of embryos transferred		1.7	1.5	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation		22.6	3 / 9	3 / 16	0 / 6	0 / 4	
Percentage of transfers resulting in singleton live births		3 / 18	2 / 6	1 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births		0 / 18	0 / 6	0 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in live births		5 / 18	2 / 6	2 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy		5 / 18	3 / 6	3 / 7	0 / 2	0 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		10			3		
Number of transfers		9			3		
Average number of embryos transferred		1.6			1.7		
Percentage of embryos transferred resulting in implantation		4 / 14			1 / 5		
Percentage of transfers resulting in singleton live births		4 / 9			1 / 3		
Percentage of transfers resulting in live births		4 / 9			1 / 3		
Percentage of transfers resulting in pregnancy		5 / 9			1 / 3		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Dartmouth-Hitchcock Medical Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY BEDMINSTER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	24%	Ovulatory dysfunction	12%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	18%	
				Endometriosis	6%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 264 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	29	38	20	14	3
Percentage of cancellations	1.9	3.4	7.9	20.0	2 / 14	2 / 3
Average number of embryos transferred	2.0	2.2	1.9	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation	44.6	32.7	13.5	1 / 14	0 / 18	0 / 1
Percentage of elective single embryo transfer (eSET)	8.5	5.0	0 / 19	0 / 6	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.5	20.7	10.5	5.0	0 / 14	0 / 3
Percentage of cycles resulting in triplets or more live births	1.9	0.0	0.0	0.0	0 / 14	0 / 3
Percentage of cycles resulting in live births	51.9	34.5	13.2	5.0	0 / 14	0 / 3
Percentage of cycles resulting in pregnancy	59.3	44.8	13.2	10.0	0 / 14	0 / 3
Outcomes per Transfer						
Number of transfers	50	24	27	8	9	1
Percentage of transfers resulting in singleton live births	34.0	25.0	14.8	1 / 8	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 8	0 / 9	0 / 1
Percentage of transfers resulting in live births	56.0	41.7	18.5	1 / 8	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	64.0	54.2	18.5	2 / 8	0 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	32	13	5	2	0	0
Percentage of pregnancies resulting in singleton live births	53.1	6 / 13	4 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.1	0 / 13	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	87.5	10 / 13	5 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	10	9	6	3	0
Number of transfers	23	7	9	5	3	0
Estimated average number of transfers per retrieval	2.1	0.8	1.3	1.3	1.0	
Average number of embryos transferred	1.9	2.0	1.8	2.2	2.3	
Percentage of embryos transferred resulting in implantation	18.6	3 / 14	2 / 16	4 / 11	2 / 7	
Percentage of transfers resulting in singleton live births	21.7	1 / 7	2 / 9	2 / 5	2 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 9	0 / 5	0 / 3	
Percentage of transfers resulting in live births	26.1	2 / 7	2 / 9	3 / 5	2 / 3	
Percentage of transfers resulting in pregnancy	34.8	2 / 7	3 / 9	3 / 5	2 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		20		21		
Number of transfers		13		19		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		20.0		34.3		
Percentage of transfers resulting in singleton live births		1 / 13		5 / 19		
Percentage of transfers resulting in live births		3 / 13		7 / 19		
Percentage of transfers resulting in pregnancy		5 / 13		10 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOW COST IVF CLIFTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Charles G. Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	25%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	75%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 4 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	0	0	2	0	0
Percentage of cancellations	1 / 2			2 / 2		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 2					
Percentage of elective single embryo transfer (eSET)	0 / 1					
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 2			0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 2			0 / 2		
Percentage of cycles resulting in live births	1 / 2			0 / 2		
Percentage of cycles resulting in pregnancy	1 / 2			0 / 2		
Outcomes per Transfer						
Number of transfers	1	0	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Low Cost IVF					
Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William Ziegler, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	19%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	2%	
				Endometriosis	16%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				29%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 271 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	44	38	19	5	0
Percentage of cancellations	4.1	11.4	13.2	4 / 19	0 / 5	
Average number of embryos transferred	1.8	1.9	2.5	3.6	3.8	
Percentage of embryos transferred resulting in implantation	28.1	31.9	6.4	8.0	0 / 19	
Percentage of elective single embryo transfer (eSET)	7.8	6.9	0.0	0 / 13	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	22.7	13.2	1 / 19	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	4.5	0.0	0 / 19	0 / 5	
Percentage of cycles resulting in live births	34.7	34.1	13.2	2 / 19	0 / 5	
Percentage of cycles resulting in pregnancy	37.8	36.4	13.2	4 / 19	0 / 5	
Outcomes per Transfer						
Number of transfers	87	37	31	14	5	0
Percentage of transfers resulting in singleton live births	29.9	27.0	16.1	1 / 14	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	5.4	0.0	0 / 14	0 / 5	
Percentage of transfers resulting in live births	39.1	40.5	16.1	2 / 14	0 / 5	
Percentage of transfers resulting in pregnancy	42.5	43.2	16.1	4 / 14	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	37	16	5	4	0	0
Percentage of pregnancies resulting in singleton live births	70.3	10 / 16	5 / 5	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	2 / 16	0 / 5	0 / 4		
Percentage of pregnancies resulting in live births	91.9	15 / 16	5 / 5	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	10	5	1	3	0
Number of transfers	21	8	4	1	3	0
Estimated average number of transfers per retrieval	1.4	8.0	4.0		3.0	
Average number of embryos transferred	1.8	1.8	2.0	2.0	2.7	
Percentage of embryos transferred resulting in implantation	26.3	3 / 14	1 / 8	2 / 2	2 / 8	
Percentage of transfers resulting in singleton live births	28.6	3 / 8	1 / 4	0 / 1	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 4	0 / 1	0 / 3	
Percentage of transfers resulting in live births	38.1	3 / 8	1 / 4	1 / 1	1 / 3	
Percentage of transfers resulting in pregnancy	47.6	3 / 8	1 / 4	1 / 1	1 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		10		
Number of transfers		12		8		
Average number of embryos transferred		2.1		2.3		
Percentage of embryos transferred resulting in implantation		32.0		1 / 18		
Percentage of transfers resulting in singleton live births		2 / 12		1 / 8		
Percentage of transfers resulting in live births		5 / 12		1 / 8		
Percentage of transfers resulting in pregnancy		6 / 12		2 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of New Jersey					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	15%	Uterine factor	2%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	20%	Male factor	43%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	<1%
				Endometriosis	5%	Unknown factor	14%
				<i>Multiple Factors:</i> Female factors only 5% Female & male factors 14%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 259 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	29	41	16	1	2
Percentage of cancellations	3.7	6.9	2.4	0 / 16	0 / 1	0 / 2
Average number of embryos transferred	1.8	1.8	2.1	2.6	4.0	1.0
Percentage of embryos transferred resulting in implantation	46.2	34.8	20.8	8.8	0 / 4	0 / 2
Percentage of elective single embryo transfer (eSET)	17.6	13.6	6.7	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	27.6	29.3	3 / 16	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0 / 16	0 / 1	0 / 2
Percentage of cycles resulting in live births	46.3	31.0	31.7	3 / 16	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	52.4	41.4	36.6	3 / 16	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	74	25	36	13	1	2
Percentage of transfers resulting in singleton live births	33.8	32.0	33.3	3 / 13	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 13	0 / 1	0 / 2
Percentage of transfers resulting in live births	51.4	36.0	36.1	3 / 13	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	58.1	48.0	41.7	3 / 13	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	43	12	15	3	0	0
Percentage of pregnancies resulting in singleton live births	58.1	8 / 12	12 / 15	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	2.3	0 / 12	0 / 15	0 / 3		
Percentage of pregnancies resulting in live births	88.4	9 / 12	13 / 15	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	14	11	2	2	0
Number of transfers	31	14	11	2	2	0
Estimated average number of transfers per retrieval	1.8	1.1	3.7	2.0	1.0	
Average number of embryos transferred	1.8	1.6	1.8	2.5	3.0	
Percentage of embryos transferred resulting in implantation	46.4	43.5	25.0	1 / 5	0 / 6	
Percentage of transfers resulting in singleton live births	32.3	5 / 14	3 / 11	1 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in live births	54.8	6 / 14	4 / 11	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	61.3	9 / 14	4 / 11	1 / 2	0 / 2	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		7		7		
Number of transfers		7		7		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		5 / 12		9 / 14		
Percentage of transfers resulting in singleton live births		5 / 7		2 / 7		
Percentage of transfers resulting in live births		5 / 7		5 / 7		
Percentage of transfers resulting in pregnancy		5 / 7		5 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	14%	Uterine factor	0%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	8%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	2%	
				Endometriosis	3%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 65 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	10	15	5	6	1
Percentage of cancellations	12.5	0 / 10	0 / 15	2 / 5	2 / 6	0 / 1
Average number of embryos transferred	2.1	2.6	1.8	2.7	2.0	1.0
Percentage of embryos transferred resulting in implantation	42.2	4 / 18	13.6	1 / 8	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 19	0 / 7	0 / 8	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	0 / 10	3 / 15	0 / 5	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 15	0 / 5	0 / 6	0 / 1
Percentage of cycles resulting in live births	54.2	1 / 10	3 / 15	0 / 5	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	66.7	2 / 10	3 / 15	2 / 5	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	21	7	12	3	2	1
Percentage of transfers resulting in singleton live births	42.9	0 / 7	3 / 12	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 12	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	61.9	1 / 7	3 / 12	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	76.2	2 / 7	3 / 12	2 / 3	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	2	3	2	0	0
Percentage of pregnancies resulting in singleton live births	9 / 16	0 / 2	3 / 3	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 2	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	13 / 16	1 / 2	3 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	0	1	0	0
Number of transfers	3	0	0	1	0	0
Estimated average number of transfers per retrieval				1.0		
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	0 / 6			1 / 2		
Percentage of transfers resulting in singleton live births	0 / 3			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3			0 / 1		
Percentage of transfers resulting in live births	0 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	1 / 3			1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HUDSON I.V.F.
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	0%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	67%	Other factor	13%	
				Endometriosis	0%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 33 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	0	2	0	0	0
Percentage of cancellations	0 / 2		1 / 2			
Average number of embryos transferred	2.0		3.0			
Percentage of embryos transferred resulting in implantation	1 / 4		0 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 2		0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 2		0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 2		0 / 2			
Percentage of cycles resulting in live births	1 / 2		0 / 2			
Percentage of cycles resulting in pregnancy	1 / 2		0 / 2			
Outcomes per Transfer						
Number of transfers	2	0	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 2		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	1 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	0	0	1	0
Number of transfers	2	2	0	0	1	0
Estimated average number of transfers per retrieval	1.0	2.0		0.0	1.0	0.0
Average number of embryos transferred	2.5	2.5			3.0	
Percentage of embryos transferred resulting in implantation	1 / 5	2 / 5			0 / 3	
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2			0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2			0 / 1	
Percentage of transfers resulting in live births	1 / 2	1 / 2			0 / 1	
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2			0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		5		
Number of transfers		9		5		
Average number of embryos transferred		2.3		3.0		
Percentage of embryos transferred resulting in implantation		38.1		4 / 15		
Percentage of transfers resulting in singleton live births		0 / 9		2 / 5		
Percentage of transfers resulting in live births		4 / 9		3 / 5		
Percentage of transfers resulting in pregnancy		4 / 9		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Peter G. McGovern, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	15%	Uterine factor	8%
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	20%	Male factor	78%
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	10%
				Endometriosis	7%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 3% Female & male factors 48%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 403 (includes 66 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	110	52	67	27	5	3
Percentage of cancellations	2.7	3.8	4.5	0.0	0 / 5	0 / 3
Average number of embryos transferred	2.0	2.2	2.5	2.6	2.3	2.0
Percentage of embryos transferred resulting in implantation	31.4	33.0	24.1	5.8	1 / 9	0 / 4
Percentage of elective single embryo transfer (eSET)	1.0	0.0	0.0	0.0	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	26.9	22.4	3.7	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of cycles resulting in live births	40.0	40.4	28.4	3.7	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	49.1	50.0	43.3	18.5	1 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	103	49	62	27	4	2
Percentage of transfers resulting in singleton live births	33.0	28.6	24.2	3.7	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 2
Percentage of transfers resulting in live births	42.7	42.9	30.6	3.7	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	52.4	53.1	46.8	18.5	1 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	54	26	29	5	1	0
Percentage of pregnancies resulting in singleton live births	63.0	53.8	51.7	1 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	81.5	80.8	65.5	1 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	14	8	3	2	2
Number of transfers	21	13	7	3	2	2
Estimated average number of transfers per retrieval	0.8	0.7	0.4	0.3	0.2	0.5
Average number of embryos transferred	2.2	2.2	2.6	2.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	12.8	17.9	5 / 18	0 / 7	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births	14.3	5 / 13	3 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births	19.0	5 / 13	4 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	23.8	5 / 13	4 / 7	1 / 3	0 / 2	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		7		
Number of transfers		12		5		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		41.7		1 / 11		
Percentage of transfers resulting in singleton live births		4 / 12		1 / 5		
Percentage of transfers resulting in live births		7 / 12		1 / 5		
Percentage of transfers resulting in pregnancy		7 / 12		1 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Associates, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Allen Morgan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	19%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	3%	
				Endometriosis	6%	Unknown factor	25%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 120 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	28	11	11	3	0
Percentage of cancellations	12.5	17.9	1 / 11	2 / 11	0 / 3	
Average number of embryos transferred	2.4	2.4	2.8	2.9	3.7	
Percentage of embryos transferred resulting in implantation	25.8	32.0	32.1	4.3	0 / 11	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	0 / 9	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	17.9	0 / 11	1 / 11	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2 / 11	0 / 11	0 / 3	
Percentage of cycles resulting in live births	33.3	35.7	3 / 11	1 / 11	0 / 3	
Percentage of cycles resulting in pregnancy	37.5	39.3	3 / 11	1 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	38	21	10	8	3	0
Percentage of transfers resulting in singleton live births	31.6	23.8	0 / 10	1 / 8	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2 / 10	0 / 8	0 / 3	
Percentage of transfers resulting in live births	42.1	47.6	3 / 10	1 / 8	0 / 3	
Percentage of transfers resulting in pregnancy	47.4	52.4	3 / 10	1 / 8	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	18	11	3	1	0	0
Percentage of pregnancies resulting in singleton live births	12 / 18	5 / 11	0 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 11	2 / 3	0 / 1		
Percentage of pregnancies resulting in live births	16 / 18	10 / 11	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	0	0	0	1	0
Number of transfers	10	0	0	0	1	0
Estimated average number of transfers per retrieval	1.4				1.0	
Average number of embryos transferred	2.2				3.0	
Percentage of embryos transferred resulting in implantation	0.0				0 / 3	
Percentage of transfers resulting in singleton live births	0 / 10				0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10				0 / 1	
Percentage of transfers resulting in live births	0 / 10				0 / 1	
Percentage of transfers resulting in pregnancy	1 / 10				0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		7			
Number of transfers	0		6			
Average number of embryos transferred			1.7			
Percentage of embryos transferred resulting in implantation			1 / 10			
Percentage of transfers resulting in singleton live births			1 / 6			
Percentage of transfers resulting in live births			1 / 6			
Percentage of transfers resulting in pregnancy			1 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shore Institute for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN AND INFERTILITY GROUP
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Seth G. Derman, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	61%	Tubal factor	28%	Uterine factor	<1%
Unstimulated	2%	Used PGD	2%	Ovulatory dysfunction	41%	Male factor	54%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	8%
				Endometriosis	3%	Unknown factor	3%
				Multiple Factors: Female factors only 12% Female & male factors 41%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 145 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		59	19	23	11	6	0
Percentage of cancellations		0.0	1 / 19	4.3	1 / 11	0 / 6	
Average number of embryos transferred		2.2	2.4	2.7	2.7	1.4	
Percentage of embryos transferred resulting in implantation		22.4	26.3	13.0	12.5	0 / 7	
Percentage of elective single embryo transfer (eSET)		1.8	0 / 15	0 / 17	0 / 7	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		10.2	3 / 19	13.0	2 / 11	0 / 6	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 19	0.0	0 / 11	0 / 6	
Percentage of cycles resulting in live births		20.3	6 / 19	13.0	2 / 11	0 / 6	
Percentage of cycles resulting in pregnancy		39.0	6 / 19	30.4	3 / 11	0 / 6	
Outcomes per Transfer							
Number of transfers		58	16	20	9	5	0
Percentage of transfers resulting in singleton live births		10.3	3 / 16	15.0	2 / 9	0 / 5	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0.0	0 / 9	0 / 5	
Percentage of transfers resulting in live births		20.7	6 / 16	15.0	2 / 9	0 / 5	
Percentage of transfers resulting in pregnancy		39.7	6 / 16	35.0	3 / 9	0 / 5	
Outcomes per Pregnancy							
Number of pregnancies		23	6	7	3	0	0
Percentage of pregnancies resulting in singleton live births		26.1	3 / 6	3 / 7	2 / 3		
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 6	0 / 7	0 / 3		
Percentage of pregnancies resulting in live births		52.2	6 / 6	3 / 7	2 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		14	2	4	0	1	0
Number of transfers		14	2	3	0	1	0
Estimated average number of transfers per retrieval		1.8					
Average number of embryos transferred		1.9	1.5	2.7		2.0	
Percentage of embryos transferred resulting in implantation		51.9	0 / 3	0 / 8		2 / 2	
Percentage of transfers resulting in singleton live births		4 / 14	0 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births		1 / 14	0 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in live births		5 / 14	0 / 2	0 / 3		1 / 1	
Percentage of transfers resulting in pregnancy		9 / 14	0 / 2	0 / 3		1 / 1	
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			0		
Number of transfers		6			0		
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation		6 / 12					
Percentage of transfers resulting in singleton live births		1 / 6					
Percentage of transfers resulting in live births		2 / 6					
Percentage of transfers resulting in pregnancy		4 / 6					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Delaware Valley OBGYN and Infertility Group, Princeton IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

EAST COAST INFERTILITY AND IVF LITTLE SILVER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Miguel Damien, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	7%	Uterine factor	2%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	6%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	16%	
				Endometriosis	22%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 264 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	43	42	25	17	8
Percentage of cancellations	0.0	0.0	11.9	4.0	1 / 17	1 / 8
Average number of embryos transferred	2.0	2.1	2.8	3.3	3.1	3.0
Percentage of embryos transferred resulting in implantation	30.9	25.6	11.2	9.7	0.0	1 / 12
Percentage of elective single embryo transfer (eSET)	1.5	0.0	0.0	0 / 19	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	25.6	7.1	12.0	0 / 17	1 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 8
Percentage of cycles resulting in live births	34.2	34.9	9.5	12.0	0 / 17	1 / 8
Percentage of cycles resulting in pregnancy	42.1	37.2	23.8	24.0	0 / 17	1 / 8
Outcomes per Transfer						
Number of transfers	68	37	32	22	13	4
Percentage of transfers resulting in singleton live births	27.9	29.7	9.4	13.6	0 / 13	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 4
Percentage of transfers resulting in live births	38.2	40.5	12.5	13.6	0 / 13	1 / 4
Percentage of transfers resulting in pregnancy	47.1	43.2	31.3	27.3	0 / 13	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	32	16	10	6	0	1
Percentage of pregnancies resulting in singleton live births	59.4	11 / 16	3 / 10	3 / 6		1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 10	0 / 6		0 / 1
Percentage of pregnancies resulting in live births	81.3	15 / 16	4 / 10	3 / 6		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	9	1	0	0	0
Number of transfers	11	8	0	0	0	0
Estimated average number of transfers per retrieval	1.2	4.0	0.0			
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation	10.0	3 / 14				
Percentage of transfers resulting in singleton live births	2 / 11	3 / 8				
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8				
Percentage of transfers resulting in live births	2 / 11	3 / 8				
Percentage of transfers resulting in pregnancy	4 / 11	3 / 8				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		14		
Number of transfers		14		14		
Average number of embryos transferred		2.1		1.9		
Percentage of embryos transferred resulting in implantation		55.2		26.9		
Percentage of transfers resulting in singleton live births		3 / 14		5 / 14		
Percentage of transfers resulting in live births		8 / 14		6 / 14		
Percentage of transfers resulting in pregnancy		10 / 14		7 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Infertility and IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	14%	Uterine factor	5%	
Unstimulated	0%	Used PGD	15%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	6%	
				Endometriosis	6%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 834 (includes 67 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	135	140	77	43	2
Percentage of cancellations	5.1	14.8	12.9	20.8	16.3	1 / 2
Average number of embryos transferred	1.5	1.6	2.1	2.5	2.2	5.0
Percentage of embryos transferred resulting in implantation	40.5	32.2	25.3	10.3	2.4	0 / 5
Percentage of elective single embryo transfer (eSET)	39.9	24.7	7.9	0.0	0 / 12	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.7	23.7	20.7	5.2	2.3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.7	0.7	0.0	0.0	0 / 2
Percentage of cycles resulting in live births	40.8	28.1	27.1	7.8	2.3	0 / 2
Percentage of cycles resulting in pregnancy	46.9	35.6	32.9	14.3	4.7	0 / 2
Outcomes per Transfer						
Number of transfers	171	106	108	47	19	1
Percentage of transfers resulting in singleton live births	38.6	30.2	26.9	8.5	1 / 19	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.9	0.9	0.0	0 / 19	0 / 1
Percentage of transfers resulting in live births	46.8	35.8	35.2	12.8	1 / 19	0 / 1
Percentage of transfers resulting in pregnancy	53.8	45.3	42.6	23.4	2 / 19	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	92	48	46	11	2	0
Percentage of pregnancies resulting in singleton live births	71.7	66.7	63.0	4 / 11	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.1	2.2	0 / 11	0 / 2	
Percentage of pregnancies resulting in live births	87.0	79.2	82.6	6 / 11	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	35	14	9	1	2
Number of transfers	61	34	14	9	1	2
Estimated average number of transfers per retrieval	1.2	1.4	0.4	0.6	0.2	
Average number of embryos transferred	1.4	1.3	1.5	1.4	2.0	1.0
Percentage of embryos transferred resulting in implantation	39.5	40.0	28.6	5 / 13	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	42.6	38.2	4 / 14	2 / 9	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 9	0 / 1	0 / 2
Percentage of transfers resulting in live births	44.3	44.1	5 / 14	2 / 9	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	59.0	50.0	5 / 14	4 / 9	0 / 1	1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		25		25		
Number of transfers		25		25		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		26.2		27.0		
Percentage of transfers resulting in singleton live births		28.0		32.0		
Percentage of transfers resulting in live births		32.0		36.0		
Percentage of transfers resulting in pregnancy		40.0		36.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	39%	Tubal factor	16%	Uterine factor	3%
Unstimulated	3%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	30%
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	6%
				Endometriosis	6%	Unknown factor	8%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 15%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 983 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	171	102	129	83	69	87
Percentage of cancellations	19.9	26.5	28.7	32.5	31.9	29.9
Average number of embryos transferred	1.9	1.9	2.2	2.4	1.8	2.1
Percentage of embryos transferred resulting in implantation	37.4	21.2	22.9	8.7	5.1	8.3
Percentage of elective single embryo transfer (eSET)	11.6	6.3	0.0	0.0	0 / 16	0 / 13
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.9	11.8	8.5	4.8	1.4	2.3
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	30.4	15.7	11.6	6.0	1.4	3.4
Percentage of cycles resulting in pregnancy	37.4	21.6	20.2	12.0	7.2	3.4
Outcomes per Transfer						
Number of transfers	120	59	66	43	32	29
Percentage of transfers resulting in singleton live births	28.3	20.3	16.7	9.3	3.1	6.9
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	43.3	27.1	22.7	11.6	3.1	10.3
Percentage of transfers resulting in pregnancy	53.3	37.3	39.4	23.3	15.6	10.3
Outcomes per Pregnancy						
Number of pregnancies	64	22	26	10	5	3
Percentage of pregnancies resulting in singleton live births	53.1	54.5	42.3	4 / 10	1 / 5	2 / 3
Percentage of pregnancies resulting in triplets or more live births	1.6	0.0	0.0	0 / 10	0 / 5	0 / 3
Percentage of pregnancies resulting in live births	81.3	72.7	57.7	5 / 10	1 / 5	3 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	56	24	4	10	14
Number of transfers	64	34	18	2	9	9
Estimated average number of transfers per retrieval	1.6	1.7	1.5	0.7	3.0	3.0
Average number of embryos transferred	2.0	2.1	2.7	3.0	2.8	2.9
Percentage of embryos transferred resulting in implantation	29.9	23.9	25.0	1 / 6	12.0	7.7
Percentage of transfers resulting in singleton live births	29.7	23.5	4 / 18	1 / 2	1 / 9	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 2	0 / 9	0 / 9
Percentage of transfers resulting in live births	39.1	32.4	6 / 18	1 / 2	2 / 9	1 / 9
Percentage of transfers resulting in pregnancy	50.0	44.1	8 / 18	1 / 2	3 / 9	2 / 9
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		43		96		
Number of transfers		36		64		
Average number of embryos transferred		2.1		2.2		
Percentage of embryos transferred resulting in implantation		37.3		18.9		
Percentage of transfers resulting in singleton live births		27.8		25.0		
Percentage of transfers resulting in live births		47.2		31.3		
Percentage of transfers resulting in pregnancy		55.6		39.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	37%	Tubal factor	14%	Uterine factor	8%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	27%	Male factor	46%
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	5%
				Endometriosis	6%	Unknown factor	6%
				<i>Multiple Factors:</i> Female factors only 9% Female & male factors 33%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 188 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	23	32	6	5	0
Percentage of cancellations	0.0	0.0	0.0	0 / 6	0 / 5	
Average number of embryos transferred	2.0	2.0	2.7	4.5	3.4	
Percentage of embryos transferred resulting in implantation	36.6	30.4	21.2	3.7	1 / 17	
Percentage of elective single embryo transfer (eSET)	7.8	5.0	0.0	0 / 6	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.8	30.4	15.6	1 / 6	1 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 5	
Percentage of cycles resulting in live births	50.8	39.1	28.1	1 / 6	1 / 5	
Percentage of cycles resulting in pregnancy	53.8	43.5	34.4	1 / 6	1 / 5	
Outcomes per Transfer						
Number of transfers	65	23	31	6	5	0
Percentage of transfers resulting in singleton live births	30.8	30.4	16.1	1 / 6	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 5	
Percentage of transfers resulting in live births	50.8	39.1	29.0	1 / 6	1 / 5	
Percentage of transfers resulting in pregnancy	53.8	43.5	35.5	1 / 6	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	35	10	11	1	1	0
Percentage of pregnancies resulting in singleton live births	57.1	7 / 10	5 / 11	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	94.3	9 / 10	9 / 11	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	10	2	0	0	0
Number of transfers	10	9	2	0	0	0
Estimated average number of transfers per retrieval	1.7	1.8				
Average number of embryos transferred	1.6	1.4	2.5			
Percentage of embryos transferred resulting in implantation	11 / 16	2 / 13	0 / 5			
Percentage of transfers resulting in singleton live births	1 / 10	1 / 9	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 9	0 / 2			
Percentage of transfers resulting in live births	5 / 10	1 / 9	0 / 2			
Percentage of transfers resulting in pregnancy	6 / 10	2 / 9	0 / 2			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		23		11		
Number of transfers		23		11		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		69.6		5 / 19		
Percentage of transfers resulting in singleton live births		17.4		3 / 11		
Percentage of transfers resulting in live births		78.3		4 / 11		
Percentage of transfers resulting in pregnancy		78.3		4 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Robert A. Skaf, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	23%	Uterine factor	4%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	22%	Male factor	45%
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	32%
				Endometriosis	14%	Unknown factor	7%
				<i>Multiple Factors:</i> Female factors only 24% Female & male factors 27%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 449 (includes 5 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	153	72	51	14	21	3	
Percentage of cancellations	1.3	6.9	17.6	0 / 14	14.3	0 / 3	
Average number of embryos transferred	1.8	2.0	2.6	3.2	2.9	2.7	
Percentage of embryos transferred resulting in implantation	32.2	29.0	14.0	4.9	3.8	0 / 8	
Percentage of elective single embryo transfer (eSET)	12.7	5.6	3.1	0 / 12	0 / 16	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	25.5	15.3	13.7	1 / 14	4.8	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0.0	0 / 3	
Percentage of cycles resulting in live births	35.3	29.2	19.6	1 / 14	4.8	0 / 3	
Percentage of cycles resulting in pregnancy	44.4	31.9	21.6	1 / 14	9.5	0 / 3	
Outcomes per Transfer							
Number of transfers	146	63	38	13	18	3	
Percentage of transfers resulting in singleton live births	26.7	17.5	18.4	1 / 13	1 / 18	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 18	0 / 3	
Percentage of transfers resulting in live births	37.0	33.3	26.3	1 / 13	1 / 18	0 / 3	
Percentage of transfers resulting in pregnancy	46.6	36.5	28.9	1 / 13	2 / 18	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	68	23	11	1	2	0	
Percentage of pregnancies resulting in singleton live births	57.4	47.8	7 / 11	1 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	79.4	91.3	10 / 11	1 / 1	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	56	21	19	2	0	0	
Number of transfers	55	18	18	2	0	0	
Estimated average number of transfers per retrieval	2.2	2.6	2.6	2.0			
Average number of embryos transferred	2.1	2.1	2.4	3.0			
Percentage of embryos transferred resulting in implantation	19.1	5.3	7.0	0 / 6			
Percentage of transfers resulting in singleton live births	14.5	2 / 18	1 / 18	0 / 2			
Percentage of transfers resulting in triplets or more live births	1.8	0 / 18	0 / 18	0 / 2			
Percentage of transfers resulting in live births	25.5	2 / 18	1 / 18	0 / 2			
Percentage of transfers resulting in pregnancy	32.7	4 / 18	4 / 18	0 / 2			
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		17		15			
Number of transfers		16		14			
Average number of embryos transferred		1.6		1.9			
Percentage of embryos transferred resulting in implantation		34.6		14.8			
Percentage of transfers resulting in singleton live births		4 / 16		1 / 14			
Percentage of transfers resulting in live births		5 / 16		2 / 14			
Percentage of transfers resulting in pregnancy		10 / 16		4 / 14			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: South Jersey Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Arie Birkenfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	18%	Uterine factor	1%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	12%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	0%	
				Endometriosis	5%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 326 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	35	38	20	7	3
Percentage of cancellations	6.3	8.6	7.9	10.0	2 / 7	1 / 3
Average number of embryos transferred	1.8	2.1	2.0	2.7	3.2	2.5
Percentage of embryos transferred resulting in implantation	27.1	27.6	25.4	12.5	0 / 16	0 / 5
Percentage of elective single embryo transfer (eSET)	21.9	0.0	7.7	0 / 14	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	22.9	10.5	20.0	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births	27.8	34.3	23.7	20.0	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy	35.4	40.0	31.6	30.0	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	67	28	35	15	5	2
Percentage of transfers resulting in singleton live births	22.4	28.6	11.4	4 / 15	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	0 / 2
Percentage of transfers resulting in live births	32.8	42.9	25.7	4 / 15	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	41.8	50.0	34.3	6 / 15	0 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	28	14	12	6	0	0
Percentage of pregnancies resulting in singleton live births	53.6	8 / 14	4 / 12	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 12	0 / 6		
Percentage of pregnancies resulting in live births	78.6	12 / 14	9 / 12	4 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	14	7	4	4	1
Number of transfers	55	12	6	4	4	1
Estimated average number of transfers per retrieval	1.8	1.5	2.0	0.7	2.0	1.0
Average number of embryos transferred	1.7	2.0	2.3	1.3	2.5	2.0
Percentage of embryos transferred resulting in implantation	32.3	45.8	4 / 14	0 / 5	0 / 10	0 / 2
Percentage of transfers resulting in singleton live births	27.3	1 / 12	1 / 6	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.8	0 / 12	0 / 6	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births	38.2	4 / 12	2 / 6	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	41.8	7 / 12	3 / 6	0 / 4	0 / 4	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		22		
Number of transfers		16		19		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		62.1		14.7		
Percentage of transfers resulting in singleton live births		7 / 16		3 / 19		
Percentage of transfers resulting in live births		11 / 16		4 / 19		
Percentage of transfers resulting in pregnancy		14 / 16		5 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Diamond Institute for Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY MORRISTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	8%	Uterine factor	5%
Unstimulated	0%	Used PGD	25%	Ovulatory dysfunction	18%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	47%
				Endometriosis	4%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 16% Female & male factors 30%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 4,045 (includes 1,831 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	333	181	130	53	26	8
Percentage of cancellations	3.6	8.3	9.2	17.0	23.1	1 / 8
Average number of embryos transferred	1.7	1.6	1.6	1.5	1.6	1.7
Percentage of embryos transferred resulting in implantation	64.1	58.4	52.6	40.5	1 / 8	0 / 5
Percentage of elective single embryo transfer (eSET)	27.9	32.5	24.3	3 / 17	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	34.8	23.1	18.9	3.8	0 / 8
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	56.2	47.0	35.4	20.8	3.8	0 / 8
Percentage of cycles resulting in pregnancy	62.2	54.1	41.5	30.2	7.7	0 / 8
Outcomes per Transfer						
Number of transfers	267	134	82	28	5	3
Percentage of transfers resulting in singleton live births	43.1	47.0	36.6	35.7	1 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of transfers resulting in live births	70.0	63.4	56.1	39.3	1 / 5	0 / 3
Percentage of transfers resulting in pregnancy	77.5	73.1	65.9	57.1	2 / 5	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	207	98	54	16	2	0
Percentage of pregnancies resulting in singleton live births	55.6	64.3	55.6	10 / 16	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	90.3	86.7	85.2	11 / 16	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	510	311	272	103	33	10
Number of transfers	486	287	242	98	26	6
Estimated average number of transfers per retrieval	0.8	0.7	0.5	0.4	0.2	0.1
Average number of embryos transferred	1.6	1.4	1.5	1.4	1.3	1.0
Percentage of embryos transferred resulting in implantation	61.2	56.3	52.3	37.3	25.7	2 / 6
Percentage of transfers resulting in singleton live births	44.2	44.6	39.3	31.6	19.2	2 / 6
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	65.0	58.2	51.2	36.7	23.1	2 / 6
Percentage of transfers resulting in pregnancy	77.6	70.7	68.2	49.0	50.0	2 / 6
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		66		178		
Number of transfers		63		154		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		67.6		37.6		
Percentage of transfers resulting in singleton live births		39.7		33.1		
Percentage of transfers resulting in live births		73.0		40.3		
Percentage of transfers resulting in pregnancy		79.4		52.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New Jersey					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ali Nasser, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	32%	Tubal factor	16%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	4%	
				Endometriosis	9%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 412 (includes 56 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	103	58	57	25	16	0
Percentage of cancellations	3.9	6.9	10.5	12.0	2 / 16	
Average number of embryos transferred	1.8	1.9	2.0	2.0	2.2	
Percentage of embryos transferred resulting in implantation	38.3	25.3	29.3	15.6	6.9	
Percentage of elective single embryo transfer (eSET)	11.8	4.3	2.4	1 / 18	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.1	22.4	22.8	12.0	0 / 16	
Percentage of cycles resulting in triplets or more live births	1.0	1.7	0.0	0.0	0 / 16	
Percentage of cycles resulting in live births	45.6	27.6	29.8	16.0	1 / 16	
Percentage of cycles resulting in pregnancy	51.5	36.2	38.6	24.0	3 / 16	
Outcomes per Transfer						
Number of transfers	95	52	49	22	13	0
Percentage of transfers resulting in singleton live births	32.6	25.0	26.5	13.6	0 / 13	
Percentage of transfers resulting in triplets or more live births	1.1	1.9	0.0	0.0	0 / 13	
Percentage of transfers resulting in live births	49.5	30.8	34.7	18.2	1 / 13	
Percentage of transfers resulting in pregnancy	55.8	40.4	44.9	27.3	3 / 13	
Outcomes per Pregnancy						
Number of pregnancies	53	21	22	6	3	0
Percentage of pregnancies resulting in singleton live births	58.5	61.9	59.1	3 / 6	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.9	4.8	0.0	0 / 6	0 / 3	
Percentage of pregnancies resulting in live births	88.7	76.2	77.3	4 / 6	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	22	13	4	5	1
Number of transfers	31	22	13	4	5	1
Estimated average number of transfers per retrieval	0.9	0.8	1.3	1.3	0.6	1.0
Average number of embryos transferred	1.7	1.9	1.7	2.3	1.8	3.0
Percentage of embryos transferred resulting in implantation	26.4	33.3	45.5	2 / 9	2 / 9	0 / 3
Percentage of transfers resulting in singleton live births	25.8	36.4	6 / 13	1 / 4	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in live births	29.0	45.5	8 / 13	1 / 4	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	35.5	54.5	8 / 13	2 / 4	2 / 5	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		7		
Number of transfers		14		7		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		54.2		8 / 14		
Percentage of transfers resulting in singleton live births		7 / 14		4 / 7		
Percentage of transfers resulting in live births		10 / 14		5 / 7		
Percentage of transfers resulting in pregnancy		10 / 14		6 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Hospital Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW JERSEY SOMERSET, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael C. Darder, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	35%	Tubal factor	18%	Uterine factor	8%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	17%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	15%	
				Endometriosis	11%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 647 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	203	85	82	42	14	1
Percentage of cancellations	6.4	4.7	1.2	4.8	2 / 14	0 / 1
Average number of embryos transferred	2.2	2.3	2.6	2.9	3.5	5.0
Percentage of embryos transferred resulting in implantation	38.5	32.3	21.5	10.1	4.8	0 / 5
Percentage of elective single embryo transfer (eSET)	1.7	0.0	0.0	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	20.0	23.2	16.7	0 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	1.2	0.0	0.0	0 / 14	0 / 1
Percentage of cycles resulting in live births	43.3	35.3	31.7	19.0	1 / 14	0 / 1
Percentage of cycles resulting in pregnancy	48.8	37.6	43.9	23.8	1 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	182	72	78	34	12	1
Percentage of transfers resulting in singleton live births	26.9	23.6	24.4	20.6	0 / 12	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	1.4	0.0	0.0	0 / 12	0 / 1
Percentage of transfers resulting in live births	48.4	41.7	33.3	23.5	1 / 12	0 / 1
Percentage of transfers resulting in pregnancy	54.4	44.4	46.2	29.4	1 / 12	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	99	32	36	10	1	0
Percentage of pregnancies resulting in singleton live births	49.5	53.1	52.8	7 / 10	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.0	3.1	0.0	0 / 10	0 / 1	
Percentage of pregnancies resulting in live births	88.9	93.8	72.2	8 / 10	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	14	8	0	1	0
Number of transfers	18	12	8	0	1	0
Estimated average number of transfers per retrieval	0.9	1.0	0.9	0.0		
Average number of embryos transferred	2.0	1.8	1.8		2.0	
Percentage of embryos transferred resulting in implantation	27.8	22.7	3 / 14		0 / 2	
Percentage of transfers resulting in singleton live births	8 / 18	3 / 12	2 / 8		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 8		0 / 1	
Percentage of transfers resulting in live births	9 / 18	4 / 12	2 / 8		0 / 1	
Percentage of transfers resulting in pregnancy	11 / 18	4 / 12	4 / 8		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		128		29		
Number of transfers		123		29		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		57.6		28.3		
Percentage of transfers resulting in singleton live births		36.6		24.1		
Percentage of transfers resulting in live births		67.5		34.5		
Percentage of transfers resulting in pregnancy		78.0		55.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New Jersey					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. LOUIS R. MANARA VOORHEES, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Louis R. Manara, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	14%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 7%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	24%	
				Endometriosis	5%	Unknown factor	25%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 147 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	23	27	9	5	0
Percentage of cancellations	12.8	21.7	18.5	3 / 9	1 / 5	
Average number of embryos transferred	2.0	2.2	2.6	2.0	2.5	
Percentage of embryos transferred resulting in implantation	34.2	32.5	11.1	3 / 12	0 / 10	
Percentage of elective single embryo transfer (eSET)	8.6	1 / 16	0.0	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.1	13.0	11.1	3 / 9	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 5	
Percentage of cycles resulting in live births	34.0	26.1	14.8	3 / 9	0 / 5	
Percentage of cycles resulting in pregnancy	38.3	43.5	18.5	3 / 9	1 / 5	
Outcomes per Transfer						
Number of transfers	37	18	21	6	4	0
Percentage of transfers resulting in singleton live births	24.3	3 / 18	14.3	3 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births	43.2	6 / 18	19.0	3 / 6	0 / 4	
Percentage of transfers resulting in pregnancy	48.6	10 / 18	23.8	3 / 6	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	18	10	5	3	1	0
Percentage of pregnancies resulting in singleton live births	9 / 18	3 / 10	3 / 5	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 10	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	16 / 18	6 / 10	4 / 5	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	5	3	1	1	0
Number of transfers	12	3	3	1	1	0
Estimated average number of transfers per retrieval	2.0	1.5	1.0		1.0	
Average number of embryos transferred	1.4	1.3	2.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	6 / 17	0 / 4	1 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	4 / 12	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	5 / 12	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 12	0 / 3	1 / 3	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		5		
Number of transfers		6		5		
Average number of embryos transferred		2.0		1.4		
Percentage of embryos transferred resulting in implantation		11 / 12		2 / 7		
Percentage of transfers resulting in singleton live births		3 / 6		2 / 5		
Percentage of transfers resulting in live births		6 / 6		2 / 5		
Percentage of transfers resulting in pregnancy		6 / 6		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Louis R. Manara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH JERSEY FERTILITY ASSOCIATES, LLC WAYNE, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Mark X. Ransom, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	26%	Uterine factor	12%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	23%	
				Endometriosis	1%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 91 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	22	16	14	4	0
Percentage of cancellations	0.0	22.7	2 / 16	5 / 14	2 / 4	
Average number of embryos transferred	2.1	2.3	2.1	3.7	1.0	
Percentage of embryos transferred resulting in implantation	32.7	27.0	22.2	13.6	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 15	0 / 7	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	13.6	5 / 16	3 / 14	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 14	0 / 4	
Percentage of cycles resulting in live births	37.5	27.3	5 / 16	3 / 14	0 / 4	
Percentage of cycles resulting in pregnancy	54.2	31.8	6 / 16	3 / 14	0 / 4	
Outcomes per Transfer						
Number of transfers	23	16	13	6	1	0
Percentage of transfers resulting in singleton live births	26.1	3 / 16	5 / 13	3 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 13	0 / 6	0 / 1	
Percentage of transfers resulting in live births	39.1	6 / 16	5 / 13	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	56.5	7 / 16	6 / 13	3 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	7	6	3	0	0
Percentage of pregnancies resulting in singleton live births	6 / 13	3 / 7	5 / 6	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 7	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	9 / 13	6 / 7	5 / 6	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	1	0	1
Number of transfers	1	1	0	1	0	1
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	1.0	2.0		3.0		3.0
Percentage of embryos transferred resulting in implantation	0 / 1	0 / 2		0 / 3		0 / 3
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1		0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1		0 / 1		0 / 1
Percentage of transfers resulting in live births	0 / 1	0 / 1		0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	0 / 1	1 / 1		0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		2		
Number of transfers		5		2		
Average number of embryos transferred		2.2		2.5		
Percentage of embryos transferred resulting in implantation		1 / 11		0 / 5		
Percentage of transfers resulting in singleton live births		0 / 5		0 / 2		
Percentage of transfers resulting in live births		0 / 5		0 / 2		
Percentage of transfers resulting in pregnancy		2 / 5		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Jersey Fertility Associates, LLC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Zalman Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	20%	Uterine factor	34%
Unstimulated	<1%	Used PGD	9%	Ovulatory dysfunction	43%	Male factor	49%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	23%
				Endometriosis	7%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 36% Female & male factors 43%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 221 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	33	35	12	5	3
Percentage of cancellations	4.9	6.1	8.6	0 / 12	0 / 5	0 / 3
Average number of embryos transferred	2.3	2.7	2.9	3.9	2.8	5.0
Percentage of embryos transferred resulting in implantation	35.4	20.0	6.4	14.0	0 / 14	0 / 5
Percentage of elective single embryo transfer (eSET)	3.0	0.0	0.0	0 / 11	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	12.1	5.7	1 / 12	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	0 / 3
Percentage of cycles resulting in live births	41.5	27.3	8.6	3 / 12	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	47.6	33.3	17.1	4 / 12	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	70	30	27	11	5	1
Percentage of transfers resulting in singleton live births	32.9	13.3	7.4	1 / 11	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 5	0 / 1
Percentage of transfers resulting in live births	48.6	30.0	11.1	3 / 11	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	55.7	36.7	22.2	4 / 11	0 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	39	11	6	4	0	0
Percentage of pregnancies resulting in singleton live births	59.0	4 / 11	2 / 6	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 6	0 / 4		
Percentage of pregnancies resulting in live births	87.2	9 / 11	3 / 6	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	1	1	0	0
Number of transfers	11	7	1	0	0	0
Estimated average number of transfers per retrieval	1.4	0.8			0.0	
Average number of embryos transferred	2.2	2.4	2.0			
Percentage of embryos transferred resulting in implantation	20.8	6 / 17	1 / 2			
Percentage of transfers resulting in singleton live births	3 / 11	2 / 7	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 7	0 / 1			
Percentage of transfers resulting in live births	3 / 11	3 / 7	1 / 1			
Percentage of transfers resulting in pregnancy	4 / 11	3 / 7	1 / 1			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	12			12		
Number of transfers	12			11		
Average number of embryos transferred	2.3			2.6		
Percentage of embryos transferred resulting in implantation	32.1			17.2		
Percentage of transfers resulting in singleton live births	1 / 12			1 / 11		
Percentage of transfers resulting in live births	4 / 12			3 / 11		
Percentage of transfers resulting in pregnancy	5 / 12			3 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	13%	Uterine factor	11%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	20%	Male factor	78%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	46%
				Endometriosis	8%	Unknown factor	2%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 66%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 305 (includes 51 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	21	18	6	12	2
Percentage of cancellations	7.7	9.5	2 / 18	1 / 6	2 / 12	1 / 2
Average number of embryos transferred	2.0	2.4	2.9	2.5	3.9	3.0
Percentage of embryos transferred resulting in implantation	48.2	19.6	10.9	1 / 10	0.0	0 / 3
Percentage of elective single embryo transfer (eSET)	10.5	0 / 19	0 / 15	0 / 3	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	28.6	3 / 18	1 / 6	0 / 12	0 / 2
Percentage of cycles resulting in triplets or more live births	3.1	0.0	0 / 18	0 / 6	0 / 12	0 / 2
Percentage of cycles resulting in live births	53.8	33.3	4 / 18	1 / 6	0 / 12	0 / 2
Percentage of cycles resulting in pregnancy	58.5	42.9	7 / 18	1 / 6	1 / 12	0 / 2
Outcomes per Transfer						
Number of transfers	58	19	16	4	9	1
Percentage of transfers resulting in singleton live births	39.7	6 / 19	3 / 16	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	3.4	0 / 19	0 / 16	0 / 4	0 / 9	0 / 1
Percentage of transfers resulting in live births	60.3	7 / 19	4 / 16	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	65.5	9 / 19	7 / 16	1 / 4	1 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	38	9	7	1	1	0
Percentage of pregnancies resulting in singleton live births	60.5	6 / 9	3 / 7	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	5.3	0 / 9	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	92.1	7 / 9	4 / 7	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	18	16	7	1	0
Number of transfers	49	17	15	4	1	0
Estimated average number of transfers per retrieval	2.2	0.8	1.7	1.0	0.3	0.0
Average number of embryos transferred	1.9	2.1	2.1	2.5	2.0	
Percentage of embryos transferred resulting in implantation	21.1	28.6	25.8	5 / 10	0 / 2	
Percentage of transfers resulting in singleton live births	22.4	3 / 17	5 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in live births	30.6	6 / 17	6 / 15	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	38.8	8 / 17	7 / 15	3 / 4	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos			Frozen Embryos	
Number of cycles		20			17	
Number of transfers		16			16	
Average number of embryos transferred		2.2			2.4	
Percentage of embryos transferred resulting in implantation		60.0			28.9	
Percentage of transfers resulting in singleton live births		4 / 16			7 / 16	
Percentage of transfers resulting in live births		12 / 16			9 / 16	
Percentage of transfers resulting in pregnancy		13 / 16			9 / 16	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine of New Mexico					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	53%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 32% Female & male factors 9%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	4%	
				Endometriosis	34%	Unknown factor	0%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 356 (includes 20 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	44	60	35	51	17
Percentage of cancellations	3.9	0.0	21.7	17.1	31.4	5 / 17
Average number of embryos transferred	2.5	2.8	3.1	3.2	3.3	2.8
Percentage of embryos transferred resulting in implantation	31.7	21.2	10.4	10.7	1.9	0.0
Percentage of elective single embryo transfer (eSET)	10.9	5.0	0.0	0.0	0.0	0 / 9
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.6	22.7	13.3	11.4	2.0	0 / 17
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0.0	0.0	0 / 17
Percentage of cycles resulting in live births	35.3	31.8	15.0	11.4	2.0	0 / 17
Percentage of cycles resulting in pregnancy	49.0	36.4	25.0	28.6	5.9	0 / 17
Outcomes per Transfer						
Number of transfers	48	42	47	26	32	12
Percentage of transfers resulting in singleton live births	22.9	23.8	17.0	15.4	3.1	0 / 12
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0.0	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	37.5	33.3	19.1	15.4	3.1	0 / 12
Percentage of transfers resulting in pregnancy	52.1	38.1	31.9	38.5	9.4	0 / 12
Outcomes per Pregnancy						
Number of pregnancies	25	16	15	10	3	0
Percentage of pregnancies resulting in singleton live births	44.0	10 / 16	8 / 15	4 / 10	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	4.0	0 / 16	0 / 15	0 / 10	0 / 3	
Percentage of pregnancies resulting in live births	72.0	14 / 16	9 / 15	4 / 10	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	13	12	1	1	1
Number of transfers	14	13	12	1	1	1
Estimated average number of transfers per retrieval	0.9	1.2	1.7		0.5	0.5
Average number of embryos transferred	2.2	2.1	2.8	2.0	6.0	2.0
Percentage of embryos transferred resulting in implantation	19.4	22.2	20.6	0 / 2	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births	4 / 14	2 / 13	2 / 12	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 13	0 / 12	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	5 / 14	3 / 13	3 / 12	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	5 / 14	5 / 13	4 / 12	0 / 1	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		28		8		
Number of transfers		27		8		
Average number of embryos transferred		2.1		2.1		
Percentage of embryos transferred resulting in implantation		40.4		8 / 17		
Percentage of transfers resulting in singleton live births		40.7		4 / 8		
Percentage of transfers resulting in live births		55.6		6 / 8		
Percentage of transfers resulting in pregnancy		66.7		6 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	20%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	8%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	10%	
				Endometriosis	5%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 519 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	74	74	34	19	1
Percentage of cancellations	16.6	18.9	17.6	23.5	7 / 19	1 / 1
Average number of embryos transferred	1.9	2.1	2.3	2.9	3.2	
Percentage of embryos transferred resulting in implantation	39.9	26.5	21.4	14.3	2.9	
Percentage of elective single embryo transfer (eSET)	15.0	5.8	0.0	0 / 19	0 / 10	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.3	20.3	17.6	17.6	0 / 19	0 / 1
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 19	0 / 1
Percentage of cycles resulting in live births	34.3	27.0	23.0	17.6	0 / 19	0 / 1
Percentage of cycles resulting in pregnancy	42.0	35.1	28.4	26.5	1 / 19	0 / 1
Outcomes per Transfer						
Number of transfers	133	55	56	24	11	0
Percentage of transfers resulting in singleton live births	33.1	27.3	23.2	25.0	0 / 11	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0.0	0 / 11	
Percentage of transfers resulting in live births	46.6	36.4	30.4	25.0	0 / 11	
Percentage of transfers resulting in pregnancy	57.1	47.3	37.5	37.5	1 / 11	
Outcomes per Pregnancy						
Number of pregnancies	76	26	21	9	1	0
Percentage of pregnancies resulting in singleton live births	57.9	57.7	61.9	6 / 9	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 9	0 / 1	
Percentage of pregnancies resulting in live births	81.6	76.9	81.0	6 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	15	9	13	1	0
Number of transfers	49	15	9	8	1	0
Estimated average number of transfers per retrieval	1.4	1.4	1.5	1.6	0.3	
Average number of embryos transferred	2.0	2.3	2.0	2.9	2.0	
Percentage of embryos transferred resulting in implantation	26.0	20.6	3 / 18	13.0	0 / 2	
Percentage of transfers resulting in singleton live births	22.4	2 / 15	1 / 9	2 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 8	0 / 1	
Percentage of transfers resulting in live births	28.6	4 / 15	2 / 9	2 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	40.8	4 / 15	2 / 9	4 / 8	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		31		11		
Number of transfers		25		7		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		44.0		2 / 14		
Percentage of transfers resulting in singleton live births		32.0		1 / 7		
Percentage of transfers resulting in live births		56.0		1 / 7		
Percentage of transfers resulting in pregnancy		60.0		1 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael W. Sullivan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	18%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%	
				Endometriosis	14%	Unknown factor	19%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 328 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	157	77	33	10	10	3
Percentage of cancellations	6.4	10.4	9.1	1 / 10	4 / 10	1 / 3
Average number of embryos transferred	2.2	2.4	2.9	3.4	3.3	3.0
Percentage of embryos transferred resulting in implantation	30.3	19.0	15.6	12.9	0 / 10	0 / 3
Percentage of elective single embryo transfer (eSET)	1.5	3.4	0.0	0 / 9	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.4	19.5	12.1	4 / 10	0 / 10	0 / 3
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0 / 10	0 / 10	0 / 3
Percentage of cycles resulting in live births	40.8	24.7	21.2	4 / 10	0 / 10	0 / 3
Percentage of cycles resulting in pregnancy	42.7	32.5	33.3	4 / 10	0 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	141	67	27	9	3	1
Percentage of transfers resulting in singleton live births	30.5	22.4	14.8	4 / 9	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births	45.4	28.4	25.9	4 / 9	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	47.5	37.3	40.7	4 / 9	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	67	25	11	4	0	0
Percentage of pregnancies resulting in singleton live births	64.2	60.0	4 / 11	4 / 4		
Percentage of pregnancies resulting in triplets or more live births	1.5	0.0	0 / 11	0 / 4		
Percentage of pregnancies resulting in live births	95.5	76.0	7 / 11	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	8	2	0	0	0
Number of transfers	22	8	2	0	0	0
Estimated average number of transfers per retrieval	1.0	1.3				
Average number of embryos transferred	1.9	2.1	2.0			
Percentage of embryos transferred resulting in implantation	35.7	4 / 17	0 / 4			
Percentage of transfers resulting in singleton live births	40.9	1 / 8	0 / 2			
Percentage of transfers resulting in triplets or more live births	0.0	1 / 8	0 / 2			
Percentage of transfers resulting in live births	50.0	2 / 8	0 / 2			
Percentage of transfers resulting in pregnancy	59.1	2 / 8	0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		0			
Number of transfers	4		0			
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation	2 / 9					
Percentage of transfers resulting in singleton live births	2 / 4					
Percentage of transfers resulting in live births	2 / 4					
Percentage of transfers resulting in pregnancy	2 / 4					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	6%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	35%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	9%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 291 (includes 116 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	9	16	8	7	0
Percentage of cancellations	4.0	0 / 9	2 / 16	3 / 8	0 / 7	
Average number of embryos transferred	2.0	1.9	2.5	1.5	2.5	
Percentage of embryos transferred resulting in implantation	22.5	3 / 15	10.0	1 / 6	0 / 10	
Percentage of elective single embryo transfer (eSET)	1 / 19	0 / 5	0 / 11	0 / 2	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.0	1 / 9	1 / 16	1 / 8	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 16	0 / 8	0 / 7	
Percentage of cycles resulting in live births	24.0	2 / 9	1 / 16	1 / 8	0 / 7	
Percentage of cycles resulting in pregnancy	28.0	3 / 9	4 / 16	1 / 8	0 / 7	
Outcomes per Transfer						
Number of transfers	20	8	12	4	4	0
Percentage of transfers resulting in singleton live births	15.0	1 / 8	1 / 12	1 / 4	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 12	0 / 4	0 / 4	
Percentage of transfers resulting in live births	30.0	2 / 8	1 / 12	1 / 4	0 / 4	
Percentage of transfers resulting in pregnancy	35.0	3 / 8	4 / 12	1 / 4	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	7	3	4	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7	1 / 3	1 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	6 / 7	2 / 3	1 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	22	21	13	7	1
Number of transfers	34	21	19	9	6	1
Estimated average number of transfers per retrieval	1.0	1.1	0.4	0.4	0.6	0.3
Average number of embryos transferred	2.0	2.2	2.7	2.4	2.2	2.0
Percentage of embryos transferred resulting in implantation	15.9	12.8	21.2	4.5	1 / 13	0 / 2
Percentage of transfers resulting in singleton live births	14.7	28.6	3 / 19	1 / 9	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 9	0 / 6	0 / 1
Percentage of transfers resulting in live births	23.5	28.6	5 / 19	1 / 9	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	23.5	28.6	8 / 19	1 / 9	1 / 6	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		4		
Number of transfers		2		4		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		2 / 4		3 / 8		
Percentage of transfers resulting in singleton live births		2 / 2		1 / 4		
Percentage of transfers resulting in live births		2 / 2		1 / 4		
Percentage of transfers resulting in pregnancy		2 / 2		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hudson Valley Fertility, PLLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Tony Tsai, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	12%	Uterine factor	6%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	13%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	5%	
				Endometriosis	14%	Unknown factor	28%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				<1%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 261 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		84	23	41	32	18	20
Percentage of cancellations		2.4	0.0	12.2	6.3	1 / 18	40.0
Average number of embryos transferred		2.9	2.9	2.6	2.9	2.7	2.5
Percentage of embryos transferred resulting in implantation		10.8	7.6	11.1	0.0	0.0	0 / 15
Percentage of elective single embryo transfer (eSET)		0.0	0 / 17	0.0	0.0	0 / 9	0 / 3
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		3.6	0.0	0.0	0.0	0 / 18	0.0
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 18	0.0
Percentage of cycles resulting in live births		6.0	8.7	2.4	0.0	0 / 18	0.0
Percentage of cycles resulting in pregnancy		25.0	13.0	17.1	6.3	2 / 18	0.0
Outcomes per Transfer							
Number of transfers		76	23	34	28	14	6
Percentage of transfers resulting in singleton live births		3.9	0.0	0.0	0.0	0 / 14	0 / 6
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 14	0 / 6
Percentage of transfers resulting in live births		6.6	8.7	2.9	0.0	0 / 14	0 / 6
Percentage of transfers resulting in pregnancy		27.6	13.0	20.6	7.1	2 / 14	0 / 6
Outcomes per Pregnancy							
Number of pregnancies		21	3	7	2	2	0
Percentage of pregnancies resulting in singleton live births		14.3	0 / 3	0 / 7	0 / 2	0 / 2	
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 3	0 / 7	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births		23.8	2 / 3	1 / 7	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		21	5	11	0	1	1
Number of transfers		20	5	6	0	1	1
Estimated average number of transfers per retrieval		1.2	2.5	1.5			
Average number of embryos transferred		3.0	4.2	2.7		6.0	3.0
Percentage of embryos transferred resulting in implantation		8.3	0.0	0 / 16		0 / 6	0 / 3
Percentage of transfers resulting in singleton live births		0.0	0 / 5	0 / 6		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0 / 5	0 / 6		0 / 1	0 / 1
Percentage of transfers resulting in live births		5.0	0 / 5	0 / 6		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		15.0	1 / 5	0 / 6		0 / 1	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			4		
Number of transfers		0			3		
Average number of embryos transferred					1.7		
Percentage of embryos transferred resulting in implantation					0 / 5		
Percentage of transfers resulting in singleton live births					0 / 3		
Percentage of transfers resulting in live births					0 / 3		
Percentage of transfers resulting in pregnancy					1 / 3		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: The New York Fertility Center					
Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	33%	Uterine factor	8%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	17%
				Endometriosis	3%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 20% Female & male factors 22%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 201 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	37	33	19	13	9
Percentage of cancellations	14.0	24.3	21.2	7 / 19	2 / 13	2 / 9
Average number of embryos transferred	2.0	2.0	2.2	3.0	3.3	3.3
Percentage of embryos transferred resulting in implantation	22.6	25.5	14.3	3.3	0.0	0.0
Percentage of elective single embryo transfer (eSET)	7.9	8.3	0 / 16	0 / 9	0 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.6	13.5	6.1	1 / 19	0 / 13	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 13	0 / 9
Percentage of cycles resulting in live births	29.8	21.6	9.1	1 / 19	0 / 13	0 / 9
Percentage of cycles resulting in pregnancy	38.6	32.4	21.2	1 / 19	0 / 13	1 / 9
Outcomes per Transfer						
Number of transfers	47	27	22	10	9	7
Percentage of transfers resulting in singleton live births	29.8	18.5	9.1	1 / 10	0 / 9	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 9	0 / 7
Percentage of transfers resulting in live births	36.2	29.6	13.6	1 / 10	0 / 9	0 / 7
Percentage of transfers resulting in pregnancy	46.8	44.4	31.8	1 / 10	0 / 9	1 / 7
Outcomes per Pregnancy						
Number of pregnancies	22	12	7	1	0	1
Percentage of pregnancies resulting in singleton live births	63.6	5 / 12	2 / 7	1 / 1		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 7	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	77.3	8 / 12	3 / 7	1 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	4	1	2	1
Number of transfers	4	3	4	1	1	1
Estimated average number of transfers per retrieval	0.7	3.0	2.0	1.0	0.5	
Average number of embryos transferred	1.8	2.3	2.5	3.0	5.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 7	0 / 7	1 / 10	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births	0 / 4	0 / 3	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	0 / 4	0 / 3	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	0 / 4	0 / 3	1 / 4	0 / 1	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		6		4		
Number of transfers		6		4		
Average number of embryos transferred		2.0		2.3		
Percentage of embryos transferred resulting in implantation		6 / 12		1 / 9		
Percentage of transfers resulting in singleton live births		2 / 6		1 / 4		
Percentage of transfers resulting in live births		4 / 6		1 / 4		
Percentage of transfers resulting in pregnancy		4 / 6		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY LOUDONVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Steven R. Bayer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	16%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	60%	Other factor	0%	
				Endometriosis	6%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 179 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	34	21	3	1	0
Percentage of cancellations	6.9	8.8	19.0	0 / 3	0 / 1	
Average number of embryos transferred	1.7	2.1	3.0	5.0	7.0	
Percentage of embryos transferred resulting in implantation	49.0	29.8	19.0	1 / 5	1 / 7	
Percentage of elective single embryo transfer (eSET)	28.0	4.2	0 / 14	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.9	26.5	14.3	1 / 3	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of cycles resulting in live births	50.0	32.4	23.8	1 / 3	1 / 1	
Percentage of cycles resulting in pregnancy	54.2	44.1	28.6	1 / 3	1 / 1	
Outcomes per Transfer						
Number of transfers	58	27	14	1	1	0
Percentage of transfers resulting in singleton live births	48.3	33.3	3 / 14	1 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births	62.1	40.7	5 / 14	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancy	67.2	55.6	6 / 14	1 / 1	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	15	6	1	1	0
Percentage of pregnancies resulting in singleton live births	71.8	9 / 15	3 / 6	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 6	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	92.3	11 / 15	5 / 6	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	7	4	1	0	2
Number of transfers	13	7	4	1	0	2
Estimated average number of transfers per retrieval	1.1	1.8	4.0			
Average number of embryos transferred	1.6	2.3	1.8	3.0		2.5
Percentage of embryos transferred resulting in implantation	4.8	2 / 16	0 / 7	0 / 3		1 / 5
Percentage of transfers resulting in singleton live births	1 / 13	2 / 7	0 / 4	0 / 1		1 / 2
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in live births	1 / 13	2 / 7	0 / 4	0 / 1		1 / 2
Percentage of transfers resulting in pregnancy	1 / 13	3 / 7	1 / 4	0 / 1		1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		16		4		
Number of transfers		13		4		
Average number of embryos transferred		1.6		2.0		
Percentage of embryos transferred resulting in implantation		57.1		0 / 8		
Percentage of transfers resulting in singleton live births		8 / 13		0 / 4		
Percentage of transfers resulting in live births		9 / 13		0 / 4		
Percentage of transfers resulting in pregnancy		10 / 13		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH SHORE UNIVERSITY HOSPITAL
CENTER FOR HUMAN REPRODUCTION
MANHASSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Avner Hershlag, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	1%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	13%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	11%	
				Endometriosis	5%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 796 (includes 33 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	186	128	97	62	37	1
Percentage of cancellations	4.8	6.3	12.4	16.1	24.3	0 / 1
Average number of embryos transferred	1.9	2.1	2.7	3.5	3.4	
Percentage of embryos transferred resulting in implantation	35.9	28.0	14.6	10.1	2.3	
Percentage of elective single embryo transfer (eSET)	8.9	4.9	1.4	0.0	0.0	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.2	22.7	15.5	16.1	2.7	0 / 1
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	39.2	31.3	20.6	17.7	2.7	0 / 1
Percentage of cycles resulting in pregnancy	44.6	37.5	27.8	24.2	5.4	0 / 1
Outcomes per Transfer						
Number of transfers	159	110	77	46	26	0
Percentage of transfers resulting in singleton live births	28.3	26.4	19.5	21.7	3.8	
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	
Percentage of transfers resulting in live births	45.9	36.4	26.0	23.9	3.8	
Percentage of transfers resulting in pregnancy	52.2	43.6	35.1	32.6	7.7	
Outcomes per Pregnancy						
Number of pregnancies	83	48	27	15	2	0
Percentage of pregnancies resulting in singleton live births	54.2	60.4	55.6	10 / 15	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.2	0.0	0.0	0 / 15	0 / 2	
Percentage of pregnancies resulting in live births	88.0	83.3	74.1	11 / 15	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	94	56	44	17	4	0
Number of transfers	94	56	44	17	4	0
Estimated average number of transfers per retrieval	1.7	1.4	1.2	1.5	4.0	
Average number of embryos transferred	1.8	2.0	2.4	2.4	2.5	
Percentage of embryos transferred resulting in implantation	29.5	21.2	13.5	12.2	1 / 10	
Percentage of transfers resulting in singleton live births	31.9	21.4	22.7	2 / 17	1 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births	37.2	28.6	25.0	3 / 17	1 / 4	
Percentage of transfers resulting in pregnancy	45.7	37.5	29.5	5 / 17	1 / 4	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		19		18		
Number of transfers		18		18		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		60.0		22.2		
Percentage of transfers resulting in singleton live births		6 / 18		3 / 18		
Percentage of transfers resulting in live births		12 / 18		5 / 18		
Percentage of transfers resulting in pregnancy		13 / 18		6 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore University Hospital, Center for Human Reproduction					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF MELVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	9%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	5%	
				Endometriosis	9%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,094 (includes 31 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	240	124	145	81	67	9
Percentage of cancellations	5.4	5.6	9.0	8.6	10.4	2 / 9
Average number of embryos transferred	1.8	2.0	2.5	3.0	2.6	2.8
Percentage of embryos transferred resulting in implantation	38.3	30.6	20.5	10.9	4.2	0 / 17
Percentage of elective single embryo transfer (eSET)	18.9	6.5	3.6	1.8	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.8	22.6	22.8	11.1	4.5	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.8	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	41.7	29.0	25.5	13.6	4.5	0 / 9
Percentage of cycles resulting in pregnancy	46.3	41.1	33.8	23.5	6.0	0 / 9
Outcomes per Transfer						
Number of transfers	207	104	122	65	54	6
Percentage of transfers resulting in singleton live births	35.7	26.9	27.0	13.8	5.6	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	1.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	48.3	34.6	30.3	16.9	5.6	0 / 6
Percentage of transfers resulting in pregnancy	53.6	49.0	40.2	29.2	7.4	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	111	51	49	19	4	0
Percentage of pregnancies resulting in singleton live births	66.7	54.9	67.3	9 / 19	3 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.0	0.0	0 / 19	0 / 4	
Percentage of pregnancies resulting in live births	90.1	70.6	75.5	11 / 19	3 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	98	62	55	17	8	1
Number of transfers	98	62	55	17	8	1
Estimated average number of transfers per retrieval	1.6	1.5	1.6	0.9	0.5	
Average number of embryos transferred	2.1	2.0	2.2	2.7	2.3	1.0
Percentage of embryos transferred resulting in implantation	22.8	20.5	18.0	6.5	2 / 18	0 / 1
Percentage of transfers resulting in singleton live births	30.6	25.8	21.8	3 / 17	1 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 8	0 / 1
Percentage of transfers resulting in live births	34.7	27.4	23.6	3 / 17	1 / 8	0 / 1
Percentage of transfers resulting in pregnancy	40.8	35.5	34.5	3 / 17	3 / 8	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		74		82		
Number of transfers		74		82		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		46.8		22.4		
Percentage of transfers resulting in singleton live births		33.8		24.4		
Percentage of transfers resulting in live births		54.1		31.7		
Percentage of transfers resulting in pregnancy		64.9		39.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Long Island IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by James Stelling, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	13%	Uterine factor	4%	
Unstimulated	3%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	13%	Other factor	24%	
				Endometriosis	3%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				14%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 1,604 (includes 149 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	281	176	221	151	121	46	
Percentage of cancellations	2.1	4.0	5.0	8.6	10.7	6.5	
Average number of embryos transferred	1.6	1.8	2.2	2.7	3.1	2.6	
Percentage of embryos transferred resulting in implantation	27.2	28.4	16.3	6.3	5.3	1.4	
Percentage of elective single embryo transfer (eSET)	32.0	15.6	3.4	1.8	0.0	4.5	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	24.6	22.7	19.0	9.3	5.0	0.0	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0	
Percentage of cycles resulting in live births	30.2	32.4	22.2	10.6	5.8	0.0	
Percentage of cycles resulting in pregnancy	36.7	36.9	28.1	17.2	10.7	2.2	
Outcomes per Transfer							
Number of transfers	270	162	201	128	90	28	
Percentage of transfers resulting in singleton live births	25.6	24.7	20.9	10.9	6.7	0.0	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0	
Percentage of transfers resulting in live births	31.5	35.2	24.4	12.5	7.8	0.0	
Percentage of transfers resulting in pregnancy	38.1	40.1	30.8	20.3	14.4	3.6	
Outcomes per Pregnancy							
Number of pregnancies	103	65	62	26	13	1	
Percentage of pregnancies resulting in singleton live births	67.0	61.5	67.7	53.8	6 / 13	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 1	
Percentage of pregnancies resulting in live births	82.5	87.7	79.0	61.5	7 / 13	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles	182	95	90	31	17	5	
Number of transfers	181	94	88	30	15	5	
Estimated average number of transfers per retrieval	1.2	1.3	1.4	0.9	0.8	0.6	
Average number of embryos transferred	1.7	1.6	1.6	1.7	2.1	2.0	
Percentage of embryos transferred resulting in implantation	31.7	34.0	18.4	17.3	10.0	2 / 8	
Percentage of transfers resulting in singleton live births	22.1	23.4	20.5	13.3	2 / 15	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	1.1	0.0	0.0	0 / 15	0 / 5	
Percentage of transfers resulting in live births	31.5	33.0	23.9	16.7	2 / 15	0 / 5	
Percentage of transfers resulting in pregnancy	43.6	44.7	27.3	26.7	6 / 15	2 / 5	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		24		15			
Number of transfers		24		15			
Average number of embryos transferred		1.5		1.6			
Percentage of embryos transferred resulting in implantation		59.5		41.7			
Percentage of transfers resulting in singleton live births		62.5		4 / 15			
Percentage of transfers resulting in live births		70.8		7 / 15			
Percentage of transfers resulting in pregnancy		79.2		8 / 15			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE MT. KISCO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	39%	Tubal factor	37%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	12%
				Endometriosis	10%	Unknown factor	2%
				Multiple Factors:			
				Female factors only 20%			
				Female & male factors 27%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 42 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	6	10	2	2	1
Percentage of cancellations	2 / 15	3 / 6	0 / 10	0 / 2	1 / 2	0 / 1
Average number of embryos transferred	2.0	2.3	3.0	3.0	3.0	
Percentage of embryos transferred resulting in implantation	42.3	3 / 7	33.3	0 / 6	0 / 3	
Percentage of elective single embryo transfer (eSET)	3 / 13	0 / 3	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 15	1 / 6	1 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 6	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	9 / 15	2 / 6	5 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	9 / 15	2 / 6	5 / 10	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	13	3	9	2	1	0
Percentage of transfers resulting in singleton live births	7 / 13	1 / 3	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births	9 / 13	2 / 3	5 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	9 / 13	2 / 3	5 / 9	0 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	9	2	5	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	1 / 2	1 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 5			
Percentage of pregnancies resulting in live births	9 / 9	2 / 2	5 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	0	0	0	0
Number of transfers	3	2	0	0	0	0
Estimated average number of transfers per retrieval	1.5	1.0				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 6	3 / 4				
Percentage of transfers resulting in singleton live births	1 / 3	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2				
Percentage of transfers resulting in live births	1 / 3	1 / 2				
Percentage of transfers resulting in pregnancy	1 / 3	2 / 2				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Donor Eggs						
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Hugh D. Melnick, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	36%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	5%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	11%	
				Endometriosis	4%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				6%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 285 (includes 39 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	53	29	41	37	11	7	
Percentage of cancellations	17.0	6.9	4.9	5.4	0 / 11	0 / 7	
Average number of embryos transferred	1.9	2.5	2.9	2.2	2.4	2.8	
Percentage of embryos transferred resulting in implantation	8.5	13.6	7.7	7.8	1 / 19	0 / 17	
Percentage of elective single embryo transfer (eSET)	2.8	0.0	0.0	0 / 19	0 / 7	0 / 5	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	3.8	13.8	9.8	2.7	0 / 11	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	2.7	0 / 11	0 / 7	
Percentage of cycles resulting in live births	5.7	20.7	12.2	5.4	0 / 11	0 / 7	
Percentage of cycles resulting in pregnancy	11.3	20.7	17.1	8.1	1 / 11	0 / 7	
Outcomes per Transfer							
Number of transfers	43	24	36	29	8	6	
Percentage of transfers resulting in singleton live births	4.7	16.7	11.1	3.4	0 / 8	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	3.4	0 / 8	0 / 6	
Percentage of transfers resulting in live births	7.0	25.0	13.9	6.9	0 / 8	0 / 6	
Percentage of transfers resulting in pregnancy	14.0	25.0	19.4	10.3	1 / 8	0 / 6	
Outcomes per Pregnancy							
Number of pregnancies	6	6	7	3	1	0	
Percentage of pregnancies resulting in singleton live births	2 / 6	4 / 6	4 / 7	1 / 3	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 6	0 / 7	1 / 3	0 / 1		
Percentage of pregnancies resulting in live births	3 / 6	6 / 6	5 / 7	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	18	8	8	3	4	0	
Number of transfers	18	8	8	3	4	0	
Estimated average number of transfers per retrieval	1.1	0.7	0.5	0.2	0.3	0.0	
Average number of embryos transferred	2.2	1.6	2.1	2.3	2.8		
Percentage of embryos transferred resulting in implantation	17.9	4 / 13	1 / 17	0 / 7	0 / 11		
Percentage of transfers resulting in singleton live births	2 / 18	4 / 8	0 / 8	0 / 3	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 8	0 / 8	0 / 3	0 / 4		
Percentage of transfers resulting in live births	3 / 18	4 / 8	0 / 8	0 / 3	0 / 4		
Percentage of transfers resulting in pregnancy	7 / 18	4 / 8	1 / 8	0 / 3	0 / 4		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		10		17			
Number of transfers		10		17			
Average number of embryos transferred		1.9		2.2			
Percentage of embryos transferred resulting in implantation		6 / 19		24.3			
Percentage of transfers resulting in singleton live births		3 / 10		4 / 17			
Percentage of transfers resulting in live births		3 / 10		5 / 17			
Percentage of transfers resulting in pregnancy		4 / 10		6 / 17			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Services					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETH ISRAEL CENTER FOR INFERTILITY & REPRODUCTIVE HEALTH NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Peter Chang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	32%	Uterine factor	10%	
Unstimulated	2%	Used PGD	3%	Ovulatory dysfunction	15%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	0%	
				Endometriosis	2%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				49%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 167 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	16	35	22	10	1
Percentage of cancellations	18.9	0 / 16	17.1	31.8	1 / 10	1 / 1
Average number of embryos transferred	1.8	2.1	3.6	2.4	2.6	
Percentage of embryos transferred resulting in implantation	34.9	36.7	11.5	5.9	0.0	
Percentage of elective single embryo transfer (eSET)	26.1	2 / 13	0.0	1 / 10	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8.1	3 / 16	17.1	9.1	0 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1 / 16	0.0	0.0	0 / 10	0 / 1
Percentage of cycles resulting in live births	21.6	6 / 16	20.0	9.1	0 / 10	0 / 1
Percentage of cycles resulting in pregnancy	27.0	9 / 16	25.7	9.1	1 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	24	14	29	14	8	0
Percentage of transfers resulting in singleton live births	12.5	3 / 14	20.7	2 / 14	0 / 8	
Percentage of transfers resulting in triplets or more live births	0.0	1 / 14	0.0	0 / 14	0 / 8	
Percentage of transfers resulting in live births	33.3	6 / 14	24.1	2 / 14	0 / 8	
Percentage of transfers resulting in pregnancy	41.7	9 / 14	31.0	2 / 14	1 / 8	
Outcomes per Pregnancy						
Number of pregnancies	10	9	9	2	1	0
Percentage of pregnancies resulting in singleton live births	3 / 10	3 / 9	6 / 9	2 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	1 / 9	0 / 9	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	8 / 10	6 / 9	7 / 9	2 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	9	10	1	0	0
Number of transfers	21	9	9	1	0	0
Estimated average number of transfers per retrieval	1.8	1.5	1.8	1.0		
Average number of embryos transferred	2.5	2.9	3.6	6.0		
Percentage of embryos transferred resulting in implantation	54.7	15.4	15.6	0 / 6		
Percentage of transfers resulting in singleton live births	38.1	2 / 9	5 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	9.5	0 / 9	0 / 9	0 / 1		
Percentage of transfers resulting in live births	76.2	3 / 9	5 / 9	0 / 1		
Percentage of transfers resulting in pregnancy	81.0	4 / 9	5 / 9	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		4		
Number of transfers		0		4		
Average number of embryos transferred				2.8		
Percentage of embryos transferred resulting in implantation				1 / 11		
Percentage of transfers resulting in singleton live births				1 / 4		
Percentage of transfers resulting in live births				1 / 4		
Percentage of transfers resulting in pregnancy				2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Beth Israel Center for Infertility & Reproductive Health					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Dov B. Goldstein, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	53%	Uterine factor	78%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	55%	Male factor	65%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	3%	
				Endometriosis	3%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				63%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 40 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		8	6	3	10	5	3
Percentage of cancellations		0/8	0/6	0/3	4/10	0/5	0/3
Average number of embryos transferred		2.0	1.6	2.7	1.0	3.0	1.5
Percentage of embryos transferred resulting in implantation		1/14	3/8	1/8	0/4	0/3	0/3
Percentage of elective single embryo transfer (eSET)		0/6	0/2	0/3		0/1	0/1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		1/8	0/6	1/3	0/10	0/5	0/3
Percentage of cycles resulting in triplets or more live births		0/8	0/6	0/3	0/10	0/5	0/3
Percentage of cycles resulting in live births		1/8	1/6	1/3	0/10	0/5	0/3
Percentage of cycles resulting in pregnancy		1/8	1/6	1/3	0/10	0/5	0/3
Outcomes per Transfer							
Number of transfers		7	5	3	4	1	2
Percentage of transfers resulting in singleton live births		1/7	0/5	1/3	0/4	0/1	0/2
Percentage of transfers resulting in triplets or more live births		0/7	0/5	0/3	0/4	0/1	0/2
Percentage of transfers resulting in live births		1/7	1/5	1/3	0/4	0/1	0/2
Percentage of transfers resulting in pregnancy		1/7	1/5	1/3	0/4	0/1	0/2
Outcomes per Pregnancy							
Number of pregnancies		1	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births		1/1	0/1	1/1			
Percentage of pregnancies resulting in triplets or more live births		0/1	0/1	0/1			
Percentage of pregnancies resulting in live births		1/1	1/1	1/1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		1	0	3	0	1	0
Number of transfers		1	0	2	0	1	0
Estimated average number of transfers per retrieval		1.0				1.0	
Average number of embryos transferred		2.0		1.5		4.0	
Percentage of embryos transferred resulting in implantation		0/2		0/3		0/4	
Percentage of transfers resulting in singleton live births		0/1		0/2		0/1	
Percentage of transfers resulting in triplets or more live births		0/1		0/2		0/1	
Percentage of transfers resulting in live births		0/1		0/2		0/1	
Percentage of transfers resulting in pregnancy		0/1		0/2		0/1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael M. Guarnaccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	8%	Uterine factor	<1%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	6%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	10%
				Endometriosis	2%	Unknown factor	7%
				<i>Multiple Factors:</i> Female factors only 4% Female & male factors 12%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,756 (includes 39 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	308	300	352	231	135	39
Percentage of cancellations	10.7	13.3	18.8	24.7	33.3	51.3
Average number of embryos transferred	1.9	2.0	2.4	2.8	2.9	2.9
Percentage of embryos transferred resulting in implantation	32.4	23.6	12.1	6.1	3.0	0.0
Percentage of elective single embryo transfer (eSET)	3.9	4.2	1.5	0.0	0.0	0 / 13
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.2	19.0	10.5	5.6	3.7	0.0
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	29.2	25.3	13.9	6.9	3.7	0.0
Percentage of cycles resulting in pregnancy	37.7	33.7	19.3	11.3	8.1	2.6
Outcomes per Transfer						
Number of transfers	232	220	236	135	69	15
Percentage of transfers resulting in singleton live births	22.8	25.9	15.7	9.6	7.2	0 / 15
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0 / 15
Percentage of transfers resulting in live births	38.8	34.5	20.8	11.9	7.2	0 / 15
Percentage of transfers resulting in pregnancy	50.0	45.9	28.8	19.3	15.9	1 / 15
Outcomes per Pregnancy						
Number of pregnancies	116	101	68	26	11	1
Percentage of pregnancies resulting in singleton live births	45.7	56.4	54.4	50.0	5 / 11	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of pregnancies resulting in live births	77.6	75.2	72.1	61.5	5 / 11	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	53	45	20	10	1
Number of transfers	59	44	43	17	10	1
Estimated average number of transfers per retrieval	1.5	1.4	1.3	1.1	2.5	
Average number of embryos transferred	1.6	1.6	1.9	2.1	2.4	2.0
Percentage of embryos transferred resulting in implantation	33.7	21.7	23.2	5.7	0.0	0 / 2
Percentage of transfers resulting in singleton live births	39.0	27.3	30.2	2 / 17	0 / 10	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 10	0 / 1
Percentage of transfers resulting in live births	45.8	29.5	34.9	2 / 17	0 / 10	0 / 1
Percentage of transfers resulting in pregnancy	55.9	36.4	55.8	3 / 17	1 / 10	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		93		68		
Number of transfers		79		57		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		32.5		26.2		
Percentage of transfers resulting in singleton live births		31.6		28.1		
Percentage of transfers resulting in live births		46.8		35.1		
Percentage of transfers resulting in pregnancy		54.4		49.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia University Center for Women's Reproductive Care					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONTINUUM REPRODUCTIVE CENTER OF ST. LUKE'S ROOSEVELT HOSPITAL NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Martin Keltz, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	71%	Tubal factor	12%	Uterine factor	8%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	18%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	6%
				Endometriosis	12%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 13%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 540 (includes 86 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	114	79	96	51	19	2	
Percentage of cancellations	0.0	3.8	1.0	2.0	2 / 19	0 / 2	
Average number of embryos transferred	1.9	2.3	2.7	3.2	2.8	3.0	
Percentage of embryos transferred resulting in implantation	34.4	27.4	15.8	10.7	16.2	0 / 6	
Percentage of elective single embryo transfer (eSET)	8.0	3.4	1.5	0.0	0 / 9	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	21.1	25.3	16.7	13.7	1 / 19	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0.0	0 / 19	0 / 2	
Percentage of cycles resulting in live births	36.0	34.2	21.9	19.6	2 / 19	0 / 2	
Percentage of cycles resulting in pregnancy	45.6	39.2	30.2	19.6	4 / 19	0 / 2	
Outcomes per Transfer							
Number of transfers	99	64	76	41	13	2	
Percentage of transfers resulting in singleton live births	24.2	31.3	21.1	17.1	1 / 13	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 13	0 / 2	
Percentage of transfers resulting in live births	41.4	42.2	27.6	24.4	2 / 13	0 / 2	
Percentage of transfers resulting in pregnancy	52.5	48.4	38.2	24.4	4 / 13	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	52	31	29	10	4	0	
Percentage of pregnancies resulting in singleton live births	46.2	64.5	55.2	7 / 10	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0.0	0 / 10	0 / 4		
Percentage of pregnancies resulting in live births	78.8	87.1	72.4	10 / 10	2 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles	29	17	12	3	0	3	
Number of transfers	29	16	11	3	0	3	
Estimated average number of transfers per retrieval	0.8	0.4	0.3	0.3	0.0	0.8	
Average number of embryos transferred	2.1	2.4	2.2	3.7		2.3	
Percentage of embryos transferred resulting in implantation	27.9	26.3	16.7	1 / 11		3 / 7	
Percentage of transfers resulting in singleton live births	24.1	6 / 16	3 / 11	1 / 3		1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 3		0 / 3	
Percentage of transfers resulting in live births	34.5	7 / 16	3 / 11	1 / 3		1 / 3	
Percentage of transfers resulting in pregnancy	41.4	10 / 16	3 / 11	1 / 3		1 / 3	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		25		4			
Number of transfers		23		4			
Average number of embryos transferred		2.2		2.3			
Percentage of embryos transferred resulting in implantation		37.3		3 / 9			
Percentage of transfers resulting in singleton live births		39.1		2 / 4			
Percentage of transfers resulting in live births		60.9		2 / 4			
Percentage of transfers resulting in pregnancy		60.9		3 / 4			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Continuum Reproductive Center of St. Luke's Roosevelt Hospital					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ANDREW LOUCOPOULOS, MD, PhD NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Andrew Loucopoulos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	7%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	0%	
				Endometriosis	0%	Unknown factor	20%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 16 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	5	3	2	0	1
Percentage of cancellations	0/2	0/5	0/3	0/2		0/1
Average number of embryos transferred	3.0	2.8	3.0	3.0		2.0
Percentage of embryos transferred resulting in implantation	1/6	0/14	1/6	0/6		0/2
Percentage of elective single embryo transfer (eSET)	0/2	0/5	0/2	0/2		0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/2	0/5	0/3	0/2		0/1
Percentage of cycles resulting in triplets or more live births	0/2	0/5	0/3	0/2		0/1
Percentage of cycles resulting in live births	1/2	0/5	0/3	0/2		0/1
Percentage of cycles resulting in pregnancy	1/2	0/5	1/3	0/2		0/1
Outcomes per Transfer						
Number of transfers	2	5	2	2	0	1
Percentage of transfers resulting in singleton live births	1/2	0/5	0/2	0/2		0/1
Percentage of transfers resulting in triplets or more live births	0/2	0/5	0/2	0/2		0/1
Percentage of transfers resulting in live births	1/2	0/5	0/2	0/2		0/1
Percentage of transfers resulting in pregnancy	1/2	0/5	1/2	0/2		0/1
Outcomes per Pregnancy						
Number of pregnancies	1	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1/1		0/1			
Percentage of pregnancies resulting in triplets or more live births	0/1		0/1			
Percentage of pregnancies resulting in live births	1/1		0/1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		4.0				
Percentage of embryos transferred resulting in implantation		0/4				
Percentage of transfers resulting in singleton live births		0/1				
Percentage of transfers resulting in triplets or more live births		0/1				
Percentage of transfers resulting in live births		0/1				
Percentage of transfers resulting in pregnancy		0/1				
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			1		0	
Number of transfers			1		0	
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			2/2			
Percentage of transfers resulting in singleton live births			0/1			
Percentage of transfers resulting in live births			1/1			
Percentage of transfers resulting in pregnancy			1/1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Andrew Loucopoulos, MD, PhD					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Hanna Jesionowska, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	75%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 98%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	100%	
Used gestational carrier	0%			Diminished ovarian reserve	77%	Other factor	1%	
				Endometriosis	1%	Unknown factor	0%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 96 (includes 3 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		29	9	17	5	2	0
Percentage of cancellations		0.0	2 / 9	3 / 17	0 / 5	0 / 2	
Average number of embryos transferred		2.8	2.6	2.7	2.6	1.5	
Percentage of embryos transferred resulting in implantation		27.5	0 / 18	15.8	1 / 13	1 / 3	
Percentage of elective single embryo transfer (eSET)		0.0	0 / 5	0 / 13	0 / 4	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		34.5	0 / 9	1 / 17	0 / 5	1 / 2	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 9	0 / 17	0 / 5	0 / 2	
Percentage of cycles resulting in live births		48.3	0 / 9	3 / 17	0 / 5	1 / 2	
Percentage of cycles resulting in pregnancy		55.2	0 / 9	3 / 17	1 / 5	1 / 2	
Outcomes per Transfer							
Number of transfers		29	7	14	5	2	0
Percentage of transfers resulting in singleton live births		34.5	0 / 7	1 / 14	0 / 5	1 / 2	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 7	0 / 14	0 / 5	0 / 2	
Percentage of transfers resulting in live births		48.3	0 / 7	3 / 14	0 / 5	1 / 2	
Percentage of transfers resulting in pregnancy		55.2	0 / 7	3 / 14	1 / 5	1 / 2	
Outcomes per Pregnancy							
Number of pregnancies		16	0	3	1	1	0
Percentage of pregnancies resulting in singleton live births		10 / 16		1 / 3	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births		0 / 16		0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births		14 / 16		3 / 3	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		1	0	1	1	0	0
Number of transfers		1	0	1	1	0	0
Estimated average number of transfers per retrieval		1.0	0.0	1.0		0.0	0.0
Average number of embryos transferred		3.0		2.0	1.0		
Percentage of embryos transferred resulting in implantation		0 / 3		0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births		0 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in live births		0 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy		0 / 1		0 / 1	0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		25			3		
Number of transfers		25			3		
Average number of embryos transferred		3.0			2.3		
Percentage of embryos transferred resulting in implantation		25.7			3 / 7		
Percentage of transfers resulting in singleton live births		24.0			0 / 3		
Percentage of transfers resulting in live births		40.0			0 / 3		
Percentage of transfers resulting in pregnancy		52.0			2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Manhattan Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MEDICAL OFFICES FOR HUMAN REPRODUCTION
CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	11%	Ovulatory dysfunction	5%	Male factor	9%	
Used gestational carrier	<1%			Diminished ovarian reserve	74%	Other factor	28%	
				Endometriosis	5%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 528 (includes 29 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	30	71	45	67	41
Percentage of cancellations	6.9	20.0	14.1	8.9	16.4	26.8
Average number of embryos transferred	1.9	2.2	2.4	2.5	2.7	3.1
Percentage of embryos transferred resulting in implantation	25.0	16.7	10.2	8.3	0.8	1.5
Percentage of elective single embryo transfer (eSET)	7.5	0 / 15	2.3	0.0	2.9	0 / 15
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	13.3	8.5	4.4	0.0	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	29.2	16.7	11.3	6.7	0.0	0.0
Percentage of cycles resulting in pregnancy	33.3	20.0	12.7	11.1	6.0	2.4
Outcomes per Transfer						
Number of transfers	62	19	50	34	45	21
Percentage of transfers resulting in singleton live births	25.8	4 / 19	12.0	5.9	0.0	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	33.9	5 / 19	16.0	8.8	0.0	0.0
Percentage of transfers resulting in pregnancy	38.7	6 / 19	18.0	14.7	8.9	4.8
Outcomes per Pregnancy						
Number of pregnancies	24	6	9	5	4	1
Percentage of pregnancies resulting in singleton live births	66.7	4 / 6	6 / 9	2 / 5	0 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 9	0 / 5	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	87.5	5 / 6	8 / 9	3 / 5	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	6	14	5	2
Number of transfers	27	10	6	14	5	2
Estimated average number of transfers per retrieval	1.2	3.3	0.7	0.6	1.3	0.3
Average number of embryos transferred	2.0	2.5	2.8	2.5	2.2	2.0
Percentage of embryos transferred resulting in implantation	7.5	16.0	2 / 17	5.7	0 / 11	0 / 4
Percentage of transfers resulting in singleton live births	14.8	4 / 10	2 / 6	2 / 14	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 14	0 / 5	0 / 2
Percentage of transfers resulting in live births	14.8	4 / 10	2 / 6	2 / 14	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	18.5	5 / 10	2 / 6	4 / 14	1 / 5	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		73		33		
Number of transfers		70		33		
Average number of embryos transferred		1.9		2.3		
Percentage of embryos transferred resulting in implantation		42.6		23.7		
Percentage of transfers resulting in singleton live births		35.7		18.2		
Percentage of transfers resulting in live births		57.1		30.3		
Percentage of transfers resulting in pregnancy		65.7		39.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	20%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	6%	
				Endometriosis	0%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 35 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	1	6	7	4	1
Percentage of cancellations	0 / 10	0 / 1	0 / 6	0 / 7	0 / 4	1 / 1
Average number of embryos transferred	1.9	4.0	3.6	3.5	4.5	
Percentage of embryos transferred resulting in implantation	14 / 19	3 / 4	3 / 18	28.6	1 / 18	
Percentage of elective single embryo transfer (eSET)	1 / 9	0 / 1	0 / 5	0 / 5	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 10	0 / 1	1 / 6	2 / 7	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1 / 10	0 / 1	0 / 6	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in live births	7 / 10	1 / 1	2 / 6	2 / 7	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	8 / 10	1 / 1	3 / 6	3 / 7	2 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	10	1	5	6	4	0
Percentage of transfers resulting in singleton live births	4 / 10	0 / 1	1 / 5	2 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 1	0 / 5	0 / 6	0 / 4	
Percentage of transfers resulting in live births	7 / 10	1 / 1	2 / 5	2 / 6	0 / 4	
Percentage of transfers resulting in pregnancy	8 / 10	1 / 1	3 / 5	3 / 6	2 / 4	
Outcomes per Pregnancy						
Number of pregnancies	8	1	3	3	2	0
Percentage of pregnancies resulting in singleton live births	4 / 8	0 / 1	1 / 3	2 / 3	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	1 / 8	0 / 1	0 / 3	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	7 / 8	1 / 1	2 / 3	2 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	1	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval			1.0			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	1 / 2		1 / 2			
Percentage of transfers resulting in singleton live births	1 / 1		1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 1			
Percentage of transfers resulting in live births	1 / 1		1 / 1			
Percentage of transfers resulting in pregnancy	1 / 1		1 / 1			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		2		
Number of transfers		2		2		
Average number of embryos transferred		1.5		2.0		
Percentage of embryos transferred resulting in implantation		3 / 3		2 / 4		
Percentage of transfers resulting in singleton live births		0 / 2		0 / 2		
Percentage of transfers resulting in live births		1 / 2		0 / 2		
Percentage of transfers resulting in pregnancy		2 / 2		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by John J. Zhang, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	18%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 9%
Unstimulated	49%	Used PGD	4%	Ovulatory dysfunction	4%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	66%	Other factor	4%	
				Endometriosis	2%	Unknown factor	7%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 4,441 (includes 2,675 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	67	69	83	53	107
Percentage of cancellations	2.3	0.0	0.0	0.0	0.0	0.9
Average number of embryos transferred	1.4	1.3	1.3	1.3	1.4	1.5
Percentage of embryos transferred resulting in implantation	42.9	38.2	22.1	14.7	5.3	5.2
Percentage of elective single embryo transfer (eSET)	47.4	45.0	47.1	33.3	18.5	8.5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	40.7	34.3	18.8	7.2	3.8	0.9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	47.7	37.3	18.8	8.4	3.8	1.9
Percentage of cycles resulting in pregnancy	48.8	47.8	29.0	21.7	7.5	9.3
Outcomes per Transfer						
Number of transfers	82	67	68	82	53	105
Percentage of transfers resulting in singleton live births	42.7	34.3	19.1	7.3	3.8	1.0
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	50.0	37.3	19.1	8.5	3.8	1.9
Percentage of transfers resulting in pregnancy	51.2	47.8	29.4	22.0	7.5	9.5
Outcomes per Pregnancy						
Number of pregnancies	42	32	20	18	4	10
Percentage of pregnancies resulting in singleton live births	83.3	71.9	65.0	6 / 18	2 / 4	1 / 10
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 4	0 / 10
Percentage of pregnancies resulting in live births	97.6	78.1	65.0	7 / 18	2 / 4	2 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	341	182	186	171	115	158
Number of transfers	340	181	186	171	112	157
Estimated average number of transfers per retrieval	0.9	0.6	0.4	0.4	0.3	0.2
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation	51.7	46.4	34.9	22.5	13.5	4.1
Percentage of transfers resulting in singleton live births	43.2	38.7	29.6	19.3	8.0	1.9
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.6	0.0	0.0
Percentage of transfers resulting in live births	49.7	42.0	32.3	21.1	8.9	3.2
Percentage of transfers resulting in pregnancy	55.6	51.9	38.7	28.1	18.8	5.7
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		138		
Number of transfers		5		135		
Average number of embryos transferred		1.4		1.2		
Percentage of embryos transferred resulting in implantation		3 / 7		61.3		
Percentage of transfers resulting in singleton live births		2 / 5		51.1		
Percentage of transfers resulting in live births		2 / 5		57.8		
Percentage of transfers resulting in pregnancy		3 / 5		67.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Hope Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Majid Fateh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	<1%	Uterine factor	16%	
Unstimulated	0%	Used PGD	35%	Ovulatory dysfunction	8%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	6%	
				Endometriosis	5%	Unknown factor	29%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 108 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	17	10	22	7	3
Percentage of cancellations	0 / 18	0 / 17	0 / 10	9.1	1 / 7	0 / 3
Average number of embryos transferred	2.3	2.7	3.1	2.6	2.3	
Percentage of embryos transferred resulting in implantation	30.6	12.5	12.0	5.9	0 / 9	
Percentage of elective single embryo transfer (eSET)	2 / 16	1 / 12	0 / 8	0 / 12	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 18	2 / 17	2 / 10	4.5	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 17	0 / 10	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births	7 / 18	2 / 17	2 / 10	4.5	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy	9 / 18	4 / 17	3 / 10	9.1	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	16	12	8	13	4	0
Percentage of transfers resulting in singleton live births	6 / 16	2 / 12	2 / 8	1 / 13	0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 12	0 / 8	0 / 13	0 / 4	
Percentage of transfers resulting in live births	7 / 16	2 / 12	2 / 8	1 / 13	0 / 4	
Percentage of transfers resulting in pregnancy	9 / 16	4 / 12	3 / 8	2 / 13	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	9	4	3	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	2 / 4	2 / 3	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	7 / 9	2 / 4	2 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	6	1	2	2	2
Number of transfers	2	6	1	2	2	2
Estimated average number of transfers per retrieval	2.0	0.5	1.0		2.0	2.0
Average number of embryos transferred	2.5	2.7	3.0	1.5	2.5	2.0
Percentage of embryos transferred resulting in implantation	0 / 5	2 / 16	0 / 3	1 / 3	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births	0 / 2	2 / 6	0 / 1	0 / 2	1 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 6	0 / 1	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in live births	0 / 2	2 / 6	0 / 1	0 / 2	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	0 / 2	2 / 6	0 / 1	1 / 2	1 / 2	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		8		
Number of transfers		2		8		
Average number of embryos transferred		2.5		2.9		
Percentage of embryos transferred resulting in implantation		1 / 5		26.1		
Percentage of transfers resulting in singleton live births		1 / 2		5 / 8		
Percentage of transfers resulting in live births		1 / 2		5 / 8		
Percentage of transfers resulting in pregnancy		1 / 2		5 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEW YORK FERTILITY SERVICES, PC
BATZOFIN FERTILITY SERVICES, PC
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joel Batzofin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	12%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	6%	Male factor	5%	
Used gestational carrier	4%			Diminished ovarian reserve	37%	Other factor	21%	
				Endometriosis	12%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 120 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	11	12	10	12	4
Percentage of cancellations	6.9	0 / 11	0 / 12	1 / 10	3 / 12	0 / 4
Average number of embryos transferred	2.0	2.4	1.8	1.6	1.6	2.0
Percentage of embryos transferred resulting in implantation	8.3	29.2	25.0	1 / 13	0 / 13	0 / 6
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	1 / 7	1 / 4	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.8	4 / 11	5 / 12	1 / 10	0 / 12	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 10	0 / 12	0 / 4
Percentage of cycles resulting in live births	13.8	4 / 11	5 / 12	1 / 10	0 / 12	0 / 4
Percentage of cycles resulting in pregnancy	13.8	5 / 11	5 / 12	1 / 10	0 / 12	0 / 4
Outcomes per Transfer						
Number of transfers	24	10	11	8	8	3
Percentage of transfers resulting in singleton live births	16.7	4 / 10	5 / 11	1 / 8	0 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 8	0 / 8	0 / 3
Percentage of transfers resulting in live births	16.7	4 / 10	5 / 11	1 / 8	0 / 8	0 / 3
Percentage of transfers resulting in pregnancy	16.7	5 / 10	5 / 11	1 / 8	0 / 8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	4	5	5	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	4 / 5	5 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 5	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	4 / 4	4 / 5	5 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	4	0	0	0
Number of transfers	2	1	4	0	0	0
Estimated average number of transfers per retrieval	0.7	0.5	2.0	0.0		0.0
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	0 / 4	1 / 2	2 / 8			
Percentage of transfers resulting in singleton live births	0 / 2	1 / 1	2 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 4			
Percentage of transfers resulting in live births	0 / 2	1 / 1	2 / 4			
Percentage of transfers resulting in pregnancy	0 / 2	1 / 1	2 / 4			
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	18			10		
Number of transfers	17			7		
Average number of embryos transferred	2.3			2.1		
Percentage of embryos transferred resulting in implantation	20.5			3 / 15		
Percentage of transfers resulting in singleton live births	3 / 17			2 / 7		
Percentage of transfers resulting in live births	4 / 17			2 / 7		
Percentage of transfers resulting in pregnancy	5 / 17			3 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWAY MEDICAL NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jesse Hade, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	40%	Tubal factor	12%	Uterine factor	1%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	15%	Male factor	3%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	6%
				Endometriosis	6%	Unknown factor	19%
				<i>Multiple Factors:</i>			
				Female factors only 3%			
				Female & male factors 2%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 157 (includes 8 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	32	18	16	32	24	0	
Percentage of cancellations	3.1	0 / 18	3 / 16	18.8	12.5		
Average number of embryos transferred	1.7	2.0	2.4	2.7	2.2		
Percentage of embryos transferred resulting in implantation	48.6	42.3	20.8	3.8	0.0		
Percentage of elective single embryo transfer (eSET)	1 / 15	2 / 12	0 / 8	0 / 17	0 / 13		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	34.4	4 / 18	2 / 16	6.3	0.0		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 16	0.0	0.0		
Percentage of cycles resulting in live births	40.6	6 / 18	3 / 16	6.3	0.0		
Percentage of cycles resulting in pregnancy	43.8	6 / 18	3 / 16	6.3	0.0		
Outcomes per Transfer							
Number of transfers	22	13	10	20	17	0	
Percentage of transfers resulting in singleton live births	50.0	4 / 13	2 / 10	10.0	0 / 17		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 10	0.0	0 / 17		
Percentage of transfers resulting in live births	59.1	6 / 13	3 / 10	10.0	0 / 17		
Percentage of transfers resulting in pregnancy	63.6	6 / 13	3 / 10	10.0	0 / 17		
Outcomes per Pregnancy							
Number of pregnancies	14	6	3	2	0	0	
Percentage of pregnancies resulting in singleton live births	11 / 14	4 / 6	2 / 3	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 6	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	13 / 14	6 / 6	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles	4	4	1	1	1	0	
Number of transfers	4	3	1	1	1	0	
Estimated average number of transfers per retrieval	0.8	0.5	0.3	1.0			
Average number of embryos transferred	2.0	1.3	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	4 / 8	3 / 4	0 / 2	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births	0 / 4	2 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	2 / 4	2 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 4	2 / 3	0 / 1	0 / 1	0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		9			7		
Number of transfers		7			6		
Average number of embryos transferred		1.9			1.7		
Percentage of embryos transferred resulting in implantation		3 / 13			5 / 10		
Percentage of transfers resulting in singleton live births		2 / 7			3 / 6		
Percentage of transfers resulting in live births		2 / 7			4 / 6		
Percentage of transfers resulting in pregnancy		3 / 7			5 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NYU FERTILITY CENTER
NEW YORK UNIVERSITY SCHOOL OF MEDICINE
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	10%	Uterine factor	17%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	56%	
				Endometriosis	7%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				30%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 2,032 (includes 703 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	142	198	166	107	37
Percentage of cancellations	7.2	13.4	14.6	22.3	23.4	27.0
Average number of embryos transferred	1.7	1.8	2.0	2.7	2.8	3.0
Percentage of embryos transferred resulting in implantation	40.9	32.5	19.6	14.0	5.9	2.7
Percentage of elective single embryo transfer (eSET)	32.5	25.9	10.1	0.9	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.3	28.2	20.2	12.7	6.5	5.4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.6	0.0	0.0
Percentage of cycles resulting in live births	40.9	34.5	23.2	16.9	6.5	5.4
Percentage of cycles resulting in pregnancy	49.7	39.4	33.8	25.3	15.0	5.4
Outcomes per Transfer						
Number of transfers	163	117	162	121	74	25
Percentage of transfers resulting in singleton live births	32.5	34.2	24.7	17.4	9.5	8.0
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.8	0.0	0.0
Percentage of transfers resulting in live births	45.4	41.9	28.4	23.1	9.5	8.0
Percentage of transfers resulting in pregnancy	55.2	47.9	41.4	34.7	21.6	8.0
Outcomes per Pregnancy						
Number of pregnancies	90	56	67	42	16	2
Percentage of pregnancies resulting in singleton live births	58.9	71.4	59.7	50.0	7 / 16	2 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	2.4	0 / 16	0 / 2
Percentage of pregnancies resulting in live births	82.2	87.5	68.7	66.7	7 / 16	2 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	126	88	88	46	14	7
Number of transfers	114	83	78	42	11	6
Estimated average number of transfers per retrieval	0.7	0.4	0.3	0.3	0.2	1.2
Average number of embryos transferred	1.5	1.4	1.5	1.5	1.4	1.8
Percentage of embryos transferred resulting in implantation	47.0	43.1	37.4	40.6	6 / 15	3 / 11
Percentage of transfers resulting in singleton live births	44.7	41.0	42.3	52.4	5 / 11	2 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 6
Percentage of transfers resulting in live births	51.8	48.2	44.9	57.1	5 / 11	2 / 6
Percentage of transfers resulting in pregnancy	70.2	51.8	56.4	64.3	6 / 11	3 / 6
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	68		61			
Number of transfers	64		60			
Average number of embryos transferred	1.5		1.5			
Percentage of embryos transferred resulting in implantation	54.5		42.7			
Percentage of transfers resulting in singleton live births	37.5		40.0			
Percentage of transfers resulting in live births	54.7		46.7			
Percentage of transfers resulting in pregnancy	70.3		58.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NYU Fertility Center, New York University School of Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Cecilia Schmidt-Sarosi, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	7%	
Unstimulated	0%	Used PGD	26%	Ovulatory dysfunction	38%	Male factor	66%	
Used gestational carrier	0%			Diminished ovarian reserve	70%	Other factor	32%	
				Endometriosis	16%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				22%
				Female & male factors				66%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 149 (includes 67 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		5	6	8	5	2	5
Percentage of cancellations		0/5	0/6	1/8	1/5	2/2	0/5
Average number of embryos transferred		1.5	2.2	1.4	1.0		1.4
Percentage of embryos transferred resulting in implantation		4/6	5/13	1/7	0/1		0/7
Percentage of elective single embryo transfer (eSET)		1/3	1/6	1/3			1/3
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		2/5	3/6	1/8	0/5	0/2	0/5
Percentage of cycles resulting in triplets or more live births		0/5	0/6	0/8	0/5	0/2	0/5
Percentage of cycles resulting in live births		3/5	4/6	1/8	0/5	0/2	0/5
Percentage of cycles resulting in pregnancy		3/5	5/6	2/8	0/5	0/2	0/5
Outcomes per Transfer							
Number of transfers		4	6	5	1	0	5
Percentage of transfers resulting in singleton live births		2/4	3/6	1/5	0/1		0/5
Percentage of transfers resulting in triplets or more live births		0/4	0/6	0/5	0/1		0/5
Percentage of transfers resulting in live births		3/4	4/6	1/5	0/1		0/5
Percentage of transfers resulting in pregnancy		3/4	5/6	2/5	0/1		0/5
Outcomes per Pregnancy							
Number of pregnancies		3	5	2	0	0	0
Percentage of pregnancies resulting in singleton live births		2/3	3/5	1/2			
Percentage of pregnancies resulting in triplets or more live births		0/3	0/5	0/2			
Percentage of pregnancies resulting in live births		3/3	4/5	1/2			
Frozen Embryos from Nondonor Eggs							
Number of cycles		13	5	8	5	1	1
Number of transfers		11	4	7	3	0	1
Estimated average number of transfers per retrieval		0.5	0.4	0.2	0.3	0.0	1.0
Average number of embryos transferred		1.5	1.5	1.9	1.3		2.0
Percentage of embryos transferred resulting in implantation		8/17	3/6	3/13	0/4		0/2
Percentage of transfers resulting in singleton live births		7/11	3/4	1/7	0/3		0/1
Percentage of transfers resulting in triplets or more live births		0/11	0/4	0/7	0/3		0/1
Percentage of transfers resulting in live births		7/11	3/4	1/7	0/3		0/1
Percentage of transfers resulting in pregnancy		8/11	3/4	4/7	0/3		0/1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		9			9		
Number of transfers		9			9		
Average number of embryos transferred		1.7			1.3		
Percentage of embryos transferred resulting in implantation		10/15			2/12		
Percentage of transfers resulting in singleton live births		3/9			2/9		
Percentage of transfers resulting in live births		5/9			2/9		
Percentage of transfers resulting in pregnancy		6/9			3/9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Offices for Fertility and Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	9%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	11%
				Endometriosis	6%	Unknown factor	20%
				<i>Multiple Factors:</i> Female factors only 4% Female & male factors 3%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 2,272 (includes 232 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	454	333	389	240	142	30
Percentage of cancellations	4.6	9.6	14.9	15.4	31.0	20.0
Average number of embryos transferred	2.0	2.1	2.6	3.1	3.0	3.7
Percentage of embryos transferred resulting in implantation	40.9	32.0	15.4	9.8	3.4	1.2
Percentage of elective single embryo transfer (eSET)	7.2	7.1	1.5	1.3	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.6	29.7	17.7	13.8	3.5	3.3
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	50.0	40.2	22.6	15.8	3.5	3.3
Percentage of cycles resulting in pregnancy	56.6	47.4	28.5	25.4	9.2	3.3
Outcomes per Transfer						
Number of transfers	417	285	310	190	87	22
Percentage of transfers resulting in singleton live births	35.5	34.7	22.3	17.4	5.7	4.5
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	54.4	47.0	28.4	20.0	5.7	4.5
Percentage of transfers resulting in pregnancy	61.6	55.4	35.8	32.1	14.9	4.5
Outcomes per Pregnancy						
Number of pregnancies	257	158	111	61	13	1
Percentage of pregnancies resulting in singleton live births	57.6	62.7	62.2	54.1	5 / 13	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of pregnancies resulting in live births	88.3	84.8	79.3	62.3	5 / 13	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	110	78	43	19	5	4
Number of transfers	109	77	42	18	5	4
Estimated average number of transfers per retrieval	1.0	0.7	0.4	0.5	0.6	1.0
Average number of embryos transferred	1.7	1.8	2.0	1.8	2.8	2.3
Percentage of embryos transferred resulting in implantation	39.5	42.0	14.6	28.1	3 / 14	2 / 9
Percentage of transfers resulting in singleton live births	33.9	27.3	19.0	5 / 18	1 / 5	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 5	0 / 4
Percentage of transfers resulting in live births	46.8	44.2	21.4	6 / 18	2 / 5	2 / 4
Percentage of transfers resulting in pregnancy	58.7	57.1	33.3	6 / 18	2 / 5	2 / 4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		144		49		
Number of transfers		142		47		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		43.5		36.3		
Percentage of transfers resulting in singleton live births		33.8		25.5		
Percentage of transfers resulting in live births		54.9		38.3		
Percentage of transfers resulting in pregnancy		64.1		46.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GEOFFREY SHER, MD, PC
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	3%	Uterine factor	0%	
Unstimulated	5%	Used PGD	12%	Ovulatory dysfunction	3%	Male factor	7%	
Used gestational carrier	<1%			Diminished ovarian reserve	58%	Other factor	6%	
				Endometriosis	4%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				3%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 687 (includes 215 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	52	79	54	46	10
Percentage of cancellations	14.6	5.8	19.0	22.2	32.6	2 / 10
Average number of embryos transferred	1.9	2.0	2.3	2.2	2.7	1.6
Percentage of embryos transferred resulting in implantation	47.5	31.6	24.1	18.9	4.6	0 / 8
Percentage of elective single embryo transfer (eSET)	10.5	8.8	0.0	0.0	0 / 16	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	25.0	20.3	16.7	2.2	0 / 10
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0.0	0 / 10
Percentage of cycles resulting in live births	43.9	32.7	25.3	16.7	2.2	0 / 10
Percentage of cycles resulting in pregnancy	47.6	38.5	26.6	24.1	6.5	0 / 10
Outcomes per Transfer						
Number of transfers	61	39	46	33	24	5
Percentage of transfers resulting in singleton live births	41.0	33.3	34.8	27.3	4.2	0 / 5
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	59.0	43.6	43.5	27.3	4.2	0 / 5
Percentage of transfers resulting in pregnancy	63.9	51.3	45.7	39.4	12.5	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	39	20	21	13	3	0
Percentage of pregnancies resulting in singleton live births	64.1	65.0	76.2	9 / 13	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0.0	0 / 13	0 / 3	
Percentage of pregnancies resulting in live births	92.3	85.0	95.2	9 / 13	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	34	22	13	7	1
Number of transfers	32	34	19	12	7	1
Estimated average number of transfers per retrieval	0.5	1.0	0.3	0.3	0.2	0.1
Average number of embryos transferred	2.0	1.9	1.8	2.5	2.7	1.0
Percentage of embryos transferred resulting in implantation	36.5	35.9	34.3	26.7	3 / 19	0 / 1
Percentage of transfers resulting in singleton live births	43.8	47.1	4 / 19	2 / 12	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 12	0 / 7	0 / 1
Percentage of transfers resulting in live births	53.1	52.9	6 / 19	4 / 12	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy	56.3	58.8	9 / 19	7 / 12	1 / 7	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		25		
Number of transfers		14		24		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		37.0		48.6		
Percentage of transfers resulting in singleton live births		4 / 14		37.5		
Percentage of transfers resulting in live births		7 / 14		50.0		
Percentage of transfers resulting in pregnancy		7 / 14		58.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geoffrey Sher, MD, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
THE CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Zev Rosenwaks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	17%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	5%	
				Endometriosis	11%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 3,388 (includes 143 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	584	489	605	509	293	82
Percentage of cancellations	6.2	10.8	14.2	19.6	23.2	28.0
Average number of embryos transferred	2.0	2.4	2.8	3.2	3.2	3.5
Percentage of embryos transferred resulting in implantation	34.8	25.3	17.7	10.1	3.3	1.1
Percentage of elective single embryo transfer (eSET)	7.1	3.2	0.7	0.9	0.6	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	25.4	22.5	12.6	3.1	2.4
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	41.4	33.5	26.1	14.3	3.8	2.4
Percentage of cycles resulting in pregnancy	47.8	40.1	32.6	21.0	10.6	7.3
Outcomes per Transfer						
Number of transfers	512	404	474	382	209	52
Percentage of transfers resulting in singleton live births	35.4	30.7	28.7	16.8	4.3	3.8
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	47.3	40.6	33.3	19.1	5.3	3.8
Percentage of transfers resulting in pregnancy	54.5	48.5	41.6	28.0	14.8	11.5
Outcomes per Pregnancy						
Number of pregnancies	279	196	197	107	31	6
Percentage of pregnancies resulting in singleton live births	64.9	63.3	69.0	59.8	29.0	2 / 6
Percentage of pregnancies resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0 / 6
Percentage of pregnancies resulting in live births	86.7	83.7	80.2	68.2	35.5	2 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	102	105	38	8	2
Number of transfers	162	89	90	30	4	1
Estimated average number of transfers per retrieval	1.3	1.0	1.0	0.7	0.3	1.0
Average number of embryos transferred	1.7	1.7	1.6	1.9	1.5	1.0
Percentage of embryos transferred resulting in implantation	37.0	33.8	20.4	20.7	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births	38.9	34.8	20.0	23.3	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.5	41.6	22.2	30.0	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	53.7	55.1	37.8	43.3	1 / 4	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		157		90		
Number of transfers		137		81		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		43.0		24.1		
Percentage of transfers resulting in singleton live births		33.6		27.2		
Percentage of transfers resulting in live births		50.4		32.1		
Percentage of transfers resulting in pregnancy		58.4		42.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Weill Medical College of Cornell University, The Center for Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST FERTILITY PLAINVIEW, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by David Kreiner, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	36%	Tubal factor	26%	Uterine factor	1%	
Unstimulated	1%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	8%	
				Endometriosis	9%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				5%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 154 (includes 1 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	35	14	19	6	9	7	
Percentage of cancellations	5.7	2 / 14	4 / 19	2 / 6	1 / 9	1 / 7	
Average number of embryos transferred	1.8	1.5	1.8	2.5	2.0	2.3	
Percentage of embryos transferred resulting in implantation	25.5	1 / 15	4.3	2 / 5	1 / 6	0 / 7	
Percentage of elective single embryo transfer (eSET)	10.0	0 / 4	1 / 6	0 / 2	0 / 2	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	22.9	1 / 14	1 / 19	1 / 6	0 / 9	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 19	0 / 6	0 / 9	0 / 7	
Percentage of cycles resulting in live births	28.6	1 / 14	1 / 19	1 / 6	0 / 9	0 / 7	
Percentage of cycles resulting in pregnancy	34.3	1 / 14	1 / 19	2 / 6	1 / 9	0 / 7	
Outcomes per Transfer							
Number of transfers	30	10	13	2	3	3	
Percentage of transfers resulting in singleton live births	26.7	1 / 10	1 / 13	1 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 13	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in live births	33.3	1 / 10	1 / 13	1 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	40.0	1 / 10	1 / 13	2 / 2	1 / 3	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	12	1	1	2	1	0	
Percentage of pregnancies resulting in singleton live births	8 / 12	1 / 1	1 / 1	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 1	0 / 1	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	10 / 12	1 / 1	1 / 1	1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	28	11	15	7	1	1	
Number of transfers	28	10	15	7	1	1	
Estimated average number of transfers per retrieval	14.0				1.0		
Average number of embryos transferred	1.8	1.4	1.7	2.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation	16.0	3 / 14	8.0	2 / 16	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	17.9	3 / 10	1 / 15	1 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 15	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	21.4	3 / 10	1 / 15	1 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	28.6	3 / 10	2 / 15	2 / 7	0 / 1	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		0			
Number of transfers		0		0			
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: East Coast Fertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Rosalind A. Hayes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	20%	Uterine factor	5%	
Unstimulated	1%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	21%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 144 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	23	17	7	2	0
Percentage of cancellations	17.0	4.3	6 / 17	2 / 7	0 / 2	
Average number of embryos transferred	2.2	2.8	3.2	3.4	3.0	
Percentage of embryos transferred resulting in implantation	28.4	15.6	6.3	0 / 17	0 / 3	
Percentage of elective single embryo transfer (eSET)	3.8	0 / 15	0 / 9	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	8.7	1 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.1	0.0	0 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in live births	31.9	13.0	1 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	31.9	26.1	2 / 17	0 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	30	16	10	5	1	0
Percentage of transfers resulting in singleton live births	40.0	2 / 16	1 / 10	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.3	0 / 16	0 / 10	0 / 5	0 / 1	
Percentage of transfers resulting in live births	50.0	3 / 16	1 / 10	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	50.0	6 / 16	2 / 10	0 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	15	6	2	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 15	2 / 6	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 15	0 / 6	0 / 2			
Percentage of pregnancies resulting in live births	15 / 15	3 / 6	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	3	1	0	0
Number of transfers	13	3	3	1	0	0
Estimated average number of transfers per retrieval	2.2	1.5		1.0		
Average number of embryos transferred	2.1	2.0	1.0	3.0		
Percentage of embryos transferred resulting in implantation	33.3	1 / 6	2 / 3	0 / 3		
Percentage of transfers resulting in singleton live births	1 / 13	1 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in live births	4 / 13	1 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	5 / 13	1 / 3	2 / 3	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		13		
Number of transfers		8		9		
Average number of embryos transferred		2.1		2.2		
Percentage of embryos transferred resulting in implantation		6 / 17		30.0		
Percentage of transfers resulting in singleton live births		2 / 8		3 / 9		
Percentage of transfers resulting in live births		3 / 8		3 / 9		
Percentage of transfers resulting in pregnancy		4 / 8		5 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rochester Fertility Care, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by John T. Queenan, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	2%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	10%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	17%	
				Endometriosis	8%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				13%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 236 (includes 2 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		69	39	19	23	2	0
Percentage of cancellations		4.3	2.6	1 / 19	8.7	0 / 2	
Average number of embryos transferred		2.2	2.6	2.9	3.8	4.0	
Percentage of embryos transferred resulting in implantation		27.7	10.4	10.6	5.6	0 / 4	
Percentage of elective single embryo transfer (eSET)		1.7	2.7	0 / 16	0 / 19	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		18.8	20.5	3 / 19	4.3	0 / 2	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0 / 19	0.0	0 / 2	
Percentage of cycles resulting in live births		36.2	23.1	4 / 19	4.3	0 / 2	
Percentage of cycles resulting in pregnancy		39.1	30.8	4 / 19	13.0	1 / 2	
Outcomes per Transfer							
Number of transfers		63	37	16	19	1	0
Percentage of transfers resulting in singleton live births		20.6	21.6	3 / 16	1 / 19	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 16	0 / 19	0 / 1	
Percentage of transfers resulting in live births		39.7	24.3	4 / 16	1 / 19	0 / 1	
Percentage of transfers resulting in pregnancy		42.9	32.4	4 / 16	3 / 19	1 / 1	
Outcomes per Pregnancy							
Number of pregnancies		27	12	4	3	1	0
Percentage of pregnancies resulting in singleton live births		48.1	8 / 12	3 / 4	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 12	0 / 4	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births		92.6	9 / 12	4 / 4	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		25	10	8	1	1	2
Number of transfers		25	10	8	1	1	2
Estimated average number of transfers per retrieval		1.6	1.7	1.6	1.0		
Average number of embryos transferred		2.0	2.0	2.6	3.0	3.0	3.5
Percentage of embryos transferred resulting in implantation		14.3	15.0	9.5	0 / 3	0 / 3	0 / 7
Percentage of transfers resulting in singleton live births		4.0	2 / 10	2 / 8	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0 / 10	0 / 8	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births		12.0	2 / 10	2 / 8	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy		24.0	3 / 10	2 / 8	0 / 1	0 / 1	1 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		19			16		
Number of transfers		19			15		
Average number of embryos transferred		2.0			1.7		
Percentage of embryos transferred resulting in implantation		47.4			11.5		
Percentage of transfers resulting in singleton live births		7 / 19			3 / 15		
Percentage of transfers resulting in live births		11 / 19			3 / 15		
Percentage of transfers resulting in pregnancy		12 / 19			3 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Strong Fertility Center					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES STATEN ISLAND, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Eric S. Knochenhauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	34%	Uterine factor	18%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	9%	
				Endometriosis	12%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				26%
				Female & male factors				42%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 350 (includes 40 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	33	28	11	18	2
Percentage of cancellations	4.5	9.1	14.3	2 / 11	3 / 18	0 / 2
Average number of embryos transferred	1.7	2.1	2.3	2.6	2.9	3.5
Percentage of embryos transferred resulting in implantation	47.3	32.7	17.0	13.0	2.6	0 / 7
Percentage of elective single embryo transfer (eSET)	34.0	15.4	0.0	0 / 9	0 / 12	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.8	21.2	10.7	2 / 11	1 / 18	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 18	0 / 2
Percentage of cycles resulting in live births	43.3	33.3	14.3	2 / 11	1 / 18	0 / 2
Percentage of cycles resulting in pregnancy	49.3	36.4	21.4	3 / 11	1 / 18	0 / 2
Outcomes per Transfer						
Number of transfers	55	26	23	9	13	2
Percentage of transfers resulting in singleton live births	40.0	26.9	13.0	2 / 9	1 / 13	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 13	0 / 2
Percentage of transfers resulting in live births	52.7	42.3	17.4	2 / 9	1 / 13	0 / 2
Percentage of transfers resulting in pregnancy	60.0	46.2	26.1	3 / 9	1 / 13	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	33	12	6	3	1	0
Percentage of pregnancies resulting in singleton live births	66.7	7 / 12	3 / 6	2 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	87.9	11 / 12	4 / 6	2 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	34	14	13	6	1
Number of transfers	47	31	14	13	6	1
Estimated average number of transfers per retrieval	1.3	2.1	0.9	1.2	0.9	0.5
Average number of embryos transferred	1.7	2.1	2.4	2.1	3.2	2.0
Percentage of embryos transferred resulting in implantation	32.1	27.7	24.2	18.5	2 / 19	0 / 2
Percentage of transfers resulting in singleton live births	25.5	25.8	3 / 14	2 / 13	2 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 13	0 / 6	0 / 1
Percentage of transfers resulting in live births	34.0	38.7	3 / 14	3 / 13	2 / 6	0 / 1
Percentage of transfers resulting in pregnancy	48.9	45.2	5 / 14	4 / 13	2 / 6	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		21		
Number of transfers		8		21		
Average number of embryos transferred		1.5		1.6		
Percentage of embryos transferred resulting in implantation		5 / 12		11.8		
Percentage of transfers resulting in singleton live births		2 / 8		19.0		
Percentage of transfers resulting in live births		3 / 8		19.0		
Percentage of transfers resulting in pregnancy		4 / 8		23.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Island Reproductive Services					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
SYOSSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	16%	Uterine factor	4%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	13%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	6%	
				Endometriosis	12%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				33%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 115 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	21	22	10	4	3
Percentage of cancellations	0.0	4.8	0.0	0 / 10	1 / 4	0 / 3
Average number of embryos transferred	2.0	2.5	2.5	2.3	2.7	3.0
Percentage of embryos transferred resulting in implantation	58.7	36.0	18.2	9.5	1 / 8	0 / 9
Percentage of elective single embryo transfer (eSET)	0.0	0 / 19	0 / 18	1 / 7	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	43.8	47.6	0.0	1 / 10	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 3
Percentage of cycles resulting in live births	75.0	66.7	9.1	1 / 10	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	81.3	66.7	36.4	2 / 10	1 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	31	20	22	9	3	3
Percentage of transfers resulting in singleton live births	45.2	50.0	0.0	1 / 9	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	0 / 3
Percentage of transfers resulting in live births	77.4	70.0	9.1	1 / 9	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	83.9	70.0	36.4	2 / 9	1 / 3	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	26	14	8	2	1	0
Percentage of pregnancies resulting in singleton live births	53.8	10 / 14	0 / 8	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	92.3	14 / 14	2 / 8	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	3	0	0	0
Number of transfers	7	4	3	0	0	0
Estimated average number of transfers per retrieval	1.4	1.3	1.0	0.0		
Average number of embryos transferred	1.7	2.5	2.0			
Percentage of embryos transferred resulting in implantation	6 / 12	2 / 10	2 / 6			
Percentage of transfers resulting in singleton live births	1 / 7	2 / 4	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 3			
Percentage of transfers resulting in live births	3 / 7	2 / 4	1 / 3			
Percentage of transfers resulting in pregnancy	4 / 7	2 / 4	2 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		4			
Number of transfers	2		4			
Average number of embryos transferred	2.5		2.0			
Percentage of embryos transferred resulting in implantation	4 / 5		2 / 8			
Percentage of transfers resulting in singleton live births	0 / 2		2 / 4			
Percentage of transfers resulting in live births	2 / 2		2 / 4			
Percentage of transfers resulting in pregnancy	2 / 2		2 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	22%	Uterine factor	14%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	17%	
				Endometriosis	14%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 2,697 (includes 51 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	717	359	314	166	102	46
Percentage of cancellations	4.9	8.4	12.7	17.5	19.6	28.3
Average number of embryos transferred	2.3	2.5	2.9	2.9	3.1	2.2
Percentage of embryos transferred resulting in implantation	24.0	15.1	9.6	9.0	2.8	0.0
Percentage of elective single embryo transfer (eSET)	6.0	5.3	3.7	1.1	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	14.5	12.4	8.4	3.9	0.0
Percentage of cycles resulting in triplets or more live births	0.8	1.1	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	30.8	19.8	15.0	9.6	3.9	0.0
Percentage of cycles resulting in pregnancy	36.0	25.6	20.4	16.9	7.8	0.0
Outcomes per Transfer						
Number of transfers	644	309	243	113	69	15
Percentage of transfers resulting in singleton live births	21.9	16.8	16.0	12.4	5.8	0 / 15
Percentage of transfers resulting in triplets or more live births	0.9	1.3	0.0	0.0	0.0	0 / 15
Percentage of transfers resulting in live births	34.3	23.0	19.3	14.2	5.8	0 / 15
Percentage of transfers resulting in pregnancy	40.1	29.8	26.3	24.8	11.6	0 / 15
Outcomes per Pregnancy						
Number of pregnancies	258	92	64	28	8	0
Percentage of pregnancies resulting in singleton live births	54.7	56.5	60.9	50.0	4 / 8	
Percentage of pregnancies resulting in triplets or more live births	2.3	4.3	0.0	0.0	0 / 8	
Percentage of pregnancies resulting in live births	85.7	77.2	73.4	57.1	4 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	270	113	80	21	8	0
Number of transfers	269	113	80	21	8	0
Estimated average number of transfers per retrieval	1.1	1.3	1.2	0.7	0.6	0.0
Average number of embryos transferred	2.1	2.2	2.2	2.6	1.8	
Percentage of embryos transferred resulting in implantation	13.0	8.4	8.1	5.5	0 / 14	
Percentage of transfers resulting in singleton live births	17.1	7.1	11.3	0.0	0 / 8	
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 8	
Percentage of transfers resulting in live births	20.1	11.5	12.5	4.8	0 / 8	
Percentage of transfers resulting in pregnancy	26.4	16.8	20.0	4.8	0 / 8	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		252		198		
Number of transfers		230		197		
Average number of embryos transferred		2.5		2.3		
Percentage of embryos transferred resulting in implantation		24.4		8.0		
Percentage of transfers resulting in singleton live births		24.3		9.1		
Percentage of transfers resulting in live births		35.2		12.2		
Percentage of transfers resulting in pregnancy		46.1		20.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CNY Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY IVF
SUNY UPSTATE MEDICAL UNIVERSITY
SYRACUSE, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Shawky A. Badawy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	12%	Unknown factor	59%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 19 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	1	5	2	3	0
Percentage of cancellations	0/5	0/1	1/5	0/2	1/3	
Average number of embryos transferred	2.8	3.0	2.5	2.5	3.0	
Percentage of embryos transferred resulting in implantation	3/14	0/3	2/10	0/5	0/6	
Percentage of elective single embryo transfer (eSET)	0/5	0/1	0/2	0/2	0/2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3/5	0/1	1/5	0/2	0/3	
Percentage of cycles resulting in triplets or more live births	0/5	0/1	0/5	0/2	0/3	
Percentage of cycles resulting in live births	3/5	0/1	1/5	0/2	0/3	
Percentage of cycles resulting in pregnancy	3/5	0/1	2/5	0/2	0/3	
Outcomes per Transfer						
Number of transfers	5	1	4	2	2	0
Percentage of transfers resulting in singleton live births	3/5	0/1	1/4	0/2	0/2	
Percentage of transfers resulting in triplets or more live births	0/5	0/1	0/4	0/2	0/2	
Percentage of transfers resulting in live births	3/5	0/1	1/4	0/2	0/2	
Percentage of transfers resulting in pregnancy	3/5	0/1	2/4	0/2	0/2	
Outcomes per Pregnancy						
Number of pregnancies	3	0	2	0	0	0
Percentage of pregnancies resulting in singleton live births	3/3		1/2			
Percentage of pregnancies resulting in triplets or more live births	0/3		0/2			
Percentage of pregnancies resulting in live births	3/3		1/2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0	0.0	0.0		
Average number of embryos transferred		4.0				
Percentage of embryos transferred resulting in implantation		1/4				
Percentage of transfers resulting in singleton live births		0/1				
Percentage of transfers resulting in triplets or more live births		0/1				
Percentage of transfers resulting in live births		0/1				
Percentage of transfers resulting in pregnancy		1/1				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	0	0			
Number of transfers	0	0				
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University IVF, SUNY Upstate Medical University					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael B. Blotner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	26%	Uterine factor	13%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	21%	Male factor	37%
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	3%
				Endometriosis	9%	Unknown factor	2%
				<i>Multiple Factors:</i> Female factors only 27% Female & male factors 28%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 107 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	8	13	12	11	7
Percentage of cancellations	9.5	2 / 8	2 / 13	4 / 12	2 / 11	3 / 7
Average number of embryos transferred	2.1	2.2	2.3	2.6	3.3	3.3
Percentage of embryos transferred resulting in implantation	54.3	3 / 11	3 / 18	2 / 18	8.7	0 / 10
Percentage of elective single embryo transfer (eSET)	1 / 17	0 / 5	0 / 8	0 / 6	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.9	2 / 8	2 / 13	0 / 12	2 / 11	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 13	0 / 12	0 / 11	0 / 7
Percentage of cycles resulting in live births	66.7	2 / 8	2 / 13	1 / 12	2 / 11	0 / 7
Percentage of cycles resulting in pregnancy	66.7	2 / 8	4 / 13	3 / 12	2 / 11	0 / 7
Outcomes per Transfer						
Number of transfers	17	5	8	7	7	3
Percentage of transfers resulting in singleton live births	9 / 17	2 / 5	2 / 8	0 / 7	2 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 5	0 / 8	0 / 7	0 / 7	0 / 3
Percentage of transfers resulting in live births	14 / 17	2 / 5	2 / 8	1 / 7	2 / 7	0 / 3
Percentage of transfers resulting in pregnancy	14 / 17	2 / 5	4 / 8	3 / 7	2 / 7	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	14	2	4	3	2	0
Percentage of pregnancies resulting in singleton live births	9 / 14	2 / 2	2 / 4	0 / 3	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 2	0 / 4	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	14 / 14	2 / 2	2 / 4	1 / 3	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	3	6	5	2
Number of transfers	6	4	3	5	4	2
Estimated average number of transfers per retrieval	3.0	2.0	1.5		0.8	
Average number of embryos transferred	1.7	1.5	2.3	2.8	2.5	2.0
Percentage of embryos transferred resulting in implantation	1 / 10	1 / 6	2 / 7	1 / 14	1 / 10	0 / 4
Percentage of transfers resulting in singleton live births	0 / 6	1 / 4	2 / 3	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 4	0 / 3	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births	0 / 6	1 / 4	2 / 3	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	1 / 6	1 / 4	2 / 3	1 / 5	1 / 4	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		3		
Number of transfers		5		3		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		3 / 9		2 / 6		
Percentage of transfers resulting in singleton live births		0 / 5		2 / 3		
Percentage of transfers resulting in live births		0 / 5		2 / 3		
Percentage of transfers resulting in pregnancy		1 / 5		2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRAVERMAN REPRODUCTIVE IMMUNOLOGY, PC WOODBURY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Khaled Zeitoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	2%	Used PGD	10%	Ovulatory dysfunction	24%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	77%	
				Endometriosis	6%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 195 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	20	43	13	8	5
Percentage of cancellations	0.0	0.0	0.0	0 / 13	0 / 8	0 / 5
Average number of embryos transferred	2.1	2.8	3.0	2.9	4.1	3.8
Percentage of embryos transferred resulting in implantation	56.8	24.2	18.3	0.0	6.9	0 / 15
Percentage of elective single embryo transfer (eSET)	9.5	0 / 12	4.5	1 / 9	0 / 7	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	10.0	11.6	0 / 13	1 / 8	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.3	0 / 13	0 / 8	0 / 5
Percentage of cycles resulting in live births	46.4	25.0	16.3	0 / 13	1 / 8	0 / 5
Percentage of cycles resulting in pregnancy	53.6	25.0	25.6	0 / 13	2 / 8	0 / 5
Outcomes per Transfer						
Number of transfers	21	12	24	11	7	4
Percentage of transfers resulting in singleton live births	33.3	2 / 12	20.8	0 / 11	1 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	4.2	0 / 11	0 / 7	0 / 4
Percentage of transfers resulting in live births	61.9	5 / 12	29.2	0 / 11	1 / 7	0 / 4
Percentage of transfers resulting in pregnancy	71.4	5 / 12	45.8	0 / 11	2 / 7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	15	5	11	0	2	0
Percentage of pregnancies resulting in singleton live births	7 / 15	2 / 5	5 / 11		1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 5	1 / 11		0 / 2	
Percentage of pregnancies resulting in live births	13 / 15	5 / 5	7 / 11		1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	14	13	8	4	1
Number of transfers	27	14	12	8	4	1
Estimated average number of transfers per retrieval	2.1	2.3	0.9	4.0		1.0
Average number of embryos transferred	1.9	2.3	2.3	2.5	1.8	1.0
Percentage of embryos transferred resulting in implantation	25.0	15.6	17.9	5.0	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births	18.5	2 / 14	2 / 12	1 / 8	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 12	0 / 8	0 / 4	0 / 1
Percentage of transfers resulting in live births	29.6	3 / 14	3 / 12	1 / 8	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	33.3	3 / 14	4 / 12	1 / 8	1 / 4	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		1			
Number of transfers	5		1			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	4 / 10		1 / 2			
Percentage of transfers resulting in singleton live births	4 / 5		1 / 1			
Percentage of transfers resulting in live births	4 / 5		1 / 1			
Percentage of transfers resulting in pregnancy	4 / 5		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Braverman Reproductive Immunology, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Sameh K. Toma, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	15%	Uterine factor	26%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	59%	
Used gestational carrier	4%			Diminished ovarian reserve	42%	Other factor	7%	
				Endometriosis	8%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				49%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 235 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	30	31	5	1	0
Percentage of cancellations	12.0	6.7	9.7	1 / 5	0 / 1	
Average number of embryos transferred	2.4	2.5	2.8	3.3	3.0	
Percentage of embryos transferred resulting in implantation	27.3	34.8	18.3	2 / 13	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.3	50.0	9.7	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of cycles resulting in live births	33.3	56.7	22.6	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	37.3	56.7	22.6	2 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	59	26	25	4	1	0
Percentage of transfers resulting in singleton live births	27.1	57.7	12.0	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births	42.4	65.4	28.0	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	47.5	65.4	28.0	2 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	28	17	7	2	0	0
Percentage of pregnancies resulting in singleton live births	57.1	15 / 17	3 / 7	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	89.3	17 / 17	7 / 7	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	12	4	1	2	0
Number of transfers	15	11	4	1	2	0
Estimated average number of transfers per retrieval	2.1	3.7				
Average number of embryos transferred	2.5	2.5	3.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	21.1	33.3	3 / 12	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	2 / 15	4 / 11	1 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 15	1 / 11	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births	3 / 15	6 / 11	1 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	6 / 15	6 / 11	3 / 4	0 / 1	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		35		22		
Number of transfers		32		19		
Average number of embryos transferred		2.2		2.9		
Percentage of embryos transferred resulting in implantation		42.3		27.3		
Percentage of transfers resulting in singleton live births		37.5		9 / 19		
Percentage of transfers resulting in live births		59.4		10 / 19		
Percentage of transfers resulting in pregnancy		62.5		13 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF NORTH CAROLINA A.R.T. CLINIC CHAPEL HILL, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jennifer E. Mersereau, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	16%	Uterine factor	6%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	15%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	2%	
				Endometriosis	5%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				14%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 173 (includes 6 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		56	25	9	9	1	0
Percentage of cancellations		0.0	8.0	0/9	1/9	0/1	
Average number of embryos transferred		2.0	2.2	2.9	3.3	3.0	
Percentage of embryos transferred resulting in implantation		28.6	28.3	15.0	7.7	1/3	
Percentage of elective single embryo transfer (eSET)		5.5	0.0	0/6	0/7	0/1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		21.4	24.0	3/9	1/9	1/1	
Percentage of cycles resulting in triplets or more live births		0.0	4.0	0/9	0/9	0/1	
Percentage of cycles resulting in live births		30.4	28.0	3/9	1/9	1/1	
Percentage of cycles resulting in pregnancy		46.4	36.0	3/9	2/9	1/1	
Outcomes per Transfer							
Number of transfers		55	21	7	8	1	0
Percentage of transfers resulting in singleton live births		21.8	28.6	3/7	1/8	1/1	
Percentage of transfers resulting in triplets or more live births		0.0	4.8	0/7	0/8	0/1	
Percentage of transfers resulting in live births		30.9	33.3	3/7	1/8	1/1	
Percentage of transfers resulting in pregnancy		47.3	42.9	3/7	2/8	1/1	
Outcomes per Pregnancy							
Number of pregnancies		26	9	3	2	1	0
Percentage of pregnancies resulting in singleton live births		46.2	6/9	3/3	1/2	1/1	
Percentage of pregnancies resulting in triplets or more live births		0.0	1/9	0/3	0/2	0/1	
Percentage of pregnancies resulting in live births		65.4	7/9	3/3	1/2	1/1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	12	4	7	0	3
Number of transfers		15	12	4	7	0	3
Estimated average number of transfers per retrieval		0.9	2.4	4.0	2.3		
Average number of embryos transferred		1.6	1.7	1.5	2.3		2.0
Percentage of embryos transferred resulting in implantation		20.8	25.0	0/6	3/16		0/6
Percentage of transfers resulting in singleton live births		4/15	2/12	0/4	1/7		0/3
Percentage of transfers resulting in triplets or more live births		0/15	0/12	0/4	0/7		0/3
Percentage of transfers resulting in live births		4/15	3/12	0/4	1/7		0/3
Percentage of transfers resulting in pregnancy		5/15	5/12	0/4	4/7		0/3
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		12			13		
Number of transfers		12			13		
Average number of embryos transferred		2.1			1.8		
Percentage of embryos transferred resulting in implantation		24.0			29.2		
Percentage of transfers resulting in singleton live births		3/12			3/13		
Percentage of transfers resulting in live births		4/12			5/13		
Percentage of transfers resulting in pregnancy		5/12			7/13		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: University of North Carolina A.R.T. Clinic					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CMC REPRODUCTIVE MEDICINE AND INFERTILITY
CMC WOMEN'S INSTITUTE
CHARLOTTE, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bradley S. Hurst, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	15%	Uterine factor	5%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	25%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	8%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 330 (includes 54 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	93	25	29	13	3	0
Percentage of cancellations	1.1	0.0	3.4	1 / 13	1 / 3	
Average number of embryos transferred	1.8	1.8	2.4	3.0	4.5	
Percentage of embryos transferred resulting in implantation	38.7	28.9	6.1	10.0	0 / 9	
Percentage of elective single embryo transfer (eSET)	22.4	17.4	4.0	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	20.0	6.9	1 / 13	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 3	
Percentage of cycles resulting in live births	40.9	32.0	6.9	1 / 13	0 / 3	
Percentage of cycles resulting in pregnancy	51.6	44.0	17.2	4 / 13	1 / 3	
Outcomes per Transfer						
Number of transfers	87	25	27	10	2	0
Percentage of transfers resulting in singleton live births	29.9	20.0	7.4	1 / 10	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 2	
Percentage of transfers resulting in live births	43.7	32.0	7.4	1 / 10	0 / 2	
Percentage of transfers resulting in pregnancy	55.2	44.0	18.5	4 / 10	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	48	11	5	4	1	0
Percentage of pregnancies resulting in singleton live births	54.2	5 / 11	2 / 5	1 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	79.2	8 / 11	2 / 5	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	19	11	5	3	1
Number of transfers	48	17	9	4	1	1
Estimated average number of transfers per retrieval	1.2	1.1	0.6	0.4	1.0	
Average number of embryos transferred	1.5	1.6	1.9	1.5	2.0	1.0
Percentage of embryos transferred resulting in implantation	47.2	39.3	1 / 17	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	37.5	8 / 17	1 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	47.9	8 / 17	1 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	64.6	10 / 17	2 / 9	1 / 4	0 / 1	0 / 1
All Ages Combined^f						
		Fresh Embryos	Frozen Embryos			
Donor Eggs						
Number of cycles		9	12			
Number of transfers		9	9			
Average number of embryos transferred		2.0	1.7			
Percentage of embryos transferred resulting in implantation		8 / 18	7 / 15			
Percentage of transfers resulting in singleton live births		4 / 9	5 / 9			
Percentage of transfers resulting in live births		6 / 9	6 / 9			
Percentage of transfers resulting in pregnancy		6 / 9	6 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CMC Reproductive Medicine and Infertility, CMC Women's Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR ASSISTED REPRODUCTION
CHARLOTTE, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jack L. Crain, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	8%	
				Endometriosis	9%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,082 (includes 213 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	186	83	95	38	19	7
Percentage of cancellations	10.8	6.0	22.1	15.8	5 / 19	4 / 7
Average number of embryos transferred	1.9	2.0	2.2	2.5	1.6	2.0
Percentage of embryos transferred resulting in implantation	34.6	27.6	21.1	6.8	0 / 13	0 / 4
Percentage of elective single embryo transfer (eSET)	11.1	7.0	3.9	9.5	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.9	16.9	12.6	5.3	0 / 19	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 7
Percentage of cycles resulting in live births	28.5	25.3	18.9	7.9	0 / 19	0 / 7
Percentage of cycles resulting in pregnancy	31.7	33.7	21.1	10.5	0 / 19	0 / 7
Outcomes per Transfer						
Number of transfers	112	63	57	24	8	2
Percentage of transfers resulting in singleton live births	33.0	22.2	21.1	8.3	0 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births	47.3	33.3	31.6	12.5	0 / 8	0 / 2
Percentage of transfers resulting in pregnancy	52.7	44.4	35.1	16.7	0 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	59	28	20	4	0	0
Percentage of pregnancies resulting in singleton live births	62.7	50.0	60.0	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of pregnancies resulting in live births	89.8	75.0	90.0	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	176	83	53	22	2	2
Number of transfers	170	78	49	21	1	1
Estimated average number of transfers per retrieval	1.1	1.4	0.8	1.1	0.1	0.2
Average number of embryos transferred	1.7	1.6	1.7	1.6	4.0	1.0
Percentage of embryos transferred resulting in implantation	50.9	52.0	41.5	23.5	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births	38.2	46.2	38.8	19.0	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	4.8	0 / 1	0 / 1
Percentage of transfers resulting in live births	54.7	59.0	46.9	23.8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	68.8	69.2	71.4	38.1	0 / 1	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		55		48		
Number of transfers		53		44		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation		50.0		40.0		
Percentage of transfers resulting in singleton live births		39.6		36.4		
Percentage of transfers resulting in live births		60.4		43.2		
Percentage of transfers resulting in pregnancy		69.8		56.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Assisted Reproduction					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER DUKE UNIVERSITY MEDICAL CENTER DURHAM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Suheil J. Muasher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	7%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	22%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	4%	
				Endometriosis	9%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 373 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	57	36	18	6	1
Percentage of cancellations	5.3	7.0	16.7	4 / 18	2 / 6	1 / 1
Average number of embryos transferred	2.0	1.9	2.6	2.8	3.0	
Percentage of embryos transferred resulting in implantation	30.6	34.0	17.1	12.8	0 / 6	
Percentage of elective single embryo transfer (eSET)	6.1	7.0	0.0	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	24.6	25.0	2 / 18	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 6	0 / 1
Percentage of cycles resulting in live births	36.0	36.8	25.0	3 / 18	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	44.7	49.1	38.9	5 / 18	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	100	50	27	14	2	0
Percentage of transfers resulting in singleton live births	29.0	28.0	33.3	2 / 14	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 2	
Percentage of transfers resulting in live births	41.0	42.0	33.3	3 / 14	0 / 2	
Percentage of transfers resulting in pregnancy	51.0	56.0	51.9	5 / 14	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	51	28	14	5	0	0
Percentage of pregnancies resulting in singleton live births	56.9	50.0	9 / 14	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 5		
Percentage of pregnancies resulting in live births	80.4	75.0	9 / 14	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	30	23	4	3	0
Number of transfers	40	26	20	4	3	0
Estimated average number of transfers per retrieval	1.7	2.0	4.0	4.0		
Average number of embryos transferred	2.0	1.9	2.3	2.8	3.0	
Percentage of embryos transferred resulting in implantation	17.7	20.0	20.0	0 / 11	0 / 9	
Percentage of transfers resulting in singleton live births	30.0	19.2	35.0	0 / 4	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 3	
Percentage of transfers resulting in live births	30.0	23.1	35.0	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancy	32.5	30.8	45.0	0 / 4	0 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		22		
Number of transfers		18		17		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		45.7		23.5		
Percentage of transfers resulting in singleton live births		8 / 18		6 / 17		
Percentage of transfers resulting in live births		11 / 18		7 / 17		
Percentage of transfers resulting in pregnancy		12 / 18		9 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER REI CLINIC FORT BRAGG, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jason Parker, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	27%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	26%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	0%	
				Endometriosis	26%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				4%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 82 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	22	9	8	1	0
Percentage of cancellations	0.0	9.1	1 / 9	1 / 8	0 / 1	
Average number of embryos transferred	1.8	1.9	2.1	2.4	3.0	
Percentage of embryos transferred resulting in implantation	47.0	43.2	7 / 17	8 / 17	1 / 3	
Percentage of elective single embryo transfer (eSET)	14.3	0 / 17	0 / 8	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.7	36.4	5 / 9	2 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 9	1 / 8	0 / 1	
Percentage of cycles resulting in live births	50.0	36.4	5 / 9	4 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	58.3	54.5	5 / 9	4 / 8	1 / 1	
Outcomes per Transfer						
Number of transfers	36	20	8	7	1	0
Percentage of transfers resulting in singleton live births	41.7	40.0	5 / 8	2 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	1 / 7	0 / 1	
Percentage of transfers resulting in live births	50.0	40.0	5 / 8	4 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	58.3	60.0	5 / 8	4 / 7	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	12	5	4	1	0
Percentage of pregnancies resulting in singleton live births	71.4	8 / 12	5 / 5	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 5	1 / 4	0 / 1	
Percentage of pregnancies resulting in live births	85.7	8 / 12	5 / 5	4 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.3	2.7				
Percentage of embryos transferred resulting in implantation	4 / 7	3 / 8				
Percentage of transfers resulting in singleton live births	2 / 3	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	2 / 3	1 / 3				
Percentage of transfers resulting in pregnancy	2 / 3	2 / 3				
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Womack Army Medical Center REI Clinic

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST CAROLINA UNIVERSITY GREENVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Clifford C. Hayslip, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	22%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 22%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	31%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	<1%	
				Endometriosis	9%	Unknown factor	13%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 105 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	15	11	3	0	0
Percentage of cancellations	6.7	0 / 15	0 / 11	0 / 3		
Average number of embryos transferred	2.1	2.4	2.2	3.7		
Percentage of embryos transferred resulting in implantation	40.0	33.3	20.0	1 / 11		
Percentage of elective single embryo transfer (eSET)	2.5	0 / 15	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	4 / 15	2 / 11	1 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 3		
Percentage of cycles resulting in live births	46.7	7 / 15	3 / 11	1 / 3		
Percentage of cycles resulting in pregnancy	53.3	8 / 15	4 / 11	1 / 3		
Outcomes per Transfer						
Number of transfers	41	15	9	3	0	0
Percentage of transfers resulting in singleton live births	24.4	4 / 15	2 / 9	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 3		
Percentage of transfers resulting in live births	51.2	7 / 15	3 / 9	1 / 3		
Percentage of transfers resulting in pregnancy	58.5	8 / 15	4 / 9	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	24	8	4	1	0	0
Percentage of pregnancies resulting in singleton live births	41.7	4 / 8	2 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	87.5	7 / 8	3 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	5	0	2	0	0
Number of transfers	10	5	0	2	0	0
Estimated average number of transfers per retrieval	5.0	5.0		2.0		
Average number of embryos transferred	1.6	1.2		1.5		
Percentage of embryos transferred resulting in implantation	5 / 16	4 / 6		0 / 3		
Percentage of transfers resulting in singleton live births	1 / 10	2 / 5		0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5		0 / 2		
Percentage of transfers resulting in live births	3 / 10	2 / 5		0 / 2		
Percentage of transfers resulting in pregnancy	3 / 10	3 / 5		1 / 2		

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	5	8
Number of transfers	5	8
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	4 / 10	2 / 17
Percentage of transfers resulting in singleton live births	0 / 5	1 / 8
Percentage of transfers resulting in live births	2 / 5	1 / 8
Percentage of transfers resulting in pregnancy	2 / 5	1 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Carolina University					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jeffrey L. Deaton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	15%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	30%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	5%	
				Endometriosis	10%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				24%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 100 (includes 1 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		32	10	9	1	0	0
Percentage of cancellations		9.4	0 / 10	0 / 9	0 / 1		
Average number of embryos transferred		1.6	1.9	1.8	1.0		
Percentage of embryos transferred resulting in implantation		41.5	5 / 19	4 / 16	0 / 1		
Percentage of elective single embryo transfer (eSET)		33.3	2 / 9	1 / 8			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		34.4	2 / 10	1 / 9	0 / 1		
Percentage of cycles resulting in triplets or more live births		0.0	0 / 10	0 / 9	0 / 1		
Percentage of cycles resulting in live births		40.6	2 / 10	2 / 9	0 / 1		
Percentage of cycles resulting in pregnancy		50.0	6 / 10	4 / 9	0 / 1		
Outcomes per Transfer							
Number of transfers		25	10	9	1	0	0
Percentage of transfers resulting in singleton live births		44.0	2 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 10	0 / 9	0 / 1		
Percentage of transfers resulting in live births		52.0	2 / 10	2 / 9	0 / 1		
Percentage of transfers resulting in pregnancy		64.0	6 / 10	4 / 9	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies		16	6	4	0	0	0
Percentage of pregnancies resulting in singleton live births		11 / 16	2 / 6	1 / 4			
Percentage of pregnancies resulting in triplets or more live births		0 / 16	0 / 6	0 / 4			
Percentage of pregnancies resulting in live births		13 / 16	2 / 6	2 / 4			
Frozen Embryos from Nondonor Eggs							
Number of cycles		21	8	7	0	0	0
Number of transfers		19	7	6	0	0	0
Estimated average number of transfers per retrieval		3.2	3.5	3.0			
Average number of embryos transferred		1.4	1.7	1.5			
Percentage of embryos transferred resulting in implantation		38.5	2 / 12	2 / 9			
Percentage of transfers resulting in singleton live births		8 / 19	1 / 7	0 / 6			
Percentage of transfers resulting in triplets or more live births		0 / 19	0 / 7	0 / 6			
Percentage of transfers resulting in live births		8 / 19	1 / 7	1 / 6			
Percentage of transfers resulting in pregnancy		13 / 19	1 / 7	1 / 6			
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		5			6		
Number of transfers		5			5		
Average number of embryos transferred		1.6			2.0		
Percentage of embryos transferred resulting in implantation		4 / 8			3 / 10		
Percentage of transfers resulting in singleton live births		3 / 5			1 / 5		
Percentage of transfers resulting in live births		3 / 5			2 / 5		
Percentage of transfers resulting in pregnancy		3 / 5			2 / 5		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Premier Fertility Center, High Point Regional Health System					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CONCEPTS HUNTERSVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark L. Jutras, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	11%	Uterine factor	9%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	66%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	0%	
				Endometriosis	10%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 80 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	13	8	7	0	0
Percentage of cancellations	3.4	1 / 13	0 / 8	1 / 7		
Average number of embryos transferred	1.4	1.4	2.1	2.5		
Percentage of embryos transferred resulting in implantation	56.4	4 / 15	0 / 15	0 / 15		
Percentage of elective single embryo transfer (eSET)	47.6	5 / 9	0 / 6	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	51.7	4 / 13	0 / 8	0 / 7		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 7		
Percentage of cycles resulting in live births	58.6	4 / 13	0 / 8	0 / 7		
Percentage of cycles resulting in pregnancy	65.5	4 / 13	1 / 8	1 / 7		
Outcomes per Transfer						
Number of transfers	27	11	7	6	0	0
Percentage of transfers resulting in singleton live births	55.6	4 / 11	0 / 7	0 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 6		
Percentage of transfers resulting in live births	63.0	4 / 11	0 / 7	0 / 6		
Percentage of transfers resulting in pregnancy	70.4	4 / 11	1 / 7	1 / 6		
Outcomes per Pregnancy						
Number of pregnancies	19	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	15 / 19	4 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	17 / 19	4 / 4	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	5	2	1	0	0
Number of transfers	3	5	2	1	0	0
Estimated average number of transfers per retrieval	0.8	1.7	1.0	1.0	0.0	
Average number of embryos transferred	1.3	1.4	1.5	2.0		
Percentage of embryos transferred resulting in implantation	3 / 4	2 / 7	2 / 3	1 / 2		
Percentage of transfers resulting in singleton live births	0 / 3	2 / 5	2 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 3	2 / 5	2 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	2 / 3	2 / 5	2 / 2	1 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		2		
Number of transfers		1		2		
Average number of embryos transferred		1.0		1.5		
Percentage of embryos transferred resulting in implantation		1 / 1		1 / 3		
Percentage of transfers resulting in singleton live births		1 / 1		1 / 2		
Percentage of transfers resulting in live births		1 / 1		1 / 2		
Percentage of transfers resulting in pregnancy		1 / 1		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Concepts

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by John K. Park, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	10%	Uterine factor	6%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	18%	Male factor	30%	
Used gestational carrier	1%			Diminished ovarian reserve	37%	Other factor	8%	
				Endometriosis	6%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				16%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 646 (includes 5 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	203	92	82	52	8	2	
Percentage of cancellations	7.4	9.8	11.0	15.4	1 / 8	0 / 2	
Average number of embryos transferred	1.9	2.2	2.4	3.3	3.6	1.5	
Percentage of embryos transferred resulting in implantation	42.9	34.1	28.4	5.6	0.0	0 / 3	
Percentage of elective single embryo transfer (eSET)	12.1	3.9	1.7	0.0	0 / 7	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	27.1	31.5	26.8	7.7	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.2	0.0	0 / 8	0 / 2	
Percentage of cycles resulting in live births	43.8	42.4	35.4	9.6	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	48.8	47.8	40.2	11.5	0 / 8	0 / 2	
Outcomes per Transfer							
Number of transfers	174	79	65	38	7	2	
Percentage of transfers resulting in singleton live births	31.6	36.7	33.8	10.5	0 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.5	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births	51.1	49.4	44.6	13.2	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	56.9	55.7	50.8	15.8	0 / 7	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	99	44	33	6	0	0	
Percentage of pregnancies resulting in singleton live births	55.6	65.9	66.7	4 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	3.0	0 / 6			
Percentage of pregnancies resulting in live births	89.9	88.6	87.9	5 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles	64	33	19	4	1	0	
Number of transfers	60	32	18	3	1	0	
Estimated average number of transfers per retrieval	1.5	2.1	1.4	3.0			
Average number of embryos transferred	1.9	1.8	2.0	2.7	3.0		
Percentage of embryos transferred resulting in implantation	45.1	34.5	16.7	3 / 8	1 / 3		
Percentage of transfers resulting in singleton live births	31.7	40.6	5 / 18	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0 / 18	0 / 3	0 / 1		
Percentage of transfers resulting in live births	50.0	43.8	5 / 18	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	58.3	59.4	6 / 18	2 / 3	1 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		53		28			
Number of transfers		51		28			
Average number of embryos transferred		1.8		1.8			
Percentage of embryos transferred resulting in implantation		46.7		39.2			
Percentage of transfers resulting in singleton live births		41.2		32.1			
Percentage of transfers resulting in live births		60.8		50.0			
Percentage of transfers resulting in pregnancy		62.7		50.0			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Carolina Conceptions, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON-SALEM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Tamer M. Yalcinkaya, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	18%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	20%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	13%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				18%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 307 (includes 2 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		106	36	40	11	2	1
Percentage of cancellations		3.8	8.3	5.0	2 / 11	0 / 2	0 / 1
Average number of embryos transferred		1.9	2.0	2.7	3.1	3.5	5.0
Percentage of embryos transferred resulting in implantation		40.6	32.3	19.1	7.1	0 / 7	0 / 5
Percentage of elective single embryo transfer (eSET)		22.1	6.7	0.0	0 / 9	0 / 2	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		33.0	33.3	40.0	2 / 11	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births		0.9	0.0	0.0	0 / 11	0 / 2	0 / 1
Percentage of cycles resulting in live births		49.1	41.7	40.0	2 / 11	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy		55.7	50.0	52.5	3 / 11	0 / 2	0 / 1
Outcomes per Transfer							
Number of transfers		97	32	35	9	2	1
Percentage of transfers resulting in singleton live births		36.1	37.5	45.7	2 / 9	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		1.0	0.0	0.0	0 / 9	0 / 2	0 / 1
Percentage of transfers resulting in live births		53.6	46.9	45.7	2 / 9	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy		60.8	56.3	60.0	3 / 9	0 / 2	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		59	18	21	3	0	0
Percentage of pregnancies resulting in singleton live births		59.3	12 / 18	76.2	2 / 3		
Percentage of pregnancies resulting in triplets or more live births		1.7	0 / 18	0.0	0 / 3		
Percentage of pregnancies resulting in live births		88.1	15 / 18	76.2	2 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		44	14	21	5	0	0
Number of transfers		40	11	19	5	0	0
Estimated average number of transfers per retrieval		1.8	2.2	2.7			
Average number of embryos transferred		1.9	1.6	1.9	1.8		
Percentage of embryos transferred resulting in implantation		25.3	4 / 18	13.5	1 / 9		
Percentage of transfers resulting in singleton live births		35.0	2 / 11	3 / 19	1 / 5		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 11	0 / 19	0 / 5		
Percentage of transfers resulting in live births		37.5	2 / 11	3 / 19	1 / 5		
Percentage of transfers resulting in pregnancy		55.0	4 / 11	8 / 19	1 / 5		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		16			9		
Number of transfers		16			7		
Average number of embryos transferred		1.8			2.1		
Percentage of embryos transferred resulting in implantation		48.3			5 / 15		
Percentage of transfers resulting in singleton live births		10 / 16			3 / 7		
Percentage of transfers resulting in live births		11 / 16			4 / 7		
Percentage of transfers resulting in pregnancy		12 / 16			4 / 7		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Wake Forest University Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	11%	Uterine factor	6%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	25%	Male factor	60%	
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	7%	
				Endometriosis	7%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 178 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	19	8	4	3	2
Percentage of cancellations	6.4	2 / 19	0 / 8	0 / 4	0 / 3	0 / 2
Average number of embryos transferred	1.9	2.1	2.5	3.3	3.5	
Percentage of embryos transferred resulting in implantation	36.0	35.3	3 / 15	0 / 13	0 / 7	
Percentage of elective single embryo transfer (eSET)	10.9	1 / 16	0 / 6	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.2	4 / 19	2 / 8	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 8	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in live births	39.7	7 / 19	2 / 8	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	44.9	9 / 19	2 / 8	1 / 4	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	65	16	6	4	2	0
Percentage of transfers resulting in singleton live births	33.8	4 / 16	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in live births	47.7	7 / 16	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	53.8	9 / 16	2 / 6	1 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	35	9	2	1	0	0
Percentage of pregnancies resulting in singleton live births	62.9	4 / 9	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	88.6	7 / 9	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	10	3	2	0	0
Number of transfers	41	9	1	2	0	0
Estimated average number of transfers per retrieval	2.7	4.5		1.0		
Average number of embryos transferred	2.3	2.4	2.0	3.0		
Percentage of embryos transferred resulting in implantation	26.9	45.5	0 / 2	0 / 6		
Percentage of transfers resulting in singleton live births	24.4	1 / 9	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 1	0 / 2		
Percentage of transfers resulting in live births	36.6	5 / 9	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	48.8	5 / 9	0 / 1	1 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		3		2		
Number of transfers		3		2		
Average number of embryos transferred		2.0		3.0		
Percentage of embryos transferred resulting in implantation		3 / 6		0 / 6		
Percentage of transfers resulting in singleton live births		1 / 3		0 / 2		
Percentage of transfers resulting in live births		2 / 3		0 / 2		
Percentage of transfers resulting in pregnancy		2 / 3		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Reproductive Medicine Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	10%	Uterine factor	3%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	10%	Male factor	48%
Used gestational carrier	22%			Diminished ovarian reserve	65%	Other factor	3%
				Endometriosis	36%	Unknown factor	0%
				Multiple Factors:			
				Female factors only 19%			
				Female & male factors 48%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 31 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	2	2	0	0	0
Percentage of cancellations	0 / 5	0 / 2	0 / 2			
Average number of embryos transferred	2.6	3.0	2.0			
Percentage of embryos transferred resulting in implantation	8 / 13	0 / 3	2 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 1	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 5	0 / 2	0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 5	0 / 2	0 / 2			
Percentage of cycles resulting in live births	4 / 5	0 / 2	1 / 2			
Percentage of cycles resulting in pregnancy	5 / 5	0 / 2	1 / 2			
Outcomes per Transfer						
Number of transfers	5	1	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births	4 / 5	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	5 / 5	0 / 1	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	5	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 5		0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 5		0 / 1			
Percentage of pregnancies resulting in live births	4 / 5		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	1	0	1	3
Number of transfers	0	2	1	0	1	2
Estimated average number of transfers per retrieval		2.0				
Average number of embryos transferred		2.0	2.0		2.0	1.5
Percentage of embryos transferred resulting in implantation		0 / 4	0 / 2		0 / 2	0 / 3
Percentage of transfers resulting in singleton live births		0 / 2	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		0 / 2	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in live births		0 / 2	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in pregnancy		0 / 2	0 / 1		0 / 1	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		0		
Number of transfers		14		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		28.6				
Percentage of transfers resulting in singleton live births		3 / 14				
Percentage of transfers resulting in live births		5 / 14				
Percentage of transfers resulting in pregnancy		6 / 14				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	21%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 43%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	14%	Male factor	64%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	5%	
				Endometriosis	33%	Unknown factor	2%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 398 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	144	50	20	21	4	2
Percentage of cancellations	3.5	8.0	15.0	9.5	1 / 4	0 / 2
Average number of embryos transferred	2.2	2.2	2.4	3.3	3.7	4.0
Percentage of embryos transferred resulting in implantation	27.2	19.8	20.6	5.8	2 / 11	0 / 4
Percentage of elective single embryo transfer (eSET)	0.0	2.8	0 / 13	0 / 15	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	16.0	20.0	4.8	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 2
Percentage of cycles resulting in live births	38.9	22.0	20.0	4.8	1 / 4	0 / 2
Percentage of cycles resulting in pregnancy	43.8	26.0	25.0	14.3	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	131	43	14	16	3	1
Percentage of transfers resulting in singleton live births	30.5	18.6	4 / 14	1 / 16	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 16	0 / 3	0 / 1
Percentage of transfers resulting in live births	42.7	25.6	4 / 14	1 / 16	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	48.1	30.2	5 / 14	3 / 16	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	63	13	5	3	1	0
Percentage of pregnancies resulting in singleton live births	63.5	8 / 13	4 / 5	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	88.9	11 / 13	4 / 5	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	17	14	3	1	0
Number of transfers	55	16	11	2	1	0
Estimated average number of transfers per retrieval	1.4	1.6	2.2			
Average number of embryos transferred	2.3	2.3	2.2	2.0	2.0	
Percentage of embryos transferred resulting in implantation	23.6	29.7	16.7	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	36.4	6 / 16	2 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in live births	43.6	8 / 16	3 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	47.3	11 / 16	4 / 11	0 / 2	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		37		25		
Number of transfers		32		23		
Average number of embryos transferred		2.0		2.3		
Percentage of embryos transferred resulting in implantation		32.3		16.7		
Percentage of transfers resulting in singleton live births		31.3		17.4		
Percentage of transfers resulting in live births		37.5		26.1		
Percentage of transfers resulting in pregnancy		56.3		34.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER BEACHWOOD, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Cynthia Austin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	13%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	56%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	13%	
				Endometriosis	11%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				32%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 776 (includes 35 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	194	112	105	33	3	0
Percentage of cancellations	11.3	17.9	24.8	27.3	1 / 3	
Average number of embryos transferred	2.0	2.3	2.6	3.0	2.0	
Percentage of embryos transferred resulting in implantation	37.6	29.9	22.3	8.2	0 / 4	
Percentage of elective single embryo transfer (eSET)	9.6	6.3	0.0	0.0	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	22.3	17.1	12.1	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.0	0.0	0 / 3	
Percentage of cycles resulting in live births	45.4	33.9	23.8	12.1	0 / 3	
Percentage of cycles resulting in pregnancy	54.1	37.5	32.4	21.2	0 / 3	
Outcomes per Transfer						
Number of transfers	170	86	76	24	2	0
Percentage of transfers resulting in singleton live births	37.1	29.1	23.7	16.7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.3	0.0	0 / 2	
Percentage of transfers resulting in live births	51.8	44.2	32.9	16.7	0 / 2	
Percentage of transfers resulting in pregnancy	61.8	48.8	44.7	29.2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	105	42	34	7	0	0
Percentage of pregnancies resulting in singleton live births	60.0	59.5	52.9	4 / 7		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	2.9	0 / 7		
Percentage of pregnancies resulting in live births	83.8	90.5	73.5	4 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	103	60	46	20	5	0
Number of transfers	93	46	43	19	4	0
Estimated average number of transfers per retrieval	1.6	1.8	2.0	2.7	4.0	0.0
Average number of embryos transferred	1.7	1.7	1.7	2.1	1.8	
Percentage of embryos transferred resulting in implantation	30.2	37.2	22.5	23.1	3 / 7	
Percentage of transfers resulting in singleton live births	31.2	32.6	11.6	6 / 19	3 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 4	
Percentage of transfers resulting in live births	35.5	41.3	20.9	6 / 19	3 / 4	
Percentage of transfers resulting in pregnancy	48.4	52.2	32.6	10 / 19	3 / 4	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		36		
Number of transfers		22		31		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation		45.2		49.0		
Percentage of transfers resulting in singleton live births		27.3		51.6		
Percentage of transfers resulting in live births		54.5		58.1		
Percentage of transfers resulting in pregnancy		59.1		67.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA CENTER FOR REPRODUCTIVE HEALTH & FERTILITY CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Glen E. Hofmann, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	14%	Uterine factor	3%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	17%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	6%	
				Endometriosis	6%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 311 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	97	36	17	10	5	0
Percentage of cancellations	9.3	16.7	1 / 17	1 / 10	2 / 5	
Average number of embryos transferred	2.0	2.1	2.3	2.4	2.7	
Percentage of embryos transferred resulting in implantation	33.5	21.7	27.8	4.5	2 / 8	
Percentage of elective single embryo transfer (eSET)	1.2	3.6	1 / 15	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.7	16.7	3 / 17	1 / 10	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0 / 17	0 / 10	0 / 5	
Percentage of cycles resulting in live births	36.1	25.0	5 / 17	1 / 10	1 / 5	
Percentage of cycles resulting in pregnancy	41.2	27.8	7 / 17	1 / 10	1 / 5	
Outcomes per Transfer						
Number of transfers	82	29	16	9	3	0
Percentage of transfers resulting in singleton live births	26.8	20.7	3 / 16	1 / 9	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0 / 16	0 / 9	0 / 3	
Percentage of transfers resulting in live births	42.7	31.0	5 / 16	1 / 9	1 / 3	
Percentage of transfers resulting in pregnancy	48.8	34.5	7 / 16	1 / 9	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	40	10	7	1	1	0
Percentage of pregnancies resulting in singleton live births	55.0	6 / 10	3 / 7	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.5	0 / 10	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	87.5	9 / 10	5 / 7	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	11	15	8	1	1
Number of transfers	41	11	14	8	1	1
Estimated average number of transfers per retrieval	1.6	2.2	4.7	4.0		
Average number of embryos transferred	1.8	2.0	1.6	2.1	1.0	1.0
Percentage of embryos transferred resulting in implantation	25.3	50.0	31.8	2 / 17	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births	22.0	3 / 11	5 / 14	0 / 8	0 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	2.4	0 / 11	0 / 14	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births	29.3	7 / 11	6 / 14	1 / 8	0 / 1	1 / 1
Percentage of transfers resulting in pregnancy	43.9	7 / 11	6 / 14	1 / 8	0 / 1	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		37		
Number of transfers		24		36		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		52.1		23.9		
Percentage of transfers resulting in singleton live births		45.8		30.6		
Percentage of transfers resulting in live births		70.8		36.1		
Percentage of transfers resulting in pregnancy		79.2		38.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bethesda Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Krystene B. DiPaola, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	16%	Uterine factor	5%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	22%	Male factor	40%
Used gestational carrier	4%			Diminished ovarian reserve	33%	Other factor	10%
				Endometriosis	12%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 13% Female & male factors 27%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 243 (includes 3 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	100	25	24	9	1	0	
Percentage of cancellations	5.0	12.0	4.2	0 / 9	0 / 1		
Average number of embryos transferred	1.9	2.1	2.7	3.6	2.0		
Percentage of embryos transferred resulting in implantation	30.4	23.1	13.3	6.9	0 / 2		
Percentage of elective single embryo transfer (eSET)	3.6	1 / 16	0 / 18	0 / 8	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	21.0	8.0	20.8	1 / 9	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1		
Percentage of cycles resulting in live births	33.0	20.0	25.0	1 / 9	0 / 1		
Percentage of cycles resulting in pregnancy	42.0	24.0	29.2	2 / 9	0 / 1		
Outcomes per Transfer							
Number of transfers	88	19	22	8	1	0	
Percentage of transfers resulting in singleton live births	23.9	2 / 19	22.7	1 / 8	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 8	0 / 1		
Percentage of transfers resulting in live births	37.5	5 / 19	27.3	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancy	47.7	6 / 19	31.8	2 / 8	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies	42	6	7	2	0	0	
Percentage of pregnancies resulting in singleton live births	50.0	2 / 6	5 / 7	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 7	0 / 2			
Percentage of pregnancies resulting in live births	78.6	5 / 6	6 / 7	1 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles	28	6	3	0	2	0	
Number of transfers	25	6	3	0	1	0	
Estimated average number of transfers per retrieval	1.6	3.0					
Average number of embryos transferred	1.9	1.7	2.3		2.0		
Percentage of embryos transferred resulting in implantation	14.9	4 / 10	4 / 7		1 / 2		
Percentage of transfers resulting in singleton live births	28.0	0 / 6	0 / 3		1 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 3		0 / 1		
Percentage of transfers resulting in live births	28.0	2 / 6	2 / 3		1 / 1		
Percentage of transfers resulting in pregnancy	28.0	3 / 6	2 / 3		1 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		23		19			
Number of transfers		21		18			
Average number of embryos transferred		2.0		1.9			
Percentage of embryos transferred resulting in implantation		52.4		17.1			
Percentage of transfers resulting in singleton live births		23.8		4 / 18			
Percentage of transfers resulting in live births		61.9		5 / 18			
Percentage of transfers resulting in pregnancy		66.7		5 / 18			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Center for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	55%	Tubal factor	19%	Uterine factor	16%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	27%	Male factor	44%
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	10%
				Endometriosis	22%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 22% Female & male factors 27%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 958 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	403	141	88	24	15	1
Percentage of cancellations	4.0	7.1	18.2	20.8	3 / 15	0 / 1
Average number of embryos transferred	1.9	2.3	2.6	2.8	3.2	3.0
Percentage of embryos transferred resulting in implantation	38.9	33.2	24.3	14.0	6.3	0 / 3
Percentage of elective single embryo transfer (eSET)	17.6	0.0	0.0	0 / 15	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.0	28.4	12.5	20.8	1 / 15	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	0.7	0.0	0.0	0 / 15	0 / 1
Percentage of cycles resulting in live births	45.4	44.7	28.4	20.8	1 / 15	0 / 1
Percentage of cycles resulting in pregnancy	51.4	51.1	29.5	41.7	2 / 15	0 / 1
Outcomes per Transfer						
Number of transfers	379	127	66	18	10	1
Percentage of transfers resulting in singleton live births	30.9	31.5	16.7	5 / 18	1 / 10	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	0.8	0.0	0 / 18	0 / 10	0 / 1
Percentage of transfers resulting in live births	48.3	49.6	37.9	5 / 18	1 / 10	0 / 1
Percentage of transfers resulting in pregnancy	54.6	56.7	39.4	10 / 18	2 / 10	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	207	72	26	10	2	0
Percentage of pregnancies resulting in singleton live births	56.5	55.6	42.3	5 / 10	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.9	1.4	0.0	0 / 10	0 / 2	
Percentage of pregnancies resulting in live births	88.4	87.5	96.2	5 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	123	39	18	5	2	0
Number of transfers	112	39	12	5	0	0
Estimated average number of transfers per retrieval	1.7	2.4	6.0	5.0		
Average number of embryos transferred	1.8	1.8	1.9	1.4		
Percentage of embryos transferred resulting in implantation	30.4	27.1	26.1	4 / 7		
Percentage of transfers resulting in singleton live births	31.3	30.8	3 / 12	3 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 5		
Percentage of transfers resulting in live births	40.2	38.5	4 / 12	3 / 5		
Percentage of transfers resulting in pregnancy	48.2	41.0	4 / 12	4 / 5		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		61		33		
Number of transfers		60		28		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		51.0		21.4		
Percentage of transfers resulting in singleton live births		26.7		21.4		
Percentage of transfers resulting in live births		53.3		28.6		
Percentage of transfers resulting in pregnancy		60.0		39.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY HOSPITALS FERTILITY CENTER CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James Goldfarb, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	18%	Uterine factor	4%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	31%	
Used gestational carrier	2%			Diminished ovarian reserve	11%	Other factor	18%	
				Endometriosis	12%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 474 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	127	67	44	19	10	2
Percentage of cancellations	11.0	22.4	25.0	7 / 19	3 / 10	0 / 2
Average number of embryos transferred	2.1	2.1	2.8	3.4	2.9	3.0
Percentage of embryos transferred resulting in implantation	27.0	27.8	10.2	5.4	0.0	0 / 6
Percentage of elective single embryo transfer (eSET)	4.6	8.3	0.0	0 / 11	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.7	17.9	11.4	2 / 19	0 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 10	0 / 2
Percentage of cycles resulting in live births	37.0	23.9	15.9	2 / 19	0 / 10	0 / 2
Percentage of cycles resulting in pregnancy	44.1	32.8	22.7	2 / 19	0 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	110	51	32	11	7	2
Percentage of transfers resulting in singleton live births	35.5	23.5	15.6	2 / 11	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in live births	42.7	31.4	21.9	2 / 11	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	50.9	43.1	31.3	2 / 11	0 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	56	22	10	2	0	0
Percentage of pregnancies resulting in singleton live births	69.6	54.5	5 / 10	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2		
Percentage of pregnancies resulting in live births	83.9	72.7	7 / 10	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	73	30	24	12	7	0
Number of transfers	66	25	20	9	5	0
Estimated average number of transfers per retrieval	1.5	1.5	1.3	1.8	1.7	
Average number of embryos transferred	1.7	2.0	2.2	2.6	2.2	
Percentage of embryos transferred resulting in implantation	24.5	21.6	11.6	13.0	1 / 11	
Percentage of transfers resulting in singleton live births	15.2	24.0	10.0	1 / 9	0 / 5	
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0 / 9	0 / 5	
Percentage of transfers resulting in live births	21.2	32.0	10.0	1 / 9	0 / 5	
Percentage of transfers resulting in pregnancy	33.3	36.0	30.0	3 / 9	1 / 5	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		28		13		
Number of transfers		24		11		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		35.6		10.0		
Percentage of transfers resulting in singleton live births		25.0		1 / 11		
Percentage of transfers resulting in live births		45.8		1 / 11		
Percentage of transfers resulting in pregnancy		45.8		3 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Hospitals Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Grant Schmidt, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	40%	Tubal factor	22%	Uterine factor	8%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	12%	Male factor	31%
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	5%
				Endometriosis	9%	Unknown factor	17%
				<i>Multiple Factors:</i> Female factors only 15% Female & male factors 9%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 517 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	212	86	77	29	6	1
Percentage of cancellations	5.7	5.8	19.5	13.8	0 / 6	0 / 1
Average number of embryos transferred	2.0	2.2	2.9	2.9	3.3	5.0
Percentage of embryos transferred resulting in implantation	44.5	35.6	22.9	13.6	0.0	0 / 5
Percentage of elective single embryo transfer (eSET)	7.1	0.0	0.0	0 / 17	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	30.2	20.8	13.8	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.9	1.2	0.0	0.0	0 / 6	0 / 1
Percentage of cycles resulting in live births	50.9	43.0	28.6	17.2	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	58.5	48.8	40.3	27.6	1 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	185	75	55	23	6	1
Percentage of transfers resulting in singleton live births	40.5	34.7	29.1	17.4	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	1.3	0.0	0.0	0 / 6	0 / 1
Percentage of transfers resulting in live births	58.4	49.3	40.0	21.7	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	67.0	56.0	56.4	34.8	1 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	124	42	31	8	1	0
Percentage of pregnancies resulting in singleton live births	60.5	61.9	51.6	4 / 8	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.6	2.4	0.0	0 / 8	0 / 1	
Percentage of pregnancies resulting in live births	87.1	88.1	71.0	5 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	20	4	1	0	2
Number of transfers	26	20	4	1	0	1
Estimated average number of transfers per retrieval	2.2	4.0	2.0	0.3		1.0
Average number of embryos transferred	1.6	1.9	1.8	1.0		2.0
Percentage of embryos transferred resulting in implantation	31.0	23.7	1 / 7	0 / 1		1 / 2
Percentage of transfers resulting in singleton live births	38.5	20.0	1 / 4	0 / 1		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	42.3	25.0	1 / 4	0 / 1		1 / 1
Percentage of transfers resulting in pregnancy	46.2	45.0	1 / 4	1 / 1		1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		30		16		
Number of transfers		29		13		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		55.8		43.5		
Percentage of transfers resulting in singleton live births		44.8		4 / 13		
Percentage of transfers resulting in live births		65.5		7 / 13		
Percentage of transfers resulting in pregnancy		82.8		7 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Ohio Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeremy M. Groll, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	51%	Tubal factor	14%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	1%			Diminished ovarian reserve	29%	Other factor	9%	
				Endometriosis	16%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 147 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	22	13	5	1	1
Percentage of cancellations	8.8	9.1	1 / 13	2 / 5	0 / 1	1 / 1
Average number of embryos transferred	1.8	2.1	2.0	2.3	3.0	
Percentage of embryos transferred resulting in implantation	40.6	43.6	16.7	0 / 7	0 / 3	
Percentage of elective single embryo transfer (eSET)	12.0	0 / 18	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.8	50.0	1 / 13	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births	47.4	59.1	2 / 13	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	56.1	63.6	3 / 13	0 / 5	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	52	19	12	3	1	0
Percentage of transfers resulting in singleton live births	40.4	11 / 19	1 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in live births	51.9	13 / 19	2 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	61.5	14 / 19	3 / 12	0 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	32	14	3	0	0	0
Percentage of pregnancies resulting in singleton live births	65.6	11 / 14	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 3			
Percentage of pregnancies resulting in live births	84.4	13 / 14	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	6	9	3	0	0
Number of transfers	23	6	9	2	0	0
Estimated average number of transfers per retrieval	3.8		4.5			
Average number of embryos transferred	1.6	1.3	2.1	2.0		
Percentage of embryos transferred resulting in implantation	27.0	5 / 8	6 / 19	0 / 4		
Percentage of transfers resulting in singleton live births	21.7	3 / 6	2 / 9	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	1 / 9	0 / 2		
Percentage of transfers resulting in live births	26.1	4 / 6	3 / 9	0 / 2		
Percentage of transfers resulting in pregnancy	39.1	4 / 6	4 / 9	0 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		2			
Number of transfers	3		2			
Average number of embryos transferred	2.0		1.5			
Percentage of embryos transferred resulting in implantation	3 / 6		2 / 3			
Percentage of transfers resulting in singleton live births	1 / 3		0 / 2			
Percentage of transfers resulting in live births	2 / 3		1 / 2			
Percentage of transfers resulting in pregnancy	2 / 3		1 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kettering Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF NORTHWESTERN OHIO TOLEDO, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph V. Karnitis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	35%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	10%	
				Endometriosis	7%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 88 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	10	15	2	0	0
Percentage of cancellations	14.8	1 / 10	5 / 15	0 / 2		
Average number of embryos transferred	2.1	2.3	2.6	3.0		
Percentage of embryos transferred resulting in implantation	50.0	2 / 18	26.9	3 / 6		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	48.1	2 / 10	3 / 15	2 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 15	0 / 2		
Percentage of cycles resulting in live births	63.0	2 / 10	4 / 15	2 / 2		
Percentage of cycles resulting in pregnancy	70.4	2 / 10	6 / 15	2 / 2		
Outcomes per Transfer						
Number of transfers	21	8	10	2	0	0
Percentage of transfers resulting in singleton live births	61.9	2 / 8	3 / 10	2 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 10	0 / 2		
Percentage of transfers resulting in live births	81.0	2 / 8	4 / 10	2 / 2		
Percentage of transfers resulting in pregnancy	90.5	2 / 8	6 / 10	2 / 2		
Outcomes per Pregnancy						
Number of pregnancies	19	2	6	2	0	0
Percentage of pregnancies resulting in singleton live births	13 / 19	2 / 2	3 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 2	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	17 / 19	2 / 2	4 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	4	2	0	1
Number of transfers	10	2	4	1	0	1
Estimated average number of transfers per retrieval	3.3	2.0	2.0			
Average number of embryos transferred	2.0	2.5	2.3	2.0		2.0
Percentage of embryos transferred resulting in implantation	20.0	3 / 5	0 / 9	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births	2 / 10	0 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	1 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	3 / 10	1 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	3 / 10	2 / 2	0 / 4	0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	8	5			
Number of transfers	4	4				
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation	0 / 7	2 / 7				
Percentage of transfers resulting in singleton live births	0 / 4	2 / 4				
Percentage of transfers resulting in live births	0 / 4	2 / 4				
Percentage of transfers resulting in pregnancy	2 / 4	3 / 4				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Northwestern Ohio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC. WESTERVILLE, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	14%	Uterine factor	17%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	55%	
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	13%	
				Endometriosis	20%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				34%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 190 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	22	21	8	2	1
Percentage of cancellations	3.9	4.5	9.5	1 / 8	0 / 2	0 / 1
Average number of embryos transferred	2.0	1.9	2.2	2.6	4.0	4.0
Percentage of embryos transferred resulting in implantation	36.2	27.5	15.4	2 / 18	2 / 8	0 / 4
Percentage of elective single embryo transfer (eSET)	2.9	9.5	0 / 17	0 / 6	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.2	27.3	9.5	1 / 8	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in live births	46.8	36.4	14.3	1 / 8	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy	51.9	40.9	14.3	2 / 8	2 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	72	21	18	7	2	1
Percentage of transfers resulting in singleton live births	33.3	28.6	2 / 18	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	50.0	38.1	3 / 18	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	55.6	42.9	3 / 18	2 / 7	2 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	40	9	3	2	2	0
Percentage of pregnancies resulting in singleton live births	60.0	6 / 9	2 / 3	1 / 2	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 3	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	90.0	8 / 9	3 / 3	1 / 2	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	9	10	0	0	0
Number of transfers	29	9	10	0	0	0
Estimated average number of transfers per retrieval	1.6	1.3	2.0			
Average number of embryos transferred	2.0	2.0	2.1			
Percentage of embryos transferred resulting in implantation	26.3	5 / 18	4.8			
Percentage of transfers resulting in singleton live births	31.0	2 / 9	1 / 10			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 10			
Percentage of transfers resulting in live births	34.5	3 / 9	1 / 10			
Percentage of transfers resulting in pregnancy	34.5	4 / 9	1 / 10			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		4		5		
Number of transfers		4		5		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		8 / 8		1 / 9		
Percentage of transfers resulting in singleton live births		1 / 4		0 / 5		
Percentage of transfers resulting in live births		4 / 4		0 / 5		
Percentage of transfers resulting in pregnancy		4 / 4		1 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Eli Reshef, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	58%	Tubal factor	19%	Uterine factor	<1%
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	3%
				Endometriosis	17%	Unknown factor	7%
				Multiple Factors: Female factors only 9% Female & male factors 21%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 297 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		151	40	17	6	2	1
Percentage of cancellations		4.6	10.0	2 / 17	0 / 6	0 / 2	0 / 1
Average number of embryos transferred		2.1	2.1	2.3	2.7	1.5	3.0
Percentage of embryos transferred resulting in implantation		35.7	32.4	29.4	2 / 16	1 / 3	0 / 3
Percentage of elective single embryo transfer (eSET)		0.7	0.0	0 / 13	0 / 6	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		31.8	30.0	5 / 17	2 / 6	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births		1.3	0.0	0 / 17	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births		48.3	45.0	6 / 17	2 / 6	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy		56.3	47.5	8 / 17	2 / 6	1 / 2	0 / 1
Outcomes per Transfer							
Number of transfers		140	35	15	6	2	1
Percentage of transfers resulting in singleton live births		34.3	34.3	5 / 15	2 / 6	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		1.4	0.0	0 / 15	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births		52.1	51.4	6 / 15	2 / 6	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy		60.7	54.3	8 / 15	2 / 6	1 / 2	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		85	19	8	2	1	0
Percentage of pregnancies resulting in singleton live births		56.5	12 / 19	5 / 8	2 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births		2.4	0 / 19	0 / 8	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births		85.9	18 / 19	6 / 8	2 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		34	8	4	2	1	6
Number of transfers		30	7	3	2	0	6
Estimated average number of transfers per retrieval		1.9	1.4				
Average number of embryos transferred		1.8	1.9	1.7	1.5		2.5
Percentage of embryos transferred resulting in implantation		27.8	0 / 13	0 / 5	2 / 3		0 / 15
Percentage of transfers resulting in singleton live births		33.3	0 / 7	0 / 3	1 / 2		0 / 6
Percentage of transfers resulting in triplets or more live births		0.0	0 / 7	0 / 3	0 / 2		0 / 6
Percentage of transfers resulting in live births		40.0	0 / 7	0 / 3	1 / 2		0 / 6
Percentage of transfers resulting in pregnancy		43.3	0 / 7	0 / 3	2 / 2		0 / 6
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		13			12		
Number of transfers		13			11		
Average number of embryos transferred		2.1			2.7		
Percentage of embryos transferred resulting in implantation		44.4			6.7		
Percentage of transfers resulting in singleton live births		4 / 13			1 / 11		
Percentage of transfers resulting in live births		7 / 13			1 / 11		
Percentage of transfers resulting in pregnancy		9 / 13			2 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DEACONESS CENTER FOR REPRODUCTIVE HEALTH
OKLAHOMA CITY, OKLAHOMA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Karl R. Hansen, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	23%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	20%	
				Endometriosis	21%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 166 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	22	15	1	1	0
Percentage of cancellations	1.2	9.1	1 / 15	0 / 1	0 / 1	
Average number of embryos transferred	2.0	2.1	2.4	3.0	3.0	
Percentage of embryos transferred resulting in implantation	40.3	25.0	24.2	0 / 3	0 / 3	
Percentage of elective single embryo transfer (eSET)	1.3	0 / 18	0 / 13	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.7	18.2	4 / 15	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 1	0 / 1	
Percentage of cycles resulting in live births	51.8	27.3	6 / 15	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	57.8	36.4	7 / 15	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	80	19	14	1	1	0
Percentage of transfers resulting in singleton live births	35.0	4 / 19	4 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births	53.8	6 / 19	6 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	60.0	8 / 19	7 / 14	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	48	8	7	0	0	0
Percentage of pregnancies resulting in singleton live births	58.3	4 / 8	4 / 7			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 7			
Percentage of pregnancies resulting in live births	89.6	6 / 8	6 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	11	3	1	1	1
Number of transfers	17	11	3	1	1	1
Estimated average number of transfers per retrieval	1.7	2.8	3.0			
Average number of embryos transferred	1.9	2.0	2.0	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	25.0	31.8	1 / 6	0 / 2	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births	4 / 17	4 / 11	0 / 3	0 / 1	1 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 11	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	6 / 17	5 / 11	0 / 3	0 / 1	1 / 1	1 / 1
Percentage of transfers resulting in pregnancy	11 / 17	6 / 11	2 / 3	0 / 1	1 / 1	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		5		
Number of transfers		4		5		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		4 / 8		5 / 10		
Percentage of transfers resulting in singleton live births		0 / 4		1 / 5		
Percentage of transfers resulting in live births		2 / 4		2 / 5		
Percentage of transfers resulting in pregnancy		2 / 4		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: OU Physicians Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA CENTER FOR FERTILITY & WOMEN'S HEALTH TULSA, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	19%	Uterine factor	1%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	21%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	15%	
				Endometriosis	15%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 309 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	42	20	10	3	0
Percentage of cancellations	7.6	4.8	10.0	4 / 10	0 / 3	
Average number of embryos transferred	1.9	1.9	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation	31.1	30.3	11.5	0 / 7	0 / 4	
Percentage of elective single embryo transfer (eSET)	5.0	3.4	0 / 10	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.0	31.0	5.0	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	30.3	38.1	10.0	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	37.0	45.2	20.0	0 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	89	35	14	4	2	0
Percentage of transfers resulting in singleton live births	28.1	37.1	1 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in live births	40.4	45.7	2 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	49.4	54.3	4 / 14	0 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	44	19	4	0	0	0
Percentage of pregnancies resulting in singleton live births	56.8	13 / 19	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 4			
Percentage of pregnancies resulting in live births	81.8	16 / 19	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	19	8	2	1	2
Number of transfers	55	18	6	2	1	2
Estimated average number of transfers per retrieval	2.1	3.0	1.0			
Average number of embryos transferred	1.7	1.8	2.0	2.0	2.0	1.5
Percentage of embryos transferred resulting in implantation	39.6	27.3	1 / 12	0 / 4	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births	32.7	6 / 18	0 / 6	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 6	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	45.5	6 / 18	0 / 6	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	56.4	10 / 18	2 / 6	0 / 2	1 / 1	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		11		
Number of transfers		10		11		
Average number of embryos transferred		1.8		2.2		
Percentage of embryos transferred resulting in implantation		9 / 18		25.0		
Percentage of transfers resulting in singleton live births		5 / 10		3 / 11		
Percentage of transfers resulting in live births		7 / 10		4 / 11		
Percentage of transfers resulting in pregnancy		7 / 10		6 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tulsa Center for Fertility & Women's Health					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON EUGENE, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Douglas J. Austin, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	11%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 26%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	28%	Male factor	36%	
Used gestational carrier	3%			Diminished ovarian reserve	32%	Other factor	11%	
				Endometriosis	5%	Unknown factor	12%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 124 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		36	17	5	1	0	0
Percentage of cancellations		5.6	1 / 17	0 / 5	0 / 1		
Average number of embryos transferred		2.3	2.6	2.8	3.0		
Percentage of embryos transferred resulting in implantation		27.1	19.0	5 / 14	0 / 3		
Percentage of elective single embryo transfer (eSET)		3.3	0 / 16	0 / 5	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.2	4 / 17	2 / 5	0 / 1		
Percentage of cycles resulting in triplets or more live births		0.0	0 / 17	0 / 5	0 / 1		
Percentage of cycles resulting in live births		33.3	5 / 17	3 / 5	0 / 1		
Percentage of cycles resulting in pregnancy		36.1	6 / 17	3 / 5	0 / 1		
Outcomes per Transfer							
Number of transfers		30	16	5	1	0	0
Percentage of transfers resulting in singleton live births		26.7	4 / 16	2 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0 / 5	0 / 1		
Percentage of transfers resulting in live births		40.0	5 / 16	3 / 5	0 / 1		
Percentage of transfers resulting in pregnancy		43.3	6 / 16	3 / 5	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies		13	6	3	0	0	0
Percentage of pregnancies resulting in singleton live births		8 / 13	4 / 6	2 / 3			
Percentage of pregnancies resulting in triplets or more live births		0 / 13	0 / 6	0 / 3			
Percentage of pregnancies resulting in live births		12 / 13	5 / 6	3 / 3			
Frozen Embryos from Nondonor Eggs							
Number of cycles		27	9	0	0	0	1
Number of transfers		27	9	0	0	0	1
Estimated average number of transfers per retrieval		2.5	1.1				
Average number of embryos transferred		2.3	2.2				2.0
Percentage of embryos transferred resulting in implantation		12.9	35.0				1 / 2
Percentage of transfers resulting in singleton live births		18.5	1 / 9				1 / 1
Percentage of transfers resulting in triplets or more live births		0.0	1 / 9				0 / 1
Percentage of transfers resulting in live births		22.2	2 / 9				1 / 1
Percentage of transfers resulting in pregnancy		25.9	4 / 9				1 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		14			14		
Number of transfers		14			14		
Average number of embryos transferred		2.1			2.3		
Percentage of embryos transferred resulting in implantation		36.7			21.9		
Percentage of transfers resulting in singleton live births		5 / 14			3 / 14		
Percentage of transfers resulting in live births		6 / 14			5 / 14		
Percentage of transfers resulting in pregnancy		9 / 14			5 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center of Oregon					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWEST FERTILITY CENTER PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Eugene M. Stoelk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	16%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	56%	
Used gestational carrier	3%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	20%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 110 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	13	15	2	2	1
Percentage of cancellations	9.1	0 / 13	2 / 15	0 / 2	1 / 2	0 / 1
Average number of embryos transferred	2.0	2.8	2.5	4.5	4.0	5.0
Percentage of embryos transferred resulting in implantation	47.9	19.4	24.2	0 / 9	3 / 4	0 / 5
Percentage of elective single embryo transfer (eSET)	8.6	1 / 13	0 / 13	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	1 / 13	4 / 15	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1 / 13	0 / 15	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	50.0	3 / 13	6 / 15	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	52.3	4 / 13	6 / 15	0 / 2	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	35	13	13	2	1	1
Percentage of transfers resulting in singleton live births	34.3	1 / 13	4 / 13	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1 / 13	0 / 13	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	62.9	3 / 13	6 / 13	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	65.7	4 / 13	6 / 13	0 / 2	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	23	4	6	0	1	0
Percentage of pregnancies resulting in singleton live births	52.2	1 / 4	4 / 6		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 4	0 / 6		0 / 1	
Percentage of pregnancies resulting in live births	95.7	3 / 4	6 / 6		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	6	0	0	0	0
Number of transfers	9	6	0	0	0	0
Estimated average number of transfers per retrieval	2.3	3.0				
Average number of embryos transferred	2.0	1.8				
Percentage of embryos transferred resulting in implantation	4 / 18	6 / 11				
Percentage of transfers resulting in singleton live births	0 / 9	2 / 6				
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 6				
Percentage of transfers resulting in live births	2 / 9	4 / 6				
Percentage of transfers resulting in pregnancy	2 / 9	4 / 6				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		8		
Number of transfers		10		8		
Average number of embryos transferred		2.0		2.3		
Percentage of embryos transferred resulting in implantation		50.0		5 / 18		
Percentage of transfers resulting in singleton live births		6 / 10		3 / 8		
Percentage of transfers resulting in live births		7 / 10		4 / 8		
Percentage of transfers resulting in pregnancy		7 / 10		4 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	8%	Uterine factor	4%	
Unstimulated	1%	Used PGD	6%	Ovulatory dysfunction	8%	Male factor	24%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	13%	
				Endometriosis	7%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 939 (includes 145 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	90	52	27	9	1
Percentage of cancellations	6.6	6.7	13.5	18.5	1 / 9	0 / 1
Average number of embryos transferred	1.9	1.9	2.1	2.4	3.2	4.0
Percentage of embryos transferred resulting in implantation	58.6	52.4	40.7	18.4	0 / 16	0 / 4
Percentage of elective single embryo transfer (eSET)	6.8	8.7	0.0	0 / 13	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.1	33.3	21.2	14.8	0 / 9	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 1
Percentage of cycles resulting in live births	58.7	51.1	34.6	18.5	0 / 9	0 / 1
Percentage of cycles resulting in pregnancy	64.7	56.7	44.2	22.2	1 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	138	77	38	16	5	1
Percentage of transfers resulting in singleton live births	41.3	39.0	28.9	4 / 16	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 1
Percentage of transfers resulting in live births	71.0	59.7	47.4	5 / 16	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	78.3	66.2	60.5	6 / 16	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	108	51	23	6	1	0
Percentage of pregnancies resulting in singleton live births	52.8	58.8	47.8	4 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	90.7	90.2	78.3	5 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	74	51	30	20	3	5
Number of transfers	72	48	27	19	3	5
Estimated average number of transfers per retrieval	1.5	1.1	0.5	0.7	0.3	1.7
Average number of embryos transferred	1.8	1.6	1.7	1.7	2.0	1.6
Percentage of embryos transferred resulting in implantation	50.0	45.3	44.4	36.4	2 / 6	1 / 8
Percentage of transfers resulting in singleton live births	44.4	45.8	37.0	8 / 19	0 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 3	0 / 5
Percentage of transfers resulting in live births	59.7	56.3	48.1	8 / 19	1 / 3	0 / 5
Percentage of transfers resulting in pregnancy	75.0	60.4	63.0	11 / 19	1 / 3	1 / 5
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		176		89		
Number of transfers		144		85		
Average number of embryos transferred		1.7		1.6		
Percentage of embryos transferred resulting in implantation		70.6		44.9		
Percentage of transfers resulting in singleton live births		43.8		32.9		
Percentage of transfers resulting in live births		77.1		48.2		
Percentage of transfers resulting in pregnancy		81.3		55.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Oregon Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David M. Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	15%	Male factor	49%	
Used gestational carrier	4%			Diminished ovarian reserve	32%	Other factor	20%	
				Endometriosis	5%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				27%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 369 (includes 10 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	44	52	26	11	1
Percentage of cancellations	7.6	15.9	15.4	19.2	3 / 11	0 / 1
Average number of embryos transferred	2.0	2.1	2.5	2.8	3.9	3.0
Percentage of embryos transferred resulting in implantation	42.7	23.4	9.7	5.5	3.2	0 / 3
Percentage of elective single embryo transfer (eSET)	3.8	11.8	0.0	0 / 16	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.3	13.6	17.3	7.7	1 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births	51.1	25.0	17.3	7.7	1 / 11	0 / 1
Percentage of cycles resulting in pregnancy	53.3	25.0	19.2	11.5	1 / 11	1 / 1
Outcomes per Transfer						
Number of transfers	81	37	41	20	8	1
Percentage of transfers resulting in singleton live births	33.3	16.2	22.0	10.0	1 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 1
Percentage of transfers resulting in live births	58.0	29.7	22.0	10.0	1 / 8	0 / 1
Percentage of transfers resulting in pregnancy	60.5	29.7	24.4	15.0	1 / 8	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	49	11	10	3	1	1
Percentage of pregnancies resulting in singleton live births	55.1	6 / 11	9 / 10	2 / 3	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	95.9	11 / 11	9 / 10	2 / 3	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	25	13	9	4	2
Number of transfers	38	25	13	9	3	2
Estimated average number of transfers per retrieval	3.8	2.3	4.3	1.5	1.5	
Average number of embryos transferred	2.2	2.0	1.8	2.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	28.6	32.7	29.2	4.2	2 / 6	2 / 4
Percentage of transfers resulting in singleton live births	23.7	32.0	3 / 13	1 / 9	2 / 3	2 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 9	0 / 3	0 / 2
Percentage of transfers resulting in live births	36.8	44.0	5 / 13	1 / 9	2 / 3	2 / 2
Percentage of transfers resulting in pregnancy	44.7	52.0	6 / 13	1 / 9	2 / 3	2 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		28		14		
Number of transfers		26		14		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		48.1		37.0		
Percentage of transfers resulting in singleton live births		30.8		10 / 14		
Percentage of transfers resulting in live births		57.7		10 / 14		
Percentage of transfers resulting in pregnancy		65.4		10 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS
TOLL CENTER FOR REPRODUCTIVE SCIENCES
ABINGTON, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Stephen G. Somkuti, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	7%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	8%	Ovulatory dysfunction	8%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	51%	
				Endometriosis	5%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				9%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 471 (includes 8 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		134	83	72	33	7	6
Percentage of cancellations		6.0	9.6	13.9	6.1	2 / 7	1 / 6
Average number of embryos transferred		2.0	2.4	3.1	3.4	4.3	1.4
Percentage of embryos transferred resulting in implantation		30.3	23.3	19.3	14.7	1 / 17	1 / 7
Percentage of elective single embryo transfer (eSET)		6.5	3.2	3.7	0 / 16	0 / 4	0 / 2
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		20.9	13.3	19.4	18.2	0 / 7	0 / 6
Percentage of cycles resulting in triplets or more live births		0.0	0.0	1.4	0.0	0 / 7	0 / 6
Percentage of cycles resulting in live births		32.8	22.9	30.6	18.2	0 / 7	0 / 6
Percentage of cycles resulting in pregnancy		38.1	30.1	38.9	33.3	1 / 7	1 / 6
Outcomes per Transfer							
Number of transfers		117	67	58	22	4	5
Percentage of transfers resulting in singleton live births		23.9	16.4	24.1	27.3	0 / 4	0 / 5
Percentage of transfers resulting in triplets or more live births		0.0	0.0	1.7	0.0	0 / 4	0 / 5
Percentage of transfers resulting in live births		37.6	28.4	37.9	27.3	0 / 4	0 / 5
Percentage of transfers resulting in pregnancy		43.6	37.3	48.3	50.0	1 / 4	1 / 5
Outcomes per Pregnancy							
Number of pregnancies		51	25	28	11	1	1
Percentage of pregnancies resulting in singleton live births		54.9	44.0	50.0	6 / 11	0 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births		0.0	0.0	3.6	0 / 11	0 / 1	0 / 1
Percentage of pregnancies resulting in live births		86.3	76.0	78.6	6 / 11	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		41	19	17	9	3	2
Number of transfers		38	19	17	9	3	1
Estimated average number of transfers per retrieval		1.7	1.6	4.3	1.8	3.0	
Average number of embryos transferred		2.0	1.8	2.7	2.6	3.3	2.0
Percentage of embryos transferred resulting in implantation		19.7	20.0	8.7	8.7	0 / 10	1 / 2
Percentage of transfers resulting in singleton live births		13.2	5 / 19	2 / 17	2 / 9	0 / 3	1 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0 / 19	0 / 17	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births		23.7	6 / 19	2 / 17	2 / 9	0 / 3	1 / 1
Percentage of transfers resulting in pregnancy		31.6	6 / 19	3 / 17	2 / 9	0 / 3	1 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		20			17		
Number of transfers		20			16		
Average number of embryos transferred		2.2			2.1		
Percentage of embryos transferred resulting in implantation		48.8			20.6		
Percentage of transfers resulting in singleton live births		25.0			6 / 16		
Percentage of transfers resulting in live births		60.0			6 / 16		
Percentage of transfers resulting in pregnancy		65.0			9 / 16		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY SOLUTIONS, PC ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Bruce I. Rose, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	95%	Tubal factor	16%	Uterine factor	1%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	26%	Male factor	51%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	2%
				Endometriosis	34%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 15% Female & male factors 39%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 92 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	21	13	7	3	4
Percentage of cancellations	2.9	0.0	0 / 13	0 / 7	0 / 3	0 / 4
Average number of embryos transferred	2.2	1.8	2.1	2.6	1.7	1.5
Percentage of embryos transferred resulting in implantation	21.4	33.3	14.8	4 / 18	0 / 5	0 / 6
Percentage of elective single embryo transfer (eSET)	3.4	0 / 12	0 / 10	0 / 5	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.1	14.3	2 / 13	2 / 7	0 / 3	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	9.5	0 / 13	0 / 7	0 / 3	0 / 4
Percentage of cycles resulting in live births	25.7	28.6	2 / 13	3 / 7	0 / 3	0 / 4
Percentage of cycles resulting in pregnancy	37.1	28.6	3 / 13	3 / 7	0 / 3	0 / 4
Outcomes per Transfer						
Number of transfers	32	18	13	7	3	4
Percentage of transfers resulting in singleton live births	18.8	3 / 18	2 / 13	2 / 7	0 / 3	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	2 / 18	0 / 13	0 / 7	0 / 3	0 / 4
Percentage of transfers resulting in live births	28.1	6 / 18	2 / 13	3 / 7	0 / 3	0 / 4
Percentage of transfers resulting in pregnancy	40.6	6 / 18	3 / 13	3 / 7	0 / 3	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	13	6	3	3	0	0
Percentage of pregnancies resulting in singleton live births	6 / 13	3 / 6	2 / 3	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	2 / 6	0 / 3	0 / 3		
Percentage of pregnancies resulting in live births	9 / 13	6 / 6	2 / 3	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	1	0	0
Number of transfers	2	2	0	1	0	0
Estimated average number of transfers per retrieval	2.0	2.0				
Average number of embryos transferred	2.0	2.5		1.0		
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 5		0 / 1		
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in live births	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancy	0 / 2	0 / 2		0 / 1		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			0		4	
Number of transfers			0		3	
Average number of embryos transferred					3.0	
Percentage of embryos transferred resulting in implantation					2 / 9	
Percentage of transfers resulting in singleton live births					0 / 3	
Percentage of transfers resulting in live births					1 / 3	
Percentage of transfers resulting in pregnancy					1 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Solutions, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 21 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	10%	Uterine factor	8%	
Unstimulated	0%	Used PGD	30%	Ovulatory dysfunction	15%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	33%	
				Endometriosis	3%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 241 (includes 85 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	17	13	2	1	0
Percentage of cancellations	0.0	0 / 17	2 / 13	1 / 2	0 / 1	
Average number of embryos transferred	2.0	1.7	1.9	1.0	1.0	
Percentage of embryos transferred resulting in implantation	61.8	59.1	15 / 15	1 / 1	1 / 1	
Percentage of elective single embryo transfer (eSET)	3.6	3 / 12	1 / 8	1 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.5	6 / 17	2 / 13	1 / 2	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in live births	67.7	9 / 17	7 / 13	1 / 2	1 / 1	
Percentage of cycles resulting in pregnancy	71.0	11 / 17	8 / 13	1 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	28	13	8	1	1	0
Percentage of transfers resulting in singleton live births	39.3	6 / 13	2 / 8	1 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births	75.0	9 / 13	7 / 8	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancy	78.6	11 / 13	8 / 8	1 / 1	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	22	11	8	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	6 / 11	2 / 8	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	95.5	9 / 11	7 / 8	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	26	19	4	0	0
Number of transfers	31	24	15	3	0	0
Estimated average number of transfers per retrieval	0.8	0.9	0.9	0.8	0.0	0.0
Average number of embryos transferred	1.7	1.5	1.3	1.7		
Percentage of embryos transferred resulting in implantation	50.0	52.8	50.0	2 / 5		
Percentage of transfers resulting in singleton live births	41.9	37.5	4 / 15	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3		
Percentage of transfers resulting in live births	58.1	54.2	6 / 15	1 / 3		
Percentage of transfers resulting in pregnancy	61.3	62.5	8 / 15	2 / 3		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		7		2		
Number of transfers		6		2		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		6 / 12		2 / 4		
Percentage of transfers resulting in singleton live births		2 / 6		2 / 2		
Percentage of transfers resulting in live births		4 / 6		2 / 2		
Percentage of transfers resulting in pregnancy		6 / 6		2 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	45%	
Used gestational carrier	3%			Diminished ovarian reserve	50%	Other factor	19%	
				Endometriosis	5%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				31%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 109 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	9	8	12	6	0
Percentage of cancellations	2.6	1 / 9	0 / 8	0 / 12	4 / 6	
Average number of embryos transferred	1.6	2.0	2.3	2.6	2.0	
Percentage of embryos transferred resulting in implantation	38.6	4 / 16	5 / 18	6.5	0 / 4	
Percentage of elective single embryo transfer (eSET)	19.2	1 / 7	0 / 7	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.3	2 / 9	1 / 8	2 / 12	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 8	0 / 12	0 / 6	
Percentage of cycles resulting in live births	42.1	3 / 9	2 / 8	2 / 12	0 / 6	
Percentage of cycles resulting in pregnancy	50.0	3 / 9	3 / 8	2 / 12	0 / 6	
Outcomes per Transfer						
Number of transfers	36	8	8	12	2	0
Percentage of transfers resulting in singleton live births	27.8	2 / 8	1 / 8	2 / 12	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 12	0 / 2	
Percentage of transfers resulting in live births	44.4	3 / 8	2 / 8	2 / 12	0 / 2	
Percentage of transfers resulting in pregnancy	52.8	3 / 8	3 / 8	2 / 12	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	3	3	2	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	2 / 3	1 / 3	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 3	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	16 / 19	3 / 3	2 / 3	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	4	2	0	0	0
Number of transfers	14	4	2	0	0	0
Estimated average number of transfers per retrieval	1.3	1.0		0.0		
Average number of embryos transferred	1.9	1.8	2.0			
Percentage of embryos transferred resulting in implantation	38.5	2 / 7	2 / 4			
Percentage of transfers resulting in singleton live births	3 / 14	1 / 4	2 / 2			
Percentage of transfers resulting in triplets or more live births	1 / 14	0 / 4	0 / 2			
Percentage of transfers resulting in live births	4 / 14	1 / 4	2 / 2			
Percentage of transfers resulting in pregnancy	5 / 14	2 / 4	2 / 2			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		4		6		
Number of transfers		3		6		
Average number of embryos transferred		1.7		1.7		
Percentage of embryos transferred resulting in implantation		2 / 5		3 / 10		
Percentage of transfers resulting in singleton live births		2 / 3		2 / 6		
Percentage of transfers resulting in live births		2 / 3		2 / 6		
Percentage of transfers resulting in pregnancy		2 / 3		3 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Michael J. Glassner, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	14%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	21%	Male factor	21%	
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	13%	
				Endometriosis	6%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				11%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 1,132 (includes 121 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	304	140	114	69	20	9	
Percentage of cancellations	3.3	4.3	5.3	11.6	15.0	0 / 9	
Average number of embryos transferred	2.1	2.3	2.8	3.4	2.8	2.8	
Percentage of embryos transferred resulting in implantation	34.5	30.0	16.4	13.0	0.0	0 / 17	
Percentage of elective single embryo transfer (eSET)	4.5	4.3	3.4	2.2	1 / 12	0 / 6	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	27.3	20.7	19.3	13.0	0.0	0 / 9	
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.9	0.0	0.0	0 / 9	
Percentage of cycles resulting in live births	40.1	35.0	25.4	14.5	0.0	0 / 9	
Percentage of cycles resulting in pregnancy	52.6	45.0	34.2	29.0	5.0	0 / 9	
Outcomes per Transfer							
Number of transfers	280	125	99	50	14	6	
Percentage of transfers resulting in singleton live births	29.6	23.2	22.2	18.0	0 / 14	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.7	0.0	1.0	0.0	0 / 14	0 / 6	
Percentage of transfers resulting in live births	43.6	39.2	29.3	20.0	0 / 14	0 / 6	
Percentage of transfers resulting in pregnancy	57.1	50.4	39.4	40.0	1 / 14	0 / 6	
Outcomes per Pregnancy							
Number of pregnancies	160	63	39	20	1	0	
Percentage of pregnancies resulting in singleton live births	51.9	46.0	56.4	45.0	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	2.6	0.0	0 / 1		
Percentage of pregnancies resulting in live births	76.3	77.8	74.4	50.0	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	90	54	37	20	4	0	
Number of transfers	84	52	32	19	3	0	
Estimated average number of transfers per retrieval	1.0	1.3	0.6	1.0	1.0	0.0	
Average number of embryos transferred	1.7	1.5	1.8	1.5	1.7		
Percentage of embryos transferred resulting in implantation	34.7	23.8	12.5	27.6	1 / 5		
Percentage of transfers resulting in singleton live births	31.0	23.1	18.8	3 / 19	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 3		
Percentage of transfers resulting in live births	44.0	25.0	18.8	5 / 19	1 / 3		
Percentage of transfers resulting in pregnancy	48.8	34.6	34.4	7 / 19	1 / 3		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		80		70			
Number of transfers		77		65			
Average number of embryos transferred		2.0		1.9			
Percentage of embryos transferred resulting in implantation		35.8		19.8			
Percentage of transfers resulting in singleton live births		26.0		23.1			
Percentage of transfers resulting in live births		41.6		29.2			
Percentage of transfers resulting in pregnancy		54.5		43.1			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Main Line Fertility and Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	15%	Uterine factor	9%	
Unstimulated	1%	Used PGD	0%	Ovulatory dysfunction	6%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	6%	
				Endometriosis	13%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 142 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	17	20	9	1	0
Percentage of cancellations	12.5	2 / 17	10.0	0 / 9	0 / 1	
Average number of embryos transferred	1.9	2.5	2.6	2.7	4.0	
Percentage of embryos transferred resulting in implantation	32.3	22.9	11.1	0.0	0 / 4	
Percentage of elective single embryo transfer (eSET)	9.7	0 / 13	0 / 14	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	6 / 17	10.0	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	37.5	7 / 17	10.0	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	37.5	7 / 17	25.0	1 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	32	14	14	9	1	0
Percentage of transfers resulting in singleton live births	34.4	6 / 14	2 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in live births	46.9	7 / 14	2 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	46.9	7 / 14	5 / 14	1 / 9	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	15	7	5	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	6 / 7	2 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 7	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	15 / 15	7 / 7	2 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	9	2	1	1
Number of transfers	20	8	7	2	1	1
Estimated average number of transfers per retrieval	2.0	4.0	1.4	1.0		
Average number of embryos transferred	1.7	1.8	1.7	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	24.2	0 / 14	4 / 12	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	25.0	0 / 8	2 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.0	0 / 8	3 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	35.0	0 / 8	3 / 7	0 / 2	0 / 1	0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		7		7		
Number of transfers		6		6		
Average number of embryos transferred		2.2		1.8		
Percentage of embryos transferred resulting in implantation		7 / 13		5 / 11		
Percentage of transfers resulting in singleton live births		2 / 6		1 / 6		
Percentage of transfers resulting in live births		4 / 6		3 / 6		
Percentage of transfers resulting in pregnancy		4 / 6		3 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENN STATE MILTON S. HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William C. Dodson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	2%	
				Endometriosis	6%	Unknown factor	35%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 134 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	12	14	1	0	0
Percentage of cancellations	7.7	3 / 12	1 / 14	0 / 1		
Average number of embryos transferred	1.9	2.1	2.5	3.0		
Percentage of embryos transferred resulting in implantation	25.0	5 / 17	12.5	0 / 3		
Percentage of elective single embryo transfer (eSET)	2.7	1 / 8	0 / 11	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.5	3 / 12	1 / 14	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 14	0 / 1		
Percentage of cycles resulting in live births	25.0	3 / 12	2 / 14	0 / 1		
Percentage of cycles resulting in pregnancy	25.0	4 / 12	3 / 14	0 / 1		
Outcomes per Transfer						
Number of transfers	42	8	13	1	0	0
Percentage of transfers resulting in singleton live births	16.7	3 / 8	1 / 13	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 13	0 / 1		
Percentage of transfers resulting in live births	31.0	3 / 8	2 / 13	0 / 1		
Percentage of transfers resulting in pregnancy	31.0	4 / 8	3 / 13	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	13	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	3 / 4	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	13 / 13	3 / 4	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	5	10	2	0	1
Number of transfers	25	5	9	2	0	1
Estimated average number of transfers per retrieval	1.3	2.5	2.3	1.0		
Average number of embryos transferred	2.2	2.2	2.8	2.5		3.0
Percentage of embryos transferred resulting in implantation	17.9	1 / 11	12.0	1 / 5		0 / 3
Percentage of transfers resulting in singleton live births	24.0	0 / 5	2 / 9	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in live births	28.0	0 / 5	2 / 9	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	36.0	1 / 5	3 / 9	1 / 2		0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		2		6		
Number of transfers		2		5		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		1 / 4		3 / 9		
Percentage of transfers resulting in singleton live births		0 / 2		1 / 5		
Percentage of transfers resulting in live births		0 / 2		2 / 5		
Percentage of transfers resulting in pregnancy		1 / 2		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Penn State Milton S. Hershey Medical Center					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	9%	Uterine factor	3%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	23%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	22%
				Endometriosis	6%	Unknown factor	18%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 7%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 453 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	86	69	12	10	7
Percentage of cancellations	6.2	8.1	17.4	6 / 12	0 / 10	2 / 7
Average number of embryos transferred	2.0	2.1	2.8	3.6	3.6	3.0
Percentage of embryos transferred resulting in implantation	43.5	28.2	18.3	1 / 18	4.0	0 / 9
Percentage of elective single embryo transfer (eSET)	6.3	4.5	0.0	0 / 5	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	30.2	15.9	0 / 12	1 / 10	0 / 7
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 12	0 / 10	0 / 7
Percentage of cycles resulting in live births	46.9	36.0	20.3	0 / 12	1 / 10	0 / 7
Percentage of cycles resulting in pregnancy	57.7	47.7	29.0	1 / 12	1 / 10	0 / 7
Outcomes per Transfer						
Number of transfers	119	75	54	5	7	3
Percentage of transfers resulting in singleton live births	31.9	34.7	20.4	0 / 5	1 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 5	0 / 7	0 / 3
Percentage of transfers resulting in live births	51.3	41.3	25.9	0 / 5	1 / 7	0 / 3
Percentage of transfers resulting in pregnancy	63.0	54.7	37.0	1 / 5	1 / 7	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	75	41	20	1	1	0
Percentage of pregnancies resulting in singleton live births	50.7	63.4	55.0	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	81.3	75.6	70.0	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	17	17	1	1	0
Number of transfers	39	16	15	1	1	0
Estimated average number of transfers per retrieval	2.4	1.8	1.1		1.0	
Average number of embryos transferred	1.6	1.5	1.9	1.0	1.0	
Percentage of embryos transferred resulting in implantation	31.7	25.0	21.4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	41.0	4 / 16	1 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in live births	46.2	4 / 16	1 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	48.7	6 / 16	4 / 15	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		28		19		
Number of transfers		27		18		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation		38.8		34.5		
Percentage of transfers resulting in singleton live births		37.0		8 / 18		
Percentage of transfers resulting in live births		48.1		9 / 18		
Percentage of transfers resulting in pregnancy		63.0		9 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND GYNECOLOGY ASSOCIATES PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Leonore C. Huppert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	7%	Uterine factor	4%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	15%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	7%	
				Endometriosis	0%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 27 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	3	2	2	1	1
Percentage of cancellations	0/4	0/3	0/2	0/2	1/1	0/1
Average number of embryos transferred	1.5	1.5	3.5	1.5		3.0
Percentage of embryos transferred resulting in implantation	4/6	1/3	1/7	1/3		0/3
Percentage of elective single embryo transfer (eSET)	2/4	0/1	0/2	0/1		0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/4	0/3	0/2	0/2	0/1	0/1
Percentage of cycles resulting in triplets or more live births	0/4	0/3	0/2	0/2	0/1	0/1
Percentage of cycles resulting in live births	2/4	0/3	0/2	0/2	0/1	0/1
Percentage of cycles resulting in pregnancy	3/4	1/3	1/2	1/2	0/1	0/1
Outcomes per Transfer						
Number of transfers	4	2	2	2	0	1
Percentage of transfers resulting in singleton live births	1/4	0/2	0/2	0/2		0/1
Percentage of transfers resulting in triplets or more live births	0/4	0/2	0/2	0/2		0/1
Percentage of transfers resulting in live births	2/4	0/2	0/2	0/2		0/1
Percentage of transfers resulting in pregnancy	3/4	1/2	1/2	1/2		0/1
Outcomes per Pregnancy						
Number of pregnancies	3	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	1/3	0/1	0/1	0/1		
Percentage of pregnancies resulting in triplets or more live births	0/3	0/1	0/1	0/1		
Percentage of pregnancies resulting in live births	2/3	0/1	0/1	0/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	4	0	1	0	0
Number of transfers	4	4	0	1	0	0
Estimated average number of transfers per retrieval	4.0					
Average number of embryos transferred	1.5	2.8		3.0		
Percentage of embryos transferred resulting in implantation	2/6	4/11		0/3		
Percentage of transfers resulting in singleton live births	2/4	1/4		0/1		
Percentage of transfers resulting in triplets or more live births	0/4	0/4		0/1		
Percentage of transfers resulting in live births	2/4	2/4		0/1		
Percentage of transfers resulting in pregnancy	2/4	3/4		0/1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		0		
Number of transfers		5		0		
Average number of embryos transferred		1.6				
Percentage of embryos transferred resulting in implantation		3/8				
Percentage of transfers resulting in singleton live births		2/5				
Percentage of transfers resulting in live births		2/5				
Percentage of transfers resulting in pregnancy		3/5				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Gynecology Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFERSON IVF PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Caleb B. Kallen, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	40%	Tubal factor	30%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	30%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 10 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	1	0	0	0	0
Percentage of cancellations	0 / 4	0 / 1				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	3 / 8	1 / 2				
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 4	1 / 1				
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of cycles resulting in live births	2 / 4	1 / 1				
Percentage of cycles resulting in pregnancy	2 / 4	1 / 1				
Outcomes per Transfer						
Number of transfers	4	1	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 4	1 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of transfers resulting in live births	2 / 4	1 / 1				
Percentage of transfers resulting in pregnancy	2 / 4	1 / 1				
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of pregnancies resulting in live births	2 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Number of transfers	1	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	1.0				
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of transfers resulting in live births	0 / 1	0 / 2				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 2				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		2		
Number of transfers		0		2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 4		
Percentage of transfers resulting in singleton live births				0 / 2		
Percentage of transfers resulting in live births				0 / 2		
Percentage of transfers resulting in pregnancy				0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jefferson IVF					
Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Maureen P. Kelly, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	17%	Uterine factor	7%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	12%	
				Endometriosis	12%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 64 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	18	8	4	0	0
Percentage of cancellations	0 / 19	3 / 18	1 / 8	0 / 4		
Average number of embryos transferred	2.2	2.3	2.7	2.5		
Percentage of embryos transferred resulting in implantation	20.5	11.4	3 / 16	0 / 5		
Percentage of elective single embryo transfer (eSET)	2 / 16	2 / 13	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 19	1 / 18	3 / 8	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 18	0 / 8	0 / 4		
Percentage of cycles resulting in live births	5 / 19	2 / 18	3 / 8	0 / 4		
Percentage of cycles resulting in pregnancy	6 / 19	2 / 18	3 / 8	0 / 4		
Outcomes per Transfer						
Number of transfers	18	15	6	2	0	0
Percentage of transfers resulting in singleton live births	3 / 18	1 / 15	3 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 15	0 / 6	0 / 2		
Percentage of transfers resulting in live births	5 / 18	2 / 15	3 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	6 / 18	2 / 15	3 / 6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	6	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 6	1 / 2	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval	0.7	0.3				
Average number of embryos transferred	1.5	1.5				
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 3				
Percentage of transfers resulting in singleton live births	1 / 2	1 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	1 / 2	1 / 2				
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2				
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	2			3		
Number of transfers	2			3		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation	3 / 4			2 / 4		
Percentage of transfers resulting in singleton live births	2 / 2			2 / 3		
Percentage of transfers resulting in live births	2 / 2			2 / 3		
Percentage of transfers resulting in pregnancy	2 / 2			2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Society Hill Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anuja Dokras, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	35%	Tubal factor	18%	Uterine factor	11%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	9%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	26%	
				Endometriosis	11%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 447 (includes 36 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	139	60	68	23	11	0
Percentage of cancellations	8.6	13.3	13.2	21.7	0 / 11	
Average number of embryos transferred	1.7	1.8	2.1	2.7	3.1	
Percentage of embryos transferred resulting in implantation	29.9	27.3	15.4	6.3	3.2	
Percentage of elective single embryo transfer (eSET)	21.4	17.9	2.4	0 / 13	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	18.3	20.6	13.0	1 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	
Percentage of cycles resulting in live births	33.1	25.0	22.1	13.0	1 / 11	
Percentage of cycles resulting in pregnancy	35.3	33.3	33.8	13.0	1 / 11	
Outcomes per Transfer						
Number of transfers	115	48	55	18	10	0
Percentage of transfers resulting in singleton live births	32.2	22.9	25.5	3 / 18	1 / 10	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 10	
Percentage of transfers resulting in live births	40.0	31.3	27.3	3 / 18	1 / 10	
Percentage of transfers resulting in pregnancy	42.6	41.7	41.8	3 / 18	1 / 10	
Outcomes per Pregnancy						
Number of pregnancies	49	20	23	3	1	0
Percentage of pregnancies resulting in singleton live births	75.5	55.0	60.9	3 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	93.9	75.0	65.2	3 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	12	4	7	3	2
Number of transfers	21	12	4	6	2	1
Estimated average number of transfers per retrieval	0.6	1.0	0.4	1.5		1.0
Average number of embryos transferred	1.6	1.6	2.3	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation	14.7	3 / 19	2 / 9	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births	14.3	3 / 12	2 / 4	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 4	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births	19.0	3 / 12	2 / 4	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	19.0	3 / 12	2 / 4	1 / 6	0 / 2	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		31		25		
Number of transfers		28		22		
Average number of embryos transferred		1.7		1.6		
Percentage of embryos transferred resulting in implantation		37.5		22.9		
Percentage of transfers resulting in singleton live births		42.9		36.4		
Percentage of transfers resulting in live births		53.6		36.4		
Percentage of transfers resulting in pregnancy		53.6		36.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Beth Hartog, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	12%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	23%	
				Endometriosis	4%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				20%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 102 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		40	12	4	2	1	0
Percentage of cancellations		10.0	2 / 12	2 / 4	0 / 2	0 / 1	
Average number of embryos transferred		2.0	2.2	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation		19.4	5.0	0 / 6	1 / 3	0 / 2	
Percentage of elective single embryo transfer (eSET)		2.9	0 / 9	0 / 2	0 / 1	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.5	1 / 12	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 12	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in live births		27.5	1 / 12	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy		30.0	4 / 12	0 / 4	1 / 2	0 / 1	
Outcomes per Transfer							
Number of transfers		34	9	2	1	1	0
Percentage of transfers resulting in singleton live births		26.5	1 / 9	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 9	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births		32.4	1 / 9	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy		35.3	4 / 9	0 / 2	1 / 1	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		12	4	0	1	0	0
Percentage of pregnancies resulting in singleton live births		9 / 12	1 / 4		0 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 12	0 / 4		0 / 1		
Percentage of pregnancies resulting in live births		11 / 12	1 / 4		0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		14	11	2	3	0	1
Number of transfers		14	8	2	3	0	1
Estimated average number of transfers per retrieval		1.6	8.0	2.0	1.0		
Average number of embryos transferred		2.1	1.8	2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation		23.3	2 / 14	0 / 4	0 / 6		2 / 2
Percentage of transfers resulting in singleton live births		2 / 14	2 / 8	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 14	0 / 8	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in live births		4 / 14	2 / 8	0 / 2	0 / 3		1 / 1
Percentage of transfers resulting in pregnancy		5 / 14	2 / 8	0 / 2	1 / 3		1 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		2			10		
Number of transfers		2			9		
Average number of embryos transferred		2.0			2.1		
Percentage of embryos transferred resulting in implantation		1 / 4			6 / 19		
Percentage of transfers resulting in singleton live births		1 / 2			4 / 9		
Percentage of transfers resulting in live births		1 / 2			4 / 9		
Percentage of transfers resulting in pregnancy		1 / 2			4 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	14%	Uterine factor	3%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	5%	
				Endometriosis	9%	Unknown factor	27%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				6%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 289 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	120	50	29	10	3	0
Percentage of cancellations	4.2	6.0	17.2	2 / 10	0 / 3	
Average number of embryos transferred	1.6	1.8	2.1	2.2	2.3	
Percentage of embryos transferred resulting in implantation	37.6	22.2	20.5	0 / 13	1 / 7	
Percentage of elective single embryo transfer (eSET)	35.4	13.5	0 / 19	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	32.0	17.2	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	40.8	34.0	20.7	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	46.7	36.0	24.1	1 / 10	1 / 3	
Outcomes per Transfer						
Number of transfers	106	44	21	6	3	0
Percentage of transfers resulting in singleton live births	36.8	36.4	23.8	0 / 6	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 3	
Percentage of transfers resulting in live births	46.2	38.6	28.6	0 / 6	0 / 3	
Percentage of transfers resulting in pregnancy	52.8	40.9	33.3	1 / 6	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	56	18	7	1	1	0
Percentage of pregnancies resulting in singleton live births	69.6	16 / 18	5 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	87.5	17 / 18	6 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	12	14	3	0	2
Number of transfers	30	12	14	3	0	2
Estimated average number of transfers per retrieval	1.9	2.4	4.7	3.0		
Average number of embryos transferred	1.6	1.5	1.6	1.7		2.5
Percentage of embryos transferred resulting in implantation	39.6	10 / 18	18.2	1 / 5		0 / 5
Percentage of transfers resulting in singleton live births	40.0	6 / 12	3 / 14	1 / 3		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 14	0 / 3		0 / 2
Percentage of transfers resulting in live births	50.0	8 / 12	3 / 14	1 / 3		0 / 2
Percentage of transfers resulting in pregnancy	60.0	8 / 12	5 / 14	2 / 3		0 / 2
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		7		5		
Number of transfers		6		5		
Average number of embryos transferred		1.5		2.0		
Percentage of embryos transferred resulting in implantation		6 / 9		5 / 10		
Percentage of transfers resulting in singleton live births		2 / 6		1 / 5		
Percentage of transfers resulting in live births		4 / 6		2 / 5		
Percentage of transfers resulting in pregnancy		4 / 6		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Anthony N. Wakim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	6%	Uterine factor	3%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	6%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	21%	
				Endometriosis	7%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 767 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	179	87	60	23	5	1
Percentage of cancellations	6.7	9.2	13.3	17.4	2/5	0/1
Average number of embryos transferred	1.8	2.0	2.3	2.4	2.0	2.0
Percentage of embryos transferred resulting in implantation	25.2	19.7	8.0	0.0	1/4	0/2
Percentage of elective single embryo transfer (eSET)	26.1	9.7	2.5	0/11	0/2	0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	21.8	10.0	0.0	0/5	0/1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0/5	0/1
Percentage of cycles resulting in live births	22.3	24.1	11.7	0.0	0/5	0/1
Percentage of cycles resulting in pregnancy	26.8	27.6	13.3	0.0	1/5	0/1
Outcomes per Transfer						
Number of transfers	123	66	43	14	2	1
Percentage of transfers resulting in singleton live births	27.6	28.8	14.0	0/14	0/2	0/1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0/14	0/2	0/1
Percentage of transfers resulting in live births	32.5	31.8	16.3	0/14	0/2	0/1
Percentage of transfers resulting in pregnancy	39.0	36.4	18.6	0/14	1/2	0/1
Outcomes per Pregnancy						
Number of pregnancies	48	24	8	0	1	0
Percentage of pregnancies resulting in singleton live births	70.8	79.2	6/8		0/1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0/8		0/1	
Percentage of pregnancies resulting in live births	83.3	87.5	7/8		0/1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	68	33	19	7	3
Number of transfers	141	54	27	11	7	2
Estimated average number of transfers per retrieval	2.0	1.8	2.5	1.6	3.5	
Average number of embryos transferred	2.0	2.1	2.0	1.7	1.6	1.5
Percentage of embryos transferred resulting in implantation	21.7	10.8	18.2	0/19	1/11	0/3
Percentage of transfers resulting in singleton live births	23.4	14.8	22.2	0/11	1/7	0/2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0/11	0/7	0/2
Percentage of transfers resulting in live births	27.7	16.7	22.2	0/11	1/7	0/2
Percentage of transfers resulting in pregnancy	36.9	24.1	37.0	0/11	1/7	0/2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		36		54		
Number of transfers		31		42		
Average number of embryos transferred		1.5		1.7		
Percentage of embryos transferred resulting in implantation		35.4		21.9		
Percentage of transfers resulting in singleton live births		45.2		28.6		
Percentage of transfers resulting in live births		48.4		31.0		
Percentage of transfers resulting in pregnancy		51.6		35.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	35%	Uterine factor	17%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	17%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	29%	
				Endometriosis	22%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				27%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 232 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	34	30	14	5	0
Percentage of cancellations	18.1	20.6	13.3	3 / 14	0 / 5	
Average number of embryos transferred	2.0	2.1	2.3	2.0	2.3	
Percentage of embryos transferred resulting in implantation	16.7	15.8	24.4	0 / 14	0 / 7	
Percentage of elective single embryo transfer (eSET)	2.6	0 / 18	0 / 14	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.1	11.8	10.0	0 / 14	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 5	
Percentage of cycles resulting in live births	12.5	14.7	16.7	0 / 14	0 / 5	
Percentage of cycles resulting in pregnancy	15.3	14.7	20.0	0 / 14	0 / 5	
Outcomes per Transfer						
Number of transfers	41	18	18	7	3	0
Percentage of transfers resulting in singleton live births	19.5	4 / 18	3 / 18	0 / 7	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 18	0 / 7	0 / 3	
Percentage of transfers resulting in live births	22.0	5 / 18	5 / 18	0 / 7	0 / 3	
Percentage of transfers resulting in pregnancy	26.8	5 / 18	6 / 18	0 / 7	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	11	5	6	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 11	4 / 5	3 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 5	0 / 6			
Percentage of pregnancies resulting in live births	9 / 11	5 / 5	5 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	12	6	1	2	1
Number of transfers	31	11	6	1	2	0
Estimated average number of transfers per retrieval	0.9	0.8	1.0	0.5		
Average number of embryos transferred	1.9	1.6	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation	40.7	5 / 18	3 / 14	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	29.0	1 / 11	2 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	3.2	0 / 11	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births	41.9	3 / 11	2 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	51.6	3 / 11	3 / 6	0 / 1	0 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		10			
Number of transfers	7		8			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	0 / 14		3 / 14			
Percentage of transfers resulting in singleton live births	0 / 7		3 / 8			
Percentage of transfers resulting in live births	0 / 7		3 / 8			
Percentage of transfers resulting in pregnancy	0 / 7		3 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Endocrinology and Fertility Center					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE INSTITUTE OF SUBURBAN PHILADELPHIA WAYNE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Abraham K. Munabi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	1%	
Unstimulated	<1%	Used PGD	8%	Ovulatory dysfunction	31%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	12%	
				Endometriosis	4%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 154 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	28	20	2	4	1
Percentage of cancellations	0.0	7.1	10.0	0/2	0/4	0/1
Average number of embryos transferred	2.0	2.1	2.6	1.5	3.3	4.0
Percentage of embryos transferred resulting in implantation	30.4	17.0	15.2	0/3	0/13	0/4
Percentage of elective single embryo transfer (eSET)	11.3	0.0	0/17	0/1	0/4	0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.1	17.9	20.0	0/2	0/4	0/1
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0/2	0/4	0/1
Percentage of cycles resulting in live births	42.2	21.4	25.0	0/2	0/4	0/1
Percentage of cycles resulting in pregnancy	48.4	25.0	30.0	0/2	0/4	0/1
Outcomes per Transfer						
Number of transfers	62	22	18	2	4	1
Percentage of transfers resulting in singleton live births	40.3	22.7	4/18	0/2	0/4	0/1
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0/18	0/2	0/4	0/1
Percentage of transfers resulting in live births	43.5	27.3	5/18	0/2	0/4	0/1
Percentage of transfers resulting in pregnancy	50.0	31.8	6/18	0/2	0/4	0/1
Outcomes per Pregnancy						
Number of pregnancies	31	7	6	0	0	0
Percentage of pregnancies resulting in singleton live births	80.6	5/7	4/6			
Percentage of pregnancies resulting in triplets or more live births	3.2	0/7	0/6			
Percentage of pregnancies resulting in live births	87.1	6/7	5/6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	8	2	0	1	1
Number of transfers	8	7	2	0	1	1
Estimated average number of transfers per retrieval	0.9	1.8	2.0			
Average number of embryos transferred	1.3	1.6	1.0		1.0	1.0
Percentage of embryos transferred resulting in implantation	2/10	2/11	0/2		0/1	0/1
Percentage of transfers resulting in singleton live births	2/8	2/7	0/2		0/1	0/1
Percentage of transfers resulting in triplets or more live births	0/8	0/7	0/2		0/1	0/1
Percentage of transfers resulting in live births	2/8	2/7	0/2		0/1	0/1
Percentage of transfers resulting in pregnancy	2/8	2/7	0/2		0/1	0/1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		7		7		
Number of transfers		7		7		
Average number of embryos transferred		2.0		1.4		
Percentage of embryos transferred resulting in implantation		3/14		2/10		
Percentage of transfers resulting in singleton live births		1/7		2/7		
Percentage of transfers resulting in live births		1/7		2/7		
Percentage of transfers resulting in pregnancy		3/7		2/7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WOMEN'S CLINIC, LTD.
WEST READING, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	32%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	40%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	11%	
				Endometriosis	35%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				62%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 83 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	4	15	4	0	0
Percentage of cancellations	18.8	0 / 4	2 / 15	1 / 4		
Average number of embryos transferred	2.1	2.8	2.4	3.0		
Percentage of embryos transferred resulting in implantation	39.7	1 / 11	27.3	2 / 9		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 4	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.4	1 / 4	4 / 15	0 / 4		
Percentage of cycles resulting in triplets or more live births	4.2	0 / 4	0 / 15	0 / 4		
Percentage of cycles resulting in live births	29.2	1 / 4	4 / 15	0 / 4		
Percentage of cycles resulting in pregnancy	35.4	1 / 4	4 / 15	2 / 4		
Outcomes per Transfer						
Number of transfers	32	4	9	3	0	0
Percentage of transfers resulting in singleton live births	15.6	1 / 4	4 / 9	0 / 3		
Percentage of transfers resulting in triplets or more live births	6.3	0 / 4	0 / 9	0 / 3		
Percentage of transfers resulting in live births	43.8	1 / 4	4 / 9	0 / 3		
Percentage of transfers resulting in pregnancy	53.1	1 / 4	4 / 9	2 / 3		
Outcomes per Pregnancy						
Number of pregnancies	17	1	4	2	0	0
Percentage of pregnancies resulting in singleton live births	5 / 17	1 / 1	4 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	2 / 17	0 / 1	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	14 / 17	1 / 1	4 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	1	0	0	0
Number of transfers	4	4	1	0	0	0
Estimated average number of transfers per retrieval	0.6	4.0	1.0			
Average number of embryos transferred	1.8	2.0	3.0			
Percentage of embryos transferred resulting in implantation	3 / 7	0 / 8	0 / 3			
Percentage of transfers resulting in singleton live births	0 / 4	0 / 4	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 1			
Percentage of transfers resulting in live births	1 / 4	0 / 4	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 4	0 / 4	0 / 1			
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			0		0	
Number of transfers			0		0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENNSYLVANIA

**THE FERTILITY CENTER, LLC
YORK, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	3%	Uterine factor	3%	Multiple Factors: Female factors only 0% Female & male factors 2%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	0%	Male factor	14%	
Used gestational carrier	3%			Diminished ovarian reserve	20%	Other factor	0%	
				Endometriosis	0%	Unknown factor	62%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 95 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	18	10	0	2	0
Percentage of cancellations	2.2	0 / 18	0 / 10		0 / 2	
Average number of embryos transferred	2.2	2.6	2.9		3.0	
Percentage of embryos transferred resulting in implantation	27.8	10.9	3.8		0 / 3	
Percentage of elective single embryo transfer (eSET)	7.5	1 / 16	1 / 9		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.1	2 / 18	1 / 10		0 / 2	
Percentage of cycles resulting in triplets or more live births	4.3	0 / 18	0 / 10		0 / 2	
Percentage of cycles resulting in live births	34.8	3 / 18	1 / 10		0 / 2	
Percentage of cycles resulting in pregnancy	41.3	4 / 18	1 / 10		0 / 2	
Outcomes per Transfer						
Number of transfers	44	18	9	0	1	0
Percentage of transfers resulting in singleton live births	27.3	2 / 18	1 / 9		0 / 1	
Percentage of transfers resulting in triplets or more live births	4.5	0 / 18	0 / 9		0 / 1	
Percentage of transfers resulting in live births	36.4	3 / 18	1 / 9		0 / 1	
Percentage of transfers resulting in pregnancy	43.2	4 / 18	1 / 9		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	19	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 19	2 / 4	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	2 / 19	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	16 / 19	3 / 4	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	0	1	0	0	0
Number of transfers	5	0	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	1.8		1.0			
Percentage of embryos transferred resulting in implantation	3 / 9		0 / 1			
Percentage of transfers resulting in singleton live births	1 / 5		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5		0 / 1			
Percentage of transfers resulting in live births	1 / 5		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 5		0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	10		3			
Number of transfers	9		3			
Average number of embryos transferred	1.9		1.7			
Percentage of embryos transferred resulting in implantation	9 / 17		2 / 5			
Percentage of transfers resulting in singleton live births	3 / 9		2 / 3			
Percentage of transfers resulting in live births	6 / 9		2 / 3			
Percentage of transfers resulting in pregnancy	6 / 9		2 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PEDRO J. BEAUCHAMP, MD
BAYAMON, PUERTO RICO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Pedro J. Beauchamp, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	36%	Uterine factor	6%
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	63%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	32%
				Endometriosis	38%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only 19%			
				Female & male factors 51%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 146 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	37	26	16	3	1
Percentage of cancellations	0.0	2.7	7.7	4 / 16	0 / 3	0 / 1
Average number of embryos transferred	2.1	2.2	2.5	2.5	2.3	3.0
Percentage of embryos transferred resulting in implantation	29.2	25.6	13.8	3.7	0 / 7	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 10	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.5	16.2	23.1	1 / 16	0 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 3	0 / 1
Percentage of cycles resulting in live births	34.7	32.4	23.1	1 / 16	0 / 3	0 / 1
Percentage of cycles resulting in pregnancy	55.1	45.9	38.5	1 / 16	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	46	36	23	11	3	1
Percentage of transfers resulting in singleton live births	26.1	16.7	26.1	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in live births	37.0	33.3	26.1	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	58.7	47.2	43.5	1 / 11	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	27	17	10	1	0	0
Percentage of pregnancies resulting in singleton live births	44.4	6 / 17	6 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	63.0	12 / 17	6 / 10	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	0
Number of transfers	2	2	1	0	0	0
Estimated average number of transfers per retrieval	2.0	2.0				
Average number of embryos transferred	2.5	2.5	1.0			
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 5	1 / 1			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 1			
Percentage of transfers resulting in live births	0 / 2	0 / 2	1 / 1			
Percentage of transfers resulting in pregnancy	1 / 2	0 / 2	1 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		1			
Number of transfers	8		1			
Average number of embryos transferred	2.3		2.0			
Percentage of embryos transferred resulting in implantation	9 / 18		1 / 2			
Percentage of transfers resulting in singleton live births	1 / 8		0 / 1			
Percentage of transfers resulting in live births	4 / 8		0 / 1			
Percentage of transfers resulting in pregnancy	5 / 8		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pedro J. Beauchamp, MD					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS CAGUAS, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	38%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	35%
Used gestational carrier	2%			Diminished ovarian reserve	8%	Other factor	4%
				Endometriosis	10%	Unknown factor	17%
				<i>Multiple Factors:</i> Female factors only 2% Female & male factors 15%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 48 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	6	9	1	1
Percentage of cancellations	0 / 19	0 / 10	0 / 6	0 / 9	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.3	2.5	2.7	5.0	1.0
Percentage of embryos transferred resulting in implantation	29.7	30.4	2 / 15	4.2	0 / 5	0 / 1
Percentage of elective single embryo transfer (eSET)	1 / 15	1 / 9	0 / 5	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 19	2 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 10	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in live births	7 / 19	4 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	10 / 19	5 / 10	2 / 6	3 / 9	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	19	10	6	9	1	1
Percentage of transfers resulting in singleton live births	7 / 19	2 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 10	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births	7 / 19	4 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	10 / 19	5 / 10	2 / 6	3 / 9	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	10	5	2	3	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	2 / 5	1 / 2	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 5	0 / 2	0 / 3		
Percentage of pregnancies resulting in live births	7 / 10	4 / 5	1 / 2	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation				0 / 2		
Percentage of transfers resulting in singleton live births				0 / 2		
Percentage of transfers resulting in live births				0 / 2		
Percentage of transfers resulting in pregnancy				0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SANTURCE, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	21%	Uterine factor	0%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	8%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	26%	
				Endometriosis	0%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 53 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	7	8	0	2	0
Percentage of cancellations	0 / 13	0 / 7	1 / 8		0 / 2	
Average number of embryos transferred	2.4	2.7	3.7		1.0	
Percentage of embryos transferred resulting in implantation	11.5	5 / 16	1 / 11		0 / 1	
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 6	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 13	2 / 7	0 / 8		0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 13	1 / 7	0 / 8		0 / 2	
Percentage of cycles resulting in live births	3 / 13	3 / 7	0 / 8		0 / 2	
Percentage of cycles resulting in pregnancy	3 / 13	3 / 7	1 / 8		0 / 2	
Outcomes per Transfer						
Number of transfers	11	6	3	0	1	0
Percentage of transfers resulting in singleton live births	3 / 11	2 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	1 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in live births	3 / 11	3 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 11	3 / 6	1 / 3		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	3	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 3	2 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	1 / 3	0 / 1			
Percentage of pregnancies resulting in live births	3 / 3	3 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	0	0	0	1
Number of transfers	3	5	0	0	0	0
Estimated average number of transfers per retrieval	3.0	5.0				
Average number of embryos transferred	3.0	1.8				
Percentage of embryos transferred resulting in implantation	2 / 9	1 / 9				
Percentage of transfers resulting in singleton live births	0 / 3	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 5				
Percentage of transfers resulting in live births	0 / 3	1 / 5				
Percentage of transfers resulting in pregnancy	1 / 3	1 / 5				

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	10	3
Number of transfers	7	2
Average number of embryos transferred	2.6	1.5
Percentage of embryos transferred resulting in implantation	5 / 18	0 / 3
Percentage of transfers resulting in singleton live births	4 / 7	0 / 2
Percentage of transfers resulting in live births	4 / 7	0 / 2
Percentage of transfers resulting in pregnancy	4 / 7	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' DIVISION OF REPRODUCTIVE MEDICINE AND INFERTILITY PROVIDENCE, RHODE ISLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sandra Carson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	4%	Other factor	7%	
				Endometriosis	6%	Unknown factor	40%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 599 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	209	104	80	53	14	1
Percentage of cancellations	2.4	1.9	6.3	5.7	0 / 14	0 / 1
Average number of embryos transferred	2.0	2.1	2.7	3.6	3.6	3.0
Percentage of embryos transferred resulting in implantation	26.4	25.0	15.8	3.0	2.1	0 / 3
Percentage of elective single embryo transfer (eSET)	5.1	2.3	0.0	0.0	0 / 12	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.9	23.1	18.8	3.8	0 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	1.9	0 / 14	0 / 1
Percentage of cycles resulting in live births	34.4	32.7	26.3	5.7	0 / 14	0 / 1
Percentage of cycles resulting in pregnancy	40.7	35.6	32.5	11.3	2 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	191	97	72	47	13	1
Percentage of transfers resulting in singleton live births	27.2	24.7	20.8	4.3	0 / 13	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	2.1	0 / 13	0 / 1
Percentage of transfers resulting in live births	37.7	35.1	29.2	6.4	0 / 13	0 / 1
Percentage of transfers resulting in pregnancy	44.5	38.1	36.1	12.8	2 / 13	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	85	37	26	6	2	0
Percentage of pregnancies resulting in singleton live births	61.2	64.9	57.7	2 / 6	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	1 / 6	0 / 2	
Percentage of pregnancies resulting in live births	84.7	91.9	80.8	3 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	26	19	8	1	1
Number of transfers	53	25	18	8	1	1
Estimated average number of transfers per retrieval	1.2	1.5	1.8	0.9		
Average number of embryos transferred	1.9	2.0	1.8	1.5	2.0	3.0
Percentage of embryos transferred resulting in implantation	18.2	18.4	31.3	3 / 12	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	17.0	24.0	4 / 18	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births	24.5	28.0	6 / 18	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	30.2	28.0	7 / 18	3 / 8	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		19		6		
Number of transfers		18		6		
Average number of embryos transferred		2.1		1.8		
Percentage of embryos transferred resulting in implantation		32.4		1 / 11		
Percentage of transfers resulting in singleton live births		3 / 18		1 / 6		
Percentage of transfers resulting in live births		7 / 18		1 / 6		
Percentage of transfers resulting in pregnancy		9 / 18		2 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by John E. Nichols, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	6%	Uterine factor	2%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	28%	Male factor	71%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	4%	
				Endometriosis	6%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				44%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 239 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	27	22	5	0	1
Percentage of cancellations	6.6	3.7	9.1	0 / 5		0 / 1
Average number of embryos transferred	2.1	2.0	2.9	2.7		2.0
Percentage of embryos transferred resulting in implantation	42.0	42.3	10.3	2 / 8		1 / 2
Percentage of elective single embryo transfer (eSET)	9.9	8.3	0 / 19	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	44.4	9.1	1 / 5		1 / 1
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 5		0 / 1
Percentage of cycles resulting in live births	44.0	59.3	13.6	1 / 5		1 / 1
Percentage of cycles resulting in pregnancy	52.7	66.7	22.7	2 / 5		1 / 1
Outcomes per Transfer						
Number of transfers	82	26	20	3	0	1
Percentage of transfers resulting in singleton live births	30.5	46.2	10.0	1 / 3		1 / 1
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 3		0 / 1
Percentage of transfers resulting in live births	48.8	61.5	15.0	1 / 3		1 / 1
Percentage of transfers resulting in pregnancy	58.5	69.2	25.0	2 / 3		1 / 1
Outcomes per Pregnancy						
Number of pregnancies	48	18	5	2	0	1
Percentage of pregnancies resulting in singleton live births	52.1	12 / 18	2 / 5	1 / 2		1 / 1
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 18	0 / 5	0 / 2		0 / 1
Percentage of pregnancies resulting in live births	83.3	16 / 18	3 / 5	1 / 2		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	10	1	3	0
Number of transfers	28	11	10	1	3	0
Estimated average number of transfers per retrieval	2.5	3.7	3.3			
Average number of embryos transferred	2.0	2.0	1.8	1.0	1.3	
Percentage of embryos transferred resulting in implantation	40.0	18.2	9 / 18	0 / 1	1 / 4	
Percentage of transfers resulting in singleton live births	25.0	3 / 11	5 / 10	0 / 1	1 / 3	
Percentage of transfers resulting in triplets or more live births	3.6	0 / 11	0 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in live births	42.9	3 / 11	7 / 10	0 / 1	1 / 3	
Percentage of transfers resulting in pregnancy	53.6	4 / 11	7 / 10	0 / 1	1 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		21		18		
Number of transfers		20		18		
Average number of embryos transferred		2.1		2.0		
Percentage of embryos transferred resulting in implantation		50.0		27.8		
Percentage of transfers resulting in singleton live births		55.0		5 / 18		
Percentage of transfers resulting in live births		70.0		7 / 18		
Percentage of transfers resulting in pregnancy		80.0		7 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY
FERTILITY CENTER OF THE CAROLINAS
GREENVILLE, SOUTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	13%	Uterine factor	5%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	29%	Male factor	47%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	9%	
				Endometriosis	34%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				31%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 130 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	7	20	6	2	0
Percentage of cancellations	3.6	0 / 7	10.0	1 / 6	2 / 2	
Average number of embryos transferred	2.1	2.1	2.5	2.6		
Percentage of embryos transferred resulting in implantation	29.7	3 / 15	19.0	1 / 13		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 7	1 / 15	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	3 / 7	20.0	1 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in live births	42.9	3 / 7	25.0	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	50.0	3 / 7	25.0	1 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	54	7	17	5	0	0
Percentage of transfers resulting in singleton live births	33.3	3 / 7	4 / 17	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 17	0 / 5		
Percentage of transfers resulting in live births	44.4	3 / 7	5 / 17	1 / 5		
Percentage of transfers resulting in pregnancy	51.9	3 / 7	5 / 17	1 / 5		
Outcomes per Pregnancy						
Number of pregnancies	28	3	5	1	0	0
Percentage of pregnancies resulting in singleton live births	64.3	3 / 3	4 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	85.7	3 / 3	5 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	9	6	1	0	0
Number of transfers	12	8	6	1	0	0
Estimated average number of transfers per retrieval	1.5	4.0	6.0	1.0		
Average number of embryos transferred	1.9	2.1	2.5	1.0		
Percentage of embryos transferred resulting in implantation	26.1	1 / 17	1 / 15	0 / 1		
Percentage of transfers resulting in singleton live births	2 / 12	1 / 8	1 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 8	0 / 6	0 / 1		
Percentage of transfers resulting in live births	4 / 12	1 / 8	1 / 6	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 12	1 / 8	2 / 6	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		8		2		
Number of transfers		8		2		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		2 / 15		3 / 4		
Percentage of transfers resulting in singleton live births		2 / 8		2 / 2		
Percentage of transfers resulting in live births		2 / 8		2 / 2		
Percentage of transfers resulting in pregnancy		2 / 8		2 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Medical Group, Department of Obstetrics and Gynecology, Fertility Center of the Carolinas					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SOUTHEASTERN FERTILITY CENTER, PA
MOUNT PLEASANT, SOUTH CAROLINA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY WEST COLUMBIA, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Gail F. Whitman-Elia, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	10%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	23%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	24%	
				Endometriosis	7%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				6%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 258 (includes 32 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	81	37	19	10	2	0	
Percentage of cancellations	3.7	0.0	1 / 19	2 / 10	0 / 2		
Average number of embryos transferred	2.1	2.3	3.1	3.0	3.5		
Percentage of embryos transferred resulting in implantation	35.2	28.2	14.9	3 / 12	3 / 7		
Percentage of elective single embryo transfer (eSET)	2.7	0.0	0 / 14	0 / 3	0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	28.4	32.4	1 / 19	0 / 10	0 / 2		
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0 / 19	0 / 10	1 / 2		
Percentage of cycles resulting in live births	44.4	43.2	3 / 19	1 / 10	1 / 2		
Percentage of cycles resulting in pregnancy	51.9	51.4	5 / 19	1 / 10	1 / 2		
Outcomes per Transfer							
Number of transfers	76	34	15	4	2	0	
Percentage of transfers resulting in singleton live births	30.3	35.3	1 / 15	0 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 15	0 / 4	1 / 2		
Percentage of transfers resulting in live births	47.4	47.1	3 / 15	1 / 4	1 / 2		
Percentage of transfers resulting in pregnancy	55.3	55.9	5 / 15	1 / 4	1 / 2		
Outcomes per Pregnancy							
Number of pregnancies	42	19	5	1	1	0	
Percentage of pregnancies resulting in singleton live births	54.8	12 / 19	1 / 5	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 19	0 / 5	0 / 1	1 / 1		
Percentage of pregnancies resulting in live births	85.7	16 / 19	3 / 5	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	43	9	7	1	0	0	
Number of transfers	42	8	7	1	0	0	
Estimated average number of transfers per retrieval	1.1	1.0	2.3	0.5	0.0		
Average number of embryos transferred	2.4	2.6	2.7	5.0			
Percentage of embryos transferred resulting in implantation	19.0	23.8	2 / 19	1 / 5			
Percentage of transfers resulting in singleton live births	21.4	5 / 8	1 / 7	0 / 1			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 7	0 / 1			
Percentage of transfers resulting in live births	28.6	5 / 8	1 / 7	0 / 1			
Percentage of transfers resulting in pregnancy	40.5	5 / 8	2 / 7	1 / 1			
All Ages Combined^f							
Donor Eggs	Fresh Embryos		Frozen Embryos				
Number of cycles	9		8				
Number of transfers	9		8				
Average number of embryos transferred	2.1		2.6				
Percentage of embryos transferred resulting in implantation	8 / 19		14.3				
Percentage of transfers resulting in singleton live births	3 / 9		2 / 8				
Percentage of transfers resulting in live births	5 / 9		2 / 8				
Percentage of transfers resulting in pregnancy	6 / 9		3 / 8				

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Advanced Fertility & Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	20%	Male factor	45%	
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	46%	
				Endometriosis	10%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 316 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	137	38	19	8	2	0
Percentage of cancellations	5.1	10.5	0 / 19	1 / 8	0 / 2	
Average number of embryos transferred	1.7	1.9	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation	35.1	24.1	22.2	0 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)	30.7	12.5	1 / 16	2 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	21.1	5 / 19	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 8	0 / 2	
Percentage of cycles resulting in live births	40.9	26.3	6 / 19	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	46.7	31.6	6 / 19	2 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	121	29	18	6	1	0
Percentage of transfers resulting in singleton live births	36.4	27.6	5 / 18	0 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 6	0 / 1	
Percentage of transfers resulting in live births	46.3	34.5	6 / 18	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	52.9	41.4	6 / 18	2 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	64	12	6	2	0	0
Percentage of pregnancies resulting in singleton live births	68.8	8 / 12	5 / 6	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	87.5	10 / 12	6 / 6	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	12	8	3	0	1
Number of transfers	79	11	8	3	0	0
Estimated average number of transfers per retrieval	1.9	2.2	4.0	1.0		
Average number of embryos transferred	1.9	2.2	2.0	1.7		
Percentage of embryos transferred resulting in implantation	18.4	8.3	1 / 16	0 / 5		
Percentage of transfers resulting in singleton live births	22.8	1 / 11	1 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 3		
Percentage of transfers resulting in live births	27.8	1 / 11	1 / 8	0 / 3		
Percentage of transfers resulting in pregnancy	39.2	5 / 11	2 / 8	0 / 3		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	2	3			
Number of transfers	2	3				
Average number of embryos transferred	1.0	1.7				
Percentage of embryos transferred resulting in implantation	1 / 2	2 / 5				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 3				
Percentage of transfers resulting in live births	1 / 2	1 / 3				
Percentage of transfers resulting in pregnancy	1 / 2	1 / 3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	47%	
Used gestational carrier	6%			Diminished ovarian reserve	16%	Other factor	6%	
				Endometriosis	6%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				6%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 146 (includes 36 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	7	3	1	0	0
Percentage of cancellations	8.7	2 / 7	1 / 3	0 / 1		
Average number of embryos transferred	1.7	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	33.3	1 / 10	0 / 2	1 / 2		
Percentage of elective single embryo transfer (eSET)	4 / 18	0 / 5	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	0 / 7	0 / 3	1 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0 / 3	0 / 1		
Percentage of cycles resulting in live births	39.1	0 / 7	0 / 3	1 / 1		
Percentage of cycles resulting in pregnancy	39.1	1 / 7	0 / 3	1 / 1		
Outcomes per Transfer						
Number of transfers	19	5	1	1	0	0
Percentage of transfers resulting in singleton live births	7 / 19	0 / 5	0 / 1	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births	9 / 19	0 / 5	0 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	9 / 19	1 / 5	0 / 1	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	9	1	0	1	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	0 / 1		1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 1		0 / 1		
Percentage of pregnancies resulting in live births	9 / 9	0 / 1		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	12	3	5	5	1
Number of transfers	39	12	3	5	5	0
Estimated average number of transfers per retrieval	1.3	1.5	0.8	1.7	5.0	0.0
Average number of embryos transferred	1.9	1.9	2.0	1.4	1.8	
Percentage of embryos transferred resulting in implantation	41.3	34.8	2 / 6	4 / 7	3 / 9	
Percentage of transfers resulting in singleton live births	20.5	4 / 12	1 / 3	1 / 5	3 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 3	0 / 5	0 / 5	
Percentage of transfers resulting in live births	43.6	6 / 12	1 / 3	2 / 5	3 / 5	
Percentage of transfers resulting in pregnancy	56.4	6 / 12	2 / 3	2 / 5	3 / 5	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		7		4		
Number of transfers		7		4		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		6 / 12		2 / 8		
Percentage of transfers resulting in singleton live births		4 / 7		2 / 4		
Percentage of transfers resulting in live births		5 / 7		2 / 4		
Percentage of transfers resulting in pregnancy		5 / 7		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	21%	Uterine factor	0%	
Unstimulated	6%	Used PGD	10%	Ovulatory dysfunction	29%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	13%	
				Endometriosis	19%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 107 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	16	6	4	1	0
Percentage of cancellations	2.8	1 / 16	1 / 6	0 / 4	0 / 1	
Average number of embryos transferred	1.9	2.1	2.3	2.7	2.0	
Percentage of embryos transferred resulting in implantation	44.8	24.1	0 / 7	0 / 8	0 / 2	
Percentage of elective single embryo transfer (eSET)	10.3	0 / 13	0 / 3	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	4 / 16	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in live births	41.7	5 / 16	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	52.8	8 / 16	1 / 6	0 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	31	14	3	3	1	0
Percentage of transfers resulting in singleton live births	32.3	4 / 14	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births	48.4	5 / 14	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	61.3	8 / 14	1 / 3	0 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	19	8	1	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	4 / 8	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 8	0 / 1			
Percentage of pregnancies resulting in live births	15 / 19	5 / 8	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	10	5	1	0	0
Number of transfers	12	10	5	1	0	0
Estimated average number of transfers per retrieval	6.0	2.0	2.5	1.0	0.0	0.0
Average number of embryos transferred	1.8	2.2	2.0	4.0		
Percentage of embryos transferred resulting in implantation	54.5	22.7	3 / 10	1 / 4		
Percentage of transfers resulting in singleton live births	4 / 12	4 / 10	1 / 5	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in live births	7 / 12	4 / 10	1 / 5	1 / 1		
Percentage of transfers resulting in pregnancy	8 / 12	6 / 10	2 / 5	1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		5			
Number of transfers	7		5			
Average number of embryos transferred	1.7		1.6			
Percentage of embryos transferred resulting in implantation	5 / 12		1 / 8			
Percentage of transfers resulting in singleton live births	3 / 7		1 / 5			
Percentage of transfers resulting in live births	4 / 7		1 / 5			
Percentage of transfers resulting in pregnancy	4 / 7		1 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tennessee Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Norman A. Assad, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	5%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 6%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	42%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	2%	
				Endometriosis	39%	Unknown factor	4%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 82 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		21	14	10	6	0	1
Percentage of cancellations		19.0	3 / 14	4 / 10	1 / 6		0 / 1
Average number of embryos transferred		1.8	1.9	2.2	2.5		3.0
Percentage of embryos transferred resulting in implantation		43.3	4 / 19	2 / 11	1 / 10		0 / 3
Percentage of elective single embryo transfer (eSET)		0 / 13	0 / 9	0 / 5	0 / 4		0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		33.3	4 / 14	2 / 10	1 / 6		0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0 / 14	0 / 10	0 / 6		0 / 1
Percentage of cycles resulting in live births		47.6	4 / 14	2 / 10	1 / 6		0 / 1
Percentage of cycles resulting in pregnancy		52.4	4 / 14	2 / 10	1 / 6		0 / 1
Outcomes per Transfer							
Number of transfers		17	10	5	4	0	1
Percentage of transfers resulting in singleton live births		7 / 17	4 / 10	2 / 5	1 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 17	0 / 10	0 / 5	0 / 4		0 / 1
Percentage of transfers resulting in live births		10 / 17	4 / 10	2 / 5	1 / 4		0 / 1
Percentage of transfers resulting in pregnancy		11 / 17	4 / 10	2 / 5	1 / 4		0 / 1
Outcomes per Pregnancy							
Number of pregnancies		11	4	2	1	0	0
Percentage of pregnancies resulting in singleton live births		7 / 11	4 / 4	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 11	0 / 4	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births		10 / 11	4 / 4	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	5	1	1	0	0
Number of transfers		9	3	1	1	0	0
Estimated average number of transfers per retrieval		4.5	3.0		0.5		
Average number of embryos transferred		1.2	1.3	2.0	2.0		
Percentage of embryos transferred resulting in implantation		3 / 11	2 / 4	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births		3 / 9	2 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 9	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births		3 / 9	2 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy		4 / 9	2 / 3	1 / 1	0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		3			4		
Number of transfers		3			3		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation		2 / 6			0 / 6		
Percentage of transfers resulting in singleton live births		2 / 3			0 / 3		
Percentage of transfers resulting in live births		2 / 3			0 / 3		
Percentage of transfers resulting in pregnancy		3 / 3			0 / 3		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Quillen Fertility and Women's Services					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gayla Harris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	37%	Tubal factor	31%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	48%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 29 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	7	4	0	0	0
Percentage of cancellations	0 / 16	1 / 7	0 / 4			
Average number of embryos transferred	2.1	1.5	1.8			
Percentage of embryos transferred resulting in implantation	33.3	2 / 9	3 / 7			
Percentage of elective single embryo transfer (eSET)	0 / 16	1 / 4	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 16	2 / 7	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 7	0 / 4			
Percentage of cycles resulting in live births	8 / 16	2 / 7	1 / 4			
Percentage of cycles resulting in pregnancy	9 / 16	2 / 7	2 / 4			
Outcomes per Transfer						
Number of transfers	16	6	4	0	0	0
Percentage of transfers resulting in singleton live births	6 / 16	2 / 6	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 4			
Percentage of transfers resulting in live births	8 / 16	2 / 6	1 / 4			
Percentage of transfers resulting in pregnancy	9 / 16	2 / 6	2 / 4			
Outcomes per Pregnancy						
Number of pregnancies	9	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	2 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	8 / 9	2 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	0.5	1.0				
Average number of embryos transferred	2.0	1.0				
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of transfers resulting in live births	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		0
Number of transfers		0				0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	32%	Tubal factor	<1%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	3%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	15%	
				Endometriosis	11%	Unknown factor	19%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 151 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	2	2	0	0	0
Percentage of cancellations	2 / 15	0 / 2	0 / 2			
Average number of embryos transferred	2.3	2.0	4.0			
Percentage of embryos transferred resulting in implantation	44.4	1 / 4	0 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 2	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 15	0 / 2	0 / 2			
Percentage of cycles resulting in triplets or more live births	1 / 15	0 / 2	0 / 2			
Percentage of cycles resulting in live births	7 / 15	0 / 2	0 / 2			
Percentage of cycles resulting in pregnancy	7 / 15	1 / 2	0 / 2			
Outcomes per Transfer						
Number of transfers	12	2	2	0	0	0
Percentage of transfers resulting in singleton live births	4 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	1 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in live births	7 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	7 / 12	1 / 2	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	7	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	1 / 7	0 / 1				
Percentage of pregnancies resulting in live births	7 / 7	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	0	3	0	1	0
Number of transfers	9	0	3	0	1	0
Estimated average number of transfers per retrieval	4.5		3.0			
Average number of embryos transferred	2.1		2.0		6.0	
Percentage of embryos transferred resulting in implantation	1 / 19		0 / 6		0 / 6	
Percentage of transfers resulting in singleton live births	1 / 9		0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 9		0 / 3		0 / 1	
Percentage of transfers resulting in live births	1 / 9		0 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	1 / 9		1 / 3		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		119		
Number of transfers		0		115		
Average number of embryos transferred				2.5		
Percentage of embryos transferred resulting in implantation				23.6		
Percentage of transfers resulting in singleton live births				30.4		
Percentage of transfers resulting in live births				42.6		
Percentage of transfers resulting in pregnancy				47.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	22%	Uterine factor	5%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	22%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	10%	
				Endometriosis	14%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 317 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	97	38	31	13	4	2
Percentage of cancellations	4.1	5.3	6.5	1 / 13	0 / 4	0 / 2
Average number of embryos transferred	1.9	2.0	2.2	2.5	2.5	2.0
Percentage of embryos transferred resulting in implantation	31.2	36.2	18.3	7.1	0 / 10	0 / 4
Percentage of elective single embryo transfer (eSET)	12.7	3.8	0.0	0 / 11	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.7	21.1	22.6	2 / 13	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	2.1	2.6	0.0	0 / 13	0 / 4	0 / 2
Percentage of cycles resulting in live births	32.0	36.8	25.8	2 / 13	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	36.1	36.8	38.7	2 / 13	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	80	29	27	11	4	2
Percentage of transfers resulting in singleton live births	27.5	27.6	25.9	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	2.5	3.4	0.0	0 / 11	0 / 4	0 / 2
Percentage of transfers resulting in live births	38.8	48.3	29.6	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	43.8	48.3	44.4	2 / 11	0 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	35	14	12	2	0	0
Percentage of pregnancies resulting in singleton live births	62.9	8 / 14	7 / 12	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	5.7	1 / 14	0 / 12	0 / 2		
Percentage of pregnancies resulting in live births	88.6	14 / 14	8 / 12	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	28	19	3	1	0
Number of transfers	50	25	15	3	1	0
Estimated average number of transfers per retrieval	2.4	1.9	1.3	1.5	1.0	
Average number of embryos transferred	1.8	1.8	1.8	1.7	2.0	
Percentage of embryos transferred resulting in implantation	34.1	22.2	25.9	2 / 5	0 / 2	
Percentage of transfers resulting in singleton live births	34.0	28.0	4 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in live births	42.0	32.0	5 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	52.0	32.0	7 / 15	2 / 3	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	11			8		
Number of transfers	11			5		
Average number of embryos transferred	2.0			1.4		
Percentage of embryos transferred resulting in implantation	77.3			1 / 7		
Percentage of transfers resulting in singleton live births	4 / 11			1 / 5		
Percentage of transfers resulting in live births	7 / 11			1 / 5		
Percentage of transfers resulting in pregnancy	10 / 11			1 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	14%	Uterine factor	2%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	52%	Male factor	75%
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	2%
				Endometriosis	9%	Unknown factor	<1%
				<i>Multiple Factors:</i> Female factors only 9% Female & male factors 60%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 126 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	17	4	2	4	0
Percentage of cancellations	0.0	2 / 17	0 / 4	0 / 2	1 / 4	
Average number of embryos transferred	2.5	2.9	3.3	1.0	2.5	
Percentage of embryos transferred resulting in implantation	7.9	12.5	0 / 13	0 / 1	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 13	0 / 4		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	1 / 17	0 / 4	0 / 2	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	1 / 17	0 / 4	0 / 2	0 / 4	
Percentage of cycles resulting in live births	16.3	2 / 17	0 / 4	0 / 2	0 / 4	
Percentage of cycles resulting in pregnancy	20.4	3 / 17	0 / 4	0 / 2	0 / 4	
Outcomes per Transfer						
Number of transfers	45	14	4	1	2	0
Percentage of transfers resulting in singleton live births	15.6	1 / 14	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	1 / 14	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births	17.8	2 / 14	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	22.2	3 / 14	0 / 4	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	1 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 10	1 / 3				
Percentage of pregnancies resulting in live births	8 / 10	2 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	5	1	1	1	0
Number of transfers	15	5	1	1	1	0
Estimated average number of transfers per retrieval	2.1	2.5	1.0			
Average number of embryos transferred	2.8	2.8	4.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	14.3	5 / 14	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births	5 / 15	1 / 5	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 5	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	5 / 15	3 / 5	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 15	3 / 5	0 / 1	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		21		6		
Number of transfers		21		5		
Average number of embryos transferred		2.2		2.8		
Percentage of embryos transferred resulting in implantation		19.6		1 / 14		
Percentage of transfers resulting in singleton live births		14.3		0 / 5		
Percentage of transfers resulting in live births		23.8		0 / 5		
Percentage of transfers resulting in pregnancy		38.1		1 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by George A. Hill, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	22%	Uterine factor	17%	Multiple Factors: Female factors only 33% Female & male factors 30%
Unstimulated	0%	Used PGD	21%	Ovulatory dysfunction	18%	Male factor	43%	
Used gestational carrier	4%			Diminished ovarian reserve	35%	Other factor	34%	
				Endometriosis	26%	Unknown factor	5%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 512 (includes 11 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		158	81	65	20	2	0
Percentage of cancellations		11.4	19.8	18.5	35.0	0 / 2	
Average number of embryos transferred		1.8	2.3	2.2	2.9	4.0	
Percentage of embryos transferred resulting in implantation		37.8	27.5	22.9	5.3	0 / 4	
Percentage of elective single embryo transfer (eSET)		32.5	3.6	5.3	0 / 12	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		29.1	23.5	23.1	10.0	0 / 2	
Percentage of cycles resulting in triplets or more live births		0.6	3.7	0.0	0.0	0 / 2	
Percentage of cycles resulting in live births		38.6	32.1	27.7	10.0	0 / 2	
Percentage of cycles resulting in pregnancy		43.0	35.8	30.8	15.0	0 / 2	
Outcomes per Transfer							
Number of transfers		128	61	48	13	1	0
Percentage of transfers resulting in singleton live births		35.9	31.1	31.3	2 / 13	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.8	4.9	0.0	0 / 13	0 / 1	
Percentage of transfers resulting in live births		47.7	42.6	37.5	2 / 13	0 / 1	
Percentage of transfers resulting in pregnancy		53.1	47.5	41.7	3 / 13	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		68	29	20	3	0	0
Percentage of pregnancies resulting in singleton live births		67.6	65.5	75.0	2 / 3		
Percentage of pregnancies resulting in triplets or more live births		1.5	10.3	0.0	0 / 3		
Percentage of pregnancies resulting in live births		89.7	89.7	90.0	2 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		61	29	17	5	1	0
Number of transfers		58	28	17	5	1	0
Estimated average number of transfers per retrieval		2.6	2.8	2.8		1.0	0.0
Average number of embryos transferred		2.0	1.9	2.1	1.8	1.0	
Percentage of embryos transferred resulting in implantation		40.4	26.4	22.9	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births		46.6	28.6	4 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in live births		58.6	35.7	6 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy		62.1	50.0	7 / 17	1 / 5	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		11			51		
Number of transfers		10			46		
Average number of embryos transferred		1.8			1.9		
Percentage of embryos transferred resulting in implantation		5 / 18			36.4		
Percentage of transfers resulting in singleton live births		3 / 10			30.4		
Percentage of transfers resulting in live births		4 / 10			43.5		
Percentage of transfers resulting in pregnancy		4 / 10			54.3		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Nashville Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	11%	Uterine factor	3%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	10%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	11%	
				Endometriosis	3%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 99 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	19	10	17	2	0
Percentage of cancellations	0.0	0 / 19	1 / 10	1 / 17	0 / 2	
Average number of embryos transferred	2.2	2.1	1.9	2.7	2.5	
Percentage of embryos transferred resulting in implantation	30.5	34.3	6 / 13	7.9	1 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	2 / 17	0 / 5	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	5 / 19	2 / 10	2 / 17	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 10	0 / 17	0 / 2	
Percentage of cycles resulting in live births	32.3	7 / 19	3 / 10	2 / 17	0 / 2	
Percentage of cycles resulting in pregnancy	41.9	8 / 19	4 / 10	3 / 17	1 / 2	
Outcomes per Transfer						
Number of transfers	27	17	7	14	2	0
Percentage of transfers resulting in singleton live births	22.2	5 / 17	2 / 7	2 / 14	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 7	0 / 14	0 / 2	
Percentage of transfers resulting in live births	37.0	7 / 17	3 / 7	2 / 14	0 / 2	
Percentage of transfers resulting in pregnancy	48.1	8 / 17	4 / 7	3 / 14	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	13	8	4	3	1	0
Percentage of pregnancies resulting in singleton live births	6 / 13	5 / 8	2 / 4	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 8	0 / 4	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	10 / 13	7 / 8	3 / 4	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	1	3	0	0
Number of transfers	4	5	0	3	0	0
Estimated average number of transfers per retrieval	1.3	1.3	0.0	0.6		
Average number of embryos transferred	2.0	1.6		2.7		
Percentage of embryos transferred resulting in implantation	4 / 8	5 / 8		1 / 8		
Percentage of transfers resulting in singleton live births	1 / 4	2 / 5		0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5		0 / 3		
Percentage of transfers resulting in live births	2 / 4	3 / 5		0 / 3		
Percentage of transfers resulting in pregnancy	3 / 4	3 / 5		1 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		4		2		
Number of transfers		2		2		
Average number of embryos transferred		2.5		2.0		
Percentage of embryos transferred resulting in implantation		0 / 5		2 / 4		
Percentage of transfers resulting in singleton live births		0 / 2		1 / 2		
Percentage of transfers resulting in live births		0 / 2		1 / 2		
Percentage of transfers resulting in pregnancy		0 / 2		2 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	19%	Uterine factor	8%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	33%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				31%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 168 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	24	18	14	2	1
Percentage of cancellations	6.7	4.2	0 / 18	0 / 14	0 / 2	0 / 1
Average number of embryos transferred	1.9	2.2	2.5	3.2	2.0	3.0
Percentage of embryos transferred resulting in implantation	39.6	28.6	9.3	8.6	0 / 2	0 / 3
Percentage of elective single embryo transfer (eSET)	22.6	0.0	0 / 17	0 / 10	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.7	16.7	3 / 18	0 / 14	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 14	0 / 2	0 / 1
Percentage of cycles resulting in live births	46.7	29.2	3 / 18	1 / 14	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	53.3	37.5	4 / 18	2 / 14	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	54	22	17	11	1	1
Percentage of transfers resulting in singleton live births	35.2	18.2	3 / 17	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.9	31.8	3 / 17	1 / 11	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	59.3	40.9	4 / 17	2 / 11	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	32	9	4	2	1	0
Percentage of pregnancies resulting in singleton live births	59.4	4 / 9	3 / 4	0 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	87.5	7 / 9	3 / 4	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	7	5	1	0
Number of transfers	18	8	7	5	1	0
Estimated average number of transfers per retrieval	1.1	1.6	1.0	0.8		
Average number of embryos transferred	2.2	2.9	2.9	2.8	2.0	
Percentage of embryos transferred resulting in implantation	55.0	34.8	30.0	2 / 14	1 / 2	
Percentage of transfers resulting in singleton live births	7 / 18	3 / 8	3 / 7	1 / 5	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	1 / 8	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in live births	11 / 18	4 / 8	4 / 7	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancy	13 / 18	6 / 8	5 / 7	2 / 5	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		3		
Number of transfers		4		3		
Average number of embryos transferred		1.3		2.0		
Percentage of embryos transferred resulting in implantation		5 / 5		3 / 6		
Percentage of transfers resulting in singleton live births		3 / 4		1 / 3		
Percentage of transfers resulting in live births		4 / 4		2 / 3		
Percentage of transfers resulting in pregnancy		4 / 4		2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility Institute, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	53%	Tubal factor	13%	Uterine factor	21%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	26%	
				Endometriosis	23%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				30%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 938 (includes 41 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	210	150	100	60	26	2
Percentage of cancellations	9.0	10.0	15.0	16.7	23.1	0 / 2
Average number of embryos transferred	1.8	2.2	2.9	3.4	3.2	3.0
Percentage of embryos transferred resulting in implantation	40.8	31.7	12.4	7.5	3.7	0 / 6
Percentage of elective single embryo transfer (eSET)	21.1	9.6	2.9	0.0	0 / 16	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.5	22.0	17.0	5.0	7.7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 2
Percentage of cycles resulting in live births	38.6	32.7	19.0	6.7	7.7	0 / 2
Percentage of cycles resulting in pregnancy	44.8	40.7	27.0	16.7	11.5	0 / 2
Outcomes per Transfer						
Number of transfers	177	124	73	47	17	2
Percentage of transfers resulting in singleton live births	24.3	26.6	23.3	6.4	2 / 17	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 2
Percentage of transfers resulting in live births	45.8	39.5	26.0	8.5	2 / 17	0 / 2
Percentage of transfers resulting in pregnancy	53.1	49.2	37.0	21.3	3 / 17	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	94	61	27	10	3	0
Percentage of pregnancies resulting in singleton live births	45.7	54.1	63.0	3 / 10	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of pregnancies resulting in live births	86.2	80.3	70.4	4 / 10	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	113	58	31	7	1	2
Number of transfers	102	49	23	7	1	2
Estimated average number of transfers per retrieval	1.8	1.2	1.3	2.3	1.0	
Average number of embryos transferred	1.5	1.7	1.6	1.4	2.0	1.5
Percentage of embryos transferred resulting in implantation	48.6	39.5	43.2	5 / 10	1 / 2	2 / 3
Percentage of transfers resulting in singleton live births	25.5	36.7	52.2	3 / 7	1 / 1	2 / 2
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in live births	44.1	49.0	56.5	4 / 7	1 / 1	2 / 2
Percentage of transfers resulting in pregnancy	58.8	61.2	78.3	6 / 7	1 / 1	2 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		75		62		
Number of transfers		70		55		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		50.0		41.2		
Percentage of transfers resulting in singleton live births		37.1		27.3		
Percentage of transfers resulting in live births		54.3		40.0		
Percentage of transfers resulting in pregnancy		71.4		58.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DR. JEFFREY YOUNGKIN
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeffrey T. Youngkin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	40%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	40%	
				Endometriosis	20%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 6 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	1	2	0	0	0
Percentage of cancellations	0 / 1	0 / 1	0 / 2			
Average number of embryos transferred	3.0	2.0	3.5			
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 2	2 / 7			
Percentage of elective single embryo transfer (eSET)	0 / 1	0 / 1	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 1	0 / 1	0 / 2			
Percentage of cycles resulting in live births	0 / 1	0 / 1	1 / 2			
Percentage of cycles resulting in pregnancy	0 / 1	0 / 1	1 / 2			
Outcomes per Transfer						
Number of transfers	1	1	2	0	0	0
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 2			
Percentage of transfers resulting in live births	0 / 1	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1	1 / 2			
Outcomes per Pregnancy						
Number of pregnancies	0	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births			0 / 1			
Percentage of pregnancies resulting in triplets or more live births			0 / 1			
Percentage of pregnancies resulting in live births			1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0	0.0			
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		0 / 2				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		1 / 1				
Donor Eggs						
			All Ages Combined^f			
			Fresh Embryos		Frozen Embryos	
Number of cycles			0		0	
Number of transfers			0		0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Kevin J. Doody, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	73%	Tubal factor	15%	Uterine factor	4%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	40%
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	8%
				Endometriosis	7%	Unknown factor	6%
				<i>Multiple Factors:</i> Female factors only 8% Female & male factors 22%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 490 (includes 21 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	116	52	42	16	6	4	
Percentage of cancellations	0.9	7.7	2.4	0 / 16	0 / 6	0 / 4	
Average number of embryos transferred	1.8	1.9	2.2	2.3	2.2	2.0	
Percentage of embryos transferred resulting in implantation	38.2	25.0	15.4	14.7	0 / 11	0 / 2	
Percentage of elective single embryo transfer (eSET)	14.4	2.6	0.0	0 / 10	0 / 4	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	25.9	11.5	16.7	5 / 16	0 / 6	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 6	0 / 4	
Percentage of cycles resulting in live births	42.2	23.1	19.0	5 / 16	0 / 6	0 / 4	
Percentage of cycles resulting in pregnancy	48.3	28.8	26.2	6 / 16	1 / 6	0 / 4	
Outcomes per Transfer							
Number of transfers	106	45	36	15	5	1	
Percentage of transfers resulting in singleton live births	28.3	13.3	19.4	5 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in live births	46.2	26.7	22.2	5 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	52.8	33.3	30.6	6 / 15	1 / 5	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies	56	15	11	6	1	0	
Percentage of pregnancies resulting in singleton live births	53.6	6 / 15	7 / 11	5 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	87.5	12 / 15	8 / 11	5 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	85	44	23	4	5	1	
Number of transfers	84	42	22	4	5	1	
Estimated average number of transfers per retrieval	3.1	2.8	4.4	4.0	1.0		
Average number of embryos transferred	1.8	1.8	2.0	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation	39.2	28.9	20.0	1 / 9	1 / 10	0 / 2	
Percentage of transfers resulting in singleton live births	39.3	21.4	13.6	1 / 4	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 5	0 / 1	
Percentage of transfers resulting in live births	51.2	33.3	22.7	1 / 4	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	58.3	47.6	40.9	1 / 4	1 / 5	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		17		54			
Number of transfers		17		54			
Average number of embryos transferred		1.9		1.9			
Percentage of embryos transferred resulting in implantation		63.6		36.6			
Percentage of transfers resulting in singleton live births		6 / 17		42.6			
Percentage of transfers resulting in live births		13 / 17		53.7			
Percentage of transfers resulting in pregnancy		15 / 17		55.6			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Center for Assisted Reproduction					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TRINITY InVITRO FERTILIZATION PROGRAM
CARROLLTON, TEXAS**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	14%	Uterine factor	11%	
Unstimulated	<1%	Used PGD	<1%	Ovulatory dysfunction	25%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	48%	Other factor	15%	
				Endometriosis	15%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				26%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 626 (includes 51 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	79	98	40	16	4
Percentage of cancellations	6.6	17.7	19.4	17.5	5 / 16	2 / 4
Average number of embryos transferred	1.8	1.8	2.2	2.7	2.7	3.0
Percentage of embryos transferred resulting in implantation	51.7	38.8	16.5	12.8	3.3	0 / 6
Percentage of elective single embryo transfer (eSET)	15.2	14.3	0.0	0.0	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.7	20.3	15.3	12.5	0 / 16	0 / 4
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 16	0 / 4
Percentage of cycles resulting in live births	50.3	32.9	20.4	17.5	0 / 16	0 / 4
Percentage of cycles resulting in pregnancy	57.5	39.2	23.5	25.0	1 / 16	0 / 4
Outcomes per Transfer						
Number of transfers	144	56	74	29	11	2
Percentage of transfers resulting in singleton live births	36.8	28.6	20.3	17.2	0 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0.0	0 / 11	0 / 2
Percentage of transfers resulting in live births	58.3	46.4	27.0	24.1	0 / 11	0 / 2
Percentage of transfers resulting in pregnancy	66.7	55.4	31.1	34.5	1 / 11	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	96	31	23	10	1	0
Percentage of pregnancies resulting in singleton live births	55.2	51.6	65.2	5 / 10	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.1	0.0	0.0	0 / 10	0 / 1	
Percentage of pregnancies resulting in live births	87.5	83.9	87.0	7 / 10	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	28	14	8	3	2
Number of transfers	40	28	14	7	3	1
Estimated average number of transfers per retrieval	1.3	1.3	0.7	0.7	0.6	0.3
Average number of embryos transferred	1.5	1.5	1.5	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation	29.5	31.7	28.6	5 / 11	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births	32.5	35.7	6 / 14	2 / 7	2 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	37.5	39.3	6 / 14	3 / 7	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	42.5	46.4	7 / 14	5 / 7	2 / 3	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		46		30		
Number of transfers		40		29		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation		69.4		36.2		
Percentage of transfers resulting in singleton live births		45.0		27.6		
Percentage of transfers resulting in live births		80.0		37.9		
Percentage of transfers resulting in pregnancy		87.5		55.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas-Fort Worth Fertility Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	17%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 16%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	12%	
				Endometriosis	12%	Unknown factor	9%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 106 (includes 24 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	12	7	3	4	0
Percentage of cancellations	13.0	2 / 12	1 / 7	1 / 3	2 / 4	
Average number of embryos transferred	1.8	2.1	2.6	5.0	2.0	
Percentage of embryos transferred resulting in implantation	30.0	28.6	1 / 13	0 / 5	0 / 4	
Percentage of elective single embryo transfer (eSET)	4 / 17	2 / 10	0 / 4	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	2 / 12	1 / 7	0 / 3	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 7	0 / 3	0 / 4	
Percentage of cycles resulting in live births	34.8	4 / 12	1 / 7	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancy	39.1	4 / 12	1 / 7	0 / 3	0 / 4	
Outcomes per Transfer						
Number of transfers	17	10	5	1	2	0
Percentage of transfers resulting in singleton live births	7 / 17	2 / 10	1 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 10	0 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in live births	8 / 17	4 / 10	1 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	9 / 17	4 / 10	1 / 5	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	9	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	2 / 4	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	8 / 9	4 / 4	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	10	9	4	1	0
Number of transfers	8	9	9	4	1	0
Estimated average number of transfers per retrieval	0.8	1.8	1.8	0.4	0.3	
Average number of embryos transferred	1.8	1.8	1.7	2.3	3.0	
Percentage of embryos transferred resulting in implantation	5 / 14	4 / 16	2 / 15	0 / 9	0 / 3	
Percentage of transfers resulting in singleton live births	5 / 8	2 / 9	2 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 9	0 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in live births	5 / 8	3 / 9	2 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	3 / 9	2 / 9	0 / 4	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Advanced Reproductive Medicine					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by J. Michael Putman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	27%	Uterine factor	16%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 32%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	49%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	8%	
				Endometriosis	28%	Unknown factor	2%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 166 (includes 33 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	41	15	6	0	3	1	
Percentage of cancellations	0.0	1 / 15	1 / 6		1 / 3	0 / 1	
Average number of embryos transferred	2.0	2.1	2.6		4.0	1.0	
Percentage of embryos transferred resulting in implantation	42.2	20.0	2 / 13		0 / 8	0 / 1	
Percentage of elective single embryo transfer (eSET)	4.9	0 / 12	0 / 5		0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	31.7	4 / 15	1 / 6		0 / 3	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 6		0 / 3	0 / 1	
Percentage of cycles resulting in live births	56.1	4 / 15	1 / 6		0 / 3	0 / 1	
Percentage of cycles resulting in pregnancy	58.5	7 / 15	3 / 6		0 / 3	0 / 1	
Outcomes per Transfer							
Number of transfers	41	12	5	0	2	1	
Percentage of transfers resulting in singleton live births	31.7	4 / 12	1 / 5		0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5		0 / 2	0 / 1	
Percentage of transfers resulting in live births	56.1	4 / 12	1 / 5		0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	58.5	7 / 12	3 / 5		0 / 2	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies	24	7	3	0	0	0	
Percentage of pregnancies resulting in singleton live births	54.2	4 / 7	1 / 3				
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 3				
Percentage of pregnancies resulting in live births	95.8	4 / 7	1 / 3				
Frozen Embryos from Nondonor Eggs							
Number of cycles	24	16	7	2	4	1	
Number of transfers	24	16	6	2	4	1	
Estimated average number of transfers per retrieval	4.0	1.5	0.4	0.7	0.4		
Average number of embryos transferred	2.0	2.1	2.3	3.0	3.0	5.0	
Percentage of embryos transferred resulting in implantation	48.9	29.4	3 / 14	2 / 6	0 / 12	0 / 5	
Percentage of transfers resulting in singleton live births	33.3	4 / 16	2 / 6	0 / 2	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 2	0 / 4	0 / 1	
Percentage of transfers resulting in live births	58.3	7 / 16	2 / 6	1 / 2	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	62.5	11 / 16	3 / 6	1 / 2	0 / 4	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		10			3		
Number of transfers		10			3		
Average number of embryos transferred		1.9			2.0		
Percentage of embryos transferred resulting in implantation		15 / 19			2 / 6		
Percentage of transfers resulting in singleton live births		3 / 10			0 / 3		
Percentage of transfers resulting in live births		8 / 10			1 / 3		
Percentage of transfers resulting in pregnancy		8 / 10			1 / 3		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fertility Center of Dallas					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF INSTITUTE, PA DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Noel Peng, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	27%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	62%	Other factor	0%	
				Endometriosis	5%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 45 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	4	7	7	3	2
Percentage of cancellations	0/6	0/4	0/7	2/7	0/3	1/2
Average number of embryos transferred	2.0	2.0	3.6	2.5	1.5	2.0
Percentage of embryos transferred resulting in implantation	2/12	4/8	32.0	0/10	0/3	0/2
Percentage of elective single embryo transfer (eSET)	0/6	0/3	0/7	0/4	0/1	0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2/6	2/4	2/7	0/7	0/3	0/2
Percentage of cycles resulting in triplets or more live births	0/6	0/4	0/7	0/7	0/3	0/2
Percentage of cycles resulting in live births	2/6	3/4	5/7	0/7	0/3	0/2
Percentage of cycles resulting in pregnancy	3/6	3/4	6/7	0/7	0/3	0/2
Outcomes per Transfer						
Number of transfers	6	4	7	4	2	1
Percentage of transfers resulting in singleton live births	2/6	2/4	2/7	0/4	0/2	0/1
Percentage of transfers resulting in triplets or more live births	0/6	0/4	0/7	0/4	0/2	0/1
Percentage of transfers resulting in live births	2/6	3/4	5/7	0/4	0/2	0/1
Percentage of transfers resulting in pregnancy	3/6	3/4	6/7	0/4	0/2	0/1
Outcomes per Pregnancy						
Number of pregnancies	3	3	6	0	0	0
Percentage of pregnancies resulting in singleton live births	2/3	2/3	2/6			
Percentage of pregnancies resulting in triplets or more live births	0/3	0/3	0/6			
Percentage of pregnancies resulting in live births	2/3	3/3	5/6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	3	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval		0.0	0.2	0.0		
Average number of embryos transferred	3.0		1.0			
Percentage of embryos transferred resulting in implantation	0/3		0/1			
Percentage of transfers resulting in singleton live births	0/1		0/1			
Percentage of transfers resulting in triplets or more live births	0/1		0/1			
Percentage of transfers resulting in live births	0/1		0/1			
Percentage of transfers resulting in pregnancy	1/1		0/1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		3		1		
Number of transfers		2		1		
Average number of embryos transferred		2.0		1.0		
Percentage of embryos transferred resulting in implantation		1/4		1/1		
Percentage of transfers resulting in singleton live births		1/2		1/1		
Percentage of transfers resulting in live births		1/2		1/1		
Percentage of transfers resulting in pregnancy		1/2		1/1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Institute, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCED FERTILITY CENTER DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anil Pinto, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	18%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	7%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	4%	
				Endometriosis	10%	Unknown factor	29%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 80 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	17	4	1	1	0
Percentage of cancellations	5.6	1 / 17	0 / 4	1 / 1	0 / 1	
Average number of embryos transferred	2.0	2.4	2.8		2.0	
Percentage of embryos transferred resulting in implantation	47.1	31.6	3 / 11		0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 16	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.7	7 / 17	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births	63.9	9 / 17	2 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	66.7	9 / 17	2 / 4	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	34	16	4	0	1	0
Percentage of transfers resulting in singleton live births	44.1	7 / 16	1 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 4		0 / 1	
Percentage of transfers resulting in live births	67.6	9 / 16	2 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	70.6	9 / 16	2 / 4		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	24	9	2	0	0	0
Percentage of pregnancies resulting in singleton live births	62.5	7 / 9	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 2			
Percentage of pregnancies resulting in live births	95.8	9 / 9	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	2	0	1	0	0
Number of transfers	7	2	0	1	0	0
Estimated average number of transfers per retrieval	1.2	0.5			0.0	
Average number of embryos transferred	1.9	2.0		1.0		
Percentage of embryos transferred resulting in implantation	5 / 13	1 / 4		0 / 1		
Percentage of transfers resulting in singleton live births	3 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2		0 / 1		
Percentage of transfers resulting in live births	4 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancy	4 / 7	1 / 2		0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		1		1		
Number of transfers		1		1		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		0 / 2		0 / 2		
Percentage of transfers resulting in singleton live births		0 / 1		0 / 1		
Percentage of transfers resulting in live births		0 / 1		0 / 1		
Percentage of transfers resulting in pregnancy		0 / 1		0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ReproMed Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Walid Saleh, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	11%	Uterine factor	8%	
Unstimulated	<1%	Used PGD	35%	Ovulatory dysfunction	6%	Male factor	22%	
Used gestational carrier	1%			Diminished ovarian reserve	55%	Other factor	23%	
				Endometriosis	6%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				15%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 286 (includes 10 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		72	35	26	26	7	3
Percentage of cancellations		4.2	5.7	3.8	3.8	1 / 7	1 / 3
Average number of embryos transferred		2.1	2.2	1.6	1.3	2.4	
Percentage of embryos transferred resulting in implantation		43.9	40.4	29.6	2 / 5	0 / 12	
Percentage of elective single embryo transfer (eSET)		0.0	4.3	4 / 12	1 / 2	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		34.7	17.1	23.1	0.0	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births		43.1	31.4	23.1	0.0	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy		52.8	37.1	30.8	3.8	1 / 7	0 / 3
Outcomes per Transfer							
Number of transfers		54	24	17	4	5	0
Percentage of transfers resulting in singleton live births		46.3	25.0	6 / 17	0 / 4	0 / 5	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 17	0 / 4	0 / 5	
Percentage of transfers resulting in live births		57.4	45.8	6 / 17	0 / 4	0 / 5	
Percentage of transfers resulting in pregnancy		70.4	54.2	8 / 17	1 / 4	1 / 5	
Outcomes per Pregnancy							
Number of pregnancies		38	13	8	1	1	0
Percentage of pregnancies resulting in singleton live births		65.8	6 / 13	6 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 13	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births		81.6	11 / 13	6 / 8	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		34	9	5	1	0	0
Number of transfers		34	9	4	1	0	0
Estimated average number of transfers per retrieval		2.3	1.8	1.3		0.0	
Average number of embryos transferred		2.1	1.9	2.0	5.0		
Percentage of embryos transferred resulting in implantation		31.0	4 / 17	1 / 8	0 / 5		
Percentage of transfers resulting in singleton live births		26.5	2 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births		38.2	3 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy		50.0	3 / 9	1 / 4	0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		40			18		
Number of transfers		35			18		
Average number of embryos transferred		1.9			2.1		
Percentage of embryos transferred resulting in implantation		53.0			40.5		
Percentage of transfers resulting in singleton live births		22.9			6 / 18		
Percentage of transfers resulting in live births		48.6			10 / 18		
Percentage of transfers resulting in pregnancy		71.4			12 / 18		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Sher Institute for Reproductive Medicine-Dallas					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	6%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 19%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	23%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	19%	
				Endometriosis	17%	Unknown factor	5%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 69 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	5	8	6	1	0
Percentage of cancellations	0.0	0 / 5	0 / 8	1 / 6	0 / 1	
Average number of embryos transferred	2.0	1.8	2.0	1.8	1.0	
Percentage of embryos transferred resulting in implantation	41.7	2 / 9	7 / 16	3 / 7	0 / 1	
Percentage of elective single embryo transfer (eSET)	1 / 18	1 / 5	0 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.9	2 / 5	2 / 8	2 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 5	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in live births	52.4	2 / 5	4 / 8	2 / 6	0 / 1	
Percentage of cycles resulting in pregnancy	61.9	2 / 5	5 / 8	3 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	18	5	8	4	1	0
Percentage of transfers resulting in singleton live births	9 / 18	2 / 5	2 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 5	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in live births	11 / 18	2 / 5	4 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	13 / 18	2 / 5	5 / 8	3 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	2	5	3	0	0
Percentage of pregnancies resulting in singleton live births	9 / 13	2 / 2	2 / 5	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 2	0 / 5	0 / 3		
Percentage of pregnancies resulting in live births	11 / 13	2 / 2	4 / 5	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	1	3	3	0	1
Number of transfers	10	1	3	3	0	1
Estimated average number of transfers per retrieval	1.3	0.3				
Average number of embryos transferred	1.7	1.0	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation	5 / 17	0 / 1	0 / 6	2 / 6		0 / 1
Percentage of transfers resulting in singleton live births	3 / 10	0 / 1	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 1	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in live births	4 / 10	0 / 1	0 / 3	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	5 / 10	0 / 1	0 / 3	2 / 3		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		4		
Number of transfers		2		4		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		5 / 4		2 / 8		
Percentage of transfers resulting in singleton live births		0 / 2		1 / 4		
Percentage of transfers resulting in live births		2 / 2		1 / 4		
Percentage of transfers resulting in pregnancy		2 / 2		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Center for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE WOMEN'S PLACE DeSOTO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lisa A. King, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	35%	Tubal factor	48%	Uterine factor	12%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	0%	
				Endometriosis	4%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				36%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 25 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	6	4	0	0	0
Percentage of cancellations	2 / 13	0 / 6	0 / 4			
Average number of embryos transferred	1.9	2.3	2.0			
Percentage of embryos transferred resulting in implantation	12 / 19	1 / 9	0 / 4			
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 3	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 13	1 / 6	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 6	0 / 4			
Percentage of cycles resulting in live births	7 / 13	1 / 6	0 / 4			
Percentage of cycles resulting in pregnancy	7 / 13	1 / 6	0 / 4			
Outcomes per Transfer						
Number of transfers	10	4	2	0	0	0
Percentage of transfers resulting in singleton live births	3 / 10	1 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 4	0 / 2			
Percentage of transfers resulting in live births	7 / 10	1 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	7 / 10	1 / 4	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	7	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 1				
Percentage of pregnancies resulting in live births	7 / 7	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		0			
Number of transfers	1		0			
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	1 / 3					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Women's Place

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER DICKINSON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John Y. Phelps, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	36%	Uterine factor	19%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	33%	
Used gestational carrier	3%			Diminished ovarian reserve	19%	Other factor	0%	
				Endometriosis	25%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 36 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	5	5	0	1	0
Percentage of cancellations	2 / 19	0 / 5	1 / 5		0 / 1	
Average number of embryos transferred	2.4	3.2	2.8		3.0	
Percentage of embryos transferred resulting in implantation	35 / 0	0 / 16	4 / 11		0 / 3	
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 5	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 19	0 / 5	0 / 5		0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 5	0 / 5		0 / 1	
Percentage of cycles resulting in live births	10 / 19	0 / 5	2 / 5		0 / 1	
Percentage of cycles resulting in pregnancy	11 / 19	0 / 5	2 / 5		0 / 1	
Outcomes per Transfer						
Number of transfers	17	5	4	0	1	0
Percentage of transfers resulting in singleton live births	6 / 17	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in live births	10 / 17	0 / 5	2 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	11 / 17	0 / 5	2 / 4		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	11	0	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 11		0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 11		0 / 2			
Percentage of pregnancies resulting in live births	10 / 11		2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	2	0	0	0
Number of transfers	3	0	2	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	3.0		2.5			
Percentage of embryos transferred resulting in implantation	1 / 9		1 / 5			
Percentage of transfers resulting in singleton live births	0 / 3		1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 3		0 / 2			
Percentage of transfers resulting in live births	0 / 3		1 / 2			
Percentage of transfers resulting in pregnancy	1 / 3		1 / 2			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 2		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Luis S. Noble, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	22%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	30%	
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	18%	
				Endometriosis	21%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				16%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 109 (includes 21 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		9	6	14	5	1	0
Percentage of cancellations		0 / 9	0 / 6	3 / 14	1 / 5	0 / 1	
Average number of embryos transferred		2.1	2.0	2.3	3.3	2.0	
Percentage of embryos transferred resulting in implantation		4 / 19	4 / 12	21.7	1 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)		0 / 8	0 / 6	0 / 9	0 / 3	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		1 / 9	2 / 6	3 / 14	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births		0 / 9	0 / 6	0 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in live births		2 / 9	3 / 6	4 / 14	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy		4 / 9	3 / 6	5 / 14	1 / 5	0 / 1	
Outcomes per Transfer							
Number of transfers		9	6	10	3	1	0
Percentage of transfers resulting in singleton live births		1 / 9	2 / 6	3 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 9	0 / 6	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births		2 / 9	3 / 6	4 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy		4 / 9	3 / 6	5 / 10	1 / 3	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		4	3	5	1	0	0
Percentage of pregnancies resulting in singleton live births		1 / 4	2 / 3	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 4	0 / 3	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births		2 / 4	3 / 3	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		25	12	6	1	0	0
Number of transfers		25	12	6	1	0	0
Estimated average number of transfers per retrieval		1.7	1.5	6.0	0.5		
Average number of embryos transferred		2.1	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation		36.5	41.7	2 / 12	0 / 2		
Percentage of transfers resulting in singleton live births		28.0	4 / 12	2 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 12	0 / 6	0 / 1		
Percentage of transfers resulting in live births		48.0	5 / 12	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancy		64.0	7 / 12	2 / 6	0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			3		
Number of transfers		6			2		
Average number of embryos transferred		1.7			2.5		
Percentage of embryos transferred resulting in implantation		8 / 10			1 / 5		
Percentage of transfers resulting in singleton live births		2 / 6			1 / 2		
Percentage of transfers resulting in live births		3 / 6			1 / 2		
Percentage of transfers resulting in pregnancy		5 / 6			1 / 2		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Southwest Center for Reproductive Health, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Matthew G. Retzlloff, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	35%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 24%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	24%	Unknown factor	8%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 121 (includes 2 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		69	30	20	0	0	0
Percentage of cancellations		0.0	3.3	0.0			
Average number of embryos transferred		2.0	2.1	2.3			
Percentage of embryos transferred resulting in implantation		38.4	23.0	21.7			
Percentage of elective single embryo transfer (eSET)		0.0	3.8	0 / 17			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		34.8	36.7	10.0			
Percentage of cycles resulting in triplets or more live births		1.4	0.0	0.0			
Percentage of cycles resulting in live births		52.2	40.0	25.0			
Percentage of cycles resulting in pregnancy		53.6	46.7	35.0			
Outcomes per Transfer							
Number of transfers		69	29	20	0	0	0
Percentage of transfers resulting in singleton live births		34.8	37.9	10.0			
Percentage of transfers resulting in triplets or more live births		1.4	0.0	0.0			
Percentage of transfers resulting in live births		52.2	41.4	25.0			
Percentage of transfers resulting in pregnancy		53.6	48.3	35.0			
Outcomes per Pregnancy							
Number of pregnancies		37	14	7	0	0	0
Percentage of pregnancies resulting in singleton live births		64.9	11 / 14	2 / 7			
Percentage of pregnancies resulting in triplets or more live births		2.7	0 / 14	0 / 7			
Percentage of pregnancies resulting in live births		97.3	12 / 14	5 / 7			
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	0	0	0	0	0
Number of transfers		0	0	0	0	0	0
Estimated average number of transfers per retrieval		0.0					
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in triplets or more live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Brooke Army Medical Center					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Robert Kaufmann, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	11%	Uterine factor	1%	
Unstimulated	<1%	Used PGD	10%	Ovulatory dysfunction	9%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	36%	Other factor	9%	
				Endometriosis	5%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				5%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 456 (includes 12 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		162	54	32	18	6	6
Percentage of cancellations		2.5	5.6	3.1	0 / 18	1 / 6	0 / 6
Average number of embryos transferred		1.9	2.0	2.2	1.9	2.3	1.3
Percentage of embryos transferred resulting in implantation		35.8	15.2	9.1	7.7	0 / 9	0 / 5
Percentage of elective single embryo transfer (eSET)		10.1	7.7	0.0	0 / 9	0 / 4	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		26.5	11.1	12.5	2 / 18	0 / 6	0 / 6
Percentage of cycles resulting in triplets or more live births		0.6	0.0	0.0	0 / 18	0 / 6	0 / 6
Percentage of cycles resulting in live births		40.7	16.7	12.5	2 / 18	0 / 6	0 / 6
Percentage of cycles resulting in pregnancy		43.2	20.4	18.8	2 / 18	0 / 6	0 / 6
Outcomes per Transfer							
Number of transfers		144	46	25	14	4	4
Percentage of transfers resulting in singleton live births		29.9	13.0	16.0	2 / 14	0 / 4	0 / 4
Percentage of transfers resulting in triplets or more live births		0.7	0.0	0.0	0 / 14	0 / 4	0 / 4
Percentage of transfers resulting in live births		45.8	19.6	16.0	2 / 14	0 / 4	0 / 4
Percentage of transfers resulting in pregnancy		48.6	23.9	24.0	2 / 14	0 / 4	0 / 4
Outcomes per Pregnancy							
Number of pregnancies		70	11	6	2	0	0
Percentage of pregnancies resulting in singleton live births		61.4	6 / 11	4 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births		1.4	0 / 11	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births		94.3	9 / 11	4 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		57	16	18	4	4	0
Number of transfers		57	16	18	4	4	0
Estimated average number of transfers per retrieval		1.5	2.3	2.6		4.0	0.0
Average number of embryos transferred		1.8	1.6	1.8	2.0	2.3	
Percentage of embryos transferred resulting in implantation		28.2	40.0	12.5	2 / 8	3 / 9	
Percentage of transfers resulting in singleton live births		35.1	7 / 16	2 / 18	0 / 4	2 / 4	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0 / 18	0 / 4	0 / 4	
Percentage of transfers resulting in live births		40.4	7 / 16	2 / 18	1 / 4	2 / 4	
Percentage of transfers resulting in pregnancy		43.9	9 / 16	3 / 18	1 / 4	3 / 4	
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		43			24		
Number of transfers		40			24		
Average number of embryos transferred		1.9			1.9		
Percentage of embryos transferred resulting in implantation		50.6			26.7		
Percentage of transfers resulting in singleton live births		37.5			33.3		
Percentage of transfers resulting in live births		60.0			37.5		
Percentage of transfers resulting in pregnancy		67.5			45.8		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fort Worth Fertility, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

DALLAS IVF FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	15%	Uterine factor	1%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	11%	Male factor	47%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	7%	
				Endometriosis	4%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 457 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	94	49	20	5	1
Percentage of cancellations	7.0	4.3	10.2	5.0	0 / 5	0 / 1
Average number of embryos transferred	2.0	2.1	2.5	2.9	3.6	5.0
Percentage of embryos transferred resulting in implantation	41.7	34.4	24.7	6.8	3 / 18	1 / 5
Percentage of elective single embryo transfer (eSET)	8.5	7.4	0.0	0 / 14	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.2	26.6	22.4	0.0	1 / 5	1 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1.1	0.0	0.0	0 / 5	0 / 1
Percentage of cycles resulting in live births	47.1	43.6	28.6	0.0	1 / 5	1 / 1
Percentage of cycles resulting in pregnancy	51.2	46.8	38.8	15.0	1 / 5	1 / 1
Outcomes per Transfer						
Number of transfers	152	88	36	15	5	1
Percentage of transfers resulting in singleton live births	29.6	28.4	30.6	0 / 15	1 / 5	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1.1	0.0	0 / 15	0 / 5	0 / 1
Percentage of transfers resulting in live births	53.3	46.6	38.9	0 / 15	1 / 5	1 / 1
Percentage of transfers resulting in pregnancy	57.9	50.0	52.8	3 / 15	1 / 5	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	88	44	19	3	1	1
Percentage of pregnancies resulting in singleton live births	51.1	56.8	11 / 19	0 / 3	1 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	2.3	0 / 19	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	92.0	93.2	14 / 19	0 / 3	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	23	10	3	0	0
Number of transfers	41	18	10	3	0	0
Estimated average number of transfers per retrieval	2.1	1.8	5.0	3.0		
Average number of embryos transferred	1.7	1.6	1.7	1.3		
Percentage of embryos transferred resulting in implantation	56.5	42.9	6 / 17	2 / 4		
Percentage of transfers resulting in singleton live births	46.3	4 / 18	5 / 10	2 / 3		
Percentage of transfers resulting in triplets or more live births	2.4	0 / 18	0 / 10	0 / 3		
Percentage of transfers resulting in live births	61.0	7 / 18	5 / 10	2 / 3		
Percentage of transfers resulting in pregnancy	70.7	9 / 18	6 / 10	2 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		22		9		
Number of transfers		20		9		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		73.7		7 / 16		
Percentage of transfers resulting in singleton live births		40.0		3 / 9		
Percentage of transfers resulting in live births		85.0		5 / 9		
Percentage of transfers resulting in pregnancy		85.0		5 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	41%	Tubal factor	27%	Uterine factor	2%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	13%	Male factor	41%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	6%	
				Endometriosis	5%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 222 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	27	28	14	3	1
Percentage of cancellations	5.9	11.1	21.4	3 / 14	0 / 3	0 / 1
Average number of embryos transferred	1.9	2.0	2.2	2.7	2.0	1.0
Percentage of embryos transferred resulting in implantation	51.4	51.3	19.1	10.0	1 / 2	0 / 1
Percentage of elective single embryo transfer (eSET)	7.6	1 / 19	0 / 18	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	43.1	29.6	28.6	1 / 14	1 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 14	0 / 3	0 / 1
Percentage of cycles resulting in live births	61.8	48.1	28.6	1 / 14	1 / 3	0 / 1
Percentage of cycles resulting in pregnancy	68.6	51.9	32.1	3 / 14	1 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	94	20	21	11	1	1
Percentage of transfers resulting in singleton live births	46.8	40.0	38.1	1 / 11	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births	67.0	65.0	38.1	1 / 11	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	74.5	70.0	42.9	3 / 11	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	70	14	9	3	1	0
Percentage of pregnancies resulting in singleton live births	62.9	8 / 14	8 / 9	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.4	0 / 14	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	90.0	13 / 14	8 / 9	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	4	0	0	0
Number of transfers	7	4	4	0	0	0
Estimated average number of transfers per retrieval	0.8	1.0	0.7	0.0		
Average number of embryos transferred	1.9	1.3	2.0			
Percentage of embryos transferred resulting in implantation	7 / 13	4 / 5	1 / 8			
Percentage of transfers resulting in singleton live births	2 / 7	2 / 4	1 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 4			
Percentage of transfers resulting in live births	4 / 7	3 / 4	1 / 4			
Percentage of transfers resulting in pregnancy	5 / 7	3 / 4	1 / 4			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		2		
Number of transfers		11		2		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		81.0		2 / 3		
Percentage of transfers resulting in singleton live births		3 / 11		0 / 2		
Percentage of transfers resulting in live births		10 / 11		1 / 2		
Percentage of transfers resulting in pregnancy		10 / 11		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Rinku V. Mehta, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	67%	Tubal factor	14%	Uterine factor	<1%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	8%
				Endometriosis	8%	Unknown factor	16%
				<i>Multiple Factors:</i> Female factors only 4% Female & male factors 8%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 138 (includes 6 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	54	15	22	9	0	0	
Percentage of cancellations	1.9	0 / 15	9.1	0 / 9			
Average number of embryos transferred	1.6	2.2	2.3	2.6			
Percentage of embryos transferred resulting in implantation	28.7	24.2	19.5	1 / 18			
Percentage of elective single embryo transfer (eSET)	34.7	1 / 15	0 / 16	0 / 6			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	37.0	7 / 15	9.1	1 / 9			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 9			
Percentage of cycles resulting in live births	40.7	7 / 15	13.6	1 / 9			
Percentage of cycles resulting in pregnancy	44.4	9 / 15	27.3	1 / 9			
Outcomes per Transfer							
Number of transfers	53	15	18	7	0	0	
Percentage of transfers resulting in singleton live births	37.7	7 / 15	2 / 18	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 18	0 / 7			
Percentage of transfers resulting in live births	41.5	7 / 15	3 / 18	1 / 7			
Percentage of transfers resulting in pregnancy	45.3	9 / 15	6 / 18	1 / 7			
Outcomes per Pregnancy							
Number of pregnancies	24	9	6	1	0	0	
Percentage of pregnancies resulting in singleton live births	83.3	7 / 9	2 / 6	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 6	0 / 1			
Percentage of pregnancies resulting in live births	91.7	7 / 9	3 / 6	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles	18	6	2	0	4	0	
Number of transfers	17	6	2	0	4	0	
Estimated average number of transfers per retrieval	1.1	3.0	2.0				
Average number of embryos transferred	1.8	2.0	1.5		2.3		
Percentage of embryos transferred resulting in implantation	35.5	1 / 12	2 / 3		2 / 9		
Percentage of transfers resulting in singleton live births	4 / 17	1 / 6	0 / 2		1 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 6	0 / 2		0 / 4		
Percentage of transfers resulting in live births	6 / 17	1 / 6	1 / 2		1 / 4		
Percentage of transfers resulting in pregnancy	8 / 17	1 / 6	1 / 2		2 / 4		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		2		0			
Number of transfers		2		0			
Average number of embryos transferred		1.0					
Percentage of embryos transferred resulting in implantation		0 / 2					
Percentage of transfers resulting in singleton live births		0 / 2					
Percentage of transfers resulting in live births		0 / 2					
Percentage of transfers resulting in pregnancy		0 / 2					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Frisco Institute for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Michael A. Allon, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	25%	Uterine factor	7%	
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	32%	Male factor	25%	
Used gestational carrier	3%			Diminished ovarian reserve	32%	Other factor	35%	
				Endometriosis	13%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				40%
				Female & male factors				20%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 281 (includes 73 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		49	13	19	4	1	1
Percentage of cancellations		0.0	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Average number of embryos transferred		2.3	2.5	2.6	2.8	3.0	4.0
Percentage of embryos transferred resulting in implantation		29.1	21.2	20.0	1 / 11	0 / 3	0 / 4
Percentage of elective single embryo transfer (eSET)		0.0	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.4	4 / 13	4 / 19	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births		2.0	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births		38.8	4 / 13	5 / 19	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy		51.0	6 / 13	7 / 19	1 / 4	0 / 1	0 / 1
Outcomes per Transfer							
Number of transfers		48	13	19	4	1	1
Percentage of transfers resulting in singleton live births		22.9	4 / 13	4 / 19	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		2.1	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births		39.6	4 / 13	5 / 19	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		52.1	6 / 13	7 / 19	1 / 4	0 / 1	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		25	6	7	1	0	0
Percentage of pregnancies resulting in singleton live births		44.0	4 / 6	4 / 7	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		4.0	0 / 6	0 / 7	0 / 1		
Percentage of pregnancies resulting in live births		76.0	4 / 6	5 / 7	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		56	20	13	4	2	1
Number of transfers		55	20	13	4	2	1
Estimated average number of transfers per retrieval		1.2	1.4	0.6	0.7	1.0	0.3
Average number of embryos transferred		2.1	2.4	2.5	3.0	3.0	4.0
Percentage of embryos transferred resulting in implantation		32.2	40.4	21.2	1 / 12	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births		27.3	35.0	1 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births		41.8	55.0	4 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy		54.5	65.0	5 / 13	1 / 4	2 / 2	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		16			9		
Number of transfers		15			9		
Average number of embryos transferred		2.3			2.1		
Percentage of embryos transferred resulting in implantation		55.9			7 / 19		
Percentage of transfers resulting in singleton live births		6 / 15			2 / 9		
Percentage of transfers resulting in live births		11 / 15			4 / 9		
Percentage of transfers resulting in pregnancy		13 / 15			5 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Texas					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYLOR FAMILY FERTILITY PROGRAM HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	6%	Uterine factor	4%	
Unstimulated	3%	Used PGD	5%	Ovulatory dysfunction	21%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	6%	
				Endometriosis	9%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 136 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	18	13	8	4	0
Percentage of cancellations	8.1	2 / 18	2 / 13	3 / 8	2 / 4	
Average number of embryos transferred	1.9	2.2	3.1	2.4	3.5	
Percentage of embryos transferred resulting in implantation	42.9	12.1	11.8	1 / 12	0 / 7	
Percentage of elective single embryo transfer (eSET)	12.0	1 / 15	0 / 11	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.5	4 / 18	3 / 13	1 / 8	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 8	0 / 4	
Percentage of cycles resulting in live births	29.7	4 / 18	3 / 13	1 / 8	0 / 4	
Percentage of cycles resulting in pregnancy	40.5	4 / 18	4 / 13	1 / 8	0 / 4	
Outcomes per Transfer						
Number of transfers	26	15	11	5	2	0
Percentage of transfers resulting in singleton live births	19.2	4 / 15	3 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births	42.3	4 / 15	3 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	57.7	4 / 15	4 / 11	1 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	15	4	4	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 15	4 / 4	3 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 4	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	11 / 15	4 / 4	3 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	11	6	2	0	1
Number of transfers	15	8	5	1	0	0
Estimated average number of transfers per retrieval	2.1	1.1	1.7	1.0		
Average number of embryos transferred	2.1	2.3	2.6	2.0		
Percentage of embryos transferred resulting in implantation	32.3	7 / 18	4 / 13	0 / 2		
Percentage of transfers resulting in singleton live births	4 / 15	1 / 8	2 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 8	0 / 5	0 / 1		
Percentage of transfers resulting in live births	6 / 15	2 / 8	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	8 / 15	4 / 8	3 / 5	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		6		5		
Number of transfers		3		3		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		5 / 6		2 / 6		
Percentage of transfers resulting in singleton live births		0 / 3		0 / 3		
Percentage of transfers resulting in live births		2 / 3		1 / 3		
Percentage of transfers resulting in pregnancy		3 / 3		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baylor Family Fertility Program					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by C. James Chuong, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	35%	Uterine factor	23%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	9%	Male factor	53%	
Used gestational carrier	4%			Diminished ovarian reserve	29%	Other factor	13%	
				Endometriosis	11%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				44%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 156 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	16	11	4	4	6
Percentage of cancellations	9.8	0 / 16	1 / 11	1 / 4	1 / 4	4 / 6
Average number of embryos transferred	2.5	3.0	3.3	3.5	3.0	3.0
Percentage of embryos transferred resulting in implantation	24.3	12.8	3.8	0 / 7	0 / 9	0 / 6
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 8	0 / 2	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.2	5 / 16	1 / 11	0 / 4	0 / 4	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 4	0 / 4	0 / 6
Percentage of cycles resulting in live births	26.8	5 / 16	1 / 11	0 / 4	0 / 4	0 / 6
Percentage of cycles resulting in pregnancy	26.8	5 / 16	1 / 11	0 / 4	0 / 4	0 / 6
Outcomes per Transfer						
Number of transfers	30	13	8	2	3	2
Percentage of transfers resulting in singleton live births	16.7	5 / 13	1 / 8	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births	36.7	5 / 13	1 / 8	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	36.7	5 / 13	1 / 8	0 / 2	0 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	11	5	1	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 11	5 / 5	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 5	0 / 1			
Percentage of pregnancies resulting in live births	11 / 11	5 / 5	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	8	5	1	0	1
Number of transfers	14	6	4	1	0	1
Estimated average number of transfers per retrieval	1.1	1.2	2.0	0.5	0.0	0.3
Average number of embryos transferred	2.6	3.7	3.0	3.0		4.0
Percentage of embryos transferred resulting in implantation	13.9	40.9	0 / 12	0 / 3		0 / 4
Percentage of transfers resulting in singleton live births	2 / 14	1 / 6	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	1 / 6	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	2 / 14	4 / 6	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	7 / 14	4 / 6	0 / 4	0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		27		10		
Number of transfers		22		8		
Average number of embryos transferred		2.6		3.4		
Percentage of embryos transferred resulting in implantation		35.1		40.7		
Percentage of transfers resulting in singleton live births		13.6		1 / 8		
Percentage of transfers resulting in live births		50.0		5 / 8		
Percentage of transfers resulting in pregnancy		54.5		6 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF HOUSTON HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by George M. Grunert, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	16%	Uterine factor	5%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	15%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	12%	
				Endometriosis	16%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				22%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 775 (includes 65 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	193	94	91	32	12	7	
Percentage of cancellations	10.4	12.8	16.5	21.9	6 / 12	3 / 7	
Average number of embryos transferred	1.9	2.1	2.1	2.4	3.5	2.5	
Percentage of embryos transferred resulting in implantation	24.5	20.8	20.2	12.5	1 / 14	0 / 10	
Percentage of elective single embryo transfer (eSET)	11.2	1.4	2.0	0 / 14	0 / 4	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	19.7	14.9	16.5	6.3	1 / 12	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 7	
Percentage of cycles resulting in live births	28.0	22.3	20.9	9.4	1 / 12	0 / 7	
Percentage of cycles resulting in pregnancy	33.2	28.7	26.4	12.5	2 / 12	0 / 7	
Outcomes per Transfer							
Number of transfers	162	75	61	17	4	4	
Percentage of transfers resulting in singleton live births	23.5	18.7	24.6	2 / 17	1 / 4	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in live births	33.3	28.0	31.1	3 / 17	1 / 4	0 / 4	
Percentage of transfers resulting in pregnancy	39.5	36.0	39.3	4 / 17	2 / 4	0 / 4	
Outcomes per Pregnancy							
Number of pregnancies	64	27	24	4	2	0	
Percentage of pregnancies resulting in singleton live births	59.4	51.9	62.5	2 / 4	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	84.4	77.8	79.2	3 / 4	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	90	46	28	10	7	1	
Number of transfers	90	43	28	9	6	1	
Estimated average number of transfers per retrieval	1.6	1.4	1.0	0.7		1.0	
Average number of embryos transferred	1.9	2.0	2.0	1.4	1.8	2.0	
Percentage of embryos transferred resulting in implantation	38.2	29.8	30.9	3 / 13	4 / 11	1 / 2	
Percentage of transfers resulting in singleton live births	32.2	39.5	42.9	3 / 9	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 6	0 / 1	
Percentage of transfers resulting in live births	47.8	46.5	50.0	3 / 9	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	61.1	55.8	53.6	3 / 9	3 / 6	1 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		62		37			
Number of transfers		57		37			
Average number of embryos transferred		1.9		1.9			
Percentage of embryos transferred resulting in implantation		47.2		38.6			
Percentage of transfers resulting in singleton live births		26.3		35.1			
Percentage of transfers resulting in live births		54.4		48.6			
Percentage of transfers resulting in pregnancy		66.7		62.2			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fertility Specialists of Houston					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE HEARD CLINIC HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael J. Heard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	15%	Uterine factor	5%
Unstimulated	0%	Used PGD	31%	Ovulatory dysfunction	35%	Male factor	85%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	10%
				Endometriosis	10%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				85%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 22 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	4	2	3	0	0
Percentage of cancellations	0/7	0/4	0/2	0/3		
Average number of embryos transferred	1.9	2.5	2.5	2.0		
Percentage of embryos transferred resulting in implantation	2/13	0/5	4/5	1/6		
Percentage of elective single embryo transfer (eSET)	0/6	0/2	0/1	0/1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2/7	0/4	0/2	0/3		
Percentage of cycles resulting in triplets or more live births	0/7	0/4	0/2	0/3		
Percentage of cycles resulting in live births	2/7	0/4	0/2	0/3		
Percentage of cycles resulting in pregnancy	2/7	0/4	2/2	1/3		
Outcomes per Transfer						
Number of transfers	7	2	2	3	0	0
Percentage of transfers resulting in singleton live births	2/7	0/2	0/2	0/3		
Percentage of transfers resulting in triplets or more live births	0/7	0/2	0/2	0/3		
Percentage of transfers resulting in live births	2/7	0/2	0/2	0/3		
Percentage of transfers resulting in pregnancy	2/7	0/2	2/2	1/3		
Outcomes per Pregnancy						
Number of pregnancies	2	0	2	1	0	0
Percentage of pregnancies resulting in singleton live births	2/2		0/2	0/1		
Percentage of pregnancies resulting in triplets or more live births	0/2		0/2	0/1		
Percentage of pregnancies resulting in live births	2/2		0/2	0/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Number of transfers	3	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0			0.0		
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	4/6	0/2				
Percentage of transfers resulting in singleton live births	2/3	0/1				
Percentage of transfers resulting in triplets or more live births	0/3	0/1				
Percentage of transfers resulting in live births	3/3	0/1				
Percentage of transfers resulting in pregnancy	3/3	0/1				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	19%	Uterine factor	15%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	28%	
Used gestational carrier	1%			Diminished ovarian reserve	49%	Other factor	12%	
				Endometriosis	6%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,646 (includes 395 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	243	97	114	47	15	10
Percentage of cancellations	3.3	5.2	9.6	14.9	3 / 15	4 / 10
Average number of embryos transferred	1.9	1.9	1.9	2.0	1.8	1.4
Percentage of embryos transferred resulting in implantation	49.9	35.8	19.9	14.7	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	6.3	8.9	3.6	0.0	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.9	32.0	21.9	14.9	0 / 15	0 / 10
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 15	0 / 10
Percentage of cycles resulting in live births	57.2	43.3	26.3	14.9	0 / 15	0 / 10
Percentage of cycles resulting in pregnancy	65.4	52.6	28.9	25.5	1 / 15	0 / 10
Outcomes per Transfer						
Number of transfers	230	89	99	38	11	5
Percentage of transfers resulting in singleton live births	34.8	34.8	25.3	18.4	0 / 11	0 / 5
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 11	0 / 5
Percentage of transfers resulting in live births	60.4	47.2	30.3	18.4	0 / 11	0 / 5
Percentage of transfers resulting in pregnancy	69.1	57.3	33.3	31.6	1 / 11	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	159	51	33	12	1	0
Percentage of pregnancies resulting in singleton live births	50.3	60.8	75.8	7 / 12	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.6	0.0	0.0	0 / 12	0 / 1	
Percentage of pregnancies resulting in live births	87.4	82.4	90.9	7 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	268	120	97	43	4	7
Number of transfers	246	109	81	36	4	2
Estimated average number of transfers per retrieval	1.1	1.2	0.9	0.6	0.3	0.2
Average number of embryos transferred	1.8	1.7	1.7	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation	51.7	45.2	38.5	25.9	2 / 6	0 / 4
Percentage of transfers resulting in singleton live births	43.1	42.2	42.0	30.6	2 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.4	0.0	1.2	0.0	0 / 4	0 / 2
Percentage of transfers resulting in live births	61.4	56.0	45.7	30.6	2 / 4	0 / 2
Percentage of transfers resulting in pregnancy	74.0	70.6	63.0	38.9	2 / 4	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		67		119		
Number of transfers		67		103		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		53.2		40.2		
Percentage of transfers resulting in singleton live births		53.7		41.7		
Percentage of transfers resulting in live births		68.7		56.3		
Percentage of transfers resulting in pregnancy		79.1		66.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC
SONJA KRISTIENSEN, MD
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Sonja B. Kristiansen, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	4%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	0%	Male factor	49%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	16%	
				Endometriosis	<1%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				14%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 167 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		54	28	24	13	14	3
Percentage of cancellations		11.1	7.1	29.2	3 / 13	4 / 14	1 / 3
Average number of embryos transferred		2.3	2.4	2.1	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation		29.1	25.9	28.1	1 / 17	1 / 18	0 / 1
Percentage of elective single embryo transfer (eSET)		2.4	0.0	1 / 13	0 / 5	0 / 5	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.2	25.0	25.0	1 / 13	0 / 14	0 / 3
Percentage of cycles resulting in triplets or more live births		3.7	0.0	0.0	0 / 13	0 / 14	0 / 3
Percentage of cycles resulting in live births		35.2	35.7	29.2	1 / 13	0 / 14	0 / 3
Percentage of cycles resulting in pregnancy		37.0	39.3	33.3	1 / 13	1 / 14	0 / 3
Outcomes per Transfer							
Number of transfers		44	24	15	9	9	1
Percentage of transfers resulting in singleton live births		27.3	29.2	6 / 15	1 / 9	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births		4.5	0.0	0 / 15	0 / 9	0 / 9	0 / 1
Percentage of transfers resulting in live births		43.2	41.7	7 / 15	1 / 9	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy		45.5	45.8	8 / 15	1 / 9	1 / 9	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		20	11	8	1	1	0
Percentage of pregnancies resulting in singleton live births		60.0	7 / 11	6 / 8	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		10.0	0 / 11	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births		95.0	10 / 11	7 / 8	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		13	3	2	3	0	2
Number of transfers		12	2	2	3	0	2
Estimated average number of transfers per retrieval		3.0		2.0	1.5		
Average number of embryos transferred		2.4	3.0	2.5	2.7		1.0
Percentage of embryos transferred resulting in implantation		27.6	2 / 6	0 / 5	1 / 8		0 / 2
Percentage of transfers resulting in singleton live births		4 / 12	2 / 2	0 / 2	1 / 3		0 / 2
Percentage of transfers resulting in triplets or more live births		0 / 12	0 / 2	0 / 2	0 / 3		0 / 2
Percentage of transfers resulting in live births		5 / 12	2 / 2	0 / 2	1 / 3		0 / 2
Percentage of transfers resulting in pregnancy		6 / 12	2 / 2	0 / 2	1 / 3		0 / 2
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		7			1		
Number of transfers		7			1		
Average number of embryos transferred		2.1			2.0		
Percentage of embryos transferred resulting in implantation		4 / 15			0 / 2		
Percentage of transfers resulting in singleton live births		1 / 7			0 / 1		
Percentage of transfers resulting in live births		2 / 7			0 / 1		
Percentage of transfers resulting in pregnancy		3 / 7			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Timothy N. Hickman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	9%	Uterine factor	3%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	18%	
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	7%	
				Endometriosis	5%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				8%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 716 (includes 82 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	179	83	89	44	9	3	
Percentage of cancellations	0.6	2.4	1.1	2.3	0 / 9	0 / 3	
Average number of embryos transferred	2.1	2.2	2.8	3.2	3.0	1.0	
Percentage of embryos transferred resulting in implantation	51.1	29.4	17.6	6.7	0.0	0 / 2	
Percentage of elective single embryo transfer (eSET)	3.5	2.7	5.0	0.0	0 / 8		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	30.7	26.5	21.3	11.4	0 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	2.2	0.0	2.2	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births	61.5	38.6	30.3	13.6	0 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	63.7	48.2	39.3	25.0	1 / 9	0 / 3	
Outcomes per Transfer							
Number of transfers	176	77	86	42	9	2	
Percentage of transfers resulting in singleton live births	31.3	28.6	22.1	11.9	0 / 9	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.3	0.0	2.3	0.0	0 / 9	0 / 2	
Percentage of transfers resulting in live births	62.5	41.6	31.4	14.3	0 / 9	0 / 2	
Percentage of transfers resulting in pregnancy	64.8	51.9	40.7	26.2	1 / 9	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	114	40	35	11	1	0	
Percentage of pregnancies resulting in singleton live births	48.2	55.0	54.3	5 / 11	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.5	0.0	5.7	0 / 11	0 / 1		
Percentage of pregnancies resulting in live births	96.5	80.0	77.1	6 / 11	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	67	48	43	5	1	0	
Number of transfers	67	48	43	5	1	0	
Estimated average number of transfers per retrieval	1.4	1.7	1.1	0.8	0.3	0.0	
Average number of embryos transferred	1.9	2.0	1.8	1.8	3.0		
Percentage of embryos transferred resulting in implantation	33.9	31.6	23.1	4 / 9	1 / 3		
Percentage of transfers resulting in singleton live births	29.9	37.5	27.9	2 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1		
Percentage of transfers resulting in live births	38.8	43.8	32.6	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	59.7	60.4	37.2	4 / 5	1 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		44		19			
Number of transfers		44		19			
Average number of embryos transferred		1.9		1.8			
Percentage of embryos transferred resulting in implantation		65.9		20.0			
Percentage of transfers resulting in singleton live births		29.5		5 / 19			
Percentage of transfers resulting in live births		72.7		6 / 19			
Percentage of transfers resulting in pregnancy		81.8		10 / 19			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Houston IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVFMD
ADVANCED REPRODUCTIVE CARE CENTER OF IRVING
IRVING, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Julian Escobar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	23%	Uterine factor	4%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	14%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	6%	
				Endometriosis	10%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 424 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	55	43	14	5	3
Percentage of cancellations	1.8	1.8	9.3	2 / 14	0 / 5	0 / 3
Average number of embryos transferred	1.9	1.8	2.1	2.4	3.0	2.0
Percentage of embryos transferred resulting in implantation	47.5	37.2	19.7	13.8	0 / 15	0 / 6
Percentage of elective single embryo transfer (eSET)	12.4	19.1	3.0	0 / 11	0 / 5	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.8	41.8	11.6	2 / 14	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0 / 14	0 / 5	0 / 3
Percentage of cycles resulting in live births	55.3	49.1	20.9	2 / 14	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	59.6	50.9	37.2	4 / 14	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	109	52	36	12	5	3
Percentage of transfers resulting in singleton live births	31.2	44.2	13.9	2 / 12	0 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 12	0 / 5	0 / 3
Percentage of transfers resulting in live births	57.8	51.9	25.0	2 / 12	0 / 5	0 / 3
Percentage of transfers resulting in pregnancy	62.4	53.8	44.4	4 / 12	0 / 5	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	68	28	16	4	0	0
Percentage of pregnancies resulting in singleton live births	50.0	82.1	5 / 16	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	1.5	0.0	0 / 16	0 / 4		
Percentage of pregnancies resulting in live births	92.6	96.4	9 / 16	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	29	17	8	2	0
Number of transfers	56	29	17	8	2	0
Estimated average number of transfers per retrieval	1.7	2.2	1.3	2.0	2.0	
Average number of embryos transferred	1.8	1.8	1.9	1.6	1.0	
Percentage of embryos transferred resulting in implantation	39.2	45.1	21.2	4 / 13	0 / 2	
Percentage of transfers resulting in singleton live births	35.7	34.5	3 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 8	0 / 2	
Percentage of transfers resulting in live births	48.2	55.2	4 / 17	3 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	62.5	62.1	8 / 17	3 / 8	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos			Frozen Embryos	
Number of cycles		30			21	
Number of transfers		30			21	
Average number of embryos transferred		2.0			1.9	
Percentage of embryos transferred resulting in implantation		47.5			15.0	
Percentage of transfers resulting in singleton live births		46.7			28.6	
Percentage of transfers resulting in live births		66.7			28.6	
Percentage of transfers resulting in pregnancy		73.3			33.3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVFMD, Advanced Reproductive Care Center of Irving

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER OF FERTILITY AND REPRODUCTIVE SURGERY
TEXAS TECH HEALTH SCIENCES CENTER
LUBBOCK, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jennifer L. Phy, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	16%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	57%	
				Endometriosis	45%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				43%
				Female & male factors				33%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 59 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	8	6	0	0	0
Percentage of cancellations	1 / 19	1 / 8	1 / 6			
Average number of embryos transferred	2.2	2.7	3.0			
Percentage of embryos transferred resulting in implantation	28.9	2 / 19	3 / 12			
Percentage of elective single embryo transfer (eSET)	1 / 17	0 / 7	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 19	2 / 8	0 / 6			
Percentage of cycles resulting in triplets or more live births	1 / 19	0 / 8	0 / 6			
Percentage of cycles resulting in live births	5 / 19	2 / 8	1 / 6			
Percentage of cycles resulting in pregnancy	6 / 19	2 / 8	2 / 6			
Outcomes per Transfer						
Number of transfers	17	7	4	0	0	0
Percentage of transfers resulting in singleton live births	1 / 17	2 / 7	0 / 4			
Percentage of transfers resulting in triplets or more live births	1 / 17	0 / 7	0 / 4			
Percentage of transfers resulting in live births	5 / 17	2 / 7	1 / 4			
Percentage of transfers resulting in pregnancy	6 / 17	2 / 7	2 / 4			
Outcomes per Pregnancy						
Number of pregnancies	6	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 6	2 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 6	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	3	0	0	0
Number of transfers	13	3	2	0	0	0
Estimated average number of transfers per retrieval	2.6					
Average number of embryos transferred	2.8	1.7	3.0			
Percentage of embryos transferred resulting in implantation	25.0	1 / 5	0 / 6			
Percentage of transfers resulting in singleton live births	3 / 13	1 / 3	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 2			
Percentage of transfers resulting in live births	6 / 13	1 / 3	0 / 2			
Percentage of transfers resulting in pregnancy	6 / 13	1 / 3	0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		4			
Number of transfers	1		4			
Average number of embryos transferred	3.0		2.3			
Percentage of embryos transferred resulting in implantation	0 / 3		1 / 9			
Percentage of transfers resulting in singleton live births	0 / 1		1 / 4			
Percentage of transfers resulting in live births	0 / 1		1 / 4			
Percentage of transfers resulting in pregnancy	0 / 1		2 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Fertility and Reproductive Surgery, Texas Tech Health Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	17%	Tubal factor	35%	Uterine factor	14%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	32%	
Used gestational carrier	4%			Diminished ovarian reserve	26%	Other factor	38%	
				Endometriosis	24%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				44%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 134 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	19	11	7	2	0
Percentage of cancellations	4.7	0 / 19	1 / 11	1 / 7	0 / 2	
Average number of embryos transferred	1.8	1.9	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation	54.2	39.1	3 / 16	0 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 6	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.6	3 / 19	3 / 11	0 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 11	0 / 7	0 / 2	
Percentage of cycles resulting in live births	37.2	6 / 19	3 / 11	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	39.5	6 / 19	3 / 11	0 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	26	12	8	2	2	0
Percentage of transfers resulting in singleton live births	30.8	3 / 12	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births	61.5	6 / 12	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	65.4	6 / 12	3 / 8	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	17	6	3	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 17	3 / 6	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 6	0 / 3			
Percentage of pregnancies resulting in live births	16 / 17	6 / 6	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	1	2	0	0
Number of transfers	20	7	1	2	0	0
Estimated average number of transfers per retrieval	1.4	1.2		1.0		
Average number of embryos transferred	1.9	2.1	2.0	2.5		
Percentage of embryos transferred resulting in implantation	54.1	5 / 15	0 / 2	0 / 5		
Percentage of transfers resulting in singleton live births	35.0	3 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in live births	60.0	3 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	70.0	4 / 7	0 / 1	0 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		11		
Number of transfers		8		9		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		7 / 14		11 / 18		
Percentage of transfers resulting in singleton live births		1 / 8		2 / 9		
Percentage of transfers resulting in live births		4 / 8		5 / 9		
Percentage of transfers resulting in pregnancy		4 / 8		7 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Centre for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	35%	Uterine factor	32%	Multiple Factors: Female factors only 31% Female & male factors 42%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	25%	Male factor	52%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	32%	
				Endometriosis	13%	Unknown factor	2%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 189 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	30	25	9	6	0
Percentage of cancellations	3.0	3.3	0.0	1 / 9	1 / 6	
Average number of embryos transferred	2.1	2.1	2.4	2.8	2.8	
Percentage of embryos transferred resulting in implantation	40.5	17.2	21.4	2 / 17	1 / 11	
Percentage of elective single embryo transfer (eSET)	3.6	8.7	0.0	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	10.0	36.0	0 / 9	1 / 6	
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 9	0 / 6	
Percentage of cycles resulting in live births	45.5	20.0	40.0	1 / 9	1 / 6	
Percentage of cycles resulting in pregnancy	50.0	23.3	48.0	1 / 9	1 / 6	
Outcomes per Transfer						
Number of transfers	58	28	23	6	4	0
Percentage of transfers resulting in singleton live births	31.0	10.7	39.1	0 / 6	1 / 4	
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births	51.7	21.4	43.5	1 / 6	1 / 4	
Percentage of transfers resulting in pregnancy	56.9	25.0	52.2	1 / 6	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	33	7	12	1	1	0
Percentage of pregnancies resulting in singleton live births	54.5	3 / 7	9 / 12	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.0	0 / 7	0 / 12	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	90.9	6 / 7	10 / 12	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	11	7	1	3	0
Number of transfers	15	11	7	1	3	0
Estimated average number of transfers per retrieval	1.9	1.6	2.3			
Average number of embryos transferred	2.0	2.0	2.0	2.0	2.3	
Percentage of embryos transferred resulting in implantation	60.0	22.7	5 / 14	0 / 2	2 / 7	
Percentage of transfers resulting in singleton live births	8 / 15	3 / 11	3 / 7	0 / 1	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 11	0 / 7	0 / 1	0 / 3	
Percentage of transfers resulting in live births	12 / 15	4 / 11	4 / 7	0 / 1	1 / 3	
Percentage of transfers resulting in pregnancy	13 / 15	4 / 11	4 / 7	0 / 1	1 / 3	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	14	2
Number of transfers	10	2
Average number of embryos transferred	2.1	2.5
Percentage of embryos transferred resulting in implantation	42.9	1 / 5
Percentage of transfers resulting in singleton live births	1 / 10	1 / 2
Percentage of transfers resulting in live births	5 / 10	1 / 2
Percentage of transfers resulting in pregnancy	5 / 10	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Institute of South Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS PLANO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Alfred J. Rodriguez, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	29%	Tubal factor	12%	Uterine factor	14%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	45%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	24%
				Endometriosis	17%	Unknown factor	1%
				<i>Multiple Factors:</i>			
				Female factors only 27%			
				Female & male factors 28%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 539 (includes 24 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		136	79	87	43	19	5
Percentage of cancellations		3.7	3.8	12.6	9.3	1 / 19	1 / 5
Average number of embryos transferred		2.1	2.4	2.9	3.3	3.8	2.8
Percentage of embryos transferred resulting in implantation		41.7	34.1	13.7	7.3	4.3	0 / 11
Percentage of elective single embryo transfer (eSET)		9.2	2.7	0.0	0.0	0 / 18	0 / 3
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.8	26.6	13.8	7.0	0 / 19	0 / 5
Percentage of cycles resulting in triplets or more live births		0.7	1.3	0.0	0.0	0 / 19	0 / 5
Percentage of cycles resulting in live births		46.3	48.1	18.4	7.0	1 / 19	0 / 5
Percentage of cycles resulting in pregnancy		51.5	54.4	25.3	23.3	3 / 19	0 / 5
Outcomes per Transfer							
Number of transfers		122	75	70	38	18	4
Percentage of transfers resulting in singleton live births		25.4	28.0	17.1	7.9	0 / 18	0 / 4
Percentage of transfers resulting in triplets or more live births		0.8	1.3	0.0	0.0	0 / 18	0 / 4
Percentage of transfers resulting in live births		51.6	50.7	22.9	7.9	1 / 18	0 / 4
Percentage of transfers resulting in pregnancy		57.4	57.3	31.4	26.3	3 / 18	0 / 4
Outcomes per Pregnancy							
Number of pregnancies		70	43	22	10	3	0
Percentage of pregnancies resulting in singleton live births		44.3	48.8	54.5	3 / 10	0 / 3	
Percentage of pregnancies resulting in triplets or more live births		1.4	2.3	0.0	0 / 10	0 / 3	
Percentage of pregnancies resulting in live births		90.0	88.4	72.7	3 / 10	1 / 3	
Frozen Embryos from Nondonor Eggs							
Number of cycles		45	25	16	8	1	3
Number of transfers		42	24	16	8	1	3
Estimated average number of transfers per retrieval		2.1	1.3	2.0	1.6		1.5
Average number of embryos transferred		1.8	1.7	1.8	1.9	2.0	1.3
Percentage of embryos transferred resulting in implantation		31.6	20.0	21.4	1 / 15	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births		23.8	20.8	3 / 16	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 16	0 / 8	0 / 1	0 / 3
Percentage of transfers resulting in live births		40.5	20.8	4 / 16	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy		40.5	29.2	6 / 16	3 / 8	0 / 1	0 / 3
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		40			8		
Number of transfers		38			8		
Average number of embryos transferred		2.0			1.5		
Percentage of embryos transferred resulting in implantation		58.4			7 / 12		
Percentage of transfers resulting in singleton live births		34.2			4 / 8		
Percentage of transfers resulting in live births		68.4			5 / 8		
Percentage of transfers resulting in pregnancy		76.3			6 / 8		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Presbyterian Hospital Plano ARTS					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph E. Martin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	29%	Uterine factor	5%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	15%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	9%	
				Endometriosis	15%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 470 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	146	46	64	22	12	3
Percentage of cancellations	5.5	8.7	4.7	13.6	0 / 12	0 / 3
Average number of embryos transferred	1.9	2.1	2.3	2.6	2.1	4.0
Percentage of embryos transferred resulting in implantation	45.2	32.1	23.1	15.6	0 / 17	0 / 4
Percentage of elective single embryo transfer (eSET)	5.3	5.1	2.0	0 / 14	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.9	32.6	15.6	0.0	0 / 12	0 / 3
Percentage of cycles resulting in triplets or more live births	0.7	0.0	1.6	0.0	0 / 12	0 / 3
Percentage of cycles resulting in live births	54.1	41.3	26.6	4.5	0 / 12	0 / 3
Percentage of cycles resulting in pregnancy	61.0	47.8	34.4	31.8	0 / 12	1 / 3
Outcomes per Transfer						
Number of transfers	136	40	57	17	8	1
Percentage of transfers resulting in singleton live births	37.5	37.5	17.5	0 / 17	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	0.0	1.8	0 / 17	0 / 8	0 / 1
Percentage of transfers resulting in live births	58.1	47.5	29.8	1 / 17	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	65.4	55.0	38.6	7 / 17	0 / 8	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	89	22	22	7	0	1
Percentage of pregnancies resulting in singleton live births	57.3	68.2	45.5	0 / 7		0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	4.5	0 / 7		0 / 1
Percentage of pregnancies resulting in live births	88.8	86.4	77.3	1 / 7		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	65	32	24	9	4	2
Number of transfers	65	32	24	9	4	2
Estimated average number of transfers per retrieval	3.0	4.6	2.7	2.3		2.0
Average number of embryos transferred	1.8	1.8	1.8	2.4	2.3	1.5
Percentage of embryos transferred resulting in implantation	55.3	39.0	36.4	18.2	1 / 9	1 / 3
Percentage of transfers resulting in singleton live births	44.6	31.3	25.0	1 / 9	1 / 4	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 4	0 / 2
Percentage of transfers resulting in live births	63.1	46.9	41.7	1 / 9	1 / 4	1 / 2
Percentage of transfers resulting in pregnancy	73.8	56.3	50.0	3 / 9	2 / 4	1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		27		8		
Number of transfers		26		8		
Average number of embryos transferred		1.9		2.1		
Percentage of embryos transferred resulting in implantation		36.0		9 / 17		
Percentage of transfers resulting in singleton live births		42.3		3 / 8		
Percentage of transfers resulting in live births		53.8		6 / 8		
Percentage of transfers resulting in pregnancy		61.5		6 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of San Antonio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY LABORATORY
SAN ANTONIO, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	4%	Uterine factor	4%	
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	33%	Male factor	27%	
Used gestational carrier	7%			Diminished ovarian reserve	31%	Other factor	8%	
				Endometriosis	8%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 48 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	5	7	1	4	2
Percentage of cancellations	2 / 12	1 / 5	2 / 7	0 / 1	3 / 4	0 / 2
Average number of embryos transferred	2.0	2.3	3.8		1.0	1.0
Percentage of embryos transferred resulting in implantation	4 / 16	3 / 7	1 / 19		0 / 1	0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 8	0 / 3	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 12	1 / 5	0 / 7	0 / 1	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 5	0 / 7	0 / 1	0 / 4	0 / 2
Percentage of cycles resulting in live births	2 / 12	2 / 5	0 / 7	0 / 1	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	2 / 12	2 / 5	2 / 7	0 / 1	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	8	3	5	0	1	1
Percentage of transfers resulting in singleton live births	0 / 8	1 / 3	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in live births	2 / 8	2 / 3	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	2 / 8	2 / 3	2 / 5		0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	1 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	2 / 2	2 / 2	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	3	0	0	1	0
Number of transfers	6	3	0	0	1	0
Estimated average number of transfers per retrieval	2.0					
Average number of embryos transferred	1.8	2.0			2.0	
Percentage of embryos transferred resulting in implantation	1 / 11	0 / 6			0 / 2	
Percentage of transfers resulting in singleton live births	0 / 6	0 / 3			0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3			0 / 1	
Percentage of transfers resulting in live births	0 / 6	0 / 3			0 / 1	
Percentage of transfers resulting in pregnancy	1 / 6	1 / 3			0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	4		3			
Number of transfers	3		3			
Average number of embryos transferred	2.3		1.7			
Percentage of embryos transferred resulting in implantation	0 / 7		1 / 5			
Percentage of transfers resulting in singleton live births	0 / 3		1 / 3			
Percentage of transfers resulting in live births	0 / 3		1 / 3			
Percentage of transfers resulting in pregnancy	0 / 3		1 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Laboratory

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PERINATAL AND FERTILITY SPECIALISTS OF SAN ANTONIO SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	21%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	0%	
				Endometriosis	29%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				38%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 34 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	8	4	3	0	1
Percentage of cancellations	0 / 10	0 / 8	0 / 4	0 / 3		0 / 1
Average number of embryos transferred	2.5	2.3	2.8	4.0		3.0
Percentage of embryos transferred resulting in implantation	8.0	3 / 16	1 / 11	0 / 12		0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 7	0 / 3	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 10	1 / 8	1 / 4	0 / 3		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 8	0 / 4	0 / 3		0 / 1
Percentage of cycles resulting in live births	2 / 10	1 / 8	1 / 4	0 / 3		0 / 1
Percentage of cycles resulting in pregnancy	2 / 10	3 / 8	1 / 4	0 / 3		0 / 1
Outcomes per Transfer						
Number of transfers	10	7	4	3	0	1
Percentage of transfers resulting in singleton live births	2 / 10	1 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 7	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	2 / 10	1 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	2 / 10	3 / 7	1 / 4	0 / 3		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2	1 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	2 / 2	1 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Number of transfers	3	1	0	0	0	0
Estimated average number of transfers per retrieval	2.0	0.5				
Average number of embryos transferred	2.5	2.0				
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of transfers resulting in live births	0 / 3	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1				
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			2		2	
Number of transfers			0		2	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation					3 / 4	
Percentage of transfers resulting in singleton live births					1 / 2	
Percentage of transfers resulting in live births					2 / 2	
Percentage of transfers resulting in pregnancy					2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Perinatal and Fertility Specialists of San Antonio					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	0%	Used PGD	36%	Ovulatory dysfunction	34%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	8%	
				Endometriosis	20%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 457 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	141	65	41	22	4	0
Percentage of cancellations	7.8	10.8	14.6	18.2	1 / 4	
Average number of embryos transferred	1.6	1.8	1.9	1.8	3.0	
Percentage of embryos transferred resulting in implantation	43.6	28.6	22.6	0 / 14	0 / 3	
Percentage of elective single embryo transfer (eSET)	22.0	8.7	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.7	12.3	12.2	0.0	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	
Percentage of cycles resulting in live births	24.8	13.8	14.6	0.0	0 / 4	
Percentage of cycles resulting in pregnancy	27.7	20.0	14.6	0.0	0 / 4	
Outcomes per Transfer						
Number of transfers	71	28	16	8	1	0
Percentage of transfers resulting in singleton live births	35.2	28.6	5 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in live births	49.3	32.1	6 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	54.9	46.4	6 / 16	0 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	13	6	0	0	0
Percentage of pregnancies resulting in singleton live births	64.1	8 / 13	5 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6			
Percentage of pregnancies resulting in live births	89.7	9 / 13	6 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	32	17	5	3	0
Number of transfers	77	32	17	5	3	0
Estimated average number of transfers per retrieval	1.5	1.3	1.4	1.0	3.0	
Average number of embryos transferred	1.2	1.3	1.4	1.4	1.7	
Percentage of embryos transferred resulting in implantation	50.0	56.1	56.5	2 / 7	0 / 5	
Percentage of transfers resulting in singleton live births	45.5	43.8	5 / 17	0 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1 / 17	0 / 5	0 / 3	
Percentage of transfers resulting in live births	49.4	56.3	7 / 17	0 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	57.1	59.4	8 / 17	2 / 5	0 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		33		16		
Number of transfers		16		16		
Average number of embryos transferred		1.6		1.3		
Percentage of embryos transferred resulting in implantation		53.8		33.3		
Percentage of transfers resulting in singleton live births		9 / 16		4 / 16		
Percentage of transfers resulting in live births		11 / 16		5 / 16		
Percentage of transfers resulting in pregnancy		11 / 16		6 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE WOMEN'S HEALTH CENTER SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	30%	Tubal factor	23%	Uterine factor	8%	
Unstimulated	2%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	1%	
				Endometriosis	8%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 92 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	8	16	11	1	3
Percentage of cancellations	18.5	1 / 8	4 / 16	5 / 11	0 / 1	3 / 3
Average number of embryos transferred	2.0	2.2	2.3	3.3	4.0	
Percentage of embryos transferred resulting in implantation	29.3	2 / 13	20.0	15.0	0 / 4	
Percentage of elective single embryo transfer (eSET)	15.0	0 / 6	0 / 10	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.6	1 / 8	1 / 16	2 / 11	0 / 1	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 16	0 / 11	0 / 1	0 / 3
Percentage of cycles resulting in live births	33.3	1 / 8	3 / 16	2 / 11	0 / 1	0 / 3
Percentage of cycles resulting in pregnancy	40.7	2 / 8	3 / 16	3 / 11	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	21	6	11	6	1	0
Percentage of transfers resulting in singleton live births	38.1	1 / 6	1 / 11	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 11	0 / 6	0 / 1	
Percentage of transfers resulting in live births	42.9	1 / 6	3 / 11	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	52.4	2 / 6	3 / 11	3 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	11	2	3	3	0	0
Percentage of pregnancies resulting in singleton live births	8 / 11	1 / 2	1 / 3	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 2	0 / 3	0 / 3		
Percentage of pregnancies resulting in live births	9 / 11	1 / 2	3 / 3	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	9	2	3	3	0
Number of transfers	6	9	2	3	3	0
Estimated average number of transfers per retrieval	1.5	4.5	2.0	3.0		
Average number of embryos transferred	1.7	1.7	2.0	2.3	2.3	
Percentage of embryos transferred resulting in implantation	2 / 10	4 / 15	0 / 4	0 / 7	0 / 7	
Percentage of transfers resulting in singleton live births	0 / 6	2 / 9	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in live births	1 / 6	3 / 9	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	1 / 6	3 / 9	0 / 2	0 / 3	0 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		3		
Number of transfers		0		3		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				1 / 6		
Percentage of transfers resulting in singleton live births				1 / 3		
Percentage of transfers resulting in live births				1 / 3		
Percentage of transfers resulting in pregnancy				1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UT Medicine Women's Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT AND WHITE CLINIC TEMPLE, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Thomas J. Wincek, MD, PhD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	65%	Tubal factor	33%	Uterine factor	8%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	6%	Male factor	56%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	2%
				Endometriosis	9%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 11% Female & male factors 21%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 68 (includes 2 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	30	11	5	1	1	0	
Percentage of cancellations	16.7	5 / 11	3 / 5	0 / 1	0 / 1		
Average number of embryos transferred	2.1	2.0	2.0	3.0	1.0		
Percentage of embryos transferred resulting in implantation	42.0	4 / 12	0 / 4	0 / 3	0 / 1		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 2	0 / 1			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	23.3	1 / 11	0 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in triplets or more live births	3.3	0 / 11	0 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in live births	40.0	2 / 11	0 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in pregnancy	50.0	3 / 11	0 / 5	0 / 1	0 / 1		
Outcomes per Transfer							
Number of transfers	24	6	2	1	1	0	
Percentage of transfers resulting in singleton live births	29.2	1 / 6	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	4.2	0 / 6	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in live births	50.0	2 / 6	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	62.5	3 / 6	0 / 2	0 / 1	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies	15	3	0	0	0	0	
Percentage of pregnancies resulting in singleton live births	7 / 15	1 / 3					
Percentage of pregnancies resulting in triplets or more live births	1 / 15	0 / 3					
Percentage of pregnancies resulting in live births	12 / 15	2 / 3					
Frozen Embryos from Nondonor Eggs							
Number of cycles	12	4	2	0	0	0	
Number of transfers	12	4	2	0	0	0	
Estimated average number of transfers per retrieval	2.4	1.3	2.0				
Average number of embryos transferred	2.0	1.5	2.0				
Percentage of embryos transferred resulting in implantation	37.5	5 / 6	3 / 4				
Percentage of transfers resulting in singleton live births	3 / 12	2 / 4	1 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 4	0 / 2				
Percentage of transfers resulting in live births	3 / 12	3 / 4	2 / 2				
Percentage of transfers resulting in pregnancy	6 / 12	3 / 4	2 / 2				
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		0			
Number of transfers		0		0			
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Scott and White Clinic					
Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA
(NHCRM)
THE WOODLANDS, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	12%	Uterine factor	6%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	38%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	26%	
				Endometriosis	17%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 87 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	11	17	4	0	5
Percentage of cancellations	3.7	0 / 11	1 / 17	1 / 4		1 / 5
Average number of embryos transferred	1.9	2.2	2.3	2.0		2.5
Percentage of embryos transferred resulting in implantation	45.7	29.2	32.4	0 / 6		0 / 5
Percentage of elective single embryo transfer (eSET)	4.3	0 / 11	0 / 14	0 / 2		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	40.7	5 / 11	8 / 17	0 / 4		0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 17	0 / 4		0 / 5
Percentage of cycles resulting in live births	59.3	6 / 11	10 / 17	0 / 4		0 / 5
Percentage of cycles resulting in pregnancy	66.7	7 / 11	12 / 17	0 / 4		0 / 5
Outcomes per Transfer						
Number of transfers	24	11	16	3	0	2
Percentage of transfers resulting in singleton live births	45.8	5 / 11	8 / 16	0 / 3		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 16	0 / 3		0 / 2
Percentage of transfers resulting in live births	66.7	6 / 11	10 / 16	0 / 3		0 / 2
Percentage of transfers resulting in pregnancy	75.0	7 / 11	12 / 16	0 / 3		0 / 2
Outcomes per Pregnancy						
Number of pregnancies	18	7	12	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	5 / 7	8 / 12			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 7	0 / 12			
Percentage of pregnancies resulting in live births	16 / 18	6 / 7	10 / 12			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	5	0	0	1
Number of transfers	7	2	5	0	0	1
Estimated average number of transfers per retrieval	2.3					
Average number of embryos transferred	1.7	2.5	1.4			1.0
Percentage of embryos transferred resulting in implantation	7 / 12	2 / 5	1 / 7			1 / 1
Percentage of transfers resulting in singleton live births	3 / 7	0 / 2	1 / 5			1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 5			0 / 1
Percentage of transfers resulting in live births	5 / 7	1 / 2	1 / 5			1 / 1
Percentage of transfers resulting in pregnancy	5 / 7	1 / 2	1 / 5			1 / 1

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	8	0
Number of transfers	8	0
Average number of embryos transferred	1.9	
Percentage of embryos transferred resulting in implantation	9 / 15	
Percentage of transfers resulting in singleton live births	3 / 8	
Percentage of transfers resulting in live births	6 / 8	
Percentage of transfers resulting in pregnancy	6 / 8	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA, (NHCRM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Vicki L. Schnell, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	28%	Male factor	13%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	4%	
				Endometriosis	10%	Unknown factor	5%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 358 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		93	47	13	5	2	0
Percentage of cancellations		5.4	2.1	2 / 13	0 / 5	0 / 2	
Average number of embryos transferred		2.0	2.0	2.0	2.4	2.5	
Percentage of embryos transferred resulting in implantation		38.6	23.6	22.7	0 / 12	0 / 5	
Percentage of elective single embryo transfer (eSET)		7.4	11.9	0 / 10	0 / 5	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		21.5	14.9	3 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births		1.1	0.0	0 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in live births		41.9	25.5	3 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy		46.2	31.9	4 / 13	0 / 5	0 / 2	
Outcomes per Transfer							
Number of transfers		85	44	11	5	2	0
Percentage of transfers resulting in singleton live births		23.5	15.9	3 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births		1.2	0.0	0 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births		45.9	27.3	3 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy		50.6	34.1	4 / 11	0 / 5	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		43	15	4	0	0	0
Percentage of pregnancies resulting in singleton live births		46.5	7 / 15	3 / 4			
Percentage of pregnancies resulting in triplets or more live births		2.3	0 / 15	0 / 4			
Percentage of pregnancies resulting in live births		90.7	12 / 15	3 / 4			
Frozen Embryos from Nondonor Eggs							
Number of cycles		70	35	10	8	1	3
Number of transfers		67	33	10	7	1	3
Estimated average number of transfers per retrieval		3.5	2.2	10.0	3.5		
Average number of embryos transferred		2.0	1.9	1.7	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation		22.9	33.3	6 / 17	1 / 12	0 / 2	0 / 6
Percentage of transfers resulting in singleton live births		25.4	36.4	4 / 10	1 / 7	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 10	0 / 7	0 / 1	0 / 3
Percentage of transfers resulting in live births		34.3	45.5	4 / 10	1 / 7	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy		40.3	60.6	5 / 10	1 / 7	0 / 1	0 / 3
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		44			27		
Number of transfers		41			26		
Average number of embryos transferred		1.8			2.3		
Percentage of embryos transferred resulting in implantation		49.3			30.0		
Percentage of transfers resulting in singleton live births		36.6			30.8		
Percentage of transfers resulting in live births		53.7			46.2		
Percentage of transfers resulting in pregnancy		70.7			57.7		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Center of Reproductive Medicine (CORM)					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Russell Foulk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	22%	Uterine factor	5%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	25%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	10%	
				Endometriosis	27%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 387 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	211	44	29	9	1	2
Percentage of cancellations	0.9	13.6	3.4	2 / 9	0 / 1	0 / 2
Average number of embryos transferred	2.0	2.2	2.4	2.6	2.0	5.0
Percentage of embryos transferred resulting in implantation	49.7	23.0	21.9	3 / 13	0 / 2	0 / 10
Percentage of elective single embryo transfer (eSET)	8.6	0.0	0.0	0 / 4	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.4	22.7	17.2	1 / 9	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	1.9	0.0	0.0	0 / 9	0 / 1	0 / 2
Percentage of cycles resulting in live births	51.7	29.5	24.1	1 / 9	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	61.6	38.6	41.4	3 / 9	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	199	33	27	5	1	2
Percentage of transfers resulting in singleton live births	30.2	30.3	18.5	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	54.8	39.4	25.9	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	65.3	51.5	44.4	3 / 5	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	130	17	12	3	0	0
Percentage of pregnancies resulting in singleton live births	46.2	10 / 17	5 / 12	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	3.1	0 / 17	0 / 12	0 / 3		
Percentage of pregnancies resulting in live births	83.8	13 / 17	7 / 12	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	12	3	0	0	1
Number of transfers	37	9	3	0	0	1
Estimated average number of transfers per retrieval	1.4	1.5	1.0			
Average number of embryos transferred	1.7	1.6	2.0			2.0
Percentage of embryos transferred resulting in implantation	42.2	8 / 14	3 / 6			1 / 2
Percentage of transfers resulting in singleton live births	35.1	3 / 9	1 / 3			1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 3			0 / 1
Percentage of transfers resulting in live births	43.2	4 / 9	2 / 3			1 / 1
Percentage of transfers resulting in pregnancy	62.2	6 / 9	3 / 3			1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		21		10		
Number of transfers		21		9		
Average number of embryos transferred		1.9		2.1		
Percentage of embryos transferred resulting in implantation		55.0		4 / 19		
Percentage of transfers resulting in singleton live births		38.1		2 / 9		
Percentage of transfers resulting in live births		57.1		3 / 9		
Percentage of transfers resulting in pregnancy		71.4		5 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST BAY FERTILITY CENTER PROVO, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by L. Glen Andrew, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	28%	Uterine factor	9%	
Unstimulated	5%	Used PGD	1%	Ovulatory dysfunction	21%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	<1%	
				Endometriosis	0%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 108 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	11	1	1	1	0
Percentage of cancellations	22.1	0 / 11	0 / 1	0 / 1	0 / 1	
Average number of embryos transferred	2.1	2.4	3.0	3.0	4.0	
Percentage of embryos transferred resulting in implantation	40.2	34.6	0 / 3	0 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 1	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.1	5 / 11	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in live births	39.5	6 / 11	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	45.3	8 / 11	0 / 1	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	62	11	1	1	1	0
Percentage of transfers resulting in singleton live births	40.3	5 / 11	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	54.8	6 / 11	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	62.9	8 / 11	0 / 1	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	8	0	0	0	0
Percentage of pregnancies resulting in singleton live births	64.1	5 / 8				
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8				
Percentage of pregnancies resulting in live births	87.2	6 / 8				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	1	0	0	0
Number of transfers	4	1	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.3	3.0	1.0			
Percentage of embryos transferred resulting in implantation	1 / 9	0 / 3	0 / 1			
Percentage of transfers resulting in singleton live births	1 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 4	0 / 1	0 / 1			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Bay Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ahmad O. Hammoud, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	12%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	10%	
				Endometriosis	16%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 510 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	225	56	62	11	8	2
Percentage of cancellations	7.6	3.6	14.5	2 / 11	1 / 8	2 / 2
Average number of embryos transferred	2.0	2.2	2.5	2.9	3.4	
Percentage of embryos transferred resulting in implantation	45.8	37.2	21.1	13.0	2 / 17	
Percentage of elective single embryo transfer (eSET)	8.2	0.0	0.0	0 / 8	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.4	30.4	22.6	2 / 11	2 / 8	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 8	0 / 2
Percentage of cycles resulting in live births	50.7	51.8	29.0	2 / 11	2 / 8	0 / 2
Percentage of cycles resulting in pregnancy	56.9	60.7	35.5	3 / 11	3 / 8	0 / 2
Outcomes per Transfer						
Number of transfers	191	54	51	8	5	0
Percentage of transfers resulting in singleton live births	33.5	31.5	27.5	2 / 8	2 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 5	
Percentage of transfers resulting in live births	59.7	53.7	35.3	2 / 8	2 / 5	
Percentage of transfers resulting in pregnancy	67.0	63.0	43.1	3 / 8	3 / 5	
Outcomes per Pregnancy						
Number of pregnancies	128	34	22	3	3	0
Percentage of pregnancies resulting in singleton live births	50.0	50.0	63.6	2 / 3	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	89.1	85.3	81.8	2 / 3	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	18	12	3	3	1
Number of transfers	63	17	10	3	3	1
Estimated average number of transfers per retrieval	2.7	8.5	2.0	1.5	1.5	
Average number of embryos transferred	1.9	2.1	2.0	2.3	1.7	2.0
Percentage of embryos transferred resulting in implantation	30.8	19.4	30.0	1 / 7	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births	38.1	5 / 17	0 / 10	1 / 3	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 10	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births	44.4	6 / 17	1 / 10	1 / 3	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	54.0	6 / 17	4 / 10	1 / 3	1 / 3	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		31		10		
Number of transfers		29		10		
Average number of embryos transferred		1.9		2.3		
Percentage of embryos transferred resulting in implantation		64.8		30.4		
Percentage of transfers resulting in singleton live births		48.3		3 / 10		
Percentage of transfers resulting in live births		75.9		5 / 10		
Percentage of transfers resulting in pregnancy		86.2		5 / 10		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER SANDY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	14%	Uterine factor	5%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	21%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	8%	
				Endometriosis	14%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				27%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 502 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	239	44	49	13	5	1
Percentage of cancellations	2.9	4.5	6.1	2 / 13	0 / 5	0 / 1
Average number of embryos transferred	2.0	2.0	2.1	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	36.0	30.5	23.7	3 / 10	1 / 8	0 / 2
Percentage of elective single embryo transfer (eSET)	4.5	8.6	9.7	0 / 3	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	22.7	22.4	1 / 13	1 / 5	0 / 1
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0 / 13	0 / 5	0 / 1
Percentage of cycles resulting in live births	40.2	34.1	24.5	1 / 13	1 / 5	0 / 1
Percentage of cycles resulting in pregnancy	46.9	40.9	34.7	3 / 13	1 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	213	42	37	6	4	1
Percentage of transfers resulting in singleton live births	28.6	23.8	29.7	1 / 6	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births	45.1	35.7	32.4	1 / 6	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.6	42.9	45.9	3 / 6	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	112	18	17	3	1	0
Percentage of pregnancies resulting in singleton live births	54.5	10 / 18	11 / 17	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.9	0 / 18	0 / 17	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	85.7	15 / 18	12 / 17	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	17	16	1	2	1
Number of transfers	73	13	16	1	2	1
Estimated average number of transfers per retrieval	1.8	6.5	1.3			
Average number of embryos transferred	1.8	1.5	1.7	3.0	1.0	3.0
Percentage of embryos transferred resulting in implantation	37.7	8 / 19	22.2	0 / 3	1 / 2	3 / 3
Percentage of transfers resulting in singleton live births	24.7	4 / 13	1 / 16	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	1 / 13	0 / 16	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	39.7	5 / 13	2 / 16	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	43.8	6 / 13	5 / 16	0 / 1	1 / 2	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		19		
Number of transfers		13		16		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		15.4		25.8		
Percentage of transfers resulting in singleton live births		2 / 13		4 / 16		
Percentage of transfers resulting in live births		3 / 13		5 / 16		
Percentage of transfers resulting in pregnancy		3 / 13		7 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VERMONT CENTER FOR REPRODUCTIVE MEDICINE BURLINGTON, VERMONT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	14%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	8%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	7%	
				Endometriosis	5%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 134 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	28	19	6	0	0
Percentage of cancellations	4.2	21.4	4 / 19	1 / 6		
Average number of embryos transferred	1.8	1.9	2.3	2.4		
Percentage of embryos transferred resulting in implantation	48.6	25.7	18.8	1 / 12		
Percentage of elective single embryo transfer (eSET)	14.7	1 / 16	0 / 11	1 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	25.0	1 / 19	1 / 6		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 6		
Percentage of cycles resulting in live births	54.2	28.6	2 / 19	1 / 6		
Percentage of cycles resulting in pregnancy	54.2	32.1	4 / 19	1 / 6		
Outcomes per Transfer						
Number of transfers	40	18	14	5	0	0
Percentage of transfers resulting in singleton live births	45.0	7 / 18	1 / 14	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 14	0 / 5		
Percentage of transfers resulting in live births	65.0	8 / 18	2 / 14	1 / 5		
Percentage of transfers resulting in pregnancy	65.0	9 / 18	4 / 14	1 / 5		
Outcomes per Pregnancy						
Number of pregnancies	26	9	4	1	0	0
Percentage of pregnancies resulting in singleton live births	69.2	7 / 9	1 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	100.0	8 / 9	2 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	4	2	1	0
Number of transfers	4	3	3	2	1	0
Estimated average number of transfers per retrieval	2.0	1.5	1.0			
Average number of embryos transferred	1.5	2.0	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation	2 / 6	0 / 6	1 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	1 / 4	0 / 3	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	1 / 4	0 / 3	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 4	0 / 3	1 / 3	0 / 2	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		4		
Number of transfers		12		4		
Average number of embryos transferred		1.5		1.5		
Percentage of embryos transferred resulting in implantation		10 / 18		0 / 6		
Percentage of transfers resulting in singleton live births		5 / 12		0 / 4		
Percentage of transfers resulting in live births		7 / 12		0 / 4		
Percentage of transfers resulting in pregnancy		7 / 12		0 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Vermont Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	37%	Tubal factor	17%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	5%	
				Endometriosis	8%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 88 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	7	13	15	4	2
Percentage of cancellations	7.4	0/7	0/13	0/15	0/4	1/2
Average number of embryos transferred	2.2	2.0	2.3	2.5	2.8	3.0
Percentage of embryos transferred resulting in implantation	34.8	3/14	19.0	6.1	2/11	0/3
Percentage of elective single embryo transfer (eSET)	0.0	0/6	0/7	0/11	0/4	0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.8	3/7	1/13	1/15	2/4	0/2
Percentage of cycles resulting in triplets or more live births	0.0	0/7	0/13	0/15	0/4	0/2
Percentage of cycles resulting in live births	33.3	3/7	2/13	1/15	2/4	0/2
Percentage of cycles resulting in pregnancy	37.0	3/7	3/13	2/15	2/4	0/2
Outcomes per Transfer						
Number of transfers	21	7	9	13	4	1
Percentage of transfers resulting in singleton live births	19.0	3/7	1/9	1/13	2/4	0/1
Percentage of transfers resulting in triplets or more live births	0.0	0/7	0/9	0/13	0/4	0/1
Percentage of transfers resulting in live births	42.9	3/7	2/9	1/13	2/4	0/1
Percentage of transfers resulting in pregnancy	47.6	3/7	3/9	2/13	2/4	0/1
Outcomes per Pregnancy						
Number of pregnancies	10	3	3	2	2	0
Percentage of pregnancies resulting in singleton live births	4/10	3/3	1/3	1/2	2/2	
Percentage of pregnancies resulting in triplets or more live births	0/10	0/3	0/3	0/2	0/2	
Percentage of pregnancies resulting in live births	9/10	3/3	2/3	1/2	2/2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	2	0	2	0
Number of transfers	4	2	2	0	2	0
Estimated average number of transfers per retrieval	2.0	2.0	1.0			
Average number of embryos transferred	2.5	2.5	2.0		2.0	
Percentage of embryos transferred resulting in implantation	3/10	0/5	0/4		2/4	
Percentage of transfers resulting in singleton live births	0/4	0/2	0/2		0/2	
Percentage of transfers resulting in triplets or more live births	0/4	0/2	0/2		0/2	
Percentage of transfers resulting in live births	1/4	0/2	0/2		1/2	
Percentage of transfers resulting in pregnancy	2/4	0/2	0/2		1/2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		8		2		
Number of transfers		7		2		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		4/13		1/3		
Percentage of transfers resulting in singleton live births		2/7		0/2		
Percentage of transfers resulting in live births		3/7		0/2		
Percentage of transfers resulting in pregnancy		3/7		1/2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael DiMattina, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	15%	Uterine factor	4%	
Unstimulated	69%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	39%	
				Endometriosis	4%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				33%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,211 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	264	170	232	140	90	62
Percentage of cancellations	19.7	27.1	29.7	29.3	31.1	29.0
Average number of embryos transferred	1.2	1.3	1.5	1.5	1.7	1.0
Percentage of embryos transferred resulting in implantation	34.9	29.8	26.5	11.9	2.5	0 / 12
Percentage of elective single embryo transfer (eSET)	56.9	28.0	11.4	1 / 14	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.5	9.4	4.3	3.6	1.1	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	16.7	12.4	7.3	3.6	1.1	0.0
Percentage of cycles resulting in pregnancy	18.2	14.1	14.2	6.4	3.3	0.0
Outcomes per Transfer						
Number of transfers	121	73	90	46	24	12
Percentage of transfers resulting in singleton live births	33.9	21.9	11.1	10.9	4.2	0 / 12
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	36.4	28.8	18.9	10.9	4.2	0 / 12
Percentage of transfers resulting in pregnancy	39.7	32.9	36.7	19.6	12.5	0 / 12
Outcomes per Pregnancy						
Number of pregnancies	48	24	33	9	3	0
Percentage of pregnancies resulting in singleton live births	85.4	66.7	30.3	5 / 9	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	
Percentage of pregnancies resulting in live births	91.7	87.5	51.5	5 / 9	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	44	36	12	2	5
Number of transfers	71	40	30	12	2	5
Estimated average number of transfers per retrieval	1.4	1.4	1.1	1.7		0.8
Average number of embryos transferred	1.4	1.5	1.3	2.3	2.5	1.2
Percentage of embryos transferred resulting in implantation	32.3	31.7	25.6	25.0	1 / 5	0 / 6
Percentage of transfers resulting in singleton live births	31.0	35.0	16.7	4 / 12	1 / 2	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 2	0 / 5
Percentage of transfers resulting in live births	35.2	37.5	23.3	5 / 12	1 / 2	0 / 5
Percentage of transfers resulting in pregnancy	42.3	57.5	30.0	6 / 12	1 / 2	0 / 5
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		27		40		
Number of transfers		21		39		
Average number of embryos transferred		1.0		1.3		
Percentage of embryos transferred resulting in implantation		50.0		27.5		
Percentage of transfers resulting in singleton live births		42.9		23.1		
Percentage of transfers resulting in live births		42.9		23.1		
Percentage of transfers resulting in pregnancy		47.6		41.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dominion Fertility and Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	15%	Uterine factor	11%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	21%	Male factor	46%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	10%	
				Endometriosis	25%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 234 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	34	26	8	1	0
Percentage of cancellations	8.5	8.8	11.5	1 / 8	0 / 1	
Average number of embryos transferred	2.1	2.4	3.4	3.6	4.0	
Percentage of embryos transferred resulting in implantation	31.9	30.6	8.3	8.0	0 / 4	
Percentage of elective single embryo transfer (eSET)	7.4	3.4	0.0	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.2	17.6	7.7	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	36.6	38.2	11.5	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	41.5	44.1	23.1	1 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	70	30	21	7	1	0
Percentage of transfers resulting in singleton live births	27.1	20.0	9.5	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	42.9	43.3	14.3	1 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	48.6	50.0	28.6	1 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	34	15	6	1	0	0
Percentage of pregnancies resulting in singleton live births	55.9	6 / 15	2 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	88.2	13 / 15	3 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	16	11	1	0	0
Number of transfers	28	13	11	1	0	0
Estimated average number of transfers per retrieval	1.6	1.1	5.5			
Average number of embryos transferred	1.9	1.9	1.7	3.0		
Percentage of embryos transferred resulting in implantation	25.9	20.0	1 / 19	0 / 3		
Percentage of transfers resulting in singleton live births	32.1	3 / 13	1 / 11	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 1		
Percentage of transfers resulting in live births	39.3	4 / 13	1 / 11	0 / 1		
Percentage of transfers resulting in pregnancy	46.4	4 / 13	1 / 11	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	16			8		
Number of transfers	13			8		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation	69.6			1 / 16		
Percentage of transfers resulting in singleton live births	5 / 13			1 / 8		
Percentage of transfers resulting in live births	9 / 13			1 / 8		
Percentage of transfers resulting in pregnancy	11 / 13			1 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	11%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	28%	Ovulatory dysfunction	6%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	27%	
				Endometriosis	4%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 576 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	89	63	71	36	15	4
Percentage of cancellations	1.1	0.0	9.9	2.8	1 / 15	0 / 4
Average number of embryos transferred	1.8	1.7	1.9	2.6	2.2	3.0
Percentage of embryos transferred resulting in implantation	28.4	17.3	8.9	5.5	11.5	0 / 12
Percentage of elective single embryo transfer (eSET)	19.6	20.0	12.1	0 / 18	0 / 8	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.0	11.1	5.6	8.3	0 / 15	0 / 4
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 15	0 / 4
Percentage of cycles resulting in live births	24.7	14.3	7.0	8.3	1 / 15	0 / 4
Percentage of cycles resulting in pregnancy	27.0	20.6	11.3	11.1	2 / 15	0 / 4
Outcomes per Transfer						
Number of transfers	62	43	42	21	12	4
Percentage of transfers resulting in singleton live births	25.8	16.3	9.5	14.3	0 / 12	0 / 4
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0.0	0 / 12	0 / 4
Percentage of transfers resulting in live births	35.5	20.9	11.9	14.3	1 / 12	0 / 4
Percentage of transfers resulting in pregnancy	38.7	30.2	19.0	19.0	2 / 12	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	24	13	8	4	2	0
Percentage of pregnancies resulting in singleton live births	66.7	7 / 13	4 / 8	3 / 4	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.2	0 / 13	0 / 8	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	91.7	9 / 13	5 / 8	3 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	25	18	3	2	0
Number of transfers	35	23	17	3	2	0
Estimated average number of transfers per retrieval	1.3	1.5	1.3	1.5	2.0	
Average number of embryos transferred	1.4	1.5	1.4	1.7	1.5	
Percentage of embryos transferred resulting in implantation	52.0	34.3	34.8	0 / 5	2 / 3	
Percentage of transfers resulting in singleton live births	54.3	34.8	5 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in live births	57.1	39.1	6 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in pregnancy	68.6	52.2	7 / 17	0 / 3	1 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		110		103		
Number of transfers		93		96		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation		48.5		37.0		
Percentage of transfers resulting in singleton live births		37.6		32.3		
Percentage of transfers resulting in live births		54.8		42.7		
Percentage of transfers resulting in pregnancy		66.7		51.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genetics & IVF Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE MUASHER CENTER FOR FERTILITY AND IVF DBA
PARTNERS FOR FERTILITY AND IVF
FAIRFAX, VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Nancy Durso, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	20%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	16%	
				Endometriosis	6%	Unknown factor	23%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 130 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	37	24	15	5	0
Percentage of cancellations	8.1	8.1	8.3	0 / 15	0 / 5	
Average number of embryos transferred	1.7	1.9	2.0	2.5	2.0	
Percentage of embryos transferred resulting in implantation	19.6	13.3	5.3	3.6	0 / 10	
Percentage of elective single embryo transfer (eSET)	0 / 19	0.0	0 / 12	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.2	18.9	4.2	0 / 15	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	
Percentage of cycles resulting in live births	21.6	18.9	4.2	0 / 15	0 / 5	
Percentage of cycles resulting in pregnancy	21.6	18.9	16.7	2 / 15	0 / 5	
Outcomes per Transfer						
Number of transfers	30	31	19	11	5	0
Percentage of transfers resulting in singleton live births	20.0	22.6	1 / 19	0 / 11	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 11	0 / 5	
Percentage of transfers resulting in live births	26.7	22.6	1 / 19	0 / 11	0 / 5	
Percentage of transfers resulting in pregnancy	26.7	22.6	4 / 19	2 / 11	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	8	7	4	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 8	7 / 7	1 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 7	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	8 / 8	7 / 7	1 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	1	0	0	0
Number of transfers	4	1	1	0	0	0
Estimated average number of transfers per retrieval	2.0					0.0
Average number of embryos transferred	1.8	2.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 7	1 / 2	0 / 3			
Percentage of transfers resulting in singleton live births	0 / 4	1 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 4	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 4	1 / 1	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		3			
Number of transfers	1		3			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	1 / 2		0 / 7			
Percentage of transfers resulting in singleton live births	1 / 1		0 / 3			
Percentage of transfers resulting in live births	1 / 1		0 / 3			
Percentage of transfers resulting in pregnancy	1 / 1		0 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Muasher Center for Fertility and IVF dba, Partners for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Laurel A. Stadtmauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	27%	Uterine factor	8%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	12%
				Endometriosis	11%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 21% Female & male factors 16%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 372 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	46	49	23	3	1
Percentage of cancellations	9.9	10.9	18.4	17.4	0 / 3	0 / 1
Average number of embryos transferred	2.0	2.0	2.2	2.2	1.5	2.0
Percentage of embryos transferred resulting in implantation	27.8	18.4	21.1	8.1	1 / 3	0 / 2
Percentage of elective single embryo transfer (eSET)	2.7	0.0	0.0	0 / 13	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	23.9	16.3	8.7	1 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 3	0 / 1
Percentage of cycles resulting in live births	30.8	26.1	20.4	8.7	1 / 3	0 / 1
Percentage of cycles resulting in pregnancy	34.1	28.3	26.5	13.0	1 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	76	38	35	17	2	1
Percentage of transfers resulting in singleton live births	27.6	28.9	22.9	2 / 17	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 2	0 / 1
Percentage of transfers resulting in live births	36.8	31.6	28.6	2 / 17	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	40.8	34.2	37.1	3 / 17	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	31	13	13	3	1	0
Percentage of pregnancies resulting in singleton live births	67.7	11 / 13	8 / 13	2 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 13	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	90.3	12 / 13	10 / 13	2 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	20	12	5	1	5
Number of transfers	42	18	11	5	1	3
Estimated average number of transfers per retrieval	1.9	1.8	11.0	1.0		3.0
Average number of embryos transferred	2.1	1.8	1.9	2.2	1.0	2.7
Percentage of embryos transferred resulting in implantation	17.0	18.8	9.5	3 / 11	0 / 1	0 / 8
Percentage of transfers resulting in singleton live births	21.4	3 / 18	2 / 11	1 / 5	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 5	0 / 1	0 / 3
Percentage of transfers resulting in live births	23.8	3 / 18	2 / 11	2 / 5	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	31.0	5 / 18	2 / 11	2 / 5	0 / 1	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		34		34		
Number of transfers		27		33		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		42.6		26.2		
Percentage of transfers resulting in singleton live births		33.3		15.2		
Percentage of transfers resulting in live births		48.1		27.3		
Percentage of transfers resulting in pregnancy		59.3		36.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	21%	Uterine factor	15%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	79%
Used gestational carrier	6%			Diminished ovarian reserve	58%	Other factor	36%
				Endometriosis	6%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 14% Female & male factors 74%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 142 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	31	35	10	4	0
Percentage of cancellations	3.0	0.0	5.7	0 / 10	1 / 4	
Average number of embryos transferred	1.9	1.9	2.4	2.2	2.3	
Percentage of embryos transferred resulting in implantation	55.0	31.7	16.9	9.1	0 / 7	
Percentage of elective single embryo transfer (eSET)	7.1	12.0	0.0	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.3	29.0	17.1	1 / 10	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	
Percentage of cycles resulting in live births	57.6	38.7	20.0	1 / 10	0 / 4	
Percentage of cycles resulting in pregnancy	69.7	61.3	28.6	2 / 10	1 / 4	
Outcomes per Transfer						
Number of transfers	31	31	32	10	3	0
Percentage of transfers resulting in singleton live births	32.3	29.0	18.8	1 / 10	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of transfers resulting in live births	61.3	38.7	21.9	1 / 10	0 / 3	
Percentage of transfers resulting in pregnancy	74.2	61.3	31.3	2 / 10	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	23	19	10	2	1	0
Percentage of pregnancies resulting in singleton live births	43.5	9 / 19	6 / 10	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 10	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	82.6	12 / 19	7 / 10	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	3	0	0	0
Number of transfers	2	0	3	0	0	0
Estimated average number of transfers per retrieval	0.7	0.0	1.0			
Average number of embryos transferred	2.5		1.7			
Percentage of embryos transferred resulting in implantation	2 / 5		1 / 5			
Percentage of transfers resulting in singleton live births	2 / 2		1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 3			
Percentage of transfers resulting in live births	2 / 2		1 / 3			
Percentage of transfers resulting in pregnancy	2 / 2		1 / 3			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		19		3		
Number of transfers		19		3		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		65.7		0 / 6		
Percentage of transfers resulting in singleton live births		10 / 19		0 / 3		
Percentage of transfers resulting in live births		15 / 19		0 / 3		
Percentage of transfers resulting in pregnancy		16 / 19		0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Virginia Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael C. Edelstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	13%	Uterine factor	7%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	33%
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	2%
				Endometriosis	12%	Unknown factor	17%
				<i>Multiple Factors:</i> Female factors only 8% Female & male factors 6%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 258 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	37	36	10	4	1
Percentage of cancellations	6.7	5.4	11.1	2 / 10	0 / 4	0 / 1
Average number of embryos transferred	2.1	2.4	2.6	2.9	4.0	1.0
Percentage of embryos transferred resulting in implantation	31.4	22.1	17.7	4.3	0 / 12	0 / 1
Percentage of elective single embryo transfer (eSET)	8.3	6.3	3.4	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	16.2	27.8	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1.7	2.7	0.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births	33.3	27.0	30.6	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	36.7	35.1	36.1	2 / 10	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	48	32	30	8	3	1
Percentage of transfers resulting in singleton live births	29.2	18.8	33.3	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	2.1	3.1	0.0	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births	41.7	31.3	36.7	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	45.8	40.6	43.3	2 / 8	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	22	13	13	2	0	0
Percentage of pregnancies resulting in singleton live births	63.6	6 / 13	10 / 13	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	4.5	1 / 13	0 / 13	0 / 2		
Percentage of pregnancies resulting in live births	90.9	10 / 13	11 / 13	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	24	14	4	2	0
Number of transfers	48	24	14	4	2	0
Estimated average number of transfers per retrieval	1.7	1.8	2.8	1.3	2.0	
Average number of embryos transferred	1.9	1.9	2.6	1.8	2.0	
Percentage of embryos transferred resulting in implantation	34.1	37.0	16.7	0 / 7	0 / 4	
Percentage of transfers resulting in singleton live births	31.3	25.0	3 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in live births	43.8	41.7	4 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	62.5	66.7	7 / 14	0 / 4	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		6		12		
Number of transfers		5		12		
Average number of embryos transferred		1.6		2.2		
Percentage of embryos transferred resulting in implantation		6 / 8		23.1		
Percentage of transfers resulting in singleton live births		3 / 5		1 / 12		
Percentage of transfers resulting in live births		3 / 5		3 / 12		
Percentage of transfers resulting in pregnancy		4 / 5		3 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of Virginia					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph G. Gianfortoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	23%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 63%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	82%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	3%	
				Endometriosis	20%	Unknown factor	<1%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 111 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	22	10	2	0	0
Percentage of cancellations	14.8	4.5	0 / 10	1 / 2		
Average number of embryos transferred	1.5	1.9	2.3	1.0		
Percentage of embryos transferred resulting in implantation	32.4	32.5	17.4	0 / 1		
Percentage of elective single embryo transfer (eSET)	45.0	5 / 19	1 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.9	27.3	2 / 10	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2		
Percentage of cycles resulting in live births	33.3	36.4	3 / 10	0 / 2		
Percentage of cycles resulting in pregnancy	33.3	50.0	3 / 10	0 / 2		
Outcomes per Transfer						
Number of transfers	22	21	10	1	0	0
Percentage of transfers resulting in singleton live births	31.8	28.6	2 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births	40.9	38.1	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	40.9	52.4	3 / 10	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	9	11	3	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	6 / 11	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 11	0 / 3			
Percentage of pregnancies resulting in live births	9 / 9	8 / 11	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	12	12	1	0	0
Number of transfers	19	12	11	1	0	0
Estimated average number of transfers per retrieval	1.5	6.0	1.8	1.0		
Average number of embryos transferred	1.3	1.4	1.8	1.0		
Percentage of embryos transferred resulting in implantation	45.8	8 / 17	20.0	0 / 1		
Percentage of transfers resulting in singleton live births	8 / 19	7 / 12	2 / 11	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 12	0 / 11	0 / 1		
Percentage of transfers resulting in live births	9 / 19	7 / 12	3 / 11	0 / 1		
Percentage of transfers resulting in pregnancy	10 / 19	8 / 12	4 / 11	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		5		
Number of transfers		1		4		
Average number of embryos transferred		1.0		1.8		
Percentage of embryos transferred resulting in implantation		1 / 1		3 / 7		
Percentage of transfers resulting in singleton live births		0 / 1		1 / 4		
Percentage of transfers resulting in live births		0 / 1		2 / 4		
Percentage of transfers resulting in pregnancy		1 / 1		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeSource Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY

RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George F. Tidey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	19%	Uterine factor	7%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	21%	Male factor	56%	
Used gestational carrier	3%			Diminished ovarian reserve	18%	Other factor	9%	
				Endometriosis	8%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				30%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 149 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	23	14	7	2	0
Percentage of cancellations	2.9	8.7	2 / 14	2 / 7	0 / 2	
Average number of embryos transferred	2.1	2.3	2.6	3.8		
Percentage of embryos transferred resulting in implantation	41.5	25.0	24.1	3 / 19		
Percentage of elective single embryo transfer (eSET)	4.0	10.0	0 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.5	13.0	3 / 14	1 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	4.3	0 / 14	0 / 7	0 / 2	
Percentage of cycles resulting in live births	38.2	30.4	4 / 14	2 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	44.1	30.4	4 / 14	2 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	25	21	11	5	0	0
Percentage of transfers resulting in singleton live births	32.0	14.3	3 / 11	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	4.8	0 / 11	0 / 5		
Percentage of transfers resulting in live births	52.0	33.3	4 / 11	2 / 5		
Percentage of transfers resulting in pregnancy	60.0	33.3	4 / 11	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	15	7	4	2	0	0
Percentage of pregnancies resulting in singleton live births	8 / 15	3 / 7	3 / 4	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 7	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	13 / 15	7 / 7	4 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	16	3	4	0	1
Number of transfers	30	16	3	4	0	1
Estimated average number of transfers per retrieval	1.6	2.0	1.5	2.0		
Average number of embryos transferred	1.8	2.2	2.7	2.5		2.0
Percentage of embryos transferred resulting in implantation	22.2	28.6	3 / 8	0 / 10		2 / 2
Percentage of transfers resulting in singleton live births	30.0	4 / 16	1 / 3	0 / 4		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 3	0 / 4		0 / 1
Percentage of transfers resulting in live births	33.3	6 / 16	2 / 3	0 / 4		1 / 1
Percentage of transfers resulting in pregnancy	40.0	7 / 16	2 / 3	0 / 4		1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		7		4		
Number of transfers		7		4		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		6 / 14		3 / 7		
Percentage of transfers resulting in singleton live births		2 / 7		2 / 4		
Percentage of transfers resulting in live births		4 / 7		2 / 4		
Percentage of transfers resulting in pregnancy		4 / 7		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
RICHMOND, VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	10%	Uterine factor	0%	
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	23%	Male factor	23%	
Used gestational carrier	6%			Diminished ovarian reserve	17%	Other factor	40%	
				Endometriosis	0%	Unknown factor	27%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 34 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	8	4	0	0	0
Percentage of cancellations	0 / 5	2 / 8	1 / 4			
Average number of embryos transferred	2.0	2.2	2.5			
Percentage of embryos transferred resulting in implantation	5 / 10	1 / 13	2 / 5			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 6	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 5	1 / 8	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 5	0 / 8	0 / 4			
Percentage of cycles resulting in live births	3 / 5	1 / 8	1 / 4			
Percentage of cycles resulting in pregnancy	3 / 5	2 / 8	1 / 4			
Outcomes per Transfer						
Number of transfers	5	6	2	0	0	0
Percentage of transfers resulting in singleton live births	1 / 5	1 / 6	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 6	0 / 2			
Percentage of transfers resulting in live births	3 / 5	1 / 6	1 / 2			
Percentage of transfers resulting in pregnancy	3 / 5	2 / 6	1 / 2			
Outcomes per Pregnancy						
Number of pregnancies	3	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 3	1 / 2	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	3 / 3	1 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	0	1	0	0
Number of transfers	3	3	0	1	0	0
Estimated average number of transfers per retrieval	0.8	1.5				
Average number of embryos transferred	2.3	1.7		3.0		
Percentage of embryos transferred resulting in implantation	1 / 7	1 / 5		0 / 3		
Percentage of transfers resulting in singleton live births	1 / 3	0 / 3		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3		0 / 1		
Percentage of transfers resulting in live births	1 / 3	0 / 3		0 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	1 / 3		0 / 1		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			0		5	
Number of transfers			0		5	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation					4 / 10	
Percentage of transfers resulting in singleton live births					2 / 5	
Percentage of transfers resulting in live births					3 / 5	
Percentage of transfers resulting in pregnancy					3 / 5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE BEACH CENTER FOR INFERTILITY, ENDOCRINOLOGY AND IVF
VIRGINIA BEACH, VIRGINIA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Robin L. Poe-Zeigler, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	22%	Uterine factor	10%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	23%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	50%	Other factor	7%	
				Endometriosis	16%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				17%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 308 (includes 21 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		71	47	39	17	8	3
Percentage of cancellations		2.8	2.1	10.3	5 / 17	1 / 8	0 / 3
Average number of embryos transferred		1.9	2.1	2.5	2.3	1.5	1.0
Percentage of embryos transferred resulting in implantation		42.4	22.5	10.2	1 / 18	1 / 3	0 / 1
Percentage of elective single embryo transfer (eSET)		3.4	0.0	0 / 18	0 / 6	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		31.0	21.3	10.3	1 / 17	1 / 8	0 / 3
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0 / 17	0 / 8	0 / 3
Percentage of cycles resulting in live births		49.3	27.7	10.3	1 / 17	1 / 8	0 / 3
Percentage of cycles resulting in pregnancy		57.7	31.9	20.5	1 / 17	1 / 8	0 / 3
Outcomes per Transfer							
Number of transfers		65	38	24	8	2	1
Percentage of transfers resulting in singleton live births		33.8	26.3	16.7	1 / 8	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births		53.8	34.2	16.7	1 / 8	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy		63.1	39.5	33.3	1 / 8	1 / 2	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		41	15	8	1	1	0
Percentage of pregnancies resulting in singleton live births		53.7	10 / 15	4 / 8	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 15	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births		85.4	13 / 15	4 / 8	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		27	7	15	3	0	0
Number of transfers		24	5	13	3	0	0
Estimated average number of transfers per retrieval		2.0	0.8	3.3	1.0	0.0	0.0
Average number of embryos transferred		2.0	2.6	2.1	2.0		
Percentage of embryos transferred resulting in implantation		16.7	2 / 13	22.2	2 / 6		
Percentage of transfers resulting in singleton live births		12.5	0 / 5	3 / 13	2 / 3		
Percentage of transfers resulting in triplets or more live births		0.0	0 / 5	0 / 13	0 / 3		
Percentage of transfers resulting in live births		20.8	0 / 5	4 / 13	2 / 3		
Percentage of transfers resulting in pregnancy		29.2	2 / 5	6 / 13	2 / 3		
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		17			33		
Number of transfers		17			33		
Average number of embryos transferred		2.0			2.1		
Percentage of embryos transferred resulting in implantation		32.4			25.0		
Percentage of transfers resulting in singleton live births		8 / 17			36.4		
Percentage of transfers resulting in live births		9 / 17			36.4		
Percentage of transfers resulting in pregnancy		10 / 17			48.5		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: The New Hope Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FRANCISCO M. IRIANNI, MD
WINCHESTER, VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Francisco M. Irianni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	7%	Uterine factor	7%	Multiple Factors: Female factors only 3% Female & male factors 30%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	13%	
				Endometriosis	0%	Unknown factor	3%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 30 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	3	3	3	0	0
Percentage of cancellations	1 / 12	0 / 3	0 / 3	1 / 3		
Average number of embryos transferred	2.0	2.3	3.0	4.0		
Percentage of embryos transferred resulting in implantation	40.9	0 / 7	0 / 6	0 / 8		
Percentage of elective single embryo transfer (eSET)	2 / 11	0 / 2	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 12	0 / 3	0 / 3	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 3	0 / 3	0 / 3		
Percentage of cycles resulting in live births	5 / 12	0 / 3	0 / 3	0 / 3		
Percentage of cycles resulting in pregnancy	7 / 12	0 / 3	0 / 3	0 / 3		
Outcomes per Transfer						
Number of transfers	11	3	2	2	0	0
Percentage of transfers resulting in singleton live births	3 / 11	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in live births	5 / 11	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancy	7 / 11	0 / 3	0 / 2	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	7	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7					
Percentage of pregnancies resulting in triplets or more live births	0 / 7					
Percentage of pregnancies resulting in live births	5 / 7					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Number of transfers	1	2	0	0	0	0
Estimated average number of transfers per retrieval		2.0				
Average number of embryos transferred	1.0	1.5				
Percentage of embryos transferred resulting in implantation	1 / 1	3 / 3				
Percentage of transfers resulting in singleton live births	1 / 1	2 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of transfers resulting in live births	1 / 1	2 / 2				
Percentage of transfers resulting in pregnancy	1 / 1	2 / 2				

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	5	1
Number of transfers	3	1
Average number of embryos transferred	1.7	1.0
Percentage of embryos transferred resulting in implantation	3 / 5	0 / 1
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1
Percentage of transfers resulting in live births	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	3 / 3	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Francisco M. Irianni, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Kevin M. Johnson, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	40%	Tubal factor	46%	Uterine factor	3%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	51%	Male factor	53%
Used gestational carrier	<1%			Diminished ovarian reserve	80%	Other factor	2%
				Endometriosis	7%	Unknown factor	<1%
				<i>Multiple Factors:</i> Female factors only 32% Female & male factors 50%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 185 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	61	40	26	5	4	1	
Percentage of cancellations	19.7	7.5	11.5	0 / 5	0 / 4	1 / 1	
Average number of embryos transferred	2.1	2.3	2.6	3.0	2.0		
Percentage of embryos transferred resulting in implantation	33.3	15.9	13.0	1 / 12	0 / 4		
Percentage of elective single embryo transfer (eSET)	7.3	3.6	0 / 17	0 / 4	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	19.7	17.5	11.5	1 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in live births	31.1	22.5	15.4	1 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	31.1	22.5	19.2	1 / 5	0 / 4	0 / 1	
Outcomes per Transfer							
Number of transfers	44	30	18	4	2	0	
Percentage of transfers resulting in singleton live births	27.3	23.3	3 / 18	1 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 4	0 / 2		
Percentage of transfers resulting in live births	43.2	30.0	4 / 18	1 / 4	0 / 2		
Percentage of transfers resulting in pregnancy	43.2	30.0	5 / 18	1 / 4	0 / 2		
Outcomes per Pregnancy							
Number of pregnancies	19	9	5	1	0	0	
Percentage of pregnancies resulting in singleton live births	12 / 19	7 / 9	3 / 5	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 9	0 / 5	0 / 1			
Percentage of pregnancies resulting in live births	19 / 19	9 / 9	4 / 5	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles	16	3	2	0	0	0	
Number of transfers	14	1	1	0	0	0	
Estimated average number of transfers per retrieval	1.6		1.0				
Average number of embryos transferred	1.7	1.0	1.0				
Percentage of embryos transferred resulting in implantation	41.7	0 / 1	1 / 1				
Percentage of transfers resulting in singleton live births	7 / 14	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 1	0 / 1				
Percentage of transfers resulting in live births	7 / 14	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	10 / 14	0 / 1	1 / 1				
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		16		11			
Number of transfers		15		9			
Average number of embryos transferred		1.9		2.1			
Percentage of embryos transferred resulting in implantation		79.3		5 / 19			
Percentage of transfers resulting in singleton live births		3 / 15		3 / 9			
Percentage of transfers resulting in live births		10 / 15		4 / 9			
Percentage of transfers resulting in pregnancy		14 / 15		4 / 9			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Overlake Reproductive Health, Inc., PS					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by James I. Kustin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	4%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 4%
Unstimulated	0%	Used PGD	64%	Ovulatory dysfunction	0%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	62%	
				Endometriosis	1%	Unknown factor	5%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 167 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	33	24	10	1	0
Percentage of cancellations	1.9	3.0	8.3	0 / 10	1 / 1	
Average number of embryos transferred	2.0	1.7	2.2	2.0		
Percentage of embryos transferred resulting in implantation	47.7	34.4	26.3	2 / 16		
Percentage of elective single embryo transfer (eSET)	14.0	4 / 16	1 / 15	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	15.2	25.0	0 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 1	
Percentage of cycles resulting in live births	49.1	21.2	25.0	1 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	50.9	21.2	33.3	1 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	45	19	17	8	0	0
Percentage of transfers resulting in singleton live births	37.8	5 / 19	6 / 17	0 / 8		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 17	0 / 8		
Percentage of transfers resulting in live births	57.8	7 / 19	6 / 17	1 / 8		
Percentage of transfers resulting in pregnancy	60.0	7 / 19	8 / 17	1 / 8		
Outcomes per Pregnancy						
Number of pregnancies	27	7	8	1	0	0
Percentage of pregnancies resulting in singleton live births	63.0	5 / 7	6 / 8	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	96.3	7 / 7	6 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	2	3	3	0	0
Number of transfers	21	2	3	3	0	0
Estimated average number of transfers per retrieval	4.2		3.0	3.0		
Average number of embryos transferred	2.0	3.5	1.3	2.3		
Percentage of embryos transferred resulting in implantation	23.3	0 / 7	4 / 4	0 / 7		
Percentage of transfers resulting in singleton live births	9.5	0 / 2	3 / 3	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 2	0 / 3	0 / 3		
Percentage of transfers resulting in live births	23.8	0 / 2	3 / 3	0 / 3		
Percentage of transfers resulting in pregnancy	28.6	0 / 2	3 / 3	0 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		4		
Number of transfers		11		4		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		45.0		4 / 8		
Percentage of transfers resulting in singleton live births		6 / 11		2 / 4		
Percentage of transfers resulting in live births		7 / 11		2 / 4		
Percentage of transfers resulting in pregnancy		8 / 11		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & FERTILITY CARE BELLINGHAM, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Emmett Branigan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	8%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 9%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	1%	
				Endometriosis	4%	Unknown factor	1%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 78 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	9	10	0	1	4
Percentage of cancellations	0 / 13	1 / 9	1 / 10		0 / 1	1 / 4
Average number of embryos transferred	2.0	2.0	2.0		2.0	3.0
Percentage of embryos transferred resulting in implantation	34.6	2 / 16	4 / 18		0 / 2	0 / 9
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 7	0 / 9		0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 13	2 / 9	4 / 10		0 / 1	0 / 4
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 9	0 / 10		0 / 1	0 / 4
Percentage of cycles resulting in live births	7 / 13	2 / 9	4 / 10		0 / 1	0 / 4
Percentage of cycles resulting in pregnancy	9 / 13	2 / 9	4 / 10		0 / 1	0 / 4
Outcomes per Transfer						
Number of transfers	13	8	9	0	1	3
Percentage of transfers resulting in singleton live births	7 / 13	2 / 8	4 / 9		0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 8	0 / 9		0 / 1	0 / 3
Percentage of transfers resulting in live births	7 / 13	2 / 8	4 / 9		0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	9 / 13	2 / 8	4 / 9		0 / 1	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	9	2	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	2 / 2	4 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 4			
Percentage of pregnancies resulting in live births	7 / 9	2 / 2	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	9	1	2	1	0
Number of transfers	8	9	1	2	1	0
Estimated average number of transfers per retrieval	2.7	3.0	1.0	2.0		
Average number of embryos transferred	2.0	2.3	2.0	2.5	1.0	
Percentage of embryos transferred resulting in implantation	4 / 16	4.8	0 / 2	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births	4 / 8	1 / 9	0 / 1	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 9	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 8	1 / 9	0 / 1	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	2 / 9	0 / 1	1 / 2	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		5		
Number of transfers		15		5		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		50.0		0 / 10		
Percentage of transfers resulting in singleton live births		8 / 15		0 / 5		
Percentage of transfers resulting in live births		11 / 15		0 / 5		
Percentage of transfers resulting in pregnancy		12 / 15		0 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	0%	Tubal factor	7%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	2%	
				Endometriosis	16%	Unknown factor	43%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				4%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 56 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	11	5	1	1	1
Percentage of cancellations	3.2	0 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Average number of embryos transferred	1.9	1.8	1.8	1.0	2.0	4.0
Percentage of embryos transferred resulting in implantation	35.8	35.0	2 / 9	0 / 1	1 / 2	0 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 4		0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	4 / 11	0 / 5	0 / 1	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in live births	41.9	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	45.2	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	28	11	5	1	1	1
Percentage of transfers resulting in singleton live births	35.7	4 / 11	0 / 5	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	46.4	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	50.0	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	14	4	1	0	1	0
Percentage of pregnancies resulting in singleton live births	10 / 14	4 / 4	0 / 1		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 4	0 / 1		0 / 1	
Percentage of pregnancies resulting in live births	13 / 14	4 / 4	1 / 1		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	0	1	0	1
Number of transfers	3	0	0	1	0	1
Estimated average number of transfers per retrieval	1.5					
Average number of embryos transferred	2.3			2.0		2.0
Percentage of embryos transferred resulting in implantation	3 / 7			1 / 2		0 / 2
Percentage of transfers resulting in singleton live births	1 / 3			1 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 3			0 / 1		0 / 1
Percentage of transfers resulting in live births	2 / 3			1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	2 / 3			1 / 1		0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Olympia Women's Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Lorna A. Marshall, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	4%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	15%	
				Endometriosis	3%	Unknown factor	31%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				6%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 839 (includes 117 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	72	52	59	28	5	3	
Percentage of cancellations	2.8	3.8	10.2	0.0	0 / 5	0 / 3	
Average number of embryos transferred	1.8	2.0	2.4	3.1	3.4	6.0	
Percentage of embryos transferred resulting in implantation	27.9	31.3	18.3	5.0	0 / 17	0 / 18	
Percentage of elective single embryo transfer (eSET)	19.1	13.0	5.9	0.0	0 / 4	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	19.4	32.7	23.7	3.6	0 / 5	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3	
Percentage of cycles resulting in live births	31.9	38.5	25.4	3.6	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancy	40.3	44.2	37.3	17.9	1 / 5	0 / 3	
Outcomes per Transfer							
Number of transfers	70	49	53	26	5	3	
Percentage of transfers resulting in singleton live births	20.0	34.7	26.4	3.8	0 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	32.9	40.8	28.3	3.8	0 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	41.4	46.9	41.5	19.2	1 / 5	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	29	23	22	5	1	0	
Percentage of pregnancies resulting in singleton live births	48.3	73.9	63.6	1 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	79.3	87.0	68.2	1 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	132	77	56	23	6	5	
Number of transfers	120	69	48	16	5	3	
Estimated average number of transfers per retrieval	2.1	1.9	1.6	0.6	1.0	0.3	
Average number of embryos transferred	1.6	1.5	1.8	1.4	2.0	1.3	
Percentage of embryos transferred resulting in implantation	48.7	37.5	36.5	54.5	2 / 10	0 / 4	
Percentage of transfers resulting in singleton live births	44.2	42.0	35.4	8 / 16	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 3	
Percentage of transfers resulting in live births	55.0	47.8	45.8	9 / 16	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	63.3	56.5	50.0	11 / 16	1 / 5	1 / 3	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		49		155			
Number of transfers		47		141			
Average number of embryos transferred		1.6		1.3			
Percentage of embryos transferred resulting in implantation		67.1		49.5			
Percentage of transfers resulting in singleton live births		53.2		48.9			
Percentage of transfers resulting in live births		70.2		55.3			
Percentage of transfers resulting in pregnancy		80.9		63.1			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Pacific Northwest Fertility and IVF Specialists					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SEATTLE REPRODUCTIVE MEDICINE
INTEGRATED AMERICA
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lynn B. Davis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	13%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	33%	Other factor	8%	
				Endometriosis	9%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,765 (includes 32 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	443	231	239	110	22	6
Percentage of cancellations	6.5	9.1	12.6	21.8	27.3	1 / 6
Average number of embryos transferred	1.5	1.6	2.0	2.4	2.6	2.8
Percentage of embryos transferred resulting in implantation	42.7	31.4	20.0	13.0	10.3	2 / 14
Percentage of elective single embryo transfer (eSET)	41.6	33.1	8.4	1.5	0 / 13	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	27.7	20.5	12.7	4.5	0 / 6
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.4	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	41.3	32.5	25.1	14.5	9.1	0 / 6
Percentage of cycles resulting in pregnancy	46.3	38.5	32.2	23.6	13.6	1 / 6
Outcomes per Transfer						
Number of transfers	391	195	200	79	15	5
Percentage of transfers resulting in singleton live births	36.8	32.8	24.5	17.7	1 / 15	0 / 5
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.5	0.0	0 / 15	0 / 5
Percentage of transfers resulting in live births	46.8	38.5	30.0	20.3	2 / 15	0 / 5
Percentage of transfers resulting in pregnancy	52.4	45.6	38.5	32.9	3 / 15	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	205	89	77	26	3	1
Percentage of pregnancies resulting in singleton live births	70.2	71.9	63.6	53.8	1 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.3	0.0	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	89.3	84.3	77.9	61.5	2 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	174	97	60	33	7	4
Number of transfers	156	83	53	28	5	3
Estimated average number of transfers per retrieval	1.7	1.8	1.4	1.9	2.5	1.5
Average number of embryos transferred	1.5	1.4	1.6	1.4	1.6	1.7
Percentage of embryos transferred resulting in implantation	37.7	27.5	24.1	21.1	1 / 8	0 / 5
Percentage of transfers resulting in singleton live births	30.8	30.1	18.9	25.0	0 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of transfers resulting in live births	39.1	33.7	24.5	25.0	0 / 5	0 / 3
Percentage of transfers resulting in pregnancy	48.7	36.1	34.0	32.1	1 / 5	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		170		137		
Number of transfers		152		126		
Average number of embryos transferred		1.5		1.5		
Percentage of embryos transferred resulting in implantation		51.8		18.6		
Percentage of transfers resulting in singleton live births		47.4		15.9		
Percentage of transfers resulting in live births		58.6		19.8		
Percentage of transfers resulting in pregnancy		68.4		27.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seattle Reproductive Medicine, Integrated America

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Diane Woodford, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	14%	Uterine factor	4%	
Unstimulated	2%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	15%	
				Endometriosis	14%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				19%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 164 (includes 4 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		44	22	33	17	4	1
Percentage of cancellations		9.1	22.7	21.2	2 / 17	0 / 4	0 / 1
Average number of embryos transferred		1.5	1.7	2.3	2.4	3.7	1.0
Percentage of embryos transferred resulting in implantation		35.3	44.4	20.8	15.4	0 / 11	0 / 1
Percentage of elective single embryo transfer (eSET)		39.3	3 / 13	0 / 19	0 / 9	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.7	27.3	21.2	1 / 17	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0 / 17	0 / 4	0 / 1
Percentage of cycles resulting in live births		29.5	36.4	24.2	1 / 17	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy		36.4	45.5	24.2	4 / 17	0 / 4	0 / 1
Outcomes per Transfer							
Number of transfers		34	16	21	11	3	1
Percentage of transfers resulting in singleton live births		29.4	6 / 16	33.3	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0.0	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in live births		38.2	8 / 16	38.1	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy		47.1	10 / 16	38.1	4 / 11	0 / 3	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		16	10	8	4	0	0
Percentage of pregnancies resulting in singleton live births		10 / 16	6 / 10	7 / 8	1 / 4		
Percentage of pregnancies resulting in triplets or more live births		0 / 16	0 / 10	0 / 8	0 / 4		
Percentage of pregnancies resulting in live births		13 / 16	8 / 10	8 / 8	1 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	7	6	5	1	0
Number of transfers		18	6	5	4	1	0
Estimated average number of transfers per retrieval		1.6	1.2	2.5	0.6		
Average number of embryos transferred		1.6	2.0	1.8	2.3	1.0	
Percentage of embryos transferred resulting in implantation		14.3	3 / 12	0 / 9	2 / 9	0 / 1	
Percentage of transfers resulting in singleton live births		2 / 18	0 / 6	0 / 5	2 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 18	0 / 6	0 / 5	0 / 4	0 / 1	
Percentage of transfers resulting in live births		2 / 18	1 / 6	0 / 5	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy		5 / 18	2 / 6	1 / 5	2 / 4	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		1			0		
Number of transfers		1			0		
Average number of embryos transferred		1.0					
Percentage of embryos transferred resulting in implantation		0 / 1					
Percentage of transfers resulting in singleton live births		0 / 1					
Percentage of transfers resulting in live births		0 / 1					
Percentage of transfers resulting in pregnancy		0 / 1					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: University Reproductive Care, University of Washington					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Edwin Robins, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	69%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	15%	
				Endometriosis	6%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				33%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 301 (includes 121 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	12	3	0	0	0
Percentage of cancellations	2.2	0 / 12	0 / 3			
Average number of embryos transferred	1.9	2.2	2.0			
Percentage of embryos transferred resulting in implantation	60.0	46.2	2 / 6			
Percentage of elective single embryo transfer (eSET)	5.1	0 / 12	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	3 / 12	2 / 3			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 3			
Percentage of cycles resulting in live births	62.2	6 / 12	2 / 3			
Percentage of cycles resulting in pregnancy	73.3	7 / 12	2 / 3			
Outcomes per Transfer						
Number of transfers	43	12	3	0	0	0
Percentage of transfers resulting in singleton live births	34.9	3 / 12	2 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 3			
Percentage of transfers resulting in live births	65.1	6 / 12	2 / 3			
Percentage of transfers resulting in pregnancy	76.7	7 / 12	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	33	7	2	0	0	0
Percentage of pregnancies resulting in singleton live births	45.5	3 / 7	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 2			
Percentage of pregnancies resulting in live births	84.8	6 / 7	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	30	10	1	0	0
Number of transfers	66	30	10	1	0	0
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.2	0.0	0.0
Average number of embryos transferred	2.1	2.0	2.2	1.0		
Percentage of embryos transferred resulting in implantation	29.7	34.4	18.2	0 / 1		
Percentage of transfers resulting in singleton live births	24.2	50.0	2 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births	37.9	50.0	2 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	50.0	60.0	4 / 10	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		3		10		
Number of transfers		3		9		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		6 / 6		2 / 15		
Percentage of transfers resulting in singleton live births		0 / 3		1 / 9		
Percentage of transfers resulting in live births		2 / 3		1 / 9		
Percentage of transfers resulting in pregnancy		3 / 3		2 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GYFT CLINIC, PLLC TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert Z. McLees, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	23%	Uterine factor	1%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	16%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	9%	
				Endometriosis	9%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 70 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	11	8	5	2	1
Percentage of cancellations	8.3	1 / 11	2 / 8	0 / 5	0 / 2	0 / 1
Average number of embryos transferred	2.2	3.4	3.5	3.8	3.5	4.0
Percentage of embryos transferred resulting in implantation	23.0	17.6	4.8	0 / 15	0 / 7	1 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 5	0 / 4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	0 / 11	1 / 8	0 / 5	0 / 2	1 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births	27.8	2 / 11	1 / 8	0 / 5	0 / 2	1 / 1
Percentage of cycles resulting in pregnancy	33.3	3 / 11	1 / 8	0 / 5	0 / 2	1 / 1
Outcomes per Transfer						
Number of transfers	33	10	6	4	2	1
Percentage of transfers resulting in singleton live births	24.2	0 / 10	1 / 6	0 / 4	0 / 2	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births	30.3	2 / 10	1 / 6	0 / 4	0 / 2	1 / 1
Percentage of transfers resulting in pregnancy	36.4	3 / 10	1 / 6	0 / 4	0 / 2	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	3	1	0	0	1
Percentage of pregnancies resulting in singleton live births	8 / 12	0 / 3	1 / 1			1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 3	0 / 1			0 / 1
Percentage of pregnancies resulting in live births	10 / 12	2 / 3	1 / 1			1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	1	0	0	0	0
Number of transfers	6	1	0	0	0	0
Estimated average number of transfers per retrieval	1.5					
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	5 / 14	1 / 2				
Percentage of transfers resulting in singleton live births	0 / 6	1 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1				
Percentage of transfers resulting in live births	2 / 6	1 / 1				
Percentage of transfers resulting in pregnancy	3 / 6	1 / 1				
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			0		0	
Number of transfers			0		0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GYFT Clinic, PLLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Greg E. Chow, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	30%	Uterine factor	9%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	2%	
				Endometriosis	9%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				21%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 138 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		60	19	22	12	4	0
Percentage of cancellations		11.7	1 / 19	4.5	2 / 12	1 / 4	
Average number of embryos transferred		1.8	1.8	2.2	2.9	1.5	
Percentage of embryos transferred resulting in implantation		41.1	34.5	30.2	15.4	0 / 3	
Percentage of elective single embryo transfer (eSET)		19.6	3 / 14	0 / 18	0 / 8	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		28.3	5 / 19	27.3	1 / 12	0 / 4	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 19	0.0	0 / 12	0 / 4	
Percentage of cycles resulting in live births		41.7	6 / 19	31.8	1 / 12	0 / 4	
Percentage of cycles resulting in pregnancy		46.7	8 / 19	50.0	4 / 12	0 / 4	
Outcomes per Transfer							
Number of transfers		50	16	20	9	2	0
Percentage of transfers resulting in singleton live births		34.0	5 / 16	30.0	1 / 9	0 / 2	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 16	0.0	0 / 9	0 / 2	
Percentage of transfers resulting in live births		50.0	6 / 16	35.0	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancy		56.0	8 / 16	55.0	4 / 9	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		28	8	11	4	0	0
Percentage of pregnancies resulting in singleton live births		60.7	5 / 8	6 / 11	1 / 4		
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 8	0 / 11	0 / 4		
Percentage of pregnancies resulting in live births		89.3	6 / 8	7 / 11	1 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		6	6	3	3	0	1
Number of transfers		5	6	3	3	0	0
Estimated average number of transfers per retrieval		1.3	2.0	3.0			
Average number of embryos transferred		1.8	1.7	1.7	2.0		
Percentage of embryos transferred resulting in implantation		1 / 9	1 / 10	2 / 5	2 / 6		
Percentage of transfers resulting in singleton live births		1 / 5	1 / 6	1 / 3	1 / 3		
Percentage of transfers resulting in triplets or more live births		0 / 5	0 / 6	0 / 3	0 / 3		
Percentage of transfers resulting in live births		1 / 5	1 / 6	1 / 3	1 / 3		
Percentage of transfers resulting in pregnancy		2 / 5	1 / 6	1 / 3	2 / 3		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			2		
Number of transfers		0			2		
Average number of embryos transferred					2.0		
Percentage of embryos transferred resulting in implantation					1 / 4		
Percentage of transfers resulting in singleton live births					0 / 2		
Percentage of transfers resulting in live births					0 / 2		
Percentage of transfers resulting in pregnancy					1 / 2		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Madigan Army Medical Center					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Pickens A. Gantt, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	26%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	11%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	7%	
				Endometriosis	15%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				0%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 27 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		12	1	4	1	0	0
Percentage of cancellations		0 / 12	0 / 1	1 / 4	0 / 1		
Average number of embryos transferred		2.3	2.0	2.7	2.0		
Percentage of embryos transferred resulting in implantation		25.0	0 / 2	2 / 8	0 / 2		
Percentage of elective single embryo transfer (eSET)		0 / 11	0 / 1	0 / 2	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		7 / 12	0 / 1	1 / 4	0 / 1		
Percentage of cycles resulting in triplets or more live births		0 / 12	0 / 1	0 / 4	0 / 1		
Percentage of cycles resulting in live births		7 / 12	0 / 1	1 / 4	0 / 1		
Percentage of cycles resulting in pregnancy		7 / 12	0 / 1	1 / 4	0 / 1		
Outcomes per Transfer							
Number of transfers		12	1	3	1	0	0
Percentage of transfers resulting in singleton live births		7 / 12	0 / 1	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 12	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in live births		7 / 12	0 / 1	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy		7 / 12	0 / 1	1 / 3	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies		7	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births		7 / 7		1 / 1			
Percentage of pregnancies resulting in triplets or more live births		0 / 7		0 / 1			
Percentage of pregnancies resulting in live births		7 / 7		1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		2	4	0	0	0	0
Number of transfers		2	4	0	0	0	0
Estimated average number of transfers per retrieval			4.0				
Average number of embryos transferred		2.5	3.5				
Percentage of embryos transferred resulting in implantation		0 / 5	1 / 14				
Percentage of transfers resulting in singleton live births		0 / 2	1 / 4				
Percentage of transfers resulting in triplets or more live births		0 / 2	0 / 4				
Percentage of transfers resulting in live births		0 / 2	1 / 4				
Percentage of transfers resulting in pregnancy		0 / 2	1 / 4				
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		1			2		
Number of transfers		1			2		
Average number of embryos transferred		3.0			2.0		
Percentage of embryos transferred resulting in implantation		2 / 3			0 / 4		
Percentage of transfers resulting in singleton live births		0 / 1			0 / 2		
Percentage of transfers resulting in live births		1 / 1			0 / 2		
Percentage of transfers resulting in pregnancy		1 / 1			0 / 2		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: West Virginia University Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CABELL HUNTINGTON HOSPITAL
CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
HUNTINGTON, WEST VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	33%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	8%	
				Endometriosis	25%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 24 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	3	2	4	0	0
Percentage of cancellations	0 / 11	0 / 3	0 / 2	1 / 4		
Average number of embryos transferred	3.0	2.7	3.0	3.7		
Percentage of embryos transferred resulting in implantation	16.7	1 / 8	0 / 6	0 / 11		
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 2	0 / 2	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 3	0 / 2	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 3	0 / 2	0 / 4		
Percentage of cycles resulting in live births	4 / 11	1 / 3	0 / 2	0 / 4		
Percentage of cycles resulting in pregnancy	4 / 11	1 / 3	0 / 2	0 / 4		
Outcomes per Transfer						
Number of transfers	10	3	2	3	0	0
Percentage of transfers resulting in singleton live births	3 / 10	1 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in live births	4 / 10	1 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancy	4 / 10	1 / 3	0 / 2	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	4	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of pregnancies resulting in live births	4 / 4	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Number of transfers	1	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 1	0 / 4				
Percentage of transfers resulting in singleton live births	1 / 1	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of transfers resulting in live births	1 / 1	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 1	0 / 2				

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Roger C. Toffle, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	54%	Tubal factor	33%	Uterine factor	2%
Unstimulated	2%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	65%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	5%
				Endometriosis	24%	Unknown factor	6%
				<i>Multiple Factors:</i> Female factors only 5% Female & male factors 50%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 66 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	34	18	4	1	0	0	
Percentage of cancellations	17.6	4 / 18	0 / 4	1 / 1			
Average number of embryos transferred	2.1	2.0	2.3				
Percentage of embryos transferred resulting in implantation	40.4	12.5	2 / 9				
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 3				
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	23.5	3 / 18	2 / 4	0 / 1			
Percentage of cycles resulting in triplets or more live births	2.9	0 / 18	0 / 4	0 / 1			
Percentage of cycles resulting in live births	38.2	3 / 18	2 / 4	0 / 1			
Percentage of cycles resulting in pregnancy	41.2	3 / 18	2 / 4	0 / 1			
Outcomes per Transfer							
Number of transfers	25	12	4	0	0	0	
Percentage of transfers resulting in singleton live births	32.0	3 / 12	2 / 4				
Percentage of transfers resulting in triplets or more live births	4.0	0 / 12	0 / 4				
Percentage of transfers resulting in live births	52.0	3 / 12	2 / 4				
Percentage of transfers resulting in pregnancy	56.0	3 / 12	2 / 4				
Outcomes per Pregnancy							
Number of pregnancies	14	3	2	0	0	0	
Percentage of pregnancies resulting in singleton live births	8 / 14	3 / 3	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	1 / 14	0 / 3	0 / 2				
Percentage of pregnancies resulting in live births	13 / 14	3 / 3	2 / 2				
Frozen Embryos from Nondonor Eggs							
Number of cycles	2	6	1	0	0	0	
Number of transfers	2	5	1	0	0	0	
Estimated average number of transfers per retrieval	1.0	2.5					
Average number of embryos transferred	2.0	2.4	2.0				
Percentage of embryos transferred resulting in implantation	1 / 4	2 / 12	0 / 2				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 5	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 5	0 / 1				
Percentage of transfers resulting in live births	1 / 2	0 / 5	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 2	1 / 5	0 / 1				
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		0			
Number of transfers		0		0			
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: West Virginia University Center for Reproductive Medicine					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA FERTILITY SERVICES-GREEN BAY
THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER
GREEN BAY, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	>99%	Tubal factor	20%	Uterine factor	9%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	21%	Male factor	92%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	20%	
				Endometriosis	7%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				58%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 142 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	28	7	5	2	0
Percentage of cancellations	1.7	0.0	0 / 7	0 / 5	0 / 2	
Average number of embryos transferred	1.9	1.9	1.9	2.6	2.0	
Percentage of embryos transferred resulting in implantation	36.2	25.0	4 / 13	0 / 13	0 / 2	
Percentage of elective single embryo transfer (eSET)	3.8	0.0	1 / 7	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.7	17.9	1 / 7	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 5	0 / 2	
Percentage of cycles resulting in live births	40.7	28.6	2 / 7	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	49.2	39.3	3 / 7	0 / 5	1 / 2	
Outcomes per Transfer						
Number of transfers	54	27	7	5	1	0
Percentage of transfers resulting in singleton live births	25.9	18.5	1 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in live births	44.4	29.6	2 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	53.7	40.7	3 / 7	0 / 5	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	29	11	3	0	1	0
Percentage of pregnancies resulting in singleton live births	48.3	5 / 11	1 / 3		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 3		0 / 1	
Percentage of pregnancies resulting in live births	82.8	8 / 11	2 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	15	2	2	0	1
Number of transfers	18	15	2	2	0	1
Estimated average number of transfers per retrieval	3.6	3.0				
Average number of embryos transferred	1.8	1.8	1.5	1.5		2.0
Percentage of embryos transferred resulting in implantation	36.4	25.9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in singleton live births	4 / 18	5 / 15	0 / 2	1 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 15	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births	7 / 18	6 / 15	0 / 2	1 / 2		0 / 1
Percentage of transfers resulting in pregnancy	7 / 18	6 / 15	1 / 2	1 / 2		0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			2		1	
Number of transfers			1		1	
Average number of embryos transferred			1.0		2.0	
Percentage of embryos transferred resulting in implantation			1 / 1		0 / 2	
Percentage of transfers resulting in singleton live births			1 / 1		0 / 1	
Percentage of transfers resulting in live births			1 / 1		0 / 1	
Percentage of transfers resulting in pregnancy			1 / 1		0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Dan I. Lebovic, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	14%	Uterine factor	4%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	21%	Male factor	47%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	<1%
				Endometriosis	6%	Unknown factor	17%
				<i>Multiple Factors:</i> Female factors only 2% Female & male factors 17%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 129 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	19	7	5	0	0
Percentage of cancellations	10.2	2 / 19	1 / 7	1 / 5		
Average number of embryos transferred	1.6	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation	40.8	40.0	2 / 12	3 / 7		
Percentage of elective single embryo transfer (eSET)	37.2	3 / 16	1 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.1	6 / 19	2 / 7	0 / 5		
Percentage of cycles resulting in triplets or more live births	1.7	0 / 19	0 / 7	1 / 5		
Percentage of cycles resulting in live births	37.3	8 / 19	2 / 7	1 / 5		
Percentage of cycles resulting in pregnancy	45.8	9 / 19	2 / 7	1 / 5		
Outcomes per Transfer						
Number of transfers	48	16	6	3	0	0
Percentage of transfers resulting in singleton live births	33.3	6 / 16	2 / 6	0 / 3		
Percentage of transfers resulting in triplets or more live births	2.1	0 / 16	0 / 6	1 / 3		
Percentage of transfers resulting in live births	45.8	8 / 16	2 / 6	1 / 3		
Percentage of transfers resulting in pregnancy	56.3	9 / 16	2 / 6	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	27	9	2	1	0	0
Percentage of pregnancies resulting in singleton live births	59.3	6 / 9	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 9	0 / 2	1 / 1		
Percentage of pregnancies resulting in live births	81.5	8 / 9	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	8	3	2	0	0
Number of transfers	20	6	3	2	0	0
Estimated average number of transfers per retrieval	1.2	3.0		1.0		
Average number of embryos transferred	1.9	1.8	1.7	2.0		
Percentage of embryos transferred resulting in implantation	34.2	5 / 11	0 / 5	3 / 4		
Percentage of transfers resulting in singleton live births	35.0	2 / 6	0 / 3	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 3	0 / 2		
Percentage of transfers resulting in live births	45.0	3 / 6	0 / 3	2 / 2		
Percentage of transfers resulting in pregnancy	60.0	4 / 6	0 / 3	2 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 2		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Wisconsin-Generations Fertility Care					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David L. Olive, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	7%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	18%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	45%	Other factor	9%	
				Endometriosis	7%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 280 (includes 12 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	16	18	5	5	4
Percentage of cancellations	7.4	3 / 16	3 / 18	1 / 5	1 / 5	1 / 4
Average number of embryos transferred	2.3	2.6	3.1	3.0	3.3	1.7
Percentage of embryos transferred resulting in implantation	17.8	5.9	18.2	3 / 12	0 / 10	0 / 5
Percentage of elective single embryo transfer (eSET)	4.8	1 / 13	0 / 12	0 / 4	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.7	2 / 16	4 / 18	1 / 5	0 / 5	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 5	0 / 5	0 / 4
Percentage of cycles resulting in live births	22.1	2 / 16	6 / 18	1 / 5	0 / 5	0 / 4
Percentage of cycles resulting in pregnancy	30.9	2 / 16	6 / 18	3 / 5	0 / 5	0 / 4
Outcomes per Transfer						
Number of transfers	63	13	14	4	3	3
Percentage of transfers resulting in singleton live births	15.9	2 / 13	4 / 14	1 / 4	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in live births	23.8	2 / 13	6 / 14	1 / 4	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	33.3	2 / 13	6 / 14	3 / 4	0 / 3	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	21	2	6	3	0	0
Percentage of pregnancies resulting in singleton live births	47.6	2 / 2	4 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 2	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	71.4	2 / 2	6 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	16	4	2	1	0
Number of transfers	65	14	4	1	1	0
Estimated average number of transfers per retrieval	1.5	1.3	1.3	0.5	1.0	
Average number of embryos transferred	2.2	2.2	1.8	1.0	1.0	
Percentage of embryos transferred resulting in implantation	15.2	0.0	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	10.8	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births	18.5	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	26.2	1 / 14	0 / 4	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		33		
Number of transfers		20		31		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		55.0		21.3		
Percentage of transfers resulting in singleton live births		35.0		29.0		
Percentage of transfers resulting in live births		55.0		32.3		
Percentage of transfers resulting in pregnancy		70.0		38.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wisconsin Fertility Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FROEDTERT & MEDICAL COLLEGE OF WISCONSIN
REPRODUCTIVE MEDICINE CENTER
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Estil Strawn, Jr., MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	12%	Uterine factor	2%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	3%	
				Endometriosis	8%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 361 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	49	24	9	1	0
Percentage of cancellations	8.8	4.1	20.8	0 / 9	0 / 1	
Average number of embryos transferred	1.5	1.7	2.0	1.9	2.0	
Percentage of embryos transferred resulting in implantation	35.3	28.8	6.3	0 / 15	1 / 2	
Percentage of elective single embryo transfer (eSET)	48.2	18.9	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	20.4	8.3	0 / 9	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	31.9	30.6	8.3	0 / 9	1 / 1	
Percentage of cycles resulting in pregnancy	34.5	32.7	8.3	0 / 9	1 / 1	
Outcomes per Transfer						
Number of transfers	91	42	16	8	1	0
Percentage of transfers resulting in singleton live births	33.0	23.8	2 / 16	0 / 8	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in live births	39.6	35.7	2 / 16	0 / 8	1 / 1	
Percentage of transfers resulting in pregnancy	42.9	38.1	2 / 16	0 / 8	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	16	2	0	1	0
Percentage of pregnancies resulting in singleton live births	76.9	10 / 16	2 / 2		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 2		0 / 1	
Percentage of pregnancies resulting in live births	92.3	15 / 16	2 / 2		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	81	28	7	6	2	0
Number of transfers	77	23	5	6	1	0
Estimated average number of transfers per retrieval	2.0	1.4	1.3	3.0		
Average number of embryos transferred	1.6	1.6	1.8	2.7	1.0	
Percentage of embryos transferred resulting in implantation	30.1	35.1	6 / 9	4 / 16	0 / 1	
Percentage of transfers resulting in singleton live births	24.7	30.4	4 / 5	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 6	0 / 1	
Percentage of transfers resulting in live births	36.4	39.1	5 / 5	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	36.4	47.8	5 / 5	3 / 6	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		11		26		
Number of transfers		10		22		
Average number of embryos transferred		1.2		1.4		
Percentage of embryos transferred resulting in implantation		7 / 12		35.5		
Percentage of transfers resulting in singleton live births		6 / 10		36.4		
Percentage of transfers resulting in live births		6 / 10		40.9		
Percentage of transfers resulting in pregnancy		7 / 10		40.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE SPECIALTY CENTER
IVF COLUMBIA
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	25%	Uterine factor	10%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	0%	
				Endometriosis	27%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 50 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	9	4	6	2	0
Percentage of cancellations	0 / 15	0 / 9	1 / 4	1 / 6	0 / 2	
Average number of embryos transferred	1.9	2.1	2.7	2.6	2.5	
Percentage of embryos transferred resulting in implantation	46.2	6 / 17	0 / 8	0 / 13	1 / 5	
Percentage of elective single embryo transfer (eSET)	2 / 14	0 / 8	0 / 3	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9 / 15	2 / 9	0 / 4	0 / 6	1 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 9	0 / 4	0 / 6	0 / 2	
Percentage of cycles resulting in live births	10 / 15	4 / 9	0 / 4	0 / 6	1 / 2	
Percentage of cycles resulting in pregnancy	10 / 15	4 / 9	0 / 4	0 / 6	1 / 2	
Outcomes per Transfer						
Number of transfers	14	8	3	5	2	0
Percentage of transfers resulting in singleton live births	9 / 14	2 / 8	0 / 3	0 / 5	1 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 8	0 / 3	0 / 5	0 / 2	
Percentage of transfers resulting in live births	10 / 14	4 / 8	0 / 3	0 / 5	1 / 2	
Percentage of transfers resulting in pregnancy	10 / 14	4 / 8	0 / 3	0 / 5	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	4	0	0	1	0
Percentage of pregnancies resulting in singleton live births	9 / 10	2 / 4			1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 4			0 / 1	
Percentage of pregnancies resulting in live births	10 / 10	4 / 4			1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	0	1	0	0
Number of transfers	7	4	0	1	0	0
Estimated average number of transfers per retrieval	1.8					
Average number of embryos transferred	2.0	1.5		1.0		
Percentage of embryos transferred resulting in implantation	5 / 14	3 / 6		0 / 1		
Percentage of transfers resulting in singleton live births	4 / 7	0 / 4		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 7	1 / 4		0 / 1		
Percentage of transfers resulting in live births	4 / 7	1 / 4		0 / 1		
Percentage of transfers resulting in pregnancy	5 / 7	1 / 4		0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		1		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Center, IVF Columbia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN FERTILITY LUTHERAN FERTILITY CENTER ONALASKA, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Sana Salih, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	22%	Uterine factor	19%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	14%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	16%
				Endometriosis	38%	Unknown factor	3%
				Multiple Factors:			
				Female factors only 27%			
				Female & male factors 28%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 74 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		33	6	6	2	2	1
Percentage of cancellations		9.1	1/6	1/6	0/2	0/2	0/1
Average number of embryos transferred		1.6	2.0	3.3	3.0	3.0	2.0
Percentage of embryos transferred resulting in implantation		44.9	2/10	4/13	0/6	1/6	0/2
Percentage of elective single embryo transfer (eSET)		32.1	0/5	0/4	0/2	0/1	0/1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		36.4	0/6	0/6	0/2	0/2	0/1
Percentage of cycles resulting in triplets or more live births		0.0	0/6	0/6	0/2	0/2	0/1
Percentage of cycles resulting in live births		45.5	1/6	1/6	0/2	0/2	0/1
Percentage of cycles resulting in pregnancy		48.5	1/6	2/6	0/2	1/2	0/1
Outcomes per Transfer							
Number of transfers		30	5	4	2	2	1
Percentage of transfers resulting in singleton live births		40.0	0/5	0/4	0/2	0/2	0/1
Percentage of transfers resulting in triplets or more live births		0.0	0/5	0/4	0/2	0/2	0/1
Percentage of transfers resulting in live births		50.0	1/5	1/4	0/2	0/2	0/1
Percentage of transfers resulting in pregnancy		53.3	1/5	2/4	0/2	1/2	0/1
Outcomes per Pregnancy							
Number of pregnancies		16	1	2	0	1	0
Percentage of pregnancies resulting in singleton live births		12/16	0/1	0/2		0/1	
Percentage of pregnancies resulting in triplets or more live births		0/16	0/1	0/2		0/1	
Percentage of pregnancies resulting in live births		15/16	1/1	1/2		0/1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		11	2	1	0	0	0
Number of transfers		10	2	1	0	0	0
Estimated average number of transfers per retrieval		5.0					
Average number of embryos transferred		1.9	3.0	2.0			
Percentage of embryos transferred resulting in implantation		6/19	3/6	0/2			
Percentage of transfers resulting in singleton live births		6/10	1/2	0/1			
Percentage of transfers resulting in triplets or more live births		0/10	0/2	0/1			
Percentage of transfers resulting in live births		6/10	2/2	0/1			
Percentage of transfers resulting in pregnancy		6/10	2/2	0/1			
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		5			5		
Number of transfers		5			5		
Average number of embryos transferred		1.6			2.0		
Percentage of embryos transferred resulting in implantation		4/8			3/10		
Percentage of transfers resulting in singleton live births		2/5			3/5		
Percentage of transfers resulting in live births		3/5			3/5		
Percentage of transfers resulting in pregnancy		3/5			4/5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Aida Shanti, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	12%	Uterine factor	7%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	23%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	16%	
				Endometriosis	8%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				44%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 189 (includes 3 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		83	28	19	8	3	0
Percentage of cancellations		3.6	0.0	3 / 19	3 / 8	0 / 3	
Average number of embryos transferred		2.0	2.0	2.3	2.4	3.0	
Percentage of embryos transferred resulting in implantation		50.3	36.4	25.7	4 / 12	0 / 6	
Percentage of elective single embryo transfer (eSET)		2.6	0.0	0 / 14	0 / 5	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		26.5	17.9	3 / 19	1 / 8	0 / 3	
Percentage of cycles resulting in triplets or more live births		1.2	0.0	0 / 19	0 / 8	0 / 3	
Percentage of cycles resulting in live births		54.2	35.7	3 / 19	2 / 8	0 / 3	
Percentage of cycles resulting in pregnancy		57.8	50.0	7 / 19	3 / 8	0 / 3	
Outcomes per Transfer							
Number of transfers		77	27	15	5	2	0
Percentage of transfers resulting in singleton live births		28.6	18.5	3 / 15	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births		1.3	0.0	0 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in live births		58.4	37.0	3 / 15	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancy		62.3	51.9	7 / 15	3 / 5	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		48	14	7	3	0	0
Percentage of pregnancies resulting in singleton live births		45.8	5 / 14	3 / 7	1 / 3		
Percentage of pregnancies resulting in triplets or more live births		2.1	0 / 14	0 / 7	0 / 3		
Percentage of pregnancies resulting in live births		93.8	10 / 14	3 / 7	2 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	1	8	1	1	0
Number of transfers		16	1	7	1	1	0
Estimated average number of transfers per retrieval		3.2	1.0	7.0	1.0		
Average number of embryos transferred		1.8	1.0	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation		34.5	0 / 1	6 / 12	0 / 2	1 / 2	
Percentage of transfers resulting in singleton live births		8 / 16	0 / 1	2 / 7	0 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 16	0 / 1	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births		9 / 16	0 / 1	2 / 7	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancy		9 / 16	0 / 1	4 / 7	0 / 1	1 / 1	

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	11	7
Number of transfers	9	7
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	10 / 17	2 / 13
Percentage of transfers resulting in singleton live births	4 / 9	2 / 7
Percentage of transfers resulting in live births	6 / 9	2 / 7
Percentage of transfers resulting in pregnancy	7 / 9	2 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

2012

Appendix A

Technical Notes

APPENDIX A: TECHNICAL NOTES

Validation of 2012 ART Data

Site visits to assisted reproductive technology (ART) clinics for validation of 2012 ART data were conducted during April through June 2014. For validation of 2012 data, 35 of the 456 reporting clinics were randomly selected after taking into consideration the number of ART procedures performed at each clinic, some cycle and clinic characteristics, and whether the clinic had been selected before. During each validation visit, ART data reported by the clinic to the Centers for Disease Control and Prevention were compared with information documented in medical records.


For each clinic, the fully validated sample included up to 40 ART cycles resulting in pregnancy and up to 20 ART cycles not resulting in pregnancy. Up to 10 cycles using donor eggs were included among the fully validated sample at each clinic. In total, 2,045 ART cycles performed in 2012 across the 35 clinics were randomly selected for full validation, along with 238 egg/embryo banking cycles. The full validation included review of 1,318 cycles for which a pregnancy was reported. Among the nondonor cycles, 331 were multiple-fetus pregnancies. In addition, among patients whose cycles were validated, we verified the number of ART cycles performed during 2012. For each of these patients, we compared the total number of ART cycles reported with the total number of ART cycles included in the medical record. If unreported cycles were identified in selected medical records, up to 10 of these cycles were also selected for partial validation.

Findings and discrepancy rates from the 2012 validation visits will be available later this year.

2012

Appendix B

Glossary of Terms



APPENDIX B: GLOSSARY OF TERMS

Adverse outcome. A pregnancy that does not result in a live birth. The adverse outcomes reported for ART procedures are miscarriages, induced abortions, and stillbirths.

American Society for Reproductive Medicine (ASRM). Professional society whose affiliate organization, the Society for Assisted Reproductive Technology (SART), is composed of clinics and programs that provide ART.

ART (assisted reproductive technology). All treatments or procedures that involve surgically removing eggs from a woman's ovaries and combining the eggs with sperm to help a woman become pregnant. The types of ART are in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT), and zygote intrafallopian transfer (ZIFT).

ART cycle. A process in which (1) an ART procedure is performed, (2) a woman has undergone ovarian stimulation or monitoring with the intent of having an ART procedure, or (3) frozen embryos have been thawed with the intent of transferring them to a woman. A cycle begins when a woman begins taking fertility drugs or having her ovaries monitored for follicle production.

Canceled cycle. An ART cycle in which ovarian stimulation was performed but was stopped before eggs were retrieved or, in the case of frozen embryo cycles, before embryos were transferred. Cycles are canceled for many reasons: eggs may not develop, the patient may become ill, or the patient may choose to stop treatment.

Combination cycle. A cycle that uses more than one ART procedure. Combination cycles usually involve IVF plus either GIFT or ZIFT.

Cryopreservation. The practice of freezing extra embryos from a patient's ART cycle for potential future use.

Diminished ovarian reserve. This diagnosis means that the ability of the ovary to produce eggs is reduced. Reasons include congenital, medical, or surgical causes or advanced age.

Donor egg cycle. An embryo is formed from the egg of one woman (the donor) and then transferred to another woman (the recipient). The donor relinquishes all parental rights to any resulting offspring.

Donor embryo. An embryo that is donated by a patient who previously underwent ART treatment and had extra embryos available.

Ectopic pregnancy. A pregnancy in which the fertilized egg implants in a location outside of the uterus—usually in the fallopian tube, the ovary, or the abdominal cavity. Ectopic pregnancy is a dangerous condition that must receive prompt medical treatment.

Egg. A female reproductive cell, also called an oocyte or ovum.

Egg retrieval (also called oocyte retrieval). A procedure to collect the eggs contained in the ovarian follicles.

Egg transfer (also called oocyte transfer). The transfer of retrieved eggs into a woman's fallopian tubes through laparoscopy. This procedure is used only in GIFT.

Embryo. An egg that has been fertilized by a sperm and has undergone one or more divisions.

Embryo transfer. Placement of embryos into a woman's uterus through the cervix after IVF: in ZIFT, the embryos are placed in a woman's fallopian tube.

Endometriosis. A medical condition that involves the presence of tissue similar to the uterine lining in abnormal locations. This condition can affect both fertilization of the egg and embryo implantation.

eSET (elective single embryo transfer). Elective single embryo transfer is a procedure in which one embryo, selected from a larger number of available embryos, is placed in the uterus or fallopian tube. The embryo selected for eSET might be from a previous IVF cycle (i.e., cryopreserved embryos [frozen]) or from the current fresh IVF cycle that yielded more than one embryo. The remaining embryos may be set aside for future use or cryopreservation.

Fertility Clinic Success Rate and Certification Act of 1992 (FCSRCA). Law passed by the United States Congress in 1992 requiring all clinics performing ART in the United States to annually report their success rate data to the Centers for Disease Control and Prevention.

Fertilization. The penetration of the egg by the sperm and the resulting combining of genetic material that develops into an embryo.

Fetus. The unborn offspring from the eighth week after conception to the moment of birth.

Follicle. A structure in the ovaries that contains a developing egg.

Fresh eggs, sperm, or embryos. Eggs, sperm, or embryos that have not been frozen. Fresh embryos, however, may have been conceived using either fresh or frozen sperm.

Frozen embryo cycle. An ART cycle in which frozen (cryopreserved) embryos are thawed and transferred to the woman.

Gamete. A reproductive cell, either a sperm or an egg.

Gestation. The period of time from conception to birth.

Gestational carrier (also called a gestational surrogate). A woman who gestates, or carries, an embryo that was formed from the egg of another woman. The gestational carrier usually has a contractual obligation to return the infant to its intended parents.

Gestational sac. A fluid-filled structure that develops within the uterus early in pregnancy. In a normal pregnancy, a gestational sac contains a developing fetus.

GIFT (gamete intrafallopian transfer). An ART procedure that involves removing eggs from the woman's ovary, combining them with sperm, and using a laparoscope to place the unfertilized eggs and sperm into the woman's fallopian tube through small incisions in her abdomen.

ICSI (intracytoplasmic sperm injection). A procedure in which a single sperm is injected directly into an egg; this procedure is commonly used to overcome male infertility problems.

Implantation rate. A measurement of ART success when the ART cycle results in an intrauterine clinical pregnancy, defined as the larger of either the number of maximum fetal hearts by ultrasound or maximum infants born, including live births and stillbirths, out of the total number of embryos transferred.

Induced or therapeutic abortion. A surgical or other medical procedure used to end a pregnancy.

IUI (intrauterine insemination). A medical procedure that involves placing sperm into a woman's uterus to facilitate fertilization. IUI is not considered an ART procedure because it does not involve the manipulation of eggs.

IVF (in vitro fertilization). An ART procedure that involves removing eggs from a woman's ovaries and fertilizing them outside her body. The resulting embryos are then transferred into a woman's uterus through the cervix.

Laparoscopy. A surgical procedure in which a fiber-optic instrument (a laparoscope) is inserted through a small incision in the abdomen to view the inside of the pelvis.

Live birth. The delivery of one or more infants with any signs of life.

Male factor. Any cause of infertility due to low sperm count or problems with sperm function that makes it difficult for a sperm to fertilize an egg under normal conditions.

Miscarriage (also called spontaneous abortion). A pregnancy ending in the spontaneous loss of the embryo or fetus before 20 weeks of gestation, or before 18 weeks from the date of transfer if the pregnancy was achieved using ART.

Multifetal pregnancy reduction. A procedure used to decrease the number of fetuses a woman carries and improve the chances that the remaining fetuses will develop into healthy infants. Multifetal reductions that occur naturally are referred to as spontaneous reductions.

Multiple factors, female and male. A diagnostic category used when one or more female cause and male factor infertility are diagnosed.

Multiple factors, female only. A diagnostic category used when more than one female cause of infertility is diagnosed.

Multiple-fetus pregnancy. A pregnancy with two or more fetuses, determined by the number of fetal hearts observed on an ultrasound performed early in pregnancy (usually in the first trimester).

Multiple-infant birth. A pregnancy that results in the birth of more than one infant.

NASS (National ART Surveillance System). Web-based data collection system used by all ART clinics to report data for each ART procedure to CDC.

Oocyte. The female reproductive cell, also called an egg.

Oocyte/Embryo banking cycle. An ART cycle started with the intention of cryopreserving (freezing) all resulting oocytes/embryos for potential future use.

Other causes of infertility. These include immunological problems, chromosomal abnormalities, cancer chemotherapy, and serious illnesses.

Ovarian monitoring. The use of ultrasound and/or blood or urine tests to monitor follicle development and hormone production.

Ovarian stimulation. The use of drugs (oral or injected) to stimulate the ovaries to develop follicles and eggs.

Ovulatory dysfunction. A diagnostic category used when a woman's ovaries are not producing eggs normally. It includes polycystic ovary syndrome and multiple ovarian cysts.

PGD (preimplantation genetic diagnosis).

A technique combining advances in molecular genetics and ART. PGD allows physicians to identify various genetic diseases in the embryo (fertilized egg with several divisions) prior to implantation, that is, before the pregnancy is established. It is of special value for those who are at risk of having children with serious genetic problems.

Pregnancy (clinical). A pregnancy documented by ultrasound that shows a gestational sac in the uterus. For ART data collection purposes, pregnancy is defined as a clinical pregnancy rather than a chemical pregnancy (i.e., a positive pregnancy test).

Singleton. A single live-born infant.

Society for Assisted Reproductive Technology (SART). An affiliate of ASRM composed of clinics and programs that provide ART.

Sperm. The male reproductive cell.

Spontaneous abortion. See Miscarriage.

Stillbirth. The birth of an infant that shows no sign of life after 20 or more weeks of gestation, or 18 or more weeks from the date of transfer if the pregnancy was achieved using ART.

Stimulated cycle. An ART cycle in which a woman receives oral or injected fertility drugs to stimulate her ovaries to produce more follicles.

Thawed embryo cycle. Same as frozen embryo cycle.

Tubal factor. A diagnostic category used when the woman's fallopian tubes are blocked or damaged, making it difficult for the egg to be fertilized or for an embryo to travel to the uterus.

Ultrasound. A technique used in ART for visualizing the follicles in the ovaries, the gestational sac, or the fetus.

Unexplained cause of infertility. A diagnostic category used when no cause of infertility is found in either the woman or the man.

Unstimulated cycle. An ART cycle in which the woman does not receive drugs to stimulate her ovaries to produce more follicles. Instead, follicles develop naturally.


Uterine factor. A structural or functional disorder of the uterus that results in reduced fertility.

ZIFT (zygote intrafallopian transfer). An ART procedure in which eggs are collected from a woman's ovary and fertilized outside her body. A laparoscope is then used to place the resulting zygote (fertilized egg) into the woman's fallopian tube through a small incision in her abdomen.

2012

Appendix C

ART Clinics

A faded, light blue background image showing a group of people sitting around a table, possibly in a meeting or clinic setting. The image is semi-transparent and serves as a background for the lower portion of the page.

APPENDIX C: ART CLINICS

Reporting ART Clinics for 2012, by State

If the clinic name has changed since 2012, the current name is listed in italics directly under the 2012 name. If the clinic location has changed since 2012, the clinic is listed alphabetically by the current city and state.

Clinic names preceded by the § symbol have reorganized or closed since 2012. Reorganization is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). Contact the NASS Help Desk for current clinic information at 1-888-650-0822 or nass@westat.com.

Explanation of abbreviations for accrediting agencies used throughout this list:

CAP = College of American Pathologists, Reproductive Laboratory Accreditation Program

The Joint Commission = Formerly the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)

NYSTB = New York State Tissue Bank Program

PLEASE NOTE that the Centers for Disease Control and Prevention (CDC) does not oversee any of these accreditation programs. For further information on how to contact accrediting organizations directly, see page 22.

ALABAMA

Alabama Fertility Specialists
2700 Hwy 280, Suite 370E
Birmingham AL 35223
Telephone: (205) 874-0000; Fax: (205) 874-7021
Lab Name: Alabama Fertility Specialists Laboratory
Accreditation: CAP

ART Fertility Program of Alabama
2006 Brookwood Medical Center Dr, Suite 508
Birmingham AL 35209
Telephone: (205) 870-9784; Fax: (205) 870-0698
Lab Name: ART Fertility Program of Alabama IVF/
Andrology Laboratory
Accreditation: CAP

University of Alabama at Birmingham
Women and Infants Center-OB/GYN
1700 6th Ave South, Suite 9103
Birmingham AL 35233
Telephone: (205) 996-3130; Fax: (205) 996-3164
Lab Name: University of Alabama at Birmingham
Gamete Biology Laboratory
Accreditation: CAP

For current information for Huntsville Reproductive
Medicine, PC, see Madison, AL

Huntsville Reproductive Medicine, PC
20 Hughes Rd, Suite 203
Madison AL 35758
Telephone: (256) 213-2229; Fax: (256) 213-9978
Lab Name: Huntsville Reproductive Medicine, PC
Accreditation: None

Center for Reproductive Medicine
3 Mobile Infirmiry Cir, Suite 213
Mobile AL 36607
Telephone: (251) 438-4200; Fax: (251) 438-4211
Lab Name: Center for Reproductive
Medicine-Alabama
Accreditation: CAP

University of South Alabama IVF and ART Program
Reproductive Endocrinology and Infertility Division
251 Cox St, Suite 100
Mobile AL 36604
Telephone: (251) 415-1491; Fax: (251) 415-1552
Lab Name: University of South Alabama IVF &
Andrology Laboratory
Accreditation: CAP

ALASKA

Peninsula Medical Center
John Nels Anderson, MD
265 N. Binkley St
Soldotna AK 99669
Telephone: (907) 262-4161; Fax: (907) 262-1545
Lab Name: Peninsula Medical Center,
John Nels Anderson, MD
Accreditation: None

ARIZONA

Troché Fertility Centers
17612 N. 59th Ave, Suite 100
Glendale AZ 85308
Telephone: (602) 993-8636; Fax: (602) 993-2528
Lab Name: Troché Fertility Centers ART Laboratory
Accreditation: CAP

Arizona Reproductive Medicine Specialists
1701 E. Thomas Rd, Bldg 1, Suite 101
Phoenix AZ 85016
Telephone: (602) 343-2767; Fax: (602) 343-2766
Lab Name: Arizona Reproductive Medicine
Specialists Laboratory
Accreditation: CAP

Southwest Fertility Center
3125 N. 32nd St, Suite 200
Phoenix AZ 85018
Telephone: (602) 956-7481; Fax: (602) 956-7591
Lab Name: Southwest Fertility Center Laboratory
Accreditation: CAP

Advanced Fertility Care
9819 N. 95th St, Suite 105
Scottsdale AZ 85258
Telephone: (480) 874-2229; Fax: (480) 874-2231
Lab Name: Arizona Advanced
Reproductive Laboratory
Accreditation: CAP

Arizona Associates for Reproductive Health
8573 E. Princess Dr, Suite 101
Scottsdale AZ 85255
Telephone: (480) 946-9900; Fax: (480) 946-9914
Lab Name: Arizona Associates for Reproductive
Health ART Laboratories
Accreditation: CAP

Arizona Center for Fertility Studies
8997 E. Desert Cove Ave, 2nd Floor
Scottsdale AZ 85260
Telephone: (480) 860-4792; Fax: (480) 860-6819
Lab Name: Arizona Center for Fertility
Studies Laboratory
Accreditation: CAP

IVF Phoenix
9817 N. 95th St, Bldg I, Suite 105
Scottsdale AZ 85258
Telephone: (602) 765-2229; Fax: (602) 493-6641
Lab Name: IVF Phoenix Laboratory
Accreditation: CAP

Fertility Treatment Center
2155 E. Conference Dr, Suite 115
Tempe AZ 85284
Telephone: (480) 831-2445; Fax: (480) 897-1283
Lab Name: Fertility Treatment Center
ART Laboratory
Accreditation: CAP

Arizona Center for Reproductive Endocrinology
and Infertility
5190 E. Farness Dr, Suite 114
Tucson AZ 85712
Telephone: (520) 326-0001; Fax: (520) 326-7451
Lab Name: Arizona Center for Reproductive
Endocrinology and Infertility Laboratory
Accreditation: CAP

Reproductive Health Center
4518 E. Camp Lowell Dr
Tucson AZ 85712
Telephone: (520) 733-0083; Fax: (520) 733-0771
Lab Name: Reproductive Health Center
Accreditation: The Joint Commission

ARKANSAS

Arkansas Fertility Center
9101 Kanis Rd, Suite 300
Little Rock AR 72205
Telephone: (501) 801-1200; Fax: (501) 801-1207
Lab Name: Arkansas Fertility and Gynecology,
Arkansas Fertility Center
Accreditation: CAP

CALIFORNIA

LifeStart Fertility Center
29525 Canwood St, Suite 220
Agoura Hills CA 91301
Telephone: (818) 889-4532; Fax: (818) 889-4536
Lab Name: ART Reproductive Center
Accreditation: CAP

Alta Bates In Vitro Fertilization Program
2999 Regent St, Suite 101A
Berkeley CA 94705
Telephone: (510) 649-0440; Fax: (510) 649-8700
Lab Name: Alta Bates Summit Medical Center, Alta
Bates IVF Program Laboratory
Accreditation: CAP

California Center for Reproductive Health
Beverly Hills Reproductive Fertility Center
9301 Wilshire Blvd, Suite 313
Beverly Hills CA 90210
Telephone: (310) 550-1951; Fax: (310) 550-1971
Lab Name: In Vitrotech Labs, Inc.
Accreditation: CAP

Center for Reproductive Health & Gynecology
(CRH&G)
99 N. La Cienega Blvd, Suite 109
Beverly Hills CA 90211
Telephone: (310) 360-7584; Fax: (310) 360-9827
Lab Name: Center for Reproductive Health
& Gynecology
Accreditation: CAP

Southern California Reproductive Center
450 N. Roxbury Dr, Suite 500
Beverly Hills CA 90210
Telephone: (310) 277-2393; Fax: (310) 274-5112
Lab Name: ART Reproductive Center
Accreditation: CAP

Fertility Care of Orange County
203 N. Brea Blvd, Suite 100
Brea CA 92821
Telephone: (714) 256-0777; Fax: (714) 256-0105
Lab Name: Southern California Institute for
Reproductive Sciences Laboratory
Accreditation: CAP
Lab Name: Acacio Fertility Center IVF Laboratories
Accreditation: CAP

Central California IVF Program
Women's Specialty and Fertility Center
729 N. Medical Center Dr West, Suite 205
Clovis CA 93611
Telephone: (559) 299-7700; Fax: (559) 297-9679
Lab Name: Community Medical Center-Clovis
Accreditation: The Joint Commission

American Reproductive Centers
American Reproductive Centers-Costa Mesa
1640 Newport Blvd, Suites 150 & 460
Costa Mesa CA 92627
Telephone: (949) 309-3330; Fax: (949) 309-2578
Lab Name: American Reproductive
Centers Laboratory
Accreditation: None

California IVF Fertility Center, Inc.
1550 Drew Ave, Suite 100
Davis CA 95618
Telephone: (530) 771-0177; Fax: (530) 771-0135
Lab Name: California IVF: Davis Fertility Center, Inc.
Accreditation: None

California Center for Reproductive Medicine
477 N. El Camino Real, Suite C208
Encinitas CA 92024
Telephone: (760) 274-2000; Fax: (760) 274-2006
Lab Name: California Center for Reproductive
Sciences Laboratory
Accreditation: CAP

The Fertility Institutes-Los Angeles, New
York, Guadalajara
16030 Ventura Blvd, Suite 404
Encino CA 91436
Telephone: (818) 728-4600; Fax: (818) 728-4616
Lab Name: Offices for Fertility and Reproductive
Medicine, PC
Accreditation: NYSTB
Lab Name: The Fertility Institutes IVF Laboratory
Accreditation: CAP

HRC Fertility-Encino
15503 Ventura Blvd, Suite 200
Encino CA 91436
Telephone: (818) 788-7288; Fax: (818) 788-5988
Lab Name: Huntington Reproductive Center
IVF Laboratory
Accreditation: CAP

Zouves Fertility Center
1241 E. Hillsdale Blvd, Suite 100
Foster City CA 94404
Telephone: (650) 378-1000; Fax: (650) 577-1128
Lab Name: Zouves Fertility Center
Accreditation: CAP

West Coast Fertility Centers
11160 Warner Ave, Suite 411
Fountain Valley CA 92708
Telephone: (714) 513-1399; Fax: (714) 513-1393
Lab Name: West Coast Fertility Centers Laboratory
Accreditation: CAP, NYSTB

Xpert Fertility Care of California
Minh N. Ho, MD, FACOG
11180 Warner Ave, Suite 465
Fountain Valley CA 92708
Telephone: (714) 429-5848; Fax: (714) 429-5878
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

Kaiser Permanente Center for Reproductive Health
39141 Civic Center Dr, Suite 350
Fremont CA 94538
Telephone: (510) 248-6900; Fax: (510) 248-6981
Lab Name: Kaiser Permanente Center for
Reproductive Health
Accreditation: CAP, The Joint Commission

CARE Fertility
1500 E. Chevy Chase Dr, Suite 450
Glendale CA 91206
Telephone: (818) 230-7778; Fax: (818) 484-2424
Lab Name: Care Fertility Laboratory
Accreditation: CAP

Marin Fertility Center
1100 S. Eliseo Dr, Suite 107
Greenbrae CA 94904
Telephone: (415) 925-9406; Fax: (415) 925-9410
Lab Name: Jieying IVF Labs San Francisco, Inc.
Accreditation: None

For current information for American Reproductive
Centers, see Costa Mesa, CA

Coastal Fertility Medical Center, Inc.
15500 Sand Canyon Ave, Suite 100
Irvine CA 92618
Telephone: (949) 726-0600; Fax: (949) 726-0601
Lab Name: Coastal Fertility Medical Center, Inc.,
Reproductive Specialty Laboratories, Inc.
Accreditation: CAP

Fertility Center of Southern California
2192 Martin St, Suite 110
Irvine CA 92612
Telephone: (949) 955-0072; Fax: (949) 955-0077
Lab Name: Southern California Institute for
Reproductive Sciences Laboratory
Accreditation: CAP

Life IVF Center
3500 Barranca Pkwy, Suite 300
Irvine CA 92606
Telephone: (949) 788-1133; Fax: (949) 788-1136
Lab Name: Life IVF Center
Accreditation: CAP

Reproductive Fertility Center-OC
16300 Sand Canyon Ave, Suite 901
Irvine CA 92618
Telephone: (949) 453-8600; Fax: (949) 453-8601
Lab Name: Reproductive Fertility Center
Embryology Laboratory
Accreditation: CAP

Reproductive Partners-UCSD Regional
Fertility Center
9850 Genesee Ave, Suite 800
La Jolla CA 92037
Telephone: (858) 552-9177; Fax: (858) 552-9188
Lab Name: Reproductive Partners Medical Group,
Inc., Laboratory-La Jolla
Accreditation: CAP

Reproductive Sciences Center
4150 Regents Park Row, Suite 280
La Jolla CA 92037
Telephone: (858) 625-0125; Fax: (858) 625-0131
Lab Name: Reproductive Science Center
IVF Laboratory
Accreditation: CAP

Acacio Fertility Center
27882 Forbes Rd, Suite 200
Laguna Niguel CA 92677
Telephone: (949) 249-9200; Fax: (949) 249-9203
Lab Name: Acacio Fertility Center IVF Laboratories
Accreditation: CAP

Loma Linda University Center for Fertility and IVF
Department of Gynecology and Obstetrics
11370 Anderson St, Suite 3950
Loma Linda CA 92354
Telephone: (909) 558-2851; Fax: (909) 558-2450
Lab Name: Loma Linda University Health Care
Fertility Science Laboratory
Accreditation: CAP

California Fertility Partners
11818 Wilshire Blvd, Suite 300
Los Angeles CA 90025
Telephone: (310) 828-4008; Fax: (310) 828-3310
Lab Name: California Fertility Partners Reproductive
Technology Laboratory
Accreditation: CAP

Cedars Sinai Medical Center
Center for Fertility and Reproductive Medicine
444 S. San Vicente Blvd, Suite 1002
Los Angeles CA 90048
Telephone: (310) 423-9964; Fax: (310) 423-9777
Lab Name: ART Reproductive Center
Accreditation: CAP

CHA Fertility Center
5455 Wilshire Blvd, Suite 1904
Los Angeles CA 90036
Telephone: (323) 525-3377; Fax: (323) 525-3376
Lab Name: CHA Fertility Center Laboratory
Accreditation: CAP

Pacific Fertility Center-Los Angeles
10921 Wilshire Blvd, Suite 700
Los Angeles CA 90024
Telephone: (310) 209-7700; Fax: (310) 209-7799
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP

UCLA Fertility Center
Department of Obstetrics and Gynecology
200 Medical Plaza, Suite 430
Los Angeles CA 90095
Telephone: (310) 825-9500; Fax: (310) 206-9731
Lab Name: ART Reproductive Center
Accreditation: CAP

USC Reproductive Endocrinology and Infertility
1127 Wilshire Blvd, Suite 1400
Los Angeles CA 90017
Telephone: (213) 975-9990; Fax: (213) 975-9997
Lab Name: USC Fertility ART Laboratory
Accreditation: CAP

CARE for the Bay Area
555 Knowles Dr, Suite 212
Los Gatos CA 95032
Telephone: (408) 628-0783; Fax: (888) 850-3405
Lab Name: CARE for the Bay Area Laboratory
Accreditation: None

The Fertility and Gynecology Center
Monterey Bay IVF Program
9833 Blue Larkspur Ln
Monterey CA 93940
Telephone: (831) 649-4483; Fax: (831) 649-9010
Lab Name: Fertility and Gynecology Center
Accreditation: CAP

Nova In Vitro Fertilization
2500 Hospital Dr, Bldg #7
Mountain View CA 94040
Telephone: (650) 325-6682; Fax: (650) 968-6682
Lab Name: Nova In Vitro Fertilization Laboratory
Accreditation: CAP

HRC Fertility-Orange County
500 Superior Ave, Suite 210
Newport Beach CA 92663
Telephone: (949) 287-5600; Fax: (626) 585-1603
Lab Name: Huntington Reproductive Center
Fertility Laboratory
Accreditation: CAP

Reproductive Specialty Medical Center
1441 Avocado Ave, Suite 203
Newport Beach CA 92660
Telephone: (949) 640-7200; Fax: (949) 720-0203
Lab Name: Reproductive Specialty Medical Center
Accreditation: The Joint Commission

Southern California Center for
Reproductive Medicine
361 Hospital Rd, Suite 333
Newport Beach CA 92663
Telephone: (949) 642-8727; Fax: (949) 642-5413
Lab Name: Southern California Institute for
Reproductive Sciences Laboratory
Accreditation: CAP

Lane Fertility Institute
101 Rowland Way, Suite 305
Novato CA 94945
Telephone: (415) 893-0391; Fax: (415) 892-4455
Lab Name: Lane Fertility Institute
Accreditation: None

IVF-Orange Surgery Center
431 S. Batavia St, Suite 102
Orange CA 92868
Telephone: (714) 771-7800; Fax: (714) 289-9900
Lab Name: IVF-Orange Surgery Center
Accreditation: None

American Reproductive Centers-Palm Springs
1199 N. Indian Canyon Dr
Palm Springs CA 92262
Telephone: (760) 346-4334; Fax: (760) 346-3663
Lab Name: American Reproductive Center-Palm
Springs Laboratory
Accreditation: None

Bay In Vitro Fertilization Center for
Reproductive Medicine
1681 El Camino Real
Palo Alto CA 94306
Telephone: (650) 322-0500; Fax: (650) 322-5404
Lab Name: Bay IVF Center for Reproductive
Medicine-Bay IVF Laboratory
Accreditation: CAP

Palo Alto Medical Foundation
Reproductive Endocrinology & Fertility
795 El Camino Real
Palo Alto CA 94301
Telephone: (650) 853-2200; Fax: (650) 853-2237
Lab Name: Fertility & Reproductive Health Institute
IVF Laboratory
Accreditation: CAP
Lab Name: Reproductive Science Center of the San
Francisco Bay Area Laboratory
Accreditation: CAP

Stanford Fertility and Reproductive Medicine Center
Stanford University Department of Gynecology
and Obstetrics
900 Welch Rd, Suite 350
Palo Alto CA 94304
Telephone: (650) 736-4036; Fax: (650) 725-4463
Lab Name: Stanford University Hospitals and Clinics
IVF Laboratory
Accreditation: CAP, The Joint Commission

HRC Fertility-Pasadena
333 S. Arroyo Pkwy, 3rd Floor
Pasadena CA 91105
Telephone: (626) 440-9161; Fax: (626) 585-1603
Lab Name: Huntington Reproductive Center
Gamete Laboratory
Accreditation: CAP

Reproductive Partners-Redondo Beach
510 N. Prospect Ave, Suite 202
Redondo Beach CA 90277
Telephone: (310) 318-3010; Fax: (310) 798-7304
Lab Name: Reproductive Partners Medical Group,
Inc.- Redondo Beach
Accreditation: CAP

Northern California Fertility Medical Center
1130 Conroy Ln, Suite 100
Roseville CA 95661
Telephone: (916) 773-2229; Fax: (916) 773-8391
Lab Name: Northern California Fertility Medical
Center Laboratory
Accreditation: CAP

§Kaiser Permanente Center for
Reproductive Health-Sacramento
1650 Response Rd, Suite 1A
Sacramento CA 95815
Telephone: (916) 614-5134; Fax: (916) 614-5045
Contact the NASS Help Desk for current
clinic information.

Fertility Specialists Medical Group
8010 Frost St, Plaza Level
San Diego CA 92123
Telephone: (858) 505-5500; Fax: (858) 505-5555
Lab Name: San Diego Center for Reproductive
Surgery Embryology Laboratory
Accreditation: CAP

NTC Infertility Clinic
Naval Medical Center San Diego Infertility Clinic
Department of Obstetrics and Gynecology
34800 Bob Wilson Dr
San Diego CA 92134
Telephone: (619) 532-5363; Fax: (619) 532-5448
Lab Name: Reproductive Partners Medical Group,
Inc., Laboratory-La Jolla
Accreditation: CAP
Lab Name: SDFC IVF & Andrology Laboratories
Accreditation: CAP

San Diego Fertility Center (SDFC)
11515 El Camino Real, Suite 100
San Diego CA 92130
Telephone: (858) 794-6363; Fax: (858) 794-6360
Lab Name: SDFC IVF & Andrology Laboratories
Accreditation: CAP

Williams OB/GYN Associates
1334 W. Covina Blvd, Suite 102
San Dimas CA 91773
Telephone: (909) 599-8677; Fax: (909) 592-0999
Lab Name: Williams OB/GYN Associates Laboratory
Accreditation: None

Laurel Fertility Care
1700 California St, Suite 570
San Francisco CA 94109
Telephone: (415) 673-9199; Fax: (415) 673-8796
Lab Name: Laurel Fertility Care Laboratory
Accreditation: CAP

Pacific Fertility Center
55 Francisco St, Suite 500
San Francisco CA 94133
Telephone: (415) 834-3000; Fax: (415) 834-3080
Lab Name: Pacific Fertility Center IVF Laboratory
Accreditation: CAP

UCSF Center for Reproductive Health
2356 Sutter St, 7th Floor
San Francisco CA 94115
Telephone: (415) 353-3040; Fax: (415) 353-7744
Lab Name: University of California, San Francisco
Center for Reproductive Health Laboratory
Accreditation: CAP, The Joint Commission

Fertility Physicians of Northern California
2581 Samaritan Dr, Suite 302
San Jose CA 95124
Telephone: (408) 356-5000; Fax: (408) 355-1665
Lab Name: Fertility & Reproductive Health Institute
IVF Laboratory
Accreditation: CAP

Reproductive Science Center of the San Francisco
Bay Area
3160 Crow Canyon Rd, Suite 150
San Ramon CA 94583
Telephone: (925) 867-1800; Fax: (925) 275-3862
Lab Name: Reproductive Science Center of the San
Francisco Bay Area Laboratory
Accreditation: CAP

Santa Barbara Fertility Center
536 E. Arrellaga St, Suite 201
Santa Barbara CA 93103
Telephone: (805) 965-3400; Fax: (805) 965-1222
Lab Name: Fertility and Surgical Associates of
California IVF Laboratory
Accreditation: CAP
Lab Name: Santa Monica Fertility Assisted
Reproduction Laboratory
Accreditation: CAP
Lab Name: Santa Barbara Fertility Center Laboratory
Accreditation: CAP

Parker-Rosenman-Rodi Gynecology and Infertility
Medical Group
Santa Monica UCLA GYN Subspecialties Group
1450 Tenth St, Suite 404
Santa Monica CA 90401
Telephone: (310) 451-8144; Fax: (310) 451-3414
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP
Lab Name: Santa Monica Fertility Assisted
Reproduction Laboratory
Accreditation: CAP

Santa Monica Fertility
2825 Santa Monica Blvd, Suite 100
Santa Monica CA 90404
Telephone: (310) 566-1470; Fax: (310) 566-1485
Lab Name: Santa Monica Fertility Assisted
Reproduction Laboratory
Accreditation: CAP

Advanced Fertility Associates Medical Group, Inc.
1111 Sonoma Ave, Suite 214
Santa Rosa CA 95405
Telephone: (707) 575-5831; Fax: (707) 575-4379
Lab Name: Advanced Fertility Associates Medical
Group, Inc., Laboratory
Accreditation: CAP

Valley Center for Reproductive Health
Tina Koopersmith, MD
13320 Riverside Dr, Suite 220
Sherman Oaks CA 91423
Telephone: (818) 986-1648; Fax: (818) 986-1653
Lab Name: ART Reproductive Center
Accreditation: CAP
Lab Name: Huntington Reproductive Center
IVF Laboratory
Accreditation: CAP

Garfield Fertility Center
1151 El Centro St, Suite A
South Pasadena CA 91030
Telephone: (626) 403-1888; Fax: (626) 403-2188
Lab Name: Huntington Reproductive Center
Gamete Laboratory
Accreditation: CAP

The Center for Fertility and Gynecology
Vermesh Center for Fertility
18370 Burbank Blvd, Suite 301
Tarzana CA 91356
Telephone: (818) 881-9800; Fax: (818) 881-1857
Lab Name: A.R.T. Medical Group, Inc., Laboratory
Accreditation: CAP

Tree of Life Center for Fertility
Snunit Ben-Ozer, MD
18370 Burbank Blvd, Suite 511
Tarzana CA 91356
Telephone: (818) 344-8522; Fax: (818) 344-8521
Lab Name: ART Reproductive Center
Accreditation: CAP

Fertility and Surgical Associates of California
325 Rolling Oaks Dr, Suite 110
Thousand Oaks CA 91361
Telephone: (805) 778-1122; Fax: (805) 778-0855
Lab Name: Fertility and Surgical Associates of
California IVF Laboratory
Accreditation: CAP

Pacific Reproductive Center
3720 Lomita Blvd, Suite 100
Torrance CA 90505
Telephone: (310) 376-7000; Fax: (310) 373-0319
Lab Name: Pacific Reproductive Center-Torrance
Accreditation: CAP

University Fertility Center
23550 Hawthorne Blvd, Suite 210
Torrance CA 90505
Telephone: (310) 378-7445; Fax: (310) 378-7427
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

COLORADO

For current information for Advanced Reproductive
Medicine, University of Colorado, see
Denver, CO

Reproductive Medicine & Fertility Center
265 Parkside Dr, Suite 200
Colorado Springs CO 80910
Telephone: (719) 475-2229; Fax: (719) 475-2227
Lab Name: Reproductive Medicine and Fertility
Center Laboratory
Accreditation: CAP

Eric H. Silverstein, MD, Professional LLC dba
The Fertility Center of Colorado
6160 Tutt Blvd, Suite 210
Colorado Springs CO 80923
Telephone: (719) 636-0080; Fax: (719) 636-3030
Lab Name: The Fertility Center of
Colorado Laboratory
Accreditation: CAP

Advanced Reproductive Medicine
University of Colorado
3055 Roslyn St, Suite 230
Denver CO 80238
Telephone: (303) 724-8089; Fax: (303) 724-8149
Lab Name: Anschutz Outpatient Pavilion Laboratory
Accreditation: CAP

Colorado Reproductive Endocrinology
4600 E. Hale Pkwy, Suite 350
Denver CO 80220
Telephone: (303) 321-7115; Fax: (303) 321-9519
Lab Name: Colorado Reproductive
Endocrinology Laboratory
Accreditation: CAP

Rocky Mountain Center for Reproductive Medicine
1080 E. Elizabeth St
Fort Collins CO 80524
Telephone: (970) 493-6353; Fax: (970) 493-6366
Lab Name: Rocky Mountain Center
for Reproductive Medicine
IVF/Embryology Laboratory
Accreditation: CAP

Conceptions Reproductive Associates
271 W. County Line Rd
Littleton CO 80129
Telephone: (303) 794-0045; Fax: (303) 794-2054
Lab Name: Conceptions Reproductive Associates
Accreditation: CAP

Colorado Center for Reproductive Medicine
10290 RidgeGate Cir
Lone Tree CO 80124
Telephone: (303) 788-8300; Fax: (303) 788-8310
Lab Name: Fertility Laboratories of Colorado
Accreditation: CAP

Rocky Mountain Fertility Center, PC
9235 Crown Crest Blvd, Suite 250
Parker CO 80138
Telephone: (303) 999-3877; Fax: (303) 999-3878
Lab Name: Rocky Mountain Fertility Laboratory
Accreditation: CAP

CONNECTICUT

Connecticut Fertility Associates
4920 Main St, Suite 301
Bridgeport CT 06606
Telephone: (203) 373-1200; Fax: (203) 365-6516
Lab Name: Connecticut Fertility
Associates Laboratory
Accreditation: CAP

The Center for Advanced Reproductive Services at
the University of Connecticut Health Center
Dowling South Bldg
263 Farmington Ave, Suite 330
Farmington CT 06030
Telephone: (860) 679-4580; Fax: (860) 679-1499
Lab Name: University of Connecticut Health
Center, Laboratory at the Center for Advanced
Reproductive Services
Accreditation: CAP

Greenwich Fertility and IVF Center, PC
55 Holly Hill Ln, Suite 270
Greenwich CT 06830
Telephone: (203) 863-2990; Fax: (203) 863-2980
Lab Name: Greenwich Fertility Center, PC
Accreditation: NYSTB

Yale Fertility Center
150 Sargent Dr, 2nd Floor
New Haven CT 06511
Telephone: (203) 785-4708; Fax: (203) 764-5911
Lab Name: Yale University School of Medicine, Yale
Fertility Center IVF Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Connecticut
10 Glover Ave
Norwalk CT 06850
Telephone: (203) 750-7400; Fax: (203) 846-9579
Lab Name: Reproductive Medicine Associates of
Connecticut Embryology Laboratory
Accreditation: CAP

New England Fertility Institute
1275 Summer St, Suite 201
Stamford CT 06905
Telephone: (203) 325-3200; Fax: (203) 323-3130
Lab Name: New England Fertility Institute,
ART-IVF Laboratory
Accreditation: CAP

The Stamford Hospital
30 Shelburne Rd
Stamford CT 06904
Telephone: (203) 276-7559; Fax: (203) 276-7259
Lab Name: New England Fertility Institute,
ART-IVF Laboratory
Accreditation: CAP

Women's Fertility Center
1290 Summer St, Suite 2500
Stamford CT 06905
Telephone: (203) 286-6810; Fax: (203) 286-6811
Lab Name: New England Fertility Institute,
ART-IVF Laboratory
Accreditation: CAP

Park Avenue Fertility and Reproductive Medicine
5520 Park Ave, Suite 103
Trumbull CT 06611
Telephone: (203) 372-6700; Fax: (203) 372-6706
Lab Name: Park Avenue Fertility and
Reproductive Medicine
Accreditation: None

DELAWARE

Delaware Institute for Reproductive Medicine, PA
Medical Arts Pavilion 1
4745 Ogletown-Stanton Rd, Suite 111
Newark DE 19713
Telephone: (302) 738-4600; Fax: (302) 738-3508
Lab Name: Delaware Institute for
Reproductive Medicine
Accreditation: CAP

Reproductive Associates of Delaware
Medical Arts Pavilion 2
4735 Ogletown-Stanton Rd, Suite 3217
Newark DE 19713
Telephone: (302) 602-8822; Fax: (302) 623-4241
Lab Name: Reproductive Associates of
Delaware Laboratory
Accreditation: CAP

DISTRICT OF COLUMBIA

For current information for The A.R.T. Institute of
Washington, Inc., Walter Reed Army Medical
Center, see Bethesda, MD

Columbia Fertility Associates
2440 M St N.W., Suite 401
Washington DC 20037
Telephone: (202) 293-6567; Fax: (202) 778-6190
Lab Name: Columbia Fertility Associates IVF
Center Laboratory
Accreditation: The Joint Commission

§The George Washington University Medical
Faculty Associates
Fertility and IVF Center
2150 Pennsylvania Ave N.W., Suite 6-300
Washington DC 20037
Telephone: (202) 741-2520; Fax: (202) 741-2519
Contact the NASS Help Desk for current
clinic information.

James A. Simon, MD, PC
1850 M St N.W., Suite 450
Washington DC 20036
Telephone: (202) 293-1000; Fax: (202) 463-6150
Lab Name: Columbia Fertility Associates IVF
Center Laboratory
Accreditation: The Joint Commission

FLORIDA

BocaFertility
875 Meadows Rd, Suite 334
Boca Raton FL 33486
Telephone: (561) 368-5500; Fax: (561) 368-4793
Lab Name: BocaFertility IVF Laboratory
Accreditation: CAP

Palm Beach Fertility Center
7015 Beracasa Way, Suite 201
Boca Raton FL 33433
Telephone: (561) 477-7728; Fax: (561) 477-7035
Lab Name: Palm Beach Fertility Center Laboratory
Accreditation: The Joint Commission

Advanced Reproductive Care Center
10301 Hagen Ranch Rd, Suite 6
Boynton Beach FL 33437
Telephone: (561) 736-6006; Fax: (561) 736-5788
Lab Name: Advanced Reproductive Care Center, PA
Accreditation: The Joint Commission

Florida Fertility Institute
2454 N. McMullen Booth Rd, Suite 601
Clearwater FL 33759
Telephone: (727) 796-7705; Fax: (727) 726-6062
Lab Name: Florida Fertility Institute
Accreditation: The Joint Commission

Infertility and Reproductive Medicine of
South Broward
9900 Stirling Rd, Suite 300
Cooper City FL 33024
Telephone: (954) 432-2228; Fax: (954) 432-7277
Lab Name: Infertility and Reproductive Medicine of
South Broward
Accreditation: None

Southwest Florida Fertility Center, PA
15730 New Hampshire Ct, Unit 101
Fort Myers FL 33908
Telephone: (239) 561-3430; Fax: (239) 561-6980
Lab Name: Southwest Florida Fertility Center, PA
Accreditation: The Joint Commission

Specialists in Reproductive Medicine and
Surgery, PA
Craig R. Sweet, MD
12611 World Plaza Ln, Bldg 53
Fort Myers FL 33907
Telephone: (239) 275-8118; Fax: (239) 275-5914
Lab Name: Specialists in Reproductive Medicine
and Surgery, PA
Accreditation: The Joint Commission

University of Florida Women's Health at
Magnolia Parke
*University of Florida Reproductive Medicine
at Springhill*
Women's Health at Springhill
4037 N.W. 86th Terrace
Gainesville FL 32606
Telephone: (352) 265-6200; Fax: (352) 594-1676
Lab Name: University of Florida IVF and
Andrology Laboratory
Accreditation: CAP

Assisted Fertility Program of North Florida
3627 University Blvd South, Suite 450
Jacksonville FL 32216
Telephone: (904) 398-1473; Fax: (904) 399-3436
Lab Name: Assisted Fertility Program Laboratory
Accreditation: CAP

Brown Fertility
14540 Old Saint Augustine Rd, Bldg 2, Suite 2497
Jacksonville FL 32258
Telephone: (904) 260-0352; Fax: (904) 260-0353
Lab Name: Brown Fertility
Accreditation: None

Florida Institute for Reproductive Medicine
Baptist Medical Center Pavilion
836 Prudential Dr, Suite 902
Jacksonville FL 32207
Telephone: (904) 399-5620; Fax: (904) 399-5645
Lab Name: Florida Institute for Reproductive
Medicine IVF Laboratory
Accreditation: CAP

Jacksonville Center for Reproductive Medicine
7051 Southpoint Pkwy, Suite 200
Jacksonville FL 32216
Telephone: (904) 493-2229; Fax: (904) 396-4546
Lab Name: North Florida Reproductive
Biology Laboratory
Accreditation: CAP

Center for Natural IVF
600 Heritage Dr, Suite 200
Jupiter FL 33458
Telephone: (561) 354-1525; Fax: (561) 354-1526
Lab Name: IVF Florida Reproductive
Associates Laboratory
Accreditation: CAP

IVF Florida
2960 N. State Rd 7, Suite 300
Margate FL 33063
Telephone: (954) 247-6200; Fax: (954) 247-6296
Lab Name: IVF Florida Reproductive
Associates Laboratory
Accreditation: CAP

Viera Fertility Center
Fertility and Reproductive Medicine Center
for Women
3160 Alzante Cir
Melbourne FL 32940
Telephone: (321) 751-4673; Fax: (321) 751-4567
Lab Name: Viera Fertility Center
Accreditation: The Joint Commission

Fertility & IVF Center of Miami, Inc.
8950 N. Kendall Dr, Suite 103
Miami FL 33176
Telephone: (305) 596-4013; Fax: (305) 596-4557
Lab Name: Fertility & IVF Center of Miami Assisted
Reproduction Laboratory
Accreditation: CAP

University of Miami Infertility Center
1400 N.W. 12th Ave, Suite 5
Miami FL 33136
Telephone: (305) 243-8642; Fax: (305) 324-0363
Lab Name: University of Miami Infertility Center
Accreditation: CAP

Center for Reproductive Medicine, PA
3435 Pinehurst Ave
Orlando FL 32804
Telephone: (407) 740-0909; Fax: (407) 740-7262
Lab Name: Center for Reproductive Medicine-
Florida, IVF Laboratory
Accreditation: CAP, NYSTB

Reproductive Medicine Institute
258 S. Chickasaw Tr, Suite 310
Orlando FL 32825
Telephone: (407) 281-9229; Fax: (407) 207-7180
Lab Name: Reproductive Medicine Institute IVF
LLC, Laboratory
Accreditation: CAP

New Leaders in Infertility & Endocrinology, LLC
4400 Bayou Blvd, Suite 36
Pensacola FL 32503
Telephone: (850) 857-3733; Fax: (850) 512-1301
Lab Name: New LIFE Laboratory
Accreditation: CAP

Fertility & Genetics
201 N. Pine Island Rd, 2nd Floor
Plantation FL 33324
Telephone: (954) 584-2273; Fax: (954) 587-9630
Lab Name: LIFE Laboratories
Accreditation: The Joint Commission

Fertility Center and Applied Genetics of Florida, Inc.
6050 Cattleridge Blvd, Suite 103
Sarasota FL 34232
Telephone: (941) 342-1568; Fax: (941) 342-8296
Lab Name: Fertility Center and Applied Genetics of
Florida, Inc.
Accreditation: None

South Florida Institute for Reproductive Medicine
7300 S.W. 62nd Pl, 4th Floor
South Miami FL 33143
Telephone: (305) 662-7901; Fax: (305) 662-7910
Lab Name: South Florida Institute for Reproductive
Medicine Laboratory-South Miami
Accreditation: CAP

Reproductive Health Associates, PA
Catherine Cowart, MD, FACOG
2919 Swann Ave, Suite 307
Tampa FL 33609
Telephone: (813) 872-0018; Fax: (813) 876-1149
Lab Name: Florida Fertility Institute
Accreditation: The Joint Commission

\$The Reproductive Medicine Group
5245 E. Fletcher Ave, Suite 1
Tampa FL 33617
Telephone: (813) 676-8844; Fax: (813) 676-8815
Contact the NASS Help Desk for current
clinic information.

University of South Florida IVF
2 Tampa General Cir, 6th Floor
Tampa FL 33606
Telephone: (813) 259-0962; Fax: (813) 259-0882
Lab Name: University of South Florida IVF
Accreditation: None

F.I.R.S.T.
Florida Institute for Reproductive Sciences
and Technologies
2300 N. Commerce Pkwy, Suite 313
Weston FL 33326
Telephone: (954) 217-3456; Fax: (954) 217-3462
Lab Name: Florida Institute for Reproductive
Sciences and Technologies
Accreditation: The Joint Commission

Fertility Center of Assisted Reproduction
& Endocrinology
5931 Brick Ct
Winter Park FL 32792
Telephone: (407) 672-1106; Fax: (407) 678-2790
Lab Name: Vivere-Winter Park Fertility
Laboratory, LLC
Accreditation: CAP

GEORGIA

Atlanta Center for Reproductive Medicine
5909 Peachtree Dunwoody Rd, Suite 720
Atlanta GA 30328
Telephone: (770) 928-2276; Fax: (770) 592-2092
Lab Name: Atlanta Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Emory Reproductive Center
550 Peachtree St, 18th Floor
Atlanta GA 30308
Telephone: (404) 686-1583; Fax: (404) 686-4956
Lab Name: Emory University, Emory
Reproductive Center
Accreditation: CAP

Georgia Reproductive Specialists, LLC
5445 Meridian Mark Rd, Suite 270
Atlanta GA 30342
Telephone: (404) 843-2229; Fax: (404) 843-0812
Lab Name: Georgia Reproductive Specialists
Accreditation: The Joint Commission

Reproductive Medicine and Infertility Associates
810 Chafee Ave
Augusta GA 30904
Telephone: (706) 722-4434; Fax: (706) 722-9647
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP

Servy Institute for Reproductive Endocrinology
Servy Massey Fertility Institute
Servy Institute for Reproductive Endocrinology
812 Chafee Ave
Augusta GA 30904
Telephone: (706) 724-0228; Fax: (706) 722-2387
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP

Columbus Center for Reproductive Endocrinology
and Infertility, LLC
2323 Whittlesey Rd
Columbus GA 31909
Telephone: (706) 653-6344; Fax: (706) 653-8933
Lab Name: Columbus Center for Reproductive
Endocrinology & Infertility Laboratory
Accreditation: CAP

Reproductive Biology Associates
1100 Johnson Ferry Rd N.E., Suite 200
Sandy Springs GA 30342
Telephone: (404) 843-3064; Fax: (404) 256-1528
Lab Name: Reproductive Biology Associates
IVF Laboratory
Accreditation: The Joint Commission

The Georgia Center for Reproductive Medicine
5354 Reynolds St, Suite 510
Savannah GA 31405
Telephone: (912) 352-8588; Fax: (912) 352-8893
Lab Name: The Georgia Center for
Reproductive Medicine
Accreditation: CAP

HAWAII

Advanced Reproductive Center of Hawaii
1319 Punahou St, Suite 520
Honolulu HI 96826
Telephone: (808) 949-6611; Fax: (808) 949-6610
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP

Advanced Reproductive Medicine & Gynecology of
Hawaii, Inc.
1401 S. Beretania St, Suite 250
Honolulu HI 96814
Telephone: (808) 545-2800; Fax: (808) 262-3744
Lab Name: Fertility Institute of Hawaii Laboratory
Accreditation: CAP, NYSTB

IVF Hawaii
1329 Lusitana St, Suite 607
Honolulu HI 96813
Telephone: (808) 538-6655; Fax: (808) 537-5500
Lab Name: IVF Hawaii Laboratory
Accreditation: CAP

Pacific In Vitro Fertilization Institute
Kapi`olani Medical Center for Women and Children
1319 Punahou St, Suite 980
Honolulu HI 96826
Telephone: (808) 946-2226; Fax: (808) 943-1563
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP

Tripler Army Medical Center IVF Institute
Department of OB/GYN
1 Jarrett White Rd
Tripler AMC HI 96859
Telephone: (808) 433-5946; Fax: (808) 433-1552
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP

IDAHO

Idaho Center for Reproductive Medicine
111 Main St, Suite 100
Boise ID 83702
Telephone: (208) 342-5900; Fax: (208) 342-2088
Lab Name: Idaho Center for Reproductive Medicine
Accreditation: The Joint Commission

ILLINOIS

Rush-Copley Center for Reproductive Health
Rush-Copley Medical Center
2020 Ogden Ave, Suite 250
Aurora IL 60504
Telephone: (630) 978-6254; Fax: (630) 499-2487
Lab Name: Rush-Copley Medical Center
Accreditation: The Joint Commission

Center for Reproductive Medicine & Fertility
The University of Chicago
333 S. Desplaines St, Suite 201
Chicago IL 60661
Telephone: (773) 702-6642; Fax: (773) 702-5848
Lab Name: Center for Reproductive Medicine &
Fertility Laboratory
Accreditation: CAP

Institute for Human Reproduction (IHR)
409 W. Huron St
Chicago IL 60657
Telephone: (312) 288-6420; Fax: (312) 288-6421
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP

Northwestern University
675 N. St. Clair St, Suite 14-219
Chicago IL 60611
Telephone: (312) 695-1364; Fax: (312) 695-4924
Lab Name: Northwestern Medical Faculty
Foundation, Inc., IVF & Andrology Laboratories
Accreditation: CAP

River North IVF-Fertility Centers of Illinois
900 N. Kingsbury, Suite RW6
Chicago IL 60610
Telephone: (847) 729-2188; Fax: (847) 724-1649
Lab Name: Fertility Centers of Illinois, River North
IVF Center
Accreditation: CAP

University of Illinois at Chicago IVF Program
1801 W. Taylor St, Suite 4A
Chicago IL 60612
Telephone: (312) 996-9820; Fax: (312) 355-3161
Lab Name: University of Illinois at Chicago
IVF Program
Accreditation: CAP

Women's Health Consultants
1725 W. Harrison St, Suite 408E
Chicago IL 60612
Telephone: (312) 997-2229; Fax: (312) 997-2354
Lab Name: Rush Center for Advanced Reproductive
Care Andrology Laboratory
Accreditation: The Joint Commission

Center for Reproductive Health/Joliet IVF
2246 Weber Rd
Crest Hill IL 60403
Telephone: (815) 725-4161; Fax: (815) 725-4341
Lab Name: Center for Reproductive Health, SC,
Joliet IVF, LLC
Accreditation: CAP

Midwest Fertility Center
4333 Main St
Downers Grove IL 60515
Telephone: (630) 810-0212; Fax: (630) 810-1027
Lab Name: Midwest Fertility Center, ART Laboratory
of Midwest Fertility Center
Accreditation: CAP

Chicago Infertility Associates, Ltd.
Alexian Brother's Hospital Pavilion
800 Biesterfield Rd, Suite 645
Elk Grove Village IL 60007
Telephone: (847) 545-4733; Fax: (847) 545-4738
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP
Lab Name: Advanced Institute for Infertility
Accreditation: CAP
Lab Name: Same Day Surgery Center
Accreditation: None

Advanced Fertility Center of Chicago
30 Tower Ct, Suite F
Gurnee IL 60031
Telephone: (847) 662-1818; Fax: (847) 662-3001
Lab Name: Advanced Fertility Center of
Chicago Laboratory
Accreditation: CAP

For current information for Chicago Infertility Associates, Ltd., see Elk Grove Village, IL

Highland Park IVF Center
767 Park Ave West, B400
Highland Park IL 60035
Telephone: (847) 266-3535; Fax: (847) 266-8838
Lab Name: Highland Park IVF Center Laboratory
Accreditation: The Joint Commission

Hinsdale Center for Reproduction
121 N. Elm St
Hinsdale IL 60521
Telephone: (630) 856-3535; Fax: (630) 856-3545
Lab Name: Hinsdale Center for
Reproduction Laboratory
Accreditation: CAP

Reena Jabamoni, MD, SC
1585 N. Barrington Rd, Bldg 2, Suite 401
Hoffman Estates IL 60169
Telephone: (847) 843-7090; Fax: (847) 843-0584
Lab Name: Fertility Centers of Illinois, River North
IVF Center
Accreditation: CAP

Karande and Associates, SC dba
InVia Fertility Specialists
1585 N. Barrington Rd, Suite 406
Hoffman Estates IL 60194
Telephone: (847) 884-8884; Fax: (847) 884-8093
Lab Name: InVia Fertility Laboratory
Accreditation: CAP

Reproductive Health Specialists, Ltd.
1515 Essington Rd
Joliet IL 60435
Telephone: (815) 730-1100; Fax: (815) 730-1066
Lab Name: Reproductive Health Specialists, Ltd.,
IVF/Andrology Laboratory
Accreditation: CAP

The Advanced IVF Institute
Charles E. Miller, MD & Associates
The Advanced IVF Institute
Charles E. Miller, MD, SC & Associates
120 Osler Dr, Suite 100
Naperville IL 60540
Telephone: (630) 428-2229; Fax: (630) 428-0336
Lab Name: Charles E. Miller, MD, SC, Laboratory
Accreditation: CAP (Pend)
Lab Name: Fertility Centers of Illinois, River North
IVF Center
Accreditation: CAP

IVF1
636 Raymond Dr, Suite 303
Naperville IL 60563
Telephone: (630) 357-6540; Fax: (630) 357-6435
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP

Reproductive Medicine Institute
2425 W. 22nd St, Suite 102
Oak Brook IL 60523
Telephone: (630) 954-0054; Fax: (630) 954-0073
Lab Name: Reproductive Medicine Institute
Accreditation: CAP
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP

Daniel Rostein, MD, SC
2208 Midwest Rd, Suite 102
Oak Brook IL 60523
Telephone: (630) 472-9100; Fax: (630) 472-9101
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP

Reproductive Health and Fertility Center
973 Featherstone Rd, Suite 100
Rockford IL 61107
Telephone: (815) 986-3737; Fax: (815) 986-3734
Lab Name: Reproductive Health and Fertility
Center Laboratory
Accreditation: CAP

Chicago IVF
5225 Old Orchard Rd, Suite 24A
Skokie IL 60077
Telephone: (866) 483-2446; Fax: (708) 403-5272
Lab Name: Advanced Reproductive Health Centers,
Ltd., IVF Laboratory
Accreditation: CAP

§North Shore Fertility, SC
4250 Dempster St
Skokie IL 60076
Telephone: (847) 763-8850; Fax: (847) 763-8851
Contact the NASS Help Desk for current
clinic information.

Southern Illinois University Fertility and IVF Center
751 N. Rutledge St, Suite 0100
Springfield IL 62702
Telephone: (217) 545-2229; Fax: (217) 545-3119
Lab Name: SIU Fertility and IVF Center Laboratory
Accreditation: CAP

Seth Levrant, MD, PC
Partners in Reproductive Health
16345 S. Harlem Ave, Suite 100
Tinley Park IL 60477
Telephone: (708) 532-7017; Fax: (708) 845-5287
Lab Name: Seth Levrant, MD, PC, In-Vitro Lab
Accreditation: CAP

INDIANA

For current information for American Health
Network-reproductive medicine, see
Indianapolis, IN

For current information for Dr. John C. Jarrett,
II, American Health Network Reproductive
Medicine, see Indianapolis, IN

Midwest Fertility Specialists
12188-A N. Meridian St, Suite 250
Carmel IN 46032
Telephone: (317) 571-1637; Fax: (317) 571-9483
Lab Name: Midwest Fertility Specialists
Accreditation: The Joint Commission

Advanced Reproduction Institute, LLC
Advanced Fertility Group
1222 Professional Blvd
Evansville IN 47714
Telephone: (812) 469-4920; Fax: (812) 469-4930
Lab Name: Advanced Reproduction Institute, LLC
Accreditation: The Joint Commission

Advanced Fertility Group
201 N. Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1300; Fax: (317) 817-1306
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

§American Health Network-reproductive medicine
10610 N. Pennsylvania St, Suite 100
Indianapolis IN 46280
Telephone: (317) 580-4493; Fax: (317) 587-7056
Contact the NASS Help Desk for current
clinic information.

Community Reproductive Endocrinology
7250 Clearvista Dr, Suite 365
Indianapolis IN 46256
Telephone: (317) 621-0600; Fax: (317) 621-0610
Lab Name: Assisted Fertility Services
Accreditation: The Joint Commission

Family Beginnings, PC
8435 Clearvista Pl, Suite 104
Indianapolis IN 46256
Telephone: (317) 595-3665; Fax: (317) 595-3666
Lab Name: Family Beginnings, PC
Accreditation: CAP

Indiana University Hospital
550 N. University Blvd, Room 2440
Indianapolis IN 46202
Telephone: (317) 944-4057; Fax: (317) 944-0869
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Dr. John C. Jarrett, II
American Health Network Reproductive Medicine
10610 N. Pennsylvania St, Suite 101
Indianapolis IN 46280
Telephone: (317) 575-6565; Fax: (317) 575-6575
Lab Name: Heartland Laboratories-IVF Indiana
Accreditation: CAP

Reproductive Care of Indiana
201 Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1808; Fax: (317) 817-1810
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Women's Specialty Health Centers, PC
9660 E. 146th St, Suite 300
Noblesville IN 46060
Telephone: (317) 774-1200; Fax: (317) 774-1222
Lab Name: Follas Center for Reproductive
Medicine Laboratory
Accreditation: CAP

IOWA

Mid-Iowa Fertility, PC
1371 N.W. 121st St
Clive IA 50325
Telephone: (515) 222-3060; Fax: (515) 222-9563
Lab Name: Mid-Iowa Fertility, PC, Main Laboratory
Accreditation: CAP

University of Iowa Hospitals and Clinics
Center for Advanced Reproductive Care
Department of Obstetrics and Gynecology
Pomerantz Family Pavilion
200 Hawkins Dr
Iowa City IA 52242
Telephone: (319) 356-8483; Fax: (319) 353-6659
Lab Name: University of Iowa Hospital and Clinics
IVF & Reproductive Testing
Accreditation: CAP

KANSAS

Midwest Reproductive Center, PA
20375 W. 151st St, Bldg 1, Suite 403
Olathe KS 66061
Telephone: (913) 780-4300; Fax: (913) 780-4250
Lab Name: Midwest Reproductive
Center Laboratory
Accreditation: CAP

Center for Advanced Reproductive Medicine
10777 Nall Ave, Suite 200
Overland Park KS 66211
Telephone: (913) 588-6272; Fax: (913) 588-6258
Lab Name: University of Kansas Medical Center
Embryology Laboratory
Accreditation: CAP

Reproductive Resource Center of Greater
Kansas City
12200 W. 106th St, Suite 120
Overland Park KS 66215
Telephone: (913) 894-2323; Fax: (913) 894-0841
Lab Name: Reproductive Resource Center
IVF Laboratory
Accreditation: CAP

The Center for Reproductive Medicine
9300 E. 29th St North, Suite 102
Wichita KS 67226
Telephone: (316) 687-2112; Fax: (316) 687-1260
Lab Name: The Center for Reproductive Medicine,
CRM Laboratories
Accreditation: CAP

KENTUCKY

Bluegrass Fertility Center
1760 Nicholasville Rd, Suite 501
Lexington KY 40503
Telephone: (859) 260-1515; Fax: (859) 260-1425
Lab Name: Bluegrass Fertility Center Laboratory
Accreditation: CAP

The Lexington Fertility Center
170 N. Eagle Creek Dr, Suite 101
Lexington KY 40509
Telephone: (859) 277-5736; Fax: (859) 276-2236
Lab Name: Lexington Fertility Center Laboratory
Accreditation: None

§University of Kentucky
125 E. Maxwell St, Suite 140
Lexington KY 40508
Telephone: (859) 323-0005; Fax: (859) 323-0790
Contact the NASS Help Desk for current
clinic information.

Fertility and Endocrine Associates
Louisville Reproductive Center
4121 Dutchman's Ln, Suites 414 and 416
Louisville KY 40207
Telephone: (502) 897-2144; Fax: (502) 897-1773
Lab Name: Louisville Reproductive Center
Embryology Laboratory
Accreditation: CAP

§University OB/GYN Associates Fertility Center
401 E. Chestnut St, Suite 410
Louisville KY 40202
Telephone: (502) 588-4400; Fax: (502) 588-4315
Contact the NASS Help Desk for current
clinic information.

LOUISIANA

A Woman's Center for Reproductive Medicine
500 Rue de La Vie, Suite 510
Baton Rouge LA 70817
Telephone: (225) 926-6886; Fax: (225) 922-3730
Lab Name: A Woman's Center for
Reproductive Medicine
Accreditation: CAP

Fertility and Women's Health Center of Louisiana
206 E. Farrel Rd
Lafayette LA 70508
Telephone: (337) 989-8795; Fax: (337) 989-8766
Lab Name: Fertility and Women's Health Center
of Louisiana
Accreditation: The Joint Commission

The Fertility Institute of New Orleans
4770 S. I-10 Service Road West, Suite 201
Metairie LA 70001
Telephone: (985) 892-7621; Fax: (985) 892-9245
Lab Name: Fertility Institute of New
Orleans Laboratory
Accreditation: CAP

Center for Fertility and Reproductive Health
2401 Greenwood Rd, Suite A
Shreveport LA 71103
Telephone: (318) 841-5800; Fax: (318) 841-5817
Contact the NASS Help Desk for current
clinic information.

MARYLAND

Center for ART at Union Memorial Hospital
Center for ART at Medstar Union Memorial Hospital
33rd St Professional Bldg
201 E. University Pkwy, Suite 464
Baltimore MD 21218
Telephone: (410) 554-2308; Fax: (410) 554-2091
Lab Name: Union Memorial Hospital, Center for
ART at Union Memorial Hospital
Accreditation: CAP

For current information for Shady Grove Fertility
RSC at GBMC, see Towson, MD

The A.R.T. Institute of Washington, Inc.
Walter Reed Army Medical Center
The A.R.T. Institute of Washington, Inc.
Walter Reed National Military Medical Center
8901 Wisconsin Ave, Bldg 10, Rm 2104
Bethesda MD 20889
Telephone: (301) 400-2151; Fax: (301) 400-1800
Lab Name: The A.R.T. Institute of Washington,
Inc., Laboratory
Accreditation: CAP

Endrika Hinton, MD
10751 Falls Rd, Suite 302
Lutherville MD 21093
Telephone: (410) 616-7777; Fax: (410) 616-7767
Lab Name: Johns Hopkins Health System
Corporation, Johns Hopkins IVF ART Laboratories
Accreditation: CAP

Johns Hopkins Fertility Center
10753 Falls Rd, Suite 335
Lutherville MD 21093
Telephone: (410) 847-3650; Fax: (410) 583-2792
Lab Name: Johns Hopkins Health System
Corporation, Johns Hopkins IVF ART Laboratories
Accreditation: CAP

Shady Grove Fertility Reproductive Science Center
15001 Shady Grove Rd, Suite 400
Rockville MD 20850
Telephone: (301) 340-1188; Fax: (301) 340-1612
Lab Name: Shady Grove Fertility Reproductive
Science Center
Accreditation: The Joint Commission

Montgomery Fertility Center
2730 University Blvd West, Suite 614
Silver Spring MD 20902
Telephone: (301) 946-6962; Fax: (301) 946-6022
Lab Name: Montgomery Fertility Center Laboratory
Accreditation: None

Fertility Center of Maryland
110 West Rd, Suite 102
Towson MD 21204
Telephone: (410) 296-6400; Fax: (410) 296-6405
Lab Name: Fertility Center of Maryland, Inc.
Accreditation: The Joint Commission

Shady Grove Fertility RSC at GBMC
Shady Grove Fertility RSC-Towson
901 Dulaney Valley Rd, Suite 100
Towson MD 21204
Telephone: (410) 512-8300; Fax: (410) 512-8390
Lab Name: Shady Grove Fertility Reproductive
Science Center Andrology Center
Accreditation: CAP

MASSACHUSETTS

Brigham and Women's Hospital Center for Assisted
Reproductive Technology
Brigham and Women's Hospital
75 Francis St
Boston MA 02115
Telephone: (617) 732-5570; Fax: (617) 975-0825
Lab Name: Brigham and Women's Hospital, Center
for Assisted Reproduction
Accreditation: CAP, The Joint Commission

Massachusetts General Hospital Fertility Center
32 Fruit St, Yawkey 10A
Boston MA 02114
Telephone: (617) 726-8868; Fax: (617) 724-8882
Lab Name: Massachusetts General Hospital,
Vincent IVF Unit Laboratory
Accreditation: CAP

SREI Division at Tufts Medical Center
North Building, Mezzanine Level
800 Washington St
Boston MA 02111
Telephone: (617) 636-0053; Fax: (401) 277-3638
Contact the NASS Help Desk for current
clinic information.

Fertility Solutions, PC dba
Massachusetts Fertility Center, LLC
45 Stergis Way
Dedham MA 02026
Telephone: (781) 326-2451; Fax: (781) 329-2684
Lab Name: Massachusetts Fertility Center-Fertility
Solutions Laboratory
Accreditation: CAP

Reproductive Science Center
1 Forbes Rd
Lexington MA 02421
Telephone: (781) 674-1200; Fax: (781) 674-2442
Lab Name: The Reproductive Science Center
Accreditation: CAP

Fertility Centers of New England, Inc.
New England Clinics of Reproductive Medicine, Inc.
20 Pond Meadow Dr, Suite 101
Reading MA 01867
Telephone: (781) 942-7000; Fax: (781) 942-7200
Lab Name: New England Clinic of Reproductive
Medicine, Inc., Laboratory
Accreditation: CAP

Baystate Reproductive Medicine
Chestnut Surgical Center
759 Chestnut St
Springfield MA 01199
Telephone: (413) 794-1950; Fax: (413) 794-1857
Lab Name: Baystate Medical Center, Reproductive
Biology Laboratory
Accreditation: CAP

Cardone Reproductive Medicine and Infertility
2 Main St, Suite 150
Stoneham MA 02180
Telephone: (781) 438-9600; Fax: (781) 438-9601
Lab Name: Boston IVF, Inc.
Accreditation: CAP

Boston IVF
130 Second Ave
Waltham MA 02451
Telephone: (781) 434-6400; Fax: (781) 434-6464
Lab Name: Boston IVF, Inc.
Accreditation: CAP
Lab Name: Boston IVF, The Maine Center Laboratory
Accreditation: CAP

MICHIGAN

Center for Reproductive Medicine
University of Michigan Reproductive Endocrinology
and Infertility
475 Market Pl, Suite B
Ann Arbor MI 48108
Telephone: (734) 763-4323; Fax: (734) 763-7682
Lab Name: University of Michigan, Assisted
Reproductive Technologies Laboratories
Accreditation: CAP

For current information for Center for Reproductive
Medicine and Surgery, PC, see Bloomfield
Hills, MI

Advanced Reproductive Medicine and Surgery, PC
4190 Telegraph Rd, Suite 1500
Bloomfield Hills MI 48302
Telephone: (248) 203-0900; Fax: (248) 203-0902
Lab Name: Michigan Center for Fertility, Michigan
Center IVF, PLLC, Laboratory
Accreditation: CAP

Center for Reproductive Medicine and Surgery, PC
Michigan Reproductive Medicine
41000 Woodward Ave, Suite 100E
Bloomfield Hills MI 48304
Telephone: (248) 593-6990; Fax: (248) 593-5925
Lab Name: Michigan Reproductive
Medicine Laboratory
Accreditation: CAP (Pend)

Gago IVF
2250 Genoa Business Park Dr, Suite 100
Brighton MI 48114
Telephone: (810) 227-3232; Fax: (810) 227-3237
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP

Michigan Comprehensive Fertility Center
18181 Oakwood Blvd, Suite 109
Dearborn MI 48124
Telephone: (313) 299-6650; Fax: (313) 299-6658
Lab Name: Michigan Comprehensive Fertility
Center Laboratory
Accreditation: The Joint Commission

Michigan Reproductive & IVF Center, PC
3230 Eagle Park Dr N.E., Suite 100
Grand Rapids MI 49525
Telephone: (616) 988-2229; Fax: (616) 988-2009
Lab Name: Michigan Reproductive & IVF Center, PC
Accreditation: The Joint Commission

IVF Michigan
3950 S. Rochester Rd, Suite 2300
Rochester Hills MI 48307
Telephone: (248) 844-8845; Fax: (248) 844-9039
Lab Name: IVF Michigan, IVF/Andrology Laboratory
Accreditation: CAP

Wayne State University Physician Group
University Women's Care
26400 W. 12 Mile Rd, Suite 140
Southfield MI 48034
Telephone: (248) 352-8200; Fax: (248) 356-8255
Lab Name: University Physician Group,
Reproductive Laboratory
Accreditation: CAP

Henry Ford Reproductive Medicine
1500 W. Big Beaver, Suite 105
Troy MI 48084
Telephone: (248) 637-4050; Fax: (248) 637-0115
Lab Name: Henry Ford Health System,
Reproductive Medicine
Accreditation: CAP

Brenda L. Moskovitz, MD, PC
415 E. Maple Rd, Suite 101
Troy MI 48083
Telephone: (248) 524-1001; Fax: (248) 851-6522
Lab Name: Michigan Reproductive
Medicine Laboratory
Accreditation: CAP (Pend)

Reproductive Medicine Associates of Michigan
130 Town Center Dr, Suite 106
Troy MI 48084
Telephone: (248) 619-3100; Fax: (248) 619-9031
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP

Michigan Center for Fertility and Women's
Health, PLC
4700 Thirteen Mile Rd
Warren MI 48092
Telephone: (586) 576-0431; Fax: (586) 576-0924
Lab Name: Michigan Center for Fertility, Michigan
Center IVF, PLLC, Laboratory
Accreditation: CAP

MINNESOTA

The Midwest Center for Reproductive Health, PA
Arbor Lakes Medical Bldg
12000 Elm Creek Blvd North, Suite 350
Maple Grove MN 55369
Telephone: (763) 494-7700; Fax: (763) 494-7706
Lab Name: Midwest Center for Reproductive
Health, Assisted Reproductive Technology
Accreditation: CAP

Center for Reproductive Medicine
Advanced Reproductive Technologies
2828 Chicago Ave South, Suite 400
Minneapolis MN 55407
Telephone: (612) 863-5390; Fax: (612) 863-2697
Lab Name: Center for Reproductive Medicine
Embryology Laboratory
Accreditation: CAP

Reproductive Medicine Center
606 24th Ave South, Suite 500
Minneapolis MN 55454
Telephone: (612) 372-7050; Fax: (612) 372-7040
Lab Name: University of Minnesota Physicians,
Reproductive Medicine Center Laboratory
Accreditation: CAP

Mayo Clinic Assisted Reproductive Technologies
Charlton Bldg
200 First St S.W., 3rd Floor, Desk 3A
Rochester MN 55905
Telephone: (507) 266-3995; Fax: (507) 284-1774
Lab Name: Mayo Clinic Fertility Testing Laboratory
Accreditation: CAP

Reproductive Medicine & Infertility Associates
Woodbury Medical Arts Bldg
2101 Woodwinds Dr, Suite 100
Woodbury MN 55125
Telephone: (651) 222-6050; Fax: (651) 222-5975
Lab Name: Reproductive Medicine & Infertility
Associates, Reproductive Biology
Laboratory-Woodbury
Accreditation: CAP
Lab Name: Reproductive Medicine & Infertility
Associates, Biology Laboratory
Accreditation: CAP

MISSISSIPPI

Mississippi Reproductive Medicine, PLLC
1040 River Oaks Dr, Suite 202
Flowood MS 39232
Telephone: (601) 936-3650; Fax: (866) 491-0274
Lab Name: Mississippi Reproductive
Medicine Laboratory
Accreditation: CAP

Mississippi Fertility Institute
501 Marshall St, Suite 600
Jackson MS 39202
Telephone: (601) 948-6540; Fax: (601) 326-1501
Lab Name: Mississippi Fertility Institute
Accreditation: The Joint Commission

University of Mississippi Medical Center
IVF Program, Department of OB/GYN
2500 N. State St
Jackson MS 39216
Telephone: (601) 984-5330; Fax: (601) 984-6759
Lab Name: University of Mississippi Medical Center
IVF Laboratory
Accreditation: CAP

MISSOURI

Infertility Center of St. Louis
Sherman J. Silber, MD
224 S. Woods Mill Rd, Suite 730
Chesterfield MO 63017
Telephone: (314) 576-1400; Fax: (314) 576-1442
Lab Name: St. Luke's Hospital Assisted
Reproductive Technology Laboratory
Accreditation: CAP

Mid-Missouri Reproductive Medicine and
Surgery, Inc.
1506 E. Broadway, Suite 220
Columbia MO 65201
Telephone: (573) 443-4511; Fax: (573) 443-7860
Lab Name: Mid-Missouri Reproductive Medicine
and Surgery, Inc., Laboratory
Accreditation: CAP

Missouri Center for Reproductive Medicine
and Fertility
Department of Obstetrics, Gynecology and
Women's Health
500 N. Keene St, Suite 203
Columbia MO 65201
Telephone: (573) 817-3128; Fax: (573) 499-6065
Lab Name: University of Missouri, Missouri Center
for Reproductive Medicine and Fertility-ART Lab
Accreditation: CAP

SSher Institute for Reproductive Medicine-St. Louis
555 N. New Ballas Rd, Suite 150
Creve Coeur MO 63141
Telephone: (314) 983-9000; Fax: (314) 983-9023
Contact the NASS Help Desk for current
clinic information.

Midwest Women's Healthcare Specialists
6400 Prospect, Suite 598
Kansas City MO 64132
Telephone: (816) 444-6888; Fax: (816) 444-8430
Lab Name: Research Medical Center IVF Laboratory
Accreditation: CAP

Fertility Partnership
5401 Veterans Memorial Pkwy, Suite 201
Saint Peters MO 63376
Telephone: (636) 441-7770; Fax: (636) 441-7775
Lab Name: Fertility Partnership Laboratory
Accreditation: None

Center for Reproductive Medicine &
Robotic Surgery
522 N. New Ballas Rd, Suite 206
St. Louis MO 63141
Telephone: (314) 473-1285; Fax: (314) 473-1287
Lab Name: Center for Reproductive Medicine &
Robotic Surgery Laboratory
Accreditation: CAP

The Infertility and Reproductive Medicine Center
at Washington University School of Medicine and
Barnes-Jewish Hospital
Barnes-Jewish Hospital, North Campus
4444 Forest Park Ave, Suite 3100
St. Louis MO 63108
Telephone: (314) 286-2400; Fax: (314) 286-2455
Lab Name: Barnes-Jewish Hospital, Infertility &
Reproductive Medicine
Accreditation: CAP

MONTANA

Billings Clinic
Department of Reproductive Medicine and
Fertility Care
801 N. 29th St
Billings MT 59101
Telephone: (406) 238-2500; Fax: (406) 238-2806
Lab Name: Billings Clinic
Accreditation: CAP

NEBRASKA

Heartland Center for Reproductive Medicine, PC
7308 S. 142nd St
Omaha NE 68138
Telephone: (402) 717-4200; Fax: (402) 717-4230
Lab Name: Heartland Center for Reproductive
Medicine, PC, Laboratory
Accreditation: CAP

Nebraska Methodist Hospital REI
717 N. 190th Plaza, Suite 2500
Omaha NE 68022
Telephone: (402) 815-1915; Fax: (402) 815-1065
Lab Name: Methodist Women's Hospital
Andrology/Embryology Laboratory
Accreditation: CAP

NEVADA

Fertility Center of Las Vegas
8851 W. Sahara Ave, Suite 100
Las Vegas NV 89117
Telephone: (702) 254-1777; Fax: (702) 254-1213
Lab Name: Fertility Center of Las Vegas Laboratory
Accreditation: CAP

Red Rock Fertility Center
6420 Medical Center St, Suite 100
Las Vegas NV 89148
Telephone: (702) 262-0079; Fax: (702) 685-6910
Lab Name: Red Rock Fertility Center Laboratory
Accreditation: CAP

The Nevada Center for Reproductive Medicine
645 Sierra Rose Dr, Suite 205
Reno NV 89511
Telephone: (775) 828-1200; Fax: (775) 828-1785
Lab Name: The Nevada Center for
Reproductive Medicine
Accreditation: The Joint Commission

NEW HAMPSHIRE

Dartmouth-Hitchcock Medical Center
1 Medical Center Dr
Lebanon NH 03756
Telephone: (603) 653-9240; Fax: (603) 650-0905
Lab Name: Dartmouth-Hitchcock Medical
Center, Mary Hitchcock Reproductive
Sciences Laboratory
Accreditation: CAP

NEW JERSEY

Sher Institute for Reproductive
Medicine-New Jersey
171 State Route 173, Suite 301
Asbury NJ 08802
Telephone: (908) 781-0666; Fax: (908) 238-5197
Lab Name: Sher Institute for Reproductive
Medicine-New Jersey
Accreditation: CAP, The Joint Commission

Reproductive Medicine Associates of New Jersey
140 Allen Road
Basking Ridge NJ 07920
Telephone: (973) 971-4600; Fax: (973) 290-8370
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP

For current information for Sher Institute for
Reproductive Medicine-New Jersey, see
Asbury NJ

Low Cost IVF
716 Broad St, Suite 2A
Clifton NJ 07013
Telephone: (973) 221-3122; Fax: (973) 710-0620
Lab Name: Diamond Institute for Infertility
IVF Laboratory
Accreditation: CAP

Reproductive Science Center of New Jersey
234 Industrial Way West, Suite A104
Eatontown NJ 07724
Telephone: (732) 918-2500; Fax: (732) 918-2504
Lab Name: Reproductive Science Center of New
Jersey Laboratory
Accreditation: CAP

Center for Advanced Reproductive Medicine
& Fertility
Four Ethel Rd, Suite 405A
Edison NJ 08817
Telephone: (732) 339-9300; Fax: (732) 339-9400
Lab Name: Center for Advanced Reproductive
Medicine & Fertility
Accreditation: The Joint Commission

Women's Fertility Center
106 Grand Ave, Suite 400
Englewood NJ 07631
Telephone: (201) 569-6979; Fax: (201) 569-0269
Lab Name: Fertility Institute of New Jersey and New
York IVF Laboratory
Accreditation: CAP

North Hudson I.V.F.
Center for Fertility and Gynecology
385 Sylvan Ave
Englewood Cliffs NJ 07632
Telephone: (201) 871-1999; Fax: (201) 871-1031
Lab Name: North Hudson IVF Center Laboratory
Accreditation: CAP

University Reproductive Associates, PC
214 Terrace Ave
Hasbrouck Heights NJ 07604
Telephone: (201) 288-6330; Fax: (201) 288-6331
Lab Name: University Reproductive Associates,
PC, Laboratories
Accreditation: CAP, NYSTB (Pend)

Shore Institute for Reproductive Medicine
475 Route 70, Suite 201
Lakewood NJ 08701
Telephone: (732) 363-4777; Fax: (732) 363-2004
Lab Name: Shore Area IVF Laboratories, PC
Accreditation: CAP

Delaware Valley OBGYN and Infertility Group
Princeton IVF
2 Princess Rd, Suite C
Lawrenceville NJ 08648
Telephone: (609) 896-0777; Fax: (609) 896-3266
Lab Name: Delaware Valley OBGYN and Infertility
Group, Princeton IVF
Accreditation: CAP

East Coast Infertility and IVF
200 White Rd, Suite 214
Little Silver NJ 07739
Telephone: (732) 758-6511; Fax: (732) 758-0148
Lab Name: East Coast Infertility and IVF Laboratory
Accreditation: CAP

Institute for Reproductive Medicine and Science
Saint Barnabas Medical Center
94 Old Short Hills Rd, East Wing, Suite 403
Livingston NJ 07039
Telephone: (973) 322-8286; Fax: (973) 322-8890
Lab Name: Institute for Reproductive Medicine and
Science at Saint Barnabas Medical Center
Accreditation: CAP

Cooper Institute for Reproductive
Hormonal Disorders
8002 Lincoln Dr West
Marlton NJ 08053
Telephone: (856) 751-5575; Fax: (856) 751-7289
Lab Name: Cooper Institute for Reproductive
Hormonal Disorders
Accreditation: CAP

Delaware Valley Institute of Fertility and Genetics
6000 Sagemore Dr, Suite 6102
Marlton NJ 08053
Telephone: (856) 988-0072; Fax: (856) 988-0056
Lab Name: Delaware Valley Institute of Fertility and
Genetics Reproductive Laboratories
Accreditation: CAP

South Jersey Fertility Center
400 Lippincott Dr, Suite 130
Marlton NJ 08053
Telephone: (856) 596-2233; Fax: (856) 596-2411
Lab Name: South Jersey Fertility Center
Accreditation: The Joint Commission

Diamond Institute for Infertility
89 Millburn Ave
Millburn NJ 07041
Telephone: (973) 761-5600; Fax: (973) 761-5100
Lab Name: Diamond Institute for Infertility
IVF Laboratory
Accreditation: CAP

For current information for Reproductive Medicine
Associates of New Jersey, see Basking Ridge, NJ

Valley Hospital Fertility Center
1 Valley Health Plaza
Paramus NJ 07652
Telephone: (201) 634-5400; Fax: (201) 634-5506
Lab Name: Valley Hospital Fertility
Center Laboratory
Accreditation: CAP

IVF New Jersey
81 Veronica Ave
Somerset NJ 08873
Telephone: (732) 220-9060; Fax: (732) 545-1164
Lab Name: IVF New Jersey Embryology Laboratory
Accreditation: CAP

Dr. Louis R. Manara
200A Route 73
Voorhees NJ 08043
Telephone: (856) 767-0009; Fax: (856) 767-0990
Lab Name: Center for Reproductive Medicine and
Fertility Embryology Laboratory
Accreditation: CAP

North Jersey Fertility Associates, LLC
57 Willowbrook Blvd, Suite 301
Wayne NJ 07470
Telephone: (973) 754-4055; Fax: (973) 754-4058
Lab Name: North Jersey Fertility Associates,
LLC, Laboratory
Accreditation: CAP

§Fertility Institute of New Jersey and New York
400 Old Hook Rd, Suite 2-3
Westwood NJ 07675
Telephone: (201) 666-4200; Fax: (201) 666-2262
Contact the NASS Help Desk for current
clinic information.

NEW MEXICO

Center for Reproductive Medicine of New Mexico
Presbyterian Professional Bldg
201 Cedar St S.E., Suite S1-20
Albuquerque NM 87106
Telephone: (505) 247-3333; Fax: (505) 217-1171
Lab Name: Center for Reproductive Medicine of
New Mexico, In Vitro Fertilization and Andrology
Accreditation: CAP

NEW YORK

The Fertility Institute at New York
Methodist Hospital
506 Sixth St, KP4
Brooklyn NY 11215
Telephone: (718) 780-5065; Fax: (718) 780-5085
Lab Name: The Fertility Institute at New York
Methodist Hospital
Accreditation: NYSTB

Genesis Fertility & Reproductive Medicine
1355 84th St
Brooklyn NY 11228
Telephone: (718) 283-8600; Fax: (718) 283-6580
Lab Name: Genesis Fertility &
Reproductive Medicine
Accreditation: NYSTB

Infertility & IVF Medical Associates of Western
New York
4510 Main St
Buffalo NY 14226
Telephone: (716) 839-3057; Fax: (716) 839-1477
Lab Name: Infertility & IVF Medical Associates of
Western New York
Accreditation: NYSTB

Hudson Valley Fertility, PLLC
400 Westage Business Center Dr, Suite 109
Fishkill NY 12524
Telephone: (845) 765-0125; Fax: (845) 765-0128
Lab Name: Hudson Valley Fertility
Accreditation: NYSTB

The New York Fertility Center
42-31 Colden St, Suite 202
Flushing NY 11355
Telephone: (718) 261-9068; Fax: (718) 210-3474
Lab Name: The New York Fertility Center
Accreditation: NYSTB

Montefiore's Institute for Reproductive Medicine
and Health
141 S. Central Ave, Suite 201
Hartsdale NY 10530
Telephone: (914) 997-1060; Fax: (914) 997-1099
Lab Name: Institute for Reproductive Medicine and
Health of Montefiore Medical Center
Accreditation: CAP, NYSTB

§Albany IVF Fertility
399 Albany Shaker Rd
Loudonville NY 12211
Telephone: (518) 434-9759; Fax: (518) 436-9822
Contact the NASS Help Desk for current
clinic information.

North Shore University Hospital
Center for Human Reproduction
300 Community Dr
Manhasset NY 11030
Telephone: (516) 562-2229; Fax: (516) 562-1710
Lab Name: North Shore University Hospital Center
for Human Reproduction
Accreditation: CAP, NYSTB

East Coast Fertility
8 Corporate Center Dr, Suite 101
Melville NY 11747
Telephone: (631) 752-0606; Fax: (631) 752-0654
Lab Name: East Coast Fertility
Accreditation: NYSTB

Long Island IVF
8 Corporate Center Dr, Suite 101
Melville NY 11747
Telephone: (631) 752-0606; Fax: (631) 752-0654
Lab Name: Long Island IVF Laboratory
Accreditation: CAP, NYSTB

§Reproductive Specialists of New York
200 Old Country Rd, Suites 330 and 350
Mineola NY 11501
Telephone: (516) 739-2100; Fax: (516) 739-2179
Contact the NASS Help Desk for current
clinic information.

Westchester Reproductive Medicine
344 E. Main St, Suite 403
Mt. Kisco NY 10549
Telephone: (914) 218-8955; Fax: (914) 218-8956
Lab Name: American Fertility Services, PC, dba
Neway Medical
Accreditation: NYSTB

Advanced Fertility Services
1625 Third Ave
New York NY 10128
Telephone: (212) 369-8700; Fax: (212) 722-5587
Lab Name: Advanced Fertility Services, PC
Accreditation: NYSTB

Beth Israel Center for Infertility &
Reproductive Health
10 Union Square East, Suite 2E
New York NY 10003
Telephone: (212) 844-8587; Fax: (212) 844-6184
Lab Name: Gramercy Fertility Services
Accreditation: The Joint Commission, NYSTB

Brooklyn/Westside Fertility Center
Brooklyn Fertility Center
55 Central Park West, Suite 1C
New York NY 10023
Telephone: (212) 721-4545; Fax: (212) 721-4598
Lab Name: Brooklyn Westside Fertility Center
Accreditation: NYSTB

Columbia University Center for Women's
Reproductive Care
1790 Broadway, 2nd Floor
New York NY 10019
Telephone: (646) 756-3874; Fax: (646) 756-8283
Lab Name: Center for Women's Reproductive Care
at Columbia University
Accreditation: NYSTB

Continuum Reproductive Center of St. Luke's
Roosevelt Hospital
425 W. 59th St, Suite 5A
New York NY 10019
Telephone: (212) 523-7751; Fax: (212) 523-8348
Lab Name: Continuum Reproductive Center
Accreditation: NYSTB

Andrew Loucopoulos, MD, PhD
1001 5th Ave
New York NY 10028
Telephone: (212) 472-7216; Fax: (212) 472-8608
Lab Name: American Fertility Services, PC, dba
Neway Medical
Accreditation: NYSTB

Manhattan Reproductive Medicine
159 E. 74th St, Suite 1C
New York NY 10021
Telephone: (212) 794-0080; Fax: (212) 794-0066
Lab Name: Manhattan Reproductive Medicine
Accreditation: NYSTB

Medical Offices for Human Reproduction
Center for Human Reproduction (CHR)
21 E. 69th St
New York NY 10021
Telephone: (212) 994-4400; Fax: (212) 994-4499
Lab Name: Medical Offices for Human
Reproduction-New York
Accreditation: NYSTB

Metropolitan Reproductive Medicine, PC
422 W. End Ave
New York NY 10024
Telephone: (212) 580-2252; Fax: (212) 580-2258
Lab Name: American Fertility Services, PC, dba
Neway Medical
Accreditation: NYSTB

New Hope Fertility Center
4 Columbus Circle, 4th Floor
New York NY 10019
Telephone: (212) 400-9624; Fax: (212) 489-6294
Lab Name: New Hope Fertility Center
Accreditation: NYSTB

New York Fertility Institute
1016 5th Ave
New York NY 10028
Telephone: (212) 734-5555; Fax: (212) 734-6059
Lab Name: New York Fertility Institute
Reproductive Laboratory
Accreditation: CAP, NYSTB

New York Fertility Services, PC
Batzofin Fertility Services, PC
16 E. 40th St, 2nd Floor
New York NY 10016
Telephone: (212) 679-2289; Fax: (212) 679-2288
Lab Name: Batzofin Fertility Services, PC
Accreditation: The Joint Commission (Pend), NYSTB

§Neway Medical
115 E. 57th St, Suite 500
New York NY 10022
Telephone: (212) 750-3330; Fax: (646) 462-3353
Contact the NASS Help Desk for current
clinic information.

NYU Fertility Center
New York University School of Medicine
660 First Ave, 5th Floor
New York NY 10016
Telephone: (212) 263-8990; Fax: (212) 263-7853
Lab Name: NYU Fertility Center Andrology &
Endocrinology Laboratory
Accreditation: NYSTB

Offices for Fertility and Reproductive Medicine
51 E. 67th St
New York NY 10065
Telephone: (212) 535-5350; Fax: (212) 535-5080
Lab Name: Offices for Fertility and Reproductive
Medicine, PC
Accreditation: NYSTB

Reproductive Medicine Associates of New
York, LLP
635 Madison Ave, 10th Floor
New York NY 10022
Telephone: (212) 756-5777; Fax: (212) 756-5770
Lab Name: Reproductive Medicine Associates of
New York, LLP
Accreditation: NYSTB

Geoffrey Sher, MD, PC
425 5th Ave, 3rd Floor
New York NY 10016
Telephone: (646) 792-7476; Fax: (646) 274-0600
Lab Name: Sher Institute for
Reproductive Medicine-NYC
Accreditation: CAP, The Joint Commission, NYSTB

Weill Medical College of Cornell University
The Center for Reproductive Medicine and Infertility
1305 York Ave, 6th Floor
New York NY 10021
Telephone: (646) 962-2764; Fax: (646) 962-0359
Lab Name: Weill Medical College of Cornell
University Infertility Laboratory
Accreditation: NYSTB

For current information for East Coast Fertility, see
Melville, NY

Rochester Fertility Care, PC
1561 Long Pond Rd, Suite 410
Rochester NY 14626
Telephone: (585) 453-7760; Fax: (585) 453-7771
Lab Name: Rochester Fertility Care
Accreditation: NYSTB

Strong Fertility Center
500 Red Creek Dr, Suite 220
Rochester NY 14623
Telephone: (585) 487-3378; Fax: (585) 334-8998
Lab Name: Strong Fertility Center
Accreditation: NYSTB

Island Reproductive Services
1110 South Ave, Suite 305
Staten Island NY 10314
Telephone: (718) 761-6000; Fax: (718) 761-6066
Lab Name: Reproductive Center of Central
New Jersey
Accreditation: The Joint Commission

For current information for Gold Coast IVF,
Reproductive Medicine and Surgery Center, see
Woodbury, NY

CNY Fertility Center
195 Intrepid Ln
Syracuse NY 13205
Telephone: (315) 469-8700; Fax: (315) 469-6789
Lab Name: CNY Fertility Center-Latham
Accreditation: NYSTB
Lab Name: CNY Fertility Center-Syracuse
Accreditation: NYSTB

University IVF
SUNY Upstate Medical University
725 Irving Ave, Suite 214
Syracuse NY 13210
Telephone: (315) 464-3928; Fax: (315) 464-4615
Lab Name: University IVF, SUNY Upstate
Medical University
Accreditation: NYSTB

Westchester Fertility and
Reproductive Endocrinology
136 S. Broadway, Suite 100
White Plains NY 10605
Telephone: (914) 949-6677; Fax: (914) 949-5758
Lab Name: Westchester IVF
Accreditation: NYSTB

Braverman Reproductive Immunology, PC
800 Woodbury Rd, Suite G
Woodbury NY 11797
Telephone: (516) 584-8710; Fax: (516) 584-8711
Lab Name: Braverman Reproductive Immunology,
PC, Laboratory
Accreditation: NYSTB

Gold Coast IVF
Reproductive Medicine and Surgery Center
246 Crossways Park Dr West
Woodbury NY 11797
Telephone: (516) 682-8900; Fax: (516) 682-8901
Lab Name: North Shore University Hospital Center
for Human Reproduction
Accreditation: CAP, NYSTB
Lab Name: Connecticut Fertility
Associates Laboratory
Accreditation: CAP
Lab Name: Gold Coast IVF Laboratory
Accreditation: NYSTB

NORTH CAROLINA

North Carolina Center for Reproductive Medicine
The Talbert Fertility Institute
400 Ashville Ave, Suite 200
Cary NC 27511
Telephone: (919) 233-1680; Fax: (919) 233-1685
Lab Name: North Carolina Center for
Reproductive Medicine, North Carolina
Reproductive Laboratories
Accreditation: CAP

University of North Carolina A.R.T. Clinic
UNC School of Medicine
Department of OB/GYN CB#7570
Chapel Hill NC 27599
Telephone: (919) 966-1150; Fax: (919) 966-1259
Lab Name: UNC Fertility Laboratory
Accreditation: CAP

CMC Reproductive Medicine and Infertility
CMC Women's Institute
Carolinas Medical Center Women's Institute
1025 Morehead Medical Dr, Suite 500
Charlotte NC 28204
Telephone: (704) 355-3153; Fax: (704) 355-9322
Lab Name: Carolinas Medical Center Andrology
and ART Laboratories
Accreditation: CAP

Institute for Assisted Reproduction
1524 E. Morehead St
Charlotte NC 28207
Telephone: (704) 343-3400; Fax: (704) 343-3428
Lab Name: Reproductive Endocrine Associates of
Charlotte, Institute for Assisted Reproduction
Accreditation: CAP

§Duke Fertility Center
Duke University Medical Center
5704 Fayetteville Rd
Durham NC 27713
Telephone: (919) 572-4673; Fax: (919) 484-0461
Contact the NASS Help Desk for current
clinic information.

Womack Army Medical Center REI Clinic
2817 Reilly Rd
Fort Bragg NC 28310
Telephone: (910) 907-9270; Fax: (910) 907-7825
Lab Name: NCIVF
Accreditation: None

East Carolina University
ECU Women's Physicians
2160 Herbert Ct
Greenville NC 27834
Telephone: (252) 744-3849; Fax: (252) 744-2016
Lab Name: ECU Women's Physicians ART/
Andrology Laboratory
Accreditation: CAP

Premier Fertility Center
High Point Regional Health System
2783 NC Hwy 68, Suite 104
High Point NC 27265
Telephone: (336) 841-7070; Fax: (336) 841-7077
Lab Name: Premier Fertility Center Laboratory
Accreditation: CAP

Advanced Reproductive Concepts
9800 W. Kinsey Ave, Suite 160
Huntersville NC 28078
Telephone: (704) 947-9000; Fax: (704) 992-1900
Lab Name: Advanced Reproductive Concepts,
PLLC, Laboratory
Accreditation: CAP

Carolina Conceptions, PA
2601 Lake Dr, Suite 301
Raleigh NC 27607
Telephone: (919) 782-5911; Fax: (919) 861-6400
Lab Name: Carolina Conceptions Embryology/
Andrology Laboratory
Accreditation: CAP

Wake Forest University Center for
Reproductive Medicine
CompRehab Plaza
131 Miller St, 2nd Floor
Winston-Salem NC 27103
Telephone: (336) 716-6476; Fax: (336) 716-0194
Lab Name: Wake Forest University School of
Medicine, Center for Reproductive Medicine
Accreditation: CAP

NORTH DAKOTA

Sanford Reproductive Medicine Institute
1111 Harwood Dr South
Fargo ND 58122
Telephone: (701) 234-2700; Fax: (701) 234-2783
Lab Name: Sanford Health, Reproductive
Medicine Laboratory
Accreditation: CAP

OHIO

Fertility Unlimited, Inc.
Northeastern Ohio Fertility Center
468 E. Market St
Akron OH 44304
Telephone: (330) 376-2300; Fax: (330) 376-4807
Lab Name: Fertility Unlimited, Inc., In Vitro
Fertilization Laboratory
Accreditation: The Joint Commission

Reproductive Gynecology
95 Arch St, Suite 250
Akron OH 44304
Telephone: (330) 375-7722; Fax: (330) 375-3986
Lab Name: Reproductive Gynecology
Laboratories, LLC
Accreditation: CAP

Cleveland Clinic Fertility Center
26900 Cedar Rd, Suite 220 South
Beachwood OH 44122
Telephone: (216) 839-3150; Fax: (216) 839-3195
Lab Name: Cleveland Clinic Foundation
Fertility Center
Accreditation: CAP

University Hospitals Fertility Center
Kathy Risman Pavilion
1000 Auburn Dr, Suite 310
Beachwood OH 44122
Telephone: (216) 285-5028; Fax: (216) 201-5388
Lab Name: University Hospitals Fertility
Center Laboratory
Accreditation: CAP

Bethesda Center for Reproductive Health & Fertility
Bethesda Fertility Center
Bethesda Hospital
10506 Montgomery Rd, Suite 303
Cincinnati OH 45242
Telephone: (513) 865-1675; Fax: (513) 865-1676
Lab Name: Reproductive Studies Laboratory
Accreditation: The Joint Commission

For current information for Center for Reproductive
Health, see West Chester, OH

Institute for Reproductive Health
3805 Edwards Rd, Suite 450
Cincinnati OH 45209
Telephone: (513) 924-5550; Fax: (513) 924-5549
Lab Name: Institute for Reproductive Health
ART Laboratory
Accreditation: CAP
Lab Name: The Christ Hospital, Center for
Reproductive Studies
Accreditation: CAP (Pend), The Joint Commission

For current information for University Hospitals
Fertility Center, see Beachwood, OH

Ohio Reproductive Medicine
4830 Knightsbridge Blvd, Suite E
Columbus OH 43214
Telephone: (614) 451-2280; Fax: (614) 451-4352
Lab Name: Reproductive Diagnostics Inc.
Accreditation: CAP

Kettering Reproductive Medicine
3533 Southern Blvd, Suite 4100
Kettering OH 45429
Telephone: (937) 395-8444; Fax: (937) 395-8450
Lab Name: Kettering Medical Center Reproductive
Medicine Laboratory
Accreditation: CAP

Fertility Center of Northwestern Ohio
2142 N. Cove Blvd
Toledo OH 43606
Telephone: (419) 291-8835; Fax: (419) 291-6005
Lab Name: The Toledo Hospital, The Fertility Center
of NW Ohio
Accreditation: CAP

Center for Reproductive Health
7675 Wellness Way, Suite 315
West Chester OH 45069
Telephone: (513) 475-7600; Fax: (513) 475-7601
Lab Name: The Christ Hospital, Center for
Reproductive Studies
Accreditation: CAP (Pend), The Joint Commission

Reproductive Gynecology, Inc.
540 N. Cleveland Ave, Suite 100
Westerville OH 43082
Telephone: (614) 895-3333; Fax: (614) 895-3338
Lab Name: Reproductive Gynecology
Laboratories, LLC
Accreditation: CAP

OKLAHOMA

Henry G. Bennett, Jr., Fertility Institute
3433 N.W. 56th St, Suite 200
Oklahoma City OK 73112
Telephone: (405) 949-6060; Fax: (405) 949-6872
Lab Name: Integris Baptist Medical Center, Bennett
Fertility Institute Reproductive Services
Accreditation: CAP, The Joint Commission

OU Physicians Reproductive Medicine
1000 N. Lincoln Blvd, Suite 300
Oklahoma City OK 73104
Telephone: (405) 271-1616; Fax: (405) 271-9222
Lab Name: OU Physicians, Department of OB/GYN
ART Laboratory
Accreditation: CAP

Tulsa Center for Fertility & Women's Health
115 E. 15th St
Tulsa OK 74119
Telephone: (918) 584-2870; Fax: (918) 587-3602
Lab Name: Tulsa Fertility Center Laboratory
Accreditation: CAP

OREGON

The Fertility Center of Oregon
590 Country Club Pkwy, Suite A
Eugene OR 97401
Telephone: (541) 683-1559; Fax: (541) 683-1709
Lab Name: Fertility Center of Oregon
Embryology Laboratory
Accreditation: None

Northwest Fertility Center
1750 S.W. Harbor Way, Suite 200
Portland OR 97201
Telephone: (503) 227-7799; Fax: (503) 227-5452
Lab Name: Northwest Fertility Center, Northwest
Reproductive Technologies
Accreditation: CAP

Oregon Reproductive Medicine
2222 N.W. Lovejoy St, Suite 304
Portland OR 97210
Telephone: (503) 274-4994; Fax: (503) 274-4946
Lab Name: The Reproductive Medicine Laboratory
Accreditation: The Joint Commission

University Fertility Consultants
Oregon Health & Science University
OHSU Center for Health & Healing
3303 S.W. Bond Ave, 10th Floor
Portland OR 97239
Telephone: (503) 418-4500; Fax: (503) 418-3757
Contact the NASS Help Desk for current
clinic information.

PENNSYLVANIA

Abington Reproductive Medicine, Abington IVF
and Genetics
Toll Center for Reproductive Sciences
Arches Bldg
1200 Old York Rd, 2nd Floor
Abington PA 19001
Telephone: (215) 887-2010; Fax: (215) 481-7550
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics
Accreditation: CAP

Infertility Solutions, PC
1275 S. Cedar Crest Blvd, Suite 3
Allentown PA 18103
Telephone: (610) 776-1217; Fax: (610) 776-4149
Lab Name: Infertility Solutions, PC
Accreditation: The Joint Commission

Reproductive Medicine Associates of Pennsylvania
1401 N. Cedar Crest Blvd, Suite 200
Allentown PA 18104
Telephone: (610) 820-6888; Fax: (610) 820-6818
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP

Family Fertility Center
95 Highland Ave, Suite 100
Bethlehem PA 18017
Telephone: (610) 868-8600; Fax: (610) 868-8700
Lab Name: Family Fertility Center
Accreditation: CAP

Main Line Fertility and Reproductive Medicine
Bryn Mawr Medical Arts Pavilion
825 Old Lancaster Rd, Suite 170
Bryn Mawr PA 19010
Telephone: (484) 380-4879; Fax: (474) 380-4866
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP

Geisinger Medical Center Fertility Program
100 N. Academy Ave
Danville PA 17822
Telephone: (570) 271-5620; Fax: (570) 271-5629
Lab Name: Geisinger Medical Center ART/
Andrology Laboratory
Accreditation: CAP

Penn State Milton S. Hershey Medical Center
500 University Dr, H103
Hershey PA 17033
Telephone: (717) 531-8478; Fax: (717) 531-6286
Lab Name: Penn State Milton S. Hershey
Medical Center
Accreditation: The Joint Commission

Reproductive Medicine Associates of Philadelphia
625 Clark Ave, Suite 17B
King Of Prussia PA 19406
Telephone: (215) 654-1544; Fax: (215) 654-1543
Lab Name: Reproductive Medicine Associates
(RMA) of Philadelphia
Accreditation: The Joint Commission

Fertility and Gynecology Associates
Pine Bldg East, 800 Spruce St
Philadelphia PA 19107
Telephone: (215) 829-6385; Fax: (215) 829-6553
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics
Accreditation: CAP

Jefferson IVF
834 Chestnut St, Suite 300
Philadelphia PA 19107
Telephone: (215) 955-5000; Fax: (215) 955-7258
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP
Lab Name: Reproductive Medicine Associates
(RMA) of Philadelphia
Accreditation: The Joint Commission

Society Hill Reproductive Medicine
822 Pine St, Suite 4B
Philadelphia PA 19107
Telephone: (215) 829-8110; Fax: (215) 829-8119
Lab Name: Shady Grove Fertility RSC Philadelphia/
Chesterbrook Laboratory
Accreditation: CAP, The Joint Commission

University of Pennsylvania
Penn Fertility Care
3701 Market St, 8th Floor
Philadelphia PA 19104
Telephone: (215) 662-6560; Fax: (215) 349-5512
Lab Name: University of Pennsylvania In Vitro
Fertilization Program, Laboratory for
Assisted Reproduction
Accreditation: CAP, The Joint Commission

§Jones Institute at West Penn Allegheny
Health System
4815 Liberty Ave, Suite 330
Pittsburgh PA 15224
Telephone: (412) 578-5588; Fax: (412) 605-6544
Contact the NASS Help Desk for current
clinic information.

Reproductive Health Specialists, Inc.
419 Rodi Rd
Pittsburgh PA 15235
Telephone: (412) 731-8000; Fax: (412) 731-8399
Lab Name: Reproductive Health Specialists, Inc.
Accreditation: CAP

University of Pittsburgh Physicians
Center for Fertility and Reproductive Endocrinology
Magee Womens Hospital
300 Halket St, Suite 5150
Pittsburgh PA 15213
Telephone: (412) 641-1600; Fax: (412) 641-7453
Lab Name: Center for Fertility and Reproductive
Endocrinology IVF Laboratory
Accreditation: CAP

Reproductive Endocrinology and Fertility Center
Crozer-Chester Medical Center
Ambulatory Care Pavilion
1 Medical Center Blvd, Suite 531
Upland PA 19013
Telephone: (610) 447-2727; Fax: (610) 447-6549
Lab Name: Health Access Network,
Andrology/IVF Laboratory
Accreditation: CAP

§Reproductive Science Institute of
Suburban Philadelphia
945 Chesterbrook Blvd
Wayne PA 19087
Telephone: (610) 981-6000; Fax: (610) 964-0536
Contact the NASS Help Desk for current
clinic information.

§Women's Clinic, Ltd.
301 S. 7th Ave, Suite 245
West Reading PA 19611
Telephone: (610) 374-2214; Fax: (610) 685-5264
Contact the NASS Help Desk for current
clinic information.

The Fertility Center, LLC
130 Leader Heights Rd
York PA 17403
Telephone: (717) 747-3099; Fax: (717) 747-3214
Lab Name: The Fertility Center, LLC, Laboratory
Accreditation: None

PUERTO RICO

Pedro J. Beauchamp, MD
Dr. Arturo Cadilla Bldg
100 Paseo San Pablo, Suite 503
Bayamon PR 00959
Telephone: (787) 798-0100; Fax: (787) 740-7250
Lab Name: Dr. Pedro J. Beauchamp Fertility
Center Laboratory
Accreditation: The Joint Commission

Clinica de Fertilidad HIMA-San Pablo Caguas
Ave Muñoz Rivera, A-1, Suite 303
Caguas PR 00726
Telephone: (787) 704-3434; Fax: (787) 961-4546
Lab Name: Clinica de Fertilidad HIMA-San Pablo
Accreditation: None

GREFI
Gynecology, Reproductive Endocrinology &
Fertility Institute
First Bank Bldg
1519 Ave Ponce de Leon, Suite 705
Santurce PR 00910
Telephone: (787) 721-3544; Fax: (787) 848-0979
Lab Name: GREFI Laboratory-Ponce
Accreditation: CAP

RHODE ISLAND

§Women and Infants' Division of Reproductive
Medicine and Infertility
90 Plain St
Providence RI 02903
Telephone: (401) 453-7500; Fax: (401) 277-3638
Contact the NASS Help Desk for current
clinic information.

SOUTH CAROLINA

Piedmont Reproductive Endocrinology Group, PA
17 Caledon Ct, Suite C
Greenville SC 29615
Telephone: (864) 232-7734; Fax: (864) 232-7099
Lab Name: Piedmont Reproductive Endocrinology
Group, PA, Embryology Laboratory
Accreditation: CAP

University Medical Group, Department of
Obstetrics and Gynecology
Fertility Center of the Carolinas
890 W. Faris Rd, Suite 470
Greenville SC 29605
Telephone: (864) 455-1675; Fax: (864) 455-3095
Lab Name: Greenville Hospital System,
Reproductive Endocrinology & Infertility
Accreditation: CAP

Advanced Fertility & Reproductive Endocrinology
2324 Sunset Blvd
West Columbia SC 29169
Telephone: (803) 939-1515; Fax: (803) 939-0977
Lab Name: Advanced Fertility & Reproductive
Endocrinology Laboratory
Accreditation: CAP

SOUTH DAKOTA

Sanford Women's Health
1500 W. 22nd St, MB3, Suite 102B
Sioux Falls SD 57105
Telephone: (605) 328-8800; Fax: (605) 328-8831
Lab Name: Sanford Women's Health Advanced
Reproductive Laboratory
Accreditation: CAP

TENNESSEE

Fertility Center, LLC
7407 Ziegler Rd
Chattanooga TN 37421
Telephone: (423) 899-0500; Fax: (423) 899-2411
Lab Name: Fertility Center, LLC
Accreditation: The Joint Commission

Tennessee Reproductive Medicine
6031 Shallowford Rd, Suite 101
Chattanooga TN 37421
Telephone: (423) 876-2229; Fax: (423) 643-0699
Lab Name: Tennessee Reproductive Laboratory
Accreditation: CAP

Quillen Fertility and Women's Services
110 Corporate Dr, Suite 140
Johnson City TN 37604
Telephone: (423) 439-7246; Fax: (423) 282-4698
Lab Name: ETSU Physicians and Associates, Quillen
Fertility & Women's Services Laboratory
Accreditation: CAP

East Tennessee IVF and Andrology Center
9301 Park West Blvd, Bldg A, Suite 301
Knoxville TN 37923
Telephone: (865) 249-7031; Fax: (865) 588-4510
Lab Name: East Tennessee IVF/Fertility and
Andrology Center
Accreditation: None

Southeastern Fertility Center
11126 Kingston Pike
Knoxville TN 37934
Telephone: (865) 777-0088; Fax: (865) 777-2015
Lab Name: Southeastern Fertility Center
Accreditation: None

Kutteh Ke Fertility Associates of Memphis, PLLC
80 Humphreys Center, Suite 307
Memphis TN 38120
Telephone: (901) 747-2229; Fax: (901) 747-4446
Lab Name: Memphis Fertility Laboratory, PC
Accreditation: CAP

The Center for Reproductive Health
2410 Patterson St, Suite 401
Nashville TN 37203
Telephone: (615) 321-8899; Fax: (615) 321-8877
Lab Name: Fertility Laboratories of Nashville, Inc.
Accreditation: CAP

Nashville Fertility Center
345 23rd Ave North, Suite 401
Nashville TN 37203
Telephone: (615) 321-4740; Fax: (615) 320-0240
Lab Name: Reproductive Specialty Laboratory of
Middle Tennessee, LLC
Accreditation: CAP

TEXAS

Austin Fertility and Reproductive Medicine-
Westlake IVF
300 Beardsley Ln, Bldg B, Suite 200
Austin TX 78746
Telephone: (512) 444-1414; Fax: (512) 579-2720
Lab Name: Westlake IVF Laboratory
Accreditation: CAP

Austin Fertility Institute, PA
2200 Park Bend Dr, Bldg 1, Suite 402
Austin TX 78758
Telephone: (512) 339-4234; Fax: (512) 339-4237
Lab Name: New Austin Health, LLC, Laboratory
Accreditation: CAP

Texas Fertility Center
Vaughn, Silverberg & Associates
6500 N. Mopac Expressway, Bldg 1, Suite 1200
Austin TX 78731
Telephone: (512) 451-0149; Fax: (512) 451-0977
Lab Name: Texas Fertility Center, Austin IVF, LP
Accreditation: CAP

Dr. Jeffrey Youngkin
Austin Fertility Center
805 E. 32nd St, Suite 201
Austin TX 78705
Telephone: (512) 478-3188; Fax: (512) 478-5092
Lab Name: Texas Fertility Center, Austin IVF, LP
Accreditation: CAP

Center for Assisted Reproduction
1701 Park Place Ave
Bedford TX 76022
Telephone: (817) 540-1157; Fax: (817) 267-0522
Lab Name: Center for Assisted Reproduction
IVF Laboratory
Accreditation: CAP

Dallas-Fort Worth Fertility Associates
5477 Glen Lakes Dr, Suite 200
Dallas TX 75231
Telephone: (214) 363-5965; Fax: (214) 363-0639
Lab Name: Dallas Fertility Center Laboratory
Accreditation: CAP

Fertility and Advanced Reproductive Medicine
1801 Inwood Rd, 6th Floor
Dallas TX 75390
Telephone: (214) 645-3858; Fax: (214) 645-7930
Lab Name: Fertility and Advanced Reproductive
Medicine Laboratory
Accreditation: CAP

Fertility Center of Dallas
3900 Junius St, Suite 610
Dallas TX 75246
Telephone: (972) 884-5700; Fax: (972) 884-5709
Lab Name: Texas Health Resources Presbyterian
Hospital of Dallas ARTS Program
Accreditation: CAP
Lab Name: Fertility Center of Dallas Laboratory
Accreditation: CAP

IVF Institute, PA
7777 Forest Ln, Suite C-108
Dallas TX 75230
Telephone: (972) 566-6868; Fax: (972) 566-6860
Lab Name: Texas Health Resources Presbyterian
Hospital of Dallas ARTS Program
Accreditation: CAP
Lab Name: Vivere Dallas Surgical
Center-Fertility Laboratory
Accreditation: CAP

ReproMed Fertility Center
3800 San Jacinto Ave
Dallas TX 75204
Telephone: (214) 827-8777; Fax: (214) 827-8622
Lab Name: Vivere Dallas Surgical
Center-Fertility Laboratory
Accreditation: CAP

Sher Institute for Reproductive Medicine-Dallas
7777 Forest Ln, Suite C638
Dallas TX 75230
Telephone: (972) 566-6686; Fax: (972) 566-6670
Lab Name: Sher Institute for
Reproductive Medicine-Dallas
Accreditation: CAP

Texas Center for Reproductive Health
Barnett Tower
3600 Gaston Ave, Suite 504
Dallas TX 75246
Telephone: (214) 821-2274; Fax: (214) 821-2373
Lab Name: Texas Center for Reproductive Health
Accreditation: CAP

The Women's Place
950 Scotland Dr
DeSoto TX 75115
Telephone: (972) 709-9777; Fax: (972) 709-8300
Lab Name: North Texas Fertility Center
Accreditation: None

University Fertility Center
1804 FM 646 West, Suite N
Dickinson TX 77539
Telephone: (832) 505-3059; Fax: (281) 335-0882
Lab Name: UTMB at Galveston-Assisted
Reproductive Technologies Laboratory
Accreditation: CAP

Southwest Center for Reproductive Health, PA
700 S. Mesa Hills
El Paso TX 79912
Telephone: (915) 842-9998; Fax: (915) 842-9972
Lab Name: Southwest Center for Reproductive
Health, PA
Accreditation: None

Brooke Army Medical Center
Department of Obstetrics & Gynecology
3551 Roger Brooke Dr
Fort Sam Houston TX 78234
Telephone: (210) 916-6305; Fax: (210) 916-6350
Lab Name: BAMC IVF Laboratory
Accreditation: CAP

Fort Worth Fertility, PA
1800 Mistletoe Blvd
Fort Worth TX 76104
Telephone: (817) 348-8145; Fax: (817) 348-8264
Lab Name: Texas Reproductive Center Laboratory
Accreditation: CAP

Dallas IVF
2840 Legacy Dr, Bldg 1, Suite 100
Frisco TX 75034
Telephone: (214) 297-0027; Fax: (214) 297-0035
Lab Name: Dallas IVF Laboratory
Accreditation: CAP

Fertility Specialists of Texas, PLLC
5757 Warren Pkwy, Suite 300
Frisco TX 75034
Telephone: (214) 618-2044; Fax: (214) 618-7838
Lab Name: Fertility Specialists of Texas Laboratory
Accreditation: CAP

Frisco Institute for Reproductive Medicine
8380 Warren Pkwy, Suite 201
Frisco TX 75034
Telephone: (972) 377-2625; Fax: (972) 377-2667
Lab Name: Frisco IVF Laboratory
Accreditation: CAP

Advanced Fertility Center of Texas
10901 Katy Freeway
Houston TX 77079
Telephone: (713) 467-4488; Fax: (713) 467-9499
Lab Name: Center for Women's Medicine In Vitro
Fertilization Laboratory
Accreditation: CAP

Baylor Family Fertility Program
Texas Children's Pavilion for Women
6651 Main St, Suite F320
Houston TX 77030
Telephone: (832) 826-7463; Fax: (823) 825-9413
Lab Name: Obstetrical and Gynecological
Associates Laboratories
Accreditation: CAP

Cooper Institute for Advanced
Reproductive Medicine
7500 Beechnut St, Suite 308
Houston TX 77074
Telephone: (713) 771-9771; Fax: (713) 771-9773
Lab Name: Cooper Institute for Advanced
Reproductive Medicine, Cooper Institute
Reproductive Laboratory
Accreditation: CAP

Fertility Specialists of Houston
7900 Fannin St, Suite 4400
Houston TX 77054
Telephone: (713) 512-7914; Fax: (713) 512-7853
Lab Name: Obstetrical and Gynecological
Associates Laboratories
Accreditation: CAP

§The Heard Clinic
1315 St. Joseph Pkwy, Suite 1305
Houston TX 77002
Telephone: (713) 878-0878; Fax: (866) 788-2859
Contact the NASS Help Desk for current
clinic information.

§Houston Fertility Institute
2500 Fondren Rd, Suite 350
Houston TX 77063
Telephone: (832) 237-1434; Fax: (832) 237-1436
Contact the NASS Help Desk for current
clinic information.

Houston Infertility Clinic
Sonja Kristiansen, MD
9055 Katy Freeway, Suite 450
Houston TX 77024
Telephone: (713) 862-6181; Fax: (713) 464-2810
Lab Name: Houston Infertility Clinic
Accreditation: CAP

Houston IVF
929 Gessner Rd, Suite 2300
Houston TX 77024
Telephone: (713) 465-1211; Fax: (713) 550-1475
Lab Name: Houston IVF Laboratory
Accreditation: CAP

IVFMD
Advanced Reproductive Care Center of Irving
7501 Las Colinas Blvd, Suite 200A
Irving TX 75063
Telephone: (972) 506-9986; Fax: (972) 506-0044
Lab Name: Advanced Reproductive Care Center of
Irving, Advanced Reproductive Laboratory, LP
Accreditation: CAP

Center of Fertility and Reproductive Surgery
Texas Tech Health Sciences Center
3502 9th St, Suite G10
Lubbock TX 79415
Telephone: (806) 743-4256; Fax: (806) 743-4462
Lab Name: Texas Tech University Health Sciences
Center IVF Laboratory
Accreditation: CAP

The Centre for Reproductive Medicine
3405 22nd St, Suite 300
Lubbock TX 79410
Telephone: (806) 788-1212; Fax: (806) 788-1253
Lab Name: The Centre for Reproductive
Medicine Laboratory
Accreditation: CAP

Reproductive Institute of South Texas
110 E. Savannah, Bldg B, Suite 103
McAllen TX 78503
Telephone: (956) 687-2693; Fax: (956) 687-2829
Lab Name: Reproductive Institute of South
Texas Laboratory
Accreditation: CAP

Presbyterian Hospital Plano ARTS
6300 W. Parker Rd, MOB-2, Suite G26
Plano TX 75093
Telephone: (972) 981-3325; Fax: (972) 981-3336
Lab Name: Texas Health Presbyterian
Hospital of Plano, Assisted Reproduction
Technologies Laboratory
Accreditation: CAP, The Joint Commission

Fertility Center of San Antonio
4499 Medical Dr, Suite 200
San Antonio TX 78229
Telephone: (210) 692-0577; Fax: (210) 692-1210
Lab Name: Fertility Center of San Antonio, Inc.
Accreditation: CAP

Institute for Women's Health
Advanced Fertility Laboratory
18707 Hardy Oak Blvd, Suite 500
San Antonio TX 78258
Telephone: (210) 616-0680; Fax: (210) 616-0684
Lab Name: San Antonio IVF Laboratory
Accreditation: None

Perinatal and Fertility Specialists of San Antonio
502 Madison Oak Dr, Suite 210
San Antonio TX 78258
Telephone: (210) 481-3000; Fax: (210) 481-3222
Lab Name: San Antonio IVF Laboratory
Accreditation: None

Reproductive Medicine Associates of Texas, PA
19296 Stone Oak Pkwy
San Antonio TX 78258
Telephone: (210) 337-8453; Fax: (210) 337-8452
Lab Name: Reproductive Medicine Associates of
Texas, PA, Laboratory
Accreditation: CAP

UT Medicine Women's Health Center
8300 Floyd Curl Dr, 5th Floor
San Antonio TX 78229
Telephone: (210) 450-9500; Fax: (210) 450-6028
Lab Name: University of Texas Medicine Women's
Health Center, Reproductive Endocrinology
Fertility Laboratory
Accreditation: CAP

Scott and White Clinic
2401 S. 31st St
Temple TX 76508
Telephone: (254) 724-2738; Fax: (254) 724-1046
Lab Name: Scott and White Healthcare
Accreditation: None

North Houston Center for Reproductive
Medicine, PA
(NHCRM)
111 Vision Park, Suite 110
The Woodlands TX 77384
Telephone: (281) 444-4784; Fax: (281) 444-0429
Lab Name: North Houston Fertility Laboratory, Inc.
Accreditation: CAP

Center of Reproductive Medicine (CORM)
1015 Medical Center Blvd, Suite 2100
Webster TX 77598
Telephone: (281) 332-0073; Fax: (281) 332-1860
Lab Name: Center of Reproductive
Medicine Laboratory
Accreditation: CAP

UTAH

Utah Fertility Center
1446 W. Pleasant Grove Blvd
Pleasant Grove UT 84062
Telephone: (801) 785-5100; Fax: (801) 785-4597
Lab Name: Utah Fertility Center
Accreditation: The Joint Commission

East Bay Fertility Center
746 East 1910 South, Suite 1
Provo UT 84606
Telephone: (801) 377-0580; Fax: (801) 375-5582
Lab Name: East Bay Fertility Center
Accreditation: None

Utah Center for Reproductive Medicine
675 Arapeen Dr, Suite 205
Salt Lake City UT 84108
Telephone: (801) 581-4838; Fax: (801) 585-2231
Lab Name: University of Utah School of Medicine
Andrology/Embryology Laboratory
Accreditation: CAP

Reproductive Care Center
10150 Petunia Way
Sandy UT 84092
Telephone: (801) 878-8888; Fax: (801) 878-8890
Lab Name: Reproductive Care Center Andrology
and Embryology Laboratory
Accreditation: CAP

VERMONT

Vermont Center for Reproductive Medicine
FAHC-Reproductive Endocrinology & Infertility
111 Colchester Ave, ACC MP-4
Burlington VT 05401
Telephone: (802) 847-0986; Fax: (802) 847-0111
Lab Name: Fletcher Allen Health Care, Vermont
Center for Reproductive Medicine
Accreditation: CAP

VIRGINIA

Washington Fertility Center
4316 Evergreen Ln
Annandale VA 22003
Telephone: (703) 658-3100; Fax: (703) 658-3103
Lab Name: Washington Fertility Center
Reproductive Laboratories
Accreditation: CAP

Dominion Fertility and Endocrinology
46 S. Glebe Rd, Suite 301
Arlington VA 22204
Telephone: (703) 920-3890; Fax: (703) 892-6037
Lab Name: Dominion Fertility and Endocrinology
Main Laboratory
Accreditation: CAP

Reproductive Medicine and Surgery Center of
Virginia, PLC
595 Martha Jefferson Dr, Suite 390
Charlottesville VA 22911
Telephone: (434) 654-8520; Fax: (434) 654-8521
Lab Name: Martha Jefferson Reproductive
Technology Laboratory
Accreditation: The Joint Commission

Genetics & IVF Institute
3015 Williams Dr
Fairfax VA 22031
Telephone: (703) 698-7355; Fax: (703) 204-4617
Lab Name: Genetics & IVF Institute
Embryology Laboratory
Accreditation: CAP

The Muasher Center for Fertility and IVF dba
Partners for Fertility and IVF
8501 Arlington Blvd, Suite 500
Fairfax VA 22031
Telephone: (703) 876-3611; Fax: (703) 876-6317
Lab Name: The Muasher Center for Fertility and
IVF Laboratory
Accreditation: CAP

Jones Institute for Reproductive Medicine
601 Colley Ave, Suite 251
Norfolk VA 23507
Telephone: (757) 446-7116; Fax: (757) 446-8998
Lab Name: Jones Institute for Reproductive
Medicine Embryology Laboratory
Accreditation: CAP

Virginia Center for Reproductive Medicine
11150 Sunset Hills Rd, Suite 100
Reston VA 20190
Telephone: (703) 437-7722; Fax: (703) 437-0066
Lab Name: Virginia Center for
Reproductive Medicine
Accreditation: CAP

Fertility Institute of Virginia
10710 Midlothian Turnpike, Suite 331
Richmond VA 23235
Telephone: (804) 379-9000; Fax: (804) 379-9031
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP

LifeSource Fertility Center
7603 Forest Ave, Suite 204
Richmond VA 23229
Telephone: (804) 673-2273; Fax: (804) 285-3109
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP

§The Richmond Center for Fertility
and Endocrinology
Courtyard Office Bldg
7603 Forest Ave, Suite 301
Richmond VA 23229
Telephone: (804) 285-9700; Fax: (804) 285-9745
Contact the NASS Help Desk for current
clinic information.

University Center for Advanced
Reproductive Medicine
Stony Point Women's Health
9000 Stony Point Pkwy
Richmond VA 23235
Telephone: (804) 327-8820; Fax: (804) 237-6637
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP

The New Hope Center for Reproductive Medicine
1181 First Colonial Rd, Suite 100
Virginia Beach VA 23454
Telephone: (757) 496-5370; Fax: (757) 481-3354
Lab Name: The New Hope Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Francisco M. Irianni, MD
1820 W. Plaza Dr
Winchester VA 22601
Telephone: (540) 662-6092; Fax: (540) 667-2476
Lab Name: Medical Faculty Associates,
Inc., Laboratory
Accreditation: CAP

WASHINGTON

Overlake Reproductive Health, Inc., PS
11232 N.E. 15th St, Suite 201
Bellevue WA 98004
Telephone: (425) 646-4700; Fax: (425) 646-1076
Lab Name: Overlake Reproductive Health
Laboratory, LLC
Accreditation: The Joint Commission

Washington Center for Reproductive Medicine
1370 116th Ave N.E., Suite 100
Bellevue WA 98004
Telephone: (425) 462-6100; Fax: (425) 635-0742
Lab Name: Eastside Fertility Laboratory
Accreditation: CAP

Bellingham IVF & Fertility Care
2980 Squalicum Pkwy, Suite 103
Bellingham WA 98225
Telephone: (360) 715-8124; Fax: (360) 715-8126
Lab Name: Bellingham IVF
Accreditation: None

Olympia Women's Health
403 E. Black Hills Ln S.W.
Olympia WA 98502
Telephone: (360) 786-1515; Fax: (360) 754-7476
Lab Name: Olympia Women's Health
Accreditation: The Joint Commission

Pacific Northwest Fertility and IVF Specialists
1101 Madison Ave, Suite 1050
Seattle WA 98104
Telephone: (206) 515-0000; Fax: (206) 515-0001
Lab Name: Pacific Northwest Fertility and IVF
Specialists Laboratory
Accreditation: CAP

Seattle Reproductive Medicine
Integramed America
1505 Westlake Ave North, Suite 400
Seattle WA 98109
Telephone: (206) 301-5000; Fax: (206) 285-1119
Lab Name: Seattle Reproductive Medicine,
SRM Laboratory
Accreditation: CAP

University Reproductive Care
University of Washington
4245 Roosevelt Way N.E.
Seattle WA 98105
Telephone: (206) 598-4225; Fax: (206) 598-8722
Lab Name: University Reproductive Care Laboratory
Accreditation: CAP

The Center for Reproductive Health
508 W. 6th Ave, Suite 500
Spokane WA 99204
Telephone: (509) 462-7070; Fax: (509) 462-7071
Lab Name: Center for Reproductive Health
Accreditation: The Joint Commission

GYFT Clinic, PLLC
2201 S. 19th St, Suite 101
Tacoma WA 98405
Telephone: (253) 475-5433; Fax: (253) 473-6715
Lab Name: GYFT Clinic Reproductive
Assays Laboratory
Accreditation: CAP

Madigan Army Medical Center
9040A Fitzsimmons Ave
Tacoma WA 98431
Telephone: (253) 968-3783; Fax: (253) 968-5295
Lab Name: Seattle Reproductive Medicine,
SRM Laboratory
Accreditation: CAP

WEST VIRGINIA

West Virginia University Fertility Center
830 Pennsylvania Ave, Suite 304
Charleston WV 25302
Telephone: (304) 388-2863; Fax: (304) 388-2866
Lab Name: West Virginia University Fertility Center
Accreditation: None

Cabell Huntington Hospital
Center for Advanced Reproductive Medicine
1600 Medical Center Dr, Suite 4500
Huntington WV 25701
Telephone: (304) 526-2602; Fax: (304) 526-2292
Lab Name: Cabell Huntington Hospital, Center for
Advanced Reproductive Medicine
Accreditation: The Joint Commission

West Virginia University Center for
Reproductive Medicine
1322 Pineview Dr, Suite 2
Morgantown WV 26505
Telephone: (304) 598-3100; Fax: (304) 598-8301
Lab Name: West Virginia University, Department
of OB GYN, Center for Reproductive
Medicine Laboratory
Accreditation: CAP

WISCONSIN

§Aurora Fertility Services-Green Bay
The Women's Center at Aurora BayCare
Medical Center
2845 Greenbrier Rd, Suite 350
Green Bay WI 54308
Telephone: (920) 288-8500; Fax: (920) 288-8570
Contact the NASS Help Desk for current
clinic information.

Froedtert & Medical College of Wisconsin
Reproductive Medicine Center
North Hills Health Center
W129 N0755 Northfield Dr, Bldg B, Suite 500
Menomonee Falls WI 53051
Telephone: (262) 253-9220; Fax: (262) 253-9221
Lab Name: Froedtert Hospital Reproductive
Medicine Center Laboratory
Accreditation: CAP

University of Wisconsin-Generations Fertility Care
2365 Deming Way
Middleton WI 53562
Telephone: (608) 824-6160; Fax: (608) 827-3040
Lab Name: University of Wisconsin Medical
Foundation, Generations Fertility Care
Accreditation: CAP

Wisconsin Fertility Institute
3146 Deming Way
Middleton WI 53562
Telephone: (608) 824-0075; Fax: (608) 829-0748
Lab Name: Wisconsin Fertility Institute Laboratory
Accreditation: CAP

For current information for Froedtert & Medical
College of Wisconsin, Reproductive Medicine
Center, see Menomonee Falls, WI

Reproductive Specialty Center
IVF Columbia
2350 N. Lake Dr, Suite 504
Milwaukee WI 53211
Telephone: (414) 289-9668; Fax: (414) 289-0974
Lab Name: Reproductive Specialty Center
IVF Columbia
Accreditation: CAP

§Gundersen Fertility Lutheran Fertility Center
3111 Gundersen Dr, 4th Floor
Onalaska WI 54650
Telephone: (608) 775-2306; Fax: (608) 775-2993
Contact the NASS Help Desk for current
clinic information.

§Aurora Health Care-Aurora Fertility Services,
West Allis
West Allis Memorial Hospital
8901 W. Lincoln Ave, 2nd Floor
West Allis WI 53227
Telephone: (414) 329-4300; Fax: (414) 329-4399
Contact the NASS Help Desk for current
clinic information.

Nonreporting ART Clinics for 2012, by State

The clinics listed below provided ART services and were in operation as of January 1, 2012 and accordingly were required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act passed by the US Congress. These clinics either failed to submit data or did not provide verification by the clinic medical director that the tabulated success rates were correct, as required for publication.

Consumers who are aware of a clinic that was in operation in 2012 but is not included in this report's lists of either reporting or nonreporting clinics are encouraged to contact us with the complete name, mailing address, and telephone number of the clinic, by e-mail at cdcinfo@cdc.gov (Subject: ART) or by regular mail at CDC, ATTN: ART Surveillance and Research Team; 4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta GA 30341-3717. Providing this information will help ensure that clinics that should be in the report will be included in upcoming years.

Clinic names preceded by the † symbol have closed since January 1, 2012.

Fertility Centers of Arizona
8901 E. Mountain View Rd, Suite 201
Scottsdale AZ 85258
Telephone: (480) 559-0252; Fax: (480) 661-4141

Kathleen Kornafel, MD, PhD
1560 E. Chevy Chase Dr, Suite 200
Glendale CA 91206
Telephone: (818) 242-9933; Fax: (818) 242-9937

Hope IVF and Fertility Center
2500 Alton Pkwy, Suite 201
Irvine CA 92606
Telephone: (949) 387-3888; Fax: (949) 387-3907

La Jolla IVF
9850 Genesee Ave, Suite 610
La Jolla CA 92037
Telephone: (858) 558-2221; Fax: (858) 558-2263

Newport Fertility Center
Mark Kan, MD
20072 S.W. Birch St, Suite 230
Newport Beach CA 92660
Telephone: (949) 222-1290; Fax: (949) 222-1289

Northridge Center for Reproductive Medicine
18546 Roscoe Blvd, Suite 240
Northridge CA 91324
Telephone: (818) 886-0600; Fax: (818) 701-8100

Alex Steinleitner, MD
35 Casa St, Suite 260
San Luis Obispo CA 93405
Telephone: (805) 543-2228; Fax: (805) 269-0226

Dr. Aimee Eyvazzadeh
5401 Norris Canyon Rd, Suite 106
San Ramon CA 94583
Telephone: (925) 277-0600; Fax: (925) 277-0801

Center for Reproductive Medicine
18944 N. Dale Mabry Hwy, Suite 101
Lutz FL 33548
Telephone: (813) 386-0618; Fax: (813) 948-8409

†Palmetto Fertility Center of South Florida
7100 West 20th Avenue, Suite 205
Miami Lakes FL 33016
Telephone: (305) 558-0808; Fax: (305) 558-0806

Central Georgia Fertility Institute
4075 Elnora Dr
Macon GA 31210
Telephone: (478) 757-7888; Fax: (478) 757-7887

†International Fertility Center of Hawaii
1132 Bishop St, Suite 1110
Honolulu HI 96813
Telephone: (808) 537-1164; Fax: (808) 537-1174

Martin S. Balin, MD, PhD
409 West Huron St, 5th Floor
Chicago IL 60654
Telephone: (800) 241-7133; Fax: (773) 871-5221

Sher Institute for Reproductive
Medicine-Central Illinois
5401 N. Knoxville Ave, Suite 102
Peoria IL 61614
Telephone: (309) 689-0411; Fax: (309) 689-0784

†Reproductive Endocrinology Associates, SC
340 W. Miller St
Springfield IL 62702
Telephone: (217) 523-4700; Fax: (217) 523-9025

†Reproductive Medicine & Infertility
Shawnee Mission Medical Center
8901 W. 74th Street, Suite 269
Shawnee Mission KS 66204
Telephone: (913) 432-7161; Fax: (913) 432-6158

Siu Ng-Wagner, MD
9333 Sprinklewood Ln
Potomac MD 20854
Telephone: (301) 838-9711; Fax: (301) 838-9712

Center for Reproductive Medicine
9711 Medical Center Dr, Suite 214
Rockville MD 20850
Telephone: (301) 424-1904; Fax: (301) 424-1902

†Grand Rapids Fertility & IVF, PC
555 Midtowne St N.E., Suite 300
Grand Rapids MI 49503
Telephone: (616) 774-2030; Fax: (616) 774-2053

Luana J. Kyselka, MD, PC
2877 Crooks Rd, Suite D
Troy MI 48084
Telephone: (248) 643-6634; Fax: (248) 643-7165

†The Fertility Center at Missouri Baptist
Medical Center
3009 N. Ballas Rd, Suite 258C
St. Louis MO 63131
Telephone: (314) 996-7900; Fax: (314) 996-7910

†Nevada Fertility C.A.R.E.S.
653 Town Center Dr, Suite 206
Las Vegas NV 89144
Telephone: (702) 341-6616; Fax: (702) 341-6617

Sher Institute for Reproductive Medicine-Las Vegas
5320 S. Rainbow Blvd, Suite 300
Las Vegas NV 89118
Telephone: (702) 892-9696; Fax: (702) 892-9666

†Douglas S. Rabin, MD
33-00 Broadway, Suite 303
Fair Lawn NJ 07410
Telephone: (201) 703-9555; Fax: (201) 475-5678

†Princeton Center for Infertility &
Reproductive Medicine
3131 Princeton Pike, Bldg 6, Suite 100
Lawrenceville NJ 08648
Telephone: (609) 895-1114; Fax: (609) 818-1100

†Deaconess Center for Reproductive Health
5401 N. Portland Ave, Suite 510
Oklahoma City OK 73112
Telephone: (405) 604-6470; Fax: (405) 604-6471

Southeastern Fertility Center, PA
1375 Hospital Dr
Mount Pleasant SC 29464
Telephone: (843) 881-3900; Fax: (843) 856-2751

†Trinity InVitro Fertilization Program
Baylor Medical Center Plaza I
4323 N. Josey Ln, Suite 206
Carrollton TX 75010
Telephone: (972) 394-3699; Fax: (972) 394-6517


Office of Frank DeLeon, MD
1300 W. Terrell Ave, Suite 320
Fort Worth TX 76104
Telephone: (817) 735-2300; Fax: (817) 882-8653

The Beach Center for Infertility, Endocrinology
and IVF
844 First Colonial Rd, Suite 202
Virginia Beach VA 23451
Telephone: (757) 428-0002; Fax: (757) 428-4555

2012

Appendix D

National Consumer Organizations



APPENDIX D: NATIONAL CONSUMER ORGANIZATIONS

The following national consumer organizations offer support to people experiencing infertility:

The American Fertility Association
315 Madison Ave, Suite 901
New York NY 10017
Telephone: (888) 917-3777
info@theafa.org
<http://www.theafa.org>

RESOLVE: The National Infertility Association
1760 Old Meadow Rd, Suite 500
McLean VA 22102
Telephone: (703) 556-7172; Fax: (703) 506-3266
info@resolve.org
<http://www.resolve.org>

Womenshealth.gov
Office on Women's Health
US Department of Health and Human Services
200 Independence Ave, S.W., Room 712E
Washington DC 20201
Telephone: (202) 690-7650; Fax: (202) 205-2631
<http://www.womenshealth.gov>



US DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention