

2015 Event Code List
Nationally Notifiable Diseases and Other Conditions of Public Health Importance
Division of Health Informatics and Surveillance
Center for Surveillance, Epidemiology, and Laboratory Services
Centers for Disease Control and Prevention
December 18, 2014

Each disease or condition reported to CDC's National Notifiable Diseases Surveillance System (NNDSS) is assigned an event code, as per this document. Event codes are used by local, state, and federal surveillance information systems to help simplify storage and retrieval of information about cases of nationally notifiable or state reportable diseases or conditions. This event code list summarizes the verification and publication criteria used by CDC's NNDSS.

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11120	Acute flaccid myelitis	Acute flaccid myelitis is not nationally notifiable and data for this condition should NOT be sent to CDC's NNDSS. The surveillance case definition for this condition and state guidance for investigation of this condition is available at: http://www.cdc.gov/ncird/investigation/viral/sep2014.html#form		
10245	African Tick Bite Fever			
11040	Amebiasis	Deleted from NNDL in 1995.		
11090	Anaplasma phagocytophilum*	Added to NNDL in 2008. Replaced event code 11085.		Confirmed and probable

*Diseases in bold have been designated by CSTE as nationally notifiable and notification should be sent to CDC on a regular basis.

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10350	Anthrax*	Case definition changed, 2010. CSTE recommends immediate (extremely urgent) notification for anthrax when: a) source of infection is not recognized, b) a recognized bioterrorism exposure or potential mass exposure exists, c) there is serious illness of naturally-occurring anthrax. CSTE recommends immediate (urgent) notification when there is naturally-occurring or occupational anthrax, responding to treatment.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by OID/NCEZID. Following these procedures, all cases meeting print criteria will be printed.	Confirmed and probable
10010	Aseptic meningitis			
32020	Asthma, Work-related			
12010	Babesiosis*	Added to NNDL in 2011.		Confirmed and probable Confirmed and probable case classifications will be distinguished from each other in the annual summary, not the weekly tables.
10650	Bacterial meningitis, other	Extended record format available for NETSS transmission.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10530	Botulism, foodborne*	CSTE recommends immediate (extremely urgent) notification for foodborne botulism, except for cases endemic to Alaska.		Confirmed
10540	Botulism, infant*	CSTE recommends immediate (extremely urgent) notification for: a) infant botulism clusters or outbreaks, b) botulism cases of intentional or suspected intentional release, c) botulism cases of unknown etiology or cases which do not meet standard notification criteria. CSTE recommends standard notification for sporadic infant botulism.		Confirmed

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10550	Botulism, other (includes wound)*	Codes 10548 and 10549 can be used to track "other unspecified" and "wound" botulism separately. Event code 10550 should only be used by states who cannot report separately using codes 10548 and 10549. CSTE recommends immediate (extremely urgent) notification for: a) intentional or suspected intentional release, b) cases of unknown etiology or cases which do not meet standard notification criteria. Standard notification is recommended for sporadic wound botulism cases. Wound botulism case definition changed, 2011.		Confirmed
10548	Botulism, other unspecified*	Use code 10548 if you can differentiate "other unspecified" botulism from "wound" botulism; otherwise, use code 10550. CSTE recommends immediate (extremely urgent) notification for: a) intentional or suspected intentional release b) cases of unknown etiology or cases which do not meet standard notification criteria.		Confirmed

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10549	Botulism, wound*	Use code 10549 if you can differentiate "wound" botulism from "other unspecified" botulism; otherwise, use code 10550. CSTE recommends immediate (extremely urgent) notification for botulism, when: a) there is an intentional or suspected intentional release b) there are cases of unknown etiology or cases which do not meet standard notification criteria. CSTE recommends standard notification for sporadic cases of wound botulism. Case definition changed, 2011.		Confirmed
10020	Brucellosis*	Case definition changed, 2010. CSTE recommends immediate (urgent) notification for multiple cases that are temporally or spatially clustered and standard notification for cases that are not temporally or spatially clustered.		Confirmed and probable
10058	Cache Valley virus neuroinvasive disease	Formerly 'encephalitis/meningitis Cache Valley'. Split into neuroinvasive and non-neuroinvasive categories in 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10066	Cache Valley virus non-neuroinvasive disease	Category created by 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS.		
10054	California serogroup virus neuroinvasive disease*	Use code 10078 when reporting Jamestown Canyon virus neuroinvasive disease. Added to NNDL in 1995 (see Encephalitis, primary, 10050). Formerly 'encephalitis/meningitis California serogroup viral'. Split into neuroinvasive and non-neuroinvasive categories in 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET
10061	California serogroup virus non-neuroinvasive disease*	Use code 10079 when reporting Jamestown Canyon virus non-neuroinvasive disease. Category created by 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Added to NNDL in 2005. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11020	Campylobacteriosis*	Added to the NNDL in January 2015. CSTE recommends routine notification.		Confirmed and probable
10273	Chancroid*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.		All reports are printed.
10073	Chikungunya neuroinvasive disease	CSTE recommended this condition be designated nationally notifiable. CDC staff are working with the CDC Arboviral Diseases Program to submit an Office of Management and Budget Approval Paperwork Reduction Act (OMB PRA) request to receive data for this condition. When we receive OMB PRA approval, we will add this condition to the NNDL.		
11702	Chikungunya non-neuroinvasive disease	CSTE recommended this condition be designated nationally notifiable. CDC staff are working with the CDC Arboviral Diseases Program to submit an Office of Management and Budget Approval Paperwork Reduction Act (OMB PRA) request to receive data for this condition. When we receive OMB PRA approval, we will add this condition to the NNDL.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10274	Chlamydia trachomatis infection*	Added to NNDL in 1995. Extended record format available for STD*MIS data transmitted through NETSS. Changed name from "Chlamydia trachomatis genital infection" to "Chlamydia trachomatis infection" in 2010.		All reports are printed.
10470	Cholera (toxigenic <i>Vibrio cholerae</i> O1 or O139)*		All reports are printed. Before printing, the existence of "toxigenic O1 or O139" serogroups and other information in the report of a provisional case is verified with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by OID/NCEZID.	Confirmed
11900	Coccidioidomycosis*	Added to NNDL in 1995. Case definition changed, 2008. Deleted from NNDL in 2010. Added to NNDL in 2011.		Confirmed

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11640	Crimean-Congo hemorrhagic fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. Case definition revised in 2011. Viral hemorrhagic fever, bunyavirus CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
11580	Cryptosporidiosis*	Added to NNDL in 1995. Case definition revision, 2009. Case definition revision, 2011. Case definition revision, 2012.		Confirmed and probable Confirmed and probable case classifications will be distinguished from each other in the annual summary, not the weekly tables.
11575	Cyclosporiasis*	Added to NNDL in 1999. Case definition revision, 2010.		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10680	Dengue*	Renamed "dengue fever" to "dengue". Case definition revision, 2015 As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. CSTE recommends standard notification of suspected, probable, and confirmed cases.		Confirmed and probable Print cases of Dengue and Dengue like-illness together under a column heading of Dengue; the CDC program will add a footnote with the proportion of cases. Data for publication received from ArboNET
11705	Dengue, severe*	Added to the NNDL in January of 2015. Case definition revision 2015 As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. CSTE recommends standard notification of suspected, probable, and confirmed cases.		Confirmed and probable Data for publication received from ArboNET

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11704	Dengue-like illness	CSTE recommended this condition be designated nationally notifiable. CDC staff are working with the CDC Arboviral Diseases Program to submit an Office of Management and Budget Approval Paperwork Reduction Act (OMB PRA) request to receive data for this condition. When we receive OMB PRA approval, we will add this condition to the NNDL.		
10685	Dengue hemorrhagic fever (DHF)	Retired from NNDL as of January 2015 Case definition revision 2015 Dengue hemorrhagic fever maps to new event code and condition, 11705, Dengue, Severe		
	Dengue shock syndrome (DSS)	Retired from the NNDL as of January 2015 Case definition revision 2015 Dengue Shock syndrome maps to new event code and condition, 11705, Dengue, Severe		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10040	Diphtheria*	There is no disease-specific extended record transmitted through NETSS for this condition. CSTE recommends immediate urgent notification.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; following these procedures, all cases meeting print criteria will be printed.	Confirmed, probable, and unknown
10053	Eastern equine encephalitis virus neuroinvasive disease*	Added to NNDL in 1995 (see Encephalitis, primary, 10050). Formerly 'encephalitis/meningitis, eastern equine'. Split into neuroinvasive and non-neuroinvasive categories in 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Case definition revision 2011. Case definition revision, 2014		Data for publication received from ArboNET
10062	Eastern equine encephalitis virus non-neuroinvasive disease*	Category created by 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Added to NNDL in 2005. Case definition revision 2011. Case definition revision, 2014		Data for publication received from ArboNET

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11630	Ebola hemorrhagic fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. Category A biological agent, viral hemorrhagic fever, filovirus. CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
11088	Ehrlichia chaffeensis*	Added to NNDL in 2008. Replaced event code 11086.		Confirmed and probable
11089	Ehrlichia ewingii*	Added to NNDL in 2008. Replaced event code 11087.		Confirmed and probable
11085	Ehrlichiosis, human granulocytic (HGE)	Added to NNDL in 1998. As of January 1, 2008, HGE code 11085 was retired and a new code for <i>Anaplasma phagocytophilum</i> (see code 11090) should be used for reporting.		
11086	Ehrlichiosis, human monocytic (HME)	Added to NNDL in 1998. As of January 1, 2008, HME code 11086 was retired and a new code for <i>Ehrlichia chaffeensis</i> (see code 11088) should be used for reporting.		

*Diseases in bold have been designated by CSTE as nationally notifiable and notification should be sent to CDC on a regular basis.

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11087	Ehrlichiosis, human, other or unspecified agent	Added to NNDL in 2001. As of January 1, 2008, Ehrlichiosis code 11087 was retired and new codes for <i>Ehrlichia ewingii</i> and ehrlichiosis/anaplasmosis, undetermined (see codes 11089 and 11091) should be used for case notifications sent to CDC..		
11091	Ehrlichiosis/Anaplasmosis, undetermined*	Added to NNDL in 2008. Replaced event code 11087.		Confirmed and probable
10070	Encephalitis, post-chickenpox	Deleted from NNDL in 1995.		
10080	Encephalitis, post-mumps	Deleted from NNDL in 1995.		
10090	Encephalitis, post-other	Deleted from NNDL in 1995.		
10050	Encephalitis, primary	Deleted from NNDL in 1995. Replaced by event codes 10051-10058.		
11560	Enterohemorrhagic <i>Escherichia coli</i> (EHEC) O157:H7	Added to NNDL in 1994. As of January 1, 2006, EHEC codes 11560, 11562, and 11564 were retired and a new code for Shiga toxin-producing <i>Escherichia coli</i> (see code 11563) should be used for case notifications sent to CDC..		
11564	Enterohemorrhagic <i>Escherichia coli</i> (EHEC) shiga toxin+ (not serogrouped)	Added to NNDL in 2001. As of January 1, 2006, EHEC codes 11560, 11562, and 11564 were retired and a new code for Shiga toxin-producing <i>Escherichia coli</i> (see code 11563) should be used for case notifications sent to CDC.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11562	Enterohemorrhagic <i>Escherichia coli</i> (EHEC) shiga toxin+ (serogroup non-O157)	Added to NNDL in 2001. As of January 1, 2006, EHEC codes 11560, 11562, and 11564 were retired and a new code for Shiga toxin-producing <i>Escherichia coli</i> (see code 11563) should be used for case notifications sent to CDC.		
10570	Flu activity code (Influenza)	Data for Flu activity code should not be net through NETSS		
11570	Giardiasis*	Added to NNDL in 2002. Case definition change 2011.		Confirmed and probable
10280	Gonorrhea*	Extended record format available for STD line-listed data transmitted through NETSS. Case definition changed, 2014.		All reports are printed.
10276	Granuloma inguinale (GI)	The GI 10276 code retired as of January 1, 2014. Deleted from NNDL in 1995.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11648	Guanarito hemorrhagic fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Data for publication received from ArboNET
10590	<i>Haemophilus influenzae</i>, invasive disease*	Extended record format available for NETSS transmission		Confirmed, probable, and unknown
10380	Hansen disease (Leprosy)*	Case definition changed, 2013.		Confirmed
11610	Hantavirus infection, non-Hantavirus Pulmonary Syndrome	CSTE recommended this condition be designated nationally notifiable. CDC staff are working to submit an Office of Management and Budget Approval Paperwork Reduction Act (OMB PRA) request to receive data for this condition. When we receive OMB PRA approval, we will add this condition to the NNDL.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11590	Hantavirus pulmonary syndrome*	Added to NNDL in 1995. Case definition changed, 2010.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; Following these procedures, all cases meeting print criteria will be printed.	Confirmed
42020	Head injury			
11550	Hemolytic uremic syndrome postdiarrheal*	Added to NNDL in 1995.		Confirmed and probable
10110	Hepatitis A, acute*	Extended record format available for NETSS transmission. Case definition revision, 2011. Case definition changed, 2012.		Confirmed
10105	Hepatitis B virus infection, chronic*	Added to NNDL in 2003. Per CDC Hepatitis Program, data received since 2003 will not be re-released or published due to data quality concerns (e.g. duplicate reporting). Case definition changed, 2011. Case definition changed, 2012.		
10100	Hepatitis B, acute*	Extended record format available for NETSS transmission. Case definition changed, 2011. Case definition changed, 2012.		Confirmed
10104	Hepatitis B, virus infection perinatal*	Event code 10100 was previously used for this condition.		Confirmed

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10106	Hepatitis C virus, past or present*	Added to NNDL in 2003. Per CDC Hepatitis Program, data received since 2003 will not be re-released or published due to data quality concerns (e.g. duplicate reporting). Changed name from 'Hepatitis C virus infection, past or present' to 'Hepatitis C virus infection, chronic' in 2010. Case definition changed, 2011. Changed name from "Hepatitis C virus infection, chronic" to Hepatitis C virus infection, past or present" in 2011. Case definition changed, 2012.		Data are not published due to ongoing data quality review.
10101	Hepatitis C, acute*	Extended record format available for NETSS transmission. Case definition revision, 2011. Case definition revision, 2012.		Confirmed
10102	Hepatitis Delta co- or super-infection, acute (Hepatitis D)	The Hepatitis D 10102 code retired as of January 1, 2014. Hepatitis D information is now collected as a co-morbidity of Hepatitis B, acute*.		
10103	Hepatitis E, acute	Data collected for CDC program. Extended record format available for NETSS transmission.		
10480	Hepatitis, non A, non B, acute	Deleted from NNDL in 2003. The Hepatitis non A/B 10480 code retired as of January 1, 2014.		
10120	Hepatitis, viral unspecified	Deleted from NNDL in 1995. The Hepatitis, viral unspecified 10120 code retired.as of January 1, 2014.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10568	Human T-Lymphotropic virus type I infection (HTLV-I)			
10569	Human T-Lymphotropic virus type II infection (HTLV-II)			
11063	Influenza outbreak	Data collected for CDC program. This event code was created to distinguish data received by CDC from 11062 - Initial Detections of Novel Influenza A virus infections.		
11061	Influenza-associated pediatric mortality*	Only nationally notifiable in children < 18 years of age. Influenza-associated pediatric mortality was added to the NNDL at the beginning of the flu season in October 2004. Data for pediatric influenza deaths are reported to the OID/NCIRD Influenza Division via a web-based application. These data should NOT be reported through NETSS. CDC's web-based application limits entry of case reports to the current age group under surveillance. Note that the event code itself is not limited to that age group.		Confirmed

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10078	Jamestown Canyon virus, neuroinvasive disease*	Use code 10078 when possible, rather than the broader category of 10054 for California serogroup virus neuroinvasive disease. These data are reported to CDC through ArboNET and should not be reported through NETSS. Case definition revision, 2014		Data for publication received from ArboNET
10079	Jamestown Canyon virus, non-neuroinvasive disease*	Use code 10079 when possible, rather than the broader category of 10061 for California serogroup virus non-neuroinvasive disease. These data are reported to CDC through ArboNET and should not be reported through NETSS. Case definition revision, 2014		Data for publication received from ArboNET
10059	Japanese encephalitis virus neuroinvasive disease	Formerly 'Japanese encephalitis'. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS.		
10068	Japanese encephalitis virus non-neuroinvasive disease	As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11638	Junín hemorrhagic fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
50000	Kawasaki Disease			
10081	LaCrosse virus neuroinvasive disease*	Use code 10081 when possible, rather than the broader category of 10054 for California serogroup virus neuroinvasive disease. These data are reported to CDC through ArboNET, Arboviral Case Notification (HL7) and should not be reported through NETSS. Case definition revision, 2014.		Data for publication received from ArboNET

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10082	LaCrosse virus* non-neuroinvasive disease*	Use code 10082 when possible, rather than the broader category of 10061 for California serogroup virus non-neuroinvasive disease. Case definition revision, 2014		Data for publication received from ArboNet
11632	Lassa fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. Category A biological agent, viral hemorrhagic fever arenavirus CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
10490	Legionellosis*	These data are reported to CDC through ArboNET and should not be reported through NETSS.		Confirmed
10390	Leptospirosis*	Deleted from NNDL in 1995. Added to NNDL in 2014.		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10640	Listeriosis*	Added to NNDL in 2000. Extended record format available for NETSS transmission.		Confirmed
11644	Lujo virus*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
11080	Lyme disease*	Extended record format available for NETSS transmission. Case definition revision, 2008. Case definition revision, 2011.		Confirmed and probable
10306	Lymphogranuloma venereum (LGV)	The LGV 10306 code retired.as of January 1, 2014. Deleted from NNDL in 1995.		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11637	Machupo hemorrhagic fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. Category A biological agent, viral hemorrhagic fever, arenavirus CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
10130	Malaria*	Case definition revision, 2010. Case definition revision, 2014.		Confirmed

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11631	Marburg fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. Category A biological agent, viral hemorrhagic fever, filovirus CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
10140	Measles (rubeola), total*	Extended record format available for NETSS transmission. Case definition revision, 2009. Case definition revision, 2013. CSTE recommends immediate (urgent) notification.		Cases with confirmed and unknown case status are printed.
11585	Melioidosis	Condition placed under national surveillance by CSTE, 2012.		
10150	Meningococcal disease* (Neisseria meningitidis)	Extended record format available for NETSS transmission.		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11064	Middle East Respiratory Syndrome Coronavirus (MERS-CoV) Infection	Event code 11064 for Middle East Respiratory Syndrome Coronavirus (formerly called Novel Coronavirus) has been created for use in state and territorial integrated surveillance information systems and should be used with the following surveillance case definition (http://www.cdc.gov/coronavirus/mers/case-def.html). While this code has been added to the 2013 event code list, this condition is NOT nationally notifiable and case notifications for this condition should not be submitted to the NNDSS. Instead, please refer to the Interim Guidance for State and Local Health Departments for reporting patients under investigation for MERS-CoV infection to CDC (http://www.cdc.gov/coronavirus/mers/interim-guidance.html).		
11801	Monkeypox			
42040	Motor vehicle injury	Data for this event are not currently transmitted through NETSS.		
10308	Mucopurulent cervicitis (MPC)	The MPC 10308 code retired as of January 1, 2014.		
10180	Mumps*	Extended record format available for NETSS transmission. Case definition revision, 2008. Refer to case definition for case classification for import status. Case definition revision, 2012.		Confirmed, probable, and unknown

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10317	Neurosyphilis	The Neurosyphilis 10317 code retired as of January 1, 2014. Deleted from the NNDL in 2014. If there is neurological involvement that meets the “Neurosyphilis” case definition, send case notifications to NNDSS coded to the appropriate stage of syphilis and then code the neurological involvement variable to reflect either “Yes, confirmed” or “Yes, probable”.		All reports are printed.
10307	Nongonococcal urethritis (NGU)	The NGU 10307 code was retired as of January 1, 2014.		
11062	Novel influenza A virus infections, initial detections of*	Added to NNDL in 2007. Case definition revised in 2013, as a result of an approved Interim CSTE position statement dated 8/8/2012 for this condition. The interim position statement was approved by CSTE’s full membership in June 2013 and is the source for the 2014 case definition on the NNDSS case definitions web site. Thus the 2013 and 2014 case definitions on the NNDSS web site are identical. CSTE recommends immediate (urgent) notification.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; cases will be withheld from MMWR publication pending confirmation from CCID/NCIRD. Following these procedures, all cases meeting the print criteria will be printed.	Confirmed
10190	Pertussis*	Extended record format available for NETSS transmission. Case definition revision, 2014.		Confirmed, probable, and unknown

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10440	Plague*	CSTE recommends immediate (extremely urgent) notification when there is a suspected intentional release and standard notification for all cases not suspected to be intentional.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by OID/NCEZID. Following these procedures, all cases meeting print criteria will be printed.	All reports are printed.
10410	Poliomyelitis, paralytic*	There is no disease-specific extended record transmitted through NETSS for this condition. Note event code 10405 for poliovirus infection, nonparalytic. CSTE recommends immediate (extremely urgent) notification	Before printing, OID/NCIRD will verify case reports based on an expert panel review. Any case of polio will be withheld from publication pending receipt of OID expert panel review verification.	Confirmed
10405	Poliovirus infection, nonparalytic *	Added to NNDL in 2007. Note event code 10410 for paralytic poliomyelitis. No disease-specific data for this condition are reported. CSTE recommends immediate (urgent) notification	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by OID/NCIRD. Following these procedures, all cases meeting print criteria will be printed.	Confirmed

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10057	Powassan virus neuroinvasive disease*	Added to NNDL in 2002. Formerly 'encephalitis/meningitis, Powassan'. Split into neuroinvasive and non-neuroinvasive categories in 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET
10063	Powassan virus non-neuroinvasive disease*	Category created by 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Added to NNDL in 2005. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET
10450	Psittacosis* (Ornithosis)	Case definition revision, 2010.		Confirmed and probable
10257	Q fever, acute*	Added to NNDL in 2008. Replaced event code 10255 beginning January 1, 2008. Case definition revision, 2009.		Confirmed and probable
10258	Q fever, chronic*	Added to NNDL in 2008. Replaced event code 10255 beginning January 1, 2008. Case definition revision, 2009.		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10340	Rabies, animal*	Animal species reportable in NETSS transmission. CSTE recommends standard notification for animal rabies cases not imported within past 60 days and immediate (urgent) notification for cases imported from outside the continental US within the past 60 days.		Confirmed
10460	Rabies, human*	Case definition revision, 2010. Case definition revision, 2011. CSTE recommends immediate (urgent) notification.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; Following these procedures, all cases meeting print criteria will be printed.	Confirmed
11030	Reye syndrome			
11050	Rheumatic fever	Deleted from NNDL in 1995.		
10200	Rubella*	Extended record format available for NETSS transmission. Case definition revision, 2009. Case definition revision, 2013. CSTE recommends immediate (urgent) notification.		Confirmed and unknown
10370	Rubella, congenital syndrome*		Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; Following these procedures, all cases meeting print criteria will be printed.	Confirmed, probable, and unknown

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11639	Sabia-associated hemorrhagic fever*	Viral hemorrhagic fever (event code '11647') added to NNDL in 2010. Beginning January 2015, the viral hemorrhagic fever event code '11647' was retired and replaced with virus-specific event codes. Refer to the "Note" for viral hemorrhagic event code '11647'. The original 2010 case definition was revised in 2011. Category A biological agent, viral hemorrhagic fever, arenavirus CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional.	Before printing, cases should be verified by the Viral Special Pathogens Branch, CDC. CDC staff will verify all cases reported via consultation with the State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by CDC. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
11000	Salmonellosis*	As of January 2006, serotype specific national reporting for salmonellosis was recommended by CSTE and CDC. Case definition revision, 2012.		Confirmed and probable
10575	Severe Acute Respiratory Syndrome (SARS)-associated Coronavirus disease* (SARS-CoV)	Data supplied to NNDSS by various reporting mechanisms, including NETSS and HL7 messaging via the Generic Message Mapping Guide. The SARS Web application is no longer available. CSTE recommends immediate (extremely urgent) notification.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by OID/NCIRD. Following these procedures, all cases meeting print criteria will be printed.	Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11563	Shiga toxin-producing <i>Escherichia coli</i> (STEC)*	As of January 2006, STEC was added to the NNDL and serotype specific national reporting of STEC was recommended by CSTE and CDC. As of January 2006, STEC code 11563 replaces EHEC codes 11560, 11562, and 11564. Case definition revision, 2014.		Confirmed and probable
11010	Shigellosis*	As of January 2006, serotype specific national reporting for shigellosis was recommended by CSTE and CDC. Case definition revision, 2012.		Confirmed and probable
32000	Silicosis*	Added to NNDL in 1996. Added case definition to NNDSS website, 2010. Cases are not reported via NETSS or NEDSS.		
11800	Smallpox*	Deleted from NNDL in 1988. Added to NNDL in 2004. CSTE recommends immediate (extremely urgent) notification.	Before printing, CDC staff will verify all provisional cases reported via consultation with State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by OID/NCEZID. Following these procedures, all cases meeting print criteria will be printed.	Confirmed and probable
42010	Spinal cord injury			
10250	Spotted Fever Rickettsiosis*	Added to NNDL in 2010. Replaced event code 10250 for Rocky Mountain Spotted Fever.		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10051	St. Louis encephalitis virus neuroinvasive disease*	Added to NNDL in 1995 (see Encephalitis, primary, 10050). Formerly 'encephalitis/meningitis, St. Louis'. Split into neuroinvasive and non-neuroinvasive categories in 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Case definition changed, 2011. Case definition changed, 2014		Data for publication received from ArboNET
10064	St. Louis encephalitis virus non-neuroinvasive disease*	Category created by 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Added to NNDL in 2005. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET
11710	Streptococcal disease, invasive, Group A	Added to NNDL in 1995. Deleted from NNDL in 2010.		
11715	Streptococcal disease, invasive, Group B			
11716	Streptococcal disease, other, invasive, beta-hemolytic (non-group A and non-group B)	Added for use in the National Electronic Disease Surveillance System Bacterial Meningitis and Invasive Respiratory Disease Program Area Module.		
11700	Streptococcal toxic-shock syndrome*	Added to NNDL in 1995. Case definition revision, 2010.		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11720	Streptococcus pneumoniae invasive, drug-resistant (DRSP), All age groups	Added to NNDL in 1995. Deleted from NNDL in 2010. Cases of invasive pneumococcal disease (IPD) are no longer classified separately by age or antimicrobial susceptibility. Event code (11723) should be used for notification of all cases of IPD starting on January 1, 2010.		
11723	Streptococcus pneumoniae, invasive disease (IPD) (all ages)*	Added to NNDL in 2010. CDC program does not want to be notified of suspected cases. Replaced event codes for 'Streptococcus pneumoniae, invasive, drug-resistant (DRSP), all age groups' (event code 11720) and 'Streptococcus pneumoniae, invasive disease non-drug resistant (IPD), in children less than 5 years of age' (event code 11717).		Confirmed
11717	Streptococcus pneumoniae, invasive disease non-drug resistant (IPD), < 5 years	Added to NNDL in 2001. Only nationally notifiable in children less than 5 years of age. Deleted from NNDL in 2010. Cases of invasive pneumococcal disease (IPD) are no longer classified separately by age or antimicrobial susceptibility. Event code (11723) should be used for notification of all cases of IPD starting on January 1, 2010.		
50010	Sudden Infant Death Syndrome			
42050	Suicide			

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10316	Syphilis, congenital*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.		All reports are printed.
10313	Syphilis, early latent*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.		All reports are printed.
10314	Syphilis, late latent*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.		All reports are printed.
10319	Syphilis, late with clinical manifestations (including late benign syphilis and cardiovascular syphilis)*	Added to the NNDL in 2014. This is a newly assigned event code, as of January 1, 2014.		All reports are printed.
10318	Syphilis, late with clinical manifestations other than neurosyphilis	Deleted from the NNDL in 2014. The Syphilis, late with clinical manifestations other than neurosyphilis 10318 code retired. as of January 1, 2014. Refer to the related event code 10319 for Syphilis, late with clinical manifestations (including late benign syphilis and cardiovascular syphilis)”		
10311	Syphilis, primary*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.		All reports are printed.
10312	Syphilis, secondary*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.		All reports are printed.
10310	Syphilis, total primary and secondary*	Used by states not using STD*MIS or other line-listed STD reporting through NETSS, but instead used for transmitting summary data through NETSS.		All reports are printed.

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10315	Syphilis, unknown latent	The Syphilis, unknown latent 10315 code retired, as of January 1, 2014.		
10210	Tetanus*	Extended record format available for NETSS transmission.		All reports are printed.
10074	Tick-borne Encephalitis viruses	Assigned for Arboviral Disease Surveillance conducted through ArboNET, not NETSS or NEDSS		
10520	Toxic-shock syndrome (staphylococcal)*	Case definition revision, 2011.		Confirmed and probable
12020	Toxoplasmosis			
10270	Trichinellosis*	Preferred name changed from trichinosis at OID/NCEZID program request, October 2004. Terms are synonymous but trichinellosis will be encouraged as the preferred term. Case definition revision, 2014.		Confirmed
10220	Tuberculosis*	Case definition revision, 2009.		Print criteria are determined by the CDC Tuberculosis program.
10230	Tularemia*	Deleted from NNDL in 1995; Added to NNDL in 1999. CSTE recommends immediate (extremely urgent) notification for cases caused by suspected intentional release and standard notification for all cases other than those caused by suspected intentional releases.		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10240	Typhoid fever* (caused by <i>Salmonella typhi</i>)			Confirmed and probable
11663	Vancomycin-intermediate <i>Staphylococcus aureus</i>* (VISA)	Added to NNDL in 2004.		Confirmed
11645	Vancomycin-resistant <i>Enterococcus</i>			
11665	Vancomycin-resistant <i>Staphylococcus aureus</i>* (VRSA)	Added to NNDL in 2004.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; cases will be withheld from MMWR publication pending confirmation with OID/NCEZID. Following these procedures, all cases meeting print criteria will be printed.	Confirmed
10030	Varicella (Chickenpox)*	Added to NNDL in 2003.		Confirmed and probable
10055	Venezuelan equine encephalitis virus neuroinvasive disease	As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS.		
10067	Venezuelan equine encephalitis virus non-neuroinvasive disease	As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS.		
11541	<i>Vibrio parahaemolyticus</i>	Retired code in 2007. Replaced by event code 11545 for Vibriosis (any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or		

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
		<i>O139</i>)		
11540	<i>Vibrio spp.</i> , non-toxigenic, other or unspecified	Retired code in 2007. Replaced by event code 11545 for Vibriosis (any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae O1</i> or <i>O139</i>)		
11542	<i>Vibrio vulnificus</i>	Retired code in 2007. Replaced by event code 11545 for Vibriosis (any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae O1</i> or <i>O139</i>)		
11545	Vibriosis (any species of the family <i>Vibrionaceae</i>, other than toxigenic <i>Vibrio cholerae O1</i> or <i>O139</i>)*	Added to NNDL in 2007. In 2007, event code 11545 replaces event codes 11540, 11541, and 11542. Case definition revision, 2012. In 2013 naming convention changed per CSTE PS 11-ID-12 from Vibriosis* (non-cholera <i>Vibrio</i> species infections) to Vibriosis (any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae O1</i> or <i>O139</i>)		Confirmed and probable

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
11647	Viral hemorrhagic fevers	Code retired as of January 2015. Replaced by codes 11630, 11631, 11632, 11637, 11638, 11639, 11640, 11644, and 11648 for respective disease specific conditions. Added to NNDL in 2010. Case definition revision, 2011. CSTE recommends immediate (extremely urgent) notification for suspected intentional cases and standard notification for cases other than those that are suspected intentional		
10056	West Nile virus neuroinvasive disease*	Added to NNDL in 2002. Formerly 'encephalitis/meningitis, West Nile'. Split into neuroinvasive and non-neuroinvasive categories in 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. For West Nile fever, use code 10049. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10049	West Nile virus non-neuroinvasive disease*	Formerly 'West Nile Fever'. Category created by 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Added to NNDL in 2005. Case definition changed, 2011. Case definition changed, 2014		Data for publication received from ArboNET
10052	Western equine encephalitis virus neuroinvasive disease*	Added to NNDL in 1995 (see Encephalitis, primary, 10050). Formerly 'encephalitis/meningitis, western equine'. Split into neuroinvasive and non-neuroinvasive categories in 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET
10065	Western equine encephalitis virus non-neuroinvasive disease*	Category created by 2004 CSTE position statement. As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. Added to NNDL in 2005. Case definition revision, 2011. Case definition revision, 2014		Data for publication received from ArboNET

EVENT	EVENT NAME	Notes+	Verification procedures	Print Criteria †, **
10660	Yellow fever*	As of July 1, 2004, these data are reported to CDC through ArboNET and should not be reported through NETSS. CSTE recommends immediate (urgent) notification.	Before printing, CDC will verify provisional case reports via consultation with a State Epidemiologist; cases will be withheld from MMWR publication pending confirmation by OID/NCEZID. Following these procedures, all cases meeting print criteria will be printed.	Data for publication received from ArboNET

† **Print policy for the National Notifiable Diseases Surveillance System:** For a case report of a nationally notifiable disease to print in the *Morbidity and Mortality Weekly Report (MMWR)*, the reporting state or territory must have designated the disease reportable in their state or territory for the year corresponding to the data year of report to CDC. After this criterion is met, the disease-specific criteria listed in the table above are applied. When the above-listed table indicates that “all reports” will be earmarked for printing, this means that cases designated with “unknown” or “suspect” case confirmation status will print just as “probable” and “confirmed” cases will print.

** An unknown case classification status is used when a reporting jurisdiction sends aggregate counts of cases or when the surveillance information system of a reporting jurisdiction does not capture case classification data. However, in both situations, cases are verified to meet the case classification (e.g., confirmed, probable, suspected) specified in the print criteria.

+ Since CSTE position statements are not generally finalized until July of each year, the NNDSS data for the newly added conditions are not available from all reporting jurisdictions until January of the year following the approval of the CSTE position statement. CDC needs Office of Management and Budget (OMB) Paperwork Reduction Act (PRA) approval before designating a disease or condition nationally notifiable. As such, the “Notes” section includes the first full calendar year that a condition was added (or deleted) from the list of nationally notifiable diseases.

Abbreviations and other notes:

CDC Centers for Disease Control and Prevention

NNDSS National Notifiable Diseases Surveillance System

NNDL National Notifiable Disease List

OID Office of Infectious Diseases

CSTE Council of State and Territorial Epidemiologists

MMWR Morbidity and Mortality Weekly Report

NCIRD National Center for Immunization and Respiratory Diseases, CDC

OPHPR Office of Public Health Preparedness and Response
NCEZID National Center for Emerging and Zoonotic, Infectious Diseases
NEDSS National Electronic Disease Surveillance System
NETSS National Electronic Telecommunications System for Surveillance
STD Sexually Transmitted Diseases

For purposes of this document, “line-listed” data are meant to mean “case-specific” data.