# Disability Impacts







A Snapshot of Disability in the United States



of adults in the United States have some type of disability

The percentage of people living with disabilities in each state is highest in the Southeast.

Percentage of adults with select functional disability types



COGNITION Serious difficulty concentrating, remembering, or

making decisions

INDEPENDENT LIVING Difficulty doing errands alone such as visiting a doctor's office or shopping

VISION

Blind or serious difficulty seeing, even when wearing glasses

SELF-CARE Difficulty dressing or bathing

#### Disability and COMMUNITIES

### Disability is especially common in these groups:



minorities women



**Disability Costs** 


non-Hispanic blacks have a disability

Disability and



## LIVELIHOOD Nearly half of those with an annual household income of





less \$15,000

REPORTED A DISABIL unemployed adults who are able to work

REPORTED A DISABILITY

REPORTED A DISABILITY adults who have not completed high school

#### HEALTH Adults living with disabilities are more likely to:



24.4%

16.7%



**BE OBESE** 

**BE INACTIVE** 

Disability and

**SMOKE** 

**HAVE HIGH BLOOD PRESSURE** 41.7%

36.3%

With

**Disabilities** 

38.4%

30.3%

26.3%

23.9%

Adults living with disabilities are 3 more likely to have heart disease, stroke, diabetes, or cancer

Making a Difference Promoting Healthy

Public Health

is for

**ALL of US Programs** 

Living Join CDC and Supporting **National & State** its partners as we

work together to improve the health of people living with disabilites.

Monitoring

**Public Health** 

**Data** 

Building Inclusive Health **Programs** 

National Center on Birth Defects and Developmental Disabilities



Researching

& Reducing

Health



View infographic and references at: www.cdc.gov/disabilities/ Contact us: disabilityandhealthbranch@cdc.gov Twitter: @CDC NCBDDD