

MMWR

INDEX ISSUE

MORBIDITY AND MORTALITY WEEKLY REPORT

INDEX — VOLUME 32, 1983

In this index, an asterisk indicates the inclusion of a figure in the article, and numbers in parentheses indicate errata.

Issue	Date	Pages	Issue	Date	Pages
1	Jan 14	1-20	28	July 22	361-372
2	Jan 21	21-36	29	July 29	373-388
3	Jan 28	37-48	30	Aug 5	389-400
4	Feb 4	49-60	31	Aug 12	401-416
5	Feb 11	61-76	32	Aug 19	417-428
6	Feb 18	77-88	33	Aug 26	429-440
7	Feb 25	89-100	34	Sept 2	441-452
8	Mar 4	101-116	35	Sept 9	453-468
9	Mar 11	117-132	36	Sept 16	469-480
10	Mar 18	133-144	37	Sept 23	481-492
11	Mar 25	145-156	38	Sept 30	493-504
12	Apr 1	157-168	39	Oct 7	505-520
13	Apr 8	169-180	1-Suppl*	Oct 7	1S-24S
14	Apr 15	181-192	40	Oct 14	521-532
15	Apr 22	193-204	41	Oct 21	533-544
16	Apr 29	205-220	42	Oct 28	545-556
17	May 6	221-232	43	Nov 4	557-572
18	May 13	233-248	44	Nov 11	573-588
19	May 20	249-260	45	Nov 18	589-600
20	May 27	261-272	46	Nov 25	601-612
21	June 3	273-284	47	Dec 2	613-624
22	June 10	285-296	48	Dec 9	625-636
23	June 17	297-308	49	Dec 16	637-648
24	June 24	309-320	2-Suppl	Dec 16	25S-40S
25	July 1	321-332	50	Dec 23	649-664
26	July 8	333-348	51	Dec 30	665-676
27	July 15	349-360	52	Jan 6	677-692
			53	Mar 16	693-708


*In addition to the 52 weekly issues, the following *MMWR* publications are considered part of Volume 32:

1-Suppl. NIOSH Recommendations for Occupational Health Standards.

2-Suppl. Viral Hemorrhagic Fever: Initial Management of Suspected and Confirmed Cases. No. 53. Index—Volume 32, 1983.

No. 54. Annual Summary 1983. Reported Morbidity and Mortality in the United States.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES / PUBLIC HEALTH SERVICE



A**Abortion**

- surveillance—1979-1980 62 (88)
- third-trimester 246
- trends—1979 and 1980 246
- Georgia 246
- United States 62 (88)

Accidents

- See also Injuries*
- farm-tractor-associated 481*
- motor-vehicle-associated 573*, 646*
- occupation-associated 24
- premature deaths 118

ACIP recommendations

- See also Rubella*
- general 1 (87)
- immunization 1 (87)
- influenza 333
- yellow fever 679*

Acquired immunodeficiency syndrome

- See also Immunodeficiency*
- blood products 101
- case definition 101, 309*, 389*
- case mortality rate 309*, 389*, 465*, 613* (636), 688*
- dental-care personnel 450
- Haitians 465*
- health-care personnel 134, 358, 389*, 450
- hemophilia patients 613* (636)
- hepatitis B virus vaccine 134
- incidence 101, 309*, 358, 389*, 465*, 610, 613* (636), 635, 688*
- infants 309*
- inhalant nitrites 457
- inter-agency recommendations 101
- isobutyl nitrite 457
- Kaposi's sarcoma 309*, 389*, 465*, 688*
- leukemia 233
- morticians 450
- needlestick injury 358, 389*
- opportunistic infections 309*, 389*, 465*, 688*
- pediatric 688*
- Pneumocystis carinii* pneumonia 309*, 389*, 465*, 688*
- precautions 101, 450
- prevention 101
- risk factors 309*, 465*, 689*
- T-cell leukemia virus 233
- transfusion-associated 101, 688*
- transmission 101, 389*, 450
- update 309*, 389*, 465*, 613* (636), 688*
- Canada 635
- Europe 610
- Maryland 358
- United States 309*, 358, 389*, 465*, 610, 613* (636), 688*

Acute illness

- respiratory infections 275
- stress-induced 205*
- West Bank 205*

Adenovirus

- pediatric hospital 258
- type 7 infection 258
- Pennsylvania 258

Aedes aegypti

- See Dengue, Encephalitis*

AIDS

- See Acquired immunodeficiency syndrome*

Alcohol

- See also Health-risk appraisal, Injuries*
- blood alcohol concentration 646*
- ethanol poisoning 649* (692)
- homicide 573*
- hypothermia 46
- motor-vehicle-associated fatalities 344*, 573*, 646*
- nonmotor-vehicle-associated injuries 61 (88), 573*
- patterns 344*
- poisoning 649* (692)
- risk factor 61 (88)
- suicide 573*
- young drivers 344*, 646*
- Georgia 573*
- United States 61 (88), 344*, 646*, 649* (692)

Arboviral encephalitis

- See Encephalitis*

Arizona hinshawii

- rattlesnake powder 464 (623)
- septicemia 464 (623)
- California 464 (623)

Aspirin

- children 117
- poisoning 117

Azaron

- See Lead poisoning*

B***Babesia microti***

- clindamycin/quinine treatment 65
- Massachusetts 65

Bagels

- See Niacin*

Behavioral risk-factor surveys

- See Health-risk appraisal*

Berylliosis

See also **Occupational hazards**
spacecraft-manufacturing plant 419
California 419

Birth control

See **Contraceptives, Family planning**

Birth defects

diabetes-associated 637 (676)
congenital rubella syndrome 505* (543)
rubella, vaccine-associated 429*
spina bifida 438
valproate 438
France 438
Italy 438
United Kingdom 438

Blindness

cataract 119
diabetes-related 157

Blood alcohol concentration

See **Alcohol**

Botulism

See ***Clostridium botulinum***

Brucella melitensis

cheese, goat 548
Texas 548

Brucellosis

See ***Brucella melitensis***

Burns

deaths 625*
Georgia 625*

C***Campylobacter jejuni***

milk, raw 337
Pennsylvania 337

Cancer

occupational 24

Carbon monoxide

children 117
poisoning 117

Cardiovascular disease

See **Smoking**

Carpet shampoo

office workers 378 (400)
Virginia 378 (400)

Cashew nuts

dermatitis 129
Pennsylvania 129

Cataract

blindness 119
worldwide 119

Chancroid

See ***Haemophilus ducreyi***

Cheese

French Brie 533
goat 548
homemade 510
District of Columbia 533
New Mexico 510
Texas 548

Chicken

See ***Staphylococcus aureus***

Cholera

See ***Vibrio cholerae***

Cigarettes

See **Smoking**

Citrobacter freundii

Cheese, French Brie 533
imported 533
District of Columbia 533

Clostridium botulinum

commercial pot pie 39
type A 39
California 39

Colitis

See ***Escherichia coli***

Condyloma acuminatum

surveillance 306*
United States 306*

Congenital rubella syndrome

See also **Rubella**
prevention 349*
United States 505*

Contraceptives

See also **Pelvic inflammatory disease**
Dalkon Shield 221

Cream pastries

See ***Staphylococcus aureus***

Crimean-Congo hemorrhagic fever

initial management 25S

Cruise ship

See ***Staphylococcus aureus***

Cytogenetic patterns

Love Canal 261
New York 261

D**Dairy products**

See **Foodborne illness**

Dalkon Shield

See **Pelvic inflammatory disease**

DDT

See **Dichlorodiphenyl trichloroethane**

Death

acquired immunodeficiency syndrome 309*,
358, 389*, 465*, 613* (636), 688*
alcohol-related 61 (88), 344*, 573*,
646*, 649* (692)
burn-associated 625*
diabetes 637 (676)
diarrheal diseases 73
encephalitis 160*, 441, 557*
ethanol-related 649*
farm-tractor-associated 481*
fire-associated 625*
heroin-related 321*
homicide 453*, 573*
hospital-bed-associated 386
hypothermia 46
infant 104, 567*
irrigation-pipe electrocution 169*
lead poisoning 554
motor-vehicle-associated 344*, 573*, 646*
neonatal 104, 567*
paralytic shellfish poisoning 281 (320)
perinatal 637
plague 329, 417 (452)
pneumonia and influenza 45*, 75*, 97, 120*,
146*, 179, 191*, 373*
poisoning 117
premature 118
rabies, human 78, 159, 494
suicide 453*, 573*
toxic-shock syndrome 398*
tubal-sterilization-associated 249
violent 453*
yellow fever 202

Dengue

Aedes aegypti 145*
imported 145*
trends—1982 145*
El Salvador 586
Honduras 586
Mexico 586
United States 145*

Dental enamel

erosion 361
swimming pools 361
Virginia 361

Dermatitis

cashew nuts 129
occupational 24

Diabetes mellitus

eye disease 157
insulin-infusion pump 404
perinatal mortality rates 637 (676)
pregnancy 637 (676)
retinopathy 157
toxic-shock syndrome 404
Idaho 404
Michigan 637 (676)
Mississippi 157
Missouri 637 (676)
South Carolina 637 (676)
Washington 637 (676)

Diarrheal diseases

control program 73, 311, 330 (347)
flood-associated 662*
giardiasis 662*
global prevention activities 330 (347)
rotavirus 311
Latin America 73
Utah 662*

Dichlorodiphenyl trichloroethane

museum workers 443
natural history museum 443
Colorado 443

Diphtheria-tetanus-pertussis

See **Vaccine**

Disease surveillance

See **Surveillance**

Divers

See also **Gastrointestinal illness**
firefighters 576
police 576
New York City 576

Dock workers

phototoxic reaction 147 (168)
Tennessee 147 (168)

Dracunculiasis

See ***Dracunculus medinensis***

Dracunculus medinensis

surveillance 208
India 208

Drinking

See **Alcohol, Health-risk appraisal**

Drug resistance

See Mycobacterium tuberculosis,
Neisseria gonorrhoeae

Dry cleaning

perchloroethylene 269
United States 269

E**Ebola hemorrhagic fever**

initial management 25S

Electrocutions

irrigation pipes 169*
Washington 169*

Encephalitis

Aedes aegypti 441
arboviral 160*, 441, 557*
California virus group 441
Culex pipiens 557*
Culiseta melanura 441
eastern equine 441, 557*
human 160*, 441, 557*
St. Louis 160*, 441, 557*
trends—1982 160*
western equine 160*, 441, 557*
United States 160*, 441, 557*

Enteric illness

See Diarrheal diseases,
Gastrointestinal illness

Enterovirus

diseases 535 (676), 611

Escherichia coli

hemorrhagic colitis 133*
Ottawa 133*

Ethanol

See Alcohol

Eye disease

cataract 119
diabetes-related 157
screening 157
Mississippi 157

Eye surgery

See Mycobacterium chelonii

F**Family planning**

abortion 62, 246
intrauterine devices 221
sterilization 249

Farm tractors

deaths 481*
Georgia 481*

Finger

See Injuries, Occupational injuries

Fire

deaths 625*
Georgia 625*

Firefighters

divers 576
gastrointestinal illness 576
hearing loss 57
New York 57
New York City 576

Fireworks

See Injuries

Firing ranges

See Lead poisoning, Occupational hazards

Floods

diarrheal illness 662*
immunization 171
California 171
Utah 662*

Fly ash, lignite

See Occupational hazards

Folk remedies

See Lead

Folliculitis

See Pseudomonas aeruginosa

Foodborne illness

See also specific agent
agent
Arizona hinshawii 464 (623)
Brucella melitensis 548
Campylobacter jejuni 337
Citrobacter freundii 533
Clostridium botulinum 39
hepatitis A 652*
niacin 305 (387)
Salmonella 464 (623), 598*
Shigella dysenteriae 250*, 444*
Staphylococcus aureus 183 (219), 294
Streptococcus group C 510
Vibrio cholerae 357
zinc 257
cruise ship 294
dairy products 294, 337, 510, 533, 548
dermatitis 129
food handlers 652*
vehicle
cashew nuts 129

cheese, French Brie 533
 cheese, goat 548
 cheese, homemade 510
 chicken 183 (219)
 commercial pot pie 39
 cream pastries 294
 fruit punch 257
 ham 183 (219)
 milk, raw 337
 pumpernickel bagels 305 (387)
 rattlesnake powder 464 (623)
 salad 250*
 seafood 357

Food handlers

hepatitis A 652*

Formaldehyde

monitor performance 615

Francisella tularensis

pneumonia 262
 Tennessee 262

Fruit punch

See **Zinc**

G**Gastrointestinal illness**

See also specific agent
 agent

Campylobacter jejuni 337
Citrobacter freundii 533
Escherichia coli 133*
Shigella dysenteriae 250*, 444*
Staphylococcal aureus 183 (219), 294
Streptococcus group C 510

cruise ship 294

hemorrhagic colitis 133*

scuba divers 577

vehicle

cheese, French Brie 533
 cheese, homemade 510
 chicken 183 (219)
 contaminated water 576
 cream pastries 294
 ham 183 (219)
 milk, raw 337
 pumpernickel bagels 294
 salad 250*
 water, contaminated 577

Genital warts

See **Condyloma acuminatum**

Giardia lamblia

flood-associated 662*
 Utah 662*

Giardiasis

See ***Giardia lamblia***

Gonorrhea

See ***Neisseria gonorrhoeae***

Greta

See **Lead poisoning**

Guinea worm disease

See ***Dracunculus medinensis***

H***Haemophilus ducreyi***

chancroid 202*
 control program 202*
 California 202*

Ham

See ***Staphylococcus aureus***

HDCV

See **Vaccine, rabies**

Health promotion

See also **Health-risk appraisal**

CDC seminar 21

flood disasters 171

lung diseases, occupational 24

musculoskeletal injuries 189

1990 prevention objectives 21

occupational diseases and injuries 24, 189

premature deaths 118

silicosis 318

Health-risk appraisal

behavioral risk-factor surveys 141 (179),
 370 (440), 603
 state surveys 141 (179), 370 (440), 603

Health status

Kampuchean refugees 412

Hearing loss

firefighters 57
 noise-induced 57
 New York 57

Hemodialysis

See ***Mycobacterium chelonae***

Hemolytic-uremic syndrome

children 578
 District of Columbia 578
 Massachusetts 578
 New York 578
 Virginia 578

Hemophilia

See **Acquired immunodeficiency syndrome**

Hemorrhagic fever

See **Viral hemorrhagic fever**

Hepatitis

restaurant-associated 652*
 type A 652*
 type B 134
 vaccine safety 134
 Oklahoma 652*
 Texas 652*

Heroin

deaths 321*
 morphine metabolite 321*
 quinine mixed with 321*
 District of Columbia 321*

Highway fatalities

See **Motor-vehicle-associated deaths**

Hmong children

See **Lead**

Homicide

alcohol-related 573*
 black males 453*
 young persons 453*
 United States 453*

Hospital beds

deaths associated with 386
 Canada 386
 United States 386

Hydrogen sulfide

stress-induced illness 205*

Hypertension

See **Health-risk appraisal**

Hypothermia

clinical signs 46
 deaths 46
 United States 46

Immunization

See also **Vaccine**
 ACIP recommendations 1 (87)
 adult 1 (87)
 disease surveillance 154
 flood disasters 171

Immunization Practices Advisory Committee

See **ACIP recommendations**

Immunodeficiency

See also **Acquired immunodeficiency syndrome**
 pediatric 688*
 primary 688*
 secondary 688*

Infant

See also **Acquired immunodeficiency syndrome, Birth defects, Diabetes mellitus**
 mortality rates 104, 567*
 neonatal 104, 567*
 perinatal 637 (676)
 weight-specific 104
 California 518 (623)
 Georgia 567
 New Mexico 104

Influenza

See also **ACIP recommendations, Vaccine**
 antigenic analysis 195, 534
 late-season 271 (295)
 nursing homes 17, 32*, 136
 type A virus 17, 32*, 45*, 59*, 75*,
 86, 97, 111, 120*, 158*, 195,
 373*, 502*, 534, 634
 type B virus 136, 271 (295), 373*,
 502*, 634
 update 17, 45*, 59*, 75*, 86, 97, 111, 120*,
 136, 146*, 158*, 179, 191*, 271 (295)
 worldwide 191*, 195, 502*
 Canada 59*
 Michigan 17
 Minnesota 17, 45*
 New York 32*
 Ohio 111
 United States 17, 45*, 59*, 75*, 86, 97,
 111, 120*, 136, 146*, 158*, 179, 191*,
 195, 271 (295), 361*, 373*, 634

Injuries

See also **Occupational injuries**
 alcohol-related 61 (88), 573*
 amputation 77
 finger 77
 fireworks-associated 285
 motor-vehicle-associated 344*, 573*, 646*
 nonmotor-vehicle-associated 61 (88), 573*
 snowblower-associated 77
 Colorado 77
 Georgia 573*
 Washington 285

Insulin-infusor pump

See **Toxic-shock syndrome**

Interferon

- rabies 78
- induction of 531

Intoxication

See Alcohol, Carbon monoxide, Nicotin

Intrauterine devices

See also Pelvic inflammatory disease
Dalkon Shield 221

Irrigation pipes

- electrocutions 169*
- Washington 169*

Isobutyl nitrite

See Acquired immunodeficiency syndrome

IUD

See Intrauterine devices

J**K****Kampuchean refugees**

See Refugees

Kaposi's sarcoma

See Acquired immunodeficiency syndrome

Kawasaki syndrome

- case definition 98
- Illinois 98
- Michigan 98
- New York 98
- Wisconsin 98

L**Lassa fever**

initial management 25S

Lead poisoning

See also Occupational hazards
airborne 483
azarcon 554
children 117, 554, 555
firing ranges 483
folk-remedy-associated 554, 555
greta 554
Hmong 555
Mexican emigrants 554
occupational 216*, 483
"pay-loo-ah" 555
California 554
Minnesota 555
United States 216*, 483

Leprosy

- control 234
- developing countries 234

Leukemia

See Acquired immunodeficiency syndrome

Love Canal

- cytogenetic patterns 261
- New York 261

Lung diseases

See also Occupational diseases
beryllium disease 419
silicosis 318 (388)
tuberculosis 58, 87, 121, 234, 478*,
516, 521*

M**Malaria**

- chloroquine-resistant 437
- Plasmodium falciparum* 437
- transfusion 222
- Africa 437
- Georgia 222
- Pennsylvania 222

Marburg virus disease

initial management 25S

Marijuana

- detection 469
- urine testing 469

Measles

- airborne transmission 210, 401*
- airport 210
- chains of transmission 282*, 363*
- college campuses 113, 193*, 363*
- drum-and-bugle corps 561*
- elimination 523 (543)
- Gypsies 659*
- imported 178* (192), 282*, 363*,
401*, 561*
- interstate importation 210, 282*, 659*
- incidence—1982 49*
- migrant workers 471*
- mobile population 471*, 561*, 659*
- pediatrician's office 401*
- trends—1950-1982 49*
- universities 113, 193*
- weeks of 1983
 - first 4 weeks 87
 - first 13 weeks 247
 - first 26 weeks 363*
- zero morbidity 87
- Arkansas 561*
- California 210, 561*, 659*

Europe 523 (543)
 Florida 471*
 Idaho 659*
 Indiana 113, 193*
 Kansas 561*
 Michigan 401*
 Montana 659*
 Ohio 193*
 Texas 193*
 United States 49*, 87, 178* (192),
 247, 282*, 363*
 Washington 210, 659*

Migrant workers

See Measles

Milk, raw

See *Campylobacter jejuni*

Mites

See Scabies

Monkeypox virus

See Orthopox virus

Mortality

See Death

Mortality rates

See Diabetes mellitus, Infant

Mothballs

See Naphthalene

Motor-vehicle-associated deaths

alcohol-related 344*, 573*, 646*
 young drivers 344*, 646*
 Georgia 573*
 United States 344*, 646*

Mumps

incidence rates—1980-1983 545*
 middle-school students 391
 trends 545*
 vaccine efficacy 391, 545*
 Ohio 391, 545*
 United States 545*

Musculoskeletal injuries

See Occupational injuries

Museum workers

See Dichlorodiphenyl trichloroethane

Mussels

See Quarantine measures

Mycobacterium chelonae

eye surgery 591
 hemodialysis patients 244
 nontuberculous 244, 591
 Louisiana 244
 Texas 591

Mycobacterium tuberculosis

children 516
 control 234
 delayed diagnosis 58, 121
 developing countries 234
 drug resistance 516, 521*
 incidence 478*
 interstate 516
 nursing-care facility 121
 trends—1982 87, 478*
 California 58, 516
 Montana 516
 Nevada 516
 United States 87, 478*, 521*
 Utah 516
 Washington 121

N**Naphthalene**

mothballs 34
 Indiana 34

Neisseria gonorrhoeae

drug resistance 51, 273*
 neonatal 518 (623)
 ophthalmia 518 (623)
 penicillinase-producing 51, 181*
 penicillin-resistant 273*
 prevention 181*
 spectinomycin-resistant 51
 California 181*, 518 (623)
 Korea 51
 North Carolina 273*

Neonate

See Infant

Niacin

intoxication 305 (387)
 pumpernickel bagels 305 (387)
 New York 305 (387)

Nitrite

See Acquired immunodeficiency syndrome

Nosocomial infection

adenovirus type 7 258
 rubella 37*
Shigella dysenteriae 250*

Notice to readers**MMWR**

cumulative 1983 morbidity/mortality totals 692
 subscriptions 156, 167, 180
 Tables I, II, and III revised 18
 rabies compendium clarification 115

relocation of CDC's Div of Hepatitis and
Viral Enteritis 520
smallpox vaccine 387, 543

O

Obesity

See **Health-risk appraisal**

Occupational diseases

See also **Occupational hazards,**
Occupational health standards,
Occupational injuries

berylliosis 419
gastrointestinal illness 576
leading diseases and injuries 24, 189
lung 24, 318 (388), 419
psychogenic illness 287
silicosis 318 (388)
California 419
New York City 576
Pennsylvania 287
South Dakota 318 (388)
United States 24
Wisconsin 318 (388)

Occupational hazards

See also **Occupational health standards**

beryllium 419
carpet shampoo 378 (400)
contaminated water 576
dichlorodiphenyl trichloroethane (DDT) 443
dry cleaning 269
electrocution 169*
farm tractors 481*
firing ranges, indoor 483
fly ash, lignite 531
irrigation pipes 169*
lead 216*, 483
leading diseases and injuries 24, 189
natural history museum 443
noise 57
perchloroethylene 269
pitch, coal tar 147 (168)
scuba diving 576
silica 318 (388)
sulfur dioxide 541
California 419
Colorado 443
Georgia 481*
Missouri 541
New York 57
New York City 576
South Dakota 318 (388)
Tennessee 147 (168)
United States 24, 189, 216*, 269, 483
Virginia 378 (400)
Washington 169*
Wisconsin 318 (388)

Occupational health standards

formaldehyde 615
recommendations 1S

Occupational injuries

See also **Occupational diseases,**
Occupational hazards,
Occupational health standards

dock workers 147 (168)
eye irritations 147 (168)
farm-tractor-associated 481*
finger 589
hearing loss 57
hospital emergency rooms 89
irrigation-pipe-associated 169*
leading diseases and injuries 24, 189
musculoskeletal 189
needlestick 358
phototoxic reactions 147 (168)
surveillance 89
Georgia 481*
New York 57, 77
Tennessee 147 (168)
United States 24, 89, 189, 589
Washington 169*

Ophthalmia

See *Neisseria gonorrhoeae*

Opportunistic infections

See **Acquired immunodeficiency
syndrome**

Orthopox virus

monkeypox virus 640
surveillance 640
WHO report 640

Overdose

See **Heroin**

P

Parasitic diseases

African trypanosomiasis 112
babesiosis 65
giardiasis 662*
scabies 489
schistosomiasis 585

Pelvic inflammatory disease

Dalkon Shield 221
intrauterine devices 221

Perchloroethylene

dry cleaning 269
United States 269

Pertussis

See also **Vaccine**
Maryland 297*

Phenol

See **Water**

Phototoxic reaction

dock workers 147
Tennessee 147

Plague

See *Yersinia pestis*

Plasmodium falciparum

See **Malaria**

***Pneumocystis carinii* pneumonia**

See **Acquired immunodeficiency syndrome**

Poisoning

See also **Alcohol, Foodborne illness, Quarantine measures**

carbon monoxide 117
environmental 261
food 183
lead 216*
 children 117, 554, 555
naphthalene 34
paralytic shellfish 281 (320)
unintentional 117
United States 117

Poliomyelitis

risk factors 384*
underreporting 154
Taiwan 384*

Pot pie

See *Clostridium botulinum*

Pregnancy

See **Diabetes mellitus, Rubella**

Prevention objectives

See **Health promotion**

Pseudomonas aeruginosa

folliculitis 425*
waterslide-associated 425*
Utah 425*

Pseudomonas folliculitis

See *Pseudomonas aeruginosa*

Pseudomonas pickettii

colonization 495
hospitals 495
respiratory therapy solution 495
Illinois 495

Psychosomatic illness

See also **Acute illness, Occupational diseases**

factory workers 287
schoolchildren 205*
Pennsylvania 287
West Bank 205*

Q**Quarantine measures**

See also **Poisoning, Vaccination certificate requirements**
mussels 281 (320)
California 281 (320)

Quinine

See **Heroin**

R**Rabies**

See also **Vaccine**
animal
 cow 128
 raccoon 97
compendium—1984 665
compendium clarification—1983 115
human 78, 159, 494, 601
imported 78
interferon 78
steroids 159
veterinary teaching hospital 128
Kenya 494, 601
Massachusetts 78
Michigan 159
mid-Atlantic states 97
Nigeria 78
Pennsylvania 128

Rattlesnake power

See *Arizona hinshawii*

Refugees

health status 412
Kampuchean 412
Thailand 412

Respiratory diseases

See also **Influenza**
acute infections 275
adenovirus type 7 258
berylliosis 419
international 275
parainfluenza virus 691
rhinovirus 691
syncytial virus 691
silicosis 318 (388)
surveillance 691
United States 691

Respiratory distress

- carpet shampoo 378 (400)
- heroin-related 321*
- District of Columbia 321*
- Virginia 378 (400)

Respiratory therapy solution

- See *Pseudomonas pickettii*

Rift Valley fever virus

- Zinga virus 90

Risk-factor surveys

- See Health-risk appraisal

River rafters

- See Schistosomiasis

Rocky Mountain spotted fever

- trends—1955-1982 229*
- United States 229*

Rotavirus

- See Diarrheal diseases

Rubella

- ACIP recommendations 37*
- congenital syndrome 349*, 505* (543)
- hospitals 37*
- office workers 349*
- vaccination during pregnancy 429*
- California 37*
- New York City 349*
- United States 429*, 505* (543)

S**Safety, biologic**

- WHO guidelines 622
- WHO workshops 622

Salad

- See *Shigella dysenteriae*

Salmonella

- Arizona hinshawii* 464 (623)
- isolates, human 598*
- California 464 (623)
- United States—1982 598*

Scabies

- hospital personnel 489
- mites 489
- patient-source 489
- Pennsylvania 489

Schistosomiasis

- river rafters 585
- Ethiopia 585

Seafood

- See *Vibrio cholerae*

Seat belts

- See Health-risk appraisal

Sedentary lifestyle

- See Health-risk appraisal

Sexually transmitted diseases

- See also specific disease
- Condyloma acuminata* 306*
- Haemophilus ducreyi* 202*
- Neisseria gonorrhoeae* 51, 181*, 273*, 518 (623)

Shellfish

- See Poisoning

Shigella dysenteriae

- hospital-associated 250*
- isolations 444*
- salad 250*
- Maryland 250*
- United States—1982 444*

Shigellosis

- See *Shigella dysenteriae*

Silicosis

- See also Occupational hazards
- foundry workers 318
- South Dakota 318
- Wisconsin 318

Smallpox

- See also Vaccine, *Vaccinia*
- post-eradication 490, 640
- India 490
- Nigeria 490

Smoking

- See also Health-risk appraisal
- cardiovascular disease 677*
- health consequences 677*

Snowblowers

- injuries 77
- Colorado 77
- New York 77

Spina bifida

- See Birth defects

Staphylococcus aureus

- chicken 183 (219)
- cream pastries 294
- cruise ship 294
- food poisoning 183 (219), 294
- ham 183 (219)
- North Carolina 183 (219)
- Pennsylvania 183 (219)

Sterilization, tubal

deaths 249
 trends—1977-1981 249
 United States 249

Streptococcus

cheese, homemade 510
 group C 510
 New Mexico 510

Stress-induced illness

schoolchildren 205*
 West Bank 205*

Suicide

alcohol-related 573*
 young persons 453*
 Georgia 573*
 United States 453*

Sulfur dioxide

acute exposure 541
 Missouri 541

Supplements

occupational health standards 1S
 viral hemorrhagic fever 25S

Surveillance

abortion 62
 acute respiratory infections 275
 condyloma acuminatum 306*
 disease 154
 enterovirus 535, 611 (676)
 influenza 373*
 Kampuchean refugees 412
 occupational injuries 89
 orthopox 640
 poliomyelitis 154
 respiratory virus 691
 rubella 505* (543)
Salmonella 598*
 shigellosis 444*
 smallpox 490
 tetanus 154
 tuberculosis 478*
 underreporting 154
 worldwide 154

Swimming pool

See Dental enamel

T**T-cell leukemia virus**

See Acquired immunodeficiency syndrome

Tetanus

See also Vaccine
 underreporting 154

Toxic gases

carbon monoxide 117
 formaldehyde 615
 sulfur dioxide 541

Toxic-shock syndrome

diabetics 404
 insulin-infusion pump 404
 trends 398*
 update 398*
 Idaho 404
 United States 398*

Tractors

See Occupational injuries

Transfusion, blood

See also Acquired immunodeficiency syndrome
 malaria 222

Trypanosomiasis

African 112
 Tanzania 112
 Texas 112

Tuberculosis

See *Mycobacterium tuberculosis*

Tularemia

See *Francisella tularensis*

Typhus

murine 131
 Texas 131

U**Urine testing**

See Marijuana

V**Vaccination certificate requirements**

changes, worldwide 114

Vaccine

ACIP recommendations 1 (87), 333, 679*
 diphtheria-tetanus-pertussis 1 (87)
 efficacy 391
 hepatitis B 134
 human diploid cell rabies 601
 influenza 333
 measles-mumps-rubella 1 (87)
 measles-rubella 1 (87)

mumps 391
 oral polio 1 (87)
 rabies, animal 665
 rabies, pre-exposure 128, 601
 reaction 134
 rubella 429*
 rubella, during pregnancy 429*
 smallpox 387, 543
 tetanus-diphtheria 1 (87)
 yellow fever 679*

Vaccinia

outbreak 403
 smallpox-vaccine-associated 403
 Nevada 403

Valproic acid

spina bifida 438
 France 438
 Italy 438
 United Kingdom 438

Vector-borne diseases

See also specific disease
 dengue 145*, 586
 encephalitis 160*, 441, 557*
 malaria 222, 437
 plague 329, 417 (452)
 Rocky Mountain spotted fever 229*
 trypanosomiasis 112
 tularemia 262
 typhus, murine 131

Venereal diseases

See also specific disease or organism
 condyloma acuminatum 306*
Haemophilus ducreyi 202*
Neisseria gonorrhoeae 51, 181*, 273*,
 518 (623)

Veterinary teaching hospital

See Rabies

Vibrio cholerae

O1 357
 seafood 357
 travelers 357
 Mexico 357
 New Jersey 357

Violent deaths

See Homicide, Suicide

Viral hemorrhagic fever

Crimean-Congo fever 25S
 Ebola fever 25S
 initial management 25S
 Lassa fever 25S
 Marburg virus disease 25S

W

Water

See also Dental enamel, *Pseudomonas aeruginosa*
 phenol contamination 493
 potable 493
 Georgia 493

Waterslide

See *Pseudomonas aeruginosa*

Work-related diseases and injuries

See Occupational diseases, Occupational injuries

X

Y

Yellow fever

See also Vaccine
 trends— 1981 and 1982 202
 South America 202

Yersinia pestis

human 329, 417 (452)
 wild-rodent 329
 South Carolina 417 (452)
 western United States 329

Z

Zinc

fruit punch 257
 New Mexico 257

Zinga virus

See Rift Valley fever virus

**DEPARTMENT OF
HEALTH & HUMAN SERVICES**
Public Health Service
Centers for Disease Control
Atlanta GA 30333

Official Business
Penalty for Private Use \$300



**THIRD CLASS
BLK. RT.**

Postage and Fees Paid
U.S. Dept. of H.H.S.
HHS 396

✓ HCRH NEW75 8129
DR VERNE F NEWHOUSE
VIROLOGY DIVISION
CID
7-814

X