

U.S. DEPARTMENT OF
HEALTH & HUMAN SERVICES
PUBLIC HEALTH SERVICE

VIRAL HEPATITIS CASE REPORT

CDC
Centers for Disease Control
and Prevention
Hepatitis Branch, (G37)
Atlanta, Georgia 30333

The following questions should be asked for every case of viral hepatitis

Prefix: (Mr. Mrs. Miss Ms. etc) _____ Last: _____ First: _____ Middle: _____

Preferred Name (nickname): _____ Maiden: _____

Address: Street: _____

City: _____ Phone: () - _____ Zip Code: _____ -- _____

SSN # (optional) _____ - _____ - _____

----- Only data from lower portion of form will be transmitted to CDC -----

State: _____ County: _____ Date of Public Health Report ____ / ____ / ____

Was this record submitted to CDC through the NETSS system? Yes ☐ No ☐

If yes, please enter NETSS ID NO. If no, please enter STATE CASE NO. _____

DEMOGRAPHIC INFORMATION

RACE (check all that apply):

☐ Amer Indian or Alaska Native ☐ Black or African American ☐ White

☐ Asian ☐ Native Hawaiian or Pacific Islander ☐ Other Race, specify: _____

SEX: Male ☐ Female ☐ Unk ☐ **PLACE OF BIRTH:** ☐ USA ☐ Other: _____

DATE OF BIRTH: MM / DD / YYYY **AGE:** ____ (years) (00= <1yr , 99= Unk)

ETHNICITY:

Hispanic ☐

Non-hispanic ☐

Other/Unknown ☐

CLINICAL & DIAGNOSTIC DATA

REASON FOR TESTING: (Check all that apply) ☐ Symptoms of acute hepatitis ☐ Evaluation of elevated liver enzymes

☐ Screening of asymptomatic patient with reported risk factors ☐ Blood / organ donor screening

☐ Screening of asymptomatic patient with no risk factors (e.g., patient requested) ☐ Follow-up testing for previous marker of viral hepatitis

☐ Prenatal screening ☐ Unknown ☐ Other: specify: _____

CLINICAL DATA:				DIAGNOSTIC TESTS: CHECK ALL THAT APPLY																																																			
Diagnosis date: MM / DD / YYYY Is patient symptomatic? Yes No Unk if yes, onset date: MM / DD / YYYY Was the patient • Jaundiced? • Hospitalized for hepatitis? Was the patient pregnant? due date: MM / DD / YYYY Did the patient die from hepatitis? • Date of death: MM / DD / YYYY				<table border="1"> <thead> <tr> <th></th> <th>Pos</th> <th>Neg</th> <th>Unk</th> </tr> </thead> <tbody> <tr><td>• Total antibody to hepatitis A virus [total anti-HAV]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• IgM antibody to hepatitis A virus [IgM anti-HAV]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• Hepatitis B surface antigen [HBsAg]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• Total antibody to hepatitis B core antigen [total anti-HBc]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• IgM antibody to hepatitis B core antigen [IgM anti-HBc]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• Antibody to hepatitis C virus [anti-HCV]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td> - anti-HCV signal to cut-off ratio</td><td></td><td></td><td></td></tr> <tr><td>• Supplemental anti-HCV assay [e.g., RIBA]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• HCV RNA [e.g., PCR]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• Antibody to hepatitis D virus [anti-HDV]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>• Antibody to hepatitis E virus [anti-HEV]</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> </tbody> </table>					Pos	Neg	Unk	• Total antibody to hepatitis A virus [total anti-HAV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• IgM antibody to hepatitis A virus [IgM anti-HAV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• Hepatitis B surface antigen [HBsAg]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• Total antibody to hepatitis B core antigen [total anti-HBc]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• IgM antibody to hepatitis B core antigen [IgM anti-HBc]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• Antibody to hepatitis C virus [anti-HCV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	- anti-HCV signal to cut-off ratio				• Supplemental anti-HCV assay [e.g., RIBA]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• HCV RNA [e.g., PCR]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• Antibody to hepatitis D virus [anti-HDV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• Antibody to hepatitis E virus [anti-HEV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Pos	Neg	Unk																																																				
• Total antibody to hepatitis A virus [total anti-HAV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• IgM antibody to hepatitis A virus [IgM anti-HAV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• Hepatitis B surface antigen [HBsAg]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• Total antibody to hepatitis B core antigen [total anti-HBc]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• IgM antibody to hepatitis B core antigen [IgM anti-HBc]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• Antibody to hepatitis C virus [anti-HCV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
- anti-HCV signal to cut-off ratio																																																							
• Supplemental anti-HCV assay [e.g., RIBA]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• HCV RNA [e.g., PCR]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• Antibody to hepatitis D virus [anti-HDV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
• Antibody to hepatitis E virus [anti-HEV]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																				
LIVER ENZYME LEVELS AT TIME OF DIAGNOSIS • ALT [SGPT] Result _____ Upper limit normal _____ • AST [SGOT] Result _____ Upper limit normal _____ • Date of ALT result MM / DD / YYYY • Date of AST result MM / DD / YYYY				• If this case has a diagnosis of hepatitis A that has not been serologically confirmed, is there an epidemiologic link between this patient and a laboratory-confirmed hepatitis A case? Yes No Unk																																																			

DIAGNOSIS: (Check all that apply)

- ☐ Acute hepatitis A
☐ Acute hepatitis B
☐ Acute hepatitis C
☐ Acute hepatitis E
☐ Chronic HBV infection
☐ HCV infection (chronic or resolved)
☐ Acute non-ABCD hepatitis
☐ Perinatal HBV infection
☐ Hepatitis Delta (co- or super-infection)

DRAFT COPY

Patient History- Acute Hepatitis A

NETSS ID NO.

--	--	--	--	--	--	--	--	--	--

STATE CASE NO.

During the **2-6 weeks** prior to onset of symptoms-

Was the patient a contact of a person with confirmed or suspected hepatitis A virus infection?

Yes	No	Unk
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If yes, was the contact (check one)

- household member (non-sexual)

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- sex partner

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- child cared for by this patient

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- babysitter of this patient

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- playmate

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- other

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Was the patient

- a child or employee in a day care center, nursery, or preschool ?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- a household contact of a child or employee in a day care center, nursery or preschool ?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

If yes for either of these, was there an identified hepatitis A case in the child care facility?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Please ask both of the following questions regardless of the patient's gender.

- In the **2- 6 weeks** before symptom onset how many
- | | | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | 0 | 1 | 2-5 | >5 | Unk |
| • male sex partners did the patient have? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| • female sex partners did the patient have? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

In the **2- 6 weeks** before symptom onset

- Did the patient inject drugs not prescribed by a doctor?

Yes	No	Unk
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Did the patient use street drugs but not inject?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- Did the patient **travel** outside of the U.S.A. or Canada

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- If yes, where? 1) 2)
(Country) 3)

In the **3 months** prior to symptom onset

- Did anyone in the patient's household travel outside of the U.S. A. or Canada?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- If yes, where? 1) 2)
(Country) 3)

Is the patient suspected as being part of a common-source outbreak?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

If yes, was the outbreak

- Foodborne- associated with an infected food handler

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- Foodborne - **NOT** associated with an infected food handler

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- specify food item
- Waterborne

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------
- Source not identified

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Was the patient employed as a food handler during the **TWO WEEKS** prior to onset of symptoms or while ill?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

VACCINATION HISTORY

Has the patient ever received the hepatitis A vaccine ?

Yes	No	Unk
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

• If yes, how many doses?

1	≥2
<input type="checkbox"/>	<input type="checkbox"/>

• In what year was the last dose received?

Y	Y	Y	Y
---	---	---	---

Has the patient ever received immune globulin ?

Yes	No	Unk
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

• If yes, when was the last dose received? /
mo yr

DRAFT COPY

STATE CASE NO. _____

Patient History- Acute Hepatitis B

NETSS ID NO.

--	--	--	--	--	--	--	--	--	--

During the **6 weeks- 6 months** prior to onset of symptoms was the patient a contact of a person with confirmed or suspected acute or chronic hepatitis B virus infection? **Yes No Unk**

If yes, type of contact

- Sexual ☐ ☐ ☐
- Household [Non-sexual] ☐ ☐ ☐
- Other: ☐ ☐ ☐

Ask both of the following questions regardless of the patient's gender.

In the **6 months** before symptom onset how many **0 1 2-5 >5 Unk**

- male sex partners did the patient have? ☐ ☐ ☐ ☐ ☐
- female sex partners did the patient have? ☐ ☐ ☐ ☐ ☐

Was the patient **EVER** treated for a sexually-transmitted disease? **Yes No Unk**

- If yes, in what year was the most recent treatment ? Y Y Y Y

During the **6 weeks- 6 months** prior to onset of symptoms

- inject drugs not prescribed by a doctor? ☐ ☐ ☐
- use street drugs but not inject? ☐ ☐ ☐

During the **6 weeks- 6 months** prior to onset of symptoms

Did the patient-

- undergo hemodialysis? **Yes No Unk**
- have an accidental stick or puncture with a needle or other object contaminated with blood? ☐ ☐ ☐
- receive blood or blood products [transfusion] ☐ ☐ ☐
- if yes, when? MM/DD/YYYY
- receive any IV infusions and/or injections in the outpatient setting... ☐ ☐ ☐
- have other exposure to someone else's blood ☐ ☐ ☐

specify: _____

During the **6 weeks - 6 months** prior to onset of symptoms

- Was the patient employed in a medical or dental field involving direct contact with human blood ? ☐ ☐ ☐
- If yes, frequency of direct blood contact? Frequent (several times weekly) ☐ Infrequent ☐
- Was the patient employed as a public safety worker (fire fighter, law enforcement or correctional officer) having direct contact with human blood? ☐ ☐ ☐
- If yes, frequency of direct blood contact? Frequent (several times weekly) ☐ Infrequent ☐
- Did the patient receive a tattoo? ☐ ☐ ☐
- where was the tattooing performed? (select all that apply) ☐ commercial ☐ correctional ☐ other _____
parlor / shop facility

During the **6 weeks- 6 months** prior to onset of symptoms

- Did the patient have any part of their body pierced (other than ear)?
where was the piercing performed? (select all that apply)
☐ commercial ☐ correctional ☐ other _____
parlor / shop facility **Yes No Unk**
- Did the patient have dental work or oral surgery? ☐ ☐ ☐
- Did the patient have surgery ? (other than oral surgery) .. ☐ ☐ ☐
- Was the patient- **Check all that apply**
- hospitalized ? ☐ ☐ ☐
- a resident of a long term care facility ? ☐ ☐ ☐
- incarcerated for longer than 24 hours ? ☐ ☐ ☐
- if yes, what type of facility (check all that apply)
prison ☐ ☐
- jail ☐ ☐
- juvenile facility ☐ ☐

During his/her lifetime, was the patient **EVER**

- incarcerated for longer than 6 months ? ☐ ☐ ☐
- If yes,
what year was the most recent incarceration ? Y Y Y Y
for how long ? mos

Did the patient ever receive hepatitis B vaccine?

- If yes, how many shots? **Yes No Unk**
- In what year was the last shot received? ☐ ☐ ☐ ☐

Was the patient tested for antibody to HBsAg

- (anti-HBs) within 1-2 months after the last dose? **Yes No Unk**
- If yes, was the serum anti-HBs $\geq 10\text{mIU/ml}$? ☐ ☐ ☐
- (answer 'yes' if the laboratory result was reported as
'positive' or 'reactive')

DRAFT COPY

Perinatal Hepatitis B Virus Infection

NETSS ID NO.

--	--	--	--	--	--	--	--	--	--

STATE CASE NO.

RACE OF MOTHER:

- ☐ Amer Ind or Alaska Native
☐ Asian

- ☐ Black or African American
☐ Native Hawaiian or Pacific Islander

- ☐ White
☐ Other Race, specify: _____

☐ Unknown**ETHNICITY OF MOTHER:**Hispanic ☐Non-hispanic ☐Other/Unknown ☐Was **Mother** born outside of United States?

Yes	No	Unk
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If yes, what country?

Was the **Mother** confirmed HBsAg positive prior to or at time of delivery ? ...

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

- If no, was the mother confirmed HBsAg positive after delivery?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Date of HBsAg positive test result

MM / DD / YYYY

How many doses of hepatitis B vaccine did the child receive ?

<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
----------------------------	----------------------------	----------------------------	----------------------------

- When?

• Dose 1- MM / DD / YYYY• Dose 2- MM / DD / YYYY• Dose 3- MM / DD / YYYY

Yes	No	Unk
-----	----	-----

Did the child receive hepatitis B immune globulin (HBIG)?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

- If yes, on what date did the child receive HBIG?

MM / DD / YYYY

DRAFT COPY

NETSS ID NO.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Patient History- Acute Hepatitis C

STATE CASE NO.

<p>During the 2 weeks- 6 months prior to onset of symptoms was the patient a contact of a person with confirmed or suspected acute or chronic hepatitis C virus infection? Yes No Unk</p> <p>If yes, type of contact</p> <ul style="list-style-type: none"> Sexual <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Household [Non-sexual] <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Other: <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 	<p>Ask both of the following questions regardless of the patient's gender.</p> <p>In the 6 months before symptom onset how many 0 1 2-5 >5 Unk</p> <ul style="list-style-type: none"> male sex partners did the patient have? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> female sex partners did the patient have? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <p>Was the patient EVER treated for a sexually transmitted disease? Yes No Unk</p> <p>• If yes, in what year was the most recent treatment ? <u>YYYY</u></p> <p>During the 2 weeks- 6 months prior to onset of symptoms</p> <ul style="list-style-type: none"> inject drugs not prescribed by a doctor? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> use street drugs but not inject? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<p>During the 2 weeks- 6 months prior to onset of symptoms</p> <p>Did the patient- Yes No Unk</p> <ul style="list-style-type: none"> undergo hemodialysis? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> have an accidental stick or puncture with a needle or other object contaminated with blood? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> receive blood or blood products [transfusion] <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <ul style="list-style-type: none"> if yes, when? <u>MM/DD/YYYY</u> receive any IV infusions and/or injections in the outpatient setting... <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> have other exposure to someone else's blood <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <p>specify: _____</p> <p>During the 2 weeks - 6 months prior to onset of symptoms</p> <ul style="list-style-type: none"> Was the patient employed in a medical or dental field involving direct contact with human blood ? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <p>If yes, frequency of direct blood contact?</p> <p>Frequent (several times weekly) <input type="checkbox"/> Infrequent <input type="checkbox"/></p> Was the patient employed as a public safety worker (fire fighter, law enforcement or correctional officer) having direct contact with human blood? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <p>If yes, frequency of direct blood contact?</p> <p>Frequent (several times weekly) <input type="checkbox"/> Infrequent <input type="checkbox"/></p> Did the patient receive a tattoo? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <p>where was the tattooing performed? (select all that apply)</p> <p><input type="checkbox"/> commercial <input type="checkbox"/> correctional <input type="checkbox"/> other _____</p> <p>parlor / shop facility</p> 	<p>During the 2 weeks- 6 months prior to onset of symptoms</p> <ul style="list-style-type: none"> Did the patient have any part of their body pierced (other than ear)? <ul style="list-style-type: none"> where was the piercing performed? (select all that apply) <input type="checkbox"/> commercial <input type="checkbox"/> correctional <input type="checkbox"/> other _____ parlor / shop facility Did the patient have dental work or oral surgery? Yes No Unk <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Did the patient have surgery ? (other than oral surgery) .. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Was the patient- Check all that apply <ul style="list-style-type: none"> hospitalized ? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> a resident of a long term care facility ? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> incarcerated for longer than 24 hours ? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> if yes, what type of facility (check all that apply) <ul style="list-style-type: none"> prison <input type="checkbox"/> <input type="checkbox"/> jail <input type="checkbox"/> <input type="checkbox"/> juvenile facility <input type="checkbox"/> <input type="checkbox"/> <hr/> <p>During his/her lifetime, was the patient EVER</p> <ul style="list-style-type: none"> incarcerated for longer than 6 months ? <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> If yes, <ul style="list-style-type: none"> what year was the most recent incarceration ? <u>YYYY</u> for how long ? _ _ _ _ mos

DRAFT COPY

NETSS ID NO.

--	--	--	--	--	--	--	--	--	--

Patient History- Hepatitis C Virus Infection (chronic or resolved)

STATE CASE NO.

The following questions are provided as a guide for the investigation of lifetime risk factors for HCV infection. Routine collection of risk factor information for persons who test HCV positive is not required. However, collection of risk factor information for such persons may provide useful information for the development and evaluation of programs to identify and counsel HCV-infected persons.

	Yes	No	Unk		Yes	No	Unk
• Did the patient receive a blood transfusion prior to 1992?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	• Was the patient ever employed in a medical or			
• Did the patient receive an organ transplant prior to 1992?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	dental field involving direct contact with human			
• Did the patient receive clotting factor concentrates produced prior to 1987?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	blood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Was the patient ever on long-term hemodialysis?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
• Has the patient ever injected drugs not prescribed by a doctor							
even if only once or a few times?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
• How many sex partners has the patient had (approximate lifetime) ?							
• Was the patient ever incarcerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
• Was the patient ever treated for a sexually transmitted disease?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
• Was the patient ever a contact of a person who had hepatitis ?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
If yes, type of contact							
• Sexual	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
• Household [Non-sexual]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
• Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				