

Morbidity and Mortality

Weekly
Report



FEDERAL SECURITY AGENCY Public Health Service

NATIONAL OFFICE OF VITAL STATISTICS


Vol. 1, No. 25

Washington 25, D. C.

June 27, 1952

Provisional Statistics for Specified Notifiable Diseases in the United States for Week Ended June 21, 1952

The incidence of meningococcal infections continues to decline. From a high of 171 cases for the week ended March 22 the number has decreased to 59 for the current week. The number of cases continues to be higher than for the corresponding period of 1950 and 1951 as shown in the chart below.



A total of 421 cases of poliomyelitis was reported in the United States for the current week. This represents an increase of 43 percent over the number (295, corrected figure) for the previous week. More than half of this increase was attributed to the increase in 5 States. These States were Texas, from 103 cases to 146; California, 40 to 53; Ohio, 7 to 18; New York, 5 to 15; and Iowa, 8 to 16. The incidence decreased slightly in Louisiana and Florida, from 18 to 17 cases and 15 to 12 cases, re-

spectively. In Mississippi the increase was from 15 to 21 cases.

The cumulative total of poliomyelitis cases for the "disease year" is 1,780 as compared with 1,190 for the corresponding period of last year. Since the seasonal low week late in March through the week ended June 14, Texas has reported 467 cases of which 92 were in Harris County. For the corresponding period last year this county reported 36. There are 4 other counties in Texas which show an increase over the number for last year during this period. They are as follows (1951 figures in parentheses): Bexar, 36 (12); Dallas, 31 (12); Jefferson, 23 (7); and Webb, 13 (1). Two counties, Nueces, 34 (40) and Tarrant, 18 (21) reported fewer cases for this period than for last year. Although the figures are not available for the counties in California, the indications are that the cumulative total since the low week through the week ended June 14 will be lower than the 76 cases for this period in 1951. In Florida, Louisiana, and Mississippi where large numbers of cases have been reported for the past few weeks, there is no indication as yet of any concentration of cases. For the other States reporting large numbers this week the county breakdown will not be available until later.

Of the 14 cases of Rocky Mountain spotted fever, 6 cases each were reported in the East North Central and South Atlantic States. Five cases were in Ohio.

EPIDEMIOLOGICAL REPORTS

Rabies in Man

Dr. A. M. Washburn, Arkansas State Board of Health, has supplied information on the case of human rabies reported last week. The case was in a woman who had been bitten by her pet dog 4 weeks previously. After biting the husband, the dog was killed, but no thought was given to the possibility of rabies at that time. Therefore, no examination of the brain was performed. However, the brain of the victim was obtained and sent to the University of Arkansas School of Medicine for examination. The microscopic examination revealed the presence of Negri bodies.

Gastro-enteritis

Dr. W. L. Halverson, Director, California Department of Public Health, reports that a group of people became ill, some, a few hours, and others, 2 days after a Memorial Day week end at a camp in San Bernardino County. It was thought that unchlorinated creek water was the vehicle of the infection, since it was used in part as the drinking water supply. However, there was no information on a laboratory test.

Communicable Diseases in Other Areas

During the first half of June an outbreak of jungle yellow fever was reported in the Baru River Zone in the south jungle region of Costa Rica. Five cases were confirmed. For the period June 16 to 20, 2 deaths were reported.

Weekly Morbidity Report

Table 1.—COMPARATIVE DATA FOR CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Numbers after diseases are category numbers of the Sixth Revision of the International Lists, 1948)

DISEASE	TOTAL FOR WEEK ENDED		5-year median 1947-51	Approximate seasonal low week ended	CUMULATIVE TOTAL SINCE SEASONAL LOW WEEK		5-year median 1946-47 through 1950-51	CUMULATIVE TOTAL FOR CALENDAR YEAR		5-year median 1947-51
	June 21, 1952 ¹	June 23, 1951			1951-52	1950-51		1952	1951	
Anthrax-----062	21	-	1	(³)	(³)	(³)	(³)	19	39	31
Brucellosis (undulant fever)---044	60	---	---	(³)	(³)	(³)	(³)	986	---	---
Diphtheria-----055	29	48	82	July 1	3,607	4,887	8,827	1,426	1,919	3,616
Encephalitis, acute infectious--082	11	23	11	(³)	(³)	(³)	(³)	607	425	257
Hepatitis, infectious, and serum-----092,N998.5 pt.	298	---	---	(³)	(³)	(³)	(³)	8,741	---	---
Malaria-----110-117	360	---	---	(³)	(³)	(³)	(³)	2,211	---	---
Measles-----085	14,138	11,602	10,878	Sept. 1	667,560	456,576	456,576	615,383	427,875	427,875
Meningococcal infections-----057	79	59	57	Sept. 1	4,104	3,431	3,130	2,949	2,388	2,060
Poliomyelitis, acute-----080	421	211	309	Apr. 1	⁴ 1,780	1,190	1,534	⁴ 3,100	2,488	2,488
Rocky Mountain spotted fever---104A	14	16	21	(³)	(³)	(³)	(³)	100	109	153
Scarlet fever and streptococcal sore throat-----050,051	1,442	914	914	Aug. 1	87,449	66,255	73,677	71,538	50,307	52,025
Trichiniasis-----128	14	---	---	(³)	(³)	(³)	(³)	179	---	---
Tularemia-----059	12	17	20	(³)	(³)	(³)	(³)	328	339	497
Typhoid fever-----040	48	41	57	Apr. 1	414	362	530	813	774	1,017
Typhus fever, endemic-----101	8	---	---	Apr. 1	51	---	---	81	---	---
Whooping cough-----056	779	1,331	1,331	Oct. 1	40,871	59,890	80,925	26,686	38,076	49,049
Rabies in animals-----056	205	154	---	(³)	(³)	(³)	(³)	4,523	3,800	---

1

¹The report was not received from Nevada.²Reported in Pennsylvania.³Not computed.⁴Deduction: Georgia, week ended June 14, 1 case.

NOTE.—Cases of specified notifiable diseases occurring in outlying possessions for current week (corresponding week of 1951 shown in parentheses) follow:

Alaska: No cases reported.

Hawaii: Measles, 14 (47); poliomyelitis, 6 (-); hepatitis, infectious and serum, 1; malaria, 6.

Puerto Rico: Report not received.

SOURCE AND NATURE OF DATA

These provisional data are based on reports from State and territorial health departments to the Public Health Service. They give the total number of cases of certain communicable diseases reported during the week usually ended the preceding Saturday.

When the diseases with low frequencies (botulism, cholera, dengue, plague, rabies in man, smallpox, typhus fever—epidemic, and yellow fever) are reported, they will be noted under the table above.

Symbols.—1 dash [-]: no cases reported; asterisk [*]: disease stated not notifiable; parentheses, []: data not included in total; 3 dashes [---]: data not available.

Weekly Morbidity Report

Table 2.—CASES OF SPECIFIED DISEASES WITH COMPARATIVE DATA: UNITED STATES,
EACH DIVISION AND STATE FOR WEEK ENDED JUNE 21, 1952

(Numbers under diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	DIPHTHERIA (055)		MEASLES (085)		MENINGOCOCCAL INFECTIONS (057)		POLIOMYELITIS, ACUTE (080)		SCARLET FEVER AND STREPTOCOCCAL SORE THROAT (058,051)		TYPHOID FEVER (040)	
	Week ended		Week ended		Week ended		Week ended		Week ended		Week ended	
	June 21, 1952	June 23, 1951	June 21, 1952	June 23, 1951	June 21, 1952	June 23, 1951	June 21, 1952	June 23, 1951	June 21, 1952	June 23, 1951	June 21, 1952	June 23, 1951
UNITED STATES-----	29	48	14,138	11,802	79	59	421	211	1,442	914	48	41
NEW ENGLAND-----	-	4	1,238	986	3	6	2	2	114	91	2	-
Maine-----	-	1	130	59	-	2	-	-	3	7	-	-
New Hampshire-----	-	-	5	47	-	2	1	-	2	2	1	-
Vermont-----	-	-	144	58	-	-	-	-	1	2	1	-
Massachusetts-----	-	3	455	581	2	2	1	-	52	59	-	-
Rhode Island-----	-	-	37	26	1	-	-	-	5	7	-	-
Connecticut-----	-	-	467	215	-	-	-	2	51	14	-	-
MIDDLE ATLANTIC-----	7	4	3,466	2,608	15	16	17	13	377	223	5	10
New York-----	2	3	1,489	1,246	8	9	15	9	276	126	3	3
New Jersey-----	-	-	1,528	763	3	1	1	4	62	40	-	-
Pennsylvania-----	5	1	451	597	4	6	1	-	39	57	2	7
EAST NORTH CENTRAL-----	2	6	5,297	2,786	12	10	40	33	356	280	6	5
Ohio-----	2	1	1,545	783	4	5	16	5	111	81	-	-
Indiana-----	-	2	70	44	1	-	6	4	16	5	1	1
Illinois-----	-	-	529	361	4	2	6	8	43	40	5	2
Michigan-----	-	-	1,103	360	3	2	4	7	132	134	-	2
Wisconsin-----	-	3	2,050	1,238	-	1	6	9	54	20	-	-
WEST NORTH CENTRAL-----	-	5	370	649	6	4	31	15	42	32	1	1
Minnesota-----	-	-	100	190	1	-	3	4	18	7	-	-
Iowa-----	-	-	115	18	4	-	16	1	3	8	1	-
Missouri-----	2	-	49	182	-	2	3	2	11	10	-	1
North Dakota-----	-	-	19	106	-	1	1	2	1	2	-	-
South Dakota-----	-	3	3	15	-	-	-	-	1	1	-	-
Nebraska-----	-	-	49	10	-	-	5	3	2	1	-	-
Kansas-----	-	-	35	128	1	1	3	3	6	3	-	-
SOUTH ATLANTIC-----	3	10	840	1,044	9	7	39	18	65	49	8	7
Delaware-----	-	-	21	29	-	-	-	-	1	1	1	-
Maryland-----	-	-	52	324	2	1	-	-	12	13	-	-
District of Columbia-----	-	-	14	52	-	-	-	-	4	3	-	-
Virginia-----	1	1	371	329	4	1	5	-	56	3	3	1
West Virginia-----	-	1	97	59	-	-	5	-	2	4	1	2
North Carolina-----	2	3	114	46	-	2	9	3	7	17	-	-
South Carolina-----	-	3	36	19	1	3	1	2	1	-	-	-
Georgia-----	-	1	64	93	-	-	7	3	4	3	1	4
Florida-----	-	1	71	93	2	-	12	10	2	5	2	-
EAST SOUTH CENTRAL-----	7	5	326	192	10	3	34	25	13	23	12	8
Kentucky-----	1	-	99	55	3	1	3	2	2	1	3	1
Tennessee-----	4	2	98	53	1	1	2	2	6	10	3	-
Alabama-----	1	2	109	69	3	1	8	18	4	5	2	6
Mississippi-----	1	1	20	15	3	-	21	3	1	7	4	1
WEST SOUTH CENTRAL-----	9	7	597	987	6	7	171	61	117	15	13	7
Arkansas-----	1	1	97	107	-	-	4	2	5	-	8	1
Louisiana-----	-	1	13	13	1	1	17	13	2	2	2	4
Oklahoma-----	-	2	50	88	-	1	4	13	11	2	-	-
Texas-----	8	3	437	779	5	5	146	33	99	11	3	2
MOUNTAIN-----	-	4	405	547	3	1	20	13	174	26	1	2
Montana-----	-	-	77	94	1	-	7	-	5	1	-	-
Idaho-----	-	-	51	40	-	-	1	-	5	1	-	-
Wyoming-----	-	-	12	53	-	-	2	-	31	-	-	-
Colorado-----	-	-	77	50	1	1	2	3	7	4	-	1
New Mexico-----	-	1	27	44	1	-	2	6	2	4	1	-
Arizona-----	-	3	36	177	-	-	6	4	97	3	-	1
Utah-----	-	-	125	89	-	-	-	-	27	13	-	-
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC-----	1	3	1,597	2,003	15	5	67	31	164	175	-	1
Washington-----	-	-	201	310	1	-	12	-	10	11	-	-
Oregon-----	-	1	107	339	1	-	2	3	14	7	-	-
California-----	1	2	1,289	1,354	13	5	53	28	140	157	-	1

Weekly Morbidity Report

Table 2.—CASES OF SPECIFIED DISEASES WITH COMPARATIVE DATA: UNITED STATES,
EACH DIVISION AND STATE FOR WEEK ENDED JUNE 21, 1952—Continued

(Numbers under diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	WHOOPING COUGH (056)		Ectulism (049.1)	Brucellosis (undulant fever) (044)	Encephalitis, acute infectious (082)	Hepatitis, infectious, and serum (082, NS98.5 Pt.)	Malaria (110-117)	Rocky Mountain spotted fever (104A)	Smallpox (084)	Trichiniasis (128)	Tularemia (059)	Typhus fever, endemic (101)	Rabies in animals
	Week ended												
	June 21, 1952	June 23, 1951											
UNITED STATES-----	779	1,351	-	60	11	298	360	14	-	14	12	8	205
NEW ENGLAND-----	20	43	-	3	-	2	10	-	-	3	-	-	-
Maine-----	-	6	-	-	-	1	-	-	-	-	-	-	-
New Hampshire-----	-	3	-	-	-	-	-	-	-	-	-	-	-
Vermont-----	6	1	-	3	-	-	-	-	-	-	-	-	-
Massachusetts-----	11	21	-	-	-	1	8	-	-	2	-	-	-
Rhode Island-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut-----	3	12	-	-	-	-	2	-	-	1	-	-	-
MIDDLE ATLANTIC-----	94	121	-	2	3	31	12	1	-	8	-	-	14
New York-----	32	50	-	1	3	25	8	1	-	8	-	-	7
New Jersey-----	34	33	-	1	-	-	4	-	-	-	-	-	-
Pennsylvania-----	28	38	-	-	-	6	-	-	-	-	-	-	7
EAST NORTH CENTRAL-----	67	102	-	12	4	11	20	6	-	-	1	-	20
Ohio-----	28	33	-	-	-	1	-	5	-	-	-	-	1
Indiana-----	5	31	-	-	-	8	-	-	-	-	-	-	3
Illinois-----	4	17	-	4	2	-	3	1	-	-	-	-	10
Michigan-----	19	43	-	1	2	2	1	-	-	-	-	-	2
Wisconsin-----	11	58	-	7	-	-	16	-	-	-	1	-	4
WEST NORTH CENTRAL-----	15	76	-	19	3	16	23	-	-	-	3	-	22
Minnesota-----	3	10	-	2	-	-	3	-	-	-	2	-	2
Iowa-----	2	11	-	15	-	3	3	-	-	-	-	-	13
Missouri-----	2	12	-	2	-	11	17	-	-	-	1	-	5
North Dakota-----	-	19	-	-	1	1	-	-	-	-	-	-	-
South Dakota-----	-	3	-	-	1	-	-	-	-	-	-	-	-
Nebraska-----	5	1	-	-	-	-	-	-	-	-	-	-	2
Kansas-----	1	20	-	-	1	1	-	-	-	-	-	-	-
SOUTH ATLANTIC-----	51	191	-	1	-	172	87	6	-	-	1	2	22
Delaware-----	2	1	-	-	-	-	-	1	-	-	-	-	-
Maryland-----	1	6	-	-	-	3	-	1	-	-	-	-	-
District of Columbia-----	-	6	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	28	43	-	-	-	22	20	2	-	-	-	-	7
West Virginia-----	-	34	-	1	-	1	-	1	-	-	-	-	3
North Carolina-----	6	56	-	-	-	34	34	1	-	-	-	-	3
South Carolina-----	3	1	-	-	-	2	23	-	-	-	-	-	5
Georgia-----	8	33	-	-	-	104	9	-	-	-	1	2	4
Florida-----	5	11	-	-	-	6	1	-	-	-	-	-	-
EAST SOUTH CENTRAL-----	108	124	-	3	-	33	66	-	-	-	1	3	32
Kentucky-----	70	71	-	-	-	7	46	-	-	-	-	-	8
Tennessee-----	23	22	-	-	-	11	13	-	-	-	-	-	12
Alabama-----	3	20	-	2	-	10	3	-	-	-	-	2	5
Mississippi-----	12	11	-	1	-	5	4	-	-	*	1	1	7
WEST SOUTH CENTRAL-----	269	399	-	12	1	4	85	-	-	1	5	3	85
Arkansas-----	9	33	-	1	-	4	14	-	-	-	2	-	13
Louisiana-----	9	2	-	1	-	-	27	-	-	-	-	-	37
Oklahoma-----	9	37	-	2	1	-	21	-	-	1	-	-	2
Texas-----	242	327	-	8	-	-	23	-	-	*	3	3	33
MOUNTAIN-----	69	117	-	3	-	7	8	1	-	-	1	-	4
Montana-----	1	11	-	-	-	-	3	-	-	-	1	-	-
Idaho-----	-	7	-	1	-	-	-	1	-	-	-	-	-
Wyoming-----	-	5	-	-	-	-	-	-	-	-	-	-	-
Colorado-----	4	19	-	1	-	2	-	-	-	-	-	-	-
New Mexico-----	1	24	-	-	-	5	-	-	-	-	-	-	4
Arizona-----	63	43	-	1	-	-	4	-	-	-	-	-	-
Utah-----	-	8	-	-	-	-	1	-	-	-	-	-	-
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC-----	88	78	-	5	-	22	49	-	-	2	-	-	6
Washington-----	3	9	-	-	-	-	1	-	-	-	-	-	-
Oregon-----	4	8	-	-	-	10	1	-	-	-	-	-	-
California-----	81	61	-	5	-	12	47	-	-	2	-	-	6


Table 3.—CASES OF SPECIFIED DISEASES: SELECTED CITIES FOR WEEK ENDED

JUNE 21, 1952

(Numbers after diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	Brucellosis (undulant fever) (044)	Diphtheria (055)	Encephalitis, acute infectious (062)	Hepatitis, infectious, and serum (092, N998.5 pt.)	Measles (085)	Meningococcal infections (057)	Polioomyelitis, acute (080)	Rocky Mountain spotted fever (104A)	Scarlet fever and streptococcal sore throat (050,051)	Trichiniasis (128)	Tularemia (059)	Typhoid fever (040)	Typhus fever, endemic (101)	Whooping cough (056)	Rabies in animals
TOTAL: 106 cities--	1	6	5	31	3,377	32	103	1	368	11	-	7	-	128	10
NEW ENGLAND															
Boston-----					45	2			5	1				1	
Bridgeport-----					3				7						
Cambridge-----					4				2						
Fall River-----					8										
Hartford-----					3				5						
Lowell-----															
Lynn-----					7		1		4						
New Bedford-----					54				1						
New Haven-----					153										
Portland, Me.-----					2										
Providence-----					22				1						
Somerville-----					7				2						
Springfield, Mass.-----					6	1			1					1	
Waterbury-----									9						
Worcester-----					28				3						
MIDDLE ATLANTIC															
Albany-----					1										
Buffalo-----					20	2			1						
Camden-----					7		1								
Elizabeth-----					20										
Erie-----					12										
Jersey City-----					16	1									
Newark, N. J.-----					103				4					3	
New York City-----		1	3	12	411	3	5		57	8		2		12	
Paterson-----					52				9						
Philadelphia-----															
Pittsburgh-----				1	26	3			6					3	
Reading-----					7				1					1	
Rochester, N. Y.-----					17				42						
Schenectady-----															
Syracuse-----					78				13						
Trenton-----					14										
Utica-----															
Yonkers-----					20										
EAST NORTH CENTRAL															
Akron-----					28	2			3					8	
Canton-----					3									5	
Chicago-----					287	1	2		19			1		3	
Cincinnati-----					13	1			3					2	
Cleveland-----					152	1	3		8					3	
Columbus-----					17		2		2						1
Dayton-----						1			1						
Detroit-----			1		174				35					9	1
Evansville-----					1									1	
Flint-----					5				2						
Fort Wayne-----							4								
Grand Rapids-----					9				5						
Indianapolis-----					19				4					1	
Milwaukee-----					608				9					1	
Peoria-----					6										
South Bend-----					1				1					1	
Toledo-----															5
Youngstown-----					4										
WEST NORTH CENTRAL															
Des Moines-----					5										
Duluth-----					1										
Kansas City, Kans.-----															
Kansas City, Mo.-----					40		1		2					1	
Minneapolis-----				1	71		2		3						
Omaha-----							2								
St. Louis-----				2	12	4	3							1	
St. Paul-----				1	15	1	1		2					2	
Wichita-----					5				1						

Provisional Statistics for Deaths in Selected Cities for Week Ended
June 21, 1952



The chart shows the number of deaths reported for 106 major cities of the United States by week for the current year, and, for comparison, the median of the number of deaths reported for the corresponding weeks of the three previous calendar years. (The median is the central one of the three values arranged in order of magnitude.) If a report is not received from a city in time to be included in the total for the current week, an estimate is made to maintain comparability for graphic presentation.

The figures reported represent the number of death certificates received in the vital statistics offices during the week indicated, for deaths occurring in that city. Figures compiled in this way, by week of receipt, usually approximate closely the number of deaths occurring during the week. However, differences are to be expected because of variations in the interval

between death and receipt of the certificate.

While week-to-week changes in the total number of deaths reported for all major cities generally represent a change in mortality conditions, this may not be true for variations in weekly figures for each city. For example, in a city where 50 deaths are the weekly average, the number of deaths occurring in a week may be expected to vary by chance alone from 36 to 64 ($d \pm 2\sqrt{d}$, where d represents the average number of deaths per week).

The number of deaths in cities of the same size may also differ because of variations in the age, race, and sex composition of their populations, and because some cities are hospital centers serving the surrounding areas. Changes from year to year in the number of deaths may be due in part to population increases or decreases.

Table 4.—DEATHS IN SELECTED CITIES BY GEOGRAPHIC DIVISION

(By place of occurrence, and week of filing certificate. Exclusive of fetal deaths)

GEOGRAPHIC DIVISION	25th week ended June 21, 1952	24th week ended June 14, 1952	25th week median 1949-51	Percentage difference between current week and median	CUMULATIVE NUMBER FOR FIRST 25 WEEKS		
					1952	1951	Percentage difference
TOTAL: 104 REPORTING CITIES-----	9,587	9,622	9,013	+6.4	251,313	249,873	+0.6
New England----- (14 cities)	650	633	626	+3.8	17,311	17,706	-2.2
Middle Atlantic----- (17 cities)	2,936	2,839	2,756	+6.5	76,766	76,907	-0.2
East North Central----- (18 cities)	2,134	2,218	1,965	+8.6	55,303	55,980	-1.2
West North Central----- (8 cities)	742	789	649	+14.3	18,002	17,276	+4.2
South Atlantic----- (9 cities)	698	715	686	+1.7	19,800	18,658	+5.0
East South Central----- (6 cities)	315	343	316	-0.3	8,321	8,407	-1.0
West South Central----- (13 cities)	781	689	698	+11.9	18,811	18,578	+1.3
Mountain----- (7 cities)	228	227	201	+13.4	5,710	5,290	+7.9
Pacific----- (12 cities)	1,103	1,169	1,130	-2.4	31,469	31,071	+1.3

Weekly Mortality Report

Table 5.—DEATHS IN SELECTED CITIES FOR WEEK ENDED

JUNE 21, 1952

(By place of occurrence, and week of filing certificate. Exclusive of fetal deaths)

CITY	25th week ended June 21, 1952	24th week ended June 14, 1952	CUMULATIVE NUMBER FOR FIRST 25 WEEKS		CITY	25th week ended June 21, 1952	24th week ended June 14, 1952	CUMULATIVE NUMBER FOR FIRST 25 WEEKS	
			1952	1951				1952	1951
NEW ENGLAND					WEST NORTH CENTRAL—Con.				
Boston-----	217	209	5,985	5,903	St. Paul-----	61	65	1,571	1,615
Bridgeport-----	30	37	879	879	Wichita-----	29	45	994	1,004
Cambridge-----	25	29	796	828	SOUTH ATLANTIC				
Fall River-----	21	19	719	788	Atlanta-----	103	97	2,499	2,141
Hartford-----	45	52	1,124	1,132	Baltimore-----	206	224	5,947	5,695
Lowell-----	34	27	643	727	Charlotte-----	32	25	684	702
Lynn-----	24	13	568	557	Miami-----	56	57	1,392	1,382
New Bedford-----	24	18	589	629	Norfolk-----	17	36	764	804
New Haven-----	37	38	1,095	1,119	Richmond-----	54	80	1,744	1,606
Providence-----	61	65	1,615	1,704	Tampa-----	52	40	1,465	1,229
Somerville-----	11	22	417	465	Washington, D. C.-----	151	134	4,292	4,294
Springfield, Mass.-----	33	31	953	986	Wilmington, Del.-----	27	22	813	805
Waterbury-----	35	19	821	813	EAST SOUTH CENTRAL				
Worcester-----	53	54	1,407	1,368	Birmingham-----	74	82	1,715	1,901
MIDDLE ATLANTIC					Chattanooga-----	34	41	1,163	1,147
Albany-----	34	31	1,017	1,076	Knoxville-----	41	29	856	843
Buffalo-----	150	143	3,602	3,716	Louisville-----	71	116	2,493	2,381
Camden-----	31	38	943	880	Memphis-----	(107)	---	---	(2,336)
Elizabeth-----	38	20	799	746	Mobile-----	35	42	810	788
Erie-----	35	32	842	847	Montgomery-----	(45)	(38)	(665)	(692)
Jersey City-----	70	71	1,852	1,805	Nashville-----	60	33	1,304	1,347
Newark, N. J.-----	104	91	2,725	2,618	WEST SOUTH CENTRAL				
New York City-----	1,526	1,467	40,386	39,852	Austin-----	23	17	584	652
Paterson-----	31	37	1,020	952	Baton Rouge-----	15	10	391	381
Philadelphia-----	479	460	12,159	13,073	Corpus Christi-----	17	12	426	344
Pittsburgh-----	177	158	4,487	4,481	Dallas-----	100	74	2,232	2,157
Rochester, N. Y.-----	92	93	2,374	2,338	El Paso-----	44	33	666	753
Schenectady-----	18	28	591	563	Fort Worth-----	47	53	1,341	1,307
Syracuse-----	48	60	1,347	1,288	Houston-----	127	116	2,934	2,804
Trenton-----	46	49	1,138	1,142	Little Rock-----	28	45	1,181	1,053
Utica-----	28	32	768	830	New Orleans-----	164	159	3,910	3,916
Yonkers-----	29	31	726	702	Oklahoma City-----	65	30	1,315	1,307
EAST NORTH CENTRAL					San Antonio-----	74	73	1,896	2,033
Akron-----	51	49	1,395	1,308	Shreveport-----	38	32	959	972
Canton-----	25	29	703	718	Tulsa-----	39	35	976	899
Chicago-----	745	749	18,266	18,791	MOUNTAIN				
Cincinnati-----	123	71	3,640	3,779	Albuquerque-----	24	23	624	646
Cleveland-----	229	228	5,319	5,325	Colorado Springs-----	10	13	301	278
Columbus-----	101	97	2,563	2,481	Denver-----	115	105	2,651	2,423
Dayton-----	45	63	1,530	1,509	Ogden-----	12	13	329	283
Detroit-----	306	331	7,784	8,158	Phoenix-----	24	18	538	464
Evansville-----	20	42	836	798	Pueblo-----	14	10	260	239
Flint-----	31	32	851	794	Salt Lake City-----	29	45	1,007	957
Fort Wayne-----	29	26	762	818	Tucson-----	(4)	(5)	(136)	(146)
Grand Rapids-----	22	33	951	998	PACIFIC				
Indianapolis-----	116	95	2,831	2,772	Berkeley-----	18	25	491	440
Milwaukee-----	130	110	3,065	2,853	Long Beach-----	53	50	1,195	1,142
Peoria-----	28	26	758	776	Los Angeles-----	369	437	11,393	11,169
South Bend-----	14	23	577	662	Oakland-----	89	79	2,529	2,361
Toledo-----	75	89	2,252	2,390	Pasadena-----	27	30	806	811
Youngstown-----	44	45	1,220	1,070	Portland, Oreg.-----	77	80	2,474	2,522
WEST NORTH CENTRAL					Sacramento-----	39	47	1,161	1,103
Des Moines-----	46	62	1,308	1,177	San Diego-----	68	50	1,840	1,644
Duluth-----	12	25	638	638	San Francisco-----	187	218	4,855	4,953
Kansas City, Kans.-----	---	(39)	---	(973)	Seattle-----	98	90	2,937	2,946
Kansas City, Mo.-----	129	137	2,935	2,758	Spokane-----	36	41	1,032	1,054
Minneapolis-----	97	121	2,935	2,858	Tacoma-----	42	22	876	926
Omaha-----	76	71	1,636	1,442	HONOLULU				
St. Louis-----	292	263	5,985	5,804	Honolulu-----	(32)	(39)	(829)	(777)

Symbols.—parentheses [()] : data not included in table 4; 3 dashes [---] : data not available.