

Morbidity and Mortality

Weekly
Report



FEDERAL SECURITY AGENCY Public Health Service

NATIONAL OFFICE OF VITAL STATISTICS

Vol. 1, No. 26

Washington 25, D. C.

July 7, 1952

Provisional Statistics for Specified Notifiable Diseases in the United States for Week Ended June 28, 1952

The number of cases of poliomyelitis in the United States for the current week is 583, an increase of 162 over the number (421) for the previous week. Almost half of the total for this week occurred in Texas, California, and Louisiana. The figures for this week and the corresponding week of 1951 are shown in the table on page 4.

For the first 26 weeks of the year the incidence of poliomyelitis in the country as a whole is higher than for the same period in 1951. The cumulative number (3,683) for the first half of 1952 is also much larger than the 2,974 cases reported in 1949, the year of the highest incidence. (See chart.) In Texas, the number (1,117) is almost three times the figure (378) for the corresponding period of 1951. The total in California is 573 cases as compared with 527 in 1951. During the first 6 months of 1952 the following other States have reported large numbers of cases (last year's figures are shown in parentheses): Louisiana, 221 (120); Mississippi, 162 (65); Florida, 132 (140); New York, 115 (215); and Washington, 87 (73).

In Hawaii, for the first 6 months of this year, there have been 60 cases of poliomyelitis as compared with only 6 for the same


period of 1951. All of the cases for the current year, except a very few, have occurred on the island of Oahu. The number reported represents only paralytic cases, and in addition, there has been an unduly large number of nonparalytic "virus" or aseptic meningo-encephalitis cases. In a report from Dr. Enright it was stated that, unlike the United States, more cases occur before, than during the summer months. Over a 10-year period (1942-51) 207 cases have been reported, of which 147 were for the first 6 months.

During the first 26 weeks of 1952, 19 cases of human anthrax were reported as compared with 39 for the same period of last year. For this year 4 outbreaks of anthrax in animals have occurred in 4 States. One outbreak was in Ohio among swine. The second was a related outbreak in Indiana and the other 2 were in Kansas and Michigan.

Twelve cases of smallpox have been reported which is about the same as the number (11) of confirmed cases reported for the entire year of 1951.

Several diseases have been reported this year for the first time on a weekly basis. However, monthly data for 1951 are

POLIOMYELITIS CASES BY WEEK: UNITED STATES, 1949, 1951, AND 1952



Weekly Morbidity Report

available. For comparative purposes, the cumulative numbers of cases during the first 26 weeks of this year for these diseases are as follows, (last year's figures in parentheses): Brucellosis, 1,044 (1,433); infectious hepatitis, 8,903 (3,099); malaria, 2,640 (738); trichiniasis, 187 (203); endemic typhus fever, 88 (182).

EPIDEMIOLOGICAL REPORTS

Plague Infection

F. M. Prince, Plague Investigations Section of the Public Health Service, San Francisco, reports that the following specimens obtained in Lincoln County, Washington, have been proved positive for plague:

Specimen No. WB-22 consisting of 32 fleas (*Megabothris clantoni*, *Malareus telchinum*) from 38 field mice (*Microtus* sp.) which were trapped June 6, on U.S. Highway 2, 14 miles west of Davenport.

Another specimen consisting of 45 fleas (*Monopsyllus wagneri*, *Malareus telchinum*) from 33 deer mice (*Peromyscus maniculatus*), which were trapped June 6, in the same locality as the previous specimen.

Salmonellosis

Dr. W. L. Halverson, Director, California Department of Public Health, reports that 10 persons became ill about 18 hours after eating home-made ice cream. In 3 cases there was fever of 103° which lasted about 5 days. The ice cream was prepared from 1 can of freshly opened canned milk, 2 quarts of pasteurized milk, eggs, and flavoring. It was suspected that the eggs were the source of infection. However, no information was available on this source. Laboratory examination of specimens collected from stools and from left over ice cream revealed the presence of *S. montevideo*.

Table 1.—COMPARATIVE DATA FOR CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Numbers after diseases are category numbers of the Sixth Revision of the International Lists, 1948)

DISEASE	TOTAL FOR WEEK ENDED		5-year median 1947-51	Approximate seasonal low week ended	CUMULATIVE TOTAL SINCE SEASONAL LOW WEEK		5-year median 1946-47 through 1950-51	CUMULATIVE TOTAL FOR CALENDAR YEAR		5-year median 1947-51
	June 28, 1952 ¹	June 30, 1951			1951-52	1950-51		1952	1951	
Anthrax-----062	-	-	2	(²)	(²)	(²)	(²)	19	39	33
Brucellosis (undulant fever)----044	58	---	---	(²)	(²)	(²)	(²)	1,044	---	---
Diphtheria-----055	27	51	72	July 1	3,634	4,938	8,899	1,453	1,970	3,688
Encephalitis, acute infectious---082	17	22	12	(²)	(²)	(²)	(²)	624	447	269
Hepatitis, infectious, and serum-----092, N998.5 pt.	162	---	---	(²)	(²)	(²)	(²)	8,903	---	---
Malaria-----110-117	429	---	---	(²)	(²)	(²)	(²)	2,640	---	---
Measles-----085	10,048	8,544	8,006	Sept. 1	677,618	465,120	465,120	625,441	436,419	436,419
Meningococcal infections-----057	67	59	50	Sept. 1	4,171	3,490	3,178	3,016	2,447	2,108
Poliomyelitis, acute-----080	583	344	344	Apr. 1	2,363	1,534	1,923	3,683	2,832	2,832
Rocky Mountain spotted fever---104A	22	21	22	(²)	(²)	(²)	(²)	122	130	175
Scarlet fever and streptococcal sore throat-----050,051	1,398	652	652	Aug. 1	388,861	66,907	74,457	372,950	50,959	52,805
Trichiniasis-----128	8	---	---	(²)	(²)	(²)	(²)	187	---	---
Tularemia-----059	22	9	17	(²)	(²)	(²)	(²)	350	348	514
Typhoid fever-----040	94	55	80	Apr. 1	508	437	594	907	829	1,081
Typhus fever, endemic-----101	7	---	---	Apr. 1	58	---	---	88	---	---
Whooping cough-----056	850	1,270	1,270	Oct. 1	441,738	60,960	81,992	427,553	39,346	50,116
Rabies in animals-----	128	114	---	(²)	(²)	(²)	(²)	4,651	3,913	---

¹Smallpox: New Mexico, 1 case. Colorado tick fever: Nevada, 2 cases.

²Not computed.

³Addition: Iowa, week ended June 14, 14 cases.

⁴Addition: West Virginia, week ended June 21, 17 cases.

NOTE.—Cases of specified notifiable diseases occurring in outlying possessions for current week (corresponding week of 1951 shown in parentheses) follow:

Alaska: Poliomyelitis, - (2).

Hawaii: Diphtheria, - (1); measles, 8 (20); poliomyelitis, 6 (-); malaria, 5.

Puerto Rico: Diphtheria, 5 (4); measles, 27 (38); typhoid fever, - (8); whooping cough, 12 (19); rabies in animals, 1.

SOURCE AND NATURE OF DATA

These provisional data are based on reports from State and territorial health departments to the Public Health Service. They give the total number of cases of certain communicable diseases reported during the week usually ended the preceding Saturday.

When the diseases with low frequencies (botulism, cholera, dengue, plague, rabies in man, smallpox, typhus fever—epidemic, and yellow fever) are reported, they will be noted under the table above.

Symbols.—1 dash [-]: no cases reported; asterisk [*]: disease stated not notifiable; parentheses, []: data not included in total; 3 dashes [---]: data not available.

Weekly Morbidity Report

**Table 2.—CASES OF SPECIFIED DISEASES WITH COMPARATIVE DATA: UNITED STATES,
EACH DIVISION AND STATE FOR WEEK ENDED JUNE 28, 1952**

(Numbers under diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	DIPHTHERIA (055)		MEASLES (085)		MENINGOCOCCAL INFECTIONS (057)		POLIOMYELITIS, ACUTE (080)		SCARLET FEVER AND STREPTOCOCCAL SORE THROAT (050,051)		TYPHOID FEVER (040)	
	Week ended		Week ended		Week ended		Week ended		Week ended		Week ended	
	June 28, 1952	June 30, 1951	June 28, 1952	June 30, 1951	June 28, 1952	June 30, 1951	June 28, 1952	June 30, 1951	June 28, 1952	June 30, 1951	June 28, 1952	June 30, 1951
UNITED STATES-----	27	51	10,048	8,544	67	59	583	344	1,398	652	94	55
NEW ENGLAND-----	1	3	938	785	3	2	7	12	85	70	1	-
Maine-----	-	3	150	52	-	1	3	-	1	2	-	-
New Hampshire-----	-	-	16	4	1	-	-	-	1	2	1	-
Vermont-----	-	-	56	102	-	-	1	-	2	-	-	-
Massachusetts-----	1	-	394	526	1	1	1	7	40	58	-	-
Rhode Island-----	-	-	17	28	-	-	-	-	4	3	-	-
Connecticut-----	-	-	305	73	1	-	2	5	37	5	-	-
MIDDLE ATLANTIC-----	3	6	2,512	2,551	7	11	28	23	386	152	18	11
New York-----	1	3	1,110	1,395	5	5	21	17	302	98	16	3
New Jersey-----	-	-	1,110	655	-	4	3	3	48	17	-	2
Pennsylvania-----	2	3	292	501	2	2	4	3	36	37	2	6
EAST NORTH CENTRAL-----	-	5	3,191	1,070	15	12	62	43	223	166	5	10
Ohio-----	-	2	410	369	6	4	22	3	52	37	-	5
Indiana-----	-	1	48	30	3	1	9	4	3	4	2	-
Illinois-----	-	-	370	434	4	5	8	17	42	34	-	3
Michigan-----	-	1	554	237	2	2	13	9	82	73	1	-
Wisconsin-----	-	1	1,809	-	-	-	10	10	44	18	2	2
WEST NORTH CENTRAL-----	-	1	276	581	6	3	49	18	27	29	4	1
Minnesota-----	-	1	31	17	-	-	2	2	8	7	1	-
Iowa-----	-	-	62	326	-	-	20	2	2	4	1	-
Missouri-----	-	-	61	94	4	2	5	-	6	14	2	1
North Dakota-----	-	-	16	52	1	-	1	5	5	3	-	-
South Dakota-----	-	-	5	22	-	-	-	-	-	-	-	-
Nebraska-----	-	-	50	12	-	-	2	3	3	1	-	-
Kansas-----	-	-	51	58	1	1	19	6	3	-	-	-
SOUTH ATLANTIC-----	6	8	828	920	5	16	44	44	90	40	14	3
Delaware-----	-	-	17	36	-	-	-	3	1	-	-	-
Maryland-----	-	1	43	271	-	3	-	1	12	9	1	-
District of Columbia-----	-	-	18	30	1	-	1	1	-	3	-	-
Virginia-----	1	3	321	317	2	3	-	3	44	2	2	-
West Virginia-----	1	1	129	53	-	1	6	2	3	3	2	2
North Carolina-----	1	3	87	84	-	2	9	5	16	16	2	-
South Carolina-----	1	-	49	21	1	4	1	1	1	1	2	-
Georgia-----	2	-	126	70	1	1	17	13	10	3	5	1
Florida-----	-	-	38	38	-	2	10	15	3	3	-	-
EAST SOUTH CENTRAL-----	2	9	367	130	13	5	45	29	17	24	27	7
Kentucky-----	1	-	125	33	6	1	2	2	6	3	6	2
Tennessee-----	-	1	56	42	2	2	9	5	7	11	3	2
Alabama-----	1	5	180	48	3	2	8	14	4	5	3	1
Mississippi-----	-	3	6	7	2	-	26	8	-	5	15	2
WEST SOUTH CENTRAL-----	8	11	449	599	9	4	273	106	194	13	23	15
Arkansas-----	-	-	55	68	1	1	9	9	37	-	13	3
Louisiana-----	-	1	27	9	2	-	36	22	1	2	1	1
Oklahoma-----	-	2	28	35	-	-	22	13	3	2	2	4
Texas-----	8	8	339	487	6	3	206	62	153	9	7	7
MOUNTAIN-----	1	4	385	466	1	1	20	15	264	18	1	6
Montana-----	-	-	49	118	-	-	5	-	3	-	-	1
Idaho-----	-	-	52	81	-	-	-	-	6	2	-	2
Wyoming-----	-	-	9	70	-	1	2	-	26	-	-	-
Colorado-----	-	1	123	30	1	-	5	2	7	2	-	2
New Mexico-----	-	-	20	23	-	-	6	5	1	-	1	1
Arizona-----	-	3	63	70	-	-	2	8	191	2	-	-
Utah-----	1	-	68	74	-	-	-	-	30	10	-	-
Nevada-----	-	-	1	-	-	-	-	-	-	-	-	-
PACIFIC-----	6	4	1,102	1,442	8	5	55	54	112	142	1	2
Washington-----	1	-	58	70	1	-	14	4	3	9	-	-
Oregon-----	-	1	58	295	-	1	2	2	13	9	-	-
California-----	5	3	986	1,077	7	4	39	48	96	124	1	2

Weekly Morbidity Report

Table 2.—CASES OF SPECIFIED DISEASES WITH COMPARATIVE DATA: UNITED STATES,
EACH DIVISION AND STATE FOR WEEK ENDED JUNE 28, 1952—Continued
(Numbers under diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	WHOOPING COUGH (056)		Botulism (049.1)	Brucellosis (undulant fever) (044)	Encephalitis, acute infectious (062)	Hepatitis, infectious, and serum (092, NS98.5 pt.)	Malaria (110-117)	Rocky Mountain spotted fever (104A)	Smallpox (084)	Trichiniasis (128)	Tularemia (059)	Typhus fever, endemic (101)	Rabies in animals
	Week ended												
	June 28, 1952	June 30, 1951											
UNITED STATES-----	850	1,270	-	58	17	162	429	22	1	8	22	7	128
NEW ENGLAND-----	34	29	-	2	1	11	7	1	-	-	-	-	-
Maine-----	-	4	-	-	-	3	-	-	-	-	-	-	-
New Hampshire-----	-	2	-	-	-	-	-	-	-	-	-	-	-
Vermont-----	3	-	-	1	-	-	-	-	-	-	-	-	-
Massachusetts-----	21	19	-	1	1	6	5	1	-	-	-	-	-
Rhode Island-----	1	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut-----	9	4	-	-	-	2	2	-	-	-	-	-	-
MIDDLE ATLANTIC-----	91	101	-	-	7	13	4	3	-	6	-	-	8
New York-----	35	45	-	-	5	5	3	-	-	6	-	-	4
New Jersey-----	29	31	-	-	2	-	1	3	-	-	-	-	-
Pennsylvania-----	27	25	-	-	-	8	-	-	-	-	-	-	4
EAST NORTH CENTRAL-----	128	219	-	5	2	10	30	-	-	-	4	-	26
Ohio-----	45	36	-	-	-	1	1	-	-	-	-	-	5
Indiana-----	9	16	-	-	-	3	-	-	-	-	-	-	4
Illinois-----	15	42	-	3	-	3	6	-	-	-	4	-	9
Michigan-----	34	64	-	-	2	2	3	-	-	-	-	-	7
Wisconsin-----	25	61	-	2	-	1	18	-	-	-	-	-	1
WEST NORTH CENTRAL-----	22	61	-	28	1	14	45	-	-	1	1	-	20
Minnesota-----	-	7	-	5	-	-	14	-	-	-	-	-	5
Iowa-----	-	9	-	14	-	2	4	-	-	-	-	-	10
Missouri-----	6	7	-	5	-	3	26	-	-	-	-	-	2
North Dakota-----	3	9	-	-	-	2	1	-	-	-	-	-	1
South Dakota-----	-	6	-	1	-	4	-	-	-	-	-	-	-
Nebraska-----	1	4	-	-	1	3	-	-	-	-	-	-	2
Kansas-----	10	19	-	3	-	-	-	-	-	-	1	-	-
SOUTH ATLANTIC-----	74	124	-	8	-	26	95	9	-	-	4	1	28
Delaware-----	1	1	-	-	-	-	-	-	-	-	-	-	-
Maryland-----	6	8	-	-	-	1	14	2	-	-	1	-	-
District of Columbia-----	2	3	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	23	62	-	1	-	7	22	4	-	-	1	-	14
West Virginia-----	25	-	-	3	-	2	-	-	-	-	-	-	2
North Carolina-----	3	18	-	2	-	1	27	2	-	-	1	-	4
South Carolina-----	3	6	-	-	-	1	-	1	-	-	-	-	2
Georgia-----	5	8	-	2	-	10	32	-	-	-	-	1	6
Florida-----	6	18	-	-	-	4	-	-	-	-	1	-	-
EAST SOUTH CENTRAL-----	61	72	-	3	3	47	51	-	-	-	-	1	19
Kentucky-----	29	14	-	-	-	7	40	-	-	-	-	-	-
Tennessee-----	12	27	-	2	1	7	8	-	-	-	-	-	7
Alabama-----	18	19	-	-	1	30	2	-	-	*	-	-	10
Mississippi-----	2	12	-	1	1	3	1	-	-	*	-	1	2
WEST SOUTH CENTRAL-----	228	519	-	-	2	1	126	-	-	-	4	5	20
Arkansas-----	14	55	-	-	1	1	22	-	-	-	2	-	1
Louisiana-----	1	6	-	-	-	-	59	-	-	-	-	-	-
Oklahoma-----	3	25	-	-	-	-	1	-	-	-	2	-	-
Texas-----	210	433	-	-	1	-	44	-	-	*	-	5	19
MOUNTAIN-----	107	51	-	3	1	10	20	9	1	-	9	-	3
Montana-----	-	7	-	1	-	-	-	-	-	-	1	-	-
Idaho-----	-	-	-	-	-	3	-	4	-	-	1	-	-
Wyoming-----	-	9	-	1	-	-	6	-	-	-	6	-	-
Colorado-----	5	10	-	-	-	3	5	-	-	-	-	-	-
New Mexico-----	3	4	-	-	1	-	-	1	1	-	-	-	3
Arizona-----	96	21	-	1	-	3	6	-	-	-	-	-	-
Utah-----	3	-	-	-	-	-	1	4	-	-	1	-	-
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC-----	105	94	-	9	-	30	51	-	-	1	-	-	4
Washington-----	3	15	-	3	-	-	1	-	-	-	-	-	-
Oregon-----	9	4	-	-	-	14	-	-	-	-	-	-	-
California-----	93	75	-	6	-	16	50	-	-	1	-	-	4

Weekly Morbidity Report


Table 3.—CASES OF SPECIFIED DISEASES: SELECTED CITIES FOR WEEK ENDED

JUNE 28, 1952

(Numbers after diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	Brucellosis (undulant fever) (044)	Diphtheria (055)	Encephalitis, acute infectious (082)	Hepatitis, infectious, and serum (092, N998.5 pt.)	Measles (085)	Meningococcal infections (057)	Polymyositis, acute (090)	Rocky Mountain spotted fever (104A)	Scarlet fever and streptococcal sore throat (050,051)	Trichiniasis (128)	Tularemia (059)	Typhoid fever (040)	Typhus fever, endemic (101)	Whooping cough (056)	Rabies in animals	
TOTAL: 101 cities--	4	11	9	28	2,420	28	155	1	389	7	3	8	-	186	14	
NEW ENGLAND																
Boston-----					31				10						5	
Bridgeport-----					4				2							
Cambridge-----					2				2						1	
Fall River-----					1											
Hartford-----			1		4	4	1									
Lowell-----					2				2							
Lynn-----					4		1		1							
New Bedford-----					25											
New Haven-----					8											
Portland, Me.-----					2											
Providence-----					14				4							
Somerville-----					3				1							
Springfield, Mass.-----					5	3	1		1					1		
Waterbury-----					2				3							
Worcester-----					2	56			2							
MIDDLE ATLANTIC																
Albany-----					-				1							
Buffalo-----					8				2							
Camden-----					2							1				
Elizabeth-----					15											
Erie-----					16				2							
Jersey City-----					7											
Newark, N. J.-----					75				3							
New York City-----		1	5		5	288	2	8	41	6		1		17		
Paterson-----					13				1							
Philadelphia-----				4	41		1		8					10		
Pittsburgh-----					29	2	1		3			1		4		
Reading-----					11											
Rochester, N. Y.-----					8				28							
Schenectady-----					-											
Syracuse-----					36				6					2		
Trenton-----					13											
Utica-----					142				94					2		
Yonkers-----					12		1		1					2		
EAST NORTH CENTRAL																
Akron-----					-											
Canton-----					4										1	
Chicago-----					109	3	3		29		2			8		
Cincinnati-----		1		2	3	1				1		1		3		
Cleveland-----			1		114		8		9			1		3		
Columbus-----					13				2					2	1	
Dayton-----					-											
Detroit-----			1		148		1		17					10	1	
Evansville-----					2											
Flint-----					2				2							
Fort Wayne-----					2											
Grand Rapids-----					5											
Indianapolis-----					14	3	1							2		
Milwaukee-----					367				7					11		
Peoria-----			1		5	2										
South Bend-----					1				1					1		
Toledo-----					-											
Youngstown-----					3	1										
WEST NORTH CENTRAL																
Des Moines-----					3	2			1							
Duluth-----		1			-				1							
Kansas City, Kans.-----					-											
Kansas City, Mo.-----				1	21		2							2		
Minneapolis-----					19				2							
Omaha-----					3		1									
St. Louis-----	1				6		2		3					1		
St. Paul-----					11				1							
Wichita-----					2									1		

Provisional Statistics for Deaths in Selected Cities for Week Ended
June 28, 1952



The chart shows the number of deaths reported for 106 major cities of the United States by week for the current year, and, for comparison, the median of the number of deaths reported for the corresponding weeks of the three previous calendar years. (The median is the central one of the three values arranged in order of magnitude.) If a report is not received from a city in time to be included in the total for the current week, an estimate is made to maintain comparability for graphic presentation.

The figures reported represent the number of death certificates received in the vital statistics offices during the week indicated, for deaths occurring in that city. Figures compiled in this way, by week of receipt, usually approximate closely the number of deaths occurring during the week. However, differences are to be expected because of variations in the interval

between death and receipt of the certificate.

While week-to-week changes in the total number of deaths reported for all major cities generally represent a change in mortality conditions, this may not be true for variations in weekly figures for each city. For example, in a city where 50 deaths are the weekly average, the number of deaths occurring in a week may be expected to vary by chance alone from 36 to 64 ($d \pm 2\sqrt{d}$, where d represents the average number of deaths per week).

The number of deaths in cities of the same size may also differ because of variations in the age, race, and sex composition of their populations, and because some cities are hospital centers serving the surrounding areas. Changes from year to year in the number of deaths may be due in part to population increases or decreases.

Table 4.—DEATHS IN SELECTED CITIES BY GEOGRAPHIC DIVISION

(By place of occurrence, and week of filing certificate. Exclusive of fetal deaths)

GEOGRAPHIC DIVISION	week ended June 28th 1952	week ended June 21st 1952	26th week median 1949-51	Percentage difference between current week and median	CUMULATIVE NUMBER FOR FIRST 26 WEEKS		
					1952	1951	Percentage difference
TOTAL: 104 REPORTING CITIES-----	9,491	9,602	9,085	+4.5	261,893	259,939	+0.7
New England----- (14 cities)	623	650	624	-0.2	17,934	16,340	-2.2
Middle Atlantic----- (17 cities)	2,902	2,936	2,802	+3.6	79,668	79,738	-0.1
East North Central----- (18 cities)	2,035	2,134	2,011	+1.2	57,338	57,895	-1.0
West North Central----- (8 cities)	698	742	673	+3.7	18,700	17,875	+4.6
South Atlantic----- (9 cities)	798	698	717	+11.3	20,398	19,375	+5.3
East South Central----- (8 cities)	385	330	336	+14.6	9,785	9,732	+0.5
West South Central----- (13 cities)	735	781	783	-6.1	19,546	19,368	+0.9
Mountain----- (7 cities)	201	228	205	-2.0	5,911	5,503	+7.4
Pacific----- (12 cities)	1,114	1,103	1,042	+6.9	32,603	32,113	+1.5

Weekly Mortality Report

Table 5.—DEATHS IN SELECTED CITIES FOR WEEK ENDED

JUNE 28, 1952

(By place of occurrence, and week of filing certificate. Exclusive of fetal deaths)

CITY	26th week ended June 28, 1952	25th week ended June 21, 1952	CUMULATIVE NUMBER FOR FIRST 26 WEEKS		CITY	26th week ended June 28, 1952	25th week ended June 21, 1952	CUMULATIVE NUMBER FOR FIRST 26 WEEKS	
			1952	1951				1952	1951
NEW ENGLAND					WEST NORTH CENTRAL—Con.				
Boston-----	189	217	6,074	6,123	St. Paul-----	44	61	1,615	1,673
Bridgeport-----	43	30	922	906	Wichita-----	33	29	1,027	1,047
Cambridge-----	31	25	827	858	SOUTH ATLANTIC				
Fall River-----	29	21	748	811	Atlanta-----	97	103	2,596	2,241
Hartford-----	52	45	1,176	1,172	Baltimore-----	205	206	6,152	5,912
Lowell-----	24	34	667	753	Charlotte-----	27	32	711	736
Lynn-----	19	24	587	581	Miami-----	69	56	1,461	1,420
New Bedford-----	20	24	809	656	Norfolk-----	35	17	799	822
New Haven-----	41	37	1,136	1,167	Richmond-----	80	54	1,824	1,673
Providence-----	60	61	1,675	1,769	Tampa-----	50	52	1,515	1,265
Somerville-----	12	11	429	472	Washington, D. C.-----	193	151	4,485	4,472
Springfield, Mass.-----	30	33	983	1,019	Wilmington, Del.-----	42	27	855	834
Waterbury-----	15	35	636	641	EAST SOUTH CENTRAL				
Worcester-----	58	53	1,465	1,412	Birmingham-----	73	74	1,788	1,962
MIDDLE ATLANTIC					Chattanooga-----	42	34	1,205	1,190
Albany-----	45	34	1,062	1,124	Knoxville-----	27	41	863	878
Buffalo-----	127	150	3,729	3,827	Louisville-----	114	71	2,607	2,479
Camden-----	29	31	972	912	Memphis-----	98	75	2,481	2,415
Elizabeth-----	20	38	819	766	Mobile-----	31	35	841	808
Erie-----	40	35	892	883	Montgomery-----	(23)	(45)	(688)	(713)
Jersey City-----	92	70	1,944	1,868	Nashville-----	---	(60)	---	(1,398)
Newark, N. J.-----	48	104	2,773	2,696	WEST SOUTH CENTRAL				
New York City-----	1,645	1,526	42,031	41,339	Austin-----	27	23	611	678
Paterason-----	13	31	1,033	998	Baton Rouge-----	11	15	402	395
Philadelphia-----	447	479	12,606	13,569	Corpus Christi-----	7	17	433	371
Pittsburgh-----	145	177	4,632	4,630	Dallas-----	113	100	2,345	2,240
Rochester, N. Y.-----	89	92	2,463	2,431	El Paso-----	29	44	695	789
Schenectady-----	24	18	605	585	Fort Worth-----	62	47	1,403	1,362
Syracuse-----	55	48	1,402	1,342	Houston-----	110	127	3,044	2,912
Trenton-----	47	46	1,185	1,184	Little Rock-----	22	28	1,203	1,112
Utica-----	18	28	786	852	New Orleans-----	155	164	4,065	4,061
Yonkers-----	18	29	744	724	Oklahoma City-----	53	65	1,368	1,362
EAST NORTH CENTRAL					San Antonio-----	80	74	1,976	2,125
Akron-----	48	51	1,443	1,354	Shreveport-----	36	38	995	1,019
Canton-----	24	25	727	743	Tulsa-----	30	39	1,006	942
Chicago-----	673	745	18,939	19,424	MOUNTAIN				
Cincinnati-----	120	123	3,760	3,929	Albuquerque-----	20	24	644	666
Cleveland-----	215	229	5,534	5,513	Colorado Springs-----	10	10	311	300
Columbus-----	96	101	2,859	2,585	Denver-----	93	115	2,744	2,515
Dayton-----	44	45	1,574	1,562	Ogden-----	10	12	339	295
Detroit-----	295	306	8,079	8,420	Phoenix-----	17	24	555	483
Evansville-----	47	20	883	825	Pueblo-----	12	14	272	252
Flint-----	36	31	889	829	Salt Lake City-----	39	29	1,046	992
Fort Wayne-----	22	29	784	848	Tucson-----	(5)	(4)	(141)	(150)
Grand Rapids-----	35	22	986	1,033	PACIFIC				
Indianapolis-----	105	116	2,936	2,859	Berkeley-----	14	18	505	461
Milwaukee-----	105	130	3,170	2,937	Long Beach-----	50	53	1,245	1,185
Peoria-----	28	28	786	788	Los Angeles-----	373	369	11,766	11,525
South Bend-----	16	14	593	680	Oakland-----	85	89	2,614	2,453
Toledo-----	85	75	2,337	2,460	Pasadena-----	28	27	834	838
Youngstown-----	39	44	1,259	1,106	Portland, Oreg.-----	92	77	2,566	2,606
WEST NORTH CENTRAL					Sacramento-----	46	39	1,207	1,144
Des Moines-----	56	46	1,364	1,221	San Diego-----	65	68	1,905	1,703
Duluth-----	18	12	656	659	San Francisco-----	189	187	5,044	5,131
Kansas City, Kans.-----	---	---	---	(1,000)	Seattle-----	108	98	2,945	3,025
Kansas City, Mo.-----	106	129	3,041	2,836	Spokane-----	38	36	1,070	1,088
Minneapolis-----	86	97	3,021	2,959	Tacoma-----	26	42	902	954
Omaha-----	63	76	1,699	1,492	Honolulu-----	(30)	(32)	(859)	(795)
St. Louis-----	292	292	6,277	5,988					

Symbols.—parentheses [()] : data not included in table 4; 3 dashes [---] : data not available.