

# Morbidity and Mortality

Weekly  
Report



FEDERAL SECURITY AGENCY Public Health Service

NATIONAL OFFICE OF VITAL STATISTICS

Vol. 1, No. 31

Washington 25, D. C.

August 8, 1952


## Provisional Statistics for Specified Notifiable Diseases in the United States for Week Ended August 2, 1952

For the current week a total of 2,290 cases of poliomyelitis was reported in the country as a whole, which is a 37 percent increase over the previous week's figure of 1,667. For the same weeks of 1951 and 1949, the totals were 1,200 and 2,446, respectively. The cumulative total since the beginning of the "disease year" is now 9,377 as compared with 5,640 for the same period last year and 9,714 in 1949. The cumulative total for the calendar year is 10,697. Comparative figures for 1951 and 1949 were 6,836 and 10,719, respectively.

The disease in epidemic proportions continues to be concentrated in the North and South Central States. In Texas, where 2,079 cases have been reported since about April 1, which is the beginning of the poliomyelitis disease year, the largest aggregation of cases has been in Houston. About 63 percent of the cases have been reported as paralytic. For the past 4 weeks the number of cases reported has remained fairly stationary, so it is likely that the peak of the epidemic has been reached in Texas. A total of 393 cases, 74 percent of which have been paralytic, has been reported in Louisiana since April 1, as compared with 249 in the

same period of 1951. This year most of the cases have been reported in parishes located in the southeastern part of the State. In 1951, poliomyelitis was epidemic in the northwestern section. Mississippi is also reporting a relatively large number of cases, 304 since April 1, as compared with 168 last year in the same period of time. This year the cases are concentrated in the west central part of the State which is adjacent to the area of high incidence last year. Almost one-half of the cases reported in Iowa this year have been in the northwestern part of the State, with the greatest concentration in Woodbury County. A total of 597 has been reported since the beginning of the "disease year". For the current week 113 cases were reported in Minnesota which is a three-fold increase over the previous week. Sixty-four of these were in Hennepin, Ramsey, and Olmsted Counties, and 10 were out-of-State cases. Illinois and Michigan reported twice as many cases for the current week as compared with the previous week. Of the 140 cases reported in Illinois, 57 were in Chicago. The incidence in Ohio decreased in the current week (128 cases) as compared with the previous week (179 cases).

### POLIOMYELITIS CASES BY WEEK: UNITED STATES, 1949, 1951, AND 1952



## Weekly Morbidity Report

Ninety cases of infectious encephalitis have been reported from 14 counties of California, with 88 from 12 valley counties located in known endemic areas. Since June, 40 cases have been confirmed by laboratory examination out of a total of 186 reported. Of these 40 confirmed cases, 39 were found to be western equine encephalomyelitis infections, and 1 was a St. Louis type of disease. There have been 19 deaths. The area of the epidemic extends from Bakersfield to Sacramento. The disease is also present among horses in this area. A small outbreak involving both humans and horses has also been found in Colorado. No further information has been received of the disease among horses in Florida, which presumably is an eastern equine encephalomyelitis type of infection.

A total of 434 cases of malaria was reported for the current week, 82 of which were civilian cases. Of the 22 reported in California, 20 were in Veterans' Administration hospitals. Twelve of these were specified as tertian type, with the source of infection of 9 in Korea. One civilian case was a Mexican National. Other States reporting 5 or more civilian cases of malaria were Oklahoma (11), Iowa (6), and Texas (5).

One case of human rabies was reported in Arkansas.

## Communicable Diseases in other areas

One death from jungle yellow fever has been reported to the Pan American Sanitary Bureau from the province of Costa Rica, located on the Pacific side of the country.

Table 1.—COMPARATIVE DATA FOR CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Numbers after diseases are category numbers of the Sixth Revision of the International Lists, 1948)

DISEASE	TOTAL FOR WEEK ENDED		5-year median 1947-51	Approximate seasonal low week ended	CUMULATIVE TOTAL SINCE SEASONAL LOW WEEK		5-year median 1948-47 through 1950-51	CUMULATIVE TOTAL FOR CALENDAR YEAR		5-year median 1947-51
	Aug. 2, 1952 <sup>1</sup>	Aug. 4, 1951			1951-52	1950-51		1952	1951	
Anthrax-----062	-	2	2	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	20	44	35
Brucellosis (undulant fever)----044	45	---	---	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	<sup>3</sup> 1,270	---	---
Diphtheria-----055	26	56	82	July 1	148	213	438	1,594	2,183	4,123
Encephalitis, acute infectious--082	120	42	20	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	<sup>4</sup> 877	582	333
Hepatitis, infectious, and verum-----092,N99A.5 pt.	225	---	---	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	9,887	---	---
Malaria-----110-117	434	---	---	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	<sup>4</sup> 4,628	---	---
Measles-----065	2,261	2,708	1,906	Sept. 1	<sup>3</sup> 698,765	492,093	492,093	<sup>3</sup> 646,588	463,392	463,392
Meningococcal Infections-----057	69	79	57	Sept. 1	4,531	3,821	3,449	3,376	2,778	2,383
Poliomyelitis, acute-----080	2,290	1,200	1,200	Apr. 1	<sup>5</sup> 9,377	5,540	6,043	<sup>5</sup> 10,697	6,838	7,030
Rocky Mountain spotted fever---104A	20	21	30	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	213	218	335
Scarlet fever and streptococcal sore throat-----050,051	1,121	397	312	Aug. 1	93,305	69,079	76,682	77,394	53,131	55,030
Trichinosis-----128	12	---	---	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	224	---	---
Tularemia-----059	10	10	20	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	404	417	619
Typhoid fever-----040	80	60	97	Apr. 1	885	734	1,084	1,284	1,126	1,556
Typhus fever, endemic-----101	4	---	---	Apr. 1	74	---	---	104	---	---
Whooping cough-----056	790	1,338	1,696	Oct. 1	45,524	67,152	87,425	31,339	45,538	55,549
Rabies in animals-----	115	82	---	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	5,232	4,498	---

<sup>1</sup>Rabies in man: Arkansas, 1 case.

<sup>2</sup>Not computed.

<sup>3</sup>Addition: Brucellosis, Minnesota, week ended July 19, 2 cases; measles, South Carolina, week ended July 26, 1 case.

<sup>4</sup>Deductions: Encephalitis, Oklahoma, week ended July 26, 1 case; malaria, South Carolina, week ended July 26, 1 case.

<sup>5</sup>Additions: Oklahoma, week ended July 26, 1 case; Indiana, week ended July 19, 3 cases. Deductions: Delaware, week ended July 26, 1 case; Wyoming, week ended July 12, 1 case; North Carolina, weeks ended June 14 and 21, 1 case each week; Massachusetts, week ended July 19, 3 cases.

NOTE.—Cases of specified notifiable diseases occurring in outlying possessions for current week (corresponding week of 1951 shown in parentheses) follow:

Alaska: Poliomyelitis, 1 (-); typhoid fever, 1 (-); whooping cough, 1 (1).

Hawaii: Measles, - (39); poliomyelitis, 5 (1); scarlet fever and streptococcal sore throat, 1 (-); malaria, 1.

Puerto Rico: Diphtheria, 3 (10); measles) 11 (37); poliomyelitis, - (4); typhoid fever, - (1); whooping cough, 4 (8); rabies in animals, 2.

## SOURCE AND NATURE OF DATA

These provisional data are based on reports from State and territorial health departments to the Public Health Service. They give the total number of cases of certain communicable diseases reported during the week usually ended the preceding Saturday.

When the diseases with low frequencies (botulism, cholera, dengue, plague, rabies in man, smallpox, typhus fever—epidemic, and yellow fever) are reported, they will be noted under the table above.

Symbols.—1 dash [-]: no cases reported; asterisk [\*]: disease stated not notifiable; parentheses [( )]: data not included in total; 3 dashes [---]: data not available.

# Weekly Morbidity Report

**Table 2.—CASES OF SPECIFIED DISEASES WITH COMPARATIVE DATA: UNITED STATES,  
EACH DIVISION AND STATE FOR WEEK ENDED AUGUST 2, 1952**  
(Numbers under diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	DIPHTHERIA (055)		MEASLES (085)		MENINGOCOCCAL INFECTIONS (057)		POLIOMYELITIS, ACUTE (080)		SCARLET FEVER AND STREPTOCOCCAL SORE THROAT (050,051)		TYPHOID FEVER (040)	
	Week ended		Week ended		Week ended		Week ended		Week ended		Week ended	
	Aug. 2, 1952	Aug. 4, 1951	Aug. 2, 1952	Aug. 4, 1951	Aug. 2, 1952	Aug. 4, 1951	Aug. 2, 1952	Aug. 4, 1951	Aug. 2, 1952	Aug. 4, 1951	Aug. 2, 1952	Aug. 4, 1951
UNITED STATES-----	26	56	2,261	2,708	69	79	2,290	1,200	1,121	397	80	60
NEW ENGLAND-----	-	1	142	277	2	2	44	43	20	25	3	2
Maine-----	-	-	14	42	-	-	2	1	-	-	-	-
New Hampshire-----	-	-	9	5	1	-	4	9	1	4	1	-
Vermont-----	-	-	25	29	-	1	-	2	1	-	-	-
Massachusetts-----	1	1	71	136	1	-	19	19	8	16	1	1
Rhode Island-----	-	-	3	26	-	-	3	-	3	1	-	-
Connecticut-----	-	-	20	39	-	1	16	12	7	4	1	1
MIDDLE ATLANTIC-----	-	3	403	616	10	9	174	117	63	100	19	4
New York-----	-	1	218	330	9	4	89	65	43	79	16	-
New Jersey-----	-	-	88	155	-	-	38	17	11	6	1	1
Pennsylvania-----	-	2	97	131	1	5	47	35	9	15	2	3
EAST NORTH CENTRAL-----	6	1	615	635	16	14	535	233	68	84	11	5
Ohio-----	1	-	65	109	3	6	128	37	9	24	6	3
Indiana-----	-	-	4	5	-	1	41	10	-	2	3	1
Illinois-----	-	-	76	181	6	4	140	81	16	12	1	1
Michigan-----	4	1	120	56	4	2	159	71	25	27	1	-
Wisconsin-----	1	-	350	284	3	1	67	34	16	19	-	-
WEST NORTH CENTRAL-----	1	4	61	139	2	9	565	123	4	29	2	6
Minnesota-----	-	3	23	11	1	3	113	28	1	2	-	-
Iowa-----	-	-	18	20	-	2	244	14	-	2	-	-
Missouri-----	1	-	6	55	-	1	14	12	-	2	2	3
North Dakota-----	-	-	4	24	-	-	7	5	2	-	-	-
South Dakota-----	-	-	4	4	-	-	8	5	-	19	-	-
Nebraska-----	-	-	5	14	1	-	96	23	-	1	-	-
Kansas-----	-	1	5	11	-	3	63	36	1	3	-	3
SOUTH ATLANTIC-----	5	16	354	297	15	14	175	114	317	33	18	9
Delaware-----	-	-	2	2	-	-	4	1	-	-	-	-
Maryland-----	-	-	6	147	1	-	2	1	4	6	2	-
District of Columbia-----	-	-	3	7	-	-	8	4	-	-	-	-
Virginia-----	1	1	76	60	6	4	46	11	70	2	6	1
West Virginia-----	-	1	208	7	-	3	58	9	215	7	5	3
North Carolina-----	-	3	33	14	3	2	15	20	8	11	1	3
South Carolina-----	1	7	7	1	-	-	6	3	1	4	2	-
Georgia-----	3	1	13	20	1	3	16	49	17	-	2	2
Florida-----	-	3	6	39	4	2	20	16	2	3	-	-
EAST SOUTH CENTRAL-----	4	9	69	64	6	6	163	126	31	27	15	16
Kentucky-----	2	5	2	21	-	2	94	15	4	6	7	3
Tennessee-----	-	1	32	28	3	4	27	30	15	12	1	3
Alabama-----	2	2	23	12	2	-	18	43	9	4	6	8
Mississippi-----	-	1	12	3	1	-	24	38	3	5	1	2
WEST SOUTH CENTRAL-----	6	15	157	156	8	15	399	201	444	14	9	14
Arkansas-----	-	-	14	23	1	2	13	23	34	1	4	5
Louisiana-----	-	5	-	5	2	3	51	34	1	2	-	2
Oklahoma-----	-	-	5	8	-	-	59	52	6	2	1	1
Texas-----	6	10	136	120	5	10	276	92	403	9	4	6
MOUNTAIN-----	3	3	113	131	3	-	105	111	102	9	1	2
Montana-----	2	-	22	41	-	-	10	2	1	-	-	-
Idaho-----	-	-	14	4	-	-	11	-	6	3	-	2
Wyoming-----	-	1	2	12	-	-	9	9	19	-	-	-
Colorado-----	-	1	26	16	1	-	26	71	3	2	-	-
New Mexico-----	-	-	2	6	1	-	30	2	-	2	-	-
Arizona-----	-	1	8	28	1	-	13	3	65	-	1	-
Utah-----	1	-	37	23	-	-	-	23	7	2	-	-
Nevada-----	-	-	2	1	-	-	6	1	1	-	-	-
PACIFIC-----	1	4	347	393	7	10	130	132	74	76	2	2
Washington-----	-	-	43	19	-	2	35	8	4	5	-	-
Oregon-----	-	1	26	50	-	-	9	14	11	2	-	-
California-----	1	3	278	324	7	8	86	110	59	69	2	2

## Weekly Morbidity Report

Table 2.—CASES OF SPECIFIED DISEASES WITH COMPARATIVE DATA: UNITED STATES,  
EACH DIVISION AND STATE FOR WEEK ENDED AUGUST 2, 1952—Continued  
(Numbers under diseases are category numbers of the Sixth Revision of the International Lists, 1948)


AREA	WHOOPING COUGH (056)		Botulism (049.1)	Brucellosis (undulant fever) (044)	Encephalitis, acute infectious (082)	Hepatitis, infectious, and serum (092, N998.5 pt.)	Malaria (110-117)	Rocky Mountain spotted fever (104A)	Smallpox (084)	Trichiniasis (128)	Tularemia (059)	Typhus fever, endemic (101)	Rabies in animals
	Week ended												
	Aug. 2, 1952	Aug. 4, 1951											
UNITED STATES-----	790	1,336	-	45	120	225	434	20	-	12	10	4	115
NEW ENGLAND-----	40	79	-	1	-	9	10	-	-	3	-	-	-
Maine-----	1	12	-	-	-	5	4	-	-	-	-	-	-
New Hampshire-----	-	6	-	-	-	-	-	-	-	-	-	-	-
Vermont-----	3	11	-	-	-	-	-	-	-	-	-	-	-
Massachusetts-----	33	43	-	1	-	2	4	-	-	2	-	-	-
Rhode Island-----	1	1	-	-	-	-	1	-	-	-	-	-	-
Connecticut-----	2	6	-	-	-	2	1	-	-	1	-	-	-
MIDDLE ATLANTIC-----	169	171	-	7	6	21	35	3	-	6	-	-	11
New York-----	54	67	-	3	5	12	11	3	-	5	-	-	11
New Jersey-----	44	53	-	-	-	-	24	-	-	1	-	-	-
Pennsylvania-----	71	51	-	4	1	9	-	-	-	-	-	-	-
EAST NORTH CENTRAL----	93	196	-	14	4	18	36	2	-	1	2	-	14
Ohio-----	25	39	-	-	-	8	-	-	-	1	1	-	5
Indiana-----	3	32	-	1	1	3	1	1	-	-	-	-	-
Illinois-----	14	27	-	8	1	3	1	1	-	-	-	-	4
Michigan-----	22	43	-	1	1	3	8	-	-	-	-	-	3
Wisconsin-----	29	55	-	4	1	1	26	-	-	-	-	-	2
WEST NORTH CENTRAL----	20	81	-	9	12	16	23	-	-	-	-	-	10
Minnesota-----	2	2	-	2	1	-	6	-	-	-	-	-	6
Iowa-----	4	17	-	6	-	4	6	-	-	-	-	-	-
Missouri-----	6	21	-	-	1	6	10	-	-	-	-	-	2
North Dakota-----	-	3	-	-	7	5	-	-	-	-	-	-	1
South Dakota-----	-	-	-	-	2	-	-	-	-	-	-	-	-
Nebraska-----	1	3	-	-	-	1	-	-	-	-	-	-	1
Kansas-----	7	35	-	1	1	-	1	-	-	-	-	-	-
SOUTH ATLANTIC-----	117	237	-	3	1	66	148	8	-	-	1	-	25
Delaware-----	-	-	-	-	-	1	-	-	-	-	-	-	-
Maryland-----	4	12	-	-	-	3	2	1	-	-	-	-	-
District of Columbia----	1	17	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	14	31	-	1	-	18	64	3	-	-	-	-	8
West Virginia-----	67	40	-	-	-	7	-	1	-	-	-	-	-
North Carolina-----	1	57	-	-	-	7	25	3	-	1	-	-	6
South Carolina-----	-	5	-	-	-	-	8	-	-	-	-	-	5
Georgia-----	26	38	-	1	1	21	49	-	-	-	-	-	6
Florida-----	4	37	-	1	-	9	-	-	-	-	-	-	-
EAST SOUTH CENTRAL----	21	93	-	2	4	47	68	3	-	-	1	-	20
Kentucky-----	6	33	-	-	-	14	50	-	-	-	-	-	7
Tennessee-----	8	35	-	-	1	12	12	3	-	-	1	-	5
Alabama-----	5	12	-	-	2	16	4	-	-	*	-	-	6
Mississippi-----	2	13	-	2	1	5	2	-	-	*	-	-	2
WEST SOUTH CENTRAL----	172	316	-	4	3	12	62	1	-	-	3	4	29
Arkansas-----	12	14	-	-	-	1	7	1	-	-	-	-	5
Louisiana-----	8	-	-	-	-	-	39	-	-	-	-	-	-
Oklahoma-----	8	46	-	3	1	2	11	-	-	-	-	-	2
Texas-----	144	256	-	1	2	9	5	-	-	*	3	4	22
MOUNTAIN-----	57	101	-	1	-	2	8	3	-	-	3	-	-
Montana-----	1	11	-	-	-	-	-	-	-	-	-	-	-
Idaho-----	-	3	-	-	-	-	-	-	-	-	2	-	-
Wyoming-----	2	1	-	-	-	-	-	-	-	-	-	-	-
Colorado-----	3	17	-	-	-	1	-	2	-	-	-	-	-
New Mexico-----	1	20	-	-	-	1	-	-	-	-	-	-	-
Arizona-----	47	42	-	-	-	-	7	-	-	-	-	-	-
Utah-----	3	7	-	1	-	-	1	1	-	-	1	-	-
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC-----	101	64	-	4	90	34	44	-	-	2	-	-	6
Washington-----	1	7	-	-	-	2	-	-	-	-	-	-	-
Oregon-----	5	4	-	-	-	11	1	-	-	-	-	-	-
California-----	95	53	-	4	90	21	43	-	-	-	-	-	6





## Provisional Statistics for Deaths in Selected Cities for Week Ended

August 2, 1952



This is the ninth successive week that the number of deaths reported in 106 major cities has exceeded the 3-year median for the corresponding week, 1949-51. For the 5-week period ended August 2, a total of 48,729 deaths was reported, 11 percent more than the total of 44,108 deaths for the 5 corresponding weekly 3-year medians. The excess for the current week ended August 2 was 6 percent. This increase was closely related to the heat wave covering a considerable part of the country.

The figures reported represent the number of death certificates received in the vital statistics offices during the week indicated, for deaths occurring in that city. Figures compiled in this way, by week of receipt, usually approximate closely the number of deaths occurring during the week. However, differences are to be expected because of variations in the interval

between death and receipt of the certificate.

While week-to-week changes in the total number of deaths reported for all major cities generally represent a change in mortality conditions, this may not be true for variations in weekly figures for each city. For example, in a city where 50 deaths are the weekly average, the number of deaths occurring in a week may be expected to vary by chance alone from 36 to 64 ( $d \pm 2\sqrt{d}$ , where  $d$  represents the average number of deaths per week).

The number of deaths in cities of the same size may also differ because of variations in the age, race, and sex composition of their populations, and because some cities are hospital centers serving the surrounding areas. Changes from year to year in the number of deaths may be due in part to population increases or decreases.

Table 4.—DEATHS IN SELECTED CITIES BY GEOGRAPHIC DIVISION

(By place of occurrence, and week of filing certificate. Exclusive of fetal deaths)

GEOGRAPHIC DIVISION	51st week ended Aug. 2, 1952	30th week ended July 26, 1952	31st week median 1949-51	Percentage difference between current week and median	CUMULATIVE NUMBER FOR FIRST 31 WEEKS		
					1952	1951	Percentage difference
TOTAL: 105 REPORTING CITIES-----	9,408	9,550	8,926	+6.3	311,986	306,416	+1.6
New England----- (14 cities)	523	690	629	-16.9	21,109	21,343	-1.1
Middle Atlantic----- (16 cities)	2,755	2,973	2,621	+5.1	93,438	91,927	+1.6
East North Central----- (18 cities)	2,177	2,048	1,898	+14.7	67,956	67,678	+0.4
West North Central----- (9 cities)	665	622	680	-2.2	23,264	22,364	+4.0
South Atlantic----- (9 cities)	856	843	688	+24.4	24,502	22,820	+7.4
East South Central----- (7 cities)	403	410	393	+2.5	13,404	13,172	+1.8
West South Central----- (13 cities)	774	666	649	+19.3	23,161	23,134	+0.1
Mountain----- (7 cities)	225	241	183	+23.0	7,020	6,551	+7.2
Pacific----- (12 cities)	1,110	1,057	1,043	+6.4	38,132	37,429	+1.9

## Weekly Mortality Report

Table 5.—DEATHS IN SELECTED CITIES FOR WEEK ENDED

August 2, 1952

(By place of occurrence, and week of filing certificate. Exclusive of fetal deaths)

CITY	31st week ended August 2, 1952	30th week ended July 26, 1952	CUMULATIVE NUMBER FOR FIRST 31 WEEKS		CITY	31st week ended August 2, 1952	30th week ended July 26, 1952	CUMULATIVE NUMBER FOR FIRST 31 WEEKS	
			1952	1951				1952	1951
<b>NEW ENGLAND</b>					<b>WEST NORTH CENTRAL—Con.</b>				
Boston-----	118	221	7,048	7,119	St. Paul-----	52	55	1,911	1,987
Bridgeport-----	33	47	1,105	1,075	Wichita-----	43	31	1,224	1,242
Cambridge-----	27	29	971	988	<b>SOUTH ATLANTIC</b>				
Fall River-----	24	17	870	936	Atlanta-----	114	97	3,114	2,635
Hartford-----	39	58	1,405	1,330	Baltimore-----	301	297	7,492	6,952
Lowell-----	24	25	793	932	Charlotte-----	26	42	879	862
Lynn-----	16	24	688	681	Miami-----	33	39	1,674	1,629
New Bedford-----	22	25	736	773	Norfolk-----	37	29	977	974
New Haven-----	48	38	1,359	1,369	Richmond-----	95	76	2,204	1,985
Providence-----	56	71	1,984	2,024	Tampa-----	35	45	1,738	1,498
Somerville-----	10	19	501	550	Washington, D. C.-----	184	189	5,410	5,288
Springfield, Mass.-----	39	38	1,174	1,187	Wilmington, Del.-----	31	29	1,014	987
Waterbury-----	18	29	756	734	<b>EAST SOUTH CENTRAL</b>				
Worcester-----	49	49	1,719	1,645	Birmingham-----	90	84	2,161	2,324
<b>MIDDLE ATLANTIC</b>					Chattanooga-----	36	41	1,439	1,399
Albany-----	43	40	1,271	1,326	Knoxville-----	28	24	1,017	1,030
Buffalo-----	118	106	4,322	4,441	Louisville-----	104	100	3,135	2,920
Camden-----	27	27	1,142	1,061	Memphis-----	57	87	2,966	2,889
Elizabeth-----	---	(30)	---	(904)	Mobile-----	32	26	985	957
Erie-----	21	34	1,022	1,025	Montgomery-----	(26)	(28)	(849)	(833)
Jersey City-----	71	77	2,321	2,173	Nashville-----	56	48	1,701	1,653
Newark, N. J.-----	100	103	3,352	3,147	<b>WEST SOUTH CENTRAL</b>				
New York City-----	1,379	1,664	49,857	48,115	Austin-----	15	19	726	830
Paterson-----	40	35	1,204	1,149	Baton Rouge-----	11	10	486	476
Philadelphia-----	520	442	15,002	15,770	Corpus Christi-----	13	14	504	449
Pittsburgh-----	185	159	5,440	5,405	Dallas-----	86	83	2,769	2,708
Rochester, N. Y.-----	67	93	2,902	2,874	El Paso-----	36	25	855	917
Schenectady-----	27	29	721	675	Fort Worth-----	57	33	1,638	1,668
Syracuse-----	52	42	1,633	1,562	Houston-----	126	124	3,631	3,504
Trenton-----	52	48	1,424	1,378	Little Rock-----	35	46	1,422	1,343
Utica-----	25	31	924	996	New Orleans-----	179	135	4,792	4,763
Yonkers-----	28	23	901	830	Oklahoma City-----	53	55	1,629	1,616
<b>EAST NORTH CENTRAL</b>					San Antonio-----	64	60	2,304	2,511
Akron-----	38	43	1,708	1,582	Shreveport-----	35	28	1,180	1,207
Canton-----	27	30	863	874	Tulsa-----	64	34	1,225	1,142
Chicago-----	708	668	22,372	22,758	<b>MOUNTAIN</b>				
Cincinnati-----	135	118	4,491	4,541	Albuquerque-----	21	22	768	784
Cleveland-----	197	199	6,496	6,385	Colorado Springs-----	16	21	391	363
Columbus-----	103	107	3,155	3,056	Denver-----	98	105	3,217	3,002
Dayton-----	48	50	1,853	1,829	Ogden-----	21	12	412	349
Detroit-----	368	289	9,625	9,830	Phoenix-----	20	16	644	578
Evansville-----	39	26	1,074	967	Pueblo-----	7	15	340	307
Flint-----	32	34	1,069	969	Salt Lake City-----	42	50	1,248	1,168
Fort Wayne-----	26	35	939	971	Tucson-----	(4)	(8)	(161)	(174)
Grand Rapids-----	34	31	1,149	1,212	<b>PACIFIC</b>				
Indianapolis-----	112	125	3,509	3,358	Berkeley-----	14	20	588	549
Milwaukee-----	133	109	3,753	3,466	Long Beach-----	61	36	1,451	1,373
Peoria-----	20	28	925	925	Los Angeles-----	442	400	13,764	13,435
South Bend-----	21	29	724	791	Oakland-----	70	74	3,018	2,873
Toledo-----	79	90	2,765	2,856	Pasadena-----	35	30	1,007	982
Youngstown-----	57	37	1,484	1,308	Portland, Oreg.-----	73	58	2,974	3,040
<b>WEST NORTH CENTRAL</b>					Sacramento-----	42	39	1,420	1,344
Des Moines-----	48	28	1,574	1,451	San Diego-----	66	70	2,221	1,987
Duluth-----	21	20	760	767	San Francisco-----	154	160	5,903	5,957
Kansas City, Kans.-----	40	24	1,096	1,159	Seattle-----	85	102	3,450	3,495
Kansas City, Mo.-----	103	90	3,565	3,395	Spokane-----	36	37	1,263	1,294
Minneapolis-----	93	95	3,517	3,495	Tacoma-----	32	31	1,073	1,100
Omaha-----	45	67	1,996	1,786	Honolulu-----	(30)	(27)	(1,027)	(960)
St. Louis-----	220	212	7,621	7,082					

Symbols.—parentheses [ ( ) ] : data not included in table 4; 3 dashes [ --- ] : data not available.