How to Protect Yourself Against Mosquito Bites

Zika virus is spread to people mainly through the bite of an infected mosquito. Mosquitoes that spread Zika virus bite mostly during the day, but they can also bite at night. The best way to prevent Zika is to protect yourself from mosquito bites.

Use Insect Repellent

Use <u>Environmental Protection Agency</u> (<u>EPA)-registered</u> insect repellents with one of the following active ingredients: DEET, picaridin, IR3535, oil of lemon eucalyptus, or para-menthane-diol.


 When used as directed, these insect repellents are proven safe and effective for pregnant and breastfeeding women.


- Reapply insect repellent as directed.
- Do not spray repellent on the skin under clothing.
- If you are also using sunscreen, apply sunscreen first.
- The effectiveness of non-EPA registered insect repellents, including some natural repellents, is not known.


If you have a baby or child

 Do not use insect repellents on babies younger than 2 months old.

 Do not use products containing oil of lemon eucalyptus or para-menthane-diol on children younger than 3 years old.







» Adults: Spray insect repellent onto your hands and then apply to a child's face.



Insect Repellent Guide

Active ingredient Higher percentages of active ingredient provide longer protection	Some brand name examples*	
DEET	Off!, Cutter, Sawyer, Ultrathon	
Picaridin, also known as KBR 3023, Bayrepel, and icaridin	Cutter Advanced, Skin So Soft Bug Guard Plus, Autan (outside the United States)	
Oil of lemon eucalyptus (OLE) or para-menthane-diol (PMD)	Repel	
IR3535	Skin So Soft Bug Guard Plus Expedition, SkinSmart	

*Insect repellent brand names are provided for your information only. The Centers for Disease Control and Prevention and the U.S. Department of Health and Human Services cannot recommend or endorse any name brand products.




Control mosquitoes outside your home

- Once a week, empty and scrub, turn over, cover, or throw out any items that hold water like tires, buckets, and planters.
- Tightly cover water storage containers (buckets, cisterns, rain barrels).
- For containers without lids, use wire mesh with holes smaller than an adult mosquito.
- Use larvicides to treat large containers of water that will not be used for drinking and cannot be covered or dumped out.
- Use an outdoor insect spray where mosquitoes rest, in dark humid areas like under patio furniture, or under the carport
 or garage. When using insecticides, always follow label instructions.
- If you have a septic tank, repair cracks or gaps. Cover open vent or plumbing pipes. Use wire mesh with holes smaller than an adult mosquito.



- Keep windows and doors shut and use air conditioning when possible.
- Use, install, or repair window and door screens.
- Once a week, empty or throw out any items that hold water like vases and flowerpot saucers.
- Use an indoor insect fogger* or spray* to kill mosquitoes and treat areas where they rest. These products work immediately, may need to be reapplied. Always follow label directions. Only using insecticide will not keep your home free of mosquitoes.
- Sleep under a mosquito bed net if you are outside or in a room that is not well screened.
 - » Choose a WHO Pesticide Evaluation Scheme (WHOPES)-approved bed net (like Pramax*): compact, white, rectangular, with 156 holes per square inch, and long enough to tuck under the mattress.





Do-It-Yourself Products

Product	Active ingredient	Brand name examples**	How long it works
Indoor insect spray	lmidacloprid, β-Cyfluthrin	Home Pest Insect Killer, Raid, Ortho, Hot Shot, EcoLogic	7-10 days
Indoor insect fogger	Tetramethrin, Cypermethrin	Hot Shot, Raid, Real Kill, Spectracide	Up to 6 weeks

** Insecticide brand names are provided for your information only. The U.S.

Department of Health and Human Services and Centers for Disease Control and

Prevention cannot recommend or endorse any name brand products.