


Maps of Zika in the United States

Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of August 24, 2016)



^{*}See detailed map of the areas with active Zika virus transmission below.

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory — United States, 2015–2016 (as of August 24, 2016)§

States	Travel-associated cases* No. (% of cases in states) (N=2,488)	Locally acquired cases† No. (% of cases in states) (N=29)
Alabama	15 (1)	o (o)
Arizona	20 (1)	o (o)

Arkansas	9 (<1)	0 (0)
California	152 (6)	o (o)
Colorado	24 (1)	o (o)
Connecticut	50 (2)	o (o)
Delaware	11 (<1)	o (o)
District of Columbia	11 (<1)	o (o)
Florida	471 (19)	29 (100)
Georgia	54 (2)	o (o)
Hawaii	11 (<1)	o (o)
Idaho	1 (<1)	o (o)
Illinois	49 (2)	o (o)
Indiana	28 (1)	o (o)
Iowa	13 (1)	o (o)
Kansas	11 (<1)	o (o)
Kentucky	19 (1)	o (o)
Louisiana	25 (1)	o (o)
Maine	10 (<1)	o (o)
Maryland	77 (3)	o (o)
Massachusetts	63 (3)	o (o)
Michigan	31 (1)	o (o)
Minnesota	31 (1)	o (o)
Mississippi	17 (1)	o (o)
Missouri	20 (1)	o (o)
Montana	4 (<1)	o (o)
Nebraska	7 (<1)	o (o)


Nevada	13 (1)	0 (0)
New Hampshire	8 (<1)	o (o)
New Jersey	91 (4)	o (o)
New Mexico	3 (<1)	o (o)
New York	601 (24)	o (o)
North Carolina	35 (1)	o (o)
North Dakota	1 (<1)	o (o)
Ohio	33 (1)	o (o)
Oklahoma	20 (1)	o (o)
Oregon	19 (1)	o (o)
Pennsylvania††	77 (3)	o (o)
Rhode Island	28 (1)	o (o)
South Carolina	31 (1)	o (o)
South Dakota	1 (<1)	o (o)
Tennessee	35 (1)	o (o)
Texas	125 (5)	o (o)
Utah	7 (<1)	o (o)
Vermont	7 (<1)	o (o)
Virginia	66 (3)	o (o)
Washington	21 (1)	o (o)
West Virginia	11 (<1)	o (o)
Wisconsin	21 (1)	o (o)
Territories	Travel-associated cases* No. (% of cases in territories) (N=43)	Locally acquired cases† No. (% of cases in territories) (N=8,968)

American Samoa	o (o)	46 (1)
Puerto Rico	42 (98)	8,746 (98)
US Virgin Islands	1 (2)	176 (2)

§Only includes cases meeting the probable or confirmed CSTE case definition and does not include asymptomatic infections unless the case is a pregnant woman with a complication of pregnancy *Travelers returning from affected areas, their sexual contacts, or infants infected in utero †Presumed local mosquito-borne transmission

†† One additional case acquired through laboratory transmission

Active Zika Virus Transmission in Florida



The Florida Department of Health has identified two areas in Miami with active transmission of Zika virus. See <u>advice</u> for people living in or traveling to these areas.

Page last reviewed: August 3, 2016 Page last updated: August 24, 2016

Content source: Centers for Disease Control and Prevention (http://www.cdc.gov/)

National Center for Emerging and Zoonotic Infectious Diseases (NCEZID) (http://www.cdc.gov/ncezid)

Division of Vector-Borne Diseases (DVBD) (http://www.cdc.gov/ncezid/dvbd/index.html)