


Maps of Zika in the United States

Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of October 19, 2016)



***See detailed map of the areas with active Zika virus transmission below.**

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory – United States, 2015–2016 (as of October 19, 2016)§

States	Travel-associated cases* No. (% of cases in states) (N=3,879)	Locally acquired cases† No. (% of cases in states) (N=137)
Alabama	28 (1)	0 (0)
Arizona	36 (1)	0 (0)

Arkansas	11 (<1)	0 (0)
California	296 (8)	0 (0)
Colorado	43 (1)	0 (0)
Connecticut	58 (2)	0 (0)
Delaware	15 (<1)	0 (0)
District of Columbia	25 (1)	0 (0)
Florida	708 (18)	137 (100)
Georgia	90 (2)	0 (0)
Hawaii	14 (<1)	0 (0)
Idaho	4 (<1)	0 (0)
Illinois	76 (2)	0 (0)
Indiana	39 (1)	0 (0)
Iowa	16 (<1)	0 (0)
Kansas	15 (<1)	0 (0)
Kentucky	24 (1)	0 (0)
Louisiana	34 (1)	0 (0)
Maine	12 (<1)	0 (0)
Maryland	104 (3)	0 (0)
Massachusetts	100 (3)	0 (0)
Michigan	62 (2)	0 (0)
Minnesota	47 (1)	0 (0)
Mississippi	23 (1)	0 (0)
Missouri	27 (1)	0 (0)
Montana	7 (<1)	0 (0)
Nebraska	12 (<1)	0 (0)

Nevada	14 (<1)	0 (0)
New Hampshire	10 (<1)	0 (0)
New Jersey	134 (3)	0 (0)
New Mexico	9 (<1)	0 (0)
New York	884 (23)	0 (0)
North Carolina	72 (2)	0 (0)
North Dakota	2 (<1)	0 (0)
Ohio	53 (1)	0 (0)
Oklahoma	27 (1)	0 (0)
Oregon	29 (1)	0 (0)
Pennsylvania ^{††}	141 (4)	0 (0)
Rhode Island	32 (1)	0 (0)
South Carolina	51 (1)	0 (0)
South Dakota	2 (<1)	0 (0)
Tennessee	53 (1)	0 (0)
Texas	231 (6)	0 (0)
Utah	14 ^{**} (<1)	0 (0)
Vermont	7 (<1)	0 (0)
Virginia	87 (2)	0 (0)
Washington	45 (1)	0 (0)
West Virginia	11 (<1)	0 (0)
Wisconsin	43 (1)	0 (0)
Wyoming	2 (<1)	0 (0)
Territories	Travel-associated cases* No. (% of cases in territories)	Locally acquired cases[†] No. (% of cases in territories)

(N=88)

(N=27,314)

American Samoa	7 (8)	47 (<1)
Puerto Rico	79 (90)	26,798*** (98)
US Virgin Islands	2 (2)	469 (2)

§Only includes cases meeting the probable or confirmed CSTE case definition and does not include asymptomatic infections unless the case is a pregnant woman with a complication of pregnancy

*Travelers returning from affected areas, their sexual contacts, or infants infected in utero


†Presumed local mosquito-borne transmission

††One additional case acquired through laboratory transmission

**Includes one case with unknown route of person-to-person transmission.

***The Puerto Rico Department of Health is retroactively reporting cases, resulting in larger than normal increases in cases in recent weeks.

Active Zika Virus Transmission in Florida



Miami-Dade County, FL. Red shows areas of active transmission where CDC recommends adherence to travel and testing guidance for pregnant women, women of reproductive age, and their partners. Yellow shows areas where CDC recommends cautionary travel recommendations and strict adherence to precautions to prevent mosquito bites.

Page last reviewed: October 20, 2016

Page last updated: October 20, 2016

Content source: Centers for Disease Control and Prevention (<http://www.cdc.gov/>)

National Center for Emerging and Zoonotic Infectious Diseases (NCEZID) (<http://www.cdc.gov/ncezid>)

Division of Vector-Borne Diseases (DVBD) (<http://www.cdc.gov/ncezid/dvbd/index.html>)