

Morbidity and Mortality

Weekly Report

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

Prepared by the COMMUNICABLE DISEASE CENTER 634-5131

For release May 17, 1963

ATLANTA 22, GEORGIA

Vol. 12, No. 19

PROVISIONAL INFORMATION ON SELECTED NOTIFIABLE DISEASES IN THE UNITED STATES AND ON DEATHS IN SELECTED CITIES FOR WEEK ENDED MAY 11, 1963

ANIMAL RABIES TRENDS — Cases of rabies in animals thus far during 1963 are about 10 percent lower than for the same period last year. Except for New England, no major shifts in the geographic distribution of cases are apparent. In the New England States, where rabies has appeared for the first time in many years, cases of rabies have been reported from New Hampshire, Vermont, and Maine. These apparently represent an eastward extension of epidemic fox rabies from Canada.

Cumulative cases through the 19th week for 1959-1963, and total cases for the years 1959-1962 are shown in the table (right column).

No. of Cases	1963	1962	1961	1960	1959
Through 19th Week	1483	1623	1363	1591	1511
Total		3556*	3559	3567	4177

*Provisional

EQUINE INFLUENZA — An outbreak of respiratory disease among horses was reported this week from Maywood Park, Maywood, Illinois. Approximately 80 percent of the horses there were ill. Prominent clinical signs included coughing and temperatures of 102-105°F. The epidemic was characterized by high morbidity, a short incubation

Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
(Cumulative totals include revised and delayed reports through previous week)

Disease	19th Week			Cumulative		
	Ended May 11, 1963	Ended May 12, 1962	Median 1958 - 1962	First 19 weeks	1962	Median 1958 - 1962
Aseptic meningitis.....	17	22	---	410	353	---
Brucellosis	5	11	11	123	140	244
Diphtheria.....	2	6	9	107	183	275
Encephalitis, infectious.....	43	20	28	533	539	534
Hepatitis, infectious and serum.....	882	1,093	778	18,896	25,243	14,629
Measles.....	17,937	24,632	20,763	247,384	313,332	263,971
Meningococcal infections.....	54	42	46	1,131	940	1,046
Poliomyelitis, total.....	2	14	14	48	115	281
Paralytic.....	1	12	12	43	84	201
Nonparalytic.....	-	2	2	2	15	50
Unspecified.....	1	-	-	3	16	30
Streptococcal sore throat and Scarlet fever	6,984	7,428	---	176,901	160,470	---
Tetanus.....	4	-	---	72	53	---
Tularemia.....	1	2	---	71	89	---
Typhoid fever.....	7	6	16	132	146	191
Typhus fever, tick-borne, (Rocky Mountain spotted).....	2	5	---	6	14	---
Rabies in Animals.....	105	85	76	1,483	1,623	1,590

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

Anthrax:	Cum. 1	Psittacosis: N.Y. - 1, Mich - 2.	Cum. 24
Botulism:	5		-
Malaria:	34	Rabies in Man:	-
Plague:	-	Smallpox:	-
		Typhus, murine:	3

RECEIVED
MAY 16 1963
CDC LIBRARY

SUMMARY OF REPORTED CASES OF INFECTIOUS SYPHILIS

APRIL 1963 AND APRIL 1962

CASES OF PRIMARY AND SECONDARY SYPHILIS: By Reporting Area April 1963 and April 1962 - Provisional Data

Reporting Area	April		Cumulative January - April		Reporting Area	April		Cumulative January - April	
	1963	1962	1963	1962		1963	1962	1963	1962
NEW ENGLAND.....	40	34	143	201	EAST SOUTH CENTRAL.....	132	97	487	379
Maine.....	0	0	2	3	Kentucky.....	10	4	34	43
New Hampshire.....	1	0	3	2	Tennessee.....	24	26	140	106
Vermont.....	0	0	1	0	Alabama.....	69	61	224	208
Massachusetts.....	21	28	70	141	Mississippi.....	29	6	89	22
Rhode Island.....	0	1	5	12	WEST SOUTH CENTRAL.....	218	219	904	884
Connecticut.....	18	5	62	43	Arkansas.....	26	24	74	57
MIDDLE ATLANTIC.....	488	346	1,998	1,831	Louisiana.....	59	90	207	383
Upstate New York.....	54	33	191	192	Oklahoma.....	8	9	58	28
New York City.....	255	155	1,126	994	Texas.....	125	96	565	416
Pa. (Excl. Phila.).....	13	6	50	38	MOUNTAIN.....	45	26	162	116
Philadelphia.....	66	83	268	264	Montana.....	0	0	0	0
New Jersey.....	100	69	363	343	Idaho.....	0	0	0	1
EAST NORTH CENTRAL.....	172	120	655	568	Wyoming.....	2	0	5	0
Ohio.....	34	28	128	94	Colorado.....	0	6	15	17
Indiana.....	5	1	17	25	New Mexico.....	10	2	36	21
Downstate Illinois.....	10	11	43	53	Arizona.....	25	15	78	58
Chicago.....	72	64	298	276	Utah.....	2	0	9	2
Michigan.....	43	12	148	102	Nevada.....	6	3	19	17
Wisconsin.....	8	4	21	18	PACIFIC.....	169	137	734	549
WEST NORTH CENTRAL.....	47	21	159	112	Washington.....	12	3	54	10
Minnesota.....	5	3	27	15	Oregon.....	4	7	14	17
Iowa.....	8	0	15	3	California.....	152	126	658	516
Missouri.....	17	13	62	55	Alaska.....	0	0	2	2
North Dakota.....	3	0	3	1	Hawaii.....	1	1	6	4
South Dakota.....	2	3	7	15	U. S. TOTAL.....	1,756	1,484	7,245	6,514
Nebraska.....	5	0	21	4	TERRITORIES.....	56	32	235	137
Kansas.....	7	2	24	19	Puerto Rico.....	55	32	229	130
SOUTH ATLANTIC.....	445	484	2,003	1,874	Virgin Islands.....	1	0	6	7
Delaware.....	3	4	18	17					
Maryland.....	36	41	166	177					
District of Columbia.....	62	50	249	236					
Virginia.....	25	48	104	164					
West Virginia.....	3	1	18	11					
North Carolina.....	63	54	293	202					
South Carolina.....	35	80	217	247					
Georgia.....	86	73	349	310					
Florida.....	132	133	589	510					

Note: Cumulative Totals include revised and delayed reports through previous months.

period and clinical illness lasting 3 to 5 days. On successive days, 30, 60 and 80 percent of the horses were ill. The track was closed May 13-16 due to a lack of competitors.

Similar disease outbreaks have been reported at race tracks in Florida, New York, Delaware, Kentucky, and Ohio. The disease has also appeared on horse farms in Maryland, Pennsylvania, and Ohio. The first outbreak was recognized in Miami, Florida, in late March. Currently at least three tracks are closed as a result of this disease. Drs. Michael Sigel and G. H. Waddell, University of Miami, report that an isolation from the Miami outbreak appears related to type A influenza virus. Dr. E. R. Doll, University of Kentucky, has investigated outbreaks at several of the tracks and feels this is a previously unknown disease in horses in this country; sera from affected horses cross react with influenza virus A₂/Japan 305/57. Information received to date indicates that

the disease is not transmitted from horses to man. Further investigations of these outbreaks are currently in progress.

(Reported by Drs. Sigel, Waddell and Doll; Dr. John Foley, Track Veterinarian, Maywood Park, Illinois; and by the following State Health Departments: Illinois (Dr. Franklin Yoder); Pennsylvania (Dr. Ernest Witte); New Jersey (Dr. James Nichols); Kentucky (Dr. Ronald Hectorne); Ohio (Dr. Paul Schnurrenberger); Delaware (Dr. Floyd Hudson).

EPIDEMIOLOGICAL REPORTS

Trichinosis - Wisconsin

Circumstances relating to the occurrence of trichinosis in a Wisconsin University graduate student provided a unique opportunity to demonstrate the source of the infection, contaminated pork chops.

About October 1, 1962, two graduate students who shared cooking facilities purchased two thick pork chops at a local market. Hasty preparation resulted in inadequate cooking of the chops. Both chops were sampled but then refrigerated. One of the students consumed one of the chops on the following day.

Three weeks later, he experienced anorexia and nausea without vomiting or diarrhea, followed by aching muscle pains in the chest and back, malaise, non-productive cough, chills and fever to 103°. His eyelids became swollen and he developed severe, throbbing headaches and boring eye pain. He was admitted to the hospital on November 3. A trichinella skin test was positive; biopsy of the gastrocnemius muscle revealed *Trichinella spiralis*. He recovered uneventfully. The second student experienced similar but milder symptoms. His skin test was equivocally positive.

After discharge, the patient brought the remaining, now six-week old, pork chop to the State Laboratory of Hygiene. Microscopic examination revealed encysted *T. spiralis* in the meat.

(Reported in the State of Wisconsin Laboratory of Hygiene Newsletter.)

Salmonella Derby Infections In Hospitals

During the past six weeks an increase in the reporting of *Salmonella derby* isolations has been noted by the mechanism of routine *Salmonella* surveillance. Preliminary totals of *Salmonella* serotype identifications and total *Salmonella derby* identifications by month are shown in the accompanying table. Isolations of *S. derby* rose from an average of 20 to 30 per month (2.0 - 3.0 percent of all identifications reported) to 57 in April (4.7 percent) and to 50 (6.4 percent) during the first two weeks in May.

The increase in *S. derby* reporting has occurred primarily in the northeastern States, and preliminary epidemiologic investigation indicates that most isolations

Salmonella Isolations Reported, By Month, To The Salmonella Surveillance Unit, Communicable Disease Center

Month	Total Identifications	S. Derby	Percent of Total
December 1962	794	16	2.0
January 1963	1,111	30	2.7
February 1963	1,059	22	2.1
March 1963	931	28	3.0
April 1963	1,217	57	4.7
May 1963 (1st two weeks)	780	50	6.4

(Preliminary Figures)

have been obtained from hospitalized patients. Investigations are currently underway in four New York City hospitals and three hospitals in Philadelphia. In addition, three other hospitals in New York State and one in Pennsylvania have reported *S. derby* isolations from hospitalized patients and several other reports in those areas are currently under investigation.

The largest total of isolations reported from any one hospital is 62 including 41 from patients with a history of febrile diarrhea and 21 from employees, only 5 of whom had symptoms. Most of the onsets of illness consistent with *Salmonella* infection have been recorded since March 10.

Intensive epidemiological investigations to detect a common source among hospital populations are currently underway by local, State and federal authorities.


(Reported by Dr. Harold Fuerst, Director, Bureau of Preventable Diseases, New York City Health Department; Dr. Robert Albrecht, Director, Office of Epidemiology, New York State Department of Health; Dr. Sylvan Fish, Chief, Communicable Disease Control, Philadelphia Department of Public Health; Dr. Wm. Schrack, Director, Division of Communicable Disease Control, Pennsylvania State Department of Health; and, a team from the Communicable Disease Center.)

INFANT DEATHS IN 108 CITIES

The weekly average number of infant deaths in 108 cities for the four-week period ending May 11 was 728 as compared with an expected weekly average of 733.

TOTAL DEATHS UNDER ONE YEAR OF AGE IN 108 CITIES

	WEEK ENDING				4 Week Total	Weekly Average
	4/20	4/27	5/4	5/11		
Observed	701	657	817	736	2,911	728
Expected	737	734	732	730	2,933	733
Excess	-36	-77	85	6	-22	-5



(See table, page 163)

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
MAY 11, 1963 AND MAY 12, 1962

Area	Poliomyelitis, total cases				Poliomyelitis, paralytic				Poliomyelitis, nonparalytic		Aseptic Meningitis	
	19th week		Cumulative First 19 weeks		19th week		Cumulative First 19 weeks		19th week	1963	1962	19th week
	1963	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963	1962
UNITED STATES.....	2	14	48	115	1	12	43	84	-	2	17	22
NEW ENGLAND.....	-	-	-	1	-	-	-	1	-	-	-	-
Maine.....	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire.....	-	-	-	-	-	-	-	-	-	-	-	-
Vermont.....	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts.....	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut.....	-	-	-	1	-	-	-	1	-	-	-	-
MIDDLE ATLANTIC.....	-	-	6	30	-	-	6	17	-	-	1	4
New York.....	-	-	4	30	-	-	4	17	-	-	-	4
New Jersey.....	-	-	1	-	-	-	1	-	-	-	-	-
Pennsylvania.....	-	-	1	-	-	-	1	-	-	-	1	-
EAST NORTH CENTRAL.....	1	-	12	10	-	-	10	6	-	-	4	3
Ohio.....	-	-	4	4	-	-	3	4	-	-	1	1
Indiana.....	1	-	1	3	-	-	-	2	-	-	-	-
Illinois.....	-	-	5	2	-	-	5	-	-	-	-	2
Michigan.....	-	-	2	-	-	-	2	-	-	-	3	-
Wisconsin.....	-	-	-	1	-	-	-	-	-	-	-	-
WEST NORTH CENTRAL.....	-	-	1	7	-	-	1	4	-	-	2	-
Minnesota.....	-	-	-	1	-	-	-	1	-	-	2	-
Iowa.....	-	-	-	3	-	-	-	2	-	-	-	-
Missouri.....	-	-	1	3	-	-	1	1	-	-	-	-
North Dakota.....	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota.....	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas.....	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC.....	1	1	6	10	1	1	5	8	-	-	1	-
Delaware.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland.....	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia.....	-	-	-	1	-	-	-	-	-	-	-	-
Virginia.....	1	-	1	2	1	-	1	2	-	-	-	-
West Virginia.....	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina.....	-	-	2	2	-	-	2	2	-	-	-	-
South Carolina.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia.....	-	1	1	2	-	1	-	2	-	-	-	-
Florida.....	-	-	2	3	-	-	2	2	-	-	-	-
EAST SOUTH CENTRAL.....	-	-	3	3	-	-	2	2	-	-	-	-
Kentucky.....	-	-	-	1	-	-	-	1	-	-	-	-
Tennessee.....	-	-	1	1	-	-	1	-	-	-	-	-
Alabama.....	-	-	2	1	-	-	1	1	-	-	-	-
Mississippi.....	-	-	-	-	-	-	-	-	-	-	-	-
WEST SOUTH CENTRAL.....	-	8	11	35	-	7	11	31	-	1	3	2
Arkansas.....	-	-	-	1	-	-	-	1	-	-	-	-
Louisiana.....	-	-	9	5	-	-	9	5	-	-	-	-
Oklahoma.....	-	-	-	-	-	-	-	-	-	-	-	-
Texas.....	-	8	2	29	-	7	2	25	-	1	3	2
MOUNTAIN.....	-	1	-	6	-	1	-	5	-	-	-	2
Montana.....	-	-	-	2	-	-	-	1	-	-	-	-
Idaho.....	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming.....	-	-	-	-	-	-	-	-	-	-	-	-
Colorado.....	-	-	-	-	-	-	-	-	-	-	-	2
New Mexico.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona.....	-	1	-	3	-	1	-	3	-	-	-	-
Utah.....	-	-	-	1	-	-	-	1	-	-	-	-
Nevada.....	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC.....	-	4	9	13	-	3	8	10	-	1	6	11
Washington.....	-	-	-	-	-	-	-	-	-	-	-	1
Oregon.....	-	-	1	-	-	-	1	-	-	-	-	-
California.....	-	4	8	13	-	3	7	10	-	1	6	10
Alaska.....	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii.....	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico.....	-	-	2	5	-	-	2	5	-	-	-	-

Morbidity and Mortality Weekly Report

161

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
MAY 11, 1963 AND MAY 12, 1962 - (Continued)

Area	Brucellosis		Diphtheria		Encephalitis, infectious		Hepatitis, infectious and serum				Measles	
	19th week	Cumulative 19 weeks	19th week	Cumulative 19 weeks	19th week	Under 20 yr.	19th week		Total	19th week	1963	1962
		1963	1963	1963			1963	1963	1963	1962	1963	1962
UNITED STATES.....	5	123	2	107	43	20	484	335	882	1,093	17,937	24,632
NEW ENGLAND.....	-	-	-	4	5	2	49	30	80	56	794	3,286
Maine.....	-	-	-	-	-	-	32	13	45	14	15	308
New Hampshire.....	-	-	-	-	-	-	3	1	4	3	2	47
Vermont.....	-	-	-	-	-	-	-	-	-	1	48	105
Massachusetts.....	-	-	-	2	3	-	10	13	23	27	280	1,250
Rhode Island.....	-	-	-	2	2	2	-	-	-	1	2	141
Connecticut.....	-	-	-	-	-	-	4	3	7	9	308	1,344
MIDDLE ATLANTIC.....	-	4	2	19	10	2	95	75	170	132	2,313	5,571
New York.....	-	3	1	13	2	2	64	52	116	66	938	2,989
New Jersey.....	-	-	-	1	-	-	8	11	19	28	611	2,346
Pennsylvania.....	-	1	1	5	8	-	23	12	35	38	764	236
EAST NORTH CENTRAL.....	-	10	-	11	4	3	97	62	164	244	7,387	3,803
Ohio.....	-	-	-	-	-	-	24	16	40	69	602	654
Indiana.....	-	1	-	4	-	-	13	4	19	35	435	405
Illinois.....	-	8	-	3	3	3	23	19	45	57	840	1,074
Michigan.....	-	1	-	3	1	-	36	22	58	73	2,710	1,291
Wisconsin.....	-	-	-	1	-	-	1	1	2	10	2,800	379
WEST NORTH CENTRAL.....	2	88	-	30	4	-	17	12	35	60	703	513
Minnesota.....	-	7	-	15	2	-	5	3	11	6	239	78
Iowa.....	1	62	-	1	-	-	5	1	6	20	152	140
Missouri.....	-	4	-	1	-	-	3	4	7	19	112	99
North Dakota.....	-	-	-	1	1	-	-	-	-	4	195	162
South Dakota.....	1	4	-	8	-	-	2	-	2	4	2	-
Nebraska.....	-	5	-	4	-	-	-	-	3	3	3	34
Kansas.....	-	6	-	-	1	-	2	4	6	4	NN	NN
SOUTH ATLANTIC.....	-	2	-	19	8	2	45	44	104	141	1,874	1,376
Delaware.....	-	-	-	-	-	-	-	-	-	2	80	6
Maryland.....	-	-	-	-	1	-	2	1	3	13	71	96
District of Columbia.....	-	-	-	-	-	-	1	1	2	3	3	2
Virginia.....	-	-	-	-	1	1	12	11	29	31	769	340
West Virginia.....	-	-	-	1	-	-	13	9	27	17	638	547
North Carolina.....	-	1	-	1	-	-	9	11	20	32	85	19
South Carolina.....	-	-	-	3	-	-	-	1	1	9	112	55
Georgia.....	-	-	-	6	-	-	2	6	8	6	10	64
Florida.....	-	1	-	8	6	1	6	4	14	28	106	247
EAST SOUTH CENTRAL.....	-	3	-	9	2	-	56	18	75	167	1,034	1,824
Kentucky.....	-	-	-	-	-	-	14	5	20	51	551	285
Tennessee.....	-	2	-	2	-	-	31	4	35	48	311	1,349
Alabama.....	-	1	-	7	-	-	3	2	5	59	122	121
Mississippi.....	-	-	-	-	2	-	8	7	15	9	50	69
WEST SOUTH CENTRAL.....	-	8	-	13	-	2	38	24	62	62	723	2,944
Arkansas.....	-	2	-	1	-	-	1	-	1	12	13	137
Louisiana.....	-	-	-	2	-	-	12	3	15	10	4	1
Oklahoma.....	-	2	-	5	-	-	3	3	6	3	23	58
Texas.....	-	4	-	5	-	2	22	18	40	37	683	2,748
MOUNTAIN.....	2	4	-	1	-	1	8	3	45	61	1,320	2,066
Montana.....	-	-	-	-	-	1	2	-	3	3	53	648
Idaho.....	-	-	-	-	-	-	-	-	17	19	200	49
Wyoming.....	1	1	-	-	-	-	-	-	-	2	11	99
Colorado.....	-	-	-	-	-	-	1	1	5	15	185	582
New Mexico.....	-	-	-	1	-	-	4	-	4	9	NN	NN
Arizona.....	1	2	-	-	-	-	-	-	13	11	782	358
Utah.....	-	1	-	-	-	-	1	2	3	2	65	126
Nevada.....	-	-	-	-	-	-	-	-	-	-	24	204
PACIFIC.....	1	4	-	1	10	8	79	67	147	170	1,789	3,249
Washington.....	-	-	-	-	1	1	17	6	23	30	185	1,279
Oregon.....	1	1	-	-	1	-	9	11	20	30	185	774
California.....	-	3	-	1	8	7	48	48	96	105	1,169	1,142
Alaska.....	-	-	-	-	-	-	2	2	5	3	19	7
Hawaii.....	-	-	-	-	-	-	3	-	3	2	231	47
Puerto Rico.....	-	-	-	8	-	-	8	1	9	19	17	80

Morbidity and Mortality Weekly Report

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED

MAY 11, 1963 AND MAY 12, 1962 - (Continued)

Area	Meningococcal Infections		Streptococcal Sore Throat & Scarlet Fever		Tetanus	Tickborne Typhus (Rocky Mt. Spotted)	Tularemia		Typhoid Fever		Rabies in Animals		
	19th wk.	Cumulative 19 weeks	19th	week			19th wk.	19th wk.	19th wk.	Cumulative 19 weeks	19th week	1963	1962
		1963	1963	1963	1962	1963	1963	1963	1963	1963	1963	1963	1963
UNITED STATES....	54	1,131	6,984	7,428	4	2	1	7	132	105	85	1,483	
NEW ENGLAND.....	3	74	820	444	-	-	-	-	5	-	-	-	12
Maine.....	1	12	133	7	-	-	-	-	-	-	-	-	1
New Hampshire.....	-	2	4	2	-	-	-	-	-	-	-	-	7
Vermont.....	-	2	17	4	-	-	-	-	1	-	-	-	4
Massachusetts.....	2	36	136	90	-	-	-	-	3	-	-	-	-
Rhode Island.....	-	6	61	34	-	-	-	-	-	-	-	-	-
Connecticut.....	-	16	469	307	-	-	-	-	1	-	-	-	-
MIDDLE ATLANTIC....	15	161	523	459	1	-	-	1	17	4	1	42	
New York.....	8	75	334	267	1	-	-	1	13	3	1	31	
New Jersey.....	-	23	85	94	-	-	-	-	1	-	-	-	-
Pennsylvania.....	7	63	104	98	-	-	-	-	3	1	-	11	
EAST NORTH CENTRAL...	7	180	921	1,037	1	-	1	-	7	38	36	229	
Ohio.....	2	52	123	52	-	-	-	-	2	33	20	137	
Indiana.....	1	23	174	170	-	-	-	-	1	1	10	24	
Illinois.....	1	23	160	408	1	-	1	-	2	3	2	31	
Michigan.....	3	60	278	246	-	-	-	-	1	1	-	24	
Wisconsin.....	-	22	186	161	-	-	-	-	1	-	4	13	
WEST NORTH CENTRAL...	6	70	229	259	-	-	-	1	8	20	20	331	
Minnesota.....	1	12	17	44	-	-	-	1	3	5	6	89	
Iowa.....	-	3	89	48	-	-	-	-	1	11	8	122	
Missouri.....	1	26	4	23	-	-	-	-	4	3	5	60	
North Dakota.....	2	3	63	73	-	-	-	-	-	1	-	8	
South Dakota.....	-	4	3	1	-	-	-	-	-	-	-	44	
Nebraska.....	1	17	-	5	-	-	-	-	-	-	-	3	
Kansas.....	1	5	53	65	-	-	-	-	-	-	1	5	
SOUTH ATLANTIC....	5	207	814	552	-	2	-	1	27	13	4	250	
Delaware.....	-	1	8	4	-	-	-	-	1	-	-	-	
Maryland.....	1	30	39	17	-	-	-	-	3	-	-	-	
Dist. of Columbia..	-	4	1	1	-	-	-	-	-	-	-	-	
Virginia.....	1	52	418	230	-	1	-	-	3	5	1	93	
West Virginia.....	1	12	152	80	-	-	-	-	5	3	2	80	
North Carolina.....	1	33	15	11	-	-	-	-	3	-	-	4	
South Carolina.....	1	13	76	34	-	-	-	-	-	-	-	5	
Georgia.....	-	11	2	1	-	1	-	-	2	2	-	23	
Florida.....	-	51	103	174	-	-	-	1	10	3	1	45	
EAST SOUTH CENTRAL...	2	99	892	979	-	-	-	2	13	5	9	121	
Kentucky.....	-	29	87	80	-	-	-	-	2	2	3	56	
Tennessee.....	2	41	779	801	-	-	-	-	7	3	6	54	
Alabama.....	-	13	11	23	-	-	-	2	4	-	-	11	
Mississippi.....	-	16	15	75	-	-	-	-	-	-	-	-	
WEST SOUTH CENTRAL...	3	117	623	715	2	-	-	-	22	21	12	310	
Arkansas.....	-	7	-	1	-	-	-	-	9	-	1	20	
Louisiana.....	1	49	-	1	1	-	-	-	5	-	-	28	
Oklahoma.....	-	22	24	13	-	-	-	-	2	3	-	29	
Texas.....	2	39	599	700	1	-	-	-	6	18	11	233	
MOUNTAIN....	1	40	1,053	1,129	-	-	-	-	2	2	-	26	
Montana.....	1	3	34	61	-	-	-	-	-	-	-	-	
Idaho.....	-	3	92	150	-	-	-	-	-	-	-	-	
Wyoming.....	-	1	50	80	-	-	-	-	-	-	-	-	
Colorado.....	-	11	412	390	-	-	-	-	1	-	-	-	
New Mexico.....	-	2	210	229	-	-	-	-	1	1	-	13	
Arizona.....	-	6	145	159	-	-	-	-	1	1	-	13	
Utah.....	-	11	100	54	-	-	-	-	-	-	-	-	
Nevada.....	-	3	10	6	-	-	-	-	-	-	-	-	
PACIFIC....	12	183	1,109	1,854	-	-	-	2	31	2	3	162	
Washington.....	2	15	418	650	-	-	-	-	-	-	-	-	
Oregon.....	1	10	26	31	-	-	-	-	2	-	1	1	
California.....	9	148	612	1,059	-	-	-	1	26	2	2	152	
Alaska.....	-	5	39	71	-	-	-	1	1	-	-	9	
Hawaii.....	-	5	14	43	-	-	-	-	2	-	-	-	
Puerto Rico.....	-	4	21	5	-	-	-	2	5	-	-	5	

Table 4 (C). TOTAL DEATHS UNDER 1 YEAR OF AGE IN REPORTING CITIES

(Tables 4(A), 4(B), 4(C), and 4(D) will be published in sequence covering a four-week period.)^a

Area	For weeks ending				Area	For weeks ending				
	4/20	4/27	5/4	5/11		4/20	4/27	5/4	5/11	
NEW ENGLAND:										
Boston, Mass.....	14	11	15	15	SOUTH ATLANTIC:	Atlanta, Ga.....	13	4	16	3
Bridgeport, Conn.....	1	3	1	2	Baltimore, Md.....	15	16	13	17	
Cambridge, Mass.....	1	1	0	1	Charlotte, N.C.....	4	3	6	5	
Fall River, Mass.....	1	1	1	2	Jacksonville, Fla.....	7	4	9	6	
Hartford, Conn.....	2	6	4	3	Miami, Fla.....	1	4	5	3	
Lowell, Mass.....	1	1	1	1	Norfolk, Va.....	3	5	7	6	
Lynn, Mass.....	2	3	0	3	Richmond, Va.....	10	6	15	4	
New Bedford, Mass.....	1	2	0	0	Savannah, Ga.....	4	4	3	5	
New Haven, Conn.....	1	1	1	1	St. Petersburg, Fla.....	3	5	3	1	
Providence, R.I.....	4	5	3	3	Tampa, Fla.....	4	0	5	5	
Somerville, Mass.....	1	0	1	0	Washington, D.C.....	12	8	13	10	
Springfield, Mass.....	2	2	4	0	Wilmington, Del.....	7	2	5	5	
Waterbury, Conn.....	3	1	0	0						
Worcester, Mass.....	2	2	3	2						
MIDDLE ATLANTIC:										
Albany, N.Y.....	3	2	3	6	EAST SOUTH CENTRAL:	Birmingham, Ala.....	8	7	13	5
Allentown, Pa.....	1	2	3	1	Chattanooga, Tenn.....	4	2	3	7	
Buffalo, N.Y.....	8	12	11	12	Knoxville, Tenn.....	3	3	3	3	
Camden, N.J.....	2	4	3	5	Louisville, Ky.....	2	7	10	6	
Elizabeth, N.J.....	0	3	2	1	Memphis, Tenn.....	7	12	11	8	
Erie, Pa.....	4	0	2	2	Mobile, Ala.....	3	6	6	1	
Jersey City, N.J.....	1	6	1	2	Montgomery, Ala.....	1	5	3	3	
Newark, N.J.....	6	6	8	3	Nashville, Tenn.....	7	3	5	6	
New York City, N.Y.....	73	78	70	83	WEST SOUTH CENTRAL:	Austin, Tex.....	1	3	2	4
Paterson, N.J.....	5	3	8	4	Baton Rouge, La.....	2	3	4	3	
Philadelphia, Pa.....	21	21	44	22	Corpus Christi, Tex.....	4	3	1	4	
Pittsburgh, Pa.....	15	4	17	10	Dallas, Tex.....	9	13	17	11	
Reading, Pa.....	1	2	4	0	El Paso, Tex.....	3	3	4	4	
Rochester, N.Y.....	3	3	6	11	Fort Worth, Tex.....	9	2	5	8	
Schenectady, N.Y.....	1	0	2	0	Houston, Tex.....	18	10	16	12	
Scranton, Pa.....	1	0	1	1	Little Rock, Ark.....	5	3	2	2	
Syracuse, N.Y.....	5	7	6	2	New Orleans, La.....	16	9	17	15	
Trenton, N.J.....	3	6	0	1	Oklahoma City, Okla.....	9	6	7	3	
Utica, N.Y.....	3	0	2	0	San Antonio, Tex.....	6	12	9	5	
Yonkers, N.Y.....	1	2	1	1	Shreveport, La.....	8	10	9	2	
					Tulsa, Okla.....	1	2	1	4	
EAST NORTH CENTRAL:										
Akron, Ohio.....	4	4	5	5	MOUNTAIN:	Albuquerque, N. Mex.....	1	4	3	6
Canton, Ohio.....	3	0	3	4	Colorado Springs, Colo.....	1	0	0	0	
Chicago, Ill.....	42	30	61	47	Denver, Colo.....	8	8	9	14	
Cincinnati, Ohio.....	10	12	12	6	Ogden, Utah.....	1	0	0	1	
Cleveland, Ohio.....	21	6	26	11	Phoenix, Ariz.....	3	9	5	10	
Columbus, Ohio.....	9	15	15	7	Pueblo, Colo.....	0	0	0	1	
Dayton, Ohio.....	5	5	5	4	Salt Lake City, Utah.....	6	4	5	2	
Detroit, Mich.....	16	32	43	17	Tucson, Ariz.....	2	2	2	2	
Evansville, Ind.....	5	1	0	6						
Flint, Mich.....	7	6	6	5						
Fort Wayne, Ind.....	4	4	1	2						
Gary, Ind.....	3	1	1	3*						
Grand Rapids, Mich.....	3	3	4	2						
Indianapolis, Ind.....	10	11	11	11						
Madison, Wis.....	3	3	3	2						
Milwaukee, Wis.....	6	4	6	24						
Peoria, Ill.....	4	4	5	3						
Rockford, Ill.....	1	1	0	3						
South Bend, Ind.....	6	2	1	3						
Toledo, Ohio.....	1	2	3	8						
Youngstown, Ohio.....	2	5	2	1						
WEST NORTH CENTRAL:										
Des Moines, Iowa.....	2	3	1	5	PACIFIC:	Berkeley, Calif.....	0	0	0	0
Duluth, Minn.....	2	4	0	4	Fresno, Calif.....	2	1	4	5	
Kansas City, Kans.....	5	4	4	6	Glendale, Calif.....	1	3	2	0	
Kansas City, Mo.....	7	6	8	12	Honolulu, Hawaii.....	9	6	4	9	
Lincoln, Nebr.....	2	2	1	1	Long Beach, Calif.....	5	3	5	5	
Minneapolis, Minn.....	5	5	5	7	Los Angeles, Calif.....	41	36	33	43	
Omaha, Nebr.....	4	3	5	7	Oakland, Calif.....	6	3	5	10	
St. Louis, Mo.....	14	7	15	14	Pasadena, Calif.....	0	2	3	2	
St. Paul, Minn.....	5	6	7	1	Portland, Oreg.....	8	6	9	4	
Wichita, Kans.....	3	3	3	3	Sacramento, Calif.....	4	7	2	4	
					San Diego, Calif.....	9	7	12	6	
					San Francisco, Calif.....	6	6	8	12	
					San Jose, Calif.....	3	7	4	4	
					Seattle, Wash.....	9	2	4	15	
					Spokane, Wash.....	1	1	1	1	
					Tacoma, Wash.....	0	2	1	1	
					San Juan, P.R.....	5	2	3	2	

^aCurrent Week Mortality for 108 Selected Cities

*Estimate - based on average percent of divisional total.
 Totals for previous weeks include reported corrections.

4(A) Total Mortality, all ages..... 11,416
 4(B) Pneumonia-Influenza Deaths, all ages..... 422
 4(C) Total Deaths under 1 Year of Age..... 736
 4(D) Total Deaths, Persons 65 years and over..... 6,366

Erratum:

The epidemiological report, Typhoid Fever - Los Angeles, California, which appeared on page 120, MMWR Vol. 12, No. 14 (April 12, 1963), incorrectly identified the Los Angeles County Health Department as the investigating agency.

This outbreak was principally investigated by the Los Angeles City Health Department under the direction of Dr. Herbert Cowper, in charge of the Communicable Disease Control Unit.

The Morbidity and Mortality Weekly Report is published by the Communicable Disease Center, Atlanta, Georgia, and as of May 3, 1963, had a circulation of 10,400 copies.

Chief, Communicable Disease Center

James L. Goddard, M.D.

Chief, Epidemiology Branch

A. D. Langmuir, M.D.

Chief, Statistics Section

R. E. Serfling, Ph.D.

Asst. Chief, Statistics Section

I. L. Sherman, M.S.

Chief, Surveillance Section

D. A. Henderson, M.D.

Deputy Chief, Surveillance Section

D. W. Ruthig, M.D.

INTERNATIONAL NOTES - QUARANTINE MEASURES**Immunization Information for International Travel
1962 Edition****Public Health Service Publication No. 384**

The following information should be added to the list of Yellow Fever Vaccination Centers in Section 6:

CITY: Chicago, Illinois
CENTER: Chicago Board of Health
 O'Hare International Airport
 Tel. 686-2200
CLINIC HOURS: Friday, 10-11 a.m., registration 9:45 a.m.
FEES: No

In addition to the established procedures for reporting morbidity and mortality, the Communicable Disease Center welcomes accounts of interesting outbreaks or cases. Such accounts should be addressed to:

Editor, Morbidity and Mortality Weekly Report
 Communicable Disease Center
 Atlanta 22, Georgia

Library
81
761
CDC

Official Business
Communicable Disease Center
Atlanta 22, Georgia

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

Communicable Disease Center
Atlanta 22, Georgia

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H.E.W.

