


## Maps of Zika in the United States

### Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of November 2, 2016)



**\*See detailed map of the areas with active Zika virus transmission below.**

**Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory – United States, 2015–2016 (as of November 2, 2016)§**

<b>States</b>	<b>Travel-associated cases* No. (% of cases in states) (N=3,989)</b>	<b>Locally acquired cases† No. (% of cases in states) (N=139)</b>
Alabama	28 (1)	0 (0)
Arizona	42 (1)	0 (0)

Arkansas	13 (<1)	0 (0)
California	312 (8)	0 (0)
Colorado	46 (1)	0 (0)
Connecticut	58 (1)	0 (0)
Delaware	16 (<1)	0 (0)
District of Columbia	25 (1)	0 (0)
Florida	708 (18)	139 (100)
Georgia	96 (2)	0 (0)
Hawaii	14 (<1)	0 (0)
Idaho	4 (<1)	0 (0)
Illinois	76 (2)	0 (0)
Indiana	45 (1)	0 (0)
Iowa	17 (<1)	0 (0)
Kansas	17 (<1)	0 (0)
Kentucky	24 (1)	0 (0)
Louisiana	34 (1)	0 (0)
Maine	11 (<1)	0 (0)
Maryland	107 (3)	0 (0)
Massachusetts	97 (2)	0 (0)
Michigan	62 (2)	0 (0)
Minnesota	53 (1)	0 (0)
Mississippi	23 (1)	0 (0)
Missouri	34 (1)	0 (0)
Montana	7 (<1)	0 (0)
Nebraska	12 (<1)	0 (0)

Nevada	15 (<1)	0 (0)
New Hampshire	11 (<1)	0 (0)
New Jersey	134 (3)	0 (0)
New Mexico	9 (<1)	0 (0)
New York	883 (22)	0 (0)
North Carolina	73 (2)	0 (0)
North Dakota	2 (<1)	0 (0)
Ohio	69 (2)	0 (0)
Oklahoma	29 (1)	0 (0)
Oregon	33 (1)	0 (0)
Pennsylvania <sup>††</sup>	147 (4)	0 (0)
Rhode Island	33 (1)	0 (0)
South Carolina	53 (1)	0 (0)
South Dakota	2 (<1)	0 (0)
Tennessee	54 (1)	0 (0)
Texas	237 (6)	0 (0)
Utah	15 <sup>**</sup> (<1)	0 (0)
Vermont	10 (<1)	0 (0)
Virginia	90 (2)	0 (0)
Washington	53 (1)	0 (0)
West Virginia	11 (<1)	0 (0)
Wisconsin	43 (1)	0 (0)
Wyoming	2 (<1)	0 (0)
<b>Territories</b>	<b>Travel-associated cases* No. (% of cases in territories)</b>	<b>Locally acquired cases<sup>†</sup> No. (% of cases in territories)</b>

	(N=104)	(N=30,074)
American Samoa	7 (7)	47 (<1)
Puerto Rico	95 (91)	29,462*** (98)
US Virgin Islands	2 (2)	565 (2)

§Only includes cases meeting the probable or confirmed CSTE case definition and does not include asymptomatic infections unless the case is a pregnant woman with a complication of pregnancy

\*Travelers returning from affected areas, their sexual contacts, or infants infected in utero


†Presumed local mosquito-borne transmission

††One additional case acquired through laboratory transmission

\*\*Includes one case with unknown route of person-to-person transmission.

\*\*\*The Puerto Rico Department of Health is retroactively reporting cases, resulting in larger than normal increases in cases in recent weeks.

## Active Zika Virus Transmission in Florida



Miami-Dade County, FL. Red shows areas of active transmission where CDC recommends adherence to travel and testing guidance for pregnant women, women of reproductive age, and their partners. Yellow shows areas where CDC recommends cautionary travel recommendations and strict adherence to precautions to prevent mosquito bites.

Page last reviewed: November 3, 2016

Page last updated: November 3, 2016

Content source: Centers for Disease Control and Prevention (<http://www.cdc.gov/>)

National Center for Emerging and Zoonotic Infectious Diseases (NCEZID) (<http://www.cdc.gov/ncezid>)

Division of Vector-Borne Diseases (DVBD) (<http://www.cdc.gov/ncezid/dvbd/index.html>)