

## Maps of Zika in the United States

### Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of November 9, 2016)

**\*See detailed map of the areas with active Zika virus transmission below.**

**Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory – United States, 2015–2016 (as of November 9, 2016)§**

<b>States</b>	<b>Travel-associated cases* No. (% of cases in states) (N=4,036)</b>	<b>Locally acquired cases† No. (% of cases in states) (N=139)</b>
Alabama	30 (1)	0 (0)
Arizona	42 (1)	0 (0)
Arkansas	13 (<1)	0 (0)
California	325 (8)	0 (0)
Colorado	46 (1)	0 (0)
Connecticut	58 (1)	0 (0)
Delaware	16 (<1)	0 (0)
District of Columbia	25 (1)	0 (0)
Florida	708 (18)	139 (100)
Georgia	101 (3)	0 (0)
Hawaii	14 (<1)	0 (0)
Idaho	4 (<1)	0 (0)
Illinois	81 (2)	0 (0)

Indiana	46 (1)	0 (0)
Iowa	17 (<1)	0 (0)
Kansas	17 (<1)	0 (0)
Kentucky	24 (1)	0 (0)
Louisiana	32 (1)	0 (0)
Maine	11 (<1)	0 (0)
Maryland	107 (3)	0 (0)
Massachusetts	98 (2)	0 (0)
Michigan	62 (2)	0 (0)
Minnesota	53 (1)	0 (0)
Mississippi	23 (1)	0 (0)
Missouri	34 (1)	0 (0)
Montana	7 (<1)	0 (0)
Nebraska	12 (<1)	0 (0)
Nevada	15 (<1)	0 (0)
New Hampshire	11 (<1)	0 (0)
New Jersey	157 (4)	0 (0)
New Mexico	9 (<1)	0 (0)
New York	870 (22)	0 (0)
North Carolina	73 (2)	0 (0)
North Dakota	2 (<1)	0 (0)
Ohio	71 (2)	0 (0)
Oklahoma	29 (1)	0 (0)
Oregon	34 (1)	0 (0)
Pennsylvania <sup>††</sup>	149 (4)	0 (0)

Rhode Island	33 (1)	0 (0)
South Carolina	53 (1)	0 (0)
South Dakota	2 (<1)	0 (0)
Tennessee	55 (1)	0 (0)
Texas	237 (6)	0 (0)
Utah	15** (<1)	0 (0)
Vermont	10 (<1)	0 (0)
Virginia	92 (2)	0 (0)
Washington	55 (1)	0 (0)
West Virginia	11 (<1)	0 (0)
Wisconsin	45 (1)	0 (0)
Wyoming	2 (<1)	0 (0)
<b>Territories</b>	<b>Travel-associated cases* No. (% of cases in territories) (N=105)</b>	<b>Locally acquired cases† No. (% of cases in territories) (N=31,093)</b>
American Samoa	0 (0)	54 (<1)
Puerto Rico	103 (98)	30,439*** (98)
US Virgin Islands	2 (2)	600 (2)

§Only includes cases meeting the probable or confirmed CSTE case definition and does not include asymptomatic infections unless the case is a pregnant woman with a complication of pregnancy

\*Travelers returning from affected areas, their sexual contacts, or infants infected in utero


†Presumed local mosquito-borne transmission

††One additional case acquired through laboratory transmission

\*\*Includes one case with unknown route of person-to-person transmission.

\*\*\*The Puerto Rico Department of Health is retroactively reporting cases, resulting in larger than normal increases in cases in recent weeks.

## Active Zika Virus Transmission in Florida



Miami-Dade County, FL. Red shows areas where pregnant women should not travel. Yellow shows areas where pregnant women should consider postponing travel.

Page last reviewed: November 14, 2016

Page last updated: November 14, 2016

Content source: Centers for Disease Control and Prevention (<http://www.cdc.gov/>)

National Center for Emerging and Zoonotic Infectious Diseases (NCEZID) (<http://www.cdc.gov/ncezid>)

Division of Vector-Borne Diseases (DVBD) (<http://www.cdc.gov/ncezid/dvbd/index.html>)