


Rabies Surveillance in the United States During 2013

Division of High-Consequence Pathogens and Pathology
Poxvirus and Rabies Branch


December 2015



Animals submitted for rabies diagnostic testing, by county, 2013.




Distribution of major rabies virus variants among mesocarnivores in the United States and Puerto Rico, 2009 to 2013.




*Potential host shift event. AZ = Arizona. CA = California. NC = North central. SC = South central. TX = Texas.


Cases of rabies among wildlife in the United States, by year and species, 1984 to 2013.




Reported cases of rabies involving raccoons, by county, 2013.




Reported cases of rabies involving bats, by county, 2013.




Reported cases of rabies involving skunks, by county, 2013.





Reported cases of rabies involving foxes, by county, 2013.




Reported cases of rabies involving cats, by county, 2013.



Reported cases of rabies involving dogs, by county, 2013.



Rabid Dogs



For more information please contact Centers for Disease Control and Prevention

1600 Clifton Road NE, Atlanta, GA 30333

Telephone: 1-800-CDC-INFO (232-4636)/TTY: 1-888-232-6348

Visit: www.cdc.gov | Contact CDC at: 1-800-CDC-INFO or www.cdc.gov/info

The findings and conclusions in this report are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

National Center for Emerging and Zoonotic Infectious Diseases

Division Name in this space

