

Age-Adjusted Death Rates for the Five Leading Causes of Death, by Year and Locality: United States,1

Cause of death ¹ and year	Nonmetropolitan		Metropolitan	
	Rate	SE	Rate	SE
Heart Disease				
1999	280.1	0.7	263.4	0.3
2000	273.2	0.7	254.2	0.3
2001	263.4	0.7	246.5	0.3
2002	261.2	0.7	241.1	0.3
2003	252.7	0.7	232.8	0.3
2004	237.1	0.7	218.3	0.3
2005	234.1	0.7	213.2	0.3
2006	223.2	0.6	201.7	0.3
2007	215.6	0.6	192.0	0.3
2008	213.6	0.6	187.6	0.3
2009	204.1	0.6	178.4	0.3
2010	201.4	0.6	174.5	0.3
2011	196.1	0.6	169.2	0.2
2012	194.2	0.6	165.8	0.2
2013	194.8	0.6	164.8	0.2
2014	193.5	0.6	161.7	0.2
Cancer				
1999	204.5	0.6	200.0	0.3
2000	204.7	0.6	198.5	0.3
2001	202.0	0.6	195.3	0.3
2002	201.5	0.6	192.9	0.3
2003	197.8	0.6	189.5	0.3
2004	195.3	0.6	185.0	0.3
2005	194.4	0.6	183.2	0.3
2006	191.0	0.6	179.9	0.3
2007	190.5	0.6	176.9	0.3
2008	187.7	0.6	174.0	0.3
2009	185.2	0.6	171.1	0.3
2010	185.2	0.6	170.2	0.3
2011	182.6	0.6	166.2	0.2
2012	180.2	0.6	163.7	0.2
2013	178.4	0.5	160.2	0.2
2014	176.2	0.5	158.3	0.2
Unintentional Injury				
1999	49.4	0.3	32.5	0.1
2000	48.9	0.3	32.2	0.1
2001	49.9	0.3	33.0	0.1
2002	51.4	0.3	34.5	0.1
2003	53.0	0.3	34.7	0.1

2004	53.0	0.3	35.4	0.1
2005	54.8	0.3	36.8	0.1
2006	55.7	0.3	37.4	0.1
2007	55.8	0.3	37.6	0.1
2008	54.4	0.3	36.5	0.1
2009	52.5	0.3	34.9	0.1
2010	53.0	0.3	35.3	0.1
2011	54.4	0.3	36.5	0.1
2012	54.6	0.3	36.4	0.1
2013	53.4	0.3	37.0	0.1
2014	54.3	0.3	38.2	0.1

Chronic Lower Respiratory Disease

1999	49.4	0.3	44.5	0.1
2000	48.9	0.3	43.2	0.1
2001	49.9	0.3	42.6	0.1
2002	51.4	0.3	42.5	0.1
2003	53.0	0.3	42.3	0.1
2004	53.0	0.3	40.3	0.1
2005	54.8	0.3	42.2	0.1
2006	55.7	0.3	39.5	0.1
2007	55.8	0.3	39.4	0.1
2008	54.4	0.3	42.6	0.1
2009	52.5	0.3	40.5	0.1
2010	53.0	0.3	40.1	0.1
2011	54.4	0.3	40.2	0.1
2012	54.6	0.3	39.1	0.1
2013	53.4	0.3	39.7	0.1
2014	54.3	0.3	38.0	0.1

Stroke

1999	67.8	0.4	60.1	0.2
2000	65.8	0.4	59.7	0.2
2001	63.5	0.3	57.2	0.2
2002	63.1	0.3	55.9	0.2
2003	59.9	0.3	53.3	0.2
2004	56.2	0.3	50.0	0.1
2005	53.9	0.3	46.6	0.1
2006	50.6	0.3	43.5	0.1
2007	49.2	0.3	42.3	0.1
2008	48.7	0.3	40.6	0.1
2009	45.9	0.3	38.3	0.1
2010	45.2	0.3	37.8	0.1
2011	43.7	0.3	36.7	0.1
2012	42.4	0.3	35.7	0.1
2013	41.9	0.3	35.0	0.1
2014	41.5	0.3	35.4	0.1

¹Underlying cause of death code numbers are based on the ICD-10

Note: Rates are per 100,000 population.

Source: CDC/NCHS, National Vital Statistics System, Mortality Data; <http://www.cdc.gov/nchs/nvss/deaths.htm>.

1999-2014

Potentially Excess Deaths Under Age 80 for the Five Leading Causes of Death by Year ar

Cause of death ¹ and year	Nonmetropolitan		Potentially Excess Deaths	Potentially Excess Deaths (SE)
	Expected Deaths	Observed Deaths		
Heart Disease				
2010	31,791	56,212	24,453	297
2011	32,396	55,827	23,470	297
2012	32,934	56,651	23,796	299
2013	33,609	58,026	24,546	303
2014	34,211	59,365	25,278	306
Cancer				
2010	55,532	76,651	21,224	364
2011	56,659	77,416	20,930	366
2012	57,624	77,728	20,264	368
2013	58,780	78,448	19,786	370
2014	59,837	78,621	19,055	372
Unintentional Injury				
2010	8,899	20,545	11,656	172
2011	8,941	21,206	12,275	174
2012	8,962	21,149	12,192	174
2013	8,995	20,759	11,772	172
2014	9,020	21,175	12,165	174
Chronic Lower Respiratory Disease				
2010	8,243	17,787	9,566	161
2011	8,430	18,148	9,741	163
2012	8,607	18,641	10,049	165
2013	8,831	19,544	10,733	168
2014	9,033	19,677	10,676	169
Stroke				
2010	6,277	10,640	4,399	130
2011	6,406	10,601	4,254	130
2012	6,528	10,470	4,016	130
2013	6,684	10,640	4,021	132
2014	6,823	10,861	4,108	133

¹Underlying cause of death code numbers are based on the ICD-10

Note: Potentially Excess Deaths = Observed Deaths - Expected Deaths.

Source: CDC/NCHS, National Vital Statistics System, Mortality Data; <http://www.cdc.gov/nchs/nv>

rd Locality: United States, 2010-2014

Expected Deaths	Observed Deaths	Metropolitan	
		Potentially Excess Deaths	Potentially Excess Deaths (SE)
149,470	216,476	67,615	605
153,765	217,071	63,880	609
157,841	219,642	62,654	614
162,742	225,583	63,695	623
167,690	229,900	63,391	631
261,120	324,298	63,464	765
269,134	325,264	56,587	771
276,516	330,564	54,447	779
285,048	332,019	48,018	786
293,807	337,561	45,493	795
49,156	74,317	25,484	351
49,885	77,835	28,155	357
50,528	78,446	28,139	359
51,173	80,945	30,007	363
51,909	85,085	33,354	370
37,496	56,671	19,305	307
38,681	58,025	19,451	311
39,854	58,519	18,855	314
41,333	61,310	20,203	320
42,807	61,222	18,942	323
29,112	41,720	12,736	266
29,960	41,772	12,006	268
30,800	41,689	11,259	269
31,859	42,282	10,943	272
32,914	43,846	11,440	277

Potentially Excess Deaths Under Age 80 for the Five Leading Causes of Death by Public Health Region

Cause of death ¹ and public health region	Nonmetropolitan		Potentially Excess Deaths	Potentially Excess Deaths (SE)
	Expected Deaths	Observed Deaths		
Heart Disease				
1	1,392	1,643	285	55
2	1,030	1,539	509	51
3	2,741	4,734	1,995	86
4	8,476	18,055	9,579	163
5	7,410	11,405	4,016	137
6	4,953	10,292	5,339	123
7	3,243	5,328	2,088	93
8	1,975	2,373	453	66
9	1,352	1,923	579	57
10	1,639	2,073	437	61
Cancer				
1	2,453	2,883	448	73
2	1,807	2,218	414	63
3	4,790	6,452	1,666	106
4	14,811	21,752	6,946	191
5	12,960	16,679	3,728	172
6	8,632	11,603	3,000	142
7	5,659	7,329	1,675	114
8	3,473	3,681	356	85
9	2,376	2,598	269	71
10	2,877	3,426	552	79
Unintentional Injury				
1	352	623	275	31
2	277	437	160	27
3	686	1,712	1,026	49
4	2,266	5,954	3,688	91
5	1,933	3,876	1,943	76
6	1,340	3,601	2,261	70
7	853	1,844	991	52
8	553	1,312	759	43
9	339	950	617	36
10	421	866	445	36
Chronic Lower Respiratory Disease				
1	364	575	218	31
2	269	508	239	28
3	727	1,476	751	47
4	2,235	5,687	3,452	89

5	1,953	4,033	2,080	77
6	1,313	3,142	1,829	67
7	859	1,891	1,032	52
8	515	948	439	38
9	360	622	276	31
10	437	795	360	35

Stroke

1	274	293	39	24
2	204	227	28	21
3	546	849	303	37
4	1,689	3,447	1,758	72
5	1,475	2,051	579	59
6	995	1,848	853	53
7	650	947	302	40
8	392	450	84	29
9	270	321	58	24
10	329	428	105	28

¹Underlying cause of death code numbers are based on the ICD-10

Note: Potentially Excess Deaths = Observed Deaths - Expected Deaths.

Source: CDC/NCHS, National Vital Statistics System, Mortality Data; <http://www.cdc.gov/nchs/nv>

Health Region and Locality: United States, 2014

Expected Deaths	Observed Deaths	Metropolitan	
		Potentially Excess Deaths	Potentially Excess Deaths (SE)
8,406	8,825	558	131
17,140	22,733	5,593	200
17,358	24,451	7,093	204
34,759	51,842	17,083	294
26,208	39,032	13,360	255
18,292	29,615	11,362	219
5,715	8,097	2,387	118
4,641	4,952	441	98
28,271	33,210	5,032	248
6,900	7,143	482	119
14,763	16,112	1,373	176
30,020	32,608	2,588	250
30,451	36,784	6,340	259
60,711	73,709	13,199	367
46,015	56,850	10,863	321
32,062	37,613	5,622	264
10,032	12,324	2,295	150
8,152	7,706	186	126
49,458	50,581	1,865	316
12,142	13,274	1,163	159
2,514	4,194	1,723	82
5,254	6,387	1,182	108
5,230	8,549	3,385	117
10,072	18,835	8,763	170
8,051	14,022	5,976	149
6,191	10,997	4,806	131
1,786	3,057	1,276	70
1,582	2,734	1,162	66
9,081	12,818	3,738	148
2,148	3,492	1,344	75
2,141	2,493	402	68
4,364	4,189	131	92
4,438	5,758	1,347	101
9,019	15,338	6,319	156

6,670	10,636	3,967	132
4,597	7,405	2,833	110
1,458	2,753	1,296	65
1,170	1,733	574	54
7,191	8,355	1,263	125
1,757	2,562	809	66
1,640	1,488	10	56
3,352	3,489	339	83
3,401	4,662	1,275	90
6,878	10,487	3,609	132
5,128	7,092	1,976	111
3,580	5,901	2,322	97
1,123	1,543	432	52
911	990	104	44
5,552	6,631	1,146	110
1,350	1,563	225	54

rss/deaths.htm.