

Summary:

Table S1. Crude prevalence estimates for currently insured among adults aged 18-64 years, by state and sociodemographic characteristics — Behavioral Risk Factor Surveillance System, 2014

Table S2. Crude prevalence estimates for cost barrier to health care among adults aged 18-64 years, by state and sociodemographic characteristics — Behavioral Risk Factor Surveillance System, 2014

Table S3. Crude and age-standardized prevalence estimates for clinical preventive service use among adults aged 18-64 years, by state — Behavioral Risk Factor Surveillance System, 2014

Table S4. Crude and age-standardized prevalence estimates for primary source of insurance (i.e., Medicaid, Other public, Employer, Other private insurance, none) in the past 12 months among adults aged 18-64 years, by state — Behavioral Risk Factor Surveillance System, 2014

Table S5. Crude and age-standardized prevalence estimates for overall cost barrier, cost barrier to prescribed medication in the past 12 months, and having medical bills being paid off overtime in the past 12 months among adults aged 18-64 years, by state — Behavioral Risk Factor Surveillance System, 2014

Table S6. Crude and age-standardized prevalence estimates for having 0, 1-2, and ≥ 3 medical care visits in the past 12 months, and for being satisfied with received health care among adults aged 18-64 years, by state — Behavioral Risk Factor Surveillance System, 2014

Table S7. Crude and age-standardized prevalence estimates for continuingly insured in the past 12 months, partially uninsured in the past 12 months, and never insured in the past 12 months among adults aged 18-64 years, by state — Behavioral Risk Factor Surveillance System, 2014

Table S1. Crude prevalence estimates for currently insured among adults aged 18-64 years, by state* and sociodemographic characteristics — Behavioral Risk Factor Surveillance System, 2014

	AL	AK	AZ	AR	CA	CO	CT	DE	DC	FL	GA	HI	ID	IL	IN	IA	KS	KY	LA	ME	MD	MA	MI	MN	MS	MO
n†	5,499	3,370	8,236	2,821	6,580	9,054	5,293	2,722	2,521	5,471	4,144	5,084	3,535	3,402	7,328	5,161	9,251	7,225	4,672	5,765	7,859	9,951	5,553	11,852	2,619	4,278
Overall	82.7	83.0	82.1	79.9	82.4	84.8	89.6	89.3	90.5	77.3	75.2	90.4	79.9	85.7	82.1	90.4	82.5	87.9	77.4	86.1	89.1	94.7	87.4	91.3	77.1	83.9
Age, y																										
18-24	80.7	82.2	75.7	72.5	80.1	83.8	86.6	87.7	80.9	73.9	70.2	85.5	78.2	84.5	76.9	90.0	76.7	84.4	73.4	84.8	87.1	94.9	86.2	87.3	75.0	75.8
25-44	77.3	79.8	80.1	76.9	79.0	80.0	85.5	84.9	91.0	73.7	69.8	88.7	75.8	80.5	77.3	86.9	78.4	85.4	73.5	83.7	83.1	93.6	84.3	89.0	73.3	80.5
45-64	88.5	86.5	86.9	85.5	87.1	90.2	94.1	93.9	94.1	81.8	82.8	93.8	84.8	91.4	88.7	93.8	88.7	91.4	83.0	88.3	95.4	95.6	90.4	94.8	81.6	90.1
Sex																										
Male	81.6	80.6	80.4	77.6	81.1	82.4	87.4	87.1	89.3	74.9	72.8	89.3	80.2	84.0	81.4	89.1	81.7	85.2	78.7	83.6	86.6	92.9	85.0	90.6	75.0	82.7
Female	83.7	85.6	83.9	82.2	83.8	87.2	91.8	91.4	91.5	79.7	77.5	91.6	79.6	87.3	82.9	91.8	83.2	90.5	76.2	88.5	91.5	96.4	89.7	91.9	79.0	85.1
Race/Ethnicity																										
NH White	85.0	84.0	88.0	83.9	91.3	90.7	94.3	92.3	96.0	82.1	83.1	89.4	82.9	92.3	84.6	92.5	87.2	88.8	82.2	86.5	94.6	96.2	88.7	93.9	81.2	85.8
NH Black	77.9	—§	83.9	75.8	90.5	80.5	89.5	94.3	89.6	76.5	73.5	91.9	—	89.9	79.3	83.7	75.7	87.6	69.8	—	90.4	92.9	82.6	81.2	71.9	77.0
Hispanic	77.3	73.9	69.7	50.5	69.1	64.1	67.6	59.8	76.7	67.4	40.4	88.9	61.4	57.8	55.2	61.0	52.9	70.0	67.3	84.6	53.6	88.4	75.8	65.2	—	65.9
Asian	—	71.8	95.7	—	90.1	87.9	92.2	91.1	86.1	92.9	66.6	91.0	—	91.6	80.7	90.1	85.3	—	—	—	91.9	94.4	94.0	86.8	—	84.6
AI/AN	76.6	86.9	82.8	—	88.2	95.8	—	—	—	—	—	—	—	—	81.4	—	83.4	82.7	82.5	80.3	—	—	—	88.0	—	—
NHI/PI	—	—	—	—	—	—	—	—	—	—	—	82.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Multiracial	86.7	91.0	74.7	80.9	86.3	85.9	95.1	96.4	89.8	84.2	80.1	91.9	—	84.0	85.4	—	85.3	73.7	83.0	85.2	92.3	90.4	84.0	84.4	—	79.1
Other	—	—	69.6	—	92.4	—	94.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84.4	—	—	—	—
Education																										
< HS	64.3	72.6	60.9	64.0	62.3	58.9	65.1	73.2	77.2	58.2	44.6	82.5	54.5	57.8	63.6	72.6	54.8	76.1	59.0	76.8	65.0	88.6	76.4	74.8	61.7	68.3
HS	79.6	77.8	78.1	76.1	80.0	79.3	88.0	86.3	86.8	71.0	72.9	88.4	76.5	85.2	78.8	88.2	76.7	86.3	75.1	80.1	87.0	91.4	82.6	88.2	74.7	79.0
> HS	89.8	86.9	89.7	87.5	90.7	91.1	94.7	94.5	93.3	85.7	84.8	92.3	86.5	91.7	88.9	94.1	89.6	92.4	85.6	91.0	94.1	97.0	91.8	94.5	83.6	89.7
FPL, %																										
<100	62.3	67.0	69.0	65.2	69.4	65.5	72.6	77.3	81.9	58.6	45.8	82.1	52.2	69.0	62.0	79.1	57.6	82.1	56.8	74.9	68.2	90.2	76.7	77.1	59.9	61.4
≥100-≤400	82.9	77.4	80.4	80.7	81.6	81.2	87.7	87.1	84.8	75.6	74.8	90.2	80.2	83.8	81.3	87.7	82.5	85.8	75.0	81.2	85.6	94.7	89.4	88.7	79.6	83.5
>400	97.2	92.9	96.0	94.1	94.6	95.6	97.9	95.7	98.1	93.3	94.3	96.2	96.5	96.9	95.4	98.2	96.0	96.2	95.1	96.5	97.6	98.8	98.5	98.1	94.4	96.3
Unknown	81.1	79.1	77.7	76.8	81.3	81.3	85.7	91.6	87.3	74.2	75.1	87.8	72.2	77.8	81.4	86.9	75.5	86.7	74.6	87.9	87.2	91.8	85.0	87.6	71.9	79.0
Marital status																										
Married	90.0	88.9	87.5	85.1	86.0	90.4	94.8	93.7	95.0	85.9	84.3	93.8	85.3	90.2	89.1	93.9	89.4	92.2	87.6	91.2	92.7	96.9	92.4	95.3	86.4	90.4
Previously married	75.5	77.8	78.3	76.8	80.4	79.7	87.8	86.5	90.4	72.4	70.3	87.3	71.5	81.0	76.9	87.3	74.5	84.1	69.2	81.5	88.7	92.9	81.7	88.3	69.3	79.4
Never married/living with partner	75.1	76.5	76.5	71.6	78.3	77.8	83.2	84.4	88.3	68.5	64.3	86.6	72.2	81.1	73.1	85.8	73.6	82.3	68.7	80.0	84.4	92.5	82.8	85.6	69.0	75.7
Employment status																										
Employed	84.2	84.1	83.1	80.1	83.7	85.7	90.7	89.0	91.8	78.7	79.2	91.1	80.9	86.2	83.7	90.7	84.8	88.1	79.2	86.9	90.1	95.0	87.8	92.2	80.3	86.2
Unemployed	55.9	64.9	64.2	59.9	70.1	68.7	79.7	82.3	82.4	54.2	42.9	78.9	50.9	78.2	55.7	78.0	51.3	74.3	46.7	65.1	77.5	86.9	69.9	77.9	41.9	55.8
Not in labor market	86.3	86.1	85.5	85.5	84.7	87.0	90.6	92.3	91.3	82.4	77.0	91.2	83.6	86.6	85.3	92.2	83.4	90.6	83.1	90.1	90.7	96.2	91.8	91.9	83.5	84.9
Disability																										
Yes	85.3	83.7	87.7	84.5	87.6	89.5	91.8	92.0	93.2	78.8	74.8	91.7	73.5	89.8	84.4	91.0	84.8	89.5	79.1	84.4	92.5	94.9	89.7	92.1	79.3	85.1
No	81.8	83.2	81.3	78.5	82.1	84.0	89.3	88.7	90.5	77.3	75.7	90.3	81.2	85.7	81.9	90.5	82.4	87.2	77.2	86.5	88.9	94.8	86.7	91.2	76.1	84.4

Table 1 (Cont'd)

	MT	NE	NV	NH	NJ	NM	NY	NC	ND	OH	OK	OR	PA	RI	SC	SD	TN	TX	UT	VT	VA	WA	WV	WI	WY	US
n†	4,661	14,482	2,452	3,956	9,052	5,948	4,763	4,939	4,979	6,913	5,405	3,181	6,972	4,259	6,992	4,847	3,127	10,020	11,395	4,637	6,555	6,426	4,155	4,766	3,606	297,734
Overall	83.9	84.8	79.4	85.9	85.0	81.2	85.4	80.2	89.6	87.6	82.9	86.5	87.4	90.3	78.7	87.8	82.4	71.0	83.9	91.7	84.3	87.1	87.0	89.6	81.6	83.0
Age, y																										
18-24	83.7	80.0	73.8	85.5	81.2	76.1	85.8	79.9	84.5	87.2	82.4	85.5	82.8	88.7	75.6	83.7	74.1	66.5	81.4	89.9	79.4	84.2	85.3	84.2	72.5	79.9
25-44	81.8	80.6	75.1	81.6	80.7	75.7	79.4	73.3	88.5	84.7	78.9	82.0	85.0	86.6	74.7	87.0	79.7	67.7	81.0	89.8	81.1	83.4	83.0	87.3	79.9	79.0
45-64	85.7	90.9	86.0	89.3	90.2	88.5	91.2	87.1	93.0	90.3	87.2	91.4	91.1	94.2	83.8	90.0	88.0	76.7	89.4	93.7	89.3	91.9	91.0	93.6	86.4	88.0
Sex																										
Male	83.3	83.0	79.4	84.5	82.4	78.0	82.3	80.4	88.0	84.9	82.7	85.1	86.5	88.5	75.7	85.8	81.0	70.6	82.4	88.9	83.5	84.6	84.2	88.3	80.2	81.4
female	84.4	86.5	79.4	87.3	87.6	84.4	88.4	80.0	91.4	90.2	83.0	88.0	88.4	92.1	81.6	89.8	83.8	71.5	85.4	94.4	85.2	89.7	89.9	91.0	83.1	84.6
Race/Ethnicity																										
NH White	84.2	89.4	88.3	86.4	92.2	90.8	91.7	86.0	91.2	89.0	85.3	89.9	89.7	93.3	83.5	89.4	84.1	86.2	88.6	91.9	87.8	91.3	87.6	92.9	84.0	88.6
NH Black	–	72.8	83.9	–	83.1	84.9	83.2	82.0	–	80.8	82.3	–	81.9	83.4	75.6	–	79.6	73.6	73.7	–	82.2	87.2	73.4	83.7	–	80.4
Hispanic	83.8	54.7	62.1	78.4	65.6	72.5	72.5	32.8	64.1	82.9	49.0	65.7	73.1	80.0	42.3	75.4	63.6	51.2	55.7	–	63.4	60.6	–	55.3	63.6	63.4
Asian	–	86.0	75.0	95.0	88.1	–	83.3	78.6	–	86.0	96.0	94.4	86.3	96.9	82.4	–	–	87.1	90.7	–	86.4	87.4	–	90.5	–	88.0
AI/AN	84.0	72.6	83.4	–	–	86.1	–	84.8	85.3	68.9	95.8	–	–	–	73.8	90.9	–	74.6	76.1	–	88.0	91.4	–	86.9	82.2	83.8
NHI/PI	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	81.6
Multiracial	75.4	80.7	91.0	–	88.9	86.9	73.2	85.6	–	83.7	87.9	86.8	68.5	–	71.4	59.9	–	79.0	89.0	92.7	86.5	90.9	84.2	70.9	84.9	83.5
Other	–	–	–	–	83.9	–	–	–	–	–	–	–	–	83.3	–	–	–	–	–	–	–	69.0	–	–	–	84.4
Education																										
< HS	73.9	50.9	61.0	63.0	59.7	59.3	66.7	52.9	74.7	72.4	62.7	65.2	67.7	77.7	56.4	66.5	65.7	39.3	53.1	88.5	56.0	65.1	81.5	68.2	62.9	60.4
HS	75.3	80.9	75.3	80.5	80.6	79.4	84.0	75.8	82.7	84.8	79.5	84.0	85.7	86.6	74.1	87.4	78.9	67.2	79.6	87.2	80.0	83.0	84.1	85.7	74.7	79.7
> HS	89.3	91.7	87.9	91.5	92.1	88.7	90.8	88.5	93.6	92.0	90.0	91.7	92.3	94.8	87.4	91.4	89.4	83.9	90.4	94.2	91.3	92.5	91.3	95.2	87.5	90.1
FPL, %																										
<100	68.6	59.2	60.6	60.2	61.7	69.9	74.4	55.3	80.5	74.9	62.3	74.9	72.6	81.9	55.6	71.5	65.8	41.4	60.3	88.5	58.1	70.8	82.1	75.6	61.8	64.2
≥100-≤400	81.1	83.1	76.5	80.8	79.5	81.0	83.1	81.4	86.6	85.7	82.7	84.4	84.5	88.6	78.8	88.7	82.2	70.0	83.4	87.9	81.1	83.5	84.6	85.6	76.6	81.2
>400	96.4	98.1	96.5	96.8	96.7	95.3	96.2	96.2	95.6	96.9	96.3	96.3	96.8	98.5	96.6	95.2	97.4	94.7	96.4	97.1	97.2	96.7	95.9	98.4	93.8	96.1
Unknown	81.0	77.9	76.2	83.9	82.8	77.6	80.4	77.1	86.3	83.0	80.4	83.0	85.8	83.5	79.0	83.1	77.2	67.6	79.5	90.9	81.0	85.3	85.2	86.2	75.8	80.5
Marital status																										
Married	88.4	91.3	87.3	91.3	91.9	85.7	91.8	86.3	94.6	93.0	87.8	90.6	92.4	95.8	87.2	92.0	90.5	76.4	89.8	95.1	91.4	91.4	92.0	94.3	87.6	88.6
Previously married	77.3	77.7	75.8	77.7	79.6	80.7	80.3	75.5	84.2	81.2	78.7	84.0	79.3	87.6	72.0	83.5	81.6	61.4	75.3	87.8	75.8	85.4	83.6	86.9	76.2	77.7
Never married/living with partner	79.7	76.1	69.4	80.4	76.8	74.7	79.9	72.6	82.8	82.0	76.4	80.8	83.6	85.0	70.4	82.8	68.9	67.2	75.2	88.7	76.8	80.7	80.5	83.6	72.5	77.0
Employment status																										
Employed	84.9	86.8	83.8	87.1	86.7	81.2	86.8	83.4	90.3	88.3	85.4	87.8	88.7	91.2	81.2	89.1	84.1	73.3	85.0	91.6	87.2	88.2	87.4	91.3	82.9	84.6
Unemployed	66.8	56.8	57.6	60.7	64.0	72.4	74.4	51.9	66.1	63.6	60.3	79.2	66.1	76.5	51.8	62.1	54.0	45.1	64.9	80.1	55.7	72.0	68.2	68.0	61.8	63.3
Not in labor market	86.1	84.1	75.9	90.3	88.0	83.9	86.8	80.2	91.1	92.7	81.9	86.4	89.5	93.1	82.2	90.9	86.5	71.2	85.1	95.2	84.5	88.9	90.3	90.5	82.3	85.0
Disability																										
Yes	85.1	83.5	85.9	84.0	88.2	88.5	88.1	82.2	89.4	87.4	81.5	90.1	89.7	89.8	77.9	84.6	83.6	75.8	85.3	92.5	82.8	89.2	89.8	89.8	77.1	85.4
No	83.7	85.1	77.5	86.7	84.6	79.1	85.2	80.0	89.9	87.7	83.4	86.2	86.9	90.6	79.3	88.7	81.6	70.2	83.9	91.6	84.9	86.9	86.3	90.2	83.0	82.7

Abbreviations: AI/AN: American Indian or Alaskan Native; HS=High school graduate; NH=Non-Hispanic; NHI/PI: Native Hawaiian or other Pacific Islander.

*All 50 states and the District of Columbia.

†Unweighted sample size.

§Data not presented due to a sample size <50.

¶Relative standard error between 20-30%

Table S2. Crude prevalence estimates for cost barrier* to health care among adults aged 18-64 years, by state† and sociodemographic characteristics — Behavioral Risk Factor Surveillance System, 2014

	AL	AK	AZ	AR	CA	CO	CT	DE	DC	FL	GA	HI	ID	IL	IN	IA	KS	KY	LA	ME	MD	MA	MI	MN	MS	MO
n§	5,500	3,387	8,244	2,835	6,597	9,093	5,304	2,726	2,523	5,485	4,149	5,093	3,540	3,406	7,348	5,170	9,302	7,234	4,687	5,775	7,882	9,979	5,565	11,854	2,627	4,294
Overall	20.3	13.4	18.1	21.7	15.2	14.9	12.9	12.5	11.7	21.8	21.5	10.1	18.3	13.9	17.9	10.3	14.5	18.4	19.9	13.4	11.6	9.5	16.8	10.6	22.7	16.2
Age, y																										
18-24	20.9	11.5	18.4	19.4	13.3	13.5	11.4	12.5¶	16.0¶	20.9	19.5	13.4	18.3	11.8	15.9	9.9	13.6	12.5	16.8	12.2	8.0¶	8.4	13.1	10.7	18.3	15.0
25-44	21.9	15.7	19.3	24.1	17.2	16.6	15.7	13.2	11.0	24.0	24.0	9.5	21.6	15.9	22.0	12.7	17.2	22.0	21.9	15.7	15.6	10.9	20.4	12.3	25.8	20.5
45-64	18.5	11.7	16.7	20.2	13.9	13.7	11.2	11.9	10.7	20.0	19.7	9.5	14.9	12.6	14.8	8.4	12.2	17.1	19.0	12.1	9.2	8.7	15.1	8.9	21.6	12.7
Sex																										
Male	15.2	11.1	15.0	16.4	12.8	13.3	12.1	11.9	10.1	16.3	17.7	10.3	15.0	12.8	14.7	8.9	11.5	16.6	16.1	12.5	10.8	10.1	15.6	9.0	19.6	13.0
Female	25.1	15.9	21.2	27.0	17.7	16.7	13.7	13.1	13.1	27.2	25.2	9.9	21.6	15.0	21.0	11.8	17.5	20.1	23.6	14.2	12.4	9.0	18.0	12.2	25.7	19.4
Race/Ethnicity																										
NH White	19.1	13.2	15.5	19.6	11.0	11.5	10.0	10.8	8.6	18.1	17.1	10.4	17.5	10.1	16.8	9.2	11.6	18.1	17.2	12.9	9.0	7.8	15.1	8.6	20.0	15.6
NH Black	23.0	—**	18.3	23.8	16.8	22.4	12.2	12.7	14.5	22.4	26.1	—	—	17.0	21.0	20.6¶	26.7	18.7	24.6	—	12.8	11.5	21.5	22.5	27.8	20.5
Hispanic	23.7¶	19.1¶	24.4	33.4	20.3	24.5	26.5	23.4	—	28.4	32.5	15.8	24.7	26.4	27.4	27.6	26.4	15.6¶	20.3	—	24.0	19.0	31.3	22.9	—	24.0¶
Asian	—	—	—	—	12.1	13.6¶	—	—	—	10.6¶	—	7.2	—	—	—	—	—	—	—	—	—	6.5¶	12.6¶	11.2	—	—
AI/AN	35.2¶	8.5	12.5¶	—	—	15.0¶	—	—	—	—	—	—	—	—	17.3¶	—	24.6	32.9¶	27.1¶	—	—	—	—	16.1¶	—	—
NHI/PI	—	—	—	—	—	—	—	—	—	—	—	21.8¶	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Multiracial	27.5¶	—	24.0¶	33.9¶	16.7¶	18.5¶	—	—	—	31.0	22.6¶	10.7	—	—	25.6¶	—	23.2	35.7¶	—	—	—	24.1¶	21.0	22.8¶	—	19.0¶
Other	—	—	22.0¶	—	9.7¶	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25.0¶	—	—	—	—
Education																										
< HS	35.6	17.8¶	33.4	35.8	25.3	29.1	25.7	26.0	19.2¶	32.2	39.6	23.2	26.6	31.5	32.4	22.3	30.1	27.2	31.9	16.2	22.4	21.8	29.4	21.4	39.3	22.0
HS	21.8	11.8	18.1	20.6	16.8	16.8	15.5	11.6	12.9¶	24.0	22.9	10.4	18.5	12.5	19.6	11.3	16.7	19.0	20.8	15.8	15.9	11.4	18.0	11.7	26.1	18.2
> HS	14.7	13.4	14.3	17.7	11.1	11.9	9.3	9.9	10.3	17.5	15.7	8.3	16.5	10.8	13.1	8.1	10.9	15.3	15.1	11.5	8.0	6.7	13.8	8.8	15.5	14.1
FPL, %																										
<100	42.7	24.5	27.4	39.2	25.7	30.7	23.1	25.3	16.0¶	39.8	47.5	18.2	35.9	27.8	34.6	25.5	36.5	32.9	40.6	26.7	30.5	16.6	29.6	23.0	41.7	36.8
≥100-≤400	20.5	19.6	21.4	22.9	17.7	19.8	17.6	15.8	17.3	23.5	21.2	12.8	20.9	17.1	20.6	13.6	15.3	20.4	22.2	16.5	16.9	12.0	20.0	13.6	21.5	18.1
>400	4.9	6.3	6.8	4.4¶	5.2	5.5	6.1	5.1	5.9¶	6.9	6.6	3.5	6.0	3.7	5.7	2.0	4.1	5.9	6.6	5.0	4.0	3.0	5.2	4.3	6.2¶	4.9
Unknown	19.9	9.1¶	18.7	20.2	13.3	15.3	14.6	9.6	14.3¶	23.9	19.4	8.3¶	16.8	16.9	15.1	10.6	15.2	16.2	14.5	10.0	9.4	12.9	17.8	12.4	20.6	16.8
Marital status																										
Married	13.5	9.6	14.7	17.1	13.1	11.2	9.2	9.4	4.2¶	17.1	15.8	7.4	14.5	9.8	13.5	7.5	10.5	14.2	14.5	10.0	9.0	7.0	13.3	7.6	16.4	12.4
Previously married	29.3	19.0	27.1	33.0	20.8	24.6	16.6	17.5	15.2¶	27.7	30.3	16.9	31.1	23.8	25.9	16.8	22.6	29.0	28.9	17.5	13.7	14.6	24.4	14.4	31.4	25.1
Never married/living with partner	25.7	16.5	18.9	22.6	15.5	16.6	16.5	14.5	14.4	24.7	25.8	11.5	19.0	15.8	20.9	12.4	17.6	19.0	22.0	16.7	14.2	10.8	18.6	14.2	26.3	17.9
Employment status																										
Employed	15.4	12.7	16.4	17.2	13.6	13.2	12.1	11.2	10.6	19.0	18.2	8.7	17.2	12.4	15.4	9.4	12.4	15.5	16.2	11.6	10.2	7.7	14.2	9.7	17.7	13.7
Unemployed	43.6	21.1	33.6	41.4	25.1	33.8	21.1	24.9	15.4¶	34.6	36.4	17.5	37.7	23.6	34.0	25.3	33.3	32.8	39.2	27.3	25.0	21.4	35.0	21.5	46.9	37.1
Not in labor market	23.8	12.6	18.0	25.0	15.4	15.3	11.6	13.2	12.4	23.8	23.7	12.9	16.7	15.4	20.1	10.8	16.3	20.5	22.7	14.3	11.9	10.8	17.3	11.3	24.9	18.0
Disability																										
Yes	32.8	23.6	29.9	36.8	23.0	23.0	20.0	23.4	20.8	34.6	37.1	17.9	39.4	26.6	31.3	21.4	24.9	31.7	33.7	22.1	18.6	18.7	26.8	20.4	39.8	29.4
No	15.5	10.7	15.2	16.6	13.4	12.5	11.1	10.0	9.9	18.1	17.2	8.8	13.3	11.3	14.2	7.4	12.0	13.4	15.7	10.9	9.9	6.9	13.9	8.7	17.6	11.9

Table 2 (Cont'd)

	MT	NE	NV	NH	NJ	NM	NY	NC	ND	OH	OK	OR	PA	RI	SC	SD	TN	TX	UT	VT	VA	WA	WV	WI	WY	US
n§	4,674	14,518	2,457	3,968	9,072	5,969	4,770	4,945	5,001	6,927	5,411	3,192	6,993	4,255	7,002	4,864	3,129	10,054	11,407	4,653	6,562	6,451	4,154	4,774	3,619	298,420
Overall	14.0	13.8	20.1	12.9	15.9	19.9	15.8	18.7	7.9	15.1	17.6	17.1	14.2	13.7	21.3	11.7	18.2	19.8	15.9	10.5	15.0	14.0	19.7	12.5	13.5	16.5
Age, y																										
18-24	12.6	12.5	16.6¶	15.0	14.9	17.5	11.4	15.8	7.6¶	14.1	17.5	12.7	13.7	12.4¶	17.5	8.4¶	18.9	14.5	13.6	10.2	14.0	11.4	17.1	11.5	12.6¶	14.4
25-44	14.9	16.9	23.5	15.4	18.3	23.6	20.5	20.8	8.6	16.2	20.0	22.0	17.5	16.1	24.6	13.7	17.4	21.2	17.8	11.3	16.4	16.5	24.5	13.3	16.1	18.9
45-64	13.8	11.1	17.8	10.3	14.0	17.3	12.7	17.7	7.5	14.6	15.3	13.8	11.5	12.0	19.7	11.1	18.6	20.6	14.5	9.9	13.9	12.4	16.4	12.1	11.2	15.0
Sex																										
Male	11.3	11.4	17.2	10.9	14.5	17.2	15.9	14.7	6.7	12.5	14.4	15.7	12.1	13.5	17.4	9.0	16.0	15.6	13.3	9.0	12.1	12.8	18.3	10.8	8.6	14.0
Female	16.9	16.1	23.1	14.9	17.2	22.6	15.7	22.6	9.4	17.8	20.9	18.5	16.2	13.9	25.0	14.5	20.2	24.1	18.6	11.9	17.8	15.3	21.0	14.3	18.7	19.0
Race/Ethnicity																										
NH White	13.5	11.4	16.8	12.7	10.7	15.3	11.4	16.7	6.9	14.1	15.9	15.7	11.5	10.1	18.9	10.3	17.6	13.3	13.9	10.4	12.7	13.0	19.0	11.0	11.6	13.6
NH Black	–	28.2	24.8¶	–	20.7	–	20.8	20.2	–	19.4	23.0	–	22.8	14.5¶	24.2	–	16.1	22.6	23.2¶	–	17.0	11.5¶	24.5¶	20.9¶	–	20.8
Hispanic	15.2¶	24.5	25.6	–	28.9	25.1	25.8	28.4	–	17.2¶	31.3	24.9	25.4	26.9	31.1	–	29.9¶	27.5	25.9	–	26.0	25.2	–	27.1	27.1	24.8
Asian	–	–	–	–	11.6	–	12.2¶	–	–	–	–	–	–	–	–	–	–	–	11.1¶	–	14.2¶	8.4¶	–	–	–	11.2
AI/AN	18.4	38.8¶	–	–	–	12.5	–	27.4¶	–	–	10.6	–	–	–	33.9	18.4	–	–	29.8	–	26.0¶	–	–	–	–	18.6
NHI/PI	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14.2
Multiracial	20.6¶	16.3¶	–	–	–	–	–	25.6¶	–	34.5¶	22.3	22.5	26.4¶	–	25.5	–	–	30.3¶	24.7	–	14.2¶	11.0¶	26.4¶	–	–	21.2
Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14.4
Education																										
< HS	19.6	30.4	35.2	23.3	33.1	31.9	26.4	32.3	14.5¶	25.7	34.7	27.6	25.2	29.2	38.1	25.3	29.5	36.4	29.8	12.3¶	29.5	24.1	31.3	25.9	20.8¶	29.8
HS	16.7	16.1	19.0	15.6	18.5	19.3	15.5	21.6	10.6	17.0	18.1	18.5	15.7	15.4	23.4	12.2	20.7	20.5	17.5	13.1	16.8	16.8	20.0	13.2	15.7	18.0
> HS	12.0	10.2	16.0	10.4	11.1	16.6	13.0	14.3	6.1	12.0	13.0	14.3	11.1	9.3	15.6	9.1	13.5	13.8	13.1	8.9	11.6	11.2	16.0	9.9	11.6	12.6
FPL, %																										
<100	26.2	34.0	32.9	33.1	36.0	29.7	26.9	38.2	17.0	30.8	39.2	28.2	34.4	27.6	41.3	24.9	34.4	38.6	33.9	16.9	34.6	28.1	37.3	25.5	30.6	32.5
≥100-≤400	17.5	17.0	22.3	18.9	22.4	22.6	20.6	20.8	11.1	18.1	19.4	22.0	17.1	18.9	22.1	14.3	19.8	21.5	18.2	14.1	17.9	20.3	21.0	16.3	16.9	19.4
>400	4.4	3.4	6.7	3.3	5.3	7.0	5.1	4.9	2.4¶	4.9	3.6	3.7	5.1	3.6	5.7	3.0¶	5.7	5.2	6.1	4.4	5.7	4.4	5.4	5.3	5.4	5.1
Unknown	11.2	12.1	25.9	13.0	15.8	17.5	15.8	17.1	9.5¶	15.5	15.6	21.9	10.7	12.7	18.6	11.9¶	16.8	19.4	14.7	10.8	15.0	11.7	18.8	11.6	14.8	16.3
Marital status																										
Married	10.4	10.6	14.7	8.5	11.0	17.1	12.3	15.0	5.5	10.8	13.1	12.6	9.5	9.0	16.2	8.7	12.7	15.8	12.3	8.4	10.9	9.6	15.5	9.1	10.8	12.6
Previously married	22.1	23.5	28.4	17.1	23.1	25.1	20.1	26.9	15.2	25.9	26.1	27.2	21.9	21.7	31.6	21.2	27.5	32.7	28.3	14.2	24.6	21.7	28.2	22.3	19.3	24.9
Never married/living with partner	15.8	15.0	23.7	19.0	20.5	21.4	18.1	20.4	9.2	16.9	20.6	19.4	17.7	15.7	23.0	12.0	21.8	19.7	17.9	11.9	17.3	17.3	21.4	13.8	15.9	18.5
Employment status																										
Employed	12.8	12.5	15.5	11.1	13.6	17.8	14.4	15.4	6.4	12.4	13.8	14.5	12.6	12.2	16.9	9.9	16.3	17.1	15.0	9.6	12.3	12.2	17.3	10.6	11.3	14.2
Unemployed	25.6	30.1	39.2	28.9	31.3	32.2	24.8	40.4	23.2¶	30.6	36.2	27.9	28.7	24.5	41.7	30.9	31.7	35.4	27.6	21.7	34.5	26.2	35.7	33.3	25.3¶	31.1
Not in labor market	14.6	14.4	24.8	14.2	17.0	21.1	15.6	20.7	10.9	18.0	22.8	19.3	14.4	14.2	25.2	12.2	19.0	23.4	16.0	10.8	17.0	15.1	20.9	12.4	18.5	18.2
Disability																										
Yes	27.8	27.2	35.9	27.3	27.9	31.8	25.6	32.2	21.0	29.5	31.4	28.1	22.9	25.8	36.9	22.3	31.2	34.7	30.6	17.2	28.5	23.1	29.6	25.1	28.2	28.4
No	10.4	11.0	17.1	9.6	13.7	16.3	13.3	15.5	5.4	10.8	13.4	13.3	11.7	10.9	16.3	9.2	13.8	17.3	12.8	8.8	12.0	10.7	15.6	9.2	10.5	13.5

Abbreviations: AI/AN: American Indian or Alaskan Native; HS=High school graduate; NH=Non-Hispanic; NHI/PI: Native Hawaiian or other Pacific Islander.

*Cost barrier defined as adults who needed to see a doctor but could not because of cost.

†All 50 states and the District of Columbia.

§Unweighted sample size.

¶RSE between 20.0-30.0%.

**Data not presented due to a sample size<50 or RSE>30.0%.

Table S3. Crude and age-standardized* prevalence estimates for clinical preventive service use among adults aged 18-64 years, by state† — Behavioral Risk Factor Surveillance System, 2014

State	Mammogram¶		Pap test**		Colorectal screening††		HIV test§§		Flu vaccination¶¶	
	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
AL	74.1 (71.3-76.7)	73.9 (71.0-76.6)	83.3 (81.1-85.3)	83.1 (80.9-85.1)	57.6 (55.0-60.1)	56.5 (53.9-59.1)	44.8 (42.9-46.8)	46.6 (44.7-48.6)	33.0 (31.3-34.8)	32.3 (30.6-34.1)
AK	66.6 (61.9-71.0)	66.6 (61.8-71.0)	78.2 (74.9-81.2)	78.2 (74.9-81.2)	56.1 (52.5-59.7)	55.9 (52.3-59.5)	45.9 (43.5-48.3)	47.1 (44.7-49.5)	31.8 (29.7-34.0)	31.6 (29.5-33.9)
AZ	74.6 (72.0-77.1)	74.1 (71.3-76.7)	79.7 (77.4-81.8)	79.7 (77.4-81.9)	56.5 (54.2-58.7)	55.3 (52.9-57.6)	39.3 (37.6-41.1)	40.4 (38.7-42.2)	27.9 (26.5-29.4)	27.6 (26.1-29.1)
AR§	63.5 (59.1-67.8)	62.9 (58.4-67.2)	78.1 (74.1-81.5)	77.7 (73.9-81.1)	54.9 (51.3-58.4)	53.5 (49.9-57.1)	40.1 (37.4-42.8)	41.4 (38.6-44.2)	35.2 (32.7-37.7)	34.5 (32.0-37.2)
CA§	81.8 (78.7-84.5)	81.6 (78.5-84.4)	83.0 (80.8-85.0)	83.0 (80.8-85.0)	59.9 (57.1-62.8)	59.1 (56.2-62.0)	45.0 (43.3-46.8)	46.1 (44.4-47.9)	31.3 (29.7-33.0)	30.8 (29.2-32.4)
CO	72.7 (70.4-74.9)	72.4 (70.0-74.6)	84.7 (83.1-86.2)	84.8 (83.1-86.2)	61.0 (59.1-62.9)	59.9 (58.0-61.8)	39.5 (38.2-40.8)	40.4 (39.1-41.8)	39.9 (38.6-41.2)	39.4 (38.1-40.7)
CT	82.7 (80.0-85.1)	82.8 (80.1-85.2)	87.2 (85.1-89.0)	87.4 (85.2-89.3)	69.6 (67.2-72.0)	69.2 (66.7-71.6)	41.5 (39.6-43.5)	43.7 (41.7-45.7)	37.3 (35.5-39.1)	36.3 (34.4-38.2)
DE	85.1 (81.8-87.9)	85.0 (81.7-87.9)	86.3 (83.2-88.9)	86.2 (82.9-88.8)	66.3 (63.0-69.5)	65.9 (62.6-69.1)	45.6 (42.9-48.3)	47.2 (44.4-50.1)	35.0 (32.5-37.5)	34.0 (31.5-36.6)
DC	82.3 (78.5-85.5)	82.2 (78.2-85.6)	84.9 (80.9-88.1)	84.9 (81.3-88.0)	62.9 (58.4-67.1)	62.0 (57.5-66.3)	74.7 (71.8-77.4)	74.4 (71.5-77.0)	38.8 (35.7-41.9)	38.7 (35.8-41.8)
FL§	75.5 (72.6-78.1)	75.1 (72.2-77.8)	79.4 (77.1-81.5)	79.5 (77.2-81.7)	57.5 (55.0-59.9)	56.4 (53.9-58.9)	51.3 (49.5-53.1)	53.1 (51.2-54.9)	24.8 (23.4-26.3)	24.1 (22.6-25.6)
GA	78.0 (74.8-80.9)	78.0 (74.7-80.9)	84.4 (82.0-86.6)	84.3 (81.9-86.5)	60.5 (57.5-63.4)	59.5 (56.5-62.4)	49.2 (47.1-51.3)	50.3 (48.2-52.4)	30.0 (28.2-31.9)	29.7 (27.9-31.6)
HI§	82.7 (79.3-85.6)	82.8 (79.2-85.8)	78.0 (75.2-80.5)	77.7 (74.8-80.3)	65.1 (62.0-68.0)	64.2 (61.1-67.2)	36.4 (34.4-38.3)	37.2 (35.2-39.2)	40.2 (38.3-42.2)	39.6 (37.6-41.7)
ID	67.2 (63.0-71.1)	66.9 (62.6-70.9)	76.3 (73.1-79.1)	76.2 (73.1-79.0)	53.5 (50.2-56.7)	52.0 (48.7-55.3)	33.0 (30.8-35.4)	34.0 (31.6-36.4)	30.2 (28.1-32.4)	29.8 (27.6-32.1)
IL	77.5 (74.0-80.7)	77.5 (74.0-80.7)	81.7 (78.8-84.3)	81.8 (78.8-84.4)	57.2 (53.9-60.3)	56.6 (53.3-59.8)	33.3 (31.2-35.4)	34.6 (32.4-36.8)	34.3 (32.3-36.4)	34.0 (31.9-36.1)
IN	70.9 (68.4-73.2)	70.8 (68.3-73.2)	77.9 (75.8-79.9)	78.0 (75.8-79.9)	56.0 (54.0-58.1)	55.5 (53.4-57.6)	35.2 (33.7-36.7)	36.7 (35.2-38.3)	31.7 (30.3-33.0)	31.0 (29.6-32.4)
IA	81.0 (78.4-83.4)	80.7 (78.0-83.2)	84.6 (82.3-86.5)	84.6 (82.3-86.6)	62.8 (60.5-65.1)	62.1 (59.7-64.4)	29.3 (27.6-30.9)	30.9 (29.2-32.7)	39.1 (37.4-40.8)	38.3 (36.6-40.1)
KS§	75.5 (73.4-77.5)	75.1 (73.0-77.2)	82.1 (80.4-83.7)	82.1 (80.4-83.7)	59.5 (57.7-61.3)	58.3 (56.5-60.1)	31.0 (29.8-32.2)	32.4 (31.1-33.6)	34.2 (33.1-35.4)	33.7 (32.5-34.8)
KY	78.2 (75.4-80.7)	77.6 (74.7-80.3)	81.3 (78.9-83.5)	81.5 (79.0-83.7)	62.2 (59.6-64.7)	61.2 (58.6-63.8)	38.2 (36.3-40.1)	39.6 (37.7-41.6)	37.7 (36.0-39.5)	36.7 (34.9-38.6)
LA	79.0 (76.3-81.4)	78.7 (76.0-81.2)	84.1 (81.8-86.2)	83.9 (81.6-85.9)	57.5 (54.9-60.0)	56.4 (53.8-59.0)	49.4 (47.6-51.3)	50.9 (49.1-52.7)	35.6 (34.0-37.4)	35.0 (33.3-36.8)
ME	80.9 (78.5-83.1)	80.6 (78.1-82.9)	85.0 (83.0-86.9)	85.2 (82.9-87.2)	70.8 (68.6-72.9)	70.0 (67.8-72.2)	37.1 (35.4-38.9)	40.2 (38.3-42.1)	36.4 (34.8-38.1)	35.0 (33.2-36.8)
MD	83.1 (80.7-85.2)	82.9 (80.5-85.1)	86.7 (84.2-88.8)	86.6 (84.0-88.8)	65.6 (63.1-68.1)	65.0 (62.4-67.4)	50.7 (48.7-52.7)	51.8 (49.7-53.8)	37.2 (35.4-39.1)	36.3 (34.4-38.2)
MA	87.3 (85.3-89.2)	87.3 (85.1-89.1)	88.1 (86.5-89.6)	87.8 (86.0-89.4)	72.9 (70.9-74.9)	72.4 (70.3-74.4)	43.1 (41.6-44.7)	45.2 (43.6-46.8)	40.3 (38.8-41.8)	39.7 (38.1-41.2)
MI	81.3 (78.8-83.5)	81.3 (78.7-83.6)	83.3 (81.3-85.1)	83.2 (81.1-85.1)	65.7 (63.4-67.8)	65.1 (62.8-67.2)	40.0 (38.4-41.7)	42.3 (40.6-44.1)	30.6 (29.2-32.1)	29.7 (28.2-31.2)
MN	80.2 (78.4-81.9)	80.0 (78.1-81.7)	86.1 (84.9-87.3)	86.1 (84.9-87.3)	67.1 (65.5-68.6)	66.5 (64.9-68.0)	30.6 (29.6-31.7)	32.2 (31.1-33.3)	40.4 (39.3-41.5)	39.7 (38.6-40.8)
MS	69.8 (65.4-73.8)	69.5 (65.0-73.6)	83.7 (80.5-86.4)	83.3 (80.2-86.0)	53.7 (50.1-57.3)	52.5 (48.8-56.1)	43.9 (41.3-46.6)	46.0 (43.4-48.7)	29.8 (27.6-32.1)	29.2 (27.0-31.6)
MO	71.4 (67.7-74.8)	71.2 (67.5-74.7)	80.9 (78.2-83.4)	81.0 (78.2-83.4)	56.2 (53.3-59.2)	55.6 (52.5-58.6)	36.5 (34.4-38.7)	38.3 (36.1-40.5)	36.6 (34.6-38.6)	35.6 (33.5-37.7)
MT	71.9 (68.5-75.1)	70.7 (67.1-74.1)	81.2 (78.4-83.6)	81.4 (78.6-83.9)	56.1 (53.3-58.8)	53.8 (50.9-56.6)	37.2 (35.2-39.2)	39.1 (37.0-41.3)	32.5 (30.7-34.4)	31.7 (29.8-33.7)
NE	74.5 (72.5-76.5)	74.7 (72.6-76.6)	81.9 (80.1-83.5)	81.9 (80.1-83.5)	59.6 (57.8-61.3)	58.6 (56.7-60.4)	30.8 (29.5-32.1)	32.2 (30.9-33.5)	38.8 (37.6-40.1)	38.3 (37.0-39.6)

State	Mammogram¶		Pap test**		Colorectal screening††		HIV test§§		Flu vaccination¶¶	
	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
NV	70.0 (64.4-75.1)	69.2 (63.4-74.6)	78.5 (74.0-82.4)	78.5 (74.0-82.4)	50.9 (46.2-55.7)	49.2 (44.6-53.8)	44.7 (41.7-47.9)	45.0 (41.9-48.2)	28.4 (25.8-31.2)	27.9 (25.3-30.8)
NH	81.5 (78.6-84.1)	81.8 (78.8-84.4)	85.5 (82.7-87.9)	85.2 (82.1-87.9)	69.1 (66.3-71.7)	68.4 (65.5-71.2)	36.3 (34.1-38.5)	39.1 (36.8-41.5)	37.4 (35.3-39.5)	35.8 (33.7-38.0)
NJ	77.1 (74.1-79.9)	77.1 (74.1-79.8)	83.7 (81.9-85.3)	83.7 (81.9-85.4)	59.2 (56.8-61.6)	58.9 (56.5-61.3)	41.5 (40.0-43.1)	43.0 (41.4-44.6)	30.9 (29.5-32.3)	29.7 (28.3-31.2)
NM	71.5 (68.3-74.5)	71.0 (67.7-74.1)	79.2 (76.6-81.6)	79.2 (76.5-81.6)	56.6 (54.0-59.3)	55.8 (53.1-58.4)	37.9 (35.9-39.9)	39.4 (37.4-41.4)	35.1 (33.2-37.0)	34.6 (32.7-36.6)
NY	78.1 (74.9-80.9)	78.1 (75.0-81.0)	82.8 (80.5-84.9)	82.7 (80.3-84.8)	63.6 (60.9-66.2)	63.0 (60.3-65.7)	52.4 (50.5-54.2)	53.6 (51.7-55.4)	35.0 (33.3-36.8)	34.4 (32.7-36.2)
NC	80.8 (78.1-83.3)	81.1 (78.4-83.5)	86.0 (84.1-87.7)	86.0 (84.1-87.7)	66.3 (63.9-68.7)	65.1 (62.6-67.5)	49.0 (47.3-50.7)	50.5 (48.8-52.3)	38.7 (37.0-40.3)	37.9 (36.2-39.5)
ND	75.2 (71.9-78.2)	74.8 (71.3-77.9)	82.0 (78.9-84.7)	81.9 (78.9-84.6)	56.2 (53.4-58.9)	55.2 (52.4-58.0)	30.4 (28.2-32.6)	32.0 (29.8-34.2)	35.3 (33.3-37.4)	34.8 (32.8-36.9)
OH	74.7 (71.8-77.3)	74.5 (71.6-77.2)	81.6 (79.4-83.6)	81.8 (79.5-83.8)	59.2 (56.8-61.6)	58.6 (56.1-61.0)	35.2 (33.4-37.1)	37.5 (35.6-39.4)	33.5 (31.9-35.2)	32.4 (30.7-34.2)
OK	68.2 (65.3-70.9)	67.8 (64.8-70.6)	77.1 (74.7-79.4)	77.0 (74.6-79.3)	51.2 (48.8-53.5)	50.1 (47.8-52.5)	28.8 (27.3-30.4)	29.6 (28.0-31.3)	37.2 (35.6-38.8)	36.5 (34.9-38.1)
OR	75.4 (71.6-78.8)	75.1 (71.1-78.6)	83.2 (80.5-85.6)	83.4 (80.6-85.8)	60.1 (56.9-63.3)	58.9 (55.6-62.1)	41.0 (38.8-43.3)	42.1 (39.8-44.4)	31.6 (29.6-33.7)	30.9 (28.8-33.0)
PA	75.9 (73.3-78.3)	75.6 (72.9-78.0)	80.8 (78.5-82.9)	80.8 (78.4-83.0)	62.4 (60.2-64.5)	61.8 (59.5-63.9)	36.7 (35.1-38.4)	38.8 (37.2-40.5)	33.9 (32.4-35.4)	32.9 (31.4-34.5)
RI	83.9 (81.2-86.3)	83.5 (80.7-86.0)	85.9 (83.4-88.1)	85.8 (83.1-88.1)	71.0 (68.4-73.5)	70.3 (67.6-72.8)	41.1 (38.9-43.4)	43.0 (40.7-45.3)	41.8 (39.7-44.0)	41.2 (39.0-43.4)
SC	74.3 (71.7-76.7)	73.9 (71.1-76.4)	82.4 (80.3-84.2)	82.4 (80.3-84.2)	61.0 (58.7-63.1)	59.6 (57.4-61.8)	43.3 (41.7-44.9)	45.0 (43.3-46.6)	33.2 (31.8-34.6)	32.4 (30.9-33.9)
SD§	78.6 (74.5-82.3)	78.7 (74.5-82.3)	84.4 (81.2-87.1)	84.5 (81.2-87.3)	62.0 (58.2-65.5)	61.5 (57.8-65.1)	26.5 (24.4-28.8)	28.3 (26.1-30.6)	44.9 (42.5-47.3)	44.7 (42.3-47.1)
TN	76.8 (73.1-80.1)	76.8 (73.1-80.2)	85.5 (82.5-88.0)	85.4 (82.5-88.0)	58.7 (55.4-62.0)	57.8 (54.4-61.2)	45.0 (42.4-47.6)	46.3 (43.7-49.0)	37.0 (34.7-39.3)	36.1 (33.8-38.5)
TX§	75.6 (72.6-78.3)	75.6 (72.6-78.4)	77.8 (75.6-79.9)	77.8 (75.6-79.8)	55.1 (52.4-57.8)	54.4 (51.7-57.1)	40.5 (38.9-42.1)	41.1 (39.5-42.7)	33.9 (32.4-35.4)	33.5 (32.0-35.0)
UT	71.6 (69.2-74.0)	71.5 (69.0-73.9)	77.3 (75.6-78.9)	77.3 (75.6-78.8)	65.1 (63.2-67.0)	64.7 (62.8-66.6)	24.0 (23.0-25.0)	24.4 (23.4-25.3)	34.6 (33.5-35.7)	34.9 (33.9-36.0)
VT	76.9 (74.0-79.5)	77.0 (74.0-79.6)	85.6 (83.6-87.4)	85.6 (83.5-87.6)	66.8 (64.5-69.1)	65.9 (63.5-68.2)	36.6 (34.9-38.3)	39.5 (37.8-41.4)	39.3 (37.5-41.0)	37.9 (36.1-39.7)
VA	79.1 (76.5-81.5)	78.9 (76.3-81.4)	85.2 (83.1-87.0)	85.2 (83.1-87.0)	65.4 (63.1-67.7)	64.9 (62.6-67.2)	46.4 (44.8-48.1)	47.5 (45.8-49.2)	39.3 (37.7-40.9)	38.8 (37.2-40.5)
WA	76.4 (73.8-78.8)	76.2 (73.5-78.8)	80.9 (78.7-83.0)	80.8 (78.5-82.9)	65.1 (62.8-67.4)	63.9 (61.5-66.2)	40.9 (39.2-42.6)	42.0 (40.3-43.7)	37.3 (35.7-38.9)	36.5 (34.9-38.1)
WV	75.3 (72.2-78.1)	74.7 (71.5-77.7)	80.7 (78.3-82.9)	80.9 (78.6-83.1)	59.0 (56.4-61.5)	57.7 (55.2-60.3)	37.3 (35.5-39.2)	39.3 (37.3-41.2)	40.6 (38.8-42.4)	39.1 (37.2-40.9)
WI	77.7 (74.0-81.0)	77.5 (73.6-80.9)	86.5 (84.2-88.5)	86.6 (84.1-88.7)	68.5 (65.8-71.1)	67.9 (65.1-70.6)	32.9 (31.0-34.9)	34.7 (32.7-36.8)	33.3 (31.4-35.2)	32.9 (30.9-34.9)
WY§	68.8 (65.3-72.1)	68.3 (64.7-71.8)	81.1 (77.8-84.0)	81.1 (77.8-83.9)	50.8 (47.7-53.9)	49.4 (46.3-52.6)	31.6 (29.1-34.2)	32.9 (30.3-35.6)	30.2 (28.0-32.6)	29.4 (27.1-31.8)
Overall	77.2 (76.6-77.8)	77.1 (76.5-77.7)	82.3 (81.8-82.7)	82.3 (81.9-82.8)	60.7 (60.2-61.2)	59.9 (59.4-60.4)	41.9 (41.5-42.2)	43.2 (42.9-43.6)	33.9 (33.5-34.2)	33.2 (32.9-33.5)
Median	76.4	76.2	82.8	82.7	60.1	59.1	39.5	40.4	35.1	34.6
Range	63.5-87.3	62.9-87.3	76.3-88.1	76.2-87.8	50.8-72.9	49.2-72.4	24.0-74.7	24.4-74.4	24.8-44.9	24.1-44.7

*Age-standardized to the 2000 US projected population.

†All 50 states and the District of Columbia.

§States that did not use Health Care Access Module in 2014.

¶Within the past 2 years among women aged 50-64 years.

**Within the past 3 years among women aged 21-64 years who had no history of hysterectomy.

††Fecal occult blood test (FOBT) within the past year, or sigmoidoscopy within the past 5 years and a FOBT within the past 3 years, or colonoscopy within the past 10 years among adults aged 50-64 years.

§§ Ever had HIV screening among adults aged 18-64 years.
¶¶ Within the past 12 months among adults aged 18-64 years.

Table S4. Crude and age-standardized* prevalence estimates for primary source of insurance [i.e., Medicaid, Other public, Employer, Other private insurance] in the past 12 months among adults aged 18-64 years, by state†— Behavioral Risk Factor Surveillance System, 2014

State	n§	Medicaid		Other Public¶		Employer**		Other private††		None	
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
AL	5,362	6.8 (5.9- 7.8)	7.1 (6.1- 8.1)	12.5 (11.4-13.7)	11.8 (10.6-13.0)	50.4 (48.6-52.3)	50.3 (48.4-52.2)	11.8 (10.6-13.1)	11.6 (10.4-12.8)	18.5 (17.0-20.0)	19.3 (17.7-21.0)
AK	3,263	5.5 (4.5- 6.8)	5.6 (4.5- 6.8)	19.1 (17.2-21.1)	18.8 (17.0-20.8)	51.7 (49.4-54.1)	51.4 (49.0-53.8)	5.4 (4.5- 6.5)	5.5 (4.5- 6.6)	18.2 (16.3-20.2)	18.7 (16.8-20.9)
AZ	7,848	8.5 (7.7- 9.5)	8.7 (7.8- 9.7)	15.2 (14.1-16.5)	14.9 (13.6-16.2)	46.7 (45.0-48.4)	46.5 (44.7-48.3)	8.9 (8.0-10.0)	8.8 (7.9- 9.9)	20.6 (19.1-22.2)	21.1 (19.5-22.8)
CO	2,861	9.6 (8.1-11.4)	9.9 (8.3-11.7)	9.7 (8.3-11.2)	9.5 (8.1-11.1)	53.8 (51.4-56.3)	53.2 (50.7-55.7)	13.0 (11.3-14.9)	12.9 (11.3-14.8)	13.9 (12.2-15.8)	14.4 (12.7-16.4)
CT	5,142	10.9 (9.7-12.2)	11.6 (10.3-13.0)	8.9 (7.9-10.0)	8.8 (7.8-10.0)	59.6 (57.7-61.5)	58.2 (56.2-60.2)	9.3 (8.2-10.7)	9.2 (8.0-10.6)	11.2 (10.0-12.6)	12.2 (10.8-13.7)
DE	2,657	9.8 (8.4-11.4)	10.1 (8.6-11.9)	13.0 (11.4-14.9)	12.6 (10.9-14.5)	58.5 (55.8-61.0)	57.7 (55.0-60.4)	7.3 (5.8- 9.1)	7.3 (5.9- 9.1)	11.4 (9.8-13.2)	12.2 (10.5-14.2)
DC	2,420	17.9 (15.5-20.6)	17.9 (15.4-20.6)	13.1 (11.2-15.4)	13.3 (11.3-15.5)	49.5 (46.4-52.7)	49.1 (46.0-52.2)	8.4 (6.7-10.4)	8.5 (6.8-10.6)	11.1 (8.8-13.9)	11.2 (9.0-14.0)
GA	3,895	3.9 (3.2- 4.9)	4.1 (3.3- 5.0)	12.0 (10.8-13.3)	11.3 (10.1-12.6)	47.5 (45.5-49.5)	47.0 (44.9-49.1)	9.3 (8.2-10.5)	9.3 (8.2-10.5)	27.3 (25.3-29.4)	28.4 (26.3-30.5)
ID	3,397	3.4 (2.6- 4.4)	3.5 (2.7- 4.6)	8.1 (6.9- 9.5)	7.8 (6.6- 9.2)	51.7 (49.3-54.1)	51.5 (49.1-53.9)	15.0 (13.3-16.8)	14.7 (13.0-16.5)	21.9 (19.9-23.9)	22.5 (20.5-24.7)
IL	3,153	7.9 (6.7- 9.3)	8.3 (7.0- 9.8)	9.6 (8.3-11.2)	9.5 (8.1-11.1)	57.7 (55.4-59.9)	56.6 (54.2-58.9)	8.9 (7.8-10.3)	8.8 (7.6-10.1)	15.8 (14.1-17.8)	16.8 (14.9-18.9)
IN	3,485	7.2 (6.0- 8.5)	7.5 (6.3- 9.0)	9.4 (8.2-10.7)	8.9 (7.7-10.3)	57.4 (55.1-59.6)	57.0 (54.6-59.3)	9.0 (7.8-10.4)	8.8 (7.6-10.2)	17.1 (15.4-18.9)	17.8 (16.0-19.7)
IA	4,896	7.5 (6.5- 8.7)	7.8 (6.7- 9.1)	6.8 (6.0- 7.8)	6.5 (5.7- 7.5)	63.5 (61.7-65.2)	63.1 (61.3-65.0)	12.0 (10.9-13.2)	11.7 (10.6-12.9)	10.2 (9.1-11.5)	10.8 (9.6-12.2)
KY	7,055	12.1 (10.9-13.5)	12.4 (11.0-13.9)	16.3 (15.0-17.7)	15.6 (14.3-17.1)	49.9 (48.0-51.8)	49.8 (47.8-51.8)	8.6 (7.6- 9.7)	8.6 (7.6- 9.8)	13.0 (11.6-14.6)	13.6 (12.1-15.2)
LA	4,544	7.0 (6.1- 7.9)	7.2 (6.3- 8.2)	12.0 (10.9-13.2)	11.4 (10.3-12.6)	47.7 (45.9-49.5)	47.4 (45.6-49.2)	9.7 (8.7-10.9)	9.7 (8.7-10.9)	23.7 (22.1-25.3)	24.3 (22.6-26.0)
ME	3,393	9.0 (7.7-10.4)	9.9 (8.5-11.5)	12.2 (10.9-13.7)	11.6 (10.2-13.1)	54.3 (52.1-56.5)	53.9 (51.5-56.3)	9.2 (8.0-10.5)	8.7 (7.5-10.1)	15.3 (13.7-17.1)	15.9 (14.1-17.9)
MD	7,641	5.3 (4.4- 6.4)	5.6 (4.6- 6.8)	9.9 (8.7-11.3)	9.9 (8.6-11.3)	63.9 (61.9-65.9)	62.1 (59.9-64.2)	8.9 (7.8-10.2)	9.2 (8.0-10.7)	11.9 (10.4-13.6)	13.2 (11.5-15.1)
MA	9,625	13.3 (12.2-14.4)	13.8 (12.6-15.0)	17.0 (15.8-18.2)	16.8 (15.6-18.1)	58.7 (57.1-60.2)	58.2 (56.6-59.8)	5.4 (4.7- 6.2)	5.3 (4.6- 6.1)	5.7 (5.0- 6.6)	5.9 (5.1- 6.9)
MI	5,367	10.0 (8.9-11.2)	10.6 (9.4-11.9)	9.3 (8.4-10.3)	8.8 (7.8- 9.9)	56.8 (55.2-58.5)	56.4 (54.6-58.1)	10.4 (9.4-11.4)	10.1 (9.1-11.1)	13.5 (12.4-14.8)	14.2 (12.9-15.6)
MN	11,460	7.8 (7.2- 8.5)	8.1 (7.5- 8.8)	8.5 (7.9- 9.2)	8.3 (7.7- 9.0)	63.4 (62.3-64.5)	62.8 (61.6-63.9)	11.1 (10.4-11.8)	11.0 (10.3-11.8)	9.2 (8.5-10.0)	9.8 (9.0-10.6)
MS	2,531	7.6 (6.3- 9.2)	7.7 (6.3- 9.3)	14.5 (12.8-16.4)	13.9 (12.2-15.8)	46.0 (43.4-48.6)	46.1 (43.4-48.8)	7.5 (6.3- 9.0)	7.3 (6.0- 8.8)	24.3 (22.0-26.8)	25.0 (22.6-27.6)
MO	3,427	5.1 (4.0- 6.4)	5.1 (4.0- 6.5)	11.0 (9.7-12.4)	10.3 (9.0-11.7)	53.9 (51.5-56.3)	53.7 (51.2-56.2)	9.3 (8.1-10.6)	8.9 (7.7-10.3)	20.7 (18.7-22.9)	22.0 (19.8-24.3)
MT	4,524	4.7 (3.9- 5.7)	5.0 (4.1- 6.1)	14.6 (13.3-16.1)	14.1 (12.7-15.6)	50.1 (48.1-52.2)	50.0 (47.9-52.2)	13.6 (12.3-15.1)	13.4 (12.0-15.0)	17.0 (15.4-18.6)	17.4 (15.7-19.2)
NE	14,207	3.7 (3.2- 4.2)	3.8 (3.3- 4.4)	8.6 (7.9- 9.3)	8.3 (7.6- 9.0)	59.8 (58.5-61.1)	59.5 (58.1-60.8)	11.9 (11.2-12.7)	11.7 (10.9-12.5)	16.0 (15.0-17.1)	16.7 (15.6-17.9)
NV	2,307	8.7 (7.1-10.6)	9.1 (7.4-11.2)	10.6 (8.9-12.6)	10.0 (8.4-11.9)	50.2 (47.1-53.3)	49.6 (46.4-52.8)	7.0 (5.8- 8.5)	6.8 (5.6- 8.2)	23.5 (20.7-26.5)	24.5 (21.6-27.7)
NH	3,863	4.7 (3.8- 5.7)	5.1 (4.1- 6.3)	9.8 (8.5-11.2)	9.3 (8.0-10.8)	61.3 (59.1-63.4)	60.3 (58.0-62.7)	9.4 (8.2-10.8)	9.4 (8.1-10.9)	14.8 (13.2-16.6)	15.9 (14.0-17.9)
NJ	8,858	5.3 (4.7- 6.1)	5.5 (4.9- 6.3)	9.8 (8.9-10.7)	9.5 (8.6-10.4)	60.9 (59.4-62.4)	60.0 (58.4-61.6)	8.5 (7.6- 9.4)	8.5 (7.6- 9.4)	15.5 (14.4-16.7)	16.5 (15.3-17.8)

State	n§	Medicaid		Other Public¶		Employer**		Other private††		None	
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
NM	5,819	14.2 (12.8-15.7)	14.6 (13.2-16.2)	15.5 (14.2-16.9)	14.8 (13.6-16.2)	41.7 (39.9-43.6)	41.3 (39.4-43.3)	8.6 (7.6- 9.8)	8.4 (7.3- 9.5)	19.9 (18.3-21.6)	20.9 (19.1-22.7)
NY	4,382	14.1 (12.8-15.5)	14.4 (13.0-15.9)	9.8 (8.8-11.0)	9.5 (8.4-10.7)	51.6 (49.7-53.4)	50.4 (48.5-52.3)	7.8 (6.8- 8.9)	7.9 (6.9- 9.1)	16.7 (15.3-18.3)	17.8 (16.2-19.4)
NC	4,604	6.0 (5.2- 6.9)	6.2 (5.3- 7.1)	11.8 (10.8-12.9)	11.3 (10.2-12.4)	48.6 (46.9-50.3)	47.8 (46.1-49.6)	12.1 (11.0-13.3)	12.0 (10.8-13.2)	21.5 (20.2-23.0)	22.8 (21.3-24.3)
ND	4,860	4.7 (3.8- 5.9)	4.9 (3.9- 6.1)	11.0 (9.7-12.5)	10.8 (9.5-12.4)	61.3 (59.1-63.5)	61.9 (59.7-64.1)	11.7 (10.5-13.1)	11.1 (9.9-12.4)	11.2 (9.7-12.8)	11.3 (9.8-13.0)
OH	6,647	7.3 (6.4- 8.4)	7.7 (6.6- 8.8)	12.7 (11.5-14.1)	12.3 (11.0-13.7)	57.9 (56.0-59.7)	57.4 (55.4-59.4)	8.7 (7.7- 9.8)	8.6 (7.6- 9.8)	13.4 (12.0-14.8)	14.0 (12.5-15.6)
OK	2,621	6.2 (5.0- 7.7)	6.3 (5.1- 7.9)	15.6 (13.8-17.6)	15.2 (13.4-17.1)	51.2 (48.6-53.8)	51.1 (48.4-53.7)	9.5 (8.0-11.2)	9.4 (7.9-11.1)	17.5 (15.5-19.7)	18.1 (16.0-20.4)
OR	2,947	16.6 (15.0-18.5)	17.3 (15.4-19.2)	10.8 (9.5-12.3)	10.1 (8.8-11.5)	49.6 (47.4-51.9)	49.0 (46.5-51.4)	8.2 (7.1- 9.6)	8.1 (6.9- 9.5)	14.7 (13.0-16.5)	15.6 (13.8-17.7)
PA	6,634	6.7 (5.9- 7.6)	6.9 (6.1- 7.9)	9.4 (8.5-10.3)	8.9 (8.0- 9.9)	60.4 (58.7-62.0)	60.1 (58.3-61.8)	9.6 (8.6-10.6)	9.4 (8.4-10.5)	14.0 (12.7-15.4)	14.7 (13.3-16.2)
RI	4,139	9.0 (7.7-10.5)	9.5 (8.1-11.2)	14.3 (12.8-16.0)	14.2 (12.6-16.0)	55.9 (53.7-58.0)	55.0 (52.7-57.3)	9.9 (8.6-11.4)	9.6 (8.3-11.1)	11.0 (9.5-12.6)	11.7 (10.1-13.5)
SC	6,749	8.3 (7.4- 9.2)	8.7 (7.8- 9.8)	12.6 (11.6-13.6)	11.7 (10.7-12.6)	49.1 (47.5-50.6)	49.0 (47.3-50.6)	7.7 (6.9- 8.5)	7.5 (6.7- 8.4)	22.4 (21.0-23.8)	23.1 (21.6-24.6)
TN	2,947	7.3 (6.1- 8.7)	7.6 (6.3- 9.1)	14.2 (12.7-15.9)	13.8 (12.2-15.5)	48.9 (46.4-51.4)	48.4 (45.8-51.1)	10.2 (8.9-11.8)	9.9 (8.5-11.5)	19.4 (17.3-21.6)	20.3 (18.1-22.7)
UT	11,156	3.5 (3.1- 3.9)	3.5 (3.1- 3.9)	6.8 (6.2- 7.3)	6.7 (6.2- 7.3)	62.1 (61.0-63.2)	62.5 (61.4-63.6)	11.0 (10.3-11.7)	10.8 (10.1-11.5)	16.7 (15.8-17.6)	16.5 (15.6-17.4)
VT	4,541	14.3 (13.1-15.6)	15.5 (14.2-16.9)	11.0 (9.9-12.2)	10.8 (9.6-12.0)	55.0 (53.2-56.7)	54.4 (52.6-56.2)	10.8 (9.7-12.1)	10.0 (9.0-11.2)	8.9 (7.9-10.0)	9.3 (8.2-10.6)
VA	6,220	4.1 (3.4- 4.9)	4.3 (3.6- 5.1)	12.8 (11.7-13.9)	12.1 (11.0-13.2)	56.7 (55.0-58.4)	56.4 (54.7-58.2)	9.4 (8.5-10.5)	9.3 (8.3-10.4)	17.0 (15.7-18.5)	17.9 (16.4-19.4)
WA	6,072	9.4 (8.4-10.5)	9.7 (8.7-10.9)	11.4 (10.4-12.5)	11.1 (10.0-12.3)	54.8 (53.1-56.5)	53.8 (52.0-55.6)	10.0 (9.0-11.1)	10.1 (9.1-11.2)	14.4 (13.1-15.8)	15.3 (13.9-16.8)
WV	4,079	15.9 (14.5-17.4)	16.2 (14.7-17.8)	12.5 (11.4-13.8)	11.8 (10.6-13.1)	49.6 (47.7-51.4)	49.2 (47.2-51.2)	8.4 (7.4- 9.6)	8.4 (7.4- 9.7)	13.6 (12.2-15.0)	14.4 (12.9-16.0)
WI	4,618	7.9 (6.8- 9.1)	8.3 (7.1- 9.6)	9.9 (8.7-11.2)	9.6 (8.3-11.0)	61.3 (59.3-63.3)	60.9 (58.8-63.1)	10.0 (8.8-11.3)	9.7 (8.5-11.0)	10.9 (9.6-12.4)	11.6 (10.1-13.3)
Overall	226,216	8.3 (8.1- 8.5)	8.6 (8.3- 8.8)	11.3 (11.1-11.5)	10.9 (10.6-11.1)	54.7 (54.4-55.1)	54.2 (53.8-54.5)	9.4 (9.2- 9.6)	9.3 (9.1- 9.5)	16.3 (16.0-16.6)	17.1 (16.8-17.5)
Median		7.6	7.8	11.4	11.1	54.3	53.8	9.3	9.3	15.5	16.5
Range		3.4-17.9	3.5-17.9	6.8-19.1	6.5-18.8	41.7-63.9	41.3-63.1	5.4-15.0	5.3-14.7	5.7-27.3	5.9-28.4

*Age-standardized to the 2000 US projected population.

†42 states and the District of Columbia. Data from the state of Missouri are available from the Missouri Department of Health and Senior Services.

§Unweighted sample size.

¶ Includes Medicare; TRICARE (formerly CHAMPUS), VA, or military plan; Alaska Native, Indian Health Service, Tribal Health Services, or some other source.

** Employer-based plan purchased through their employer or union or another person's employer or union.

†† Plan that they, or another family member, purchased on their own.

Table S5. Crude and age-standardized* prevalence estimates for overall cost barrier, cost barrier to prescribed medication, and having medical bills being paid off over time in the past 12 months among adults aged 18-64 years, by state† — Behavioral Risk Factor Surveillance System, 2014

State	n§	Overall cost barrier¶		Cost barrier to prescribed medication**		Medical bills being paid off overtime††	
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
AL	5,393	38.5 (36.8-40.3)	39.0 (37.2-40.9)	13.1 (11.9-14.4)	13.1 (11.9-14.4)	24.7 (23.2-26.3)	25.1 (23.5-26.8)
AK	3,307	31.4 (29.3-33.7)	31.9 (29.7-34.3)	6.4 (5.3- 7.8)	6.5 (5.3- 7.8)	23.5 (21.5-25.6)	24.0 (21.9-26.2)
AZ	7,959	34.3 (32.6-35.9)	34.5 (32.8-36.2)	9.3 (8.3-10.4)	9.4 (8.4-10.5)	18.8 (17.5-20.2)	19.0 (17.6-20.4)
CO	2,873	28.5 (26.3-30.7)	28.8 (26.6-31.2)	7.4 (6.2- 8.9)	7.5 (6.3- 9.0)	18.3 (16.5-20.2)	18.6 (16.8-20.6)
CT	5,191	28.4 (26.7-30.1)	28.9 (27.1-30.7)	6.6 (5.8- 7.5)	6.6 (5.8- 7.6)	18.3 (16.9-19.8)	18.4 (16.9-19.9)
DE	2,676	32.1 (29.6-34.6)	32.5 (29.9-35.2)	9.2 (7.9-10.8)	9.4 (8.0-11.1)	21.3 (19.2-23.6)	21.5 (19.3-23.9)
DC	2,444	22.5 (19.7-25.4)	22.5 (19.8-25.5)	5.9 (4.4- 7.7)	5.9 (4.5- 7.7)	11.3 (9.3-13.5)	11.3 (9.4-13.6)
GA	3,939	41.3 (39.3-43.4)	41.6 (39.4-43.7)	12.1 (10.8-13.5)	12.0 (10.7-13.5)	24.6 (22.9-26.4)	24.6 (22.8-26.4)
ID	3,433	37.4 (35.1-39.7)	38.3 (35.9-40.6)	8.2 (7.0- 9.6)	8.4 (7.2- 9.9)	26.6 (24.5-28.7)	27.1 (25.0-29.4)
IL	3,165	32.5 (30.4-34.7)	33.1 (30.9-35.4)	8.9 (7.6-10.4)	9.1 (7.7-10.7)	20.3 (18.5-22.2)	20.4 (18.5-22.4)
IN	3,534	40.9 (38.7-43.1)	41.7 (39.4-44.0)	11.8 (10.5-13.3)	12.0 (10.5-13.6)	30.2 (28.2-32.3)	30.8 (28.7-33.0)
IA	4,941	30.8 (29.1-32.4)	31.7 (30.0-33.4)	7.0 (6.1- 8.0)	7.3 (6.3- 8.5)	23.2 (21.7-24.7)	23.9 (22.4-25.6)
KY	7,133	43.4 (41.6-45.3)	43.8 (41.9-45.8)	12.5 (11.3-13.8)	12.6 (11.3-14.0)	32.0 (30.3-33.8)	32.2 (30.3-34.0)
LA	4,583	40.0 (38.3-41.8)	40.3 (38.5-42.1)	13.1 (11.9-14.3)	13.0 (11.9-14.3)	25.4 (23.9-27.0)	25.6 (24.1-27.3)
ME	3,420	36.5 (34.4-38.6)	37.7 (35.4-40.0)	8.6 (7.4- 9.9)	8.6 (7.3-10.1)	27.8 (25.9-29.8)	28.7 (26.5-30.9)
MD	7,668	26.5 (24.8-28.3)	26.9 (25.0-28.8)	5.9 (5.1- 6.9)	5.9 (5.0- 7.0)	17.0 (15.5-18.5)	17.1 (15.6-18.8)
MA	9,669	25.2 (23.9-26.6)	25.5 (24.1-27.0)	7.8 (7.0- 8.8)	8.0 (7.1- 9.0)	15.6 (14.5-16.7)	15.8 (14.7-17.1)
MI	5,432	35.6 (34.0-37.2)	36.3 (34.6-38.1)	10.3 (9.2-11.4)	10.2 (9.1-11.4)	23.2 (21.8-24.6)	23.7 (22.2-25.3)
MN	11,527	29.5 (28.5-30.6)	30.0 (28.9-31.1)	5.8 (5.3- 6.3)	5.9 (5.4- 6.4)	22.0 (21.1-22.9)	22.3 (21.4-23.3)
MS	2,542	47.0 (44.4-49.6)	47.5 (44.8-50.2)	13.6 (11.9-15.6)	13.8 (11.9-15.9)	31.9 (29.5-34.3)	32.3 (29.8-34.8)
MO	3,473	40.5 (38.2-42.9)	41.6 (39.1-44.1)	10.2 (8.9-11.7)	10.6 (9.1-12.3)	27.4 (25.3-29.7)	28.3 (26.0-30.7)
MT	4,554	36.5 (34.6-38.5)	37.2 (35.0-39.3)	7.4 (6.3- 8.6)	7.2 (6.1- 8.5)	28.9 (27.1-30.8)	29.6 (27.6-31.7)
NE	14,355	34.8 (33.5-36.0)	35.4 (34.1-36.7)	8.4 (7.7- 9.2)	8.6 (7.8- 9.4)	26.8 (25.6-27.9)	27.3 (26.1-28.5)
NV	2,307	36.6 (33.6-39.6)	36.9 (33.8-40.0)	9.7 (8.0-11.7)	9.7 (7.9-11.7)	19.5 (17.3-22.0)	19.6 (17.3-22.1)
NH	3,895	32.8 (30.8-34.9)	33.9 (31.7-36.2)	8.0 (7.0- 9.2)	8.5 (7.3- 9.9)	23.5 (21.7-25.4)	24.1 (22.1-26.2)
NJ	8,872	31.3 (29.9-32.8)	31.5 (30.0-33.0)	8.7 (7.8- 9.6)	8.7 (7.9- 9.7)	18.1 (17.0-19.3)	18.0 (16.8-19.3)

State	n§	Overall cost barrier¶		Cost barrier to prescribed medication**		Medical bills being paid off overtime††	
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
NM	5,868	37.0 (35.2-38.9)	37.6 (35.6-39.5)	9.9 (8.8-11.1)	9.9 (8.8-11.2)	23.0 (21.4-24.7)	23.4 (21.7-25.2)
NY	4,478	29.8 (28.1-31.5)	30.5 (28.7-32.3)	8.9 (7.9-10.0)	8.8 (7.7- 9.9)	15.2 (14.0-16.6)	15.3 (13.9-16.7)
NC	4,622	40.9 (39.2-42.6)	41.3 (39.6-43.0)	11.7 (10.7-12.9)	11.7 (10.6-12.9)	28.7 (27.2-30.2)	28.8 (27.3-30.5)
ND	4,909	29.1 (27.1-31.2)	29.7 (27.7-31.8)	5.6 (4.6- 6.7)	5.6 (4.6- 6.8)	24.8 (23.0-26.8)	25.5 (23.5-27.5)
OH	6,687	35.3 (33.6-37.1)	35.7 (33.9-37.6)	10.0 (9.0-11.2)	10.0 (8.9-11.2)	25.0 (23.4-26.6)	25.2 (23.5-26.9)
OK	2,639	37.3 (34.8-39.8)	37.4 (34.9-40.0)	11.1 (9.6-12.9)	11.1 (9.6-12.9)	25.6 (23.4-27.8)	25.5 (23.4-27.8)
OR	2,992	36.0 (33.8-38.2)	37.2 (34.9-39.5)	9.2 (8.0-10.7)	9.5 (8.1-11.1)	22.6 (20.8-24.6)	23.3 (21.3-25.4)
PA	6,737	30.5 (29.0-32.1)	31.2 (29.6-32.9)	10.4 (9.4-11.6)	10.7 (9.6-11.9)	18.7 (17.5-20.0)	19.0 (17.7-20.4)
RI	4,194	29.8 (27.9-31.8)	30.4 (28.3-32.6)	8.4 (7.3- 9.7)	8.6 (7.4-10.0)	18.9 (17.3-20.6)	19.2 (17.5-21.0)
SC	6,827	45.2 (43.6-46.7)	45.5 (43.9-47.1)	13.2 (12.2-14.4)	13.3 (12.2-14.5)	30.6 (29.2-32.0)	30.8 (29.3-32.3)
TN	2,965	41.1 (38.6-43.5)	41.3 (38.7-44.0)	11.1 (9.7-12.7)	11.1 (9.6-12.8)	28.4 (26.2-30.7)	28.4 (26.1-30.9)
UT	11,237	34.7 (33.7-35.8)	35.0 (34.0-36.1)	8.8 (8.2- 9.5)	8.9 (8.3- 9.6)	23.9 (23.0-24.9)	24.2 (23.3-25.1)
VT	4,584	29.8 (28.2-31.5)	30.3 (28.6-32.1)	6.6 (5.8- 7.6)	6.8 (5.9- 7.8)	21.7 (20.3-23.2)	21.9 (20.4-23.5)
VA	6,252	33.8 (32.2-35.4)	34.2 (32.6-35.9)	9.8 (8.9-10.9)	9.8 (8.8-10.9)	22.8 (21.4-24.2)	22.9 (21.4-24.3)
WA	6,120	30.7 (29.1-32.3)	31.0 (29.4-32.7)	7.8 (6.9- 8.8)	7.8 (6.9- 8.9)	19.8 (18.5-21.2)	20.0 (18.6-21.5)
WV	4,100	45.0 (43.2-46.9)	46.0 (44.1-48.0)	13.0 (11.8-14.3)	13.2 (11.9-14.5)	33.4 (31.7-35.1)	34.2 (32.4-36.1)
WI	4,661	34.3 (32.4-36.2)	34.8 (32.8-36.9)	8.3 (7.2- 9.7)	8.5 (7.2- 9.9)	26.7 (24.9-28.5)	27.0 (25.2-29.0)
Overall	228,157	34.6 (34.3-35.0)	35.1 (34.8-35.5)	9.7 (9.5- 9.9)	9.7 (9.5-10.0)	22.6 (22.3-22.9)	22.8 (22.5-23.1)
Median		34.7	35.0	8.9	9.1	23.5	24.0
Range		22.5-47.0	22.5-47.5	5.6-13.6	5.6-13.8	11.3-33.4	11.3-34.2

*Age-standardized to the 2000 projected population.

†42 states and the District of Columbia. Data from the state of Missouri are available from the Missouri Department of Health and Senior Services.

§Unweighted sample size.

¶ Defined as adults who needed to see a doctor but could not because of cost, or who did not take medication as prescribed because of cost, or who had health care bills being paid off over time in the past 12 months.

** Defined as adults who did not take medication as prescribed because of cost in the past 12 months.

†† Defined as adults who had health care bills being paid off over time in the past 12 months.

Table S6. Crude and age-standardized* prevalence estimates for having 0, 1-2, and ≥3 medical care visits in the past 12 months, and for being satisfied with received health care among adults aged 18-64 years, by state† — Behavioral Risk Factor Surveillance System, 2014

State	n‡	Having 0 visit		Having 1-2 visits		Having ≥3 visits		Being satisfied with received care¶		
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	n	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)		% (95% CI)	% (95% CI)
AL	5,175	14.1 (12.7-15.6)	14.6 (13.1-16.3)	34.5 (32.7-36.3)	35.0 (33.1-36.9)	51.4 (49.5-53.3)	50.4 (48.4-52.3)	4,579	96.1 (95.3-96.9)	96.0 (95.0-96.7)
AK	3,284	16.7 (15.0-18.6)	17.1 (15.3-19.1)	37.5 (35.2-39.8)	37.5 (35.2-39.9)	45.8 (43.4-48.2)	45.3 (42.9-47.8)	2,739	94.7 (93.3-95.8)	94.6 (93.2-95.8)
AZ	7,787	21.3 (19.8-22.8)	21.8 (20.3-23.5)	33.9 (32.3-35.6)	34.0 (32.3-35.7)	44.8 (43.1-46.5)	44.2 (42.4-45.9)	6,520	95.8 (94.9-96.5)	95.8 (94.9-96.6)
CO	2,842	18.9 (17.0-21.0)	19.4 (17.4-21.6)	39.0 (36.6-41.4)	39.2 (36.7-41.7)	42.1 (39.7-44.5)	41.5 (39.0-43.9)	2,351	98.1 (97.1-98.7)	98.0 (96.9-98.7)
CT	5,125	11.9 (10.7-13.3)	12.7 (11.4-14.2)	36.9 (35.1-38.8)	37.4 (35.5-39.4)	51.2 (49.3-53.1)	49.8 (47.8-51.9)	4,575	97.1 (96.4-97.7)	97.0 (96.2-97.7)
DE	2,595	13.7 (11.8-15.7)	14.2 (12.3-16.5)	35.4 (32.9-38.0)	36.0 (33.3-38.8)	50.9 (48.2-53.6)	49.8 (47.0-52.6)	2,283	96.8 (95.4-97.7)	96.7 (95.2-97.8)
DC	2,377	12.1 (9.9-14.6)	12.0 (9.8-14.5)	36.6 (33.6-39.8)	36.6 (33.6-39.7)	51.3 (48.1-54.5)	51.5 (48.3-54.6)	2,144	96.1 (94.0-97.5)	96.1 (94.0-97.4)
GA	3,794	16.5 (14.9-18.3)	17.1 (15.4-19.1)	37.6 (35.6-39.7)	38.1 (35.9-40.2)	45.9 (43.8-48.0)	44.8 (42.7-46.9)	3,290	95.5 (94.4-96.4)	95.4 (94.2-96.3)
ID	3,381	20.2 (18.3-22.2)	20.8 (18.8-22.9)	40.8 (38.5-43.2)	40.5 (38.1-42.9)	39.0 (36.8-41.3)	38.7 (36.3-41.1)	2,700	96.8 (95.6-97.6)	96.5 (95.3-97.5)
IL	3,130	15.5 (13.9-17.3)	15.8 (14.1-17.8)	37.9 (35.8-40.2)	38.3 (36.0-40.7)	46.5 (44.3-48.8)	45.8 (43.5-48.2)	2,702	96.9 (95.9-97.7)	96.8 (95.6-97.7)
IN	3,478	15.6 (14.1-17.3)	16.0 (14.4-17.7)	37.2 (35.1-39.4)	37.1 (34.9-39.4)	47.2 (45.0-49.4)	46.9 (44.6-49.3)	2,952	95.5 (94.3-96.5)	95.3 (94.0-96.4)
IA	4,869	13.5 (12.3-14.8)	13.9 (12.6-15.3)	37.0 (35.3-38.7)	37.0 (35.2-38.7)	49.5 (47.7-51.3)	49.2 (47.3-51.0)	4,266	97.5 (96.7-98.1)	97.3 (96.4-97.9)
KY	6,912	14.2 (12.8-15.6)	14.7 (13.3-16.3)	33.9 (32.2-35.7)	34.0 (32.2-35.9)	51.9 (50.0-53.8)	51.3 (49.3-53.2)	6,145	96.1 (95.1-96.8)	96.0 (95.0-96.9)
LA	4,433	14.5 (13.2-15.8)	14.7 (13.4-16.1)	37.0 (35.3-38.9)	37.3 (35.5-39.2)	48.5 (46.7-50.3)	48.0 (46.1-49.8)	3,847	94.5 (93.5-95.3)	94.3 (93.3-95.2)
ME	3,394	12.9 (11.4-14.5)	13.5 (11.9-15.4)	39.5 (37.4-41.7)	39.9 (37.5-42.3)	47.6 (45.4-49.8)	46.6 (44.2-49.0)	2,994	96.6 (95.5-97.4)	96.4 (95.2-97.3)
MD	7,485	10.7 (9.4-12.2)	11.4 (9.9-13.0)	37.0 (35.1-38.9)	37.7 (35.7-39.9)	52.3 (50.3-54.3)	50.9 (48.8-53.0)	6,831	96.8 (95.8-97.6)	96.6 (95.4-97.5)
MA	9,374	10.4 (9.5-11.4)	10.8 (9.9-11.9)	36.7 (35.3-38.2)	37.1 (35.6-38.7)	52.8 (51.3-54.3)	52.0 (50.4-53.6)	8,517	96.8 (96.2-97.3)	96.7 (96.0-97.2)
MI	5,315	14.3 (13.1-15.5)	14.7 (13.4-16.0)	36.8 (35.2-38.4)	37.3 (35.6-39.0)	49.0 (47.3-50.6)	48.0 (46.3-49.8)	4,596	95.3 (94.4-96.1)	95.2 (94.2-96.0)
MN	11,433	15.9 (15.1-16.8)	16.4 (15.5-17.3)	41.0 (39.9-42.1)	41.0 (39.8-42.1)	43.1 (42.0-44.2)	42.6 (41.5-43.8)	9,694	97.5 (97.0-97.8)	97.3 (96.8-97.7)
MS	2,450	14.8 (13.0-16.9)	15.0 (13.0-17.1)	38.7 (36.1-41.3)	39.2 (36.5-42.0)	46.5 (43.9-49.1)	45.8 (43.2-48.5)	2,131	95.8 (94.5-96.8)	95.7 (94.3-96.8)
MO	3,258	16.5 (14.7-18.5)	17.4 (15.5-19.6)	38.6 (36.2-41.0)	38.7 (36.1-41.3)	44.9 (42.5-47.3)	43.9 (41.4-46.4)	2,792	95.8 (94.6-96.8)	95.7 (94.2-96.8)
MT	4,495	18.3 (16.7-20.0)	18.8 (17.1-20.7)	40.2 (38.2-42.2)	40.2 (38.0-42.3)	41.5 (39.5-43.5)	41.0 (38.9-43.2)	3,680	96.5 (95.5-97.2)	96.3 (95.3-97.2)
NE	14,229	18.4 (17.4-19.5)	18.9 (17.8-20.1)	40.4 (39.1-41.7)	40.4 (39.1-41.7)	41.2 (39.9-42.5)	40.7 (39.4-42.0)	11,782	97.4 (96.9-97.8)	97.3 (96.7-97.7)
NV	2,262	24.1 (21.4-27.1)	24.7 (21.9-27.8)	36.1 (33.1-39.3)	36.2 (33.0-39.5)	39.7 (36.8-42.8)	39.1 (36.1-42.3)	1,814	93.0 (90.7-94.7)	92.7 (90.3-94.6)
NH	3,832	14.7 (13.1-16.5)	15.6 (13.8-17.6)	38.7 (36.6-40.9)	38.8 (36.5-41.1)	46.6 (44.4-48.8)	45.6 (43.3-47.9)	3,305	96.7 (95.9-97.4)	96.4 (95.3-97.2)
NJ	8,672	13.2 (12.1-14.3)	13.8 (12.7-15.0)	37.8 (36.2-39.3)	38.2 (36.6-39.8)	49.1 (47.5-50.6)	48.0 (46.4-49.6)	7,622	96.2 (95.5-96.7)	96.0 (95.3-96.7)
NM	5,772	20.6 (19.0-22.4)	21.2 (19.5-23.0)	35.9 (34.1-37.8)	36.2 (34.3-38.2)	43.5 (41.6-45.4)	42.6 (40.6-44.6)	4,725	95.3 (94.3-96.1)	95.1 (93.9-96.0)
NY	4,314	13.1 (11.8-14.5)	13.7 (12.4-15.2)	35.4 (33.6-37.2)	35.6 (33.7-37.5)	51.6 (49.7-53.4)	50.6 (48.7-52.6)	3,783	96.1 (95.2-96.8)	96.0 (95.1-96.8)
NC	4,473	14.9 (13.7-16.2)	15.5 (14.2-16.9)	37.6 (35.9-39.3)	38.1 (36.4-39.9)	47.5 (45.8-49.2)	46.4 (44.6-48.2)	3,811	95.6 (94.7-96.3)	95.5 (94.5-96.3)

State	n§	Having 0 visit		Having 1-2 visits		Having ≥3 visits		Being satisfied with received care¶		
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized	n	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)		% (95% CI)	% (95% CI)
ND	4,873	16.3 (14.6-18.0)	16.3 (14.6-18.1)	42.9 (40.7-45.1)	43.3 (41.1-45.5)	40.8 (38.7-43.0)	40.4 (38.2-42.7)	4,143	96.6 (95.4-97.5)	96.6 (95.4-97.5)
OH	6,612	15.3 (13.9-16.8)	16.2 (14.7-17.9)	34.7 (33.0-36.4)	34.8 (33.0-36.7)	50.0 (48.2-51.8)	49.0 (47.0-50.9)	5,768	96.1 (95.3-96.8)	96.1 (95.2-96.8)
OK	2,563	18.6 (16.5-21.0)	19.2 (17.0-21.7)	36.9 (34.4-39.4)	37.2 (34.7-39.9)	44.5 (41.9-47.1)	43.5 (40.9-46.1)	2,179	96.7 (95.5-97.5)	96.5 (95.3-97.5)
OR	2,883	18.1 (16.3-20.1)	18.7 (16.8-20.8)	33.6 (31.4-35.7)	33.4 (31.2-35.7)	48.3 (46.0-50.6)	47.9 (45.4-50.3)	2,394	96.4 (95.3-97.3)	96.2 (95.0-97.1)
PA	6,599	13.0 (11.9-14.3)	13.6 (12.4-15.0)	37.8 (36.2-39.4)	38.3 (36.6-40.1)	49.2 (47.6-50.9)	48.0 (46.3-49.8)	5,795	96.1 (95.0-96.9)	95.9 (94.8-96.8)
RI	4,080	11.2 (9.7-12.8)	11.8 (10.3-13.6)	36.8 (34.7-38.9)	36.7 (34.6-39.0)	52.1 (49.9-54.3)	51.4 (49.1-53.7)	3,722	96.3 (95.3-97.1)	96.1 (95.0-97.0)
SC	6,628	15.3 (14.1-16.6)	15.9 (14.6-17.3)	35.8 (34.3-37.3)	36.1 (34.6-37.8)	48.9 (47.3-50.5)	48.0 (46.3-49.6)	5,708	95.3 (94.5-96.1)	95.2 (94.3-96.0)
TN	2,831	15.3 (13.3-17.4)	16.0 (13.9-18.4)	34.6 (32.2-37.1)	34.9 (32.3-37.6)	50.1 (47.6-52.7)	49.1 (46.3-51.8)	2,458	95.3 (93.8-96.5)	95.1 (93.4-96.4)
UT	11,092	18.9 (18.0-19.8)	18.8 (17.9-19.7)	39.8 (38.7-40.9)	39.8 (38.8-40.9)	41.3 (40.2-42.4)	41.4 (40.3-42.4)	9,104	96.9 (96.4-97.4)	96.9 (96.4-97.3)
VT	4,500	13.2 (12.0-14.4)	13.9 (12.6-15.3)	37.3 (35.6-39.0)	37.7 (35.9-39.5)	49.5 (47.8-51.3)	48.4 (46.6-50.3)	3,930	97.4 (96.6-98.0)	97.3 (96.6-97.9)
VA	6,169	12.9 (11.7-14.1)	13.4 (12.2-14.7)	37.8 (36.2-39.5)	38.2 (36.5-40.0)	49.3 (47.6-51.0)	48.4 (46.6-50.1)	5,464	96.6 (95.8-97.2)	96.5 (95.6-97.1)
WA	6,043	16.7 (15.4-18.1)	17.3 (15.9-18.9)	34.9 (33.3-36.5)	35.0 (33.3-36.7)	48.4 (46.7-50.1)	47.7 (45.9-49.4)	5,206	95.7 (94.8-96.4)	95.4 (94.4-96.3)
WV	4,005	14.2 (12.8-15.7)	15.0 (13.5-16.6)	32.7 (31.0-34.5)	33.4 (31.5-35.3)	53.1 (51.2-54.9)	51.6 (49.6-53.6)	3,493	95.8 (94.8-96.5)	95.6 (94.6-96.5)
WI	4,640	15.2 (13.9-16.6)	15.5 (14.1-17.0)	38.6 (36.6-40.6)	38.6 (36.5-40.7)	46.2 (44.2-48.3)	46.0 (43.8-48.1)	3,927	96.7 (95.7-97.5)	96.5 (95.3-97.4)
Overall	223,458	15.0 (14.8-15.3)	15.6 (15.3-15.9)	36.9 (36.5-37.2)	37.1 (36.8-37.5)	48.1 (47.7-48.5)	47.2 (46.9-47.6)	192,461	96.2 (96.0-96.3)	96.0 (95.8-96.2)
Median		15.2	15.6	37.0	37.4	48.3	47.7		96.2	96.1
Range		10.4-24.1	10.8-24.7	32.7-42.9	33.4-43.3	39.0-53.1	38.7-52.0		93.0-98.1	92.7-98.0

*Age-standardized to the 2000 US projected population.

†42 states and the District of Columbia. Data from the state of Missouri are available from the Missouri Department of Health and Senior Services.

§Unweighted sample size.

¶ Defined as adults who were very satisfied or somewhat satisfied with the health care they received among those who visited a doctor at least once in the past 12 months.

S7. Crude and age-standardized* prevalence estimates for continually insured, partially uninsured, and never insured in the past 12 months among adults aged 18-64 years, by state†— Behavioral Risk Factor Surveillance System, 2014

State	n§	Continuously insured in the past 12 mon		Partially uninsured in the past 12 mon		Never insured in the past 12 mon	
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
AL	5,381	75.5 (73.8-77.1)	74.3 (72.5-76.1)	11.1 (10.0-12.3)	11.6 (10.4-12.9)	13.4 (12.1-14.9)	14.0 (12.6-15.6)
AK	3,306	73.5 (71.3-75.6)	72.9 (70.6-75.1)	13.1 (11.5-14.9)	13.4 (11.7-15.2)	13.4 (11.8-15.2)	13.8 (12.1-15.6)
AZ	7,918	72.0 (70.3-73.6)	71.3 (69.6-73.0)	15.6 (14.4-17.0)	16.0 (14.7-17.4)	12.4 (11.2-13.7)	12.7 (11.4-14.1)
CO	2,870	77.4 (75.2-79.4)	76.6 (74.4-78.7)	12.7 (11.1-14.4)	13.0 (11.3-14.8)	10.0 (8.5-11.6)	10.4 (8.9-12.1)
CT	5,208	82.8 (81.3-84.3)	81.6 (79.9-83.2)	9.2 (8.1-10.4)	9.7 (8.5-11.0)	7.9 (6.9- 9.1)	8.7 (7.5-10.0)
DE	2,672	80.7 (78.5-82.8)	79.8 (77.4-82.0)	12.0 (10.3-13.9)	12.3 (10.5-14.4)	7.3 (6.0- 8.8)	7.9 (6.5- 9.6)
DC	2,445	82.7 (79.7-85.3)	82.6 (79.6-85.2)	11.4 (9.3-13.9)	11.4 (9.4-13.9)	5.9 (4.2- 8.3)	6.0 (4.2- 8.4)
GA	3,876	67.1 (64.9-69.1)	65.6 (63.4-67.8)	13.6 (12.2-15.3)	14.3 (12.7-16.0)	19.3 (17.5-21.2)	20.0 (18.1-22.1)
ID	3,408	70.1 (67.9-72.3)	69.1 (66.7-71.3)	15.4 (13.7-17.4)	16.1 (14.2-18.2)	14.4 (12.9-16.1)	14.8 (13.2-16.5)
IL	3,133	79.4 (77.4-81.3)	78.4 (76.2-80.4)	10.0 (8.8-11.5)	10.3 (9.0-11.9)	10.5 (9.1-12.2)	11.3 (9.7-13.2)
IN	3,539	73.7 (71.6-75.7)	72.6 (70.4-74.7)	14.6 (13.0-16.3)	15.2 (13.5-17.1)	11.7 (10.3-13.3)	12.2 (10.7-13.9)
IA	4,919	84.0 (82.5-85.3)	83.0 (81.4-84.5)	9.7 (8.6-10.9)	10.2 (9.1-11.5)	6.3 (5.4- 7.4)	6.8 (5.8- 7.9)
KY	7,098	74.3 (72.5-76.1)	73.2 (71.2-75.0)	17.0 (15.6-18.6)	17.9 (16.3-19.6)	8.7 (7.5-10.0)	9.0 (7.7-10.4)
LA	4,549	70.8 (69.1-72.4)	70.0 (68.2-71.7)	12.8 (11.6-14.1)	13.2 (11.9-14.6)	16.4 (15.1-17.8)	16.8 (15.4-18.3)
ME	3,437	77.9 (75.9-79.8)	76.6 (74.3-78.7)	11.6 (10.1-13.2)	12.6 (11.0-14.5)	10.5 (9.2-12.0)	10.8 (9.3-12.5)
MD	7,654	81.5 (79.6-83.3)	80.0 (77.9-81.9)	11.2 (9.8-12.8)	11.9 (10.3-13.6)	7.3 (6.1- 8.7)	8.1 (6.7- 9.8)
MA	9,515	89.6 (88.5-90.6)	89.0 (87.9-90.1)	8.2 (7.3- 9.2)	8.7 (7.7- 9.7)	2.2 (1.7- 2.8)	2.3 (1.8- 3.0)
MI	5,404	77.4 (75.8-78.8)	76.2 (74.5-77.8)	13.7 (12.5-15.0)	14.5 (13.1-15.9)	8.9 (8.0-10.0)	9.4 (8.3-10.5)
MN	11,521	83.9 (83.0-84.8)	83.1 (82.1-84.0)	10.6 (9.9-11.3)	11.1 (10.3-11.9)	5.5 (4.9- 6.1)	5.8 (5.2- 6.5)
MS	2,531	68.9 (66.3-71.3)	68.0 (65.4-70.6)	13.6 (11.9-15.6)	14.1 (12.2-16.1)	17.5 (15.4-19.7)	17.9 (15.7-20.2)
MO	3,332	75.5 (73.2-77.7)	74.0 (71.5-76.3)	13.3 (11.6-15.2)	14.2 (12.3-16.3)	11.2 (9.6-12.9)	11.9 (10.2-13.8)
MT	4,543	74.0 (72.1-75.9)	73.0 (70.9-75.0)	13.5 (12.1-15.1)	14.3 (12.7-16.0)	12.5 (11.1-14.0)	12.7 (11.2-14.3)
NE	14,302	78.7 (77.5-79.8)	77.7 (76.5-78.9)	9.8 (9.0-10.6)	10.3 (9.4-11.2)	11.5 (10.6-12.5)	12.1 (11.1-13.1)
NV	2,296	69.2 (66.2-72.1)	68.1 (64.9-71.1)	15.7 (13.6-18.1)	16.2 (13.9-18.7)	15.1 (12.8-17.7)	15.8 (13.3-18.5)
NH	3,888	78.2 (76.2-80.0)	76.6 (74.4-78.7)	11.3 (9.9-12.9)	12.2 (10.6-13.9)	10.5 (9.1-12.1)	11.2 (9.6-13.0)
NJ	8,876	77.1 (75.7-78.3)	75.9 (74.5-77.3)	11.8 (10.9-12.8)	12.2 (11.2-13.2)	11.1 (10.2-12.2)	11.9 (10.8-13.1)

State	n§	Continuously insured in the past 12 mon		Partially uninsured in the past 12 mon		Never insured in the past 12 mon	
		Crude	Age-standardized	Crude	Age-standardized	Crude	Age-standardized
		% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
NM	5,831	69.1 (67.2-70.9)	67.9 (65.9-69.8)	15.9 (14.5-17.5)	16.4 (14.9-18.0)	14.9 (13.5-16.5)	15.7 (14.2-17.4)
NY	4,431	77.1 (75.4-78.7)	75.8 (74.0-77.5)	13.9 (12.6-15.3)	14.6 (13.2-16.1)	9.0 (7.9-10.2)	9.6 (8.4-10.9)
NC	4,598	72.3 (70.8-73.8)	70.8 (69.2-72.4)	11.1 (10.1-12.2)	11.6 (10.5-12.8)	16.6 (15.4-17.9)	17.6 (16.3-19.0)
ND	4,901	82.9 (81.0-84.6)	82.5 (80.7-84.3)	10.5 (9.1-12.0)	10.6 (9.2-12.1)	6.7 (5.6- 8.0)	6.9 (5.8- 8.2)
OH	6,683	79.1 (77.4-80.6)	78.1 (76.3-79.8)	11.1 (10.0-12.4)	11.6 (10.4-13.0)	9.8 (8.6-11.1)	10.3 (9.0-11.7)
OK	2,636	73.1 (70.6-75.5)	72.4 (69.8-74.8)	13.3 (11.5-15.4)	13.7 (11.9-15.8)	13.5 (11.7-15.6)	13.9 (12.0-16.0)
OR	2,913	75.9 (73.8-77.8)	74.8 (72.5-76.9)	14.7 (13.2-16.4)	15.3 (13.6-17.1)	9.4 (8.0-11.0)	10.0 (8.4-11.7)
PA	6,721	79.7 (78.3-81.1)	78.6 (77.0-80.1)	11.7 (10.6-12.8)	12.5 (11.3-13.7)	8.6 (7.6- 9.7)	9.0 (7.9-10.2)
RI	4,217	79.4 (77.4-81.3)	78.1 (76.0-80.1)	13.8 (12.3-15.6)	14.6 (12.9-16.4)	6.7 (5.5- 8.2)	7.3 (5.9- 8.8)
SC	6,812	69.7 (68.2-71.2)	68.7 (67.1-70.2)	13.0 (12.0-14.1)	13.4 (12.3-14.6)	17.3 (16.0-18.6)	17.9 (16.6-19.3)
TN	2,958	74.7 (72.3-76.9)	73.7 (71.2-76.1)	12.3 (10.8-14.1)	12.8 (11.1-14.7)	13.0 (11.3-14.9)	13.4 (11.6-15.6)
UT	11,189	75.8 (74.8-76.8)	76.0 (75.0-77.0)	11.6 (10.9-12.4)	11.5 (10.8-12.2)	12.5 (11.8-13.4)	12.5 (11.7-13.3)
VT	4,585	82.8 (81.4-84.2)	81.7 (80.2-83.2)	12.2 (11.0-13.5)	13.1 (11.8-14.5)	5.0 (4.3- 5.8)	5.2 (4.4- 6.1)
VA	6,221	78.2 (76.6-79.6)	77.1 (75.5-78.7)	9.7 (8.8-10.8)	10.2 (9.1-11.3)	12.1 (10.9-13.4)	12.7 (11.4-14.1)
WA	6,094	76.8 (75.2-78.3)	75.7 (74.0-77.3)	13.4 (12.2-14.7)	13.9 (12.7-15.3)	9.8 (8.7-11.1)	10.4 (9.2-11.8)
WV	4,081	74.2 (72.4-75.9)	72.6 (70.7-74.4)	16.4 (15.0-17.9)	17.4 (15.8-19.0)	9.4 (8.3-10.7)	10.1 (8.8-11.5)
WI	4,656	81.6 (79.9-83.3)	80.7 (78.8-82.4)	10.9 (9.6-12.3)	11.5 (10.1-13.1)	7.5 (6.4- 8.8)	7.8 (6.6- 9.2)
Overall	227,148	76.7 (76.4-77.1)	75.6 (75.3-76.0)	12.3 (12.1-12.6)	12.9 (12.6-13.2)	10.9 (10.7-11.2)	11.5 (11.2-11.7)
Median		77.1	75.9	12.3	13.0	10.5	11.2
Range		67.1-89.6	65.6-89.0	8.2-17.0	8.7-17.9	2.2-19.3	2.3-20.0

*Age-standardized to the 2000 US projected population.

†42 states and the District of Columbia. Data from the state of Missouri are available from the Missouri Department of Health and Senior Services.

§Unweighted sample size.