

A grayscale photograph of orchids serves as the background for the entire page. The orchids are in various stages of bloom, with some showing detailed patterns on their petals.

Assisted Reproductive Technology

Fertility Clinic Success Rates Report

National Center for Chronic Disease Prevention and Health Promotion
Division of Reproductive Health



Updates to this report will be posted on the CDC website at the following address:

<http://www.cdc.gov/art/reports/>

For additional information, send an e-mail to artinfo@cdc.gov

Or write to CDC, ATTN: ART Surveillance and Research Team
4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta, GA 30341-3717

A grayscale photograph of several orchid flowers, likely Phalaenopsis, arranged diagonally across the page. The flowers are in various stages of bloom, with some showing detailed patterns on their petals. The background is a solid, light gray.

Assisted Reproductive Technology

Fertility Clinic Success Rates Report

September 2016

Acknowledgments

The Centers for Disease Control and Prevention, the Society for Assisted Reproductive Technology, and the American Society for Reproductive Medicine thank RESOLVE: The National Infertility Association and Path2Parenthood for their commitment to assisted reproductive technology (ART) surveillance. Their assistance in making this report informative and helpful to people considering an ART procedure is

greatly appreciated. Appendix D has current contact information for these national consumer organizations.

This publication was developed and produced by the National Center for Chronic Disease Prevention and Health Promotion of the Centers for Disease Control and Prevention in consultation with the American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology.

Centers for Disease Control and Prevention

National Center for Chronic Disease Prevention and Health Promotion	Ursula E. Bauer, PhD, MPH, Director
Division of Reproductive Health	CAPT Wanda D. Barfield, MD, MPH, Director Kelly Brumbaugh, MPH, CHES
Women’s Health and Fertility Branch	Denise J. Jamieson, MD, MPH, Chief Sheree L. Boulet, DrPH, MPH Jeani Chang, MPH Sara Crawford, PhD Dmitry M. Kissin, MD, MPH Aniket D. Kulkarni, MBBS, MPH Mithi Sunderam, PhD Yujia Zhang, PhD

American Society for Reproductive Medicine.Owen K. Davis, MD, President

Society for Assisted Reproductive Technology.Bradley J. Van Voorhis, MD, President
Kelley Jefferson

Suggested Citation: Centers for Disease Control and Prevention, American Society for Reproductive Medicine, Society for Assisted Reproductive Technology. *2014 Assisted Reproductive Technology Fertility Clinic Success Rates Report*. Atlanta (GA): US Dept of Health and Human Services; 2016.

The data included in this report and publication support were provided by Westat under Contract No. GS-23F-8144H for the National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, US Department of Health and Human Services.

Table of Contents

Preface	1	Nebraska	292
Commonly Asked Questions About the US ART Clinic Reporting System	3	Nevada	294
2014 Fertility Clinic Tables	9	New Hampshire	299
Introduction to Fertility Clinic Tables	11	New Jersey	300
Important Factors to Consider When Using These Tables to Assess a Clinic . .	11	New Mexico	324
How to Read a Fertility Clinic Table	14	New York	325
2014 National Summary	21	North Carolina	364
Alabama	23	North Dakota	376
Alaska	29	Ohio	377
Arizona	30	Oklahoma	391
Arkansas	43	Oregon	394
California	44	Pennsylvania	398
Colorado	119	Puerto Rico	416
Connecticut	128	Rhode Island	419
Delaware	137	South Carolina	420
District of Columbia	139	South Dakota	425
Florida	142	Tennessee	426
Georgia	172	Texas	435
Hawaii	180	Utah	479
Idaho	185	Vermont	483
Illinois	186	Virginia	485
Indiana	214	Washington	499
Iowa	225	West Virginia	511
Kansas	227	Wisconsin	514
Kentucky	231	Appendix A: Technical Notes	521
Louisiana	237	Validation of 2014 ART Data	523
Maine	242	Discrepancy Rates by Data Fields Selected for Validation	524
Maryland	243	How to Interpret Confidence Intervals for Discrepancy Rates	526
Massachusetts	253	Appendix B: Glossary of Terms	527
Michigan	262	Appendix C: ART Clinics	533
Minnesota	275	2014 Reporting Clinics, by State	535
Mississippi	280	2014 Nonreporting Clinics, by State	574
Missouri	283	Appendix D: National Consumer Organizations	577
Montana	291		

Preface

For many people who want to start a family, the dream of having a child is not easily realized. Assisted reproductive technology (ART) has been used in the United States since 1981 to help women become pregnant, most commonly through the transfer of fertilized human eggs into a woman's uterus. However, for many people, deciding whether to undergo this expensive and time-consuming treatment can be difficult.

The goal of this report is to help patients make informed decisions about ART by providing some of the information needed to answer the following questions:

- What are my chances of having a child by using ART?
- Where can I go to get this treatment?

The Society for Assisted Reproductive Technology (SART), an organization of ART providers affiliated with the American Society for Reproductive Medicine (ASRM), has been collecting data and publishing annual reports of pregnancy success rates for fertility clinics in the United States and Canada since 1989. In 1992, the US Congress passed the Fertility Clinic Success Rate and Certification Act. This law requires the Centers for Disease Control and Prevention (CDC) to publish pregnancy success rates for ART in fertility clinics in the United States. (For more details about the law, see <http://www.cdc.gov/art/nas/policy.html>.) Since 1995, CDC has worked in consultation with SART and ASRM to report ART success rates.

The 2014 report of pregnancy success rates is the twentieth to be issued under the law. This report is based on the latest available data on the type, number, and outcome of ART cycles performed in US clinics.

The 2014 ART report has three major sections:

- **Commonly Asked Questions About the US ART Clinic Reporting System**

This section provides background information on infertility and ART and an explanation of the data collection, analysis, and publication processes.

- **Fertility Clinic Tables**

Many factors contribute to the success of ART, including the training and experience of the ART clinic and laboratory professionals, the quality of services, and the characteristics of the patient population. The Fertility Clinic Tables section displays ART results and success rates for individual US fertility clinics in 2014. The section also includes the 2014 National Summary table, which combines data from all clinics.

- **Appendixes**

Appendix A provides information about 2014 data validation activities.

Appendix B provides definitions for technical and medical terms used throughout the report.

Appendix C includes the current names and addresses of all reporting clinics along with a list of clinics known to be in operation in 2014 that did not report their data to CDC as required by law.

Appendix D includes the names and addresses of national consumer organizations that offer support to people experiencing infertility.

Success rates can be reported in a variety of ways, and the statistical aspects of these rates can be difficult to interpret. This report is intended for the general public, and the emphasis is on presenting the information in an easily understandable form. CDC hopes that this report is informative and helpful to people considering an ART procedure. We welcome any suggestions for improving the report and making it easier to use. (Please contact us at artinfo@cdc.gov.)

In addition to the *2014 Assisted Reproductive Technology Fertility Clinic Success Rates Report*, CDC also publishes the *2014 Assisted Reproductive Technology National Summary Report* (available in October 2016), which provides an overall national picture that uses 2014 data to answer specific questions related to ART success rates.

Commonly Asked Questions

About the US ART Clinic Reporting System

Background Information, Data Collection Methods, Content and Design of the Report, and Additional Information About ART in the United States

1. How many people in the United States have infertility problems?

The latest data on infertility available to the Centers for Disease Control and Prevention (CDC) are from the 2011–2013 National Survey of Family Growth. (For more details about the data, see http://www.cdc.gov/nchs/nsfg/key_statistics/i.htm#infertility.)

- Of the approximately 61 million women aged 15–44 years in 2011–2013, almost 7 million, or 11%, had, at some time in their lives, received medical tests to diagnose infertility, medical advice and treatments to help a woman become pregnant, or services other than routine prenatal care to prevent miscarriage.
- Additionally, about 6% of married women aged 15–44 years are unable to get pregnant after at least 12 consecutive months of trying to conceive.

2. What is assisted reproductive technology (ART)?

Although various definitions have been used for ART, the definition used in this report is based on the 1992 law that requires CDC to publish this report. According to this definition, ART includes all fertility treatments in which either eggs or embryos are handled. In general, ART procedures involve surgically removing eggs from a woman's ovaries, combining them with sperm in the laboratory, and returning them to the woman's body or donating them to another woman. They do NOT include treatments in which only sperm

are handled (i.e., intrauterine insemination) or procedures in which a woman takes drugs only to stimulate egg production without the intention of having eggs surgically retrieved.

The main type of ART is **in vitro fertilization (IVF)**. IVF involves extracting a woman's eggs, fertilizing the eggs in the laboratory, and then transferring the resulting embryos into the woman's uterus. For some IVF procedures, fertilization involves a specialized technique known as intracytoplasmic sperm injection (ICSI). In ICSI, a single sperm is injected directly into the woman's egg.

Other types of ART exist, but are rarely performed. **Gamete intrafallopian transfer (GIFT)** involves using a fiber optic instrument called a laparoscope to guide the transfer of unfertilized eggs and sperm (gametes) into the woman's fallopian tubes through small incisions in her abdomen. **Zygote intrafallopian transfer (ZIFT)** involves fertilizing a woman's eggs in the laboratory and then using a laparoscope to guide the transfer of the fertilized eggs (zygotes) into her fallopian tubes.

In addition, ART often is categorized according to whether the procedure was started with the intent to freeze all eggs or embryos (banking), whether the procedure used a woman's own eggs (nondonor) or eggs from another woman (donor), whether the eggs were frozen and thawed before use, and whether the embryos used were newly fertilized (fresh) or previously fertilized, frozen, and then thawed (frozen).

3. What is an ART cycle?

Because ART consists of several steps over an interval of approximately 2 weeks, an ART procedure is typically referred to as a **cycle** of treatment rather than a procedure at a single point in time. The start of an ART cycle is when a woman begins taking drugs to stimulate egg production or starts ovarian monitoring with the intent of having embryos transferred. For the purposes of this report, data on all cycles that were started, even those that were discontinued before all steps were undertaken, are counted in the clinic's success rates.

4. How do US ART clinics report data to CDC about their success rates?

CDC contracts with a statistical survey research organization, Westat, to obtain the data published in the *Fertility Clinic Success Rates Report*. Westat maintains a list of all ART clinics known to be in operation, identifies new clinics throughout the year, and tracks clinic reorganizations and closings. This list includes clinics and individual providers that are members of the Society for Assisted Reproductive Technology (SART) as well as clinics and providers that are not SART members. Westat maintains the National ART Surveillance System (NASS), the web-based data collection system that all ART clinics use to submit data to CDC. Clinics either electronically enter or import data into NASS for each ART cycle started in a given reporting year. SART-member clinics can report directly to SART, and SART submits the data to NASS. The data collected include de-identified information on the patient's medical history (such as infertility diagnoses), clinical information pertaining to the ART procedure, and information on resulting pregnancies and births.

5. Why is the report of 2014 success rates being published in 2016?

Before success rates based on live births can be calculated, every ART pregnancy must be followed up to determine whether a birth occurred. Therefore, the earliest possible date that clinics can report complete annual data is about 9 months past the end of the reporting year, when all the births have occurred. Accordingly, the results of all the cycles initiated in 2014 were not known until October 2015. After ART outcomes are known, the following occurs before the report is published:

- Clinics enter their 2014 data into NASS and verify the data's accuracy before submitting the data at the end of 2015 to Westat.
- Preliminary data for individual fertility clinic tables are prepared and made available in the spring of 2016 on CDC's website at <http://www.cdc.gov/art/reports/>.
- After CDC conducts extensive data checks, the full report with all fertility clinic tables and the National Summary table is prepared and published on the CDC website at <http://www.cdc.gov/art/reports/>.

6. Which clinics are represented in this report?

The data in this report come from 458 fertility clinics that provided and verified information about the outcomes of the ART cycles started in their clinics in 2014.

Although almost all clinics that provided ART services in the United States during 2014 are represented in this report, data from 40 clinics or practitioners are not included because they did not report as required. Clinics and practitioners known to have been in operation as of January 1, 2014 that did not report and verify their data are listed in this report as nonreporters, as required by law (see Appendix C: 2014

Nonreporting Clinics, by State on pages 574–576). Given the estimated number of ART cycles performed in nonreporting clinics, we estimate that ART surveillance covered 98% of ART cycles performed in the United States in 2014. We will continue to make every effort to include in future reports all clinics and practitioners providing ART services.

7. Why aren't the clinics ranked by their success rates?

Many factors contribute to the success rate of an ART procedure, and a difference in success rates between two ART clinics may reflect differences in the groups of patients treated, the types of procedures performed, or other factors. More explanations on how to use the success rates and other statistics published in this report are in the Introduction to Fertility Clinic Tables section (see pages 11–20). The report should be used to help people considering an ART procedure find clinics where they can meet personally with ART providers to discuss their specific medical situation and their likelihood of success using ART. Contacting a clinic also may provide additional information that could be helpful in deciding whether or not to use ART. Because ART offers several treatment options for infertility, and because there are non-ART treatment options, there are many other factors that may affect the decision. This report may be a helpful starting point for consumers to obtain information and consider their options.

8. Does this report include all ART cycles performed by the reporting clinics?

This report includes 208,604 ART cycles performed in 2014 by the 458 clinics that reported their data as required. Of those 208,604 cycles, 35,406 were cycles started with the intent of cryopreserving (freezing) and storing all resulting

eggs or embryos for potential future use.

Because these cycles cannot result in immediate pregnancies, they are not included in the majority of clinic success rates. Instead, the number of banking cycles are included in the total number of cycles performed, and the number of banking cycles by age group are reported.

Of the 208,604 total cycles, 3,596 were cycles started with the intention of thawing a frozen egg for fertilization and transfer. These cycles are not included in any clinic success rates. Instead, the number of cycles using frozen eggs is shown for each clinic in their table as part of the total number of cycles performed. The 208,604 total cycles performed in 2014 excludes 26 cycles started in which a new treatment procedure was being evaluated. The number of new treatment procedures performed is shown for each clinic in footnote “d” of their table.

9. How are the success rates determined?

This report presents several measures of success for ART, including the percentage of ART cycles that result in a pregnancy. Note that not all pregnancies result in live birth; some pregnancies result in miscarriage, induced abortion, or stillbirth. All live-birth deliveries were reported to the ART clinic by either the patient or the patient's obstetric provider. Because this report is geared toward patients, the focus is on the percentage of cycles resulting in live births. Singleton live births (births of a single, live infant), are emphasized as a separate measure of success because they have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death. Success rates were calculated at various steps of the ART cycle to provide a complete picture of the chances for success as the cycle progresses.

10. What are my chances of getting pregnant using ART?

Many consumers ask this question because they assume that the pregnancy will lead to a live birth. Unfortunately, not all ART procedures that result in a pregnancy lead to the delivery of a live infant. For example, 92,862 fresh nondonor ART cycles were started in 2014. Of those, 30,647 (33%) led to a pregnancy, but only 25,016 (27%) resulted in a live birth. In other words, 5,631 (almost 1 in 5) of ART pregnancies did not result in a live birth. The percentage of cycles resulting in live births will give a more accurate answer to the question, “If I have an ART procedure, what is my chance that I will have a baby?”

It is important to note that ART success rates vary in the context of patient and treatment characteristics. These characteristics include age, type of infertility diagnosis, number of embryos transferred, type of ART procedure, use of techniques such as ICSI, and history of previous births, miscarriages, and ART cycles.

11. If a patient has had more than one ART treatment cycle, how is the success rate calculated? Alternatively, how many cycles does a patient usually go through before getting pregnant?

Because clinics report information based on outcomes for each cycle started, success rates on a “per patient” basis, or the number of cycles that an average patient may undergo before achieving success, are not presented in this report. Success rates vary in the context of patient and treatment characteristics. Patients should consult with their physician to understand their specific medical situation and their chances of pregnancy using ART.

12. What quality control steps are used to ensure data accuracy?

To have their success rates published in this annual report, clinics have to submit their data in time for analysis and the clinics’ medical directors have to verify by signature that the tabulated success rates are accurate. Then, Westat conducts an in-house review of the data and contacts the clinics if corrections are necessary. After the data have been checked, a quality control process called validation begins.

This year, 34 (about 7%) of the 458 reporting clinics were selected for validation. During the annual validation process, members of the Westat Validation Team visit the selected clinics and review medical record data for a sample of the clinic’s ART cycles. (See Appendix A: Validation of 2014 ART Data on page 523 for a more detailed presentation of sampling strategy.) For each cycle, the validation team abstracts information from the patient’s medical record. The abstracted information is then compared with the data submitted for the report.

The data validation process does not include any assessment of clinical practice or overall record keeping. Validation primarily helps ensure that clinics submit accurate data. It also serves to identify any systematic problems that could cause data collection to be inconsistent or incomplete. (See Appendix A: Discrepancy Rates by Data Fields Selected for Validation on pages 524–525 for findings from 2014 validation.)

13. Does CDC collect any data that it does not report in the annual *Assisted Reproductive Technology Fertility Clinic Success Rates Report* and *National Summary Report*?

Yes. CDC uses the data collected and not reported in the annual ART reports for surveillance of emerging practice patterns, surveillance of success rates by patient and practice characteristics, evaluation of emerging ART research questions, and the monitoring of safety and efficacy issues related to ART treatment for improving maternal and child health outcomes. A list of ART publications is available at <http://www.cdc.gov/art/publications/>.

14. How does CDC ensure the confidentiality of the ART data it collects?

CDC has an Assurance of Confidentiality for the ART database. An assurance is a formal confidentiality protection used for projects conducted by CDC staff or contractors involving the collection or maintenance of sensitive, identifiable, or potentially identifiable information. The assurance allows CDC programs to assure that individuals and institutions involved in research or nonresearch projects protect the confidentiality of the data collected. The ART data are stored in a secure limited-access, password-protected environment.

15. Why doesn't the report contain specific medical information about ART?

This report describes a woman's average chances of success per ART cycle. Although the report provides some information about factors such as age and type of infertility diagnosis, patients have many unique medical situations. This population-based registry of ART procedures cannot capture detailed information about specific medical conditions associated with infertility. Patients should consult with their physician to understand their specific medical situation and their chances of success using ART.

16. Why are statistics in the *Fertility Clinic Tables* published by CDC different from statistics reported by SART's IVF Success Rate Reports?

In 2014, of all the ART clinics reporting data to CDC, approximately 81% were SART members. Annual summary statistics of ART treatments performed in each of these SART member clinics are available in this report, as well as online at <http://www.sart.org>. Discrepancies in tabulated statistics between the SART and CDC tables may be due to (1) the inclusion in the CDC Fertility Clinic Reports of ART treatments performed at non-SART member clinics; (2) differences in the data submission deadlines between SART and CDC, which may result in ART clinics being excluded from CDC's annual Fertility Clinic Reports; and (3) differences in data processing procedures and statistical methods.

17. Does CDC have any information on the women who donate eggs?

CDC only collects information on the age of egg donors, and does not present it in the individual clinic tables for this report. In 2014, the average age of egg donors was approximately 26 years. Success rates for cycles using donor eggs or using embryos derived from donor eggs is related to the age of the woman who produced the eggs. Thus, the percentage of transfers that resulted in live births for cycles using fresh embryos from donor eggs remained consistent, ranging from 54% to 59% across patients in different age groups.

18. Are there any medical guidelines for ART performed in the United States?

ASRM and SART issue guidelines dealing with specific ART practice issues, such as the number of embryos to be transferred in an ART procedure. Further information can be obtained from ASRM or SART (both at telephone 205-978-5000 or at websites <http://www.asrm.org> and <http://www.sart.org>).

19. Where can I get additional information on US fertility clinics?

For further information on specific clinics, contact the clinic directly. (See Appendix C: ART Clinics on pages 535–576 for contact information.) In addition, SART can provide general information on its member clinics (telephone 205-978-5000, extension 109).

20. What's new in the 2014 report?

CDC is constantly striving to present the most accurate and relevant ART clinic success rates to help potential patients make decisions. Highlights of modifications to this report designed to enhance clarity and provide a more comprehensive presentation of data include the following:

- In the clinic tables and National Summary table presented in the next section (Fertility Clinic Tables, pages 21–520), terminology has been updated for the procedural factor involving preimplantation genetic diagnosis (PGD) to reflect that preimplantation genetic screening (PGS) techniques are included in the calculation of this statistic (PGD/PGS). The Glossary of Terms now provides the definition for PGD/PGS (see Appendix B, page 531).
- Clinic tables for reorganized clinics now provide the same Current Services and Profile information as for clinics that did not reorganize since 2014, such as current name and verified lab accreditation. In addition, Appendix C: 2014 Reporting Clinics, by State (pages 535–573) now includes laboratory accreditation details for clinics that have reorganized. (For the definition of a reorganized clinic, see Appendix C, page 535.)

2014

Fertility Clinic Tables



INTRODUCTION TO FERTILITY CLINIC TABLES

Presentation of fertility table data begins on page 21 with the 2014 National Summary of combined data from all clinics. Individual clinic tables follow, beginning on page 23, with each clinic's data presented in a one-page table that includes the types of assisted reproductive technology (ART) used, patient diagnoses, success rates, and individual clinic characteristics. Clinics reporting their data to the Centers for Disease Control and Prevention (CDC) are listed in alphabetical order by state, city, and clinic name. Each known nonreporting clinic is also included in alphabetical order, although no data are presented for these clinics. An explanation of how to read a fertility clinic table begins on page 14.

Many people considering ART will want to use this report to find the “best” clinic. However, comparisons between clinics must be made with caution. Many factors contribute to the success of an ART procedure. Some factors are related to the training and experience of the ART clinic and laboratory professionals and the quality of services they provide. Other factors are related to the patients themselves, such as their age, quality of their eggs and sperm, cause of their infertility, genetic factors, and diagnosis. Some clinics may be more willing than others to accept patients with low chances of success or may specialize in ART treatments that attract particular types of patients.

We encourage consumers considering ART to contact clinics to discuss their specific medical situations and their potential for success using ART. Because clinics did not have the opportunity to provide narratives to explain their data in this report, such conversations could provide additional information to help consumers decide whether to use ART.

Although ART offers important options for the treatment of infertility, the decision to use ART

involves many factors in addition to success rates. Therefore, consumers should carefully examine all related financial, psychological, and medical issues before beginning treatment. They also will want to consider the location of the clinic, the counseling and support services available, and the rapport that staff members have with their patients.

Important Factors to Consider When Using These Tables to Assess a Clinic

- **ART statistics are from 2014**

Data for cycles started in 2014 could not be published until 2016 because the final outcomes of pregnancies conceived in December 2014 were not known until October 2015. Additional time was then required to collect and analyze the data and prepare the report. Many factors that contribute to a clinic's success rate may have changed in the 2 years since these cycles were performed. Personnel may be different. Equipment and training may or may not have been updated. As a result, success rates for 2014 may not necessarily represent current rates.

- **Success rates may vary**

A clinic's success rates may vary from year to year even if all determining factors remain the same. The more cycles that a clinic carries out, the less the rate is likely to vary. Conversely, clinics that perform fewer cycles are likely to have more variability in success rates from year to year. As an extreme example, if a clinic reports only one ART cycle in a given category, as is sometimes the case in the data presented here, the clinic's success rate in that category would be either 0% or 100%.

- **Some clinics see more than the average number of patients with difficult infertility problems**

Some clinics are willing to offer ART to most potential patients, even those who have a low probability of success. Others discourage such patients or encourage them to use donor eggs, a practice that results in higher success rates among older women. Clinics that accept a higher percentage of women who previously have had multiple unsuccessful ART cycles will generally have lower success rates. In contrast, clinics that offer ART procedures to women who might have become pregnant with less technologically advanced treatment will generally have higher success rates. CDC does not collect information on clinic-specific practices with regard to patient selection.

- **The percentage of cycles that are canceled varies**

Percentages of canceled cycles using fresh nondonor eggs or embryos vary among clinics from less than 1% to, in a few cases, more than 25%. A high percentage of cancellations tends to lower the percentage of cycles resulting in live births but may increase the percentage of embryo transfers resulting in live births.

- **Percentages of unstimulated (or “natural”) cycles are included with those for stimulated cycles**

In an unstimulated cycle, the woman ovulates naturally rather than as the result of the daily injections used in stimulated cycles. Unstimulated cycles are less expensive because they require no daily injections and fewer ultrasounds and blood tests. However, women who use natural or mild stimulation produce only one or two eggs, thus reducing

the potential number of embryos for transfer. As a result, clinics that perform a relatively high percentage of unstimulated cycles may have lower success rates. Nationally, about 2% of ART cycles using fresh nondonor eggs or embryos in 2014 were unstimulated.

- **Success rates are calculated per cycle rather than per patient**

Success rates shown in this report are presented in terms of cycles, as required by law, rather than in terms of patients. As a result, patients who had more than one ART cycle in 2014 are represented in multiple cycles that are not linked. In addition, for patients who undergo both fresh and frozen cycles, success rates are calculated separately by cycle type. Clinics that have a very high percentage of cycles resulting in live births with frozen embryos would have higher ART success rates if these births were included as successes from the original fresh cycle. Consumers should look at both rates (for cycles using fresh embryos and for those using frozen embryos) when assessing a clinic’s success rates.

- **The number of embryos transferred varies from clinic to clinic**

In 2014, the average number of embryos that nearly all clinics transferred to women younger than age 35 ranged from 1 to 3 for fresh nondonor cycles. The American Society for Reproductive Medicine (ASRM) and the Society for Assisted Reproductive Technology (SART) discourage the transfer of a large number of embryos because of the increased likelihood of multiple-fetus pregnancies. Multiple-fetus pregnancies, in turn, increase the probability of premature births and related health problems.

SAMPLE CLINIC TABLE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

1 Data verified by Andrew B. Sample, MD

2 Type of ART and Procedural Factors^a				3 Patient Diagnosis^b			
IVF	99%	With ICSI	66%	Tubal factor	13%	Uterine factor	1%
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	6%	Male factor	19%
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	7%
				Endometriosis	6%	Unknown factor	10%
				Multiple Factors: Female factors only 13% Female & male factors 28%			

2014 ART SUCCESS RATES^c

4 Total number of cycles^d: 610 (includes 8 cycle[s] using frozen eggs)

5 Type of Cycle		6 Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
7 Fresh Embryos from Nondonor Eggs							
Number of cycles		115	106	68	19	12	5
Percentage of cancellations before retrieval (%)		12.2	6.6	13.2	3 / 19	2 / 12	2 / 5
Average number of embryos transferred		2.0	2.5	2.8	2.9	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)		28.8	18.8	11.0	11.5	4.6	1 / 6
Percentage of elective single embryo transfers (eSET) (%)		5.5	1.2	3.8	1 / 15	0 / 8	0 / 3
7A Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		23.5	18.9	10.3	1 / 19	0 / 12	1 / 5
Percentage of cycles resulting in singleton live births (%)		28.7	21.7	14.7	1 / 19	0 / 12	1 / 5
Percentage of cycles resulting in twin live births (%)		7.0	8.5	2.9	1 / 19	1 / 12	0 / 5
Percentage of cycles resulting in live births (%)		37.4	31.1	20.6	2 / 19	1 / 12	1 / 5
Percentage of cycles resulting in pregnancies (%)		45.2	37.7	23.5	5 / 19	1 / 12	1 / 5
7B Outcomes per Transfer							
Number of transfers		90	85	52	15	8	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.0	23.5	13.5	1 / 15	0 / 8	1 / 3
Percentage of transfers resulting in singleton live births (%)		36.7	27.1	19.2	1 / 15	0 / 8	1 / 3
Percentage of transfers resulting in twin live births (%)		8.9	10.6	3.8	1 / 15	1 / 8	0 / 3
Percentage of transfers resulting in live births (%)		47.7	38.8	26.9	2 / 15	1 / 8	1 / 3
Percentage of transfers resulting in pregnancies (%)		57.8	47.0	30.8	5 / 15	1 / 8	1 / 3
8 Frozen Embryos from Nondonor Eggs							
Number of cycles		75	30	25	20	15	10
Number of transfers		62	25	20	14	8	5
Estimated average number of transfers per retrieval		2.5	1.9	1.4	2.0		
Average number of embryos transferred		2.1	2.0	2.7	2.0	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)		24.5	25.3	32.1	10.7	9.3	1 / 10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.4	24.0	10.0	1 / 14	1 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)		21.0	24.0	10.0	1 / 14	1 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)		4.8	8.0	5.0	1 / 14	0 / 8	1 / 5
Percentage of transfers resulting in live births (%)		27.4	36.0	20.0	2 / 14	1 / 8	1 / 5
Percentage of transfers resulting in pregnancies (%)		61.3	48.0	45.0	3 / 14	2 / 8	1 / 5
9 Number of Egg/Embryo Banking Cycles		12	7	4	0	0	0
10 Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		60			19		
Number of transfers		49			14		
Average number of embryos transferred		2.1			2.4		
Percentage of embryos transferred resulting in implantation (%)		34.0			26.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.7			5 / 14		
Percentage of transfers resulting in singleton live births (%)		45.0			6 / 14		
Percentage of transfers resulting in twin live births (%)		4.1			1 / 14		
Percentage of transfers resulting in live births (%)		51.0			7 / 14		
Percentage of transfers resulting in pregnancies (%)		71.4			9 / 14		

11 CURRENT SERVICES & PROFILE

Current Name: Sample Clinic

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 3 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

How to Read a Fertility Clinic Table

This section is provided to help consumers understand the information presented in the fertility clinic tables. The number before each heading refers to the number of the corresponding section in the sample clinic table on page 13. Technical terms are defined in the Glossary of Terms (see Appendix B on pages 529–531).

1. Verification

To have success rates published in the annual report, a clinic's medical director must verify the accuracy of the data reported to CDC. The name of the medical director who verified the clinic's data is shown.

2. Type of ART and procedural factors

This section gives the percentage of in vitro fertilization (IVF) cycles using fresh nondonor embryos. It also lists the percentage of ART cycles using fresh nondonor eggs or embryos that were unstimulated, that used a gestational carrier, that involved intracytoplasmic sperm injection (ICSI), and that used preimplantation genetic diagnosis or screening (PGD/PGS).

3. Patient diagnosis

This section gives the percentage of ART cycles for which patients had a particular diagnosis out of the total number of cycles performed at the clinic. The Glossary of Terms has more information about each diagnosis (see Appendix B on pages 529–531). Cycles started with the intent of using frozen eggs or with the intent of freezing and banking all eggs or embryos for future use are not included in the calculations of percentages in this section.

Consumers may want to know what percentage of cycles are performed for a clinic's patients with the same diagnosis as they have. In addition,

patients' diagnoses may affect a clinic's success rates. However, the use of these diagnostic categories may vary somewhat from clinic to clinic, and total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

4. Total number of cycles

The first number represents total ART cycles started at the clinic in 2014. It includes cycles started with the intent of freezing and banking all eggs or embryos for future use. It also includes cycles started with the intent of using frozen eggs, which is shown in parentheses. The total number of ART cycles excludes cycles started with the intent of evaluating a new procedure (a small number nationwide). The number of cycles at each clinic in which a new procedure was being evaluated is shown in footnote "d." Cycles in which a new procedure was being evaluated and cycles with the intent to use frozen eggs are not used to calculate success rates presented in clinic tables or the national summary.

5. Success rates by type of cycle

Success rates are given for the three categories of ART cycles included in Sections 7, 8, and 10: cycles using fresh embryos from nondonor eggs, cycles using frozen embryos from nondonor eggs, and cycles using donor eggs. (Section 9 gives the number of egg/embryo banking cycles.) Success rates shown are calculated on the basis of data from all ART cycle procedures (IVF, gamete intrafallopian transfer or GIFT, and zygote intrafallopian transfer or ZIFT).

Success rates for term, normal weight, and singleton live births (births of a single live infant at 37 weeks or more and weighing at least 5 pounds and 8 ounces) are emphasized in the table because they are an important measure of success. Multiple-infant births are associated

with increased risk of adverse outcomes for mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.

Clinic table success rates indicate the average chance of success for ART cycles started at the clinic in 2014. Depending on the type of cycle, success rates are calculated by the number of cycles started, the number of cycles that progressed to embryo transfer, or both, and by age group or for all ages combined. For example, if a clinic started 60 fresh embryo cycles using nondonor eggs in 2014, and these resulted in 15 live births, the average success rate for this type of cycle started at that clinic would be

$$15 \text{ (births)} \div 60 \text{ (cycles)} = 0.250 \text{ or } 25.0\%$$

Thus, the success rate per cycle was 25.0%, meaning that 25.0% of fresh embryo cycles using nondonor eggs started at the clinic in 2014 resulted in a live birth. Alternatively, if an embryo transfer was attempted in only 40 of the 60 cycles, the average success rate for transfers of this type of cycle at that clinic would be

$$15 \text{ (births)} \div 40 \text{ (transfers)} = 0.375 \text{ or } 37.5\%$$

Thus, the success rate per transfer was 37.5%, meaning that 37.5% of fresh embryo cycles using nondonor eggs in which an embryo transfer was attempted at the clinic in 2014 resulted in a live birth.

Success rate calculations may be misleading if they are based on a small number of cycles or transfers. Therefore, when fewer than 20 cycles or transfers are reported in a given category, the rates are shown as fractions rather than percentages. For example, suppose that the sample clinic started only 19 fresh embryo cycles using nondonor eggs among women aged 41–42 years. Of these 19 cycles, 2—or about 10%—resulted in a live birth. Because of the small number of cycles, 10% is not a statistically reliable success rate, so the success rate is presented as 2/19, meaning 2 out of the 19 cycles started resulted in a live birth.

6. Age of woman

Because a woman's fertility declines with age, clinics report lower success rates for older women attempting to become pregnant with their own eggs. For this reason, success rates for women using nondonor eggs or embryos are reported separately for women younger than age 35, for women aged 35–37, aged 38–40, aged 41–42, aged 43–44, and for woman older than age 44. The sample clinic table illustrates the decline in ART success rates among older women. For example, for cycles that used fresh embryos from nondonor eggs, the percentage of cycles resulting in live births among women younger than age 35 was 37.4%, whereas the percentage of cycles resulting in live births among women aged 38–40 was 20.6%.

7. Cycles using fresh embryos from nondonor eggs

This section includes success rates for all ART cycles started with the intent to use fresh embryos from a woman's own eggs. Cycles started with the intention of freezing and banking all eggs or embryos for future use are not included in the calculations of success rates in this section.

• Number of cycles

This represents the number of ART cycles started by age of woman.

• Percentage of cancellations before retrieval

This refers to cycles that were stopped before an egg retrieval was attempted. A cycle may be canceled if a woman's ovaries do not respond to fertility medications and thus do not produce a sufficient number of eggs. Cycles also may be canceled because of illness or other medical or personal reasons.

This is calculated as follows: number of cycles canceled divided by the total number of cycles, expressed as a percentage of cycles.

- **Average number of embryos transferred**

The average number of embryos transferred varies from clinic to clinic. ASRM and SART have practice guidelines that address this issue. Further information can be obtained from ASRM or SART (both at telephone 205-978-5000 or at websites <http://www.asrm.org> and <http://www.sart.org>).

This is calculated as follows: number of embryos transferred divided by number of cycles in which one or more embryos were transferred.

- **Percentage of embryos transferred resulting in implantation**

This represents the number of fetuses with which the woman became pregnant out of the total number of embryos transferred for all cycles in which one or more embryos were transferred. Not all fetal hearts can be detected by ultrasound. For this reason, the number of fetuses with which a woman is pregnant is defined as the larger of either the maximum number of fetal hearts detected by ultrasound or maximum number of infants born, including live-born and stillborn infants.

This is calculated as follows: the larger of either the maximum number of fetal hearts or maximum number of infants born (live born and stillborn) divided by number of embryos transferred, expressed as a percentage of embryos transferred.

- **Percentage of elective single embryo transfers (eSET)**

This represents the cycles in which one embryo is selected to be transferred from a larger number of available embryos, usually for the purpose of reducing the chance of having a multiple-infant birth. For these cycles, one or more of the extra embryos are cryopreserved (frozen) during the current cycle for future use.

This is calculated as follows: number of cycles in which one embryo was transferred and one or more embryos were cryopreserved, divided by number of transfers in which either one embryo was transferred and one or more embryos were cryopreserved or more than one embryo was transferred, expressed as a percentage of these transfer procedures.

7A. Outcomes per cycle

In this section, success rates using fresh embryos from nondonor eggs are calculated as a percentage of fresh nondonor cycles started. The number of cycles started is not the same as the number of patients treated because some patients start more than one cycle in a year.

- **Percentage of cycles resulting in term, normal weight, and singleton live births**

This represents the cycles that resulted in the birth of a single live infant of normal weight and at term, out of all cycles started. For this report, births are defined as term if 37 full weeks gestation or more and normal weight if at least 2,500 grams (approximately 5 pounds and 8 ounces).

This is calculated as follows: number of single-infant live births with a birth weight of at least 2,500 grams and at least 37 full weeks gestation, divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in singleton live births**

This represents the cycles that resulted in the birth of a single live infant out of all cycles started.

This is calculated as follows: number of single-infant live births divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in twin live births**

This represents the cycles that resulted in a live birth of two infants out of all cycles started. A twin live birth may include one or both infants born live.

This is calculated as follows: number of twin live births divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in live births**

This represents the cycles that resulted in a live birth out of all cycles started. A cycle resulting in live birth may include one or more infants born live; that is, a multiple-infant birth (for example, twins or triplets) with at least one live-born infant is counted as one live birth.

This is calculated as follows: number of live births divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in pregnancies**

This represents the cycles that resulted in a pregnancy out of all cycles started. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of cycles resulting in pregnancies is usually higher than the percentage of cycles resulting in live births.

This is calculated as follows: number of pregnancies divided by number of cycles, expressed as a percentage of cycles.

7B. Outcomes per transfer

In this section, success rates using fresh embryos from nondonor eggs are calculated as the percentage of these cycles in which an embryo transfer procedure was attempted, even if no embryos were successfully transferred. A clinic may begin cycles that do not proceed to

transfer because not every cycle started results in successful egg retrieval and fertilization. For this reason, percentages of transfers resulting in pregnancies and live births generally are higher than percentages for cycles started.

- **Number of transfers**

This represents the number of transfer procedures attempted out of all cycles started, by age of woman.

- **Percentage of transfers resulting in term, normal weight, and singleton live births**

This represents the transfer procedures that resulted in the birth of a single live infant of normal weight and at term, out of all cycles in which a transfer was attempted. For this report, births are defined as term if 37 full weeks gestation or more and normal weight if at least 2,500 grams (approximately 5 pounds and 8 ounces).

This is calculated as follows: number of single-infant live births with a birth weight of at least 2,500 grams and at least 37 full weeks gestation, divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in singleton live births**

This represents the transfer procedures that resulted in the birth of a single live infant out of all cycles in which a transfer was attempted.

This is calculated as follows: number of single-infant live births divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in twin live births**

This represents the transfer procedures that resulted in a live birth of two infants out of all cycles in which a transfer was attempted. A twin live birth may include one or both infants born live.

This is calculated as follows: number of twin live births divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in live births**

This represents the transfer procedures that resulted in a live birth out of all cycles in which a transfer was attempted. A transfer resulting in live birth may include one or more infants born live; that is, a multiple-infant birth (for example, twins or triplets) with at least one live-born infant is counted as one live birth.

This is calculated as follows: number of live births divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in pregnancies**

This represents the transfer procedures that resulted in a pregnancy out of all cycles in which a transfer was attempted. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of transfers resulting in pregnancies is usually higher than the percentage of transfers resulting in live births.

This is calculated as follows: number of pregnancies divided by number of transfers, expressed as a percentage of transfers.

8. Cycles using frozen embryos from nondonor eggs

This section includes success rates for all ART cycles started with the intent to use frozen embryos from a woman's own eggs. Cycles started with the intent to use frozen eggs are not included.

Cycles using frozen embryos are those in which previously cryopreserved (frozen) embryos are thawed and transferred. Because these cycles use embryos formed during a previous cycle,

no stimulation or retrieval is involved in the current cycle. As a result, cycles using frozen embryos usually are less expensive and less invasive than cycles using fresh embryos. In addition, cryopreserving some of the embryos retrieved during a fresh cycle may increase a woman's overall chances of having a child from a single retrieval.

The embryos transferred in frozen nondonor cycles may come from prior cycles with the original intent to retrieve and transfer embryos (fresh nondonor cycles) and in which one or more embryos were cryopreserved. Embryos transferred in frozen nondonor cycles also may come from previous banking cycles with the original intent to cryopreserve all retrieved eggs or resulting embryos for future use. Banking cycles may be performed to avoid potentially negative effects of stimulation, or when it is necessary to wait for results of genetic testing. Since some patients may only develop a small number of eggs during a single cycle, women may undergo several short-term banking cycles to improve availability of good-quality embryos for later transfer. In other situations, patients may choose to cryopreserve eggs or embryos because the patient or partner needs to undergo medical treatment that may harm their future reproduction capabilities or to delay childbearing for other reasons.

Success rates in Section 8 are calculated for frozen nondonor cycles as the percentage of these cycles in which an embryo transfer procedure was attempted, not the percentage of cycles started because not every cycle started results in successful thaw of frozen embryos or proceeds to transfer. The only success rate in the clinic table that includes banking cycles in the calculation is the estimated average number of frozen nondonor transfers per fresh nondonor retrievals. See the following interpretation of this measure, and Sections 7 (pages 15–16) and 7B (pages 17–18) for the interpretation of other success rates for frozen nondonor cycles.

- **Estimated average number of transfers per retrieval**

This represents an estimate of the average number of frozen nondonor cycle transfers for a patient per fresh nondonor cycle retrieval. All banking cycles started during the reporting year, and any fresh nondonor cycles performed during the reporting year among patients who received a transfer of frozen nondonor embryos are included. Frozen nondonor transfers performed early in the reporting year might have involved egg retrieval and egg or embryo cryopreservation during cycles performed in previous years. Additionally, cycles in which retrieval and cryopreservation occurred late in the reporting year may not contribute to frozen nondonor cycles in which thawed embryos are transferred until subsequent years.

This measure will be lower in clinics performing a larger number of short-term banking cycles to increase the number of good-quality embryos available for transfer, or in clinics performing a larger number of long-term banking cycles for fertility preservation. On the other hand, this measure will be higher in clinics practicing elective single embryo transfer (eSET) when one fresh nondonor cycle results in several subsequent frozen nondonor cycles.

This is calculated as follows: number of frozen nondonor cycles in which at least one embryo was transferred divided by the sum of: number of banking cycles among all patients in the age group and number of fresh nondonor cycles among those patients in the age group with one or more frozen nondonor cycles resulting in the transfer of at least one embryo.

9. Number of egg/embryo banking cycles

This section represents the number of cycles started with the intent of freezing and banking all eggs or embryos for future use, by age of woman. See Section 8 on page 18 for additional information about banking cycles.

10. Cycles using donor eggs

Women who are older, who have premature ovarian failure (early menopause), whose ovaries have been removed, or who have a genetic concern about using their own eggs may consider using eggs that are donated by a young, healthy woman. Embryos donated by patients who previously had ART also may be available. Many clinics provide services for donor egg and embryo cycles.

In this section, success rates are presented separately for ART cycles using fresh donor eggs or embryos and those using frozen donor embryos. For both cycle types, results among women in all age groups are reported together because previous data show that patient age does not affect success rates with donor eggs. Success rates using donor eggs or embryos are calculated as the percentage of these cycles in which an embryo transfer was attempted, even if no embryos were successfully transferred. See Sections 7 (pages 15–16) and 7B (pages 17–18) for the interpretation of success rates for cycles using donor eggs or embryos.

11. Current clinic services and profile

- **Current name**

This may reflect a clinic name change that occurred since 2014, whereas the clinic name at the top of the table was the name of the ART clinic as it existed in 2014. Some clinics may have reorganized, which is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). In such cases, a statement will indicate this. If a clinic has closed since 2014, a statement that the clinic has closed is included, and no current name, clinic services, or profile are listed.

- **Donor eggs**

Some clinics have programs for ART in which a donor egg is retrieved from one woman (the donor), fertilized with either partner or donor sperm, and then the resulting embryo is transferred to the uterus of another woman (the recipient). Policies regarding sharing of donor eggs vary from clinic to clinic.

- **Donor embryos**

This refers to whether the clinic has a program for ART using embryos that were donated by other patients who previously underwent ART treatment and had extra embryos available.

- **Gestational carriers**

A gestational carrier is a woman who carries a child for others; sometimes such women are referred to as gestational surrogates. Policies regarding ART services using gestational carriers vary from clinic to clinic. Some states do not permit clinics to offer this service.

- **Embryo cryopreservation**

This refers to whether the clinic has a program for freezing extra embryos that may be available from a patient's ART cycle.

- **Single women**

Clinics have varying policies regarding ART services for single (unmarried) women.

- **SART member**

In 2014, 372 of the 458 reporting clinics were SART members.

- **Verified lab accreditation**

If "Yes" appears next to this item, the clinic uses an embryo laboratory accredited by one or more of three specific accrediting organizations. If "Pending" appears here,

it means that the clinic has submitted an application for accreditation to one or more of the three organizations and has provided proof of such application to CDC. "No" indicates that the embryo laboratory has not been accredited by any of these three organizations or has not provided proof of accreditation to CDC.

CDC provides this information as a public service. Note that CDC does not oversee any of these accreditation programs. They are all nonfederal programs. To become certified, laboratories must have systems and processes in place that comply with the accrediting organization's standards. Depending on the organization, standards may include those for personnel, quality control and quality assurance, specimen tracking, results reporting, and the performance of technical procedures. Compliance with these standards is confirmed by documentation provided by the laboratory and by on-site inspections. For further information, consumers may contact the three accrediting organizations directly:

College of American Pathologists (CAP):

For a list of accredited laboratories, call 800-323-4040 and follow the prompts for Laboratory Accreditation.

The Joint Commission: Call 630-792-5800 to inquire about the status of individual laboratories.

New York State Tissue Bank Program

(NYSTB): Call 518-485-5341 to find out which laboratories are certified under the tissue bank regulations.

Further information on laboratory accreditation for specific clinics is provided in Appendix C: 2014 Reporting Clinics, by State (pages 535–573).

2014 NATIONAL SUMMARY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	69%	Tubal factor	13%	Uterine factor	6%
Unstimulated	2%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	16%
				Endometriosis	9%	Unknown factor	13%
						Multiple Factors:	
						Female factors only	12%
						Female & male factors	17%

2014 ART SUCCESS RATES^c

Total number of cycles^d: 208,604 (includes 3,596 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39,573	19,376	17,617	9,114	5,131	2,051
Percentage of cancellations before retrieval (%)	6.1	9.7	13.4	17.4	19.4	25.1
Average number of embryos transferred	1.7	1.9	2.2	2.6	2.8	2.5
Percentage of embryos transferred resulting in implantation (%)	41.1	32.3	21.1	10.8	5.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	28.5	16.7	6.9	2.1	1.2	0.4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.2	19.2	13.0	7.1	2.8	0.8
Percentage of cycles resulting in singleton live births (%)	27.4	22.8	15.6	8.3	3.4	1.0
Percentage of cycles resulting in twin live births (%)	9.4	6.8	3.7	1.3	0.3	0.2
Percentage of cycles resulting in live births (%)	37.1	30.0	19.5	9.7	3.8	1.2
Percentage of cycles resulting in pregnancies (%)	42.6	36.4	26.9	16.4	8.8	2.7
Outcomes per Transfer						
Number of transfers	30,902	14,654	12,257	5,629	2,807	821
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.7	25.4	18.6	11.5	5.2	1.9
Percentage of transfers resulting in singleton live births (%)	35.0	30.1	22.4	13.5	6.3	2.4
Percentage of transfers resulting in twin live births (%)	12.1	9.1	5.3	2.0	0.5	0.5
Percentage of transfers resulting in live births (%)	47.5	39.6	28.0	15.7	6.9	3.0
Percentage of transfers resulting in pregnancies (%)	54.6	48.1	38.6	26.5	16.0	6.7
Frozen Embryos from Nondonor Eggs						
Number of cycles	26,182	13,539	10,078	3,792	1,811	857
Number of transfers	24,740	12,626	9,343	3,460	1,643	765
Estimated average number of transfers per retrieval	1.3	1.1	0.8	0.6	0.4	0.3
Average number of embryos transferred	1.6	1.5	1.6	1.7	1.8	1.9
Percentage of embryos transferred resulting in implantation (%)	43.7	40.8	35.2	28.4	19.9	12.9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.7	30.6	27.1	23.3	16.8	9.5
Percentage of transfers resulting in singleton live births (%)	36.5	36.1	32.9	28.4	20.1	12.0
Percentage of transfers resulting in twin live births (%)	9.9	7.7	5.3	3.7	2.9	2.1
Percentage of transfers resulting in live births (%)	46.6	44.0	38.3	32.1	23.1	14.2
Percentage of transfers resulting in pregnancies (%)	56.6	54.1	49.7	44.7	34.4	22.9
Number of Egg/Embryo Banking Cycles						
	9,395	7,340	8,582	4,830	3,149	2,110
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			8,507		11,974	
Number of transfers			7,256		11,155	
Average number of embryos transferred			1.7		1.6	
Percentage of embryos transferred resulting in implantation (%)			53.0		38.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			32.2		25.0	
Percentage of transfers resulting in singleton live births (%)			39.5		32.9	
Percentage of transfers resulting in twin live births (%)			17.1		8.4	
Percentage of transfers resulting in live births (%)			56.8		41.5	
Percentage of transfers resulting in pregnancies (%)			66.8		51.7	

CURRENT SERVICES & PROFILE

Number of reporting clinics: 458

Percentage of clinics that allow cycles involving:				Clinic profile:	
Donor eggs	93%	Gestational carriers	87%	SART member	81%
Donor embryos	72%	Embryo cryopreservation	>99%	Verified lab accreditation	
Single women	97%			Yes	92%
				No	6%
				Pending	2%

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 26 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael P. Steinkampf, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	50%	Tubal factor	38%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	13%
				Endometriosis	31%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 81 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	16	4	4	0	0
Percentage of cancellations before retrieval (%)	10.7	4 / 16	1 / 4	2 / 4		
Average number of embryos transferred	2.1	2.7	3.0	5.0		
Percentage of embryos transferred resulting in implantation (%)	26.9	21.9	1 / 6	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	4.0	0 / 12	0 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	1 / 16	1 / 4	0 / 4		
Percentage of cycles resulting in singleton live births (%)	21.4	2 / 16	1 / 4	0 / 4		
Percentage of cycles resulting in twin live births (%)	14.3	2 / 16	0 / 4	0 / 4		
Percentage of cycles resulting in live births (%)	35.7	4 / 16	1 / 4	0 / 4		
Percentage of cycles resulting in pregnancies (%)	35.7	5 / 16	2 / 4	0 / 4		
Outcomes per Transfer						
Number of transfers	25	12	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.0	1 / 12	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	24.0	2 / 12	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	16.0	2 / 12	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	40.0	4 / 12	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	40.0	5 / 12	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	3	1	0	0	0
Number of transfers	18	3	1	0	0	0
Estimated average number of transfers per retrieval	3.0	3.0				
Average number of embryos transferred	2.0	2.0	4.0			
Percentage of embryos transferred resulting in implantation (%)	8.6	1 / 4	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 18	0 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	2 / 18	1 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 18	0 / 3	0 / 1			
Percentage of transfers resulting in live births (%)	2 / 18	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	4 / 18	2 / 3	1 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			3		
Number of transfers	2			3		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 2			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 3		
Percentage of transfers resulting in live births (%)	0 / 2			1 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 2			2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Alabama Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Virginia L. Houserman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	29%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	9%	Male factor	60%
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	65%
				Endometriosis	34%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 449 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	158	46	30	13	7	0
Percentage of cancellations before retrieval (%)	9.5	6.5	10.0	4 / 13	1 / 7	
Average number of embryos transferred	1.9	1.9	2.6	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	27.7	30.4	21.0	2 / 19	1 / 12	
Percentage of elective single embryo transfers (eSET) (%)	11.5	6.5	0.0	0 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.8	17.4	23.3	0 / 13	1 / 7	
Percentage of cycles resulting in singleton live births (%)	19.0	23.9	26.7	0 / 13	1 / 7	
Percentage of cycles resulting in twin live births (%)	4.4	2.2	6.7	0 / 13	0 / 7	
Percentage of cycles resulting in live births (%)	23.4	26.1	33.3	0 / 13	1 / 7	
Percentage of cycles resulting in pregnancies (%)	30.4	34.8	33.3	2 / 13	1 / 7	
Outcomes per Transfer						
Number of transfers	106	36	24	7	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.6	22.2	29.2	0 / 7	1 / 4	
Percentage of transfers resulting in singleton live births (%)	28.3	30.6	33.3	0 / 7	1 / 4	
Percentage of transfers resulting in twin live births (%)	6.6	2.8	8.3	0 / 7	0 / 4	
Percentage of transfers resulting in live births (%)	34.9	33.3	41.7	0 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	45.3	44.4	41.7	2 / 7	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	23	6	2	2	1
Number of transfers	82	20	6	1	1	0
Estimated average number of transfers per retrieval	1.2	1.7	1.5	1.0	1.0	
Average number of embryos transferred	1.7	1.6	1.8	4.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	38.2	36.7	3 / 10	3 / 4	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.5	30.0	3 / 6	1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	26.8	35.0	3 / 6	1 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	13.4	5.0	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	41.5	40.0	3 / 6	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	48.8	45.0	4 / 6	1 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	7	1	3	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	23			33		
Number of transfers	15			30		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	56.0			35.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15			23.3		
Percentage of transfers resulting in singleton live births (%)	5 / 15			36.7		
Percentage of transfers resulting in twin live births (%)	4 / 15			6.7		
Percentage of transfers resulting in live births (%)	9 / 15			43.3		
Percentage of transfers resulting in pregnancies (%)	10 / 15			60.0		

CURRENT SERVICES & PROFILE

Current Name: ART Fertility Program of Alabama

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ALABAMA AT BIRMINGHAM

REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY

BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Janet M. Bouknight, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	15%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	37%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	7%
				Endometriosis	18%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				16%			
				15%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 190 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		67	10	14	6	1	0
Percentage of cancellations before retrieval (%)		4.5	1 / 10	4 / 14	1 / 6	0 / 1	
Average number of embryos transferred		1.8	2.1	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		39.8	5 / 13	5 / 14	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)		18.9	0 / 8	0 / 7	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		16.4	3 / 10	0 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)		19.4	3 / 10	0 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)		14.9	1 / 10	2 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)		35.8	4 / 10	2 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)		43.3	6 / 10	3 / 14	0 / 6	0 / 1	
Outcomes per Transfer							
Number of transfers		56	8	7	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.6	3 / 8	0 / 7	0 / 3		
Percentage of transfers resulting in singleton live births (%)		23.2	3 / 8	0 / 7	0 / 3		
Percentage of transfers resulting in twin live births (%)		17.9	1 / 8	2 / 7	0 / 3		
Percentage of transfers resulting in live births (%)		42.9	4 / 8	2 / 7	0 / 3		
Percentage of transfers resulting in pregnancies (%)		51.8	6 / 8	3 / 7	0 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		37	6	3	2	1	0
Number of transfers		36	5	3	2	1	0
Estimated average number of transfers per retrieval		1.1	1.3	0.4		1.0	
Average number of embryos transferred		1.7	1.6	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		29.5	3 / 8	1 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		25.0	3 / 5	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)		30.6	3 / 5	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)		8.3	0 / 5	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)		38.9	3 / 5	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)		44.4	3 / 5	1 / 3	1 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles		14	4	4	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		9			10		
Number of transfers		5			9		
Average number of embryos transferred		2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)		2 / 10			3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 5			1 / 9		
Percentage of transfers resulting in singleton live births (%)		2 / 5			1 / 9		
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 9		
Percentage of transfers resulting in live births (%)		2 / 5			2 / 9		
Percentage of transfers resulting in pregnancies (%)		2 / 5			2 / 9		

CURRENT SERVICES & PROFILE		Current Name: University of Alabama at Birmingham, Reproductive Endocrinology and Infertility					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC MADISON, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Andrew J. Harper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	26%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	28%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	11%
				Endometriosis	9%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 143 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	19	8	5	3	0
Percentage of cancellations before retrieval (%)	1.6	0 / 19	0 / 8	0 / 5	0 / 3	
Average number of embryos transferred	1.9	2.3	2.8	3.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	44.0	38.1	13.6	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	10.2	0 / 17	0 / 8	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.3	4 / 19	2 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	26.2	7 / 19	2 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	23.0	2 / 19	0 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	49.2	10 / 19	2 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	50.8	11 / 19	3 / 8	1 / 5	1 / 3	
Outcomes per Transfer						
Number of transfers	54	18	8	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.1	4 / 18	2 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	29.6	7 / 18	2 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	25.9	2 / 18	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	55.6	10 / 18	2 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.4	11 / 18	3 / 8	1 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	7	4	2	1	1
Number of transfers	20	7	4	2	1	1
Estimated average number of transfers per retrieval	2.9	3.5	4.0		1.0	
Average number of embryos transferred	1.4	2.1	1.0	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	21.4	2 / 15	1 / 4	1 / 3	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	2 / 7	1 / 4	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	2 / 7	1 / 4	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 7	0 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	25.0	2 / 7	1 / 4	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	30.0	2 / 7	1 / 4	1 / 2	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			1		
Number of transfers	10			1		
Average number of embryos transferred	1.7			2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 16			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10			0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 10			0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 10			0 / 1		
Percentage of transfers resulting in live births (%)	5 / 10			0 / 1		
Percentage of transfers resulting in pregnancies (%)	8 / 10			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George T. Koulianos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	23%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	42%
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	16%
				Endometriosis	19%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				11%			
				21%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 266 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	84	27	28	9	4	1
Percentage of cancellations before retrieval (%)	14.3	11.1	14.3	2 / 9	2 / 4	0 / 1
Average number of embryos transferred	1.6	1.7	2.6	4.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	65.6	57.5	13.0	20.8	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	40.7	22.7	0 / 18	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	35.7	25.9	3.6	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	38.1	33.3	7.1	1 / 9	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	14.3	14.8	3.6	1 / 9	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	53.6	51.9	10.7	2 / 9	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	56.0	59.3	21.4	4 / 9	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	61	23	21	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	49.2	30.4	4.8	0 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	52.5	39.1	9.5	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.7	17.4	4.8	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	73.8	60.9	14.3	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	77.0	69.6	28.6	4 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	13	11	3	2	1
Number of transfers	26	13	11	1	2	1
Estimated average number of transfers per retrieval	1.2	2.2	1.1	0.5	0.5	1.0
Average number of embryos transferred	1.7	1.7	1.7	4.0	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	46.3	27.3	5 / 19	1 / 4	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.5	2 / 13	3 / 11	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.3	4 / 13	4 / 11	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	15.4	0 / 13	0 / 11	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	57.7	4 / 13	4 / 11	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	61.5	6 / 13	5 / 11	1 / 1	0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	10	1	6	2	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			10		
Number of transfers	5			9		
Average number of embryos transferred	1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 9			5 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5			3 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 5			3 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 9		
Percentage of transfers resulting in live births (%)	1 / 5			4 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 5			5 / 9		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	49%	Uterine factor	51%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	31%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	3%
				Endometriosis	31%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 39 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	7	6	0	3	1
Percentage of cancellations before retrieval (%)	0 / 14	1 / 7	2 / 6		0 / 3	0 / 1
Average number of embryos transferred	2.5	2.0	2.0		4.0	
Percentage of embryos transferred resulting in implantation (%)	16.7	0 / 8	0 / 6		0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 3	0 / 2		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	4 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	12	4	3	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in live births (%)	4 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 12	0 / 4	0 / 3		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	1
Number of transfers	2	1	0	0	0	1
Estimated average number of transfers per retrieval	0.5	1.0	0.0			1.0
Average number of embryos transferred	3.0	1.0				3.0
Percentage of embryos transferred resulting in implantation (%)	3 / 6	0 / 1				0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	0 / 1				0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1				0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1				0 / 1
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1				0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1				0 / 1
Number of Egg/Embryo Banking Cycles						
	2	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENINSULA MEDICAL CENTER
JOHN NELS ANDERSON, MD
SOLDOTNA, ALASKA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John N. Anderson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	51%	Tubal factor	25%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	6%
				Endometriosis	5%	Unknown factor	21%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 64 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	10	5	2	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 5	0 / 2	0 / 1	
Average number of embryos transferred	2.2	2.3	2.5	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	21.3	17.4	2 / 10	0 / 2	3 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4.3	2 / 10	1 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	4.3	2 / 10	1 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	13.0	1 / 10	0 / 5	0 / 2	1 / 1	
Percentage of cycles resulting in live births (%)	21.7	3 / 10	1 / 5	0 / 2	1 / 1	
Percentage of cycles resulting in pregnancies (%)	21.7	3 / 10	2 / 5	0 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	21	10	4	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4.8	2 / 10	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4.8	2 / 10	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	1 / 10	0 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	23.8	3 / 10	1 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	23.8	3 / 10	2 / 4	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	2	1	1	1
Number of transfers	3	2	2	1	1	1
Estimated average number of transfers per retrieval	1.5	1.0				
Average number of embryos transferred	2.0	2.5	2.0	1.0	2.0	4.0
Percentage of embryos transferred resulting in implantation (%)	3 / 6	1 / 5	1 / 4	1 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 2	1 / 2	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 2	1 / 2	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	1 / 2	1 / 2	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 2	1 / 2	1 / 1	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		5		6		
Number of transfers		5		6		
Average number of embryos transferred		3.0		2.8		
Percentage of embryos transferred resulting in implantation (%)		0 / 15		0 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 5		0 / 6		
Percentage of transfers resulting in singleton live births (%)		0 / 5		0 / 6		
Percentage of transfers resulting in twin live births (%)		0 / 5		0 / 6		
Percentage of transfers resulting in live births (%)		0 / 5		0 / 6		
Percentage of transfers resulting in pregnancies (%)		0 / 5		0 / 6		

CURRENT SERVICES & PROFILE

This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vladimir Troché, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	12%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	75%
Used gestational carrier	2%			Diminished ovarian reserve	38%	Other factor	4%
				Endometriosis	6%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 245 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	74	24	27	9	0	0
Percentage of cancellations before retrieval (%)	5.4	4.2	3.7	3 / 9		
Average number of embryos transferred	1.8	2.3	3.0	2.8		
Percentage of embryos transferred resulting in implantation (%)	37.3	19.5	19.7	0 / 11		
Percentage of elective single embryo transfers (eSET) (%)	25.4	1 / 17	0 / 19	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.4	16.7	29.6	0 / 9		
Percentage of cycles resulting in singleton live births (%)	32.4	16.7	29.6	0 / 9		
Percentage of cycles resulting in twin live births (%)	8.1	4.2	0.0	0 / 9		
Percentage of cycles resulting in live births (%)	40.5	20.8	29.6	0 / 9		
Percentage of cycles resulting in pregnancies (%)	48.6	25.0	37.0	0 / 9		
Outcomes per Transfer						
Number of transfers	63	18	22	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.1	4 / 18	36.4	0 / 4		
Percentage of transfers resulting in singleton live births (%)	38.1	4 / 18	36.4	0 / 4		
Percentage of transfers resulting in twin live births (%)	9.5	1 / 18	0.0	0 / 4		
Percentage of transfers resulting in live births (%)	47.6	5 / 18	36.4	0 / 4		
Percentage of transfers resulting in pregnancies (%)	57.1	6 / 18	45.5	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	17	7	1	0	0
Number of transfers	28	16	7	1	0	0
Estimated average number of transfers per retrieval	1.6	2.7	1.2	0.3	0.0	
Average number of embryos transferred	1.6	1.4	1.6	3.0		
Percentage of embryos transferred resulting in implantation (%)	31.1	28.6	4 / 11	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	2 / 16	3 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	42.9	3 / 16	3 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 16	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	42.9	4 / 16	3 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 16	3 / 7	0 / 1		
Number of Egg/Embryo Banking Cycles						
	5	3	2	2	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	16			24		
Number of transfers	14			22		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	50.0			17.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14			9.1		
Percentage of transfers resulting in singleton live births (%)	3 / 14			9.1		
Percentage of transfers resulting in twin live births (%)	4 / 14			9.1		
Percentage of transfers resulting in live births (%)	7 / 14			18.2		
Percentage of transfers resulting in pregnancies (%)	8 / 14			22.7		

CURRENT SERVICES & PROFILE

Current Name: Troché Fertility Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Drew V. Moffitt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	52%
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	5%
				Endometriosis	8%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 311 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	18	18	8	3	1
Percentage of cancellations before retrieval (%)	3.5	0 / 18	3 / 18	3 / 8	1 / 3	1 / 1
Average number of embryos transferred	1.6	1.9	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	34.4	4 / 13	4 / 12	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	35.0	1 / 7	1 / 6	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.8	4 / 18	2 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	12.3	4 / 18	2 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	1.8	0 / 18	0 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	14.0	4 / 18	2 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	19.3	4 / 18	3 / 18	0 / 8	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	21	7	7	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8	4 / 7	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	4 / 7	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.8	0 / 7	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	38.1	4 / 7	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.4	4 / 7	3 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	37	20	5	4	1
Number of transfers	66	31	20	4	4	0
Estimated average number of transfers per retrieval	1.3	1.3	1.3	0.6	4.0	
Average number of embryos transferred	1.5	1.5	1.5	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	53.7	38.1	39.3	3 / 8	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.2	22.6	25.0	0 / 4	2 / 4	
Percentage of transfers resulting in singleton live births (%)	30.3	38.7	40.0	1 / 4	2 / 4	
Percentage of transfers resulting in twin live births (%)	15.2	0.0	0.0	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	45.5	38.7	40.0	1 / 4	2 / 4	
Percentage of transfers resulting in pregnancies (%)	63.6	61.3	55.0	2 / 4	3 / 4	
Number of Egg/Embryo Banking Cycles						
	13	8	7	5	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			19		
Number of transfers	7			14		
Average number of embryos transferred	1.1			1.4		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			12 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 7			5 / 14		
Percentage of transfers resulting in singleton live births (%)	4 / 7			6 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 7			1 / 14		
Percentage of transfers resulting in live births (%)	4 / 7			7 / 14		
Percentage of transfers resulting in pregnancies (%)	4 / 7			10 / 14		

CURRENT SERVICES & PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	71%	Tubal factor	19%	Uterine factor	11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	6%
				Endometriosis	16%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 99 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	17	18	1	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 17	2 / 18	0 / 1	0 / 2	
Average number of embryos transferred	1.8	2.0	2.0	3.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	34.8	25.0	15.4	0 / 3	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	13.0	0 / 13	0 / 13	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	4 / 17	0 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	20.0	4 / 17	0 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	16.7	0 / 17	1 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	36.7	4 / 17	1 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	36.7	7 / 17	4 / 18	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	25	14	14	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	4 / 14	0 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	24.0	4 / 14	0 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	20.0	0 / 14	1 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	44.0	4 / 14	1 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	44.0	7 / 14	4 / 14	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	5	4	0	0	0
Number of transfers	11	5	4	0	0	0
Estimated average number of transfers per retrieval	3.7	2.5	2.0			
Average number of embryos transferred	2.0	1.8	1.8			
Percentage of embryos transferred resulting in implantation (%)	36.4	2 / 9	3 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11	0 / 5	1 / 4			
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 5	2 / 4			
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 5	0 / 4			
Percentage of transfers resulting in live births (%)	5 / 11	1 / 5	2 / 4			
Percentage of transfers resulting in pregnancies (%)	7 / 11	1 / 5	2 / 4			
Number of Egg/Embryo Banking Cycles						
	1	1	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			3		
Number of transfers	2			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 2			1 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 2			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 3		
Percentage of transfers resulting in live births (%)	2 / 2			1 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Southwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE, PLLC SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	69%	Tubal factor	16%	Uterine factor	15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	58%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	5%
				Endometriosis	7%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 290 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	29	17	8	3	0
Percentage of cancellations before retrieval (%)	3.9	0.0	1 / 17	2 / 8	1 / 3	
Average number of embryos transferred	1.6	1.9	2.1	3.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	45.8	33.3	33.3	4 / 18	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	47.1	14.3	0 / 15	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.9	31.0	4 / 17	2 / 8	0 / 3	
Percentage of cycles resulting in singleton live births (%)	44.2	34.5	4 / 17	3 / 8	0 / 3	
Percentage of cycles resulting in twin live births (%)	5.2	0.0	3 / 17	0 / 8	0 / 3	
Percentage of cycles resulting in live births (%)	49.4	37.9	7 / 17	3 / 8	0 / 3	
Percentage of cycles resulting in pregnancies (%)	55.8	51.7	7 / 17	3 / 8	0 / 3	
Outcomes per Transfer						
Number of transfers	69	28	16	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	32.1	4 / 16	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	49.3	35.7	4 / 16	3 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.8	0.0	3 / 16	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	55.1	39.3	7 / 16	3 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	62.3	53.6	7 / 16	3 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	19	17	1	0	0
Number of transfers	52	19	17	1	0	0
Estimated average number of transfers per retrieval	2.3	2.1	1.2	1.0	0.0	
Average number of embryos transferred	1.5	1.5	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	41.9	72.4	44.0	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	10 / 19	6 / 17	0 / 1		
Percentage of transfers resulting in singleton live births (%)	32.7	10 / 19	8 / 17	0 / 1		
Percentage of transfers resulting in twin live births (%)	7.7	4 / 19	1 / 17	0 / 1		
Percentage of transfers resulting in live births (%)	40.4	14 / 19	9 / 17	0 / 1		
Percentage of transfers resulting in pregnancies (%)	57.7	15 / 19	10 / 17	0 / 1		
Number of Egg/Embryo Banking Cycles						
	7	7	11	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			17		
Number of transfers	17			17		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	54.2			53.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 17			8 / 17		
Percentage of transfers resulting in singleton live births (%)	8 / 17			9 / 17		
Percentage of transfers resulting in twin live births (%)	2 / 17			1 / 17		
Percentage of transfers resulting in live births (%)	10 / 17			10 / 17		
Percentage of transfers resulting in pregnancies (%)	11 / 17			12 / 17		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Care, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	6%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	10%
				Endometriosis	5%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 321 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	35	30	13	2	1
Percentage of cancellations before retrieval (%)	2.8	28.6	13.3	6 / 13	0 / 2	0 / 1
Average number of embryos transferred	1.5	1.7	2.1	1.3	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	41.5	28.1	29.0	1 / 5	0 / 1	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	43.2	2 / 14	1 / 15	1 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.5	14.3	16.7	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.4	17.1	16.7	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	4.2	0.0	3.3	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	29.6	17.1	20.0	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	33.8	22.9	26.7	1 / 13	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	44	19	16	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	5 / 19	5 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.9	6 / 19	5 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	6.8	0 / 19	1 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	47.7	6 / 19	6 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.5	8 / 19	8 / 16	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	25	19	8	0	0
Number of transfers	46	25	19	6	0	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0	0.8		
Average number of embryos transferred	1.5	1.5	1.4	1.5		
Percentage of embryos transferred resulting in implantation (%)	57.7	47.2	55.6	2 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.8	48.0	8 / 19	2 / 6		
Percentage of transfers resulting in singleton live births (%)	54.3	48.0	11 / 19	2 / 6		
Percentage of transfers resulting in twin live births (%)	10.9	8.0	1 / 19	0 / 6		
Percentage of transfers resulting in live births (%)	65.2	56.0	12 / 19	2 / 6		
Percentage of transfers resulting in pregnancies (%)	78.3	64.0	13 / 19	2 / 6		
Number of Egg/Embryo Banking Cycles						
	12	18	9	7	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			11		
Number of transfers	11			11		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	13 / 17			4 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 11			4 / 11		
Percentage of transfers resulting in singleton live births (%)	7 / 11			4 / 11		
Percentage of transfers resulting in twin live births (%)	2 / 11			0 / 11		
Percentage of transfers resulting in live births (%)	9 / 11			4 / 11		
Percentage of transfers resulting in pregnancies (%)	10 / 11			4 / 11		

CURRENT SERVICES & PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	50%	With ICSI	100%	Tubal factor	7%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	11%
				Endometriosis	17%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 273 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 2					
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation (%)	0 / 5					
Percentage of elective single embryo transfers (eSET) (%)	0 / 2					
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of cycles resulting in singleton live births (%)	0 / 2					
Percentage of cycles resulting in twin live births (%)	0 / 2					
Percentage of cycles resulting in live births (%)	0 / 2					
Percentage of cycles resulting in pregnancies (%)	0 / 2					
Outcomes per Transfer						
Number of transfers	2	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	0 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	14	19	7	4	1
Number of transfers	35	14	15	7	4	1
Estimated average number of transfers per retrieval	0.8	0.5	0.4	0.3	0.2	0.0
Average number of embryos transferred	1.9	1.9	2.1	1.9	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	56.7	59.3	46.9	11 / 13	5 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	6 / 14	3 / 15	3 / 7	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	45.7	7 / 14	5 / 15	3 / 7	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	22.9	2 / 14	2 / 15	4 / 7	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	68.6	9 / 14	8 / 15	7 / 7	3 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	74.3	11 / 14	9 / 15	7 / 7	3 / 4	0 / 1
Number of Egg/Embryo Banking Cycles						
	43	26	40	23	17	21
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			21		
Number of transfers	0			21		
Average number of embryos transferred				1.9		
Percentage of embryos transferred resulting in implantation (%)				46.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				23.8		
Percentage of transfers resulting in singleton live births (%)				38.1		
Percentage of transfers resulting in twin live births (%)				14.3		
Percentage of transfers resulting in live births (%)				52.4		
Percentage of transfers resulting in pregnancies (%)				61.9		

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Fertility Studies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ARIZONA CENTER SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Alan Penzias, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	73%	Tubal factor	5%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	10%
				Endometriosis	2%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	4	3	0	0	0
Percentage of cancellations before retrieval (%)	0 / 8	1 / 4	0 / 3			
Average number of embryos transferred	1.8	2.5	3.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 14	0 / 5	0 / 9			
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 2	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in singleton live births (%)	3 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in live births (%)	3 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in pregnancies (%)	4 / 8	0 / 4	0 / 3			
Outcomes per Transfer						
Number of transfers	8	2	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 2	0 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	3	0	3	0
Number of transfers	6	5	2	0	3	0
Estimated average number of transfers per retrieval	1.0	1.0	0.3	0.0		
Average number of embryos transferred	2.0	1.8	2.0		1.3	
Percentage of embryos transferred resulting in implantation (%)	3 / 10	5 / 9	0 / 4		0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	3 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 6	4 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in live births (%)	1 / 6	4 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 6	4 / 5	0 / 2		0 / 3	
Number of Egg/Embryo Banking Cycles						
	3	4	6	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			7		
Number of transfers	1			5		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 5		
Percentage of transfers resulting in live births (%)	1 / 1			2 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 1			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Arizona Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	12%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	2%	Male factor	48%
Used gestational carrier	2%			Diminished ovarian reserve	61%	Other factor	9%
				Endometriosis	3%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 109 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	12	7	11	2	1
Percentage of cancellations before retrieval (%)	1 / 14	1 / 12	2 / 7	2 / 11	0 / 2	1 / 1
Average number of embryos transferred	1.7	2.2	2.2	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 18	27.3	2 / 11	2 / 9	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	0 / 11	0 / 5	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 14	2 / 12	2 / 7	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 14	2 / 12	2 / 7	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 14	1 / 12	0 / 7	0 / 11	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	4 / 14	3 / 12	2 / 7	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	6 / 14	5 / 12	2 / 7	2 / 11	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	12	11	5	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	2 / 11	2 / 5	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 11	2 / 5	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 11	0 / 5	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	4 / 12	3 / 11	2 / 5	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 12	5 / 11	2 / 5	2 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	9	2	3	1	0
Number of transfers	13	6	2	3	0	0
Estimated average number of transfers per retrieval	1.6	1.0	0.7	0.8	0.0	
Average number of embryos transferred	1.6	2.0	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	19.0	2 / 12	2 / 4	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 13	0 / 6	0 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 13	0 / 6	1 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 6	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	2 / 13	1 / 6	1 / 2	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 13	1 / 6	2 / 2	0 / 3		
Number of Egg/Embryo Banking Cycles						
	4	4	1	3	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			11		
Number of transfers	3			11		
Average number of embryos transferred	1.7			1.9		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			1 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 3			0 / 11		
Percentage of transfers resulting in singleton live births (%)	2 / 3			0 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 11		
Percentage of transfers resulting in live births (%)	2 / 3			0 / 11		
Percentage of transfers resulting in pregnancies (%)	2 / 3			2 / 11		

CURRENT SERVICES & PROFILE

Current Name: IVF Phoenix

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER TEMPE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	5%	Uterine factor	<1%
Unstimulated	4%	PGD/PGS	6%	Ovulatory dysfunction	64%	Male factor	<1%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	2%
				Endometriosis	8%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 759 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	11	9	9	5	0
Percentage of cancellations before retrieval (%)	0 / 17	0 / 11	0 / 9	3 / 9	0 / 5	
Average number of embryos transferred	2.0	2.2	2.1	2.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	25.0	3 / 19	3 / 12	3 / 12	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	0 / 8	0 / 5	1 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 17	3 / 11	2 / 9	2 / 9	0 / 5	
Percentage of cycles resulting in singleton live births (%)	5 / 17	3 / 11	3 / 9	2 / 9	0 / 5	
Percentage of cycles resulting in twin live births (%)	1 / 17	0 / 11	0 / 9	0 / 9	0 / 5	
Percentage of cycles resulting in live births (%)	6 / 17	3 / 11	3 / 9	2 / 9	0 / 5	
Percentage of cycles resulting in pregnancies (%)	6 / 17	4 / 11	4 / 9	3 / 9	1 / 5	
Outcomes per Transfer						
Number of transfers	16	10	7	6	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 16	3 / 10	2 / 7	2 / 6	0 / 5	
Percentage of transfers resulting in singleton live births (%)	5 / 16	3 / 10	3 / 7	2 / 6	0 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 10	0 / 7	0 / 6	0 / 5	
Percentage of transfers resulting in live births (%)	6 / 16	3 / 10	3 / 7	2 / 6	0 / 5	
Percentage of transfers resulting in pregnancies (%)	6 / 16	4 / 10	4 / 7	3 / 6	1 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	138	76	56	31	15	3
Number of transfers	133	72	51	30	13	3
Estimated average number of transfers per retrieval	1.0	0.9	0.8	0.7	0.5	0.3
Average number of embryos transferred	2.0	2.2	2.2	2.1	2.2	2.7
Percentage of embryos transferred resulting in implantation (%)	52.5	46.4	30.5	17.2	17.9	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.1	26.4	23.5	16.7	1 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	42.1	44.4	27.5	23.3	2 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	18.0	12.5	9.8	0.0	1 / 13	0 / 3
Percentage of transfers resulting in live births (%)	63.2	58.3	37.3	23.3	3 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	72.2	73.6	51.0	30.0	4 / 13	0 / 3
Number of Egg/Embryo Banking Cycles						
	125	78	61	43	21	9
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			50		
Number of transfers	2			46		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			42.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			19.6		
Percentage of transfers resulting in singleton live births (%)	1 / 2			32.6		
Percentage of transfers resulting in twin live births (%)	0 / 2			21.7		
Percentage of transfers resulting in live births (%)	1 / 2			56.5		
Percentage of transfers resulting in pregnancies (%)	2 / 2			60.9		

CURRENT SERVICES & PROFILE

Current Name: Fertility Treatment Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	12%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	7%	Male factor	23%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	<1%
				Endometriosis	32%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 295 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	43	31	10	5	3
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 10	0 / 5	0 / 3
Average number of embryos transferred	2.1	2.4	2.7	2.6	2.5	2.7
Percentage of embryos transferred resulting in implantation (%)	42.8	22.3	13.6	3.8	0 / 10	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 8	0 / 2	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.9	23.3	19.4	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.5	23.3	22.6	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	20.7	9.3	0.0	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	42.7	32.6	22.6	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	54.9	39.5	32.3	1 / 10	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	74	39	30	10	4	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.6	25.6	20.0	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	21.6	25.6	23.3	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	23.0	10.3	0.0	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	47.3	35.9	23.3	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.8	43.6	33.3	1 / 10	0 / 4	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	22	13	2	7	3
Number of transfers	48	21	13	2	7	3
Estimated average number of transfers per retrieval	3.0	1.8	2.6		3.5	
Average number of embryos transferred	2.5	2.8	2.5	2.0	2.9	3.3
Percentage of embryos transferred resulting in implantation (%)	12.6	12.1	3.1	1 / 4	10.0	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.8	14.3	1 / 13	0 / 2	1 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	20.8	14.3	1 / 13	0 / 2	1 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	0.0	4.8	0 / 13	0 / 2	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	22.9	19.0	1 / 13	0 / 2	1 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	27.1	28.6	1 / 13	1 / 2	2 / 7	0 / 3
Number of Egg/Embryo Banking Cycles						
	1	2	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			5		
Number of transfers	13			4		
Average number of embryos transferred	2.5			2.5		
Percentage of embryos transferred resulting in implantation (%)	24.2			2 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13			1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 13			1 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 13			0 / 4		
Percentage of transfers resulting in live births (%)	6 / 13			1 / 4		
Percentage of transfers resulting in pregnancies (%)	6 / 13			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**REPRODUCTIVE HEALTH CENTER
TUCSON, ARIZONA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

VIVERE ARIZONA REPRODUCTIVE INSTITUTE TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Christine W. Mansfield, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	0%	Uterine factor	20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	80%	Other factor	0%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	3	1	0	0	1
Percentage of cancellations before retrieval (%)		1 / 3	0 / 1			0 / 1
Average number of embryos transferred		2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 4	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)		0 / 2	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 3	0 / 1			0 / 1
Percentage of cycles resulting in singleton live births (%)		1 / 3	0 / 1			0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 3	0 / 1			0 / 1
Percentage of cycles resulting in live births (%)		1 / 3	0 / 1			0 / 1
Percentage of cycles resulting in pregnancies (%)		1 / 3	0 / 1			0 / 1
Outcomes per Transfer						
Number of transfers	0	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)		1 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 2	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval			0.0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Vivere Arizona Reproductive Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER LITTLE ROCK FERTILITY CENTER LITTLE ROCK, ARKANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	20%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	34%
Used gestational carrier	1%			Diminished ovarian reserve	34%	Other factor	2%
				Endometriosis	12%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 278 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	105	38	19	4	4	0
Percentage of cancellations before retrieval (%)	14.3	10.5	3 / 19	0 / 4	1 / 4	
Average number of embryos transferred	1.8	2.0	2.1	3.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	32.6	32.8	24.1	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	18.1	3.6	0 / 11	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.2	28.9	2 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in singleton live births (%)	21.0	28.9	3 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in twin live births (%)	8.6	7.9	1 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in live births (%)	29.5	36.8	4 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in pregnancies (%)	35.2	44.7	5 / 19	0 / 4	0 / 4	
Outcomes per Transfer						
Number of transfers	82	31	14	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.7	35.5	2 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	26.8	35.5	3 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.0	9.7	1 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	37.8	45.2	4 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	45.1	54.8	5 / 14	0 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	12	11	4	1	0
Number of transfers	50	11	10	4	1	0
Estimated average number of transfers per retrieval	2.8	2.8	5.0	4.0		
Average number of embryos transferred	1.6	1.5	1.4	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	17.8	4 / 16	3 / 14	1 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.0	3 / 11	0 / 10	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.0	4 / 11	1 / 10	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2.0	0 / 11	1 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	24.0	4 / 11	2 / 10	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	32.0	5 / 11	2 / 10	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	4	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			16		
Number of transfers	8			15		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	7 / 14			27.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8			4 / 15		
Percentage of transfers resulting in singleton live births (%)	3 / 8			4 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 8			2 / 15		
Percentage of transfers resulting in live births (%)	5 / 8			6 / 15		
Percentage of transfers resulting in pregnancies (%)	5 / 8			6 / 15		

CURRENT SERVICES & PROFILE

Current Name: Arkansas Fertility Center, Little Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Anita P. Singh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	50%	Tubal factor	18%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	6%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	47%
				Endometriosis	6%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	3	0	1	1	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 3		1 / 1	0 / 1	
Average number of embryos transferred	1.6	2.7				
Percentage of embryos transferred resulting in implantation (%)	3 / 8	4 / 8				
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	2 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	2 / 5	2 / 3		0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	5	3	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5	0 / 3				
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 3				
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3				
Percentage of transfers resulting in live births (%)	2 / 5	0 / 3				
Percentage of transfers resulting in pregnancies (%)	2 / 5	2 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	1	0	0	0
Number of transfers	3	0	1	0	0	0
Estimated average number of transfers per retrieval	3.0		1.0			
Average number of embryos transferred	1.3		3.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 4		0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 3		0 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 3		0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1			
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: LifeStart Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Ryszard J. Chetkowski, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	71%	Tubal factor	9%	Uterine factor	18%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	8%
				Endometriosis	9%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 130 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		7	8	10	10	4	2
Percentage of cancellations before retrieval (%)		1 / 7	2 / 8	1 / 10	1 / 10	0 / 4	0 / 2
Average number of embryos transferred		1.7	2.0	2.4	4.0	4.3	4.5
Percentage of embryos transferred resulting in implantation (%)		3 / 10	4 / 10	3 / 8	6.3	2 / 13	0 / 9
Percentage of elective single embryo transfers (eSET) (%)		2 / 6	0 / 5	0 / 4	0 / 9	0 / 2	0 / 2
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 7	4 / 8	1 / 10	1 / 10	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)		1 / 7	4 / 8	1 / 10	1 / 10	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)		1 / 7	0 / 8	1 / 10	0 / 10	1 / 4	0 / 2
Percentage of cycles resulting in live births (%)		2 / 7	4 / 8	2 / 10	1 / 10	1 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)		2 / 7	4 / 8	3 / 10	3 / 10	1 / 4	0 / 2
Outcomes per Transfer							
Number of transfers		6	5	5	9	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6	4 / 5	1 / 5	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)		1 / 6	4 / 5	1 / 5	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)		1 / 6	0 / 5	1 / 5	0 / 9	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)		2 / 6	4 / 5	2 / 5	1 / 9	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)		2 / 6	4 / 5	3 / 5	3 / 9	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs							
Number of cycles		6	11	7	5	4	1
Number of transfers		5	11	6	3	3	1
Estimated average number of transfers per retrieval		1.3	1.4	0.5	0.6	1.5	1.0
Average number of embryos transferred		2.0	1.5	1.3	1.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)		6 / 10	2 / 17	3 / 8	1 / 3	2 / 5	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 5	2 / 11	3 / 6	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		4 / 5	2 / 11	3 / 6	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 5	0 / 11	0 / 6	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)		5 / 5	2 / 11	3 / 6	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		5 / 5	2 / 11	3 / 6	1 / 3	2 / 3	1 / 1
Number of Egg/Embryo Banking Cycles		4	8	8	5	1	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		7			21		
Number of transfers		7			16		
Average number of embryos transferred		1.4			1.7		
Percentage of embryos transferred resulting in implantation (%)		5 / 10			44.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 7			2 / 16		
Percentage of transfers resulting in singleton live births (%)		5 / 7			3 / 16		
Percentage of transfers resulting in twin live births (%)		0 / 7			4 / 16		
Percentage of transfers resulting in live births (%)		5 / 7			7 / 16		
Percentage of transfers resulting in pregnancies (%)		5 / 7			8 / 16		

CURRENT SERVICES & PROFILE		Current Name: Alta Bates In Vitro Fertilization Program			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
		(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sam Najmabadi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	14%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	1%	Male factor	67%
Used gestational carrier	2%			Diminished ovarian reserve	42%	Other factor	33%
				Endometriosis	7%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 121 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	9	13	12	5	1
Percentage of cancellations before retrieval (%)	0 / 13	0 / 9	2 / 13	3 / 12	1 / 5	0 / 1
Average number of embryos transferred	2.2	2.0	1.9	2.0	2.8	
Percentage of embryos transferred resulting in implantation (%)	46.4	8 / 18	38.1	6 / 16	1 / 11	
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	0 / 7	2 / 8	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 13	2 / 9	6 / 13	4 / 12	1 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 13	2 / 9	6 / 13	4 / 12	1 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	4 / 13	2 / 9	1 / 13	0 / 12	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	8 / 13	4 / 9	7 / 13	4 / 12	1 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	8 / 13	5 / 9	7 / 13	5 / 12	1 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	13	9	11	8	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 13	2 / 9	6 / 11	4 / 8	1 / 4	
Percentage of transfers resulting in singleton live births (%)	4 / 13	2 / 9	6 / 11	4 / 8	1 / 4	
Percentage of transfers resulting in twin live births (%)	4 / 13	2 / 9	1 / 11	0 / 8	0 / 4	
Percentage of transfers resulting in live births (%)	8 / 13	4 / 9	7 / 11	4 / 8	1 / 4	
Percentage of transfers resulting in pregnancies (%)	8 / 13	5 / 9	7 / 11	5 / 8	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	7	2	1	1
Number of transfers	6	2	7	2	1	1
Estimated average number of transfers per retrieval	0.9	0.3	1.0	0.7	0.1	0.3
Average number of embryos transferred	2.5	1.5	3.0	2.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 15	1 / 3	47.6	2 / 5	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 6	1 / 2	1 / 7	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 6	1 / 2	1 / 7	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 2	4 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	4 / 6	1 / 2	5 / 7	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 6	1 / 2	5 / 7	1 / 2	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	5	7	6	3	11	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			7		
Number of transfers	7			7		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 14			23.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 7			3 / 7		
Percentage of transfers resulting in singleton live births (%)	5 / 7			3 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 7		
Percentage of transfers resulting in live births (%)	7 / 7			4 / 7		
Percentage of transfers resulting in pregnancies (%)	7 / 7			4 / 7		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Mark W. Surrey, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	67%	Tubal factor	5%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	4%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	24%
				Endometriosis	3%	Unknown factor	21%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				3%			
				6%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 600 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		23	23	27	14	7	2
Percentage of cancellations before retrieval (%)		0.0	0.0	3.7	3 / 14	4 / 7	0 / 2
Average number of embryos transferred		1.5	1.4	2.2	1.7	3.0	1.5
Percentage of embryos transferred resulting in implantation (%)		46.2	25.0	17.1	1 / 10	0 / 3	2 / 3
Percentage of elective single embryo transfers (eSET) (%)		9 / 16	9 / 14	3 / 15	0 / 4	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		30.4	17.4	22.2	1 / 14	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)		30.4	21.7	25.9	1 / 14	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)		8.7	0.0	0.0	0 / 14	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)		39.1	21.7	25.9	1 / 14	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)		39.1	26.1	25.9	1 / 14	0 / 7	1 / 2
Outcomes per Transfer							
Number of transfers		17	17	19	6	1	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 17	4 / 17	6 / 19	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)		7 / 17	5 / 17	7 / 19	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)		2 / 17	0 / 17	0 / 19	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)		9 / 17	5 / 17	7 / 19	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)		9 / 17	6 / 17	7 / 19	1 / 6	0 / 1	1 / 2
Frozen Embryos from Nondonor Eggs							
Number of cycles		57	43	34	17	8	7
Number of transfers		55	40	32	15	7	1
Estimated average number of transfers per retrieval		0.8	0.6	0.4	0.4	0.3	0.2
Average number of embryos transferred		1.4	1.4	1.4	1.3	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)		59.5	66.7	55.8	12 / 19	8 / 17	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		45.5	57.5	43.8	7 / 15	5 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)		54.5	60.0	46.9	8 / 15	5 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)		10.9	15.0	9.4	1 / 15	1 / 7	0 / 1
Percentage of transfers resulting in live births (%)		65.5	75.0	56.3	9 / 15	6 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)		72.7	80.0	68.8	11 / 15	6 / 7	0 / 1
Number of Egg/Embryo Banking Cycles		63	67	81	39	26	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		31			22		
Number of transfers		27			21		
Average number of embryos transferred		1.3			1.1		
Percentage of embryos transferred resulting in implantation (%)		70.6			78.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		48.1			42.9		
Percentage of transfers resulting in singleton live births (%)		59.3			57.1		
Percentage of transfers resulting in twin live births (%)		7.4			9.5		
Percentage of transfers resulting in live births (%)		66.7			66.7		
Percentage of transfers resulting in pregnancies (%)		81.5			81.0		

CURRENT SERVICES & PROFILE				Current Name: Southern California Reproductive Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Changin T. Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	23%
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	11%
				Endometriosis	0%	Unknown factor	25%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				10%			
				6%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 180 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	2	3	2	2	1
Percentage of cancellations before retrieval (%)	1 / 5	1 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	1.8	2.0	2.0	2.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 2	0 / 4	0 / 5	0 / 3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	0 / 1	0 / 2	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	1 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	4	1	2	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	1 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	11	19	2	2	0
Number of transfers	32	10	19	2	2	0
Estimated average number of transfers per retrieval	1.0	0.4	1.0	0.7	0.3	0.0
Average number of embryos transferred	1.3	1.5	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	58.1	9 / 15	39.3	1 / 4	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.4	3 / 10	3 / 19	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 10	4 / 19	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.5	2 / 10	2 / 19	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	62.5	6 / 10	6 / 19	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	65.6	7 / 10	11 / 19	1 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles						
	30	21	17	3	7	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			15		
Number of transfers	1			14		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			66.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			3 / 14		
Percentage of transfers resulting in singleton live births (%)	0 / 1			4 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 1			5 / 14		
Percentage of transfers resulting in live births (%)	0 / 1			9 / 14		
Percentage of transfers resulting in pregnancies (%)	0 / 1			10 / 14		

CURRENT SERVICES & PROFILE

Current Name: Fertility Care of Orange County

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	2%
				Endometriosis	10%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 279 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	32	21	4	5	3
Percentage of cancellations before retrieval (%)	11.1	18.8	4.8	2 / 4	1 / 5	0 / 3
Average number of embryos transferred	1.9	1.9	2.3	2.0	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	29.5	25.6	0 / 2	0 / 7	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	13.4	4.3	0 / 18	0 / 1	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.9	3.1	4.8	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	16.0	9.4	14.3	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	11.1	12.5	14.3	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	29.6	21.9	28.6	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.7	28.1	38.1	0 / 4	1 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	71	24	18	1	4	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	11.3	4.2	1 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	18.3	12.5	3 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	12.7	16.7	3 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	33.8	29.2	6 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.5	37.5	8 / 18	0 / 1	1 / 4	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	16	17	4	3	0
Number of transfers	44	15	15	4	3	0
Estimated average number of transfers per retrieval	1.3	1.2	1.9		3.0	0.0
Average number of embryos transferred	1.7	1.8	1.6	2.5	1.7	
Percentage of embryos transferred resulting in implantation (%)	16.9	4.3	21.7	2 / 8	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	13.6	1 / 15	3 / 15	1 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	13.6	1 / 15	3 / 15	1 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.8	0 / 15	0 / 15	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	20.5	1 / 15	3 / 15	1 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	25.0	3 / 15	6 / 15	3 / 4	1 / 3	
Number of Egg/Embryo Banking Cycles						
	12	4	4	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			12		
Number of transfers	9			9		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	6 / 17			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9			2 / 9		
Percentage of transfers resulting in singleton live births (%)	3 / 9			2 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 9			1 / 9		
Percentage of transfers resulting in live births (%)	4 / 9			3 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 9			4 / 9		

CURRENT SERVICES & PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF FERTILITY CENTER DAVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ernest J. Zeringue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	7%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	40%
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	51%
				Endometriosis	7%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 602 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	74	29	28	13	11	2
Percentage of cancellations before retrieval (%)	1.4	0.0	10.7	1 / 13	1 / 11	0 / 2
Average number of embryos transferred	1.9	2.0	2.4	2.8	3.4	3.0
Percentage of embryos transferred resulting in implantation (%)	21.1	26.9	12.5	2.9	8.3	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	12.9	8.0	9.5	0 / 11	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.2	20.7	7.1	0 / 13	0 / 11	0 / 2
Percentage of cycles resulting in singleton live births (%)	24.3	24.1	10.7	0 / 13	0 / 11	0 / 2
Percentage of cycles resulting in twin live births (%)	5.4	10.3	3.6	0 / 13	1 / 11	0 / 2
Percentage of cycles resulting in live births (%)	29.7	34.5	14.3	0 / 13	1 / 11	0 / 2
Percentage of cycles resulting in pregnancies (%)	35.1	44.8	25.0	1 / 13	1 / 11	0 / 2
Outcomes per Transfer						
Number of transfers	71	27	23	12	7	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.9	22.2	8.7	0 / 12	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.4	25.9	13.0	0 / 12	0 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	5.6	11.1	4.3	0 / 12	1 / 7	0 / 2
Percentage of transfers resulting in live births (%)	31.0	37.0	17.4	0 / 12	1 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)	36.6	48.1	30.4	1 / 12	1 / 7	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	65	33	26	8	3	1
Number of transfers	65	33	26	7	3	1
Estimated average number of transfers per retrieval	1.5	1.3	1.7	1.0	3.0	0.3
Average number of embryos transferred	1.7	1.8	1.7	1.7	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	45.9	40.7	33.3	0 / 10	4 / 5	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.9	24.2	23.1	0 / 7	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	24.2	38.5	0 / 7	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	13.8	15.2	0.0	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	53.8	42.4	38.5	0 / 7	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.2	48.5	57.7	1 / 7	3 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	17	15	7	5	1	4
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		133		127		
Number of transfers		133		127		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation (%)		56.7		33.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.6		18.1		
Percentage of transfers resulting in singleton live births (%)		44.4		24.4		
Percentage of transfers resulting in twin live births (%)		23.3		14.2		
Percentage of transfers resulting in live births (%)		67.7		38.6		
Percentage of transfers resulting in pregnancies (%)		73.7		47.2		

CURRENT SERVICES & PROFILE

Current Name: California IVF Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Lori L. Arnold, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	6%	Uterine factor	15%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	11%	Male factor	30%
Used gestational carrier	11%			Diminished ovarian reserve	25%	Other factor	34%
				Endometriosis	4%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 114 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		7	7	3	1	0	0
Percentage of cancellations before retrieval (%)		0 / 7	0 / 7	0 / 3	0 / 1		
Average number of embryos transferred		1.7	1.7	2.3	2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 12	5 / 12	2 / 4	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)		1 / 6	2 / 7	1 / 3	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 7	3 / 7	1 / 3	0 / 1		
Percentage of cycles resulting in singleton live births (%)		1 / 7	4 / 7	1 / 3	0 / 1		
Percentage of cycles resulting in twin live births (%)		1 / 7	0 / 7	0 / 3	0 / 1		
Percentage of cycles resulting in live births (%)		2 / 7	4 / 7	1 / 3	0 / 1		
Percentage of cycles resulting in pregnancies (%)		2 / 7	4 / 7	3 / 3	0 / 1		
Outcomes per Transfer							
Number of transfers		7	7	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 7	3 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 7	4 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 7	0 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		2 / 7	4 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)		2 / 7	4 / 7	3 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		15	5	1	3	0	0
Number of transfers		15	5	1	3	0	0
Estimated average number of transfers per retrieval		0.8	1.7	0.1	0.6	0.0	0.0
Average number of embryos transferred		1.5	1.6	3.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		42.9	5 / 8	2 / 3	3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 15	2 / 5	0 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		8 / 15	2 / 5	0 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 15	1 / 5	1 / 1	1 / 3		
Percentage of transfers resulting in live births (%)		8 / 15	3 / 5	1 / 1	2 / 3		
Percentage of transfers resulting in pregnancies (%)		10 / 15	4 / 5	1 / 1	2 / 3		
Number of Egg/Embryo Banking Cycles		16	3	12	4	2	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		7			24		
Number of transfers		7			24		
Average number of embryos transferred		1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)		5 / 13			62.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 7			29.2		
Percentage of transfers resulting in singleton live births (%)		4 / 7			33.3		
Percentage of transfers resulting in twin live births (%)		0 / 7			25.0		
Percentage of transfers resulting in live births (%)		4 / 7			58.3		
Percentage of transfers resulting in pregnancies (%)		4 / 7			66.7		

CURRENT SERVICES & PROFILE		Current Name: California Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	3%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	86%	Ovulatory dysfunction	0%	Male factor	6%
Used gestational carrier	2%			Diminished ovarian reserve	8%	Other factor	85%
				Endometriosis	1%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 141 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	11	9	3	1	0
Percentage of cancellations before retrieval (%)	0 / 18	0 / 11	1 / 9	0 / 3	0 / 1	
Average number of embryos transferred	1.7	1.5	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	41.4	6 / 17	4 / 14	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	2 / 6	2 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 18	2 / 11	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	6 / 18	2 / 11	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	3 / 18	2 / 11	0 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	9 / 18	4 / 11	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	9 / 18	4 / 11	4 / 9	0 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	17	11	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 17	2 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 17	2 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 17	2 / 11	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	9 / 17	4 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 17	4 / 11	4 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	6	5	2	4	0
Number of transfers	7	5	5	2	4	0
Estimated average number of transfers per retrieval	0.4	0.2	0.5	0.3	1.3	0.0
Average number of embryos transferred	2.3	2.4	1.6	2.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	7 / 16	6 / 12	0 / 8	2 / 5	3 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	0 / 5	0 / 5	2 / 2	1 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 5	0 / 5	2 / 2	1 / 4	
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 5	0 / 5	0 / 2	1 / 4	
Percentage of transfers resulting in live births (%)	3 / 7	2 / 5	0 / 5	2 / 2	2 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 7	3 / 5	0 / 5	2 / 2	2 / 4	
Number of Egg/Embryo Banking Cycles						
	16	22	11	7	2	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			5		
Number of transfers	7			5		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	6 / 14			3 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7			1 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 7			1 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 5		
Percentage of transfers resulting in live births (%)	3 / 7			2 / 5		
Percentage of transfers resulting in pregnancies (%)	4 / 7			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael A. Feinman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	3%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	4%	Male factor	7%
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	34%
				Endometriosis	7%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 686 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	62	71	44	26	5
Percentage of cancellations before retrieval (%)	2.1	6.5	1.4	6.8	7.7	1 / 5
Average number of embryos transferred	2.0	2.1	2.3	2.3	3.1	1.0
Percentage of embryos transferred resulting in implantation (%)	52.4	46.4	28.6	18.3	2.4	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	13.5	8.5	14.3	0.0	0 / 13	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	35.8	19.4	29.6	18.2	3.8	0 / 5
Percentage of cycles resulting in singleton live births (%)	38.9	25.8	32.4	18.2	3.8	0 / 5
Percentage of cycles resulting in twin live births (%)	18.9	17.7	2.8	2.3	0.0	0 / 5
Percentage of cycles resulting in live births (%)	58.9	43.5	35.2	20.5	3.8	0 / 5
Percentage of cycles resulting in pregnancies (%)	63.2	54.8	53.5	29.5	7.7	0 / 5
Outcomes per Transfer						
Number of transfers	77	50	58	30	14	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.2	24.0	36.2	26.7	1 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	48.1	32.0	39.7	26.7	1 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	23.4	22.0	3.4	3.3	0 / 14	0 / 1
Percentage of transfers resulting in live births (%)	72.7	54.0	43.1	30.0	1 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	77.9	68.0	65.5	43.3	2 / 14	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	33	37	16	13	19
Number of transfers	53	32	35	12	12	17
Estimated average number of transfers per retrieval	1.8	2.0	1.7	1.2	1.2	
Average number of embryos transferred	1.9	1.8	1.9	2.3	2.1	1.8
Percentage of embryos transferred resulting in implantation (%)	48.5	46.9	43.6	25.0	25.0	7.7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	54.7	43.8	37.1	3 / 12	1 / 12	1 / 17
Percentage of transfers resulting in singleton live births (%)	62.3	43.8	45.7	4 / 12	1 / 12	2 / 17
Percentage of transfers resulting in twin live births (%)	11.3	12.5	11.4	1 / 12	2 / 12	0 / 17
Percentage of transfers resulting in live births (%)	73.6	56.3	57.1	5 / 12	3 / 12	2 / 17
Percentage of transfers resulting in pregnancies (%)	81.1	71.9	68.6	6 / 12	4 / 12	4 / 17
Number of Egg/Embryo Banking Cycles						
	2	0	8	7	4	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		120			65	
Number of transfers		87			64	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		57.8			54.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.4			39.1	
Percentage of transfers resulting in singleton live births (%)		48.3			40.6	
Percentage of transfers resulting in twin live births (%)		20.7			28.1	
Percentage of transfers resulting in live births (%)		69.0			68.8	
Percentage of transfers resulting in pregnancies (%)		79.3			76.6	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Encino

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Christo Zouves, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	33%
Used gestational carrier	14%			Diminished ovarian reserve	33%	Other factor	9%
				Endometriosis	11%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 650 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	1	3	0	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 1	0 / 1	1 / 3		
Average number of embryos transferred	1.5	2.0	3.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 3	0 / 2	0 / 3	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1	0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 1	0 / 1	0 / 3		
Percentage of cycles resulting in live births (%)	0 / 2	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 1	0 / 1	1 / 3		
Outcomes per Transfer						
Number of transfers	2	1	1	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1	0 / 1	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	70	42	14	9	0
Number of transfers	56	70	42	14	9	0
Estimated average number of transfers per retrieval	0.9	0.9	0.5	0.3	0.2	0.0
Average number of embryos transferred	1.5	1.3	1.3	1.2	1.1	
Percentage of embryos transferred resulting in implantation (%)	43.9	43.3	54.5	8 / 17	0 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.5	34.3	47.6	4 / 14	0 / 9	
Percentage of transfers resulting in singleton live births (%)	44.6	42.9	54.8	4 / 14	0 / 9	
Percentage of transfers resulting in twin live births (%)	7.1	2.9	2.4	1 / 14	0 / 9	
Percentage of transfers resulting in live births (%)	51.8	45.7	57.1	5 / 14	0 / 9	
Percentage of transfers resulting in pregnancies (%)	60.7	55.7	61.9	6 / 14	0 / 9	
Number of Egg/Embryo Banking Cycles						
	61	81	82	56	44	22
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			90		
Number of transfers	6			88		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 12			34.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6			21.6		
Percentage of transfers resulting in singleton live births (%)	1 / 6			25.0		
Percentage of transfers resulting in twin live births (%)	2 / 6			6.8		
Percentage of transfers resulting in live births (%)	3 / 6			31.8		
Percentage of transfers resulting in pregnancies (%)	3 / 6			44.3		

CURRENT SERVICES & PROFILE

Current Name: Zouves Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	32%	Uterine factor	11%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	20%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	13%
				Endometriosis	9%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 197 (includes 31 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	13	14	3	0	0
Percentage of cancellations before retrieval (%)	1 / 19	2 / 13	4 / 14	0 / 3		
Average number of embryos transferred	1.6	1.8	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	14 / 19	4 / 13	3 / 18	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	1 / 6	2 / 9	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 19	1 / 13	1 / 14	0 / 3		
Percentage of cycles resulting in singleton live births (%)	6 / 19	1 / 13	1 / 14	0 / 3		
Percentage of cycles resulting in twin live births (%)	2 / 19	0 / 13	1 / 14	0 / 3		
Percentage of cycles resulting in live births (%)	9 / 19	2 / 13	2 / 14	0 / 3		
Percentage of cycles resulting in pregnancies (%)	9 / 19	3 / 13	2 / 14	0 / 3		
Outcomes per Transfer						
Number of transfers	12	8	9	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	1 / 8	1 / 9	0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 8	1 / 9	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 8	1 / 9	0 / 2		
Percentage of transfers resulting in live births (%)	9 / 12	2 / 8	2 / 9	0 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 12	3 / 8	2 / 9	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	16	16	9	0	0
Number of transfers	34	16	15	9	0	0
Estimated average number of transfers per retrieval	2.4	2.3	1.2	1.3	0.0	
Average number of embryos transferred	1.8	1.9	1.6	1.6		
Percentage of embryos transferred resulting in implantation (%)	30.8	25.0	16.7	4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8.8	4 / 16	3 / 15	3 / 9		
Percentage of transfers resulting in singleton live births (%)	11.8	5 / 16	3 / 15	4 / 9		
Percentage of transfers resulting in twin live births (%)	8.8	0 / 16	0 / 15	0 / 9		
Percentage of transfers resulting in live births (%)	20.6	5 / 16	3 / 15	4 / 9		
Percentage of transfers resulting in pregnancies (%)	41.2	7 / 16	4 / 15	4 / 9		
Number of Egg/Embryo Banking Cycles	6	3	9	5	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			11		
Number of transfers	3			10		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			6 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			2 / 10		
Percentage of transfers resulting in singleton live births (%)	1 / 3			4 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 10		
Percentage of transfers resulting in live births (%)	1 / 3			5 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 3			5 / 10		

CURRENT SERVICES & PROFILE

Current Name: West Coast Fertility Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

XPert FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Minh N. Ho, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	21%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	21%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	0%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 29 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	3	3	0	1	1
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3	0 / 3		0 / 1	0 / 1
Average number of embryos transferred	2.2	2.0	3.0		5.0	3.0
Percentage of embryos transferred resulting in implantation (%)	5 / 11	4 / 6	2 / 9		0 / 5	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 3	0 / 3		0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 7	2 / 3	2 / 3		0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 7	2 / 3	2 / 3		0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 7	1 / 3	0 / 3		0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	4 / 7	3 / 3	2 / 3		0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 7	3 / 3	2 / 3		0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	5	3	3	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5	2 / 3	2 / 3		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 5	2 / 3	2 / 3		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 3	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	4 / 5	3 / 3	2 / 3		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 5	3 / 3	2 / 3		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	0	2	0	0	0
Number of transfers	4	0	2	0	0	0
Estimated average number of transfers per retrieval	1.3					
Average number of embryos transferred	2.3		2.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 9		1 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4		0 / 2			
Percentage of transfers resulting in singleton live births (%)	4 / 4		1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 2			
Percentage of transfers resulting in live births (%)	4 / 4		1 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 4		1 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			2		
Number of transfers	6			2		
Average number of embryos transferred	2.5			2.5		
Percentage of embryos transferred resulting in implantation (%)	7 / 15			2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6			1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 6			2 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 6			0 / 2		
Percentage of transfers resulting in live births (%)	4 / 6			2 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 6			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	7%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	43%
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	6%
				Endometriosis	2%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 983 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	223	160	116	60	27	8
Percentage of cancellations before retrieval (%)	3.1	7.5	9.5	13.3	14.8	3 / 8
Average number of embryos transferred	1.6	2.0	2.6	3.3	3.9	3.0
Percentage of embryos transferred resulting in implantation (%)	49.8	38.9	23.0	15.0	6.6	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	45.4	25.4	5.4	0.0	0.0	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.5	30.0	17.2	18.3	7.4	0 / 8
Percentage of cycles resulting in singleton live births (%)	40.8	32.5	21.6	18.3	7.4	0 / 8
Percentage of cycles resulting in twin live births (%)	11.2	11.9	8.6	5.0	3.7	0 / 8
Percentage of cycles resulting in live births (%)	52.0	45.0	30.2	23.3	11.1	0 / 8
Percentage of cycles resulting in pregnancies (%)	57.8	51.3	40.5	40.0	18.5	0 / 8
Outcomes per Transfer						
Number of transfers	200	140	98	50	21	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.5	34.3	20.4	22.0	9.5	0 / 3
Percentage of transfers resulting in singleton live births (%)	45.5	37.1	25.5	22.0	9.5	0 / 3
Percentage of transfers resulting in twin live births (%)	12.5	13.6	10.2	6.0	4.8	0 / 3
Percentage of transfers resulting in live births (%)	58.0	51.4	35.7	28.0	14.3	0 / 3
Percentage of transfers resulting in pregnancies (%)	64.5	58.6	48.0	48.0	23.8	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	127	73	51	13	10	0
Number of transfers	125	70	48	12	8	0
Estimated average number of transfers per retrieval	2.2	2.1	2.7	1.5	1.0	0.0
Average number of embryos transferred	1.5	1.6	1.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	55.4	49.5	42.7	3 / 19	6 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.6	34.3	41.7	2 / 12	2 / 8	
Percentage of transfers resulting in singleton live births (%)	35.2	37.1	50.0	3 / 12	3 / 8	
Percentage of transfers resulting in twin live births (%)	16.8	14.3	4.2	0 / 12	1 / 8	
Percentage of transfers resulting in live births (%)	52.0	51.4	54.2	3 / 12	4 / 8	
Percentage of transfers resulting in pregnancies (%)	63.2	64.3	66.7	4 / 12	4 / 8	
Number of Egg/Embryo Banking Cycles						
	9	5	5	3	8	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	50			34		
Number of transfers	44			33		
Average number of embryos transferred	1.3			1.6		
Percentage of embryos transferred resulting in implantation (%)	64.9			65.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	54.5			42.4		
Percentage of transfers resulting in singleton live births (%)	61.4			42.4		
Percentage of transfers resulting in twin live births (%)	9.1			3.0		
Percentage of transfers resulting in live births (%)	70.5			48.5		
Percentage of transfers resulting in pregnancies (%)	77.3			75.8		

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY GLENDALE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	22%	Uterine factor	5%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	5%	Male factor	26%
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	20%
				Endometriosis	6%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 359 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	31	40	13	6	4
Percentage of cancellations before retrieval (%)	0.0	6.5	5.0	3 / 13	2 / 6	0 / 4
Average number of embryos transferred	1.8	2.0	2.1	2.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 18	5 / 16	7.4	3 / 11	1 / 4	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 8	0 / 11	0 / 4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4.5	9.7	0.0	1 / 13	1 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	6.8	9.7	0.0	1 / 13	1 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	4.5	3.2	2.5	0 / 13	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	11.4	12.9	2.5	1 / 13	1 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	11.4	12.9	2.5	2 / 13	1 / 6	0 / 4
Outcomes per Transfer						
Number of transfers	10	8	13	4	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10	3 / 8	0 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 10	3 / 8	0 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 10	1 / 8	1 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	5 / 10	4 / 8	1 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 10	4 / 8	1 / 13	2 / 4	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	34	35	9	8	7
Number of transfers	66	31	34	9	7	4
Estimated average number of transfers per retrieval	1.7	1.3	1.1	1.8	3.5	1.3
Average number of embryos transferred	1.7	1.5	1.7	1.9	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	40.4	44.7	25.9	4 / 11	1 / 11	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	32.3	23.5	2 / 9	1 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	28.8	48.4	26.5	3 / 9	1 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	13.6	6.5	0.0	0 / 9	0 / 7	0 / 4
Percentage of transfers resulting in live births (%)	42.4	54.8	26.5	3 / 9	1 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	50.0	61.3	38.2	5 / 9	1 / 7	0 / 4
Number of Egg/Embryo Banking Cycles						
	8	9	11	1	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			14		
Number of transfers	3			13		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 5			45.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			3 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 3			5 / 13		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 13		
Percentage of transfers resulting in live births (%)	2 / 3			6 / 13		
Percentage of transfers resulting in pregnancies (%)	2 / 3			7 / 13		

CURRENT SERVICES & PROFILE

Current Name: CARE Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER GREENBRAE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	8%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	1%
				Endometriosis	2%	Unknown factor	44%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 145 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	4	10	8	6	4
Percentage of cancellations before retrieval (%)	1 / 15	0 / 4	1 / 10	0 / 8	1 / 6	1 / 4
Average number of embryos transferred	2.0	2.3	2.6	2.1	3.3	2.0
Percentage of embryos transferred resulting in implantation (%)	32.1	3 / 9	9.5	4 / 15	0 / 5	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	2 / 14	0 / 4	0 / 8	0 / 6	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 15	1 / 4	1 / 10	3 / 8	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	3 / 15	1 / 4	2 / 10	3 / 8	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	3 / 15	1 / 4	0 / 10	0 / 8	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	6 / 15	2 / 4	2 / 10	3 / 8	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	6 / 15	2 / 4	2 / 10	5 / 8	2 / 6	0 / 4
Outcomes per Transfer						
Number of transfers	14	4	8	8	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 14	1 / 4	1 / 8	3 / 8	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 14	1 / 4	2 / 8	3 / 8	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 14	1 / 4	0 / 8	0 / 8	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	6 / 14	2 / 4	2 / 8	3 / 8	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 14	2 / 4	2 / 8	5 / 8	2 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	9	4	4	1	0
Number of transfers	20	9	4	4	1	0
Estimated average number of transfers per retrieval	1.1	1.3	0.3	0.6	0.5	0.0
Average number of embryos transferred	1.9	1.9	1.0	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	24.2	3 / 14	2 / 4	1 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	1 / 9	1 / 4	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.0	3 / 9	2 / 4	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 9	0 / 4	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	35.0	3 / 9	2 / 4	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.0	5 / 9	2 / 4	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	16	7	13	7	2	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			5		
Number of transfers	6			5		
Average number of embryos transferred	2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	5 / 12			3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 6			3 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 6			3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 6			0 / 5		
Percentage of transfers resulting in live births (%)	3 / 6			3 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 6			4 / 5		

CURRENT SERVICES & PROFILE

Current Name: Marin Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 3 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	3%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	20%
				Endometriosis	5%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 318 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	33	18	10	2	0
Percentage of cancellations before retrieval (%)	8.5	24.2	1 / 18	2 / 10	0 / 2	
Average number of embryos transferred	2.2	2.3	2.1	2.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	14.6	15.6	4.3	0 / 4	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 19	0 / 8	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.0	12.1	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in singleton live births (%)	19.1	18.2	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in live births (%)	19.1	18.2	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in pregnancies (%)	21.3	18.2	1 / 18	0 / 10	0 / 2	
Outcomes per Transfer						
Number of transfers	37	20	11	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.6	20.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	24.3	30.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	0.0	0.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	24.3	30.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	27.0	30.0	1 / 11	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	24	21	8	3	2
Number of transfers	16	23	18	8	2	1
Estimated average number of transfers per retrieval	0.6	0.7	0.5	0.5	0.5	
Average number of embryos transferred	2.1	2.3	2.2	2.5	3.5	2.0
Percentage of embryos transferred resulting in implantation (%)	3.0	15.4	25.0	0.0	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 16	13.0	3 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 16	17.4	5 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0.0	1 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	1 / 16	17.4	6 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 16	34.8	8 / 18	0 / 8	0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	16	27	30	14	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			26		
Number of transfers	11			23		
Average number of embryos transferred	2.1			2.3		
Percentage of embryos transferred resulting in implantation (%)	39.1			25.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 11			13.0		
Percentage of transfers resulting in singleton live births (%)	4 / 11			21.7		
Percentage of transfers resulting in twin live births (%)	0 / 11			8.7		
Percentage of transfers resulting in live births (%)	4 / 11			30.4		
Percentage of transfers resulting in pregnancies (%)	7 / 11			39.1		

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	8%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	15%
				Endometriosis	14%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 193 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	19	12	9	1	1
Percentage of cancellations before retrieval (%)	1 / 13	1 / 19	2 / 12	1 / 9	0 / 1	0 / 1
Average number of embryos transferred	1.6	1.5	2.4	2.5		1.0
Percentage of embryos transferred resulting in implantation (%)	4 / 13	3 / 10	2 / 17	2 / 10		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	4 / 8	4 / 8	1 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 13	3 / 19	1 / 12	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 13	3 / 19	1 / 12	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 19	0 / 12	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	4 / 13	3 / 19	1 / 12	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 13	4 / 19	2 / 12	1 / 9	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	8	8	7	4	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8	3 / 8	1 / 7	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 8	3 / 8	1 / 7	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 8	0 / 7	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	4 / 8	3 / 8	1 / 7	1 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	4 / 8	2 / 7	1 / 4		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	16	13	6	2	1
Number of transfers	23	14	13	6	2	1
Estimated average number of transfers per retrieval	2.1	1.1	0.6	0.8	0.3	0.3
Average number of embryos transferred	1.5	1.7	1.6	2.2	4.5	3.0
Percentage of embryos transferred resulting in implantation (%)	69.7	81.8	47.6	4 / 13	0 / 9	3 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	52.2	7 / 14	5 / 13	2 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	60.9	8 / 14	6 / 13	2 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	13.0	4 / 14	1 / 13	1 / 6	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	73.9	12 / 14	7 / 13	3 / 6	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	87.0	14 / 14	9 / 13	3 / 6	0 / 2	1 / 1
Number of Egg/Embryo Banking Cycles						
	8	7	17	3	7	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			22		
Number of transfers	7			20		
Average number of embryos transferred	1.9			1.5		
Percentage of embryos transferred resulting in implantation (%)	11 / 13			56.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			30.0		
Percentage of transfers resulting in singleton live births (%)	4 / 7			35.0		
Percentage of transfers resulting in twin live births (%)	2 / 7			20.0		
Percentage of transfers resulting in live births (%)	6 / 7			55.0		
Percentage of transfers resulting in pregnancies (%)	6 / 7			55.0		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Southern California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

LIFE IVF CENTER IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	98%	Tubal factor	13%	Uterine factor	13%	Female factors only	21%
Unstimulated	77%	PGD/PGS	9%	Ovulatory dysfunction	6%	Male factor	29%	Female & male factors	17%
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	35%		
				Endometriosis	13%	Unknown factor	15%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 3,099 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	13	23	8	16	15
Percentage of cancellations before retrieval (%)	0.0	1 / 13	0.0	0 / 8	0 / 16	0 / 15
Average number of embryos transferred	1.3	1.4	1.2	1.5	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	51.4	6 / 17	30.8	3 / 10	4.3	0 / 18
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	1 / 6	1 / 5	0 / 4	0 / 7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.6	0 / 13	21.7	0 / 8	1 / 16	0 / 15
Percentage of cycles resulting in singleton live births (%)	34.5	0 / 13	21.7	1 / 8	1 / 16	0 / 15
Percentage of cycles resulting in twin live births (%)	13.8	2 / 13	0.0	1 / 8	0 / 16	0 / 15
Percentage of cycles resulting in live births (%)	48.3	2 / 13	21.7	2 / 8	1 / 16	0 / 15
Percentage of cycles resulting in pregnancies (%)	51.7	3 / 13	34.8	3 / 8	1 / 16	2 / 15
Outcomes per Transfer						
Number of transfers	29	12	23	8	16	15
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.6	0 / 12	21.7	0 / 8	1 / 16	0 / 15
Percentage of transfers resulting in singleton live births (%)	34.5	0 / 12	21.7	1 / 8	1 / 16	0 / 15
Percentage of transfers resulting in twin live births (%)	13.8	2 / 12	0.0	1 / 8	0 / 16	0 / 15
Percentage of transfers resulting in live births (%)	48.3	2 / 12	21.7	2 / 8	1 / 16	0 / 15
Percentage of transfers resulting in pregnancies (%)	51.7	3 / 12	34.8	3 / 8	1 / 16	2 / 15
Frozen Embryos from Nondonor Eggs						
Number of cycles	113	100	135	95	68	65
Number of transfers	113	100	133	95	66	61
Estimated average number of transfers per retrieval	0.4	0.3	0.3	0.2	0.1	0.1
Average number of embryos transferred	1.3	1.3	1.2	1.3	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	60.0	62.2	45.8	33.3	20.5	9.0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.3	43.0	31.6	29.5	15.2	9.8
Percentage of transfers resulting in singleton live births (%)	46.0	48.0	37.6	31.6	15.2	9.8
Percentage of transfers resulting in twin live births (%)	10.6	6.0	3.8	0.0	1.5	0.0
Percentage of transfers resulting in live births (%)	56.6	54.0	41.4	31.6	16.7	9.8
Percentage of transfers resulting in pregnancies (%)	64.6	72.0	53.4	46.3	25.8	18.0
Number of Egg/Embryo Banking Cycles						
	281	287	477	456	462	417
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			29		
Number of transfers	0			28		
Average number of embryos transferred				1.3		
Percentage of embryos transferred resulting in implantation (%)				79.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				46.4		
Percentage of transfers resulting in singleton live births (%)				57.1		
Percentage of transfers resulting in twin live births (%)				14.3		
Percentage of transfers resulting in live births (%)				71.4		
Percentage of transfers resulting in pregnancies (%)				82.1		

CURRENT SERVICES & PROFILE

Current Name: Life IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER-OC IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James Lin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	99%	Tubal factor	8%	Uterine factor	5%
Unstimulated	1%	PGD/PGS	19%	Ovulatory dysfunction	7%	Male factor	26%
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	19%
				Endometriosis	2%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 626 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	163	85	54	34	11	1
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	2 / 11	0 / 1
Average number of embryos transferred	1.9	2.1	2.4	2.4	2.8	
Percentage of embryos transferred resulting in implantation (%)	41.3	31.5	15.7	7.5	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	8.0	3.1	7.3	0 / 18	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.1	21.2	11.1	5.9	0 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.3	24.7	14.8	5.9	1 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	14.1	8.2	5.6	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	45.4	34.1	20.4	5.9	1 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.3	42.4	25.9	8.8	2 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	152	75	45	23	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.7	24.0	13.3	8.7	0 / 4	
Percentage of transfers resulting in singleton live births (%)	33.6	28.0	17.8	8.7	1 / 4	
Percentage of transfers resulting in twin live births (%)	15.1	9.3	6.7	0.0	0 / 4	
Percentage of transfers resulting in live births (%)	48.7	38.7	24.4	8.7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	53.9	48.0	31.1	13.0	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	31	12	12	2	2
Number of transfers	49	31	12	12	2	2
Estimated average number of transfers per retrieval	1.1	1.1	0.4	0.6	0.1	0.2
Average number of embryos transferred	2.0	2.0	2.3	2.5	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	32.6	34.4	21.4	7.4	0 / 4	2 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.4	25.8	2 / 12	2 / 12	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	28.6	25.8	2 / 12	2 / 12	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	12.2	12.9	1 / 12	0 / 12	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	40.8	38.7	3 / 12	2 / 12	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	51.0	54.8	4 / 12	2 / 12	1 / 2	1 / 2
Number of Egg/Embryo Banking Cycles						
	17	16	30	15	15	9
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	41			27		
Number of transfers	39			27		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	59.7			45.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3			14.8		
Percentage of transfers resulting in singleton live births (%)	33.3			18.5		
Percentage of transfers resulting in twin live births (%)	30.8			25.9		
Percentage of transfers resulting in live births (%)	64.1			44.4		
Percentage of transfers resulting in pregnancies (%)	71.8			51.9		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center-OC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LA JOLLA IVF
LA JOLLA, CALIFORNIA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**REPRODUCTIVE SCIENCES CENTER
LA JOLLA, CALIFORNIA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John D. Jacobson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	27%	Uterine factor	15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	7%
				Endometriosis	14%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 207 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	29	20	7	4	1
Percentage of cancellations before retrieval (%)	13.3	13.8	20.0	1 / 7	1 / 4	0 / 1
Average number of embryos transferred	1.8	1.7	2.8	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	52.5	48.3	18.9	0 / 8	0 / 4	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	19.4	2 / 14	0 / 13	2 / 4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.2	20.7	10.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.7	20.7	15.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	15.6	6.9	5.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	42.2	31.0	20.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.4	37.9	20.0	0 / 7	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	33	18	13	4	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.3	6 / 18	2 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.4	6 / 18	3 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	21.2	2 / 18	1 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	57.6	9 / 18	4 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.6	11 / 18	4 / 13	0 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	18	13	2	0	0
Number of transfers	31	16	13	2	0	0
Estimated average number of transfers per retrieval	3.4	2.0	1.1	0.5		
Average number of embryos transferred	1.8	2.0	2.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	40.7	31.3	31.0	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.7	7 / 16	2 / 13	0 / 2		
Percentage of transfers resulting in singleton live births (%)	54.8	7 / 16	3 / 13	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.2	1 / 16	1 / 13	0 / 2		
Percentage of transfers resulting in live births (%)	58.1	8 / 16	5 / 13	0 / 2		
Percentage of transfers resulting in pregnancies (%)	61.3	9 / 16	5 / 13	0 / 2		
Number of Egg/Embryo Banking Cycles						
	0	6	7	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			15		
Number of transfers	6			15		
Average number of embryos transferred	1.7			2.3		
Percentage of embryos transferred resulting in implantation (%)	8 / 10			23.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6			0 / 15		
Percentage of transfers resulting in singleton live births (%)	3 / 6			0 / 15		
Percentage of transfers resulting in twin live births (%)	1 / 6			3 / 15		
Percentage of transfers resulting in live births (%)	4 / 6			3 / 15		
Percentage of transfers resulting in pregnancies (%)	5 / 6			4 / 15		

CURRENT SERVICES & PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard P. Marrs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	9%	Uterine factor	29%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	4%	Male factor	26%
Used gestational carrier	11%			Diminished ovarian reserve	57%	Other factor	20%
				Endometriosis	8%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,122 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	50	79	58	65	28
Percentage of cancellations before retrieval (%)	16.3	8.0	26.6	39.7	32.3	50.0
Average number of embryos transferred	2.0	2.3	2.5	2.4	3.3	2.9
Percentage of embryos transferred resulting in implantation (%)	14.8	15.7	19.1	13.6	4.4	0.0
Percentage of elective single embryo transfers (eSET) (%)	11.5	6.5	0.0	0.0	0.0	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2.0	8.0	7.6	6.9	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	4.1	12.0	8.9	8.6	0.0	0.0
Percentage of cycles resulting in twin live births (%)	4.1	4.0	3.8	1.7	1.5	0.0
Percentage of cycles resulting in live births (%)	8.2	16.0	12.7	10.3	1.5	0.0
Percentage of cycles resulting in pregnancies (%)	12.2	20.0	15.2	15.5	4.6	0.0
Outcomes per Transfer						
Number of transfers	28	32	37	28	28	11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3.6	12.5	16.2	14.3	0.0	0 / 11
Percentage of transfers resulting in singleton live births (%)	7.1	18.8	18.9	17.9	0.0	0 / 11
Percentage of transfers resulting in twin live births (%)	7.1	6.3	8.1	3.6	3.6	0 / 11
Percentage of transfers resulting in live births (%)	14.3	25.0	27.0	21.4	3.6	0 / 11
Percentage of transfers resulting in pregnancies (%)	21.4	31.3	32.4	32.1	10.7	0 / 11
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	51	41	31	13	8
Number of transfers	32	47	37	29	12	4
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.5	0.3	0.2
Average number of embryos transferred	1.6	1.6	1.6	2.0	2.2	3.0
Percentage of embryos transferred resulting in implantation (%)	37.0	43.1	43.6	32.1	25.0	1 / 12
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.5	25.5	40.5	20.7	0 / 12	0 / 4
Percentage of transfers resulting in singleton live births (%)	37.5	34.0	43.2	27.6	3 / 12	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	8.5	0.0	6.9	1 / 12	0 / 4
Percentage of transfers resulting in live births (%)	37.5	42.6	43.2	34.5	4 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	53.1	61.7	59.5	58.6	5 / 12	1 / 4
Number of Egg/Embryo Banking Cycles						
	39	59	75	53	39	18
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		144			177	
Number of transfers		106			147	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		60.4			44.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.7			25.2	
Percentage of transfers resulting in singleton live births (%)		40.6			34.0	
Percentage of transfers resulting in twin live births (%)		21.7			12.2	
Percentage of transfers resulting in live births (%)		62.3			46.3	
Percentage of transfers resulting in pregnancies (%)		76.4			57.8	

CURRENT SERVICES & PROFILE

Current Name: California Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	21%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	15%	Male factor	28%
Used gestational carrier	2%			Diminished ovarian reserve	51%	Other factor	9%
				Endometriosis	8%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 125 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	6	15	13	5	2
Percentage of cancellations before retrieval (%)	0 / 15	0 / 6	1 / 15	1 / 13	0 / 5	2 / 2
Average number of embryos transferred	1.4	1.4	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 10	1 / 7	2 / 17	4 / 18	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	4 / 7	3 / 5	0 / 6	2 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 15	1 / 6	2 / 15	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 15	1 / 6	2 / 15	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 15	0 / 6	0 / 15	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	4 / 15	1 / 6	2 / 15	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	4 / 15	1 / 6	2 / 15	2 / 13	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	7	5	9	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 7	1 / 5	2 / 9	1 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 5	2 / 9	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 5	0 / 9	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	4 / 7	1 / 5	2 / 9	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	4 / 7	1 / 5	2 / 9	2 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	2	10	3	2	0
Number of transfers	10	1	8	3	2	0
Estimated average number of transfers per retrieval	0.7	0.1	0.5	0.6	1.0	0.0
Average number of embryos transferred	1.3	2.0	1.4	1.7	3.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 11	1 / 2	1 / 10	2 / 5	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10	0 / 1	0 / 8	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 10	1 / 1	0 / 8	0 / 3	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 1	0 / 8	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	2 / 10	1 / 1	0 / 8	1 / 3	2 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 10	1 / 1	2 / 8	1 / 3	2 / 2	
Number of Egg/Embryo Banking Cycles						
	7	6	13	4	2	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			5		
Number of transfers	2			5		
Average number of embryos transferred	1.5			2.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			3 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 2			1 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 2			1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 5		
Percentage of transfers resulting in live births (%)	2 / 2			2 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 2			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vicken P. Sepilian, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	99%	Tubal factor	4%	Uterine factor	4%
Unstimulated	3%	PGD/PGS	13%	Ovulatory dysfunction	6%	Male factor	15%
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	7%
				Endometriosis	2%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 345 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	14	19	8	9	5
Percentage of cancellations before retrieval (%)	0.0	0 / 14	1 / 19	0 / 8	0 / 9	0 / 5
Average number of embryos transferred	1.9	2.0	2.1	1.9	2.2	3.0
Percentage of embryos transferred resulting in implantation (%)	37.8	17.9	7.9	1 / 15	10.0	1 / 15
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	1 / 14	0 / 15	0 / 5	0 / 6	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.0	3 / 14	0 / 19	1 / 8	0 / 9	0 / 5
Percentage of cycles resulting in singleton live births (%)	30.0	3 / 14	0 / 19	1 / 8	0 / 9	0 / 5
Percentage of cycles resulting in twin live births (%)	20.0	1 / 14	0 / 19	0 / 8	0 / 9	0 / 5
Percentage of cycles resulting in live births (%)	50.0	4 / 14	0 / 19	1 / 8	0 / 9	0 / 5
Percentage of cycles resulting in pregnancies (%)	50.0	4 / 14	2 / 19	1 / 8	2 / 9	1 / 5
Outcomes per Transfer						
Number of transfers	19	14	18	8	9	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 19	3 / 14	0 / 18	1 / 8	0 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)	6 / 19	3 / 14	0 / 18	1 / 8	0 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)	4 / 19	1 / 14	0 / 18	0 / 8	0 / 9	0 / 5
Percentage of transfers resulting in live births (%)	10 / 19	4 / 14	0 / 18	1 / 8	0 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	10 / 19	4 / 14	2 / 18	1 / 8	2 / 9	1 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	21	9	1	3	1
Number of transfers	41	21	9	1	3	1
Estimated average number of transfers per retrieval	1.0	1.2	0.6	0.3	0.3	0.1
Average number of embryos transferred	1.7	2.1	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	47.9	48.8	7 / 18	2 / 2	2 / 6	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8	47.6	1 / 9	0 / 1	0 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	31.7	47.6	1 / 9	0 / 1	0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	17.1	19.0	2 / 9	0 / 1	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	48.8	66.7	3 / 9	0 / 1	0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	61.0	76.2	5 / 9	1 / 1	2 / 3	1 / 1
Number of Egg/Embryo Banking Cycles						
	38	14	12	3	10	12
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		34			69	
Number of transfers		34			68	
Average number of embryos transferred		1.9			2.0	
Percentage of embryos transferred resulting in implantation (%)		59.1			49.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.4			25.0	
Percentage of transfers resulting in singleton live births (%)		35.3			29.4	
Percentage of transfers resulting in twin live births (%)		32.4			17.6	
Percentage of transfers resulting in live births (%)		70.6			48.5	
Percentage of transfers resulting in pregnancies (%)		76.5			66.2	

CURRENT SERVICES & PROFILE

Current Name: CHA Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	6%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	3%	Male factor	15%
Used gestational carrier	3%			Diminished ovarian reserve	22%	Other factor	50%
				Endometriosis	3%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 512 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	30	24	16	24	2
Percentage of cancellations before retrieval (%)	0.0	0.0	4.2	0 / 16	0.0	0 / 2
Average number of embryos transferred	1.7	1.7	2.5	1.8	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	34.5	28.9	14.3	2 / 16	2.5	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	22.0	13.6	1 / 17	0 / 4	0 / 13	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.9	20.0	8.3	2 / 16	0.0	0 / 2
Percentage of cycles resulting in singleton live births (%)	18.8	26.7	16.7	2 / 16	0.0	0 / 2
Percentage of cycles resulting in twin live births (%)	7.8	3.3	4.2	0 / 16	0.0	0 / 2
Percentage of cycles resulting in live births (%)	26.6	30.0	20.8	2 / 16	0.0	0 / 2
Percentage of cycles resulting in pregnancies (%)	32.8	43.3	20.8	2 / 16	8.3	0 / 2
Outcomes per Transfer						
Number of transfers	51	27	17	9	15	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	13.7	22.2	2 / 17	2 / 9	0 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.5	29.6	4 / 17	2 / 9	0 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)	9.8	3.7	1 / 17	0 / 9	0 / 15	0 / 2
Percentage of transfers resulting in live births (%)	33.3	33.3	5 / 17	2 / 9	0 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	41.2	48.1	5 / 17	2 / 9	2 / 15	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	21	17	3	5	2
Number of transfers	55	19	16	2	5	2
Estimated average number of transfers per retrieval	1.2	0.7	0.8	0.2	0.8	1.0
Average number of embryos transferred	1.6	1.9	1.8	1.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.9	27.0	11.5	0 / 2	2 / 10	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	12.7	1 / 19	0 / 16	0 / 2	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.0	4 / 19	3 / 16	0 / 2	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	16.4	3 / 19	0 / 16	0 / 2	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	36.4	7 / 19	3 / 16	0 / 2	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 19	4 / 16	0 / 2	2 / 5	0 / 2
Number of Egg/Embryo Banking Cycles						
	27	21	18	11	6	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		109			54	
Number of transfers		94			54	
Average number of embryos transferred		1.6			1.6	
Percentage of embryos transferred resulting in implantation (%)		64.8			34.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		10.6			1.9	
Percentage of transfers resulting in singleton live births (%)		21.3			22.2	
Percentage of transfers resulting in twin live births (%)		10.6			7.4	
Percentage of transfers resulting in live births (%)		31.9			29.6	
Percentage of transfers resulting in pregnancies (%)		73.4			48.1	

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by T.C. Jackson Wu, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	3%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	8%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	41%
				Endometriosis	5%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 243 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	14	17	10	4	2
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 17	0 / 10	0 / 4	1 / 2
Average number of embryos transferred	1.4	1.5	1.9	1.9	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	23.5	2 / 19	3.1	2 / 19	0 / 9	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	65.4	5 / 11	1 / 15	1 / 8	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.8	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	14.8	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	3.7	0 / 14	0 / 17	0 / 10	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	18.5	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	33.3	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	27	13	17	10	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.8	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	14.8	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.7	0 / 13	0 / 17	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	18.5	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	33.3	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	18	12	5	4	2
Number of transfers	35	17	12	5	4	2
Estimated average number of transfers per retrieval	1.1	0.9	0.4	0.6	0.7	0.5
Average number of embryos transferred	1.3	1.3	1.5	1.6	1.5	2.5
Percentage of embryos transferred resulting in implantation (%)	36.4	40.0	3 / 17	2 / 6	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.7	4 / 17	3 / 12	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.7	6 / 17	3 / 12	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	5.7	0 / 17	0 / 12	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	31.4	6 / 17	3 / 12	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	37.1	9 / 17	4 / 12	3 / 5	0 / 4	0 / 2
Number of Egg/Embryo Banking Cycles						
	22	15	21	7	6	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		1			18	
Number of transfers		1			18	
Average number of embryos transferred		1.0			1.5	
Percentage of embryos transferred resulting in implantation (%)		1 / 1			40.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1			7 / 18	
Percentage of transfers resulting in singleton live births (%)		1 / 1			9 / 18	
Percentage of transfers resulting in twin live births (%)		0 / 1			1 / 18	
Percentage of transfers resulting in live births (%)		1 / 1			10 / 18	
Percentage of transfers resulting in pregnancies (%)		1 / 1			10 / 18	

CURRENT SERVICES & PROFILE

Current Name: UCLA Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Richard J. Paulson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	9%	Uterine factor	9%	Multiple Factors: Female factors only 13% Female & male factors 39%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	7%	Male factor	51%	
Used gestational carrier	2%			Diminished ovarian reserve	61%	Other factor	10%	
				Endometriosis	8%	Unknown factor	6%	

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 641 (includes 23 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		56	60	73	38	26	11
Percentage of cancellations before retrieval (%)		1.8	5.0	8.2	0.0	15.4	2 / 11
Average number of embryos transferred		1.9	2.4	3.1	3.6	4.3	4.6
Percentage of embryos transferred resulting in implantation (%)		34.0	25.0	15.7	7.4	1.1	3.1
Percentage of elective single embryo transfers (eSET) (%)		10.0	1.9	0.0	0.0	0 / 18	0 / 6
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		30.4	20.0	11.0	13.2	0.0	0 / 11
Percentage of cycles resulting in singleton live births (%)		35.7	21.7	11.0	15.8	0.0	0 / 11
Percentage of cycles resulting in twin live births (%)		7.1	11.7	4.1	0.0	0.0	0 / 11
Percentage of cycles resulting in live births (%)		42.9	33.3	16.4	15.8	0.0	0 / 11
Percentage of cycles resulting in pregnancies (%)		53.6	40.0	27.4	28.9	3.8	1 / 11
Outcomes per Transfer							
Number of transfers		54	56	63	36	21	7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.5	21.4	12.7	13.9	0.0	0 / 7
Percentage of transfers resulting in singleton live births (%)		37.0	23.2	12.7	16.7	0.0	0 / 7
Percentage of transfers resulting in twin live births (%)		7.4	12.5	4.8	0.0	0.0	0 / 7
Percentage of transfers resulting in live births (%)		44.4	35.7	19.0	16.7	0.0	0 / 7
Percentage of transfers resulting in pregnancies (%)		55.6	42.9	31.7	30.6	4.8	1 / 7
Frozen Embryos from Nondonor Eggs							
Number of cycles		38	31	34	9	6	7
Number of transfers		38	31	34	9	6	6
Estimated average number of transfers per retrieval		0.7	0.5	0.6	0.5	0.4	1.2
Average number of embryos transferred		1.7	1.9	2.5	3.2	2.8	5.3
Percentage of embryos transferred resulting in implantation (%)		17.5	30.5	13.9	13.8	0 / 17	0.0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		15.8	25.8	11.8	2 / 9	0 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)		21.1	25.8	17.6	2 / 9	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)		0.0	9.7	5.9	1 / 9	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)		21.1	35.5	23.5	3 / 9	0 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)		36.8	41.9	29.4	3 / 9	0 / 6	0 / 6
Number of Egg/Embryo Banking Cycles		41	52	41	15	10	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		24			42		
Number of transfers		24			42		
Average number of embryos transferred		1.8			2.1		
Percentage of embryos transferred resulting in implantation (%)		45.9			27.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		16.7			19.0		
Percentage of transfers resulting in singleton live births (%)		25.0			26.2		
Percentage of transfers resulting in twin live births (%)		16.7			4.8		
Percentage of transfers resulting in live births (%)		41.7			31.0		
Percentage of transfers resulting in pregnancies (%)		66.7			50.0		

CURRENT SERVICES & PROFILE		Current Name: USC Reproductive Endocrinology and Infertility					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FOR THE BAY AREA LOS GATOS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Karen J. Purcell, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	38%	Tubal factor	11%	Uterine factor	12%
Unstimulated	2%	PGD/PGS	47%	Ovulatory dysfunction	11%	Male factor	27%
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	8%
				Endometriosis	6%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 184 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	14	23	14	10	8
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0.0	0 / 14	3 / 10	2 / 8
Average number of embryos transferred	1.5	1.8	1.5	1.3	1.0	4.0
Percentage of embryos transferred resulting in implantation (%)	37.5	40.9	9 / 16	0 / 4	1 / 2	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	55.0	2 / 11	0 / 4	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.6	2 / 14	8.7	0 / 14	1 / 10	0 / 8
Percentage of cycles resulting in singleton live births (%)	35.7	3 / 14	13.0	0 / 14	1 / 10	0 / 8
Percentage of cycles resulting in twin live births (%)	3.6	3 / 14	4.3	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in live births (%)	39.3	6 / 14	21.7	0 / 14	1 / 10	0 / 8
Percentage of cycles resulting in pregnancies (%)	39.3	6 / 14	26.1	0 / 14	1 / 10	0 / 8
Outcomes per Transfer						
Number of transfers	22	12	11	3	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	2 / 12	2 / 11	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	45.5	3 / 12	3 / 11	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4.5	3 / 12	1 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	50.0	6 / 12	5 / 11	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 12	6 / 11	0 / 3	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	6	3	3	2	0
Number of transfers	23	6	2	2	2	0
Estimated average number of transfers per retrieval	1.8	0.5	0.1	0.3	0.2	0.0
Average number of embryos transferred	1.6	1.5	1.5	1.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	27.8	1 / 9	0 / 3	0 / 3	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.4	1 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	17.4	1 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.7	0 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	26.1	1 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	30.4	1 / 6	0 / 2	0 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles						
	7	9	12	8	9	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: CARE for the Bay Area

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INNOVATIVE FERTILITY CENTER MANHATTAN BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark Rispler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	5%	Uterine factor	0%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	39%
				Endometriosis	0%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 99 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	12	7	4	5	1
Percentage of cancellations before retrieval (%)	0 / 6	0 / 12	0 / 7	0 / 4	0 / 5	0 / 1
Average number of embryos transferred	2.7	2.5	2.3	2.5	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	1 / 16	29.6	2 / 14	0 / 5	0 / 9	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	1 / 11	0 / 4	0 / 2	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 6	4 / 12	1 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 6	4 / 12	1 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 6	2 / 12	0 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	1 / 6	6 / 12	1 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 6	6 / 12	2 / 7	0 / 4	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	6	11	6	2	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	4 / 11	1 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	4 / 11	1 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 6	2 / 11	0 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	1 / 6	6 / 11	1 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 6	6 / 11	2 / 6	0 / 2	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	4	5	4	1	0
Number of transfers	14	4	5	4	1	0
Estimated average number of transfers per retrieval	1.4	0.6	1.0	0.3	1.0	
Average number of embryos transferred	1.6	1.8	2.4	3.5	4.0	
Percentage of embryos transferred resulting in implantation (%)	30.4	2 / 7	5 / 12	2 / 14	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 14	1 / 4	0 / 5	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 14	2 / 4	2 / 5	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 4	1 / 5	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 14	2 / 4	3 / 5	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 14	2 / 4	4 / 5	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	9	6	4	12	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	3 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	1 / 2					
Percentage of transfers resulting in live births (%)	2 / 2					
Percentage of transfers resulting in pregnancies (%)	2 / 2					

CURRENT SERVICES & PROFILE

Current Name: Innovative Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY AND GYNECOLOGY CENTER MONTEREY BAY IVF PROGRAM MONTEREY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Edward J. Ramirez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	40%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	25%
				Endometriosis	1%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 99 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	15	12	4	0	4
Percentage of cancellations before retrieval (%)	4.2	0 / 15	2 / 12	1 / 4		1 / 4
Average number of embryos transferred	2.3	2.6	3.6	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	40.4	16.7	3.4	0 / 4		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	13.6	3 / 14	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	3 / 15	1 / 12	0 / 4		0 / 4
Percentage of cycles resulting in singleton live births (%)	20.8	4 / 15	1 / 12	0 / 4		0 / 4
Percentage of cycles resulting in twin live births (%)	25.0	0 / 15	0 / 12	0 / 4		0 / 4
Percentage of cycles resulting in live births (%)	45.8	4 / 15	1 / 12	0 / 4		0 / 4
Percentage of cycles resulting in pregnancies (%)	54.2	7 / 15	1 / 12	0 / 4		0 / 4
Outcomes per Transfer						
Number of transfers	23	15	8	3	0	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.4	3 / 15	1 / 8	0 / 3		0 / 3
Percentage of transfers resulting in singleton live births (%)	21.7	4 / 15	1 / 8	0 / 3		0 / 3
Percentage of transfers resulting in twin live births (%)	26.1	0 / 15	0 / 8	0 / 3		0 / 3
Percentage of transfers resulting in live births (%)	47.8	4 / 15	1 / 8	0 / 3		0 / 3
Percentage of transfers resulting in pregnancies (%)	56.5	7 / 15	1 / 8	0 / 3		0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	2	3	1	0	1
Number of transfers	14	2	3	1	0	1
Estimated average number of transfers per retrieval	1.0	0.3	0.8			
Average number of embryos transferred	1.4	1.0	1.3	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 18	0 / 2	3 / 4	0 / 2		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14	0 / 2	1 / 3	0 / 1		1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 14	0 / 2	1 / 3	0 / 1		1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 14	0 / 2	1 / 3	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	3 / 14	0 / 2	2 / 3	0 / 1		1 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 14	0 / 2	2 / 3	0 / 1		1 / 1
Number of Egg/Embryo Banking Cycles						
	6	5	3	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			1		
Number of transfers	4			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 8			3 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 4			0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 4			0 / 1		
Percentage of transfers resulting in live births (%)	3 / 4			1 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 4			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard J. Schmidt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	26%	Tubal factor	18%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	19%	Male factor	17%
Used gestational carrier	4%			Diminished ovarian reserve	42%	Other factor	6%
				Endometriosis	7%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 526 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	39	28	12	13	3
Percentage of cancellations before retrieval (%)	0.0	2.6	0.0	1 / 12	0 / 13	0 / 3
Average number of embryos transferred	1.9	2.1	2.5	3.7	4.4	3.7
Percentage of embryos transferred resulting in implantation (%)	47.9	43.0	21.2	2.7	0.0	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	20.5	10.8	7.4	0 / 10	0 / 10	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.0	25.6	17.9	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	31.1	30.8	21.4	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	20.0	12.8	7.1	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)	51.1	46.2	28.6	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)	66.7	59.0	50.0	1 / 12	3 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	45	38	28	10	11	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	26.3	17.9	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	31.1	31.6	21.4	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	20.0	13.2	7.1	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in live births (%)	51.1	47.4	28.6	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	66.7	60.5	50.0	1 / 10	3 / 11	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	54	49	13	12	2
Number of transfers	58	54	49	13	12	2
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.7	0.4	0.3
Average number of embryos transferred	2.0	2.0	2.8	2.9	4.3	2.5
Percentage of embryos transferred resulting in implantation (%)	41.1	41.0	28.6	14.7	13.5	4 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	35.2	28.6	4 / 13	1 / 12	2 / 2
Percentage of transfers resulting in singleton live births (%)	34.5	44.4	34.7	5 / 13	1 / 12	2 / 2
Percentage of transfers resulting in twin live births (%)	12.1	7.4	10.2	0 / 13	1 / 12	0 / 2
Percentage of transfers resulting in live births (%)	46.6	51.9	44.9	5 / 13	2 / 12	2 / 2
Percentage of transfers resulting in pregnancies (%)	65.5	70.4	57.1	6 / 13	5 / 12	2 / 2
Number of Egg/Embryo Banking Cycles						
	32	40	43	18	22	8
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			23	
Number of transfers		11			23	
Average number of embryos transferred		1.7			1.9	
Percentage of embryos transferred resulting in implantation (%)		13 / 17			39.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 11			47.8	
Percentage of transfers resulting in singleton live births (%)		6 / 11			56.5	
Percentage of transfers resulting in twin live births (%)		3 / 11			4.3	
Percentage of transfers resulting in live births (%)		9 / 11			60.9	
Percentage of transfers resulting in pregnancies (%)		10 / 11			69.6	

CURRENT SERVICES & PROFILE

Current Name: Nova In Vitro Fertilization

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Daniel A. Potter, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	5%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	62%	Ovulatory dysfunction	11%	Male factor	33%
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	40%
				Endometriosis	4%	Unknown factor	5%
						Multiple Factors:	
						Female factors only	9%
						Female & male factors	13%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 507 (includes 4 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		133	76	53	20	5	5
Percentage of cancellations before retrieval (%)		0.0	1.3	0.0	15.0	0 / 5	1 / 5
Average number of embryos transferred		1.4	1.4	1.6	1.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)		68.3	63.4	47.3	38.5	1 / 8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		51.0	47.3	18.8	3 / 9	0 / 2	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		45.1	47.4	37.7	30.0	1 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)		50.4	55.3	41.5	40.0	1 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)		13.5	10.5	9.4	5.0	0 / 5	0 / 5
Percentage of cycles resulting in live births (%)		65.4	65.8	52.8	45.0	1 / 5	0 / 5
Percentage of cycles resulting in pregnancies (%)		70.7	76.3	56.6	45.0	1 / 5	0 / 5
Outcomes per Transfer							
Number of transfers		121	73	47	17	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		49.6	49.3	42.6	6 / 17	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)		55.4	57.5	46.8	8 / 17	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)		14.9	11.0	10.6	1 / 17	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)		71.9	68.5	59.6	9 / 17	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)		77.7	79.5	63.8	9 / 17	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		60	25	15	4	2	6
Number of transfers		59	25	14	3	2	6
Estimated average number of transfers per retrieval		2.7	1.9	1.4	0.3	0.2	0.7
Average number of embryos transferred		1.6	1.4	1.5	1.7	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)		69.9	65.6	52.4	2 / 5	0 / 3	7 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		59.3	40.0	8 / 14	2 / 3	0 / 2	2 / 6
Percentage of transfers resulting in singleton live births (%)		69.5	52.0	9 / 14	2 / 3	0 / 2	2 / 6
Percentage of transfers resulting in twin live births (%)		20.3	16.0	1 / 14	0 / 3	0 / 2	2 / 6
Percentage of transfers resulting in live births (%)		89.8	68.0	10 / 14	2 / 3	0 / 2	4 / 6
Percentage of transfers resulting in pregnancies (%)		91.5	76.0	10 / 14	2 / 3	0 / 2	5 / 6
Number of Egg/Embryo Banking Cycles		3	4	8	12	9	9
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		42			12		
Number of transfers		41			12		
Average number of embryos transferred		1.5			1.4		
Percentage of embryos transferred resulting in implantation (%)		69.4			14 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		46.3			5 / 12		
Percentage of transfers resulting in singleton live births (%)		56.1			9 / 12		
Percentage of transfers resulting in twin live births (%)		24.4			2 / 12		
Percentage of transfers resulting in live births (%)		80.5			11 / 12		
Percentage of transfers resulting in pregnancies (%)		82.9			12 / 12		

CURRENT SERVICES & PROFILE		Current Name: HRC Fertility-Orange County			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
					Verified lab accreditation? (See Appendix C for details.)

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWPORT FERTILITY CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark T. Kan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	10%	Uterine factor	18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	12%
Used gestational carrier	0%			Diminished ovarian reserve	64%	Other factor	19%
				Endometriosis	10%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 122 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	5	3	0	4	0
Percentage of cancellations before retrieval (%)	0 / 9	0 / 5	0 / 3		0 / 4	
Average number of embryos transferred	1.7	1.4	2.0		2.3	
Percentage of embryos transferred resulting in implantation (%)	7 / 15	3 / 7	3 / 4		1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	3 / 9	3 / 5	0 / 3		0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of cycles resulting in singleton live births (%)	3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of cycles resulting in twin live births (%)	1 / 9	0 / 5	1 / 3		0 / 4	
Percentage of cycles resulting in live births (%)	4 / 9	3 / 5	2 / 3		0 / 4	
Percentage of cycles resulting in pregnancies (%)	5 / 9	3 / 5	3 / 3		1 / 4	
Outcomes per Transfer						
Number of transfers	9	5	3	0	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of transfers resulting in singleton live births (%)	3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 5	1 / 3		0 / 4	
Percentage of transfers resulting in live births (%)	4 / 9	3 / 5	2 / 3		0 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 9	3 / 5	3 / 3		1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	10	12	3	4	1
Number of transfers	14	10	12	3	4	1
Estimated average number of transfers per retrieval	1.8	0.8	0.9	1.0	1.3	0.3
Average number of embryos transferred	1.6	1.5	1.4	1.7	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	65.2	5 / 14	8 / 17	2 / 5	1 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 14	3 / 10	4 / 12	1 / 3	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 14	4 / 10	4 / 12	1 / 3	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 10	2 / 12	0 / 3	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8 / 14	4 / 10	6 / 12	1 / 3	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 14	6 / 10	6 / 12	2 / 3	1 / 4	0 / 1
Number of Egg/Embryo Banking Cycles						
	7	12	13	3	1	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			16		
Number of transfers	2			16		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			10 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			3 / 16		
Percentage of transfers resulting in singleton live births (%)	1 / 2			4 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 2			3 / 16		
Percentage of transfers resulting in live births (%)	1 / 2			7 / 16		
Percentage of transfers resulting in pregnancies (%)	1 / 2			8 / 16		

CURRENT SERVICES & PROFILE

Current Name: Newport Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OC FERTILITY NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sharon E. Moayeri, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	93%	Tubal factor	4%	Uterine factor	23%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	18%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	24%
				Endometriosis	18%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 218 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	2	2	0	2	0
Percentage of cancellations before retrieval (%)	0 / 8	0 / 2	1 / 2		0 / 2	
Average number of embryos transferred	1.0	2.0	1.0		3.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 5	0 / 4	0 / 1		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	0 / 2			0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in live births (%)	1 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in pregnancies (%)	2 / 8	0 / 2	0 / 2		1 / 2	
Outcomes per Transfer						
Number of transfers	5	2	1	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	1 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 5	0 / 2	0 / 1		1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	19	12	3	3	2
Number of transfers	32	15	11	3	2	2
Estimated average number of transfers per retrieval	0.9	0.6	0.3	0.2	0.4	0.4
Average number of embryos transferred	1.2	1.2	1.4	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	78.4	14 / 17	7 / 15	1 / 2	2 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.8	3 / 15	0 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	65.6	10 / 15	6 / 11	1 / 3	2 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	12.5	1 / 15	0 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	78.1	11 / 15	6 / 11	1 / 3	2 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	81.3	12 / 15	7 / 11	2 / 3	2 / 2	1 / 2
Number of Egg/Embryo Banking Cycles						
	33	27	35	16	5	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			6		
Number of transfers	0			5		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 5		
Percentage of transfers resulting in singleton live births (%)				4 / 5		
Percentage of transfers resulting in twin live births (%)				0 / 5		
Percentage of transfers resulting in live births (%)				4 / 5		
Percentage of transfers resulting in pregnancies (%)				4 / 5		

CURRENT SERVICES & PROFILE

Current Name: OC Fertility

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Beth A. Ary, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	8%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	20%	Male factor	60%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	26%
				Endometriosis	4%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 53 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	5	1	1	0
Percentage of cancellations before retrieval (%)	0 / 11	0 / 8	0 / 5	0 / 1	0 / 1	
Average number of embryos transferred	2.5	2.4	2.7	4.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	17.9	7 / 19	3 / 8	0 / 4	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 5	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 11	1 / 8	2 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 11	1 / 8	2 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 11	2 / 8	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	4 / 11	3 / 8	2 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	4 / 11	3 / 8	2 / 5	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	11	8	3	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 11	2 / 8	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 11	3 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 11	3 / 8	2 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	1	1	0	2	0
Number of transfers	6	1	1	0	2	0
Estimated average number of transfers per retrieval	3.0	1.0			2.0	
Average number of embryos transferred	2.2	3.0	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 13	1 / 3	1 / 2		0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	1 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 1	1 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	1 / 6	1 / 1	1 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 6	1 / 1	1 / 1		0 / 2	
Number of Egg/Embryo Banking Cycles						
	1	1	0	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			8		
Number of transfers	5			8		
Average number of embryos transferred	2.0			2.1		
Percentage of embryos transferred resulting in implantation (%)	2 / 10			5 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			2 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 5			3 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 8		
Percentage of transfers resulting in live births (%)	1 / 5			4 / 8		
Percentage of transfers resulting in pregnancies (%)	1 / 5			4 / 8		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert E. Anderson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	73%	Tubal factor	10%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	7%	Male factor	40%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	68%
				Endometriosis	10%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 640 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	5	13	7	18	0
Percentage of cancellations before retrieval (%)	3 / 8	1 / 5	4 / 13	3 / 7	3 / 18	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in live births (%)	0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in pregnancies (%)	0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	75	72	27	9	0
Number of transfers	78	71	60	23	9	0
Estimated average number of transfers per retrieval	1.1	1.2	0.7	0.6	0.5	0.0
Average number of embryos transferred	1.1	1.2	1.2	1.1	1.4	
Percentage of embryos transferred resulting in implantation (%)	77.9	61.0	60.0	84.0	6 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	56.4	56.3	48.3	69.6	4 / 9	
Percentage of transfers resulting in singleton live births (%)	65.4	62.0	55.0	69.6	4 / 9	
Percentage of transfers resulting in twin live births (%)	7.7	4.2	0.0	8.7	1 / 9	
Percentage of transfers resulting in live births (%)	73.1	66.2	55.0	78.3	5 / 9	
Percentage of transfers resulting in pregnancies (%)	82.1	69.0	68.3	87.0	5 / 9	
Number of Egg/Embryo Banking Cycles						
	69	57	77	34	16	7
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			59		
Number of transfers	0			49		
Average number of embryos transferred				1.3		
Percentage of embryos transferred resulting in implantation (%)				57.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				40.8		
Percentage of transfers resulting in singleton live births (%)				46.9		
Percentage of transfers resulting in twin live births (%)				10.2		
Percentage of transfers resulting in live births (%)				57.1		
Percentage of transfers resulting in pregnancies (%)				65.3		

CURRENT SERVICES & PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE
NORTHRIDGE, CALIFORNIA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Danielle E. Lane, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	3%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	12%
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	17%
				Endometriosis	3%	Unknown factor	12%
						Multiple Factors:	
						Female factors only	3%
						Female & male factors	7%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 158 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		5	7	18	7	1	4
Percentage of cancellations before retrieval (%)		0 / 5	0 / 7	2 / 18	0 / 7	1 / 1	2 / 4
Average number of embryos transferred		1.0	2.2	2.7	2.7		2.5
Percentage of embryos transferred resulting in implantation (%)		1 / 4	1 / 9	9.4	0 / 19		0 / 5
Percentage of elective single embryo transfers (eSET) (%)		4 / 4	1 / 6	0 / 10	0 / 5		0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 5	0 / 7	1 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in singleton live births (%)		1 / 5	0 / 7	1 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in twin live births (%)		0 / 5	0 / 7	0 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in live births (%)		1 / 5	0 / 7	1 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in pregnancies (%)		1 / 5	2 / 7	3 / 18	0 / 7	0 / 1	0 / 4
Outcomes per Transfer							
Number of transfers		4	6	12	7	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4	0 / 6	1 / 12	0 / 7		0 / 2
Percentage of transfers resulting in singleton live births (%)		1 / 4	0 / 6	1 / 12	0 / 7		0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 6	0 / 12	0 / 7		0 / 2
Percentage of transfers resulting in live births (%)		1 / 4	0 / 6	1 / 12	0 / 7		0 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 4	2 / 6	3 / 12	0 / 7		0 / 2
Frozen Embryos from Nondonor Eggs							
Number of cycles		11	10	12	5	0	0
Number of transfers		11	10	12	5	0	0
Estimated average number of transfers per retrieval		0.8	0.6	0.4	0.5	0.0	0.0
Average number of embryos transferred		1.5	1.6	2.1	1.8		
Percentage of embryos transferred resulting in implantation (%)		7 / 15	7 / 16	24.0	3 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 11	1 / 10	4 / 12	2 / 5		
Percentage of transfers resulting in singleton live births (%)		6 / 11	1 / 10	4 / 12	2 / 5		
Percentage of transfers resulting in twin live births (%)		0 / 11	1 / 10	0 / 12	0 / 5		
Percentage of transfers resulting in live births (%)		6 / 11	2 / 10	4 / 12	2 / 5		
Percentage of transfers resulting in pregnancies (%)		8 / 11	5 / 10	6 / 12	3 / 5		
Number of Egg/Embryo Banking Cycles		11	13	25	9	5	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		4			8		
Number of transfers		4			8		
Average number of embryos transferred		1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)		5 / 7			7 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 4			4 / 8		
Percentage of transfers resulting in singleton live births (%)		1 / 4			5 / 8		
Percentage of transfers resulting in twin live births (%)		2 / 4			1 / 8		
Percentage of transfers resulting in live births (%)		3 / 4			6 / 8		
Percentage of transfers resulting in pregnancies (%)		3 / 4			6 / 8		

CURRENT SERVICES & PROFILE		Current Name: Lane Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**IVF-ORANGE SURGERY CENTER
ORANGE, CALIFORNIA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

AMERICAN REPRODUCTIVE CENTERS PALM SPRINGS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Maher A. Abdallah, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	21%	Uterine factor	37%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	9%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	24%
				Endometriosis	12%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 170 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	35	24	13	10	2
Percentage of cancellations before retrieval (%)	1.9	0.0	4.2	0 / 13	0 / 10	0 / 2
Average number of embryos transferred	2.3	2.2	2.5	2.6	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	40.6	23.9	32.6	17.4	10.0	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	2.3	0.0	0 / 17	0 / 8	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.5	20.0	37.5	0 / 13	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	37.0	25.7	37.5	0 / 13	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	14.8	5.7	12.5	0 / 13	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	51.9	31.4	50.0	1 / 13	1 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	61.1	40.0	54.2	2 / 13	2 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	46	31	20	9	8	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	22.6	45.0	0 / 9	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.5	29.0	45.0	0 / 9	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	17.4	6.5	15.0	0 / 9	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	60.9	35.5	60.0	1 / 9	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	71.7	45.2	65.0	2 / 9	2 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	6	1	1	0	0
Number of transfers	2	6	1	1	0	0
Estimated average number of transfers per retrieval	1.0	1.0	1.0	1.0		
Average number of embryos transferred	2.0	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 4	4 / 10	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	2 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2	2 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 2	3 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 2	3 / 6	0 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	1	3	1	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			7		
Number of transfers	8			7		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	9 / 15			3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8			2 / 7		
Percentage of transfers resulting in singleton live births (%)	3 / 8			3 / 7		
Percentage of transfers resulting in twin live births (%)	3 / 8			0 / 7		
Percentage of transfers resulting in live births (%)	6 / 8			3 / 7		
Percentage of transfers resulting in pregnancies (%)	6 / 8			3 / 7		

CURRENT SERVICES & PROFILE

Current Name: American Reproductive Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	23%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	8%
				Endometriosis	2%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 150 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	21	17	8	5	0
Percentage of cancellations before retrieval (%)	0 / 16	0.0	1 / 17	1 / 8	0 / 5	
Average number of embryos transferred	1.8	1.8	2.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	35.7	20.0	0 / 12	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	4 / 14	1 / 13	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 16	23.8	1 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in singleton live births (%)	2 / 16	23.8	2 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in twin live births (%)	0 / 16	4.8	1 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in live births (%)	2 / 16	28.6	3 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in pregnancies (%)	2 / 16	33.3	5 / 17	0 / 8	0 / 5	
Outcomes per Transfer						
Number of transfers	4	16	14	4	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4	5 / 16	1 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 4	5 / 16	2 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 16	1 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 4	6 / 16	3 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 4	7 / 16	5 / 14	0 / 4	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	9	12	7	0	0
Number of transfers	16	9	12	7	0	0
Estimated average number of transfers per retrieval	0.8	0.7	1.7	2.3		0.0
Average number of embryos transferred	1.6	1.7	1.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	38.5	5 / 15	21.7	1 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 16	4 / 9	2 / 12	1 / 7		
Percentage of transfers resulting in singleton live births (%)	6 / 16	4 / 9	4 / 12	1 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 9	0 / 12	0 / 7		
Percentage of transfers resulting in live births (%)	7 / 16	4 / 9	4 / 12	1 / 7		
Percentage of transfers resulting in pregnancies (%)	9 / 16	5 / 9	5 / 12	1 / 7		
Number of Egg/Embryo Banking Cycles						
	15	11	1	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			4		
Number of transfers	5			4		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	7 / 9			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5			2 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5			2 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in live births (%)	4 / 5			2 / 4		
Percentage of transfers resulting in pregnancies (%)	5 / 5			3 / 4		

CURRENT SERVICES & PROFILE

Current Name: Bay In Vitro Fertilization Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Valerie Baker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	12%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	25%	Ovulatory dysfunction	11%	Male factor	72%
Used gestational carrier	1%			Diminished ovarian reserve	36%	Other factor	8%
				Endometriosis	7%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 951 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	111	67	109	70	55	19
Percentage of cancellations before retrieval (%)	4.5	4.5	8.3	24.3	18.2	6 / 19
Average number of embryos transferred	1.4	1.7	2.0	2.1	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)	31.5	20.5	12.9	12.2	2.2	0.0
Percentage of elective single embryo transfers (eSET) (%)	54.3	35.0	14.5	0.0	1 / 15	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.9	14.9	6.4	1.4	1.8	0 / 19
Percentage of cycles resulting in singleton live births (%)	21.6	14.9	8.3	2.9	1.8	0 / 19
Percentage of cycles resulting in twin live births (%)	2.7	3.0	1.8	2.9	0.0	0 / 19
Percentage of cycles resulting in live births (%)	24.3	17.9	10.1	5.7	1.8	0 / 19
Percentage of cycles resulting in pregnancies (%)	28.8	22.4	17.4	11.4	3.6	1 / 19
Outcomes per Transfer						
Number of transfers	79	46	69	37	20	8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.6	21.7	10.1	2.7	5.0	0 / 8
Percentage of transfers resulting in singleton live births (%)	30.4	21.7	13.0	5.4	5.0	0 / 8
Percentage of transfers resulting in twin live births (%)	3.8	4.3	2.9	5.4	0.0	0 / 8
Percentage of transfers resulting in live births (%)	34.2	26.1	15.9	10.8	5.0	0 / 8
Percentage of transfers resulting in pregnancies (%)	40.5	32.6	27.5	21.6	10.0	1 / 8
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	73	61	32	17	7
Number of transfers	71	64	48	24	14	7
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.6	0.6	2.3
Average number of embryos transferred	1.2	1.2	1.4	1.4	1.7	1.6
Percentage of embryos transferred resulting in implantation (%)	51.2	37.0	22.8	35.5	28.6	2 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.0	26.6	18.8	41.7	4 / 14	1 / 7
Percentage of transfers resulting in singleton live births (%)	46.5	29.7	20.8	41.7	4 / 14	1 / 7
Percentage of transfers resulting in twin live births (%)	4.2	4.7	2.1	0.0	1 / 14	0 / 7
Percentage of transfers resulting in live births (%)	52.1	34.4	22.9	41.7	5 / 14	1 / 7
Percentage of transfers resulting in pregnancies (%)	56.3	45.3	37.5	50.0	6 / 14	2 / 7
Number of Egg/Embryo Banking Cycles						
	55	42	50	20	11	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		23			36	
Number of transfers		21			33	
Average number of embryos transferred		1.4			1.4	
Percentage of embryos transferred resulting in implantation (%)		75.9			28.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.6			18.2	
Percentage of transfers resulting in singleton live births (%)		47.6			27.3	
Percentage of transfers resulting in twin live births (%)		28.6			3.0	
Percentage of transfers resulting in live births (%)		76.2			30.3	
Percentage of transfers resulting in pregnancies (%)		81.0			36.4	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Stanford Medicine Fertility & Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John G. Wilcox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	80%	Tubal factor	<1%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	2%	Male factor	9%
Used gestational carrier	5%			Diminished ovarian reserve	37%	Other factor	28%
				Endometriosis	1%	Unknown factor	28%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,434 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	112	101	71	56	22
Percentage of cancellations before retrieval (%)	4.6	9.8	16.8	23.9	16.1	22.7
Average number of embryos transferred	1.9	2.0	2.0	2.6	2.2	2.8
Percentage of embryos transferred resulting in implantation (%)	36.3	26.7	31.5	18.8	10.3	0.0
Percentage of elective single embryo transfers (eSET) (%)	16.4	11.9	14.8	10.3	0 / 14	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.4	17.9	22.8	12.7	3.6	0.0
Percentage of cycles resulting in singleton live births (%)	28.1	23.2	25.7	15.5	3.6	0.0
Percentage of cycles resulting in twin live births (%)	9.2	6.3	3.0	1.4	1.8	0.0
Percentage of cycles resulting in live births (%)	37.2	29.5	30.7	16.9	5.4	0.0
Percentage of cycles resulting in pregnancies (%)	43.9	33.0	37.6	28.2	7.1	0.0
Outcomes per Transfer						
Number of transfers	148	83	68	36	19	10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.7	24.1	33.8	25.0	2 / 19	0 / 10
Percentage of transfers resulting in singleton live births (%)	37.2	31.3	38.2	30.6	2 / 19	0 / 10
Percentage of transfers resulting in twin live births (%)	12.2	8.4	4.4	2.8	1 / 19	0 / 10
Percentage of transfers resulting in live births (%)	49.3	39.8	45.6	33.3	3 / 19	0 / 10
Percentage of transfers resulting in pregnancies (%)	58.1	44.6	55.9	55.6	4 / 19	0 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	105	43	38	30	20	18
Number of transfers	91	40	33	23	13	11
Estimated average number of transfers per retrieval	0.8	0.4	0.3	0.4	0.3	0.4
Average number of embryos transferred	1.6	1.7	1.5	1.6	1.9	2.5
Percentage of embryos transferred resulting in implantation (%)	48.4	51.5	25.0	14.7	20.8	17.4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.7	35.0	24.2	17.4	2 / 13	0 / 11
Percentage of transfers resulting in singleton live births (%)	40.7	47.5	27.3	21.7	5 / 13	1 / 11
Percentage of transfers resulting in twin live births (%)	12.1	17.5	3.0	0.0	0 / 13	0 / 11
Percentage of transfers resulting in live births (%)	52.7	65.0	30.3	21.7	5 / 13	2 / 11
Percentage of transfers resulting in pregnancies (%)	67.0	70.0	42.4	26.1	6 / 13	3 / 11
Number of Egg/Embryo Banking Cycles						
	78	81	89	59	45	27
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	149			87		
Number of transfers	115			87		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	52.4			43.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.4			28.7		
Percentage of transfers resulting in singleton live births (%)	42.6			35.6		
Percentage of transfers resulting in twin live births (%)	20.9			9.2		
Percentage of transfers resulting in live births (%)	64.3			44.8		
Percentage of transfers resulting in pregnancies (%)	71.3			57.5		

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Pasadena

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER REDONDO BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bill Yee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	6%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	5%	Male factor	13%
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	35%
				Endometriosis	5%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,425 (includes 36 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	100	90	132	85	49	17
Percentage of cancellations before retrieval (%)	9.0	7.8	15.2	21.2	16.3	8 / 17
Average number of embryos transferred	1.5	2.0	2.5	3.3	2.8	3.8
Percentage of embryos transferred resulting in implantation (%)	41.7	36.3	21.6	9.8	6.8	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	46.4	12.2	4.2	0.0	1 / 16	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.0	14.4	10.6	7.1	0.0	0 / 17
Percentage of cycles resulting in singleton live births (%)	21.0	18.9	12.1	7.1	0.0	0 / 17
Percentage of cycles resulting in twin live births (%)	5.0	2.2	6.1	0.0	0.0	0 / 17
Percentage of cycles resulting in live births (%)	26.0	21.1	18.2	7.1	0.0	0 / 17
Percentage of cycles resulting in pregnancies (%)	31.0	31.1	21.2	14.1	8.2	1 / 17
Outcomes per Transfer						
Number of transfers	57	52	75	44	21	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.6	25.0	18.7	13.6	0.0	0 / 4
Percentage of transfers resulting in singleton live births (%)	36.8	32.7	21.3	13.6	0.0	0 / 4
Percentage of transfers resulting in twin live births (%)	8.8	3.8	10.7	0.0	0.0	0 / 4
Percentage of transfers resulting in live births (%)	45.6	36.5	32.0	13.6	0.0	0 / 4
Percentage of transfers resulting in pregnancies (%)	54.4	53.8	37.3	27.3	19.0	1 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	132	111	116	55	44	18
Number of transfers	118	103	103	50	39	15
Estimated average number of transfers per retrieval	1.1	0.9	0.8	0.6	1.0	0.4
Average number of embryos transferred	1.4	1.5	1.6	2.2	2.6	2.8
Percentage of embryos transferred resulting in implantation (%)	52.5	51.0	35.5	23.8	12.8	2.5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.5	37.9	31.1	32.0	17.9	1 / 15
Percentage of transfers resulting in singleton live births (%)	47.5	46.6	35.0	38.0	17.9	1 / 15
Percentage of transfers resulting in twin live births (%)	7.6	4.9	4.9	0.0	0.0	0 / 15
Percentage of transfers resulting in live births (%)	55.1	52.4	39.8	38.0	17.9	1 / 15
Percentage of transfers resulting in pregnancies (%)	65.3	67.0	49.5	56.0	35.9	2 / 15
Number of Egg/Embryo Banking Cycles						
	70	86	96	62	25	28
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			55		
Number of transfers	13			44		
Average number of embryos transferred	1.3			1.4		
Percentage of embryos transferred resulting in implantation (%)	12 / 17			33.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 13			36.4		
Percentage of transfers resulting in singleton live births (%)	8 / 13			38.6		
Percentage of transfers resulting in twin live births (%)	1 / 13			2.3		
Percentage of transfers resulting in live births (%)	9 / 13			40.9		
Percentage of transfers resulting in pregnancies (%)	10 / 13			50.0		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners-Beverly Hills, Redondo Beach & Westminster

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Carlos E. Soto-Albors, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	13%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	24%	Male factor	51%
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	38%
				Endometriosis	11%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 635 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	115	69	58	16	15	3
Percentage of cancellations before retrieval (%)	2.6	5.8	6.9	2 / 16	5 / 15	1 / 3
Average number of embryos transferred	1.9	1.9	2.2	2.6	3.2	3.5
Percentage of embryos transferred resulting in implantation (%)	34.5	30.6	24.5	8.7	0 / 19	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	15.1	8.3	0.0	0 / 6	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.0	15.9	19.0	1 / 16	0 / 15	0 / 3
Percentage of cycles resulting in singleton live births (%)	14.8	21.7	20.7	1 / 16	0 / 15	0 / 3
Percentage of cycles resulting in twin live births (%)	10.4	4.3	5.2	0 / 16	0 / 15	0 / 3
Percentage of cycles resulting in live births (%)	25.2	29.0	25.9	1 / 16	0 / 15	0 / 3
Percentage of cycles resulting in pregnancies (%)	29.6	34.8	37.9	1 / 16	0 / 15	0 / 3
Outcomes per Transfer						
Number of transfers	78	54	47	9	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.2	20.4	23.4	1 / 9	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	21.8	27.8	25.5	1 / 9	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	15.4	5.6	6.4	0 / 9	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	37.2	37.0	31.9	1 / 9	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	44.4	46.8	1 / 9	0 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	114	56	35	7	4	2
Number of transfers	98	48	33	7	3	2
Estimated average number of transfers per retrieval	1.5	1.5	1.4	0.8	0.3	1.0
Average number of embryos transferred	1.6	1.8	1.7	1.6	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.2	35.4	26.3	3 / 9	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.5	18.8	21.2	2 / 7	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.6	27.1	33.3	2 / 7	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	10.2	12.5	6.1	0 / 7	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	39.8	39.6	39.4	2 / 7	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.0	45.8	39.4	4 / 7	0 / 3	0 / 2
Number of Egg/Embryo Banking Cycles						
	24	19	14	8	8	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	26			40		
Number of transfers	22			36		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	46.2			22.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2			22.2		
Percentage of transfers resulting in singleton live births (%)	31.8			30.6		
Percentage of transfers resulting in twin live births (%)	18.2			0.0		
Percentage of transfers resulting in live births (%)	50.0			30.6		
Percentage of transfers resulting in pregnancies (%)	63.6			36.1		

CURRENT SERVICES & PROFILE

Current Name: Northern California Fertility Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sae Sohn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	65%	Tubal factor	11%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	44%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	6%
				Endometriosis	4%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 415 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	116	65	40	18	6	0
Percentage of cancellations before retrieval (%)	6.0	9.2	17.5	4 / 18	0 / 6	
Average number of embryos transferred	1.4	1.8	2.4	2.7	3.8	
Percentage of embryos transferred resulting in implantation (%)	56.2	39.4	25.7	12.5	0 / 15	
Percentage of elective single embryo transfers (eSET) (%)	56.6	31.6	0.0	0 / 9	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	37.1	32.3	25.0	1 / 18	0 / 6	
Percentage of cycles resulting in singleton live births (%)	41.4	33.8	25.0	1 / 18	0 / 6	
Percentage of cycles resulting in twin live births (%)	9.5	9.2	10.0	1 / 18	0 / 6	
Percentage of cycles resulting in live births (%)	50.9	44.6	35.0	2 / 18	0 / 6	
Percentage of cycles resulting in pregnancies (%)	59.5	49.2	35.0	3 / 18	0 / 6	
Outcomes per Transfer						
Number of transfers	100	57	31	10	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.0	36.8	32.3	1 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	48.0	38.6	32.3	1 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	11.0	10.5	12.9	1 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	59.0	50.9	45.2	2 / 10	0 / 4	
Percentage of transfers resulting in pregnancies (%)	69.0	56.1	45.2	3 / 10	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	65	39	18	4	2	2
Number of transfers	61	36	18	3	2	1
Estimated average number of transfers per retrieval	2.9	1.8	2.0	1.5	0.7	
Average number of embryos transferred	1.6	1.4	1.8	2.3	1.5	4.0
Percentage of embryos transferred resulting in implantation (%)	48.9	41.7	16.1	1 / 7	1 / 3	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.7	36.1	5 / 18	1 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.6	36.1	5 / 18	1 / 3	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	13.1	2.8	0 / 18	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	55.7	38.9	5 / 18	1 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	63.9	52.8	6 / 18	1 / 3	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	2	2	1	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			12		
Number of transfers	17			12		
Average number of embryos transferred	1.4			1.4		
Percentage of embryos transferred resulting in implantation (%)	69.6			6 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 17			2 / 12		
Percentage of transfers resulting in singleton live births (%)	3 / 17			2 / 12		
Percentage of transfers resulting in twin live births (%)	6 / 17			2 / 12		
Percentage of transfers resulting in live births (%)	9 / 17			4 / 12		
Percentage of transfers resulting in pregnancies (%)	11 / 17			4 / 12		

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	46%
Used gestational carrier	2%			Diminished ovarian reserve	48%	Other factor	10%
				Endometriosis	1%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 494 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	38	21	14	11	1
Percentage of cancellations before retrieval (%)	19.7	15.8	28.6	3 / 14	4 / 11	1 / 1
Average number of embryos transferred	1.7	1.8	2.2	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	34.8	17.2	1 / 10	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	24.0	4 / 17	1 / 5	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.2	2.6	4.8	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	16.7	2.6	4.8	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	3.0	5.3	0.0	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	19.7	7.9	4.8	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	19.7	13.2	14.3	0 / 14	1 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	27	18	6	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	1 / 18	1 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.7	1 / 18	1 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.4	2 / 18	0 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	48.1	3 / 18	1 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	48.1	5 / 18	3 / 6	0 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	37	24	8	2	0
Number of transfers	66	35	22	8	2	0
Estimated average number of transfers per retrieval	1.0	0.8	0.5	0.5	0.3	0.0
Average number of embryos transferred	1.4	1.3	1.3	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	31.1	33.3	3 / 10	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.3	25.7	27.3	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.9	25.7	40.9	3 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	6.1	5.7	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	43.9	31.4	40.9	3 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	53.0	34.3	45.5	4 / 8	0 / 2	
Number of Egg/Embryo Banking Cycles						
	37	35	42	12	3	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		33			41	
Number of transfers		22			41	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		55.2			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.4			29.3	
Percentage of transfers resulting in singleton live births (%)		40.9			39.0	
Percentage of transfers resulting in twin live births (%)		9.1			0.0	
Percentage of transfers resulting in live births (%)		50.0			39.0	
Percentage of transfers resulting in pregnancies (%)		59.1			51.2	

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists Medical Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Larry R. Laufer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	26%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	35%
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	5%
				Endometriosis	4%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 228 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	20	25	2	0	0
Percentage of cancellations before retrieval (%)	4.4	0.0	12.0	0 / 2		
Average number of embryos transferred	1.8	2.1	1.9	3.0		
Percentage of embryos transferred resulting in implantation (%)	65.8	61.3	43.8	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	19.0	0 / 16	0 / 17	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.1	5.0	16.0	0 / 2		
Percentage of cycles resulting in singleton live births (%)	29.4	10.0	24.0	0 / 2		
Percentage of cycles resulting in twin live births (%)	11.8	35.0	8.0	0 / 2		
Percentage of cycles resulting in live births (%)	44.1	45.0	32.0	0 / 2		
Percentage of cycles resulting in pregnancies (%)	51.5	65.0	44.0	0 / 2		
Outcomes per Transfer						
Number of transfers	44	16	19	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.1	1 / 16	4 / 19	0 / 1		
Percentage of transfers resulting in singleton live births (%)	45.5	2 / 16	6 / 19	0 / 1		
Percentage of transfers resulting in twin live births (%)	18.2	7 / 16	2 / 19	0 / 1		
Percentage of transfers resulting in live births (%)	68.2	9 / 16	8 / 19	0 / 1		
Percentage of transfers resulting in pregnancies (%)	79.5	13 / 16	11 / 19	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	16	23	2	3	0
Number of transfers	48	16	23	2	3	0
Estimated average number of transfers per retrieval	2.0	3.2	3.3			
Average number of embryos transferred	1.5	1.7	1.7	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	48.4	36.0	37.8	0 / 3	4 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.8	4 / 16	17.4	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 16	26.1	0 / 2	1 / 3	
Percentage of transfers resulting in twin live births (%)	6.3	1 / 16	4.3	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	39.6	6 / 16	30.4	0 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)	60.4	7 / 16	56.5	0 / 2	3 / 3	
Number of Egg/Embryo Banking Cycles						
	4	2	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			9		
Number of transfers	4			9		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			4 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			1 / 9		
Percentage of transfers resulting in singleton live births (%)	0 / 4			4 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 9		
Percentage of transfers resulting in live births (%)	1 / 4			4 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 4			5 / 9		

CURRENT SERVICES & PROFILE

Current Name: Naval Medical Center San Diego Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SAN DIEGO FERTILITY CENTER SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by L. Michael Kettel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	7%	Uterine factor	7%
Unstimulated	2%	PGD/PGS	12%	Ovulatory dysfunction	4%	Male factor	29%
Used gestational carrier	3%			Diminished ovarian reserve	63%	Other factor	8%
				Endometriosis	2%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,144 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	111	66	72	45	13	5
Percentage of cancellations before retrieval (%)	12.6	15.2	16.7	22.2	3 / 13	2 / 5
Average number of embryos transferred	2.0	2.2	2.4	2.4	2.4	2.5
Percentage of embryos transferred resulting in implantation (%)	32.5	22.8	19.8	5.9	3 / 12	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	10.2	8.1	4.3	0 / 17	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.7	10.6	16.7	2.2	2 / 13	0 / 5
Percentage of cycles resulting in singleton live births (%)	15.3	13.6	16.7	2.2	2 / 13	0 / 5
Percentage of cycles resulting in twin live births (%)	8.1	6.1	4.2	2.2	0 / 13	0 / 5
Percentage of cycles resulting in live births (%)	23.4	21.2	20.8	4.4	2 / 13	0 / 5
Percentage of cycles resulting in pregnancies (%)	25.2	21.2	26.4	4.4	3 / 13	0 / 5
Outcomes per Transfer						
Number of transfers	61	42	47	21	5	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.3	16.7	25.5	4.8	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	27.9	21.4	25.5	4.8	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	14.8	9.5	6.4	4.8	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	42.6	33.3	31.9	9.5	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.9	33.3	40.4	9.5	3 / 5	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	49	37	23	10	0
Number of transfers	80	48	33	19	9	0
Estimated average number of transfers per retrieval	1.2	0.9	0.5	0.4	0.5	0.0
Average number of embryos transferred	1.8	1.9	1.9	2.1	1.9	
Percentage of embryos transferred resulting in implantation (%)	39.7	29.3	14.0	12.5	4 / 17	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.3	12.5	12.1	4 / 19	2 / 9	
Percentage of transfers resulting in singleton live births (%)	30.0	20.8	15.2	4 / 19	2 / 9	
Percentage of transfers resulting in twin live births (%)	16.3	12.5	0.0	0 / 19	0 / 9	
Percentage of transfers resulting in live births (%)	46.3	35.4	15.2	4 / 19	2 / 9	
Percentage of transfers resulting in pregnancies (%)	55.0	37.5	39.4	5 / 19	4 / 9	
Number of Egg/Embryo Banking Cycles						
	23	21	45	35	15	9
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	207			271		
Number of transfers	181			241		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	54.7			31.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.6			24.1		
Percentage of transfers resulting in singleton live births (%)	36.5			28.6		
Percentage of transfers resulting in twin live births (%)	22.7			7.1		
Percentage of transfers resulting in live births (%)	59.1			36.1		
Percentage of transfers resulting in pregnancies (%)	69.1			47.3		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: San Diego Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WILLIAMS OB/GYN & ASSOCIATES SAN DIMAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard A. Williams, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	6%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	63%	Male factor	19%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	0%
				Endometriosis	19%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 19 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	3	7	2	1	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 3	0 / 7	0 / 2	0 / 1	
Average number of embryos transferred	2.0	1.7	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 6	1 / 5	2 / 15	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 2	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 3	1 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 3	0 / 3	1 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 3	0 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	0 / 3	0 / 3	1 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	2 / 3	1 / 3	2 / 7	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	3	3	6	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 3	1 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 3	1 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 3	0 / 3	1 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 3	2 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Williams OB/GYN & Associates

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Collin B. Smikle, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	10%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	15%	Male factor	36%
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	6%
				Endometriosis	4%	Unknown factor	26%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 234 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	13	15	4	4	1
Percentage of cancellations before retrieval (%)	2.4	0 / 13	1 / 15	0 / 4	0 / 4	0 / 1
Average number of embryos transferred	1.8	1.8	3.0	2.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	27.1	27.3	8.3	0 / 7	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	13.8	2 / 10	0 / 12	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.6	2 / 13	2 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	14.6	3 / 13	2 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	7.3	0 / 13	0 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	22.0	3 / 13	2 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	29.3	6 / 13	3 / 15	0 / 4	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	33	12	12	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	2 / 12	2 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	18.2	3 / 12	2 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 12	0 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	27.3	3 / 12	2 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	36.4	6 / 12	3 / 12	0 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	20	15	6	4	0
Number of transfers	25	20	15	6	4	0
Estimated average number of transfers per retrieval	1.0	1.3	0.7	0.3	0.4	
Average number of embryos transferred	1.5	1.6	1.7	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	64.9	61.3	60.0	4 / 9	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.0	40.0	8 / 15	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	44.0	60.0	9 / 15	1 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	12.0	5.0	0 / 15	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	56.0	65.0	9 / 15	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	80.0	85.0	13 / 15	4 / 6	0 / 4	
Number of Egg/Embryo Banking Cycles						
	13	14	18	16	9	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			14		
Number of transfers	0			14		
Average number of embryos transferred				1.7		
Percentage of embryos transferred resulting in implantation (%)				37.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				5 / 14		
Percentage of transfers resulting in singleton live births (%)				5 / 14		
Percentage of transfers resulting in twin live births (%)				1 / 14		
Percentage of transfers resulting in live births (%)				6 / 14		
Percentage of transfers resulting in pregnancies (%)				8 / 14		

CURRENT SERVICES & PROFILE

Current Name: Laurel Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Philip E. Chenette, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	38%	Tubal factor	6%	Uterine factor	10%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	9%	Male factor	31%
Used gestational carrier	1%			Diminished ovarian reserve	50%	Other factor	19%
				Endometriosis	6%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,825 (includes 59 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	84	52	68	41	25	9
Percentage of cancellations before retrieval (%)	20.2	26.9	27.9	17.1	36.0	0 / 9
Average number of embryos transferred	1.3	1.6	2.3	2.8	3.8	2.5
Percentage of embryos transferred resulting in implantation (%)	43.5	22.9	10.3	8.8	4.5	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	68.9	42.9	11.1	1 / 13	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	7.7	7.4	7.3	4.0	0 / 9
Percentage of cycles resulting in singleton live births (%)	25.0	7.7	7.4	7.3	4.0	0 / 9
Percentage of cycles resulting in twin live births (%)	2.4	3.8	1.5	0.0	0.0	0 / 9
Percentage of cycles resulting in live births (%)	27.4	11.5	8.8	7.3	4.0	0 / 9
Percentage of cycles resulting in pregnancies (%)	31.0	15.4	11.8	14.6	8.0	0 / 9
Outcomes per Transfer						
Number of transfers	52	24	31	15	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.5	16.7	16.1	3 / 15	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.4	16.7	16.1	3 / 15	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	3.8	8.3	3.2	0 / 15	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	44.2	25.0	19.4	3 / 15	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	33.3	25.8	6 / 15	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	128	168	158	45	19	7
Number of transfers	114	152	138	42	14	6
Estimated average number of transfers per retrieval	0.8	0.7	0.7	0.4	0.4	0.2
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	52.8	58.3	54.2	57.4	7 / 18	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.9	42.1	37.7	38.1	6 / 14	2 / 6
Percentage of transfers resulting in singleton live births (%)	50.0	51.3	43.5	45.2	6 / 14	2 / 6
Percentage of transfers resulting in twin live births (%)	1.8	2.0	3.6	2.4	0 / 14	0 / 6
Percentage of transfers resulting in live births (%)	51.8	53.3	47.1	50.0	6 / 14	2 / 6
Percentage of transfers resulting in pregnancies (%)	58.8	61.8	56.5	57.1	9 / 14	3 / 6
Number of Egg/Embryo Banking Cycles						
	125	197	193	93	39	33
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	49			233		
Number of transfers	45			217		
Average number of embryos transferred	1.2			1.2		
Percentage of embryos transferred resulting in implantation (%)	56.9			40.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.2			27.2		
Percentage of transfers resulting in singleton live births (%)	44.4			33.6		
Percentage of transfers resulting in twin live births (%)	4.4			1.8		
Percentage of transfers resulting in live births (%)	48.9			35.5		
Percentage of transfers resulting in pregnancies (%)	62.2			46.1		

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Marcelle I. Cedars, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	22%
Used gestational carrier	<1%			Diminished ovarian reserve	45%	Other factor	9%
				Endometriosis	4%	Unknown factor	21%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,965 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	144	164	212	150	77	18
Percentage of cancellations before retrieval (%)	10.4	19.5	24.1	24.7	22.1	5 / 18
Average number of embryos transferred	1.6	1.9	2.7	4.1	4.4	5.4
Percentage of embryos transferred resulting in implantation (%)	41.1	31.5	16.5	8.6	8.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	45.8	21.1	3.3	0.0	2.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.1	21.3	9.0	7.3	7.8	1 / 18
Percentage of cycles resulting in singleton live births (%)	30.6	24.4	10.8	8.7	10.4	1 / 18
Percentage of cycles resulting in twin live births (%)	4.9	6.1	4.2	1.3	0.0	0 / 18
Percentage of cycles resulting in live births (%)	35.4	30.5	15.1	10.0	10.4	1 / 18
Percentage of cycles resulting in pregnancies (%)	41.7	34.8	24.5	19.3	27.3	1 / 18
Outcomes per Transfer						
Number of transfers	105	116	134	80	54	11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.1	30.2	14.2	13.8	11.1	1 / 11
Percentage of transfers resulting in singleton live births (%)	41.9	34.5	17.2	16.3	14.8	1 / 11
Percentage of transfers resulting in twin live births (%)	6.7	8.6	6.7	2.5	0.0	0 / 11
Percentage of transfers resulting in live births (%)	48.6	43.1	23.9	18.8	14.8	1 / 11
Percentage of transfers resulting in pregnancies (%)	57.1	49.1	38.8	36.3	38.9	1 / 11
Frozen Embryos from Nondonor Eggs						
Number of cycles	111	157	151	61	34	12
Number of transfers	105	142	139	58	30	11
Estimated average number of transfers per retrieval	0.8	0.7	0.8	0.6	0.5	0.6
Average number of embryos transferred	1.6	1.6	2.0	2.7	3.7	3.1
Percentage of embryos transferred resulting in implantation (%)	35.8	38.6	26.8	16.6	7.2	8.8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	26.1	23.0	13.8	16.7	0 / 11
Percentage of transfers resulting in singleton live births (%)	41.9	31.0	27.3	15.5	20.0	0 / 11
Percentage of transfers resulting in twin live births (%)	3.8	7.7	6.5	6.9	0.0	0 / 11
Percentage of transfers resulting in live births (%)	45.7	39.4	33.8	22.4	20.0	0 / 11
Percentage of transfers resulting in pregnancies (%)	52.4	50.7	43.2	39.7	33.3	3 / 11
Number of Egg/Embryo Banking Cycles						
	89	139	120	79	43	14
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		73			102	
Number of transfers		63			101	
Average number of embryos transferred		1.3			1.5	
Percentage of embryos transferred resulting in implantation (%)		62.3			34.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.3			30.7	
Percentage of transfers resulting in singleton live births (%)		38.1			34.7	
Percentage of transfers resulting in twin live births (%)		12.7			5.9	
Percentage of transfers resulting in live births (%)		50.8			40.6	
Percentage of transfers resulting in pregnancies (%)		71.4			48.5	

CURRENT SERVICES & PROFILE

Current Name: UCSF Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALO ALTO MEDICAL FOUNDATION FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by G. David Adamson, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	71%	Tubal factor	11%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	10%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	16%
				Endometriosis	8%	Unknown factor	17%
						Multiple Factors:	
						Female factors only	11%
						Female & male factors	21%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 914 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		175	94	139	71	38	14
Percentage of cancellations before retrieval (%)		8.6	9.6	24.5	16.9	10.5	5 / 14
Average number of embryos transferred		1.5	1.7	2.3	2.9	3.0	2.1
Percentage of embryos transferred resulting in implantation (%)		28.4	28.8	14.2	8.1	1.1	0 / 15
Percentage of elective single embryo transfers (eSET) (%)		49.6	31.0	9.8	4.2	0.0	0 / 4
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		22.3	24.5	10.8	9.9	0.0	0 / 14
Percentage of cycles resulting in singleton live births (%)		24.6	29.8	14.4	9.9	2.6	0 / 14
Percentage of cycles resulting in twin live births (%)		2.3	1.1	2.2	0.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)		26.9	30.9	16.5	9.9	2.6	0 / 14
Percentage of cycles resulting in pregnancies (%)		31.4	38.3	22.3	19.7	2.6	0 / 14
Outcomes per Transfer							
Number of transfers		143	79	93	54	31	7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.3	29.1	16.1	13.0	0.0	0 / 7
Percentage of transfers resulting in singleton live births (%)		30.1	35.4	21.5	13.0	3.2	0 / 7
Percentage of transfers resulting in twin live births (%)		2.8	1.3	3.2	0.0	0.0	0 / 7
Percentage of transfers resulting in live births (%)		32.9	36.7	24.7	13.0	3.2	0 / 7
Percentage of transfers resulting in pregnancies (%)		38.5	45.6	33.3	25.9	3.2	0 / 7
Frozen Embryos from Nondonor Eggs							
Number of cycles		87	74	62	21	11	4
Number of transfers		87	74	62	21	11	4
Estimated average number of transfers per retrieval		1.4	1.7	1.6	1.0	1.1	4.0
Average number of embryos transferred		1.5	1.4	1.5	1.5	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)		26.8	17.5	23.5	16.1	0.0	2 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		24.1	23.0	16.1	9.5	0 / 11	0 / 4
Percentage of transfers resulting in singleton live births (%)		25.3	24.3	19.4	14.3	0 / 11	0 / 4
Percentage of transfers resulting in twin live births (%)		2.3	0.0	3.2	0.0	0 / 11	1 / 4
Percentage of transfers resulting in live births (%)		27.6	24.3	22.6	14.3	0 / 11	1 / 4
Percentage of transfers resulting in pregnancies (%)		36.8	29.7	37.1	28.6	0 / 11	1 / 4
Number of Egg/Embryo Banking Cycles		11	16	17	15	6	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		30			26		
Number of transfers		29			26		
Average number of embryos transferred		1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)		50.0			34.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.9			19.2		
Percentage of transfers resulting in singleton live births (%)		41.4			19.2		
Percentage of transfers resulting in twin live births (%)		6.9			3.8		
Percentage of transfers resulting in live births (%)		48.3			26.9		
Percentage of transfers resulting in pregnancies (%)		58.6			26.9		

CURRENT SERVICES & PROFILE		Current Name: Palo Alto Medical Foundation Fertility Physicians of Northern California			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
				Verified lab accreditation?	Yes
				(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALEX STEINLEITNER, MD SAN LUIS OBISPO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Alex J. Steinleitner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	13%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	45%
Used gestational carrier	8%			Diminished ovarian reserve	14%	Other factor	6%
				Endometriosis	4%	Unknown factor	21%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 176 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	10	13	9	4	0
Percentage of cancellations before retrieval (%)	43.3	4 / 10	3 / 13	1 / 9	1 / 4	
Average number of embryos transferred	2.1	1.8	3.3	3.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	51.7	6 / 9	25.0	14.3	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	0 / 4	0 / 7	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3.3	3 / 10	2 / 13	0 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	3.3	3 / 10	2 / 13	0 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	23.3	1 / 10	1 / 13	1 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	26.7	4 / 10	3 / 13	1 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	26.7	4 / 10	4 / 13	2 / 9	0 / 4	
Outcomes per Transfer						
Number of transfers	14	5	7	6	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 14	3 / 5	2 / 7	0 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 14	3 / 5	2 / 7	0 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	7 / 14	1 / 5	1 / 7	1 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	8 / 14	4 / 5	3 / 7	1 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	8 / 14	4 / 5	4 / 7	2 / 6	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	12	8	3	0	0
Number of transfers	32	12	8	3	0	0
Estimated average number of transfers per retrieval	1.0	1.1	1.1	1.5		
Average number of embryos transferred	1.8	1.7	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	32.7	1 / 18	4 / 14	0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.8	1 / 12	2 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 12	2 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	9.4	0 / 12	1 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	34.4	1 / 12	3 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 12	4 / 8	0 / 3		
Number of Egg/Embryo Banking Cycles						
	24	5	5	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			12		
Number of transfers	3			12		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	5 / 6			15.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			1 / 12		
Percentage of transfers resulting in singleton live births (%)	1 / 3			1 / 12		
Percentage of transfers resulting in twin live births (%)	2 / 3			1 / 12		
Percentage of transfers resulting in live births (%)	3 / 3			2 / 12		
Percentage of transfers resulting in pregnancies (%)	3 / 3			4 / 12		

CURRENT SERVICES & PROFILE

Current Name: Alex Steinleitner, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	13%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	33%
				Endometriosis	9%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,562 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	191	140	106	51	21	3
Percentage of cancellations before retrieval (%)	7.9	11.4	19.8	27.5	4.8	1 / 3
Average number of embryos transferred	1.4	1.4	1.9	2.2	2.1	3.0
Percentage of embryos transferred resulting in implantation (%)	58.0	51.5	30.4	22.2	0 / 12	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	63.6	60.0	5.5	0.0	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	37.7	27.1	14.2	7.8	0.0	0 / 3
Percentage of cycles resulting in singleton live births (%)	42.9	31.4	17.0	9.8	0.0	0 / 3
Percentage of cycles resulting in twin live births (%)	5.2	6.4	4.7	2.0	0.0	0 / 3
Percentage of cycles resulting in live births (%)	48.7	37.9	21.7	11.8	0.0	0 / 3
Percentage of cycles resulting in pregnancies (%)	55.0	47.1	30.2	19.6	14.3	0 / 3
Outcomes per Transfer						
Number of transfers	151	102	62	21	8	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.7	37.3	24.2	19.0	0 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	54.3	43.1	29.0	23.8	0 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	6.6	8.8	8.1	4.8	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	61.6	52.0	37.1	28.6	0 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	69.5	64.7	51.6	47.6	3 / 8	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	188	121	138	67	33	5
Number of transfers	170	110	119	56	24	5
Estimated average number of transfers per retrieval	1.7	1.2	0.9	0.8	0.8	0.7
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	47.7	53.3	38.9	34.3	18.5	3 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.4	33.6	29.4	30.4	12.5	1 / 5
Percentage of transfers resulting in singleton live births (%)	34.7	40.9	34.5	37.5	12.5	1 / 5
Percentage of transfers resulting in twin live births (%)	9.4	7.3	3.4	0.0	4.2	1 / 5
Percentage of transfers resulting in live births (%)	44.1	48.2	37.8	37.5	16.7	2 / 5
Percentage of transfers resulting in pregnancies (%)	53.5	60.9	47.9	48.2	29.2	2 / 5
Number of Egg/Embryo Banking Cycles						
	50	52	105	59	20	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		75			111	
Number of transfers		67			97	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		68.8			48.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		47.8			34.0	
Percentage of transfers resulting in singleton live births (%)		55.2			43.3	
Percentage of transfers resulting in twin live births (%)		9.0			6.2	
Percentage of transfers resulting in live births (%)		64.2			49.5	
Percentage of transfers resulting in pregnancies (%)		77.6			52.6	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by René B. Allen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	7%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	2%	Male factor	10%
Used gestational carrier	2%			Diminished ovarian reserve	43%	Other factor	23%
				Endometriosis	<1%	Unknown factor	26%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 150 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	9	22	10	12	0
Percentage of cancellations before retrieval (%)	0 / 14	0 / 9	13.6	0 / 10	1 / 12	
Average number of embryos transferred	1.4	2.3	2.3	3.1	4.5	
Percentage of embryos transferred resulting in implantation (%)	8 / 18	19.0	12.5	16.0	0.0	
Percentage of elective single embryo transfers (eSET) (%)	8 / 13	1 / 9	2 / 16	0 / 7	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7 / 14	1 / 9	0.0	1 / 10	0 / 12	
Percentage of cycles resulting in singleton live births (%)	7 / 14	1 / 9	4.5	1 / 10	0 / 12	
Percentage of cycles resulting in twin live births (%)	0 / 14	1 / 9	4.5	0 / 10	0 / 12	
Percentage of cycles resulting in live births (%)	7 / 14	2 / 9	9.1	1 / 10	0 / 12	
Percentage of cycles resulting in pregnancies (%)	8 / 14	3 / 9	22.7	2 / 10	0 / 12	
Outcomes per Transfer						
Number of transfers	13	9	18	8	8	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 13	1 / 9	0 / 18	1 / 8	0 / 8	
Percentage of transfers resulting in singleton live births (%)	7 / 13	1 / 9	1 / 18	1 / 8	0 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 9	1 / 18	0 / 8	0 / 8	
Percentage of transfers resulting in live births (%)	7 / 13	2 / 9	2 / 18	1 / 8	0 / 8	
Percentage of transfers resulting in pregnancies (%)	8 / 13	3 / 9	5 / 18	2 / 8	0 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	8	5	6	3	1
Number of transfers	11	6	5	4	3	1
Estimated average number of transfers per retrieval	1.0	0.5	0.4	4.0	1.5	1.0
Average number of embryos transferred	1.5	1.8	2.0	2.3	5.0	1.0
Percentage of embryos transferred resulting in implantation (%)	6 / 15	4 / 11	3 / 10	1 / 9	1 / 15	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 11	4 / 6	1 / 5	1 / 4	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 11	4 / 6	3 / 5	1 / 4	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 6	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	4 / 11	4 / 6	3 / 5	1 / 4	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 11	4 / 6	3 / 5	1 / 4	1 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	6	7	9	0	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			12		
Number of transfers	9			11		
Average number of embryos transferred	1.4			1.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 13			5 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 9			4 / 11		
Percentage of transfers resulting in singleton live births (%)	1 / 9			5 / 11		
Percentage of transfers resulting in twin live births (%)	1 / 9			0 / 11		
Percentage of transfers resulting in live births (%)	2 / 9			5 / 11		
Percentage of transfers resulting in pregnancies (%)	3 / 9			6 / 11		

CURRENT SERVICES & PROFILE

Current Name: Santa Barbara Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	4%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	2%	Male factor	6%
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	90%
				Endometriosis	0%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 240 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	1	8	2	0	0
Percentage of cancellations before retrieval (%)		0 / 1	1 / 8	0 / 2		
Average number of embryos transferred		2.0	2.8	4.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	4 / 11	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 1	1 / 8	0 / 2		
Percentage of cycles resulting in singleton live births (%)		0 / 1	2 / 8	0 / 2		
Percentage of cycles resulting in twin live births (%)		0 / 1	1 / 8	0 / 2		
Percentage of cycles resulting in live births (%)		0 / 1	3 / 8	0 / 2		
Percentage of cycles resulting in pregnancies (%)		0 / 1	3 / 8	0 / 2		
Outcomes per Transfer						
Number of transfers	0	1	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 1	2 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 5	0 / 2		
Percentage of transfers resulting in live births (%)		0 / 1	3 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)		0 / 1	3 / 5	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	4	8	3	4	3
Number of transfers	4	4	8	3	4	3
Estimated average number of transfers per retrieval	0.3	0.2	0.3	0.3	0.3	0.1
Average number of embryos transferred	1.3	1.3	1.0	1.7	2.5	4.3
Percentage of embryos transferred resulting in implantation (%)	4 / 5	4 / 4	7 / 7	4 / 5	3 / 10	0 / 13
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4	2 / 4	3 / 8	1 / 3	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 4	2 / 4	4 / 8	1 / 3	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 4	0 / 8	0 / 3	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	3 / 4	3 / 4	4 / 8	1 / 3	1 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 4	4 / 4	7 / 8	3 / 3	2 / 4	0 / 3
Number of Egg/Embryo Banking Cycles						
	15	20	25	11	15	27
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	31			59		
Number of transfers	31			59		
Average number of embryos transferred	1.2			1.2		
Percentage of embryos transferred resulting in implantation (%)	78.9			71.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.2			37.3		
Percentage of transfers resulting in singleton live births (%)	61.3			50.8		
Percentage of transfers resulting in twin live births (%)	16.1			13.6		
Percentage of transfers resulting in live births (%)	77.4			64.4		
Percentage of transfers resulting in pregnancies (%)	80.6			71.2		

CURRENT SERVICES & PROFILE

Current Name: Santa Monica Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA UCLA GYN SUBSPECIALTIES GROUP SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	48%	Tubal factor	2%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	13%
				Endometriosis	4%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 101 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	5	3	5	3	1
Percentage of cancellations before retrieval (%)	2 / 6	2 / 5	1 / 3	1 / 5	3 / 3	0 / 1
Average number of embryos transferred	2.0	2.0	1.0	4.0		3.0
Percentage of embryos transferred resulting in implantation (%)	0 / 2	3 / 4	0 / 1	0 / 4		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 2		0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 6	0 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 6	0 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 6	1 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	0 / 6	1 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	0 / 6	2 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	1	2	1	1	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	0 / 1	1 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 2	0 / 1	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	6	7	4	0	0
Number of transfers	10	5	6	2	0	0
Estimated average number of transfers per retrieval	1.0	0.3	0.5	0.3	0.0	
Average number of embryos transferred	1.3	1.4	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	6 / 13	4 / 7	0 / 9	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10	3 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 10	4 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	4 / 10	4 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 10	4 / 5	0 / 6	0 / 2		
Number of Egg/Embryo Banking Cycles						
	10	16	12	6	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			3		
Number of transfers	0			2		
Average number of embryos transferred				1.5		
Percentage of embryos transferred resulting in implantation (%)				0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	19%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	12%
				Endometriosis	8%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 195 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	13	18	13	3	0
Percentage of cancellations before retrieval (%)	3.0	0 / 13	0 / 18	4 / 13	0 / 3	
Average number of embryos transferred	1.9	2.3	3.5	4.7	4.3	
Percentage of embryos transferred resulting in implantation (%)	41.4	39.3	13.0	10.8	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	3.4	0 / 12	0 / 16	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.3	5 / 13	5 / 18	3 / 13	0 / 3	
Percentage of cycles resulting in singleton live births (%)	33.3	5 / 13	5 / 18	3 / 13	0 / 3	
Percentage of cycles resulting in twin live births (%)	18.2	3 / 13	0 / 18	0 / 13	0 / 3	
Percentage of cycles resulting in live births (%)	51.5	8 / 13	5 / 18	3 / 13	0 / 3	
Percentage of cycles resulting in pregnancies (%)	54.5	8 / 13	9 / 18	5 / 13	0 / 3	
Outcomes per Transfer						
Number of transfers	31	12	16	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.3	5 / 12	5 / 16	3 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.5	5 / 12	5 / 16	3 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	19.4	3 / 12	0 / 16	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	54.8	8 / 12	5 / 16	3 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	58.1	8 / 12	9 / 16	5 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	9	10	2	1	1
Number of transfers	25	9	10	2	1	1
Estimated average number of transfers per retrieval	1.4	3.0	0.9	0.3	1.0	
Average number of embryos transferred	1.8	1.6	2.4	1.5	2.0	5.0
Percentage of embryos transferred resulting in implantation (%)	43.2	6 / 14	25.0	1 / 3	1 / 2	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.0	3 / 9	2 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.0	3 / 9	2 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	20.0	0 / 9	2 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	56.0	3 / 9	4 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	5 / 9	4 / 10	1 / 2	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	11	2	5	3	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			28		
Number of transfers	9			26		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 17			45.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9			23.1		
Percentage of transfers resulting in singleton live births (%)	3 / 9			23.1		
Percentage of transfers resulting in twin live births (%)	3 / 9			15.4		
Percentage of transfers resulting in live births (%)	6 / 9			42.3		
Percentage of transfers resulting in pregnancies (%)	7 / 9			69.2		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	20%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	14%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	14%
				Endometriosis	6%	Unknown factor	29%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 90 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	3	7	3	4	1
Percentage of cancellations before retrieval (%)	0 / 14	0 / 3	1 / 7	1 / 3	1 / 4	0 / 1
Average number of embryos transferred	1.8	2.0	2.0	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 12	1 / 4	1 / 10	0 / 2	0 / 2	1 / 1
Percentage of elective single embryo transfers (eSET) (%)	2 / 7	0 / 2	1 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 14	0 / 3	1 / 7	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 14	0 / 3	1 / 7	0 / 3	0 / 4	1 / 1
Percentage of cycles resulting in twin live births (%)	0 / 14	0 / 3	0 / 7	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	2 / 14	0 / 3	1 / 7	0 / 3	0 / 4	1 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 14	1 / 3	1 / 7	0 / 3	0 / 4	1 / 1
Outcomes per Transfer						
Number of transfers	8	2	5	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8	0 / 2	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 8	0 / 2	1 / 5	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 8	0 / 2	1 / 5	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 8	1 / 2	1 / 5	0 / 1	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	7	3	1	2	0
Number of transfers	21	7	3	1	2	0
Estimated average number of transfers per retrieval	1.8	1.8	0.6	0.2	0.5	
Average number of embryos transferred	1.8	1.6	1.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	5 / 10	2 / 4	0 / 1	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8	3 / 7	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	3 / 7	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	9.5	1 / 7	1 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	42.9	4 / 7	1 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	42.9	5 / 7	1 / 3	0 / 1	1 / 2	
Number of Egg/Embryo Banking Cycles						
	6	2	5	4	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			2		
Number of transfers	2			2		
Average number of embryos transferred	1.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 2			0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 2			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in live births (%)	2 / 2			0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 2			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GARFIELD FERTILITY CENTER
SOUTH PASADENA, CALIFORNIA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

THE CENTER FOR FERTILITY AND GYNECOLOGY VERMESH CENTER FOR FERTILITY TARZANA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	7%	Uterine factor	2%
Unstimulated	5%	PGD/PGS	5%	Ovulatory dysfunction	3%	Male factor	29%
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	17%
				Endometriosis	3%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 345 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	20	26	15	8	7
Percentage of cancellations before retrieval (%)	0.0	5.0	7.7	1 / 15	1 / 8	1 / 7
Average number of embryos transferred	1.8	1.9	2.3	2.6	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)	55.3	32.4	21.8	13.5	1 / 12	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	8.7	1 / 15	5.0	0 / 11	0 / 3	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	42.3	30.0	19.2	2 / 15	1 / 8	0 / 7
Percentage of cycles resulting in singleton live births (%)	42.3	35.0	19.2	3 / 15	1 / 8	0 / 7
Percentage of cycles resulting in twin live births (%)	11.5	10.0	7.7	1 / 15	0 / 8	0 / 7
Percentage of cycles resulting in live births (%)	53.8	45.0	26.9	4 / 15	1 / 8	0 / 7
Percentage of cycles resulting in pregnancies (%)	65.4	50.0	34.6	4 / 15	1 / 8	0 / 7
Outcomes per Transfer						
Number of transfers	26	19	24	14	6	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.3	6 / 19	20.8	2 / 14	1 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	42.3	7 / 19	20.8	3 / 14	1 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	11.5	2 / 19	8.3	1 / 14	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	53.8	9 / 19	29.2	4 / 14	1 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	65.4	10 / 19	37.5	4 / 14	1 / 6	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	18	21	7	2	0
Number of transfers	23	18	21	7	2	0
Estimated average number of transfers per retrieval	0.8	0.8	0.5	0.4	0.1	0.0
Average number of embryos transferred	1.9	1.7	1.9	1.4	2.5	
Percentage of embryos transferred resulting in implantation (%)	53.5	51.7	33.3	3 / 10	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.5	11 / 18	14.3	3 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	47.8	12 / 18	28.6	3 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	26.1	1 / 18	9.5	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	73.9	13 / 18	38.1	3 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	73.9	15 / 18	47.6	3 / 7	0 / 2	
Number of Egg/Embryo Banking Cycles						
	25	20	36	17	19	10
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	20			23		
Number of transfers	20			23		
Average number of embryos transferred	1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)	63.9			57.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0			52.2		
Percentage of transfers resulting in singleton live births (%)	40.0			65.2		
Percentage of transfers resulting in twin live births (%)	35.0			8.7		
Percentage of transfers resulting in live births (%)	75.0			73.9		
Percentage of transfers resulting in pregnancies (%)	75.0			82.6		

CURRENT SERVICES & PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TREE OF LIFE CENTER FOR FERTILITY **SNUNIT BEN-OZER, MD** **TARZANA, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	3%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	59%
Used gestational carrier	0%			Diminished ovarian reserve	66%	Other factor	10%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 41 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	3	6	2	0	0
Percentage of cancellations before retrieval (%)	0 / 4	0 / 3	0 / 6	0 / 2		
Average number of embryos transferred	1.5	1.0	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 6	1 / 3	2 / 9	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	1 / 1	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 4	1 / 3	0 / 6	0 / 2		
Percentage of cycles resulting in singleton live births (%)	0 / 4	1 / 3	0 / 6	0 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 3	1 / 6	0 / 2		
Percentage of cycles resulting in live births (%)	0 / 4	1 / 3	1 / 6	0 / 2		
Percentage of cycles resulting in pregnancies (%)	2 / 4	1 / 3	1 / 6	0 / 2		
Outcomes per Transfer						
Number of transfers	4	3	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4	1 / 3	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3	0 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 4	1 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 3	1 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	2	1	3	1
Number of transfers	4	1	2	1	3	1
Estimated average number of transfers per retrieval	1.0	0.5	1.0	0.3	1.0	
Average number of embryos transferred	1.8	1.0	2.0	2.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	4 / 7	2 / 1	0 / 2	2 / 2	1 / 6	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4	0 / 1	0 / 2	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 4	0 / 1	0 / 2	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 1	0 / 2	1 / 1	0 / 3	1 / 1
Percentage of transfers resulting in live births (%)	3 / 4	1 / 1	0 / 2	1 / 1	1 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 4	1 / 1	1 / 2	1 / 1	1 / 3	1 / 1
Number of Egg/Embryo Banking Cycles						
	3	2	0	4	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 2			2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gary Hubert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	67%	Tubal factor	6%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	20%
Used gestational carrier	2%			Diminished ovarian reserve	53%	Other factor	12%
				Endometriosis	5%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,413 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	14	19	26	13	14
Percentage of cancellations before retrieval (%)	3.2	0 / 14	1 / 19	7.7	0 / 13	1 / 14
Average number of embryos transferred	1.8	1.6	2.5		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	36.7	5 / 10	0 / 5		0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	4 / 18	2 / 7	0 / 2		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	2 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in singleton live births (%)	22.6	3 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in twin live births (%)	3.2	1 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in live births (%)	25.8	4 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in pregnancies (%)	35.5	6 / 14	0 / 19	0.0	0 / 13	0 / 14
Outcomes per Transfer						
Number of transfers	18	8	2	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 18	2 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 18	3 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 18	1 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	8 / 18	4 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 18	6 / 8	0 / 2		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	194	94	97	38	15	4
Number of transfers	191	94	96	38	15	4
Estimated average number of transfers per retrieval	1.3	0.9	0.6	0.4	0.3	0.1
Average number of embryos transferred	1.5	1.4	1.3	1.4	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	52.1	54.0	48.8	42.3	31.8	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.9	33.0	28.1	31.6	4 / 15	0 / 4
Percentage of transfers resulting in singleton live births (%)	37.2	40.4	38.5	47.4	4 / 15	0 / 4
Percentage of transfers resulting in twin live births (%)	15.2	11.7	9.4	5.3	1 / 15	0 / 4
Percentage of transfers resulting in live births (%)	52.4	52.1	47.9	52.6	5 / 15	0 / 4
Percentage of transfers resulting in pregnancies (%)	64.9	61.7	56.3	55.3	6 / 15	1 / 4
Number of Egg/Embryo Banking Cycles						
	136	95	155	93	58	58
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			239		
Number of transfers	18			232		
Average number of embryos transferred	1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)	55.2			45.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 18			21.1		
Percentage of transfers resulting in singleton live births (%)	7 / 18			37.9		
Percentage of transfers resulting in twin live births (%)	4 / 18			13.8		
Percentage of transfers resulting in live births (%)	11 / 18			51.7		
Percentage of transfers resulting in pregnancies (%)	13 / 18			60.8		

CURRENT SERVICES & PROFILE

Current Name: Fertility and Surgical Associates of California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	13%	Uterine factor	2%
Unstimulated	<1%	PGD/PGS	38%	Ovulatory dysfunction	14%	Male factor	45%
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	15%
				Endometriosis	7%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 287 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	49	37	20	7	6
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0 / 7	0 / 6
Average number of embryos transferred	1.8	1.9	2.4	2.8	2.3	2.5
Percentage of embryos transferred resulting in implantation (%)	48.9	41.9	22.6	11.8	2 / 16	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	8.4	0.0	6.5	0 / 16	0 / 5	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.7	26.5	27.0	20.0	0 / 7	0 / 6
Percentage of cycles resulting in singleton live births (%)	41.8	36.7	32.4	20.0	0 / 7	0 / 6
Percentage of cycles resulting in twin live births (%)	15.3	14.3	5.4	0.0	0 / 7	0 / 6
Percentage of cycles resulting in live births (%)	57.1	53.1	37.8	20.0	0 / 7	0 / 6
Percentage of cycles resulting in pregnancies (%)	66.3	61.2	45.9	25.0	1 / 7	0 / 6
Outcomes per Transfer						
Number of transfers	98	49	36	18	7	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.7	26.5	27.8	4 / 18	0 / 7	0 / 6
Percentage of transfers resulting in singleton live births (%)	41.8	36.7	33.3	4 / 18	0 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)	15.3	14.3	5.6	0 / 18	0 / 7	0 / 6
Percentage of transfers resulting in live births (%)	57.1	53.1	38.9	4 / 18	0 / 7	0 / 6
Percentage of transfers resulting in pregnancies (%)	66.3	61.2	47.2	5 / 18	1 / 7	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	3	1	1	0
Number of transfers	6	2	3	1	0	0
Estimated average number of transfers per retrieval	0.8	0.3	0.3	0.1	0.0	0.0
Average number of embryos transferred	1.8	1.5	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 11	1 / 3	2 / 5	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 6	0 / 2	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 6	1 / 2	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 6	1 / 2	2 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 6	1 / 2	2 / 3	0 / 1		
Number of Egg/Embryo Banking Cycles						
	6	6	11	8	3	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			3		
Number of transfers	18			3		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	52.6			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 18			0 / 3		
Percentage of transfers resulting in singleton live births (%)	10 / 18			2 / 3		
Percentage of transfers resulting in twin live births (%)	4 / 18			0 / 3		
Percentage of transfers resulting in live births (%)	14 / 18			2 / 3		
Percentage of transfers resulting in pregnancies (%)	16 / 18			2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Pacific Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	19%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	10%	Male factor	19%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	19%
				Endometriosis	2%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 235 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	37	34	26	7	1
Percentage of cancellations before retrieval (%)	6.5	2.7	2.9	11.5	1 / 7	0 / 1
Average number of embryos transferred	2.2	2.3	2.6	2.7	1.8	4.0
Percentage of embryos transferred resulting in implantation (%)	46.5	30.7	21.1	11.3	0 / 10	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 18	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.1	10.8	17.6	3.8	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.4	18.9	20.6	3.8	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	13.0	10.8	0.0	3.8	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	43.5	32.4	20.6	7.7	0 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)	63.0	40.5	41.2	19.2	1 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	40	33	30	23	6	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	12.1	20.0	4.3	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.0	21.2	23.3	4.3	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	15.0	12.1	0.0	4.3	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	50.0	36.4	23.3	8.7	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	72.5	45.5	46.7	21.7	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	15	8	7	0	0
Number of transfers	20	14	8	7	0	0
Estimated average number of transfers per retrieval	1.8	1.6	1.0	7.0		
Average number of embryos transferred	2.5	2.7	3.4	3.7		
Percentage of embryos transferred resulting in implantation (%)	36.7	28.9	29.2	13.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.0	0 / 14	2 / 8	2 / 7		
Percentage of transfers resulting in singleton live births (%)	20.0	1 / 14	3 / 8	2 / 7		
Percentage of transfers resulting in twin live births (%)	20.0	2 / 14	0 / 8	0 / 7		
Percentage of transfers resulting in live births (%)	40.0	3 / 14	3 / 8	2 / 7		
Percentage of transfers resulting in pregnancies (%)	55.0	6 / 14	5 / 8	4 / 7		
Number of Egg/Embryo Banking Cycles						
	3	3	4	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			9		
Number of transfers	13			9		
Average number of embryos transferred	2.3			2.4		
Percentage of embryos transferred resulting in implantation (%)	44.0			27.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 13			0 / 9		
Percentage of transfers resulting in singleton live births (%)	4 / 13			1 / 9		
Percentage of transfers resulting in twin live births (%)	3 / 13			0 / 9		
Percentage of transfers resulting in live births (%)	7 / 13			1 / 9		
Percentage of transfers resulting in pregnancies (%)	9 / 13			4 / 9		

CURRENT SERVICES & PROFILE

Current Name: University Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH WEST HOLLYWOOD, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eliran Mor, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	10%	Uterine factor	5%
Unstimulated	2%	PGD/PGS	8%	Ovulatory dysfunction	12%	Male factor	32%
Used gestational carrier	1%			Diminished ovarian reserve	52%	Other factor	13%
				Endometriosis	4%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 421 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	40	43	21	19	16
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0 / 19	0 / 16
Average number of embryos transferred	2.3	2.6	2.6	3.7	3.1	2.4
Percentage of embryos transferred resulting in implantation (%)	37.5	35.0	28.4	11.9	6.5	0.0
Percentage of elective single embryo transfers (eSET) (%)	8.2	5.4	0.0	0 / 17	0 / 12	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	20.0	18.6	14.3	0 / 19	0 / 16
Percentage of cycles resulting in singleton live births (%)	32.1	30.0	27.9	14.3	0 / 19	0 / 16
Percentage of cycles resulting in twin live births (%)	18.9	20.0	9.3	0.0	0 / 19	0 / 16
Percentage of cycles resulting in live births (%)	50.9	50.0	37.2	14.3	0 / 19	0 / 16
Percentage of cycles resulting in pregnancies (%)	60.4	65.0	48.8	38.1	3 / 19	0 / 16
Outcomes per Transfer						
Number of transfers	52	40	39	19	15	13
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	20.0	20.5	3 / 19	0 / 15	0 / 13
Percentage of transfers resulting in singleton live births (%)	32.7	30.0	30.8	3 / 19	0 / 15	0 / 13
Percentage of transfers resulting in twin live births (%)	19.2	20.0	10.3	0 / 19	0 / 15	0 / 13
Percentage of transfers resulting in live births (%)	51.9	50.0	41.0	3 / 19	0 / 15	0 / 13
Percentage of transfers resulting in pregnancies (%)	61.5	65.0	53.8	8 / 19	3 / 15	0 / 13
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	17	14	5	6	6
Number of transfers	26	17	14	5	6	6
Estimated average number of transfers per retrieval	0.8	0.6	0.3	0.2	0.3	0.6
Average number of embryos transferred	2.0	2.1	2.8	2.4	3.3	2.0
Percentage of embryos transferred resulting in implantation (%)	37.3	16.7	15.4	1 / 11	5.0	3 / 12
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.4	1 / 17	2 / 14	1 / 5	0 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	19.2	1 / 17	3 / 14	1 / 5	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	19.2	2 / 17	0 / 14	0 / 5	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	38.5	3 / 17	3 / 14	1 / 5	0 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	53.8	4 / 17	6 / 14	2 / 5	1 / 6	2 / 6
Number of Egg/Embryo Banking Cycles						
	29	21	36	15	21	9
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			12		
Number of transfers	10			12		
Average number of embryos transferred	2.1			2.4		
Percentage of embryos transferred resulting in implantation (%)	66.7			33.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 10			1 / 12		
Percentage of transfers resulting in singleton live births (%)	4 / 10			2 / 12		
Percentage of transfers resulting in twin live births (%)	3 / 10			3 / 12		
Percentage of transfers resulting in live births (%)	7 / 10			5 / 12		
Percentage of transfers resulting in pregnancies (%)	9 / 10			6 / 12		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center, California Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE UNIVERSITY OF COLORADO AURORA, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Alex Polotsky, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	73%	Tubal factor	18%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	5%	Male factor	29%
Used gestational carrier	2%			Diminished ovarian reserve	46%	Other factor	30%
				Endometriosis	2%	Unknown factor	9%
						Multiple Factors:	
						Female factors only	20%
						Female & male factors	16%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 188 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		42	16	7	2	0	0
Percentage of cancellations before retrieval (%)		4.8	1 / 16	0 / 7	0 / 2		
Average number of embryos transferred		1.8	1.9	2.2	2.5		
Percentage of embryos transferred resulting in implantation (%)		39.3	51.9	2 / 11	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)		25.0	0 / 13	0 / 4	0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		31.0	2 / 16	2 / 7	0 / 2		
Percentage of cycles resulting in singleton live births (%)		33.3	4 / 16	2 / 7	0 / 2		
Percentage of cycles resulting in twin live births (%)		9.5	4 / 16	0 / 7	0 / 2		
Percentage of cycles resulting in live births (%)		42.9	8 / 16	2 / 7	0 / 2		
Percentage of cycles resulting in pregnancies (%)		45.2	9 / 16	2 / 7	0 / 2		
Outcomes per Transfer							
Number of transfers		33	14	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		39.4	2 / 14	2 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)		42.4	4 / 14	2 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)		12.1	4 / 14	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)		54.5	8 / 14	2 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)		57.6	9 / 14	2 / 5	0 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		27	10	8	1	0	1
Number of transfers		27	10	8	1	0	1
Estimated average number of transfers per retrieval		1.0	1.1	0.8	0.5	0.0	
Average number of embryos transferred		1.5	1.3	1.5	1.0		3.0
Percentage of embryos transferred resulting in implantation (%)		41.5	5 / 11	4 / 12	0 / 1		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.0	1 / 10	2 / 8	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)		44.4	4 / 10	2 / 8	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)		3.7	0 / 10	1 / 8	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)		48.1	4 / 10	3 / 8	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)		59.3	6 / 10	3 / 8	0 / 1		1 / 1
Number of Egg/Embryo Banking Cycles		15	6	8	2	3	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		14			26		
Number of transfers		13			26		
Average number of embryos transferred		1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)		18.2			30.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 13			15.4		
Percentage of transfers resulting in singleton live births (%)		0 / 13			23.1		
Percentage of transfers resulting in twin live births (%)		2 / 13			7.7		
Percentage of transfers resulting in live births (%)		2 / 13			30.8		
Percentage of transfers resulting in pregnancies (%)		2 / 13			42.3		

CURRENT SERVICES & PROFILE		This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.			
Current Name: Advanced Reproductive Medicine, University of Colorado					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
				Verified lab accreditation?	(See Appendix C for details.)

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	4%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	54%	Male factor	85%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	11%
				Endometriosis	<1%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 218 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	16	12	1	3	0
Percentage of cancellations before retrieval (%)	1.5	0 / 16	0 / 12	0 / 1	0 / 3	
Average number of embryos transferred	1.7	1.3	1.4	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	43.8	2 / 8	1 / 6	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	2 / 16	1 / 3	0 / 2	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.4	0 / 16	1 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in singleton live births (%)	10.3	0 / 16	1 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in twin live births (%)	2.9	0 / 16	0 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in live births (%)	13.2	0 / 16	1 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in pregnancies (%)	19.1	2 / 16	2 / 12	0 / 1	0 / 3	
Outcomes per Transfer						
Number of transfers	21	6	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8	0 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	0 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.5	0 / 6	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	42.9	0 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.9	2 / 6	2 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	11	2	0	2	1
Number of transfers	31	11	2	0	2	1
Estimated average number of transfers per retrieval	0.8	0.5	0.1	0.0	0.4	
Average number of embryos transferred	1.9	1.7	2.0		1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	8 / 19	1 / 4		0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.3	5 / 11	1 / 2		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.5	5 / 11	1 / 2		0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	12.9	1 / 11	0 / 2		0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.4	6 / 11	1 / 2		0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	71.0	7 / 11	1 / 2		1 / 2	1 / 1
Number of Egg/Embryo Banking Cycles						
	17	15	16	7	5	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			6		
Number of transfers	2			6		
Average number of embryos transferred	1.5			1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 3			5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			0 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 6		
Percentage of transfers resulting in live births (%)	0 / 2			1 / 6		
Percentage of transfers resulting in pregnancies (%)	0 / 2			3 / 6		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Fertility Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 1 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	29%	Tubal factor	9%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	24%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	9%
				Endometriosis	4%	Unknown factor	21%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	11	9	1	2	0
Percentage of cancellations before retrieval (%)	3.8	0 / 11	2 / 9	0 / 1	2 / 2	
Average number of embryos transferred	1.9	2.1	2.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	31.4	1 / 19	10.0	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	2 / 18	0 / 9	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.7	1 / 11	0 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	15.4	1 / 11	0 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.5	0 / 11	1 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	26.9	1 / 11	1 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	38.5	1 / 11	1 / 9	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	21	9	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9.5	1 / 9	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	19.0	1 / 9	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	14.3	0 / 9	1 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	33.3	1 / 9	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	47.6	1 / 9	1 / 7	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	1	2	0	0
Number of transfers	9	3	1	2	0	0
Estimated average number of transfers per retrieval	1.5	1.0	0.3			0.0
Average number of embryos transferred	1.7	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 11	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	4 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 9	0 / 3	0 / 1	0 / 2		
Number of Egg/Embryo Banking Cycles						
	0	1	4	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			9		
Number of transfers	1			7		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			3 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 1			3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 7		
Percentage of transfers resulting in live births (%)	0 / 1			3 / 7		
Percentage of transfers resulting in pregnancies (%)	0 / 1			4 / 7		

CURRENT SERVICES & PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILE HOPE IVF ALBRECHT WOMEN'S CARE DENVER IVF ENGLEWOOD, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Bruce H. Albrecht, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	73%	Tubal factor	17%	Uterine factor	1%	Multiple Factors: Female factors only 16% Female & male factors 19%		
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	17%	Male factor	28%			
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	17%			
				Endometriosis	11%	Unknown factor	3%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 78 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle		Age of Woman								
		<35	35–37	38–40	41–42	43–44	>44			
Fresh Embryos from Nondonor Eggs										
Number of cycles		22	10	10	1	5	0			
Percentage of cancellations before retrieval (%)		9.1	0 / 10	2 / 10	0 / 1	0 / 5				
Average number of embryos transferred		1.7	2.0	2.1	4.0	2.5				
Percentage of embryos transferred resulting in implantation (%)		43.3	25.0	4 / 17	0 / 4	0 / 5				
Percentage of elective single embryo transfers (eSET) (%)		5 / 17	1 / 8	1 / 7	0 / 1	0 / 2				
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		40.9	2 / 10	2 / 10	0 / 1	0 / 5				
Percentage of cycles resulting in singleton live births (%)		40.9	2 / 10	3 / 10	0 / 1	0 / 5				
Percentage of cycles resulting in twin live births (%)		4.5	0 / 10	0 / 10	0 / 1	0 / 5				
Percentage of cycles resulting in live births (%)		45.5	2 / 10	3 / 10	0 / 1	0 / 5				
Percentage of cycles resulting in pregnancies (%)		59.1	3 / 10	4 / 10	0 / 1	0 / 5				
Outcomes per Transfer										
Number of transfers		18	10	8	1	2	0			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		9 / 18	2 / 10	2 / 8	0 / 1	0 / 2				
Percentage of transfers resulting in singleton live births (%)		9 / 18	2 / 10	3 / 8	0 / 1	0 / 2				
Percentage of transfers resulting in twin live births (%)		1 / 18	0 / 10	0 / 8	0 / 1	0 / 2				
Percentage of transfers resulting in live births (%)		10 / 18	2 / 10	3 / 8	0 / 1	0 / 2				
Percentage of transfers resulting in pregnancies (%)		13 / 18	3 / 10	4 / 8	0 / 1	0 / 2				
Frozen Embryos from Nondonor Eggs										
Number of cycles		4	7	5	0	0	0			
Number of transfers		4	6	4	0	0	0			
Estimated average number of transfers per retrieval		1.0	1.5	4.0						
Average number of embryos transferred		1.8	1.8	1.5						
Percentage of embryos transferred resulting in implantation (%)		3 / 7	0 / 11	1 / 4						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 4	0 / 6	0 / 4						
Percentage of transfers resulting in singleton live births (%)		1 / 4	0 / 6	0 / 4						
Percentage of transfers resulting in twin live births (%)		1 / 4	0 / 6	0 / 4						
Percentage of transfers resulting in live births (%)		2 / 4	0 / 6	0 / 4						
Percentage of transfers resulting in pregnancies (%)		2 / 4	0 / 6	2 / 4						
Number of Egg/Embryo Banking Cycles		0	2	1	0	0	0			
Donor Eggs		Fresh Embryos ^f			Frozen Embryos ^f					
Number of cycles		9			2					
Number of transfers		7			2					
Average number of embryos transferred		1.4			1.5					
Percentage of embryos transferred resulting in implantation (%)		8 / 10			1 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 7			1 / 2					
Percentage of transfers resulting in singleton live births (%)		3 / 7			1 / 2					
Percentage of transfers resulting in twin live births (%)		1 / 7			0 / 2					
Percentage of transfers resulting in live births (%)		4 / 7			1 / 2					
Percentage of transfers resulting in pregnancies (%)		6 / 7			1 / 2					

CURRENT SERVICES & PROFILE				Current Name: Fertile Hope IVF, Albrecht Women's Care Denver IVF			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	19%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	4%	Male factor	19%
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	10%
				Endometriosis	5%	Unknown factor	27%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 74 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	11	8	1	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 8	0 / 1		
Average number of embryos transferred	2.1	2.2	3.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	36.0	29.2	15.4	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 10	0 / 8	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	54.2	6 / 11	1 / 8	0 / 1		
Percentage of cycles resulting in singleton live births (%)	58.3	6 / 11	1 / 8	0 / 1		
Percentage of cycles resulting in twin live births (%)	4.2	0 / 11	0 / 8	0 / 1		
Percentage of cycles resulting in live births (%)	62.5	6 / 11	1 / 8	0 / 1		
Percentage of cycles resulting in pregnancies (%)	62.5	7 / 11	4 / 8	0 / 1		
Outcomes per Transfer						
Number of transfers	24	11	8	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	54.2	6 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	58.3	6 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.2	0 / 11	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	62.5	6 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	62.5	7 / 11	4 / 8	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	6	2	2	0	0
Number of transfers	10	5	2	2	0	0
Estimated average number of transfers per retrieval	2.0	5.0	0.7			
Average number of embryos transferred	2.0	1.8	2.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	20.0	5 / 9	1 / 5	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 10	0 / 5	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 10	1 / 5	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 5	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 10	2 / 5	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 10	3 / 5	1 / 2	0 / 2		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			4		
Number of transfers	6			4		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 11			1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6			0 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 6			1 / 4		
Percentage of transfers resulting in twin live births (%)	3 / 6			0 / 4		
Percentage of transfers resulting in live births (%)	6 / 6			1 / 4		
Percentage of transfers resulting in pregnancies (%)	6 / 6			1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO LITTLETON, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark R. Bush, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	95%	Tubal factor	6%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	41%	Ovulatory dysfunction	14%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	8%
				Endometriosis	4%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 829 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	8	9	2	1	0
Percentage of cancellations before retrieval (%)	1 / 19	1 / 8	0 / 9	0 / 2	0 / 1	
Average number of embryos transferred	1.4	2.3	1.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	12 / 18	2 / 7	1 / 3		0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 2			0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 19	2 / 8	0 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	5 / 19	2 / 8	1 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 19	0 / 8	0 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	7 / 19	2 / 8	1 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	9 / 19	2 / 8	1 / 9	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	13	3	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 13	2 / 3	0 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 13	2 / 3	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 3	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	7 / 13	2 / 3	1 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	9 / 13	2 / 3	1 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	148	71	40	14	5	0
Number of transfers	143	69	38	14	5	0
Estimated average number of transfers per retrieval	0.8	0.6	0.6	0.3	0.3	0.0
Average number of embryos transferred	1.2	1.2	1.1	1.1	1.2	
Percentage of embryos transferred resulting in implantation (%)	72.2	77.5	74.4	9 / 14	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	49.7	43.5	63.2	8 / 14	0 / 5	
Percentage of transfers resulting in singleton live births (%)	54.5	58.0	68.4	9 / 14	1 / 5	
Percentage of transfers resulting in twin live births (%)	8.4	14.5	5.3	0 / 14	0 / 5	
Percentage of transfers resulting in live births (%)	63.6	72.5	73.7	9 / 14	1 / 5	
Percentage of transfers resulting in pregnancies (%)	76.2	78.3	76.3	11 / 14	1 / 5	
Number of Egg/Embryo Banking Cycles						
	171	109	67	51	18	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			81		
Number of transfers	6			75		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			75.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 6			48.0		
Percentage of transfers resulting in singleton live births (%)	4 / 6			54.7		
Percentage of transfers resulting in twin live births (%)	0 / 6			9.3		
Percentage of transfers resulting in live births (%)	4 / 6			65.3		
Percentage of transfers resulting in pregnancies (%)	5 / 6			78.7		

CURRENT SERVICES & PROFILE

Current Name: Conceptions Reproductive Associates of Colorado

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	5%	Uterine factor	14%
Unstimulated	<1%	PGD/PGS	38%	Ovulatory dysfunction	10%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	56%	Other factor	28%
				Endometriosis	11%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 3,373 (includes 118 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	161	66	78	48	32	15
Percentage of cancellations before retrieval (%)	4.3	9.1	3.8	14.6	6.3	5 / 15
Average number of embryos transferred	1.8	1.6	2.4	3.0	4.0	4.0
Percentage of embryos transferred resulting in implantation (%)	59.8	60.0	4 / 12	1 / 3	1 / 4	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	25.0	5 / 15	0 / 5	0 / 1	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	6.1	1.3	0.0	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	17.4	9.1	1.3	0.0	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	3.7	3.0	0.0	0.0	0.0	0 / 15
Percentage of cycles resulting in live births (%)	21.1	13.6	1.3	0.0	0.0	0 / 15
Percentage of cycles resulting in pregnancies (%)	24.2	18.2	3.8	2.1	3.1	0 / 15
Outcomes per Transfer						
Number of transfers	48	17	5	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.9	4 / 17	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	58.3	6 / 17	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2 / 17	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	70.8	9 / 17	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	81.3	12 / 17	3 / 5	1 / 1	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	408	289	261	136	58	23
Number of transfers	407	289	260	136	58	21
Estimated average number of transfers per retrieval	0.9	0.9	0.6	0.5	0.4	0.5
Average number of embryos transferred	1.6	1.5	1.4	1.4	1.4	2.2
Percentage of embryos transferred resulting in implantation (%)	64.8	61.4	59.9	69.9	50.6	28.6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.3	43.6	43.5	41.2	37.9	28.6
Percentage of transfers resulting in singleton live births (%)	45.9	50.2	50.8	50.0	44.8	28.6
Percentage of transfers resulting in twin live births (%)	19.4	15.6	10.0	11.8	5.2	4.8
Percentage of transfers resulting in live births (%)	66.3	66.4	60.8	61.8	50.0	33.3
Percentage of transfers resulting in pregnancies (%)	77.1	74.7	71.9	77.9	62.1	61.9
Number of Egg/Embryo Banking Cycles						
	377	286	369	245	138	42
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		70			153	
Number of transfers		46			153	
Average number of embryos transferred		1.6			1.5	
Percentage of embryos transferred resulting in implantation (%)		69.4			54.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.3			28.1	
Percentage of transfers resulting in singleton live births (%)		41.3			35.3	
Percentage of transfers resulting in twin live births (%)		26.1			16.3	
Percentage of transfers resulting in live births (%)		67.4			51.6	
Percentage of transfers resulting in pregnancies (%)		82.6			66.0	

CURRENT SERVICES & PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER PARKER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Deborah L. Smith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	21%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	24%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	9%
				Endometriosis	1%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 115 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	15	4	1	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 15	1 / 4	0 / 1		
Average number of embryos transferred	1.9	2.5	2.3	5.0		
Percentage of embryos transferred resulting in implantation (%)	42.3	18.9	1 / 7	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	8.1	0 / 15	0 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.0	2 / 15	1 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	30.0	2 / 15	1 / 4	1 / 1		
Percentage of cycles resulting in twin live births (%)	15.0	0 / 15	0 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	45.0	3 / 15	1 / 4	1 / 1		
Percentage of cycles resulting in pregnancies (%)	60.0	5 / 15	1 / 4	1 / 1		
Outcomes per Transfer						
Number of transfers	39	15	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.5	2 / 15	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	30.8	2 / 15	1 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	15.4	0 / 15	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	46.2	3 / 15	1 / 3	1 / 1		
Percentage of transfers resulting in pregnancies (%)	61.5	5 / 15	1 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	4	0	1	0	0
Number of transfers	15	4	0	1	0	0
Estimated average number of transfers per retrieval	1.2	0.7	0.0	0.3		0.0
Average number of embryos transferred	1.5	1.8		1.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 19	3 / 7		1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15	1 / 4		1 / 1		
Percentage of transfers resulting in singleton live births (%)	5 / 15	1 / 4		1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 4		0 / 1		
Percentage of transfers resulting in live births (%)	6 / 15	1 / 4		1 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 15	2 / 4		1 / 1		
Number of Egg/Embryo Banking Cycles						
	11	5	3	3	0	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			3	
Number of transfers		8			2	
Average number of embryos transferred		1.8			1.5	
Percentage of embryos transferred resulting in implantation (%)		10 / 14			2 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 8			1 / 2	
Percentage of transfers resulting in singleton live births (%)		3 / 8			1 / 2	
Percentage of transfers resulting in twin live births (%)		3 / 8			0 / 2	
Percentage of transfers resulting in live births (%)		6 / 8			1 / 2	
Percentage of transfers resulting in pregnancies (%)		7 / 8			1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CT FERTILITY BRIDGEPORT, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael B. Doyle, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	28%	Tubal factor	6%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	2%	Male factor	10%
Used gestational carrier	4%			Diminished ovarian reserve	29%	Other factor	49%
				Endometriosis	1%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 274 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	4	8	5	1	3
Percentage of cancellations before retrieval (%)	0.0	0 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Average number of embryos transferred	2.0	2.5	1.7	2.6		3.0
Percentage of embryos transferred resulting in implantation (%)	37.3	3 / 10	1 / 10	2 / 13		0 / 9
Percentage of elective single embryo transfers (eSET) (%)	8.0	0 / 4	1 / 5	0 / 5		0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.1	1 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	30.8	1 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	19.2	1 / 4	0 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	50.0	2 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in pregnancies (%)	53.8	2 / 4	1 / 8	1 / 5	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	26	4	6	5	0	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	1 / 4	1 / 6	0 / 5		0 / 3
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 4	1 / 6	0 / 5		0 / 3
Percentage of transfers resulting in twin live births (%)	19.2	1 / 4	0 / 6	0 / 5		0 / 3
Percentage of transfers resulting in live births (%)	50.0	2 / 4	1 / 6	0 / 5		0 / 3
Percentage of transfers resulting in pregnancies (%)	53.8	2 / 4	1 / 6	1 / 5		0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	4	2	0	0	1
Number of transfers	5	4	2	0	0	1
Estimated average number of transfers per retrieval	0.1	1.3	0.7	0.0	0.0	0.1
Average number of embryos transferred	2.0	1.8	2.0			2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 10	4 / 7	2 / 4			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5	4 / 4	2 / 2			0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 5	4 / 4	2 / 2			0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 4	0 / 2			0 / 1
Percentage of transfers resulting in live births (%)	2 / 5	4 / 4	2 / 2			0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 5	4 / 4	2 / 2			0 / 1
Number of Egg/Embryo Banking Cycles						
	33	3	3	2	3	8
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	77			81		
Number of transfers	77			81		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	59.8			41.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.9			42.0		
Percentage of transfers resulting in singleton live births (%)	46.8			48.1		
Percentage of transfers resulting in twin live births (%)	23.4			7.4		
Percentage of transfers resulting in live births (%)	70.1			55.6		
Percentage of transfers resulting in pregnancies (%)	79.2			71.6		

CURRENT SERVICES & PROFILE

Current Name: CT Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES FARMINGTON, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	7%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	26%
				Endometriosis	11%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,275 (includes 36 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	385	178	199	52	54	5
Percentage of cancellations before retrieval (%)	9.1	12.4	24.6	23.1	24.1	0 / 5
Average number of embryos transferred	1.5	1.8	2.3	2.9	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	44.5	48.5	23.3	18.3	2.5	0 / 16
Percentage of elective single embryo transfers (eSET) (%)	48.5	17.9	0.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.2	28.7	15.1	15.4	1.9	0 / 5
Percentage of cycles resulting in singleton live births (%)	34.8	32.6	16.1	15.4	1.9	0 / 5
Percentage of cycles resulting in twin live births (%)	5.5	7.9	5.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)	40.8	41.6	21.6	15.4	1.9	0 / 5
Percentage of cycles resulting in pregnancies (%)	44.9	52.8	27.6	28.8	5.6	0 / 5
Outcomes per Transfer						
Number of transfers	303	136	126	33	28	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.6	37.5	23.8	24.2	3.6	0 / 4
Percentage of transfers resulting in singleton live births (%)	44.2	42.6	25.4	24.2	3.6	0 / 4
Percentage of transfers resulting in twin live births (%)	6.9	10.3	7.9	0.0	0.0	0 / 4
Percentage of transfers resulting in live births (%)	51.8	54.4	34.1	24.2	3.6	0 / 4
Percentage of transfers resulting in pregnancies (%)	57.1	69.1	43.7	45.5	10.7	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	139	63	40	13	9	3
Number of transfers	132	59	36	13	9	3
Estimated average number of transfers per retrieval	1.4	1.4	0.9	0.9	1.3	0.5
Average number of embryos transferred	1.4	1.4	1.7	2.2	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	64.4	37.8	37.7	27.6	15.0	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.7	23.7	25.0	4 / 13	2 / 9	0 / 3
Percentage of transfers resulting in singleton live births (%)	46.2	28.8	30.6	5 / 13	2 / 9	0 / 3
Percentage of transfers resulting in twin live births (%)	15.2	6.8	13.9	1 / 13	0 / 9	0 / 3
Percentage of transfers resulting in live births (%)	62.1	35.6	44.4	6 / 13	2 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	73.5	42.4	50.0	7 / 13	3 / 9	0 / 3
Number of Egg/Embryo Banking Cycles						
	19	13	18	7	6	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		20			15	
Number of transfers		19			12	
Average number of embryos transferred		1.8			1.4	
Percentage of embryos transferred resulting in implantation (%)		71.4			7 / 17	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 19			4 / 12	
Percentage of transfers resulting in singleton live births (%)		8 / 19			4 / 12	
Percentage of transfers resulting in twin live births (%)		6 / 19			0 / 12	
Percentage of transfers resulting in live births (%)		14 / 19			4 / 12	
Percentage of transfers resulting in pregnancies (%)		16 / 19			7 / 12	

CURRENT SERVICES & PROFILE

Current Name: The Center for Advanced Reproductive Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	32%	Tubal factor	9%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	24%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	8%
				Endometriosis	3%	Unknown factor	31%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 251 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	26	35	17	9	3
Percentage of cancellations before retrieval (%)	2.4	0.0	11.4	7 / 17	3 / 9	0 / 3
Average number of embryos transferred	1.5	1.8	1.9	2.4	3.2	2.0
Percentage of embryos transferred resulting in implantation (%)	44.0	47.7	22.9	9.1	4 / 16	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	50.0	9.1	7.7	1 / 9	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.1	26.9	14.3	1 / 17	2 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	34.1	42.3	17.1	1 / 17	2 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	7.3	15.4	5.7	0 / 17	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	41.5	57.7	22.9	1 / 17	2 / 9	0 / 3
Percentage of cycles resulting in pregnancies (%)	51.2	57.7	34.3	2 / 17	3 / 9	0 / 3
Outcomes per Transfer						
Number of transfers	35	24	29	9	5	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	29.2	17.2	1 / 9	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	45.8	20.7	1 / 9	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	16.7	6.9	0 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	48.6	62.5	27.6	1 / 9	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	60.0	62.5	41.4	2 / 9	3 / 5	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	19	22	12	0	0
Number of transfers	28	19	20	10	0	0
Estimated average number of transfers per retrieval	1.2	1.1	1.2	1.3	0.0	
Average number of embryos transferred	1.4	1.5	1.4	1.5		
Percentage of embryos transferred resulting in implantation (%)	39.4	40.9	42.9	7 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.9	7 / 19	25.0	5 / 10		
Percentage of transfers resulting in singleton live births (%)	28.6	7 / 19	30.0	7 / 10		
Percentage of transfers resulting in twin live births (%)	3.6	1 / 19	10.0	0 / 10		
Percentage of transfers resulting in live births (%)	32.1	8 / 19	40.0	7 / 10		
Percentage of transfers resulting in pregnancies (%)	53.6	11 / 19	50.0	7 / 10		
Number of Egg/Embryo Banking Cycles						
	8	8	13	4	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	78%	Tubal factor	7%	Uterine factor	3%
Unstimulated	1%	PGD/PGS	4%	Ovulatory dysfunction	6%	Male factor	23%
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	31%
				Endometriosis	4%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 640 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	183	109	121	38	33	7
Percentage of cancellations before retrieval (%)	7.1	10.1	9.9	31.6	30.3	1 / 7
Average number of embryos transferred	1.7	1.8	2.1	2.3	2.7	2.6
Percentage of embryos transferred resulting in implantation (%)	35.6	31.9	18.9	7.3	2.2	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	14.2	9.7	0.0	0.0	0 / 13	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.9	20.2	16.5	7.9	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.7	23.9	19.0	7.9	3.0	0 / 7
Percentage of cycles resulting in twin live births (%)	10.9	7.3	2.5	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	36.6	32.1	21.5	7.9	3.0	0 / 7
Percentage of cycles resulting in pregnancies (%)	42.1	36.7	28.1	13.2	3.0	0 / 7
Outcomes per Transfer						
Number of transfers	160	91	96	25	17	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	24.2	20.8	12.0	0 / 17	0 / 5
Percentage of transfers resulting in singleton live births (%)	29.4	28.6	24.0	12.0	1 / 17	0 / 5
Percentage of transfers resulting in twin live births (%)	12.5	8.8	3.1	0.0	0 / 17	0 / 5
Percentage of transfers resulting in live births (%)	41.9	38.5	27.1	12.0	1 / 17	0 / 5
Percentage of transfers resulting in pregnancies (%)	48.1	44.0	35.4	20.0	1 / 17	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	13	6	6	4	0
Number of transfers	23	12	6	6	4	0
Estimated average number of transfers per retrieval	0.6	0.9	0.3	0.8	0.5	0.0
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	31.0	1 / 15	2 / 8	2 / 8	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1	1 / 12	1 / 6	2 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	34.8	1 / 12	1 / 6	2 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 6	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	34.8	1 / 12	1 / 6	2 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	39.1	1 / 12	2 / 6	2 / 6	0 / 4	
Number of Egg/Embryo Banking Cycles						
	24	8	15	7	7	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	21			14		
Number of transfers	21			14		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	60.0			23.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8			2 / 14		
Percentage of transfers resulting in singleton live births (%)	28.6			2 / 14		
Percentage of transfers resulting in twin live births (%)	38.1			1 / 14		
Percentage of transfers resulting in live births (%)	66.7			3 / 14		
Percentage of transfers resulting in pregnancies (%)	76.2			6 / 14		

CURRENT SERVICES & PROFILE

Current Name: Yale Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark P. Leondires, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	10%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	19%
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	36%
				Endometriosis	5%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,270 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	195	103	93	37	20	9
Percentage of cancellations before retrieval (%)	3.1	8.7	24.7	29.7	35.0	0 / 9
Average number of embryos transferred	1.6	1.7	1.7	1.7	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	46.5	46.3	27.1	1 / 10	0 / 5	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	33.3	16.7	4.2	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.4	14.6	5.4	0.0	0.0	0 / 9
Percentage of cycles resulting in singleton live births (%)	18.5	15.5	6.5	0.0	0.0	0 / 9
Percentage of cycles resulting in twin live births (%)	9.2	7.8	2.2	0.0	0.0	0 / 9
Percentage of cycles resulting in live births (%)	28.2	23.3	8.6	0.0	0.0	0 / 9
Percentage of cycles resulting in pregnancies (%)	33.8	29.1	14.0	2.7	0.0	0 / 9
Outcomes per Transfer						
Number of transfers	126	51	31	6	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.2	29.4	16.1	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.6	31.4	19.4	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	14.3	15.7	6.5	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	43.7	47.1	25.8	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.4	58.8	41.9	1 / 6	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	155	107	95	25	7	3
Number of transfers	134	93	75	20	6	2
Estimated average number of transfers per retrieval	1.1	1.1	0.7	0.5	0.6	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.4	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	52.5	50.0	45.3	40.0	3 / 6	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.6	30.1	40.0	20.0	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	44.0	34.4	44.0	25.0	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	9.0	9.7	4.0	5.0	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	53.0	44.1	48.0	30.0	3 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	61.9	55.9	54.7	55.0	4 / 6	2 / 2
Number of Egg/Embryo Banking Cycles						
	70	61	89	33	10	8
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		46		89		
Number of transfers		31		77		
Average number of embryos transferred		1.5		1.3		
Percentage of embryos transferred resulting in implantation (%)		67.4		55.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		45.2		33.8		
Percentage of transfers resulting in singleton live births (%)		48.4		42.9		
Percentage of transfers resulting in twin live births (%)		22.6		9.1		
Percentage of transfers resulting in live births (%)		71.0		51.9		
Percentage of transfers resulting in pregnancies (%)		80.6		61.0		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	2%	Uterine factor	2%
Unstimulated	12%	PGD/PGS	17%	Ovulatory dysfunction	5%	Male factor	3%
Used gestational carrier	4%			Diminished ovarian reserve	5%	Other factor	<1%
				Endometriosis	<1%	Unknown factor	84%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 419 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	32	42	23	14	11
Percentage of cancellations before retrieval (%)	9.7	25.0	4.8	8.7	4 / 14	4 / 11
Average number of embryos transferred	2.1	2.2	2.4	2.4	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	38.5	18.2	9.4	7.4	0 / 12	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	2.8	1 / 14	4.8	1 / 12	0 / 3	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.5	6.3	4.8	8.7	0 / 14	0 / 11
Percentage of cycles resulting in singleton live births (%)	19.4	6.3	7.1	8.7	0 / 14	0 / 11
Percentage of cycles resulting in twin live births (%)	14.5	3.1	0.0	0.0	0 / 14	0 / 11
Percentage of cycles resulting in live births (%)	33.9	9.4	7.1	8.7	0 / 14	0 / 11
Percentage of cycles resulting in pregnancies (%)	35.5	18.8	11.9	8.7	0 / 14	0 / 11
Outcomes per Transfer						
Number of transfers	39	16	26	12	7	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	2 / 16	7.7	2 / 12	0 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	30.8	2 / 16	11.5	2 / 12	0 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	23.1	1 / 16	0.0	0 / 12	0 / 7	0 / 5
Percentage of transfers resulting in live births (%)	53.8	3 / 16	11.5	2 / 12	0 / 7	0 / 5
Percentage of transfers resulting in pregnancies (%)	56.4	6 / 16	19.2	2 / 12	0 / 7	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	18	12	0	2	5
Number of transfers	22	15	12	0	2	5
Estimated average number of transfers per retrieval	1.0	1.5	1.5			2.5
Average number of embryos transferred	2.0	2.0	1.8		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.6	27.3	50.0		1 / 2	2 / 10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9.1	0 / 15	4 / 12		0 / 2	2 / 5
Percentage of transfers resulting in singleton live births (%)	13.6	2 / 15	5 / 12		0 / 2	2 / 5
Percentage of transfers resulting in twin live births (%)	9.1	1 / 15	2 / 12		0 / 2	0 / 5
Percentage of transfers resulting in live births (%)	27.3	3 / 15	7 / 12		0 / 2	2 / 5
Percentage of transfers resulting in pregnancies (%)	45.5	7 / 15	9 / 12		2 / 2	2 / 5
Number of Egg/Embryo Banking Cycles						
	10	2	6	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	63			90		
Number of transfers	45			79		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	43.0			36.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9			19.0		
Percentage of transfers resulting in singleton live births (%)	31.1			26.6		
Percentage of transfers resulting in twin live births (%)	15.6			15.2		
Percentage of transfers resulting in live births (%)	46.7			41.8		
Percentage of transfers resulting in pregnancies (%)	62.2			48.1		

CURRENT SERVICES & PROFILE

Current Name: New England Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	13%	Tubal factor	36%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	18%
				Endometriosis	0%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 11 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	1	2	1	0	0
Percentage of cancellations before retrieval (%)	0 / 4	0 / 1	0 / 2	0 / 1		
Average number of embryos transferred	2.0		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 8		0 / 2	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 4		0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 4	0 / 1	0 / 2	0 / 1		
Outcomes per Transfer						
Number of transfers	4	0	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 4		0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval	2.0	1.0				
Average number of embryos transferred	1.5	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1				
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: The Stamford Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Nora Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	16%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	39%
				Endometriosis	2%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 68 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	13	17	5	2	4
Percentage of cancellations before retrieval (%)	0 / 19	1 / 13	0 / 17	0 / 5	0 / 2	1 / 4
Average number of embryos transferred	2.0	2.2	2.3	2.4	3.5	1.7
Percentage of embryos transferred resulting in implantation (%)	23.7	16.7	8.6	2 / 12	1 / 7	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 10	0 / 12	0 / 5	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6 / 19	1 / 13	0 / 17	1 / 5	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	8 / 19	2 / 13	1 / 17	2 / 5	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 19	1 / 13	0 / 17	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	8 / 19	3 / 13	1 / 17	2 / 5	1 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	8 / 19	3 / 13	3 / 17	2 / 5	1 / 2	0 / 4
Outcomes per Transfer						
Number of transfers	19	11	15	5	2	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 19	1 / 11	0 / 15	1 / 5	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 19	2 / 11	1 / 15	2 / 5	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 19	1 / 11	0 / 15	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	8 / 19	3 / 11	1 / 15	2 / 5	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	8 / 19	3 / 11	3 / 15	2 / 5	1 / 2	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	1	0	0
Number of transfers	2	2	0	1	0	0
Estimated average number of transfers per retrieval	2.0	2.0	0.0			
Average number of embryos transferred	2.0	2.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 4		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 2	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2		0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				2 / 2		

CURRENT SERVICES & PROFILE

This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Andrew Levi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	9%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	8%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%
				Endometriosis	5%	Unknown factor	34%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 215 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	23	26	23	13	3
Percentage of cancellations before retrieval (%)	10.2	8.7	19.2	21.7	3 / 13	1 / 3
Average number of embryos transferred	1.6	1.6	1.9	2.6	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	47.7	39.1	29.7	2.7	0 / 18	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	28.1	3 / 11	1 / 16	0 / 13	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.3	17.4	23.1	0.0	0 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	25.4	21.7	26.9	0.0	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	8.5	4.3	0.0	0.0	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)	33.9	26.1	26.9	0.0	0 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)	39.0	34.8	38.5	4.3	1 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	41	15	19	14	9	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	4 / 15	6 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.6	5 / 15	7 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	1 / 15	0 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in live births (%)	48.8	6 / 15	7 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.1	8 / 15	10 / 19	1 / 14	1 / 9	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	12	4	3	2	0
Number of transfers	23	11	3	2	2	0
Estimated average number of transfers per retrieval	1.4	1.6		0.4	0.5	0.0
Average number of embryos transferred	1.5	1.5	1.0	2.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	57.1	3 / 16	2 / 3	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.8	2 / 11	2 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	47.8	3 / 11	2 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.7	0 / 11	0 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	56.5	3 / 11	2 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	73.9	4 / 11	2 / 3	0 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles						
	4	2	0	0	2	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			9		
Number of transfers	3			8		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 6			5 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			1 / 8		
Percentage of transfers resulting in singleton live births (%)	0 / 3			1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 8		
Percentage of transfers resulting in live births (%)	0 / 3			2 / 8		
Percentage of transfers resulting in pregnancies (%)	1 / 3			4 / 8		

CURRENT SERVICES & PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jeffrey B. Russell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	44%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	19%	Ovulatory dysfunction	24%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	5%
				Endometriosis	27%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 291 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	11	8	0	2	0
Percentage of cancellations before retrieval (%)	1 / 16	2 / 11	2 / 8		1 / 2	
Average number of embryos transferred	1.4	1.6	1.0			
Percentage of embryos transferred resulting in implantation (%)	6 / 9	1 / 8	0 / 1			
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	2 / 5	1 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 16	1 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 16	1 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 16	0 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in live births (%)	2 / 16	1 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in pregnancies (%)	6 / 16	1 / 11	0 / 8		0 / 2	
Outcomes per Transfer						
Number of transfers	8	5	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8	1 / 5	0 / 1			
Percentage of transfers resulting in singleton live births (%)	2 / 8	1 / 5	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5	0 / 1			
Percentage of transfers resulting in live births (%)	2 / 8	1 / 5	0 / 1			
Percentage of transfers resulting in pregnancies (%)	6 / 8	1 / 5	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	36	14	5	3	1
Number of transfers	73	32	14	5	3	1
Estimated average number of transfers per retrieval	1.4	1.2	1.3	1.0	1.0	0.5
Average number of embryos transferred	1.4	1.7	1.3	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	46.5	23.3	9 / 18	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.6	9.4	6 / 14	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.1	18.8	6 / 14	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	8.2	3.1	1 / 14	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	49.3	21.9	7 / 14	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.5	43.8	8 / 14	2 / 5	1 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	42	25	9	5	2	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			27		
Number of transfers	1			26		
Average number of embryos transferred	2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			33.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			23.1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			38.5		
Percentage of transfers resulting in twin live births (%)	0 / 1			0.0		
Percentage of transfers resulting in live births (%)	1 / 1			38.5		
Percentage of transfers resulting in pregnancies (%)	1 / 1			46.2		

CURRENT SERVICES & PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	52%	Uterine factor	70%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	29%	Male factor	40%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	27%
				Endometriosis	52%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 574 (includes 22 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	116	31	10	10	1	0
Percentage of cancellations before retrieval (%)	8.6	22.6	1 / 10	5 / 10	0 / 1	
Average number of embryos transferred	1.0	1.1	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	66.2	3 / 15	1 / 7			
Percentage of elective single embryo transfers (eSET) (%)	95.6	9 / 11	2 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.0	6.5	1 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)	37.1	6.5	1 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in twin live births (%)	0.9	0.0	0 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)	37.9	6.5	1 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in pregnancies (%)	42.2	12.9	1 / 10	1 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	73	14	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	49.3	2 / 14	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	58.9	2 / 14	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	1.4	0 / 14	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	60.3	2 / 14	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	67.1	4 / 14	1 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	137	69	41	14	7	1
Number of transfers	131	66	38	12	6	1
Estimated average number of transfers per retrieval	1.7	1.7	2.5	0.9	1.2	1.0
Average number of embryos transferred	1.0	1.0	1.1	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	62.6	61.5	51.3	7 / 12	3 / 6	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	48.9	42.4	39.5	3 / 12	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	55.0	51.5	44.7	7 / 12	3 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	1.5	1.5	2.6	0 / 12	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	56.5	53.0	47.4	7 / 12	3 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.1	60.6	52.6	7 / 12	3 / 6	0 / 1
Number of Egg/Embryo Banking Cycles						
	40	20	13	13	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			23		
Number of transfers	0			23		
Average number of embryos transferred				1.1		
Percentage of embryos transferred resulting in implantation (%)				45.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				34.8		
Percentage of transfers resulting in singleton live births (%)				43.5		
Percentage of transfers resulting in twin live births (%)				0.0		
Percentage of transfers resulting in live births (%)				43.5		
Percentage of transfers resulting in pregnancies (%)				52.2		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Associates of Delaware

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Safa Rifka, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	5%	Uterine factor	5%
Unstimulated	5%	PGD/PGS	<1%	Ovulatory dysfunction	8%	Male factor	36%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	32%
				Endometriosis	5%	Unknown factor	4%
						Multiple Factors:	
						Female factors only	9%
						Female & male factors	14%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 781 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		98	66	102	77	50	30
Percentage of cancellations before retrieval (%)		7.1	10.6	9.8	14.3	12.0	26.7
Average number of embryos transferred		1.7	1.8	1.9	1.9	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)		30.5	17.0	9.3	6.0	1.5	0.0
Percentage of elective single embryo transfers (eSET) (%)		33.3	14.0	3.2	5.4	0.0	0 / 9
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		19.4	15.2	7.8	5.2	2.0	0.0
Percentage of cycles resulting in singleton live births (%)		23.5	15.2	9.8	6.5	2.0	0.0
Percentage of cycles resulting in twin live births (%)		6.1	3.0	1.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)		29.6	18.2	10.8	6.5	2.0	0.0
Percentage of cycles resulting in pregnancies (%)		32.7	21.2	12.7	7.8	2.0	0.0
Outcomes per Transfer							
Number of transfers		79	49	80	52	27	15
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		24.1	20.4	10.0	7.7	3.7	0 / 15
Percentage of transfers resulting in singleton live births (%)		29.1	20.4	12.5	9.6	3.7	0 / 15
Percentage of transfers resulting in twin live births (%)		7.6	4.1	1.3	0.0	0.0	0 / 15
Percentage of transfers resulting in live births (%)		36.7	24.5	13.8	9.6	3.7	0 / 15
Percentage of transfers resulting in pregnancies (%)		40.5	28.6	16.3	11.5	3.7	0 / 15
Frozen Embryos from Nondonor Eggs							
Number of cycles		73	38	44	15	10	6
Number of transfers		70	36	39	14	10	5
Estimated average number of transfers per retrieval		1.7	1.0	0.6	0.7	0.5	1.3
Average number of embryos transferred		1.6	1.3	1.4	1.3	1.9	1.8
Percentage of embryos transferred resulting in implantation (%)		29.1	19.1	21.8	1 / 18	3 / 18	0 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		15.7	13.9	20.5	0 / 14	2 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)		20.0	13.9	20.5	1 / 14	3 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)		8.6	2.8	0.0	0 / 14	0 / 10	0 / 5
Percentage of transfers resulting in live births (%)		28.6	16.7	20.5	1 / 14	3 / 10	0 / 5
Percentage of transfers resulting in pregnancies (%)		32.9	25.0	28.2	1 / 14	4 / 10	0 / 5
Number of Egg/Embryo Banking Cycles							
		16	19	51	12	15	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		13			39		
Number of transfers		12			36		
Average number of embryos transferred		1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)		40.9			34.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 12			27.8		
Percentage of transfers resulting in singleton live births (%)		4 / 12			38.9		
Percentage of transfers resulting in twin live births (%)		1 / 12			2.8		
Percentage of transfers resulting in live births (%)		5 / 12			41.7		
Percentage of transfers resulting in pregnancies (%)		7 / 12			52.8		

CURRENT SERVICES & PROFILE				Current Name: Columbia Fertility Associates			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David Frankfurter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	2%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	2%	Male factor	14%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	5%
				Endometriosis	2%	Unknown factor	59%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				<1%			
				0%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 330 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	33	39	17	26	0
Percentage of cancellations before retrieval (%)	13.5	6.1	23.1	2 / 17	7.7	
Average number of embryos transferred	1.2	1.5	1.6	2.3	3.1	
Percentage of embryos transferred resulting in implantation (%)	40.0	15.6	30.4	8.0	6.5	
Percentage of elective single embryo transfers (eSET) (%)	13 / 18	10 / 17	3 / 10	0 / 10	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.2	9.1	10.3	1 / 17	3.8	
Percentage of cycles resulting in singleton live births (%)	16.2	9.1	10.3	1 / 17	3.8	
Percentage of cycles resulting in twin live births (%)	2.7	0.0	0.0	0 / 17	3.8	
Percentage of cycles resulting in live births (%)	18.9	9.1	10.3	1 / 17	7.7	
Percentage of cycles resulting in pregnancies (%)	27.0	15.2	12.8	2 / 17	7.7	
Outcomes per Transfer						
Number of transfers	21	22	14	11	15	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	13.6	4 / 14	1 / 11	1 / 15	
Percentage of transfers resulting in singleton live births (%)	28.6	13.6	4 / 14	1 / 11	1 / 15	
Percentage of transfers resulting in twin live births (%)	4.8	0.0	0 / 14	0 / 11	1 / 15	
Percentage of transfers resulting in live births (%)	33.3	13.6	4 / 14	1 / 11	2 / 15	
Percentage of transfers resulting in pregnancies (%)	47.6	22.7	5 / 14	2 / 11	2 / 15	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	28	20	14	8	2
Number of transfers	19	27	20	12	8	1
Estimated average number of transfers per retrieval	0.8	0.8	0.7	1.1	1.3	
Average number of embryos transferred	1.1	1.3	1.2	1.8	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)	30.0	50.0	33.3	4.8	3 / 19	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 19	37.0	25.0	0 / 12	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	37.0	25.0	1 / 12	2 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 19	7.4	5.0	0 / 12	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	6 / 19	44.4	30.0	1 / 12	2 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 19	63.0	40.0	1 / 12	2 / 8	0 / 1
Number of Egg/Embryo Banking Cycles						
	17	20	18	8	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			12		
Number of transfers	2			9		
Average number of embryos transferred	1.5			1.1		
Percentage of embryos transferred resulting in implantation (%)	0 / 3			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			1 / 9		
Percentage of transfers resulting in singleton live births (%)	0 / 2			2 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 9		
Percentage of transfers resulting in live births (%)	0 / 2			2 / 9		
Percentage of transfers resulting in pregnancies (%)	0 / 2			3 / 9		

CURRENT SERVICES & PROFILE

Current Name: George Washington University Medical Faculty Associates

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James A. Simon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	0%	Tubal factor	0%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	67%	Other factor	0%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 3 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	0	0
Percentage of cancellations before retrieval (%)			0 / 1			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)			0 / 1			
Percentage of cycles resulting in singleton live births (%)			0 / 1			
Percentage of cycles resulting in twin live births (%)			0 / 1			
Percentage of cycles resulting in live births (%)			0 / 1			
Percentage of cycles resulting in pregnancies (%)			0 / 1			
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	2	0	0	0
Number of transfers	0	0	2	0	0	0
Estimated average number of transfers per retrieval			2.0			
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation (%)			1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 2			
Percentage of transfers resulting in singleton live births (%)			0 / 2			
Percentage of transfers resulting in twin live births (%)			0 / 2			
Percentage of transfers resulting in live births (%)			0 / 2			
Percentage of transfers resulting in pregnancies (%)			1 / 2			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: James A. Simon, MD, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Maurice (Moshe) R. Peress, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	78%	Tubal factor	7%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	33%
Used gestational carrier	4%			Diminished ovarian reserve	61%	Other factor	4%
				Endometriosis	<1%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 111 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	5	13	7	7	3
Percentage of cancellations before retrieval (%)	0 / 15	0 / 5	1 / 13	0 / 7	0 / 7	2 / 3
Average number of embryos transferred	1.7	1.2	1.5	2.7	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	1 / 6	3 / 17	3 / 19	0 / 13	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	1 / 12	1 / 2	0 / 6	0 / 7	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 15	1 / 5	1 / 13	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 15	1 / 5	1 / 13	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	4 / 15	0 / 5	0 / 13	0 / 7	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	8 / 15	1 / 5	1 / 13	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)	9 / 15	1 / 5	3 / 13	2 / 7	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	15	5	11	7	5	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 15	1 / 5	1 / 11	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 15	1 / 5	1 / 11	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 15	0 / 5	0 / 11	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	8 / 15	1 / 5	1 / 11	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 15	1 / 5	3 / 11	2 / 7	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	4	0	2	1
Number of transfers	6	4	4	0	2	1
Estimated average number of transfers per retrieval	0.9	2.0	1.0		0.5	1.0
Average number of embryos transferred	1.7	1.8	2.3		1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 10	4 / 7	2 / 9		0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	2 / 4	2 / 4		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	2 / 4	2 / 4		0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 4	0 / 4		0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	2 / 6	2 / 4	2 / 4		0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 6	3 / 4	2 / 4		0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	5	1	0	0	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			12		
Number of transfers	19			12		
Average number of embryos transferred	1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)	48.5			7 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 19			1 / 12		
Percentage of transfers resulting in singleton live births (%)	8 / 19			4 / 12		
Percentage of transfers resulting in twin live births (%)	3 / 19			1 / 12		
Percentage of transfers resulting in live births (%)	11 / 19			5 / 12		
Percentage of transfers resulting in pregnancies (%)	11 / 19			6 / 12		

CURRENT SERVICES & PROFILE

Current Name: BocaFertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	15%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	13%	Male factor	59%
Used gestational carrier	2%			Diminished ovarian reserve	61%	Other factor	16%
				Endometriosis	7%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 130 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	14	5	7	1	1
Percentage of cancellations before retrieval (%)	11.5	1 / 14	1 / 5	3 / 7	0 / 1	0 / 1
Average number of embryos transferred	1.9	1.8	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	30.6	10.0	2 / 6	0 / 3	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	0 / 8	0 / 1	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.4	1 / 14	2 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.2	2 / 14	2 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	7.7	0 / 14	0 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	26.9	2 / 14	2 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	34.6	2 / 14	2 / 5	0 / 7	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	20	11	4	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	1 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.0	2 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 11	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	35.0	2 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.0	2 / 11	2 / 4	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	3	0	2	0	1
Number of transfers	4	3	0	2	0	1
Estimated average number of transfers per retrieval	0.6	1.0	0.0	0.7		0.3
Average number of embryos transferred	2.0	1.3		2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 8	1 / 4		0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4	1 / 3		0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3		0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3		0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	0 / 4	1 / 3		0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 4	1 / 3		0 / 2		0 / 1
Number of Egg/Embryo Banking Cycles						
	5	3	6	3	0	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			20		
Number of transfers	17			19		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	20.7			14.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 17			2 / 19		
Percentage of transfers resulting in singleton live births (%)	5 / 17			2 / 19		
Percentage of transfers resulting in twin live births (%)	0 / 17			1 / 19		
Percentage of transfers resulting in live births (%)	5 / 17			3 / 19		
Percentage of transfers resulting in pregnancies (%)	6 / 17			4 / 19		

CURRENT SERVICES & PROFILE

Current Name: Palm Beach Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**POLCZ FERTILITY CENTER
BOYNTON BEACH, FLORIDA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	22%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	47%
Used gestational carrier	2%			Diminished ovarian reserve	50%	Other factor	16%
				Endometriosis	8%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 164 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	29	17	10	4	1
Percentage of cancellations before retrieval (%)	3.7	3.4	0 / 17	1 / 10	1 / 4	0 / 1
Average number of embryos transferred	2.1	2.4	2.6	2.6	2.5	4.0
Percentage of embryos transferred resulting in implantation (%)	41.7	27.0	20.5	13.0	4 / 5	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0 / 16	0 / 7	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.1	27.6	1 / 17	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	22.2	31.0	1 / 17	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	22.2	3.4	2 / 17	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	44.4	37.9	4 / 17	2 / 10	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	59.3	48.3	5 / 17	2 / 10	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	25	27	17	9	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	12.0	29.6	1 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	33.3	1 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	24.0	3.7	2 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.0	40.7	4 / 17	2 / 9	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.0	51.9	5 / 17	2 / 9	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	11	7	0	3	1
Number of transfers	18	10	7	0	3	1
Estimated average number of transfers per retrieval	1.3	1.7	1.8	0.0	3.0	0.3
Average number of embryos transferred	1.9	2.1	2.4		1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	31.4	19.0	5 / 17		0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 18	2 / 10	2 / 7		0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 18	2 / 10	3 / 7		0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 10	0 / 7		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	8 / 18	3 / 10	3 / 7		0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 18	3 / 10	5 / 7		0 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	6	0	2	1	1	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			15		
Number of transfers	9			15		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	10 / 18			17.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 9			4 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 9			4 / 15		
Percentage of transfers resulting in twin live births (%)	4 / 9			0 / 15		
Percentage of transfers resulting in live births (%)	6 / 9			4 / 15		
Percentage of transfers resulting in pregnancies (%)	6 / 9			4 / 15		

CURRENT SERVICES & PROFILE

Current Name: Florida Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD COOPER CITY, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kenneth Gelman, MD

Type of ART and Procedural Factors ^a		Patient Diagnosis ^b			
IVF	With ICSI	Tubal factor	0%	Uterine factor	0%
Unstimulated	PGD/PGS	Ovulatory dysfunction	0%	Male factor	0%
Used gestational carrier		Diminished ovarian reserve	100%	Other factor	100%
		Endometriosis	0%	Unknown factor	0%
		Multiple Factors:			
		Female factors only			
		Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Percentage of cancellations before retrieval (%)						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)						
Percentage of cycles resulting in singleton live births (%)						
Percentage of cycles resulting in twin live births (%)						
Percentage of cycles resulting in live births (%)						
Percentage of cycles resulting in pregnancies (%)						
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)		0 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jacob L. Glock, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	46%	Tubal factor	29%	Uterine factor	10%	Multiple Factors:		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	21%	Female factors only		
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	0%	Female & male factors		
				Endometriosis	2%	Unknown factor	12%	0%		
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 42 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				16	9	2	6	2	0	
Percentage of cancellations before retrieval (%)				0 / 16	0 / 9	0 / 2	0 / 6	0 / 2		
Average number of embryos transferred				2.3	2.3	1.5	2.3	2.0		
Percentage of embryos transferred resulting in implantation (%)				17.6	23.8	1 / 3	0 / 10	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)				1 / 15	0 / 8	0 / 1	0 / 4	0 / 1		
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				4 / 16	1 / 9	0 / 2	0 / 6	0 / 2		
Percentage of cycles resulting in singleton live births (%)				4 / 16	3 / 9	1 / 2	0 / 6	0 / 2		
Percentage of cycles resulting in twin live births (%)				1 / 16	1 / 9	0 / 2	0 / 6	0 / 2		
Percentage of cycles resulting in live births (%)				5 / 16	4 / 9	1 / 2	0 / 6	0 / 2		
Percentage of cycles resulting in pregnancies (%)				5 / 16	4 / 9	1 / 2	1 / 6	0 / 2		
Outcomes per Transfer										
Number of transfers				15	9	2	6	2	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				4 / 15	1 / 9	0 / 2	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)				4 / 15	3 / 9	1 / 2	0 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)				1 / 15	1 / 9	0 / 2	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)				5 / 15	4 / 9	1 / 2	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)				5 / 15	4 / 9	1 / 2	1 / 6	0 / 2		
Frozen Embryos from Nondonor Eggs										
Number of cycles				3	1	1	0	0	0	
Number of transfers				3	1	1	0	0	0	
Estimated average number of transfers per retrieval				3.0						
Average number of embryos transferred				2.0	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)				1 / 6	0 / 2	0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 3	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)				1 / 3	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)				0 / 3	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)				1 / 3	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)				1 / 3	0 / 1	0 / 1				
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				1			1			
Number of transfers				1			1			
Average number of embryos transferred				2.0			2.0			
Percentage of embryos transferred resulting in implantation (%)				0 / 2			0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1			0 / 1			
Percentage of transfers resulting in singleton live births (%)				0 / 1			0 / 1			
Percentage of transfers resulting in twin live births (%)				0 / 1			0 / 1			
Percentage of transfers resulting in live births (%)				0 / 1			0 / 1			
Percentage of transfers resulting in pregnancies (%)				0 / 1			0 / 1			

CURRENT SERVICES & PROFILE				Current Name: Southwest Florida Fertility Center, PA			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA EMBRYO DONATION INTERNATIONAL, PL FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	19%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	17%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	7%
				Endometriosis	10%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 107 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	4	8	1	0	0
Percentage of cancellations before retrieval (%)	3.8	0 / 4	0 / 8	0 / 1		
Average number of embryos transferred	2.5	2.3	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	29.8	0 / 9	0 / 16	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 3	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.9	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in singleton live births (%)	26.9	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in twin live births (%)	11.5	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in live births (%)	42.3	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in pregnancies (%)	42.3	0 / 4	1 / 8	0 / 1		
Outcomes per Transfer						
Number of transfers	23	4	8	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.4	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	30.4	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	13.0	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	47.8	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	47.8	0 / 4	1 / 8	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	4	4	1	1	0
Number of transfers	9	4	4	1	1	0
Estimated average number of transfers per retrieval	1.1	4.0	4.0	0.5		
Average number of embryos transferred	2.3	2.3	3.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	23.8	0 / 9	3 / 14	0 / 3	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9	0 / 4	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 9	0 / 4	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 9	0 / 4	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 4	2 / 4	0 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	1	1	0	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			35		
Number of transfers	8			33		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 14			20.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8			21.2		
Percentage of transfers resulting in singleton live births (%)	3 / 8			30.3		
Percentage of transfers resulting in twin live births (%)	1 / 8			9.1		
Percentage of transfers resulting in live births (%)	4 / 8			39.4		
Percentage of transfers resulting in pregnancies (%)	5 / 8			45.5		

CURRENT SERVICES & PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA,
Embryo Donation International, PL

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL GAINESVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Alice Rhoton-Vlasak, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	6%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	49%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	33%
				Endometriosis	25%	Unknown factor	1%
						Multiple Factors:	
						Female factors only	14%
						Female & male factors	20%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 99 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		42	11	6	1	2	0
Percentage of cancellations before retrieval (%)		11.9	1 / 11	2 / 6	0 / 1	0 / 2	
Average number of embryos transferred		1.6	2.1	1.5	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)		36.0	33.3	0 / 6	0 / 1	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)		40.0	1 / 10	0 / 2		0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		28.6	3 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)		28.6	3 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)		7.1	2 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)		35.7	5 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)		35.7	5 / 11	0 / 6	0 / 1	0 / 2	
Outcomes per Transfer							
Number of transfers		32	10	4	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.5	3 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)		37.5	3 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)		9.4	2 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)		46.9	5 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)		46.9	5 / 10	0 / 4	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	4	1	1	0	0
Number of transfers		15	3	1	1	0	0
Estimated average number of transfers per retrieval		2.1					
Average number of embryos transferred		1.8	2.0	2.0	4.0		
Percentage of embryos transferred resulting in implantation (%)		51.9	3 / 6	0 / 2	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 15	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		6 / 15	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 15	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		9 / 15	2 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)		9 / 15	2 / 3	0 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles		1	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		7			7		
Number of transfers		5			7		
Average number of embryos transferred		1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)		6 / 8			6 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 5			3 / 7		
Percentage of transfers resulting in singleton live births (%)		2 / 5			5 / 7		
Percentage of transfers resulting in twin live births (%)		2 / 5			0 / 7		
Percentage of transfers resulting in live births (%)		4 / 5			5 / 7		
Percentage of transfers resulting in pregnancies (%)		4 / 5			5 / 7		

CURRENT SERVICES & PROFILE				Current Name: UF Health Reproductive Medicine at Springhill			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	17%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	11%
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	16%
				Endometriosis	6%	Unknown factor	28%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 97 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	11	10	2	1	1
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.6	2.9	3.0	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	20.0	6 / 18	6.9	0 / 6	0 / 4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	6 / 16	0 / 7	0 / 9	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.1	2 / 11	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	10.7	3 / 11	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	3.6	1 / 11	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	14.3	4 / 11	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	25.0	4 / 11	1 / 10	0 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	17	7	10	2	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 17	2 / 7	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 17	3 / 7	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 7	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	4 / 17	4 / 7	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 17	4 / 7	1 / 10	0 / 2	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	5	0	1	1	0
Number of transfers	17	5	0	1	1	0
Estimated average number of transfers per retrieval	1.4	1.0				
Average number of embryos transferred	1.5	2.2		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	19.2	2 / 11		0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 17	2 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 17	2 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 17	2 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 17	2 / 5		0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			9		
Number of transfers	10			9		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	6 / 17			1 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 10			1 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 10			1 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 10			0 / 9		
Percentage of transfers resulting in live births (%)	2 / 10			1 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 10			2 / 9		

CURRENT SERVICES & PROFILE

Current Name: Assisted Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	96%	Tubal factor	10%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	14%
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	13%
				Endometriosis	23%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 493 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	64	43	20	10	2
Percentage of cancellations before retrieval (%)	0.0	3.1	2.3	5.0	0 / 10	1 / 2
Average number of embryos transferred	1.5	2.0	2.2	2.6	3.0	
Percentage of embryos transferred resulting in implantation (%)	42.1	24.7	13.9	11.9	3.3	
Percentage of elective single embryo transfers (eSET) (%)	48.8	7.5	5.7	0 / 17	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.1	12.5	9.3	5.0	0 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	28.1	12.5	9.3	5.0	0 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	6.1	3.1	0.0	5.0	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	35.1	15.6	9.3	10.0	0 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	51.8	40.6	25.6	30.0	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	101	55	36	18	10	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8	14.5	11.1	1 / 18	0 / 10	
Percentage of transfers resulting in singleton live births (%)	31.7	14.5	11.1	1 / 18	0 / 10	
Percentage of transfers resulting in twin live births (%)	6.9	3.6	0.0	1 / 18	0 / 10	
Percentage of transfers resulting in live births (%)	39.6	18.2	11.1	2 / 18	0 / 10	
Percentage of transfers resulting in pregnancies (%)	58.4	47.3	30.6	6 / 18	1 / 10	
Frozen Embryos from Nondonor Eggs						
Number of cycles	81	50	22	10	4	0
Number of transfers	81	50	22	10	4	0
Estimated average number of transfers per retrieval	2.1	1.8	2.2	3.3		
Average number of embryos transferred	2.0	2.2	2.3	2.8	2.8	
Percentage of embryos transferred resulting in implantation (%)	25.3	17.7	17.1	0.0	0 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.8	16.0	4.5	0 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	16.0	20.0	4.5	0 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	9.9	2.0	4.5	0 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	25.9	22.0	13.6	0 / 10	0 / 4	
Percentage of transfers resulting in pregnancies (%)	48.1	42.0	36.4	0 / 10	1 / 4	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	55			18		
Number of transfers	53			18		
Average number of embryos transferred	1.5			2.1		
Percentage of embryos transferred resulting in implantation (%)	55.9			30.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.5			2 / 18		
Percentage of transfers resulting in singleton live births (%)	50.9			4 / 18		
Percentage of transfers resulting in twin live births (%)	7.5			2 / 18		
Percentage of transfers resulting in live births (%)	60.4			6 / 18		
Percentage of transfers resulting in pregnancies (%)	71.7			9 / 18		

CURRENT SERVICES & PROFILE

Current Name: Brown Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 1 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	12%	Uterine factor	6%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	47%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	6%
				Endometriosis	15%	Unknown factor	8%
				Multiple Factors:			
						Female factors only	13%
						Female & male factors	26%

2014 ART SUCCESS RATES^c

Total number of cycles^d: 848 (includes 24 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	142	54	48	14	13	11
Percentage of cancellations before retrieval (%)	0.7	1.9	6.3	0 / 14	2 / 13	1 / 11
Average number of embryos transferred	1.7	2.0	2.2	2.3	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	35.5	42.7	19.7	9.5	0.0	4.8
Percentage of elective single embryo transfers (eSET) (%)	33.3	5.6	3.4	0 / 9	0 / 6	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.6	16.7	10.4	1 / 14	0 / 13	1 / 11
Percentage of cycles resulting in singleton live births (%)	21.1	18.5	12.5	1 / 14	0 / 13	1 / 11
Percentage of cycles resulting in twin live births (%)	7.0	14.8	4.2	0 / 14	0 / 13	0 / 11
Percentage of cycles resulting in live births (%)	28.2	33.3	16.7	1 / 14	0 / 13	1 / 11
Percentage of cycles resulting in pregnancies (%)	33.1	37.0	25.0	1 / 14	0 / 13	1 / 11
Outcomes per Transfer						
Number of transfers	99	39	33	10	8	7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.3	23.1	15.2	1 / 10	0 / 8	1 / 7
Percentage of transfers resulting in singleton live births (%)	30.3	25.6	18.2	1 / 10	0 / 8	1 / 7
Percentage of transfers resulting in twin live births (%)	10.1	20.5	6.1	0 / 10	0 / 8	0 / 7
Percentage of transfers resulting in live births (%)	40.4	46.2	24.2	1 / 10	0 / 8	1 / 7
Percentage of transfers resulting in pregnancies (%)	47.5	51.3	36.4	1 / 10	0 / 8	1 / 7
Frozen Embryos from Nondonor Eggs						
Number of cycles	171	69	39	21	2	3
Number of transfers	170	69	38	21	2	3
Estimated average number of transfers per retrieval	2.0	1.8	2.1	1.1	1.0	0.3
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	42.1	44.9	25.0	14.6	2 / 4	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.9	26.1	13.2	19.0	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.8	26.1	21.1	23.8	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	11.8	14.5	5.3	0.0	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	41.2	40.6	28.9	23.8	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.9	55.1	36.8	33.3	2 / 2	0 / 3
Number of Egg/Embryo Banking Cycles						
	20	19	11	10	2	8
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	42			125		
Number of transfers	41			121		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)	49.3			34.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8			20.7		
Percentage of transfers resulting in singleton live births (%)	41.5			29.8		
Percentage of transfers resulting in twin live births (%)	14.6			10.7		
Percentage of transfers resulting in live births (%)	56.1			40.5		
Percentage of transfers resulting in pregnancies (%)	68.3			48.8		

CURRENT SERVICES & PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	31%	Tubal factor	6%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	13%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	3%
				Endometriosis	27%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 304 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	23	36	16	10	0
Percentage of cancellations before retrieval (%)	7.1	21.7	19.4	2 / 16	1 / 10	
Average number of embryos transferred	1.9	1.8	2.0	2.3	1.6	
Percentage of embryos transferred resulting in implantation (%)	29.1	44.4	30.4	0.0	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	9.7	1 / 13	0.0	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.3	21.7	13.9	0 / 16	0 / 10	
Percentage of cycles resulting in singleton live births (%)	17.6	26.1	19.4	0 / 16	0 / 10	
Percentage of cycles resulting in twin live births (%)	10.6	4.3	5.6	0 / 16	0 / 10	
Percentage of cycles resulting in live births (%)	28.2	30.4	25.0	0 / 16	0 / 10	
Percentage of cycles resulting in pregnancies (%)	32.9	39.1	30.6	0 / 16	0 / 10	
Outcomes per Transfer						
Number of transfers	68	15	23	11	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.1	5 / 15	21.7	0 / 11	0 / 5	
Percentage of transfers resulting in singleton live births (%)	22.1	6 / 15	30.4	0 / 11	0 / 5	
Percentage of transfers resulting in twin live births (%)	13.2	1 / 15	8.7	0 / 11	0 / 5	
Percentage of transfers resulting in live births (%)	35.3	7 / 15	39.1	0 / 11	0 / 5	
Percentage of transfers resulting in pregnancies (%)	41.2	9 / 15	47.8	0 / 11	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	18	7	2	1	0
Number of transfers	38	18	6	2	1	0
Estimated average number of transfers per retrieval	1.9	1.8	0.4	2.0	0.2	0.0
Average number of embryos transferred	1.4	1.4	1.7	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	28.6	24.0	0 / 10	3 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.4	3 / 18	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.1	3 / 18	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.3	1 / 18	0 / 6	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	26.3	4 / 18	0 / 6	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	39.5	5 / 18	0 / 6	2 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	7	7	10	1	3	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			15		
Number of transfers	18			13		
Average number of embryos transferred	2.1			1.6		
Percentage of embryos transferred resulting in implantation (%)	23.7			5 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 18			2 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 18			3 / 13		
Percentage of transfers resulting in twin live births (%)	3 / 18			0 / 13		
Percentage of transfers resulting in live births (%)	5 / 18			3 / 13		
Percentage of transfers resulting in pregnancies (%)	6 / 18			6 / 13		

CURRENT SERVICES & PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

IVF FLORIDA REPRODUCTIVE ASSOCIATES MARGATE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	17%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	33%
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	9%
				Endometriosis	10%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,137 (includes 54 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	255	146	134	58	32	6
Percentage of cancellations before retrieval (%)	6.7	9.6	14.2	24.1	15.6	3 / 6
Average number of embryos transferred	1.6	1.9	2.2	2.7	2.7	4.0
Percentage of embryos transferred resulting in implantation (%)	35.7	26.6	22.6	15.8	5.5	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	32.3	13.8	3.6	0.0	0 / 18	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.7	18.5	11.9	12.1	6.3	0 / 6
Percentage of cycles resulting in singleton live births (%)	27.8	21.2	14.2	12.1	6.3	0 / 6
Percentage of cycles resulting in twin live births (%)	6.3	4.1	6.7	0.0	0.0	0 / 6
Percentage of cycles resulting in live births (%)	34.5	26.7	20.9	12.1	6.3	0 / 6
Percentage of cycles resulting in pregnancies (%)	39.2	33.6	30.6	24.1	12.5	0 / 6
Outcomes per Transfer						
Number of transfers	202	116	101	36	22	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.2	23.3	15.8	19.4	9.1	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.1	26.7	18.8	19.4	9.1	0 / 2
Percentage of transfers resulting in twin live births (%)	7.9	5.2	8.9	0.0	0.0	0 / 2
Percentage of transfers resulting in live births (%)	43.6	33.6	27.7	19.4	9.1	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.5	42.2	40.6	38.9	18.2	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	144	68	39	19	9	7
Number of transfers	135	67	37	18	6	7
Estimated average number of transfers per retrieval	1.4	1.2	1.2	0.9	0.7	0.6
Average number of embryos transferred	1.6	1.7	1.6	2.6	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	38.5	25.7	36.8	6.5	0 / 13	0 / 14
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.7	26.9	35.1	0 / 18	0 / 6	0 / 7
Percentage of transfers resulting in singleton live births (%)	27.4	31.3	35.1	1 / 18	0 / 6	0 / 7
Percentage of transfers resulting in twin live births (%)	11.1	1.5	0.0	0 / 18	0 / 6	0 / 7
Percentage of transfers resulting in live births (%)	38.5	32.8	35.1	1 / 18	0 / 6	0 / 7
Percentage of transfers resulting in pregnancies (%)	52.6	43.3	51.4	3 / 18	0 / 6	0 / 7
Number of Egg/Embryo Banking Cycles						
	27	23	21	16	2	12
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		18			47	
Number of transfers		14			43	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		33.3			23.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 14			23.3	
Percentage of transfers resulting in singleton live births (%)		4 / 14			25.6	
Percentage of transfers resulting in twin live births (%)		2 / 14			0.0	
Percentage of transfers resulting in live births (%)		6 / 14			25.6	
Percentage of transfers resulting in pregnancies (%)		6 / 14			39.5	

CURRENT SERVICES & PROFILE

Current Name: IVF Florida Reproductive Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIERA FERTILITY CENTER FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN MELBOURNE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Diran Chamoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	41%	Tubal factor	19%	Uterine factor	16%	Female factors only	26%
Unstimulated	0%	PGD/PGS	19%	Ovulatory dysfunction	33%	Male factor	37%	Female & male factors	19%
Used gestational carrier	3%			Diminished ovarian reserve	26%	Other factor	19%		
				Endometriosis	2%	Unknown factor	2%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 49 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	7	8	3	0	0
Percentage of cancellations before retrieval (%)	0 / 19	2 / 7	0 / 8	0 / 3		
Average number of embryos transferred	1.8	2.2	2.1	2.7		
Percentage of embryos transferred resulting in implantation (%)	39.4	4 / 11	2 / 17	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 5	0 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6 / 19	1 / 7	1 / 8	0 / 3		
Percentage of cycles resulting in singleton live births (%)	6 / 19	1 / 7	2 / 8	0 / 3		
Percentage of cycles resulting in twin live births (%)	3 / 19	0 / 7	0 / 8	0 / 3		
Percentage of cycles resulting in live births (%)	9 / 19	2 / 7	2 / 8	0 / 3		
Percentage of cycles resulting in pregnancies (%)	10 / 19	2 / 7	2 / 8	0 / 3		
Outcomes per Transfer						
Number of transfers	18	5	8	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 18	1 / 5	1 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 18	1 / 5	2 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 5	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	9 / 18	2 / 5	2 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	10 / 18	2 / 5	2 / 8	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	1	0	0	0
Number of transfers	1	1	1	0	0	0
Estimated average number of transfers per retrieval	0.5		1.0	0.0		
Average number of embryos transferred	1.0	2.0	3.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles						
	2	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Armando E. Hernandez-Rey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	7%	Uterine factor	6%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	7%	Male factor	25%
Used gestational carrier	4%			Diminished ovarian reserve	44%	Other factor	6%
				Endometriosis	6%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 83 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	13	7	6	3	1
Percentage of cancellations before retrieval (%)	1 / 18	4 / 13	1 / 7	2 / 6	0 / 3	0 / 1
Average number of embryos transferred	1.9	1.7	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	11.5	2 / 10	3 / 10		0 / 6	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	3 / 15	1 / 5	0 / 4		0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 18	0 / 13	1 / 7	0 / 6	0 / 3	1 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 18	0 / 13	1 / 7	0 / 6	0 / 3	1 / 1
Percentage of cycles resulting in twin live births (%)	0 / 18	1 / 13	1 / 7	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	3 / 18	1 / 13	2 / 7	0 / 6	0 / 3	1 / 1
Percentage of cycles resulting in pregnancies (%)	5 / 18	1 / 13	2 / 7	0 / 6	0 / 3	1 / 1
Outcomes per Transfer						
Number of transfers	16	6	5	0	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 16	0 / 6	1 / 5		0 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 16	0 / 6	1 / 5		0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	1 / 6	1 / 5		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 16	1 / 6	2 / 5		0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 16	1 / 6	2 / 5		0 / 3	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	8	5	4	0	0
Number of transfers	3	8	4	4	0	0
Estimated average number of transfers per retrieval	1.5	2.7	2.0	2.0		
Average number of embryos transferred	1.7	1.8	1.8	2.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 5	7 / 14	3 / 7	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 3	1 / 8	3 / 4	0 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 3	2 / 8	3 / 4	0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 3	2 / 8	0 / 4	0 / 4		
Percentage of transfers resulting in live births (%)	2 / 3	4 / 8	3 / 4	0 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 3	5 / 8	3 / 4	1 / 4		
Number of Egg/Embryo Banking Cycles						
	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			2		
Number of transfers	9			2		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 16			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9			1 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 9			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 9			0 / 2		
Percentage of transfers resulting in live births (%)	5 / 9			1 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 9			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Conceptions Florida: Center for Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	47%
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	50%
				Endometriosis	9%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 564 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	51	47	23	17	8
Percentage of cancellations before retrieval (%)	8.2	9.8	25.5	13.0	5 / 17	2 / 8
Average number of embryos transferred	2.0	2.1	1.9	2.8	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	28.5	39.4	16.1	8.3	0 / 14	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	6.8	0.0	4.3	0 / 11	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.8	9.8	6.4	4.3	0 / 17	0 / 8
Percentage of cycles resulting in singleton live births (%)	12.9	17.6	6.4	4.3	0 / 17	0 / 8
Percentage of cycles resulting in twin live births (%)	9.4	7.8	4.3	4.3	0 / 17	0 / 8
Percentage of cycles resulting in live births (%)	22.4	25.5	10.6	8.7	0 / 17	0 / 8
Percentage of cycles resulting in pregnancies (%)	27.1	33.3	14.9	8.7	0 / 17	0 / 8
Outcomes per Transfer						
Number of transfers	63	32	29	13	7	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.9	15.6	10.3	1 / 13	0 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	17.5	28.1	10.3	1 / 13	0 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	12.7	12.5	6.9	1 / 13	0 / 7	0 / 4
Percentage of transfers resulting in live births (%)	30.2	40.6	17.2	2 / 13	0 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	36.5	53.1	24.1	2 / 13	0 / 7	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	38	31	20	10	7
Number of transfers	60	35	30	17	10	7
Estimated average number of transfers per retrieval	1.0	0.9	1.1	0.7	0.8	2.3
Average number of embryos transferred	1.8	1.7	1.7	1.6	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	41.3	43.1	40.0	32.1	9 / 17	6 / 15
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	22.9	30.0	2 / 17	3 / 10	2 / 7
Percentage of transfers resulting in singleton live births (%)	31.7	25.7	43.3	4 / 17	3 / 10	2 / 7
Percentage of transfers resulting in twin live births (%)	13.3	14.3	3.3	0 / 17	2 / 10	2 / 7
Percentage of transfers resulting in live births (%)	45.0	40.0	46.7	4 / 17	5 / 10	4 / 7
Percentage of transfers resulting in pregnancies (%)	55.0	54.3	60.0	6 / 17	6 / 10	4 / 7
Number of Egg/Embryo Banking Cycles						
	43	24	19	22	12	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	26			4		
Number of transfers	22			4		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	46.5			4 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.3			0 / 4		
Percentage of transfers resulting in singleton live births (%)	27.3			0 / 4		
Percentage of transfers resulting in twin live births (%)	27.3			1 / 4		
Percentage of transfers resulting in live births (%)	54.5			1 / 4		
Percentage of transfers resulting in pregnancies (%)	59.1			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	20%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	4%	Male factor	42%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	4%
				Endometriosis	4%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 201 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	41	31	11	6	0
Percentage of cancellations before retrieval (%)	4.0	9.8	19.4	1 / 11	1 / 6	
Average number of embryos transferred	2.0	2.0	2.5	2.4	2.8	
Percentage of embryos transferred resulting in implantation (%)	36.0	31.9	16.1	7 / 19	0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	0.0	6.3	8.7	0 / 7	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.0	22.0	6.5	2 / 11	0 / 6	
Percentage of cycles resulting in singleton live births (%)	28.0	29.3	9.7	2 / 11	0 / 6	
Percentage of cycles resulting in twin live births (%)	16.0	9.8	3.2	1 / 11	0 / 6	
Percentage of cycles resulting in live births (%)	44.0	39.0	12.9	3 / 11	0 / 6	
Percentage of cycles resulting in pregnancies (%)	52.0	43.9	25.8	6 / 11	0 / 6	
Outcomes per Transfer						
Number of transfers	46	36	24	8	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	25.0	8.3	2 / 8	0 / 4	
Percentage of transfers resulting in singleton live births (%)	30.4	33.3	12.5	2 / 8	0 / 4	
Percentage of transfers resulting in twin live births (%)	17.4	11.1	4.2	1 / 8	0 / 4	
Percentage of transfers resulting in live births (%)	47.8	44.4	16.7	3 / 8	0 / 4	
Percentage of transfers resulting in pregnancies (%)	56.5	50.0	33.3	6 / 8	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	7	4	1	0	0
Number of transfers	22	7	4	1	0	0
Estimated average number of transfers per retrieval	1.6	1.0	0.8	0.5	0.0	
Average number of embryos transferred	2.0	2.0	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	30.2	2 / 9	1 / 9	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.7	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	9.1	0 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	36.4	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	54.5	5 / 7	1 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles	3	4	5	2	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			4		
Number of transfers	5			4		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 9			0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5			0 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 5			0 / 4		
Percentage of transfers resulting in live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in pregnancies (%)	3 / 5			0 / 4		

CURRENT SERVICES & PROFILE

Current Name: University of Miami Infertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	3%
Unstimulated	1%	PGD/PGS	<1%	Ovulatory dysfunction	39%	Male factor	20%
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	12%
				Endometriosis	12%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 971 (includes 73 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	186	98	96	29	16	2
Percentage of cancellations before retrieval (%)	5.4	7.1	16.7	17.2	3 / 16	0 / 2
Average number of embryos transferred	1.5	1.7	2.0	1.6	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	40.1	35.6	18.4	2 / 11	0 / 19	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	38.3	22.4	7.3	0 / 4	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.3	18.4	8.3	3.4	0 / 16	0 / 2
Percentage of cycles resulting in singleton live births (%)	16.1	21.4	9.4	3.4	0 / 16	0 / 2
Percentage of cycles resulting in twin live births (%)	7.0	3.1	3.1	0.0	0 / 16	0 / 2
Percentage of cycles resulting in live births (%)	23.1	25.5	12.5	3.4	0 / 16	0 / 2
Percentage of cycles resulting in pregnancies (%)	24.7	30.6	15.6	3.4	2 / 16	0 / 2
Outcomes per Transfer						
Number of transfers	95	57	51	7	11	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.1	31.6	15.7	1 / 7	0 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.6	36.8	17.6	1 / 7	0 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	13.7	5.3	5.9	0 / 7	0 / 11	0 / 2
Percentage of transfers resulting in live births (%)	45.3	43.9	23.5	1 / 7	0 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	48.4	52.6	29.4	1 / 7	2 / 11	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	135	101	61	27	9	1
Number of transfers	121	77	55	22	6	1
Estimated average number of transfers per retrieval	1.4	1.4	1.0	1.5	0.6	
Average number of embryos transferred	1.6	1.6	1.8	2.0	1.3	4.0
Percentage of embryos transferred resulting in implantation (%)	39.6	39.6	24.4	33.3	3 / 8	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.6	26.0	27.3	22.7	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.4	31.2	34.5	31.8	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	9.9	10.4	1.8	4.5	1 / 6	0 / 1
Percentage of transfers resulting in live births (%)	42.1	41.6	36.4	36.4	2 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.9	51.9	43.6	50.0	2 / 6	0 / 1
Number of Egg/Embryo Banking Cycles						
	15	19	24	8	6	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		18		47		
Number of transfers		9		35		
Average number of embryos transferred		1.6		1.5		
Percentage of embryos transferred resulting in implantation (%)		8 / 14		41.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 9		22.9		
Percentage of transfers resulting in singleton live births (%)		3 / 9		34.3		
Percentage of transfers resulting in twin live births (%)		2 / 9		11.4		
Percentage of transfers resulting in live births (%)		5 / 9		45.7		
Percentage of transfers resulting in pregnancies (%)		5 / 9		51.4		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	54%	Tubal factor	24%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	71%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	49%
				Endometriosis	7%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	11	6	2	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 6	0 / 2		
Average number of embryos transferred	1.8	2.1	2.0			
Percentage of embryos transferred resulting in implantation (%)	44.4	3 / 15	2 / 10			
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	0 / 8	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4.5	0 / 11	0 / 6	0 / 2		
Percentage of cycles resulting in singleton live births (%)	45.5	3 / 11	0 / 6	0 / 2		
Percentage of cycles resulting in twin live births (%)	13.6	0 / 11	1 / 6	0 / 2		
Percentage of cycles resulting in live births (%)	59.1	3 / 11	1 / 6	0 / 2		
Percentage of cycles resulting in pregnancies (%)	59.1	4 / 11	1 / 6	0 / 2		
Outcomes per Transfer						
Number of transfers	20	8	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5.0	0 / 8	0 / 5			
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 8	0 / 5			
Percentage of transfers resulting in twin live births (%)	15.0	0 / 8	1 / 5			
Percentage of transfers resulting in live births (%)	65.0	3 / 8	1 / 5			
Percentage of transfers resulting in pregnancies (%)	65.0	4 / 8	1 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	3	0	0	0	0
Number of transfers	1	3	0	0	0	0
Estimated average number of transfers per retrieval		3.0				
Average number of embryos transferred	1.0	1.7				
Percentage of embryos transferred resulting in implantation (%)	0 / 1	3 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 3				
Percentage of transfers resulting in singleton live births (%)	0 / 1	3 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3				
Percentage of transfers resulting in live births (%)	0 / 1	3 / 3				
Percentage of transfers resulting in pregnancies (%)	0 / 1	3 / 3				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			5		
Number of transfers	4			5		
Average number of embryos transferred	2.3			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 9			3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			0 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 4			3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 5		
Percentage of transfers resulting in live births (%)	0 / 4			3 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 4			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC

PENSACOLA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Barry A. Ripps, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	23%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	10%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	2%
				Endometriosis	16%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 227 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	30	20	13	5	0
Percentage of cancellations before retrieval (%)	7.5	6.7	10.0	0 / 13	1 / 5	
Average number of embryos transferred	1.7	2.2	1.9	1.9	1.5	
Percentage of embryos transferred resulting in implantation (%)	45.2	44.7	10.3	4 / 19	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	20.6	0.0	0 / 9	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.4	16.7	10.0	1 / 13	0 / 5	
Percentage of cycles resulting in singleton live births (%)	27.1	26.7	10.0	2 / 13	0 / 5	
Percentage of cycles resulting in twin live births (%)	15.0	13.3	0.0	0 / 13	0 / 5	
Percentage of cycles resulting in live births (%)	42.1	43.3	10.0	2 / 13	0 / 5	
Percentage of cycles resulting in pregnancies (%)	45.8	50.0	20.0	4 / 13	1 / 5	
Outcomes per Transfer						
Number of transfers	88	22	17	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.4	22.7	2 / 17	1 / 10	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.0	36.4	2 / 17	2 / 10	0 / 2	
Percentage of transfers resulting in twin live births (%)	18.2	18.2	0 / 17	0 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	51.1	59.1	2 / 17	2 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	55.7	68.2	4 / 17	4 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	7	2	2	0	1
Number of transfers	21	6	1	2	0	1
Estimated average number of transfers per retrieval	1.0	1.0	0.3		0.0	
Average number of embryos transferred	1.6	2.2	1.0	1.5		1.0
Percentage of embryos transferred resulting in implantation (%)	26.5	6 / 13	0 / 1	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	1 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	2 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	2 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	33.3	4 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	38.1	4 / 6	0 / 1	0 / 2		0 / 1
Number of Egg/Embryo Banking Cycles						
	5	4	4	0	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: New Leaders in Fertility & Endocrinology, LLC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	24%	Uterine factor	30%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	58%
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	21%
				Endometriosis	12%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 232 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	23	37	18	15	3
Percentage of cancellations before retrieval (%)	2.1	8.7	5.4	3 / 18	3 / 15	1 / 3
Average number of embryos transferred	1.9	1.7	2.1	2.7	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	28.2	36.4	30.4	3.1	8.0	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	17.9	1 / 14	0.0	0 / 10	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.1	26.1	24.3	0 / 18	0 / 15	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.1	30.4	27.0	0 / 18	0 / 15	0 / 3
Percentage of cycles resulting in twin live births (%)	10.6	0.0	5.4	0 / 18	1 / 15	0 / 3
Percentage of cycles resulting in live births (%)	29.8	30.4	32.4	0 / 18	1 / 15	0 / 3
Percentage of cycles resulting in pregnancies (%)	38.3	43.5	35.1	1 / 18	1 / 15	0 / 3
Outcomes per Transfer						
Number of transfers	43	20	27	12	9	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.9	30.0	33.3	0 / 12	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	20.9	35.0	37.0	0 / 12	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	0.0	7.4	0 / 12	1 / 9	0 / 1
Percentage of transfers resulting in live births (%)	32.6	35.0	44.4	0 / 12	1 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	41.9	50.0	48.1	1 / 12	1 / 9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	6	8	2	0	0
Number of transfers	38	6	8	2	0	0
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.4	0.0	
Average number of embryos transferred	1.8	1.7	2.0	3.5		
Percentage of embryos transferred resulting in implantation (%)	41.8	3 / 10	2 / 16	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.7	3 / 6	0 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	26.3	3 / 6	0 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	15.8	0 / 6	1 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	42.1	3 / 6	1 / 8	1 / 2		
Percentage of transfers resulting in pregnancies (%)	52.6	3 / 6	1 / 8	1 / 2		
Number of Egg/Embryo Banking Cycles						
	15	3	7	2	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6			1	
Number of transfers		6			1	
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		5 / 12			0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6			0 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 6			0 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 6			0 / 1	
Percentage of transfers resulting in live births (%)		3 / 6			0 / 1	
Percentage of transfers resulting in pregnancies (%)		3 / 6			0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility & Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER & APPLIED GENETICS OF FLORIDA SARASOTA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Julio E. Pabon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	15%	Uterine factor	13%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	4%	Male factor	45%
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	25%
				Endometriosis	6%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 172 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	7	4	2	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 7	0 / 4	1 / 2		
Average number of embryos transferred	1.5	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 3	2 / 10	2 / 4			
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	1 / 5	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 5	1 / 7	0 / 4	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 5	2 / 7	0 / 4	0 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 7	1 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	2 / 5	2 / 7	1 / 4	0 / 2		
Percentage of cycles resulting in pregnancies (%)	2 / 5	2 / 7	1 / 4	0 / 2		
Outcomes per Transfer						
Number of transfers	2	6	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 6	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 2	2 / 6	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 6	1 / 2			
Percentage of transfers resulting in live births (%)	2 / 2	2 / 6	1 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 2	2 / 6	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	16	13	1	0	0
Number of transfers	28	13	12	1	0	0
Estimated average number of transfers per retrieval	0.8	1.2	0.6	0.1	0.0	0.0
Average number of embryos transferred	1.2	1.2	1.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	53.3	6 / 10	3 / 13	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	4 / 13	2 / 12	1 / 1		
Percentage of transfers resulting in singleton live births (%)	42.9	5 / 13	3 / 12	1 / 1		
Percentage of transfers resulting in twin live births (%)	3.6	0 / 13	0 / 12	0 / 1		
Percentage of transfers resulting in live births (%)	46.4	5 / 13	3 / 12	1 / 1		
Percentage of transfers resulting in pregnancies (%)	64.3	10 / 13	4 / 12	1 / 1		
Number of Egg/Embryo Banking Cycles						
	32	11	17	8	2	8
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			13		
Number of transfers	4			12		
Average number of embryos transferred	1.0			1.2		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			9 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			7 / 12		
Percentage of transfers resulting in singleton live births (%)	2 / 4			8 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 12		
Percentage of transfers resulting in live births (%)	2 / 4			8 / 12		
Percentage of transfers resulting in pregnancies (%)	3 / 4			8 / 12		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center & Applied Genetics of Florida

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	16%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	12%	Male factor	51%
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	41%
				Endometriosis	11%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,181 (includes 40 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	273	161	168	98	27	1
Percentage of cancellations before retrieval (%)	8.1	12.4	16.1	22.4	14.8	1 / 1
Average number of embryos transferred	1.7	1.8	1.8	1.8	2.1	
Percentage of embryos transferred resulting in implantation (%)	50.8	40.7	23.7	18.0	8.6	
Percentage of elective single embryo transfers (eSET) (%)	27.1	13.9	6.7	0.0	0 / 14	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.8	21.7	17.3	8.2	7.4	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.1	28.0	19.6	11.2	7.4	0 / 1
Percentage of cycles resulting in twin live births (%)	14.7	9.3	3.0	1.0	0.0	0 / 1
Percentage of cycles resulting in live births (%)	43.2	37.3	22.6	12.2	7.4	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.5	43.5	29.2	20.4	18.5	0 / 1
Outcomes per Transfer						
Number of transfers	223	124	123	65	18	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.1	28.2	23.6	12.3	2 / 18	
Percentage of transfers resulting in singleton live births (%)	33.2	36.3	26.8	16.9	2 / 18	
Percentage of transfers resulting in twin live births (%)	17.9	12.1	4.1	1.5	0 / 18	
Percentage of transfers resulting in live births (%)	52.9	48.4	30.9	18.5	2 / 18	
Percentage of transfers resulting in pregnancies (%)	60.5	56.5	39.8	30.8	5 / 18	
Frozen Embryos from Nondonor Eggs						
Number of cycles	109	49	59	16	9	1
Number of transfers	104	46	58	16	9	1
Estimated average number of transfers per retrieval	1.3	1.1	1.1	0.6	1.8	1.0
Average number of embryos transferred	1.6	1.6	1.6	1.6	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	50.9	38.2	44.4	28.0	4 / 14	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.6	30.4	41.4	3 / 16	4 / 9	1 / 1
Percentage of transfers resulting in singleton live births (%)	40.4	34.8	46.6	4 / 16	4 / 9	1 / 1
Percentage of transfers resulting in twin live births (%)	13.5	6.5	6.9	0 / 16	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	53.8	41.3	53.4	4 / 16	4 / 9	1 / 1
Percentage of transfers resulting in pregnancies (%)	67.3	54.3	63.8	5 / 16	4 / 9	1 / 1
Number of Egg/Embryo Banking Cycles						
	27	24	26	19	4	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		41			28	
Number of transfers		34			27	
Average number of embryos transferred		1.5			1.8	
Percentage of embryos transferred resulting in implantation (%)		70.0			43.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.4			37.0	
Percentage of transfers resulting in singleton live births (%)		47.1			37.0	
Percentage of transfers resulting in twin live births (%)		14.7			11.1	
Percentage of transfers resulting in live births (%)		64.7			48.1	
Percentage of transfers resulting in pregnancies (%)		76.5			63.0	

CURRENT SERVICES & PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE HEALTH ASSOCIATES, PA
CATHERINE L. COWART, MD, FACOG
TAMPA, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Catherine L. Cowart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	33%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	10%	Male factor	77%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	10%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 30 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	5	6	1	0	0
Percentage of cancellations before retrieval (%)	3 / 13	1 / 5	2 / 6	1 / 1		
Average number of embryos transferred	2.1	2.7	3.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 17	1 / 8	1 / 14			
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 3	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 13	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 13	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 5	0 / 6	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 13	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in pregnancies (%)	3 / 13	1 / 5	1 / 6	0 / 1		
Outcomes per Transfer						
Number of transfers	9	3	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 9	0 / 3	1 / 4			
Percentage of transfers resulting in singleton live births (%)	0 / 9	0 / 3	1 / 4			
Percentage of transfers resulting in twin live births (%)	2 / 9	0 / 3	0 / 4			
Percentage of transfers resulting in live births (%)	2 / 9	0 / 3	1 / 4			
Percentage of transfers resulting in pregnancies (%)	3 / 9	1 / 3	1 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	2	0	0	0
Number of transfers	2	0	2	0	0	0
Estimated average number of transfers per retrieval	2.0		2.0			
Average number of embryos transferred	2.0		3.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 2		3 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2		0 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2			
Percentage of transfers resulting in live births (%)	0 / 2		1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Associates, PA, Catherine L. Cowart, MD, FACOG

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Timothy Yeko, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	43%	Tubal factor	20%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	8%
				Endometriosis	10%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 730 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	174	73	52	21	6	1
Percentage of cancellations before retrieval (%)	5.2	13.7	13.5	28.6	1 / 6	0 / 1
Average number of embryos transferred	1.7	2.0	2.4	3.4	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	42.4	35.5	17.4	5.9	0 / 8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	21.6	4.3	0.0	0 / 9	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.3	17.8	21.2	0.0	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.6	17.8	23.1	0.0	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	13.8	11.0	1.9	0.0	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	37.9	28.8	25.0	0.0	0 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	46.6	32.9	26.9	9.5	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	150	48	38	10	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.7	27.1	28.9	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	27.1	31.6	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	16.0	16.7	2.6	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	44.0	43.8	34.2	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.0	50.0	36.8	2 / 10	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	84	46	36	15	1	1
Number of transfers	83	44	35	13	1	1
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.5	0.3	
Average number of embryos transferred	1.5	1.3	1.3	1.2	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	58.2	45.6	40.5	5 / 15	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.8	47.7	31.4	4 / 13	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	48.2	47.7	34.3	4 / 13	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	13.3	2.3	2.9	0 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	62.7	50.0	37.1	4 / 13	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	67.5	56.8	48.6	5 / 13	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	32	32	36	24	3	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		51		37		
Number of transfers		45		31		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation (%)		64.9		41.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.8		29.0		
Percentage of transfers resulting in singleton live births (%)		44.4		38.7		
Percentage of transfers resulting in twin live births (%)		28.9		0.0		
Percentage of transfers resulting in live births (%)		73.3		38.7		
Percentage of transfers resulting in pregnancies (%)		80.0		51.6		

CURRENT SERVICES & PROFILE

Current Name: The Reproductive Medicine Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Shayne Plosker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	65%	Tubal factor	19%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	45%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	7%
				Endometriosis	8%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 255 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	28	33	14	8	0
Percentage of cancellations before retrieval (%)	6.2	3.6	9.1	2 / 14	5 / 8	
Average number of embryos transferred	1.9	2.1	2.6	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	41.1	24.1	9.1	1 / 4	
Percentage of elective single embryo transfers (eSET) (%)	14.5	0.0	0.0	1 / 11	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.9	25.0	24.2	1 / 14	1 / 8	
Percentage of cycles resulting in singleton live births (%)	30.9	32.1	24.2	2 / 14	1 / 8	
Percentage of cycles resulting in twin live births (%)	12.3	17.9	15.2	0 / 14	0 / 8	
Percentage of cycles resulting in live births (%)	43.2	50.0	39.4	2 / 14	1 / 8	
Percentage of cycles resulting in pregnancies (%)	44.4	53.6	42.4	3 / 14	1 / 8	
Outcomes per Transfer						
Number of transfers	72	27	30	12	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.2	25.9	26.7	1 / 12	1 / 2	
Percentage of transfers resulting in singleton live births (%)	34.7	33.3	26.7	2 / 12	1 / 2	
Percentage of transfers resulting in twin live births (%)	13.9	18.5	16.7	0 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	48.6	51.9	43.3	2 / 12	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	55.6	46.7	3 / 12	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	15	12	4	2	0
Number of transfers	26	15	11	4	2	0
Estimated average number of transfers per retrieval	2.2	1.9	3.7	4.0	2.0	
Average number of embryos transferred	1.7	1.7	1.8	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	29.5	28.0	30.0	4 / 5	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.9	2 / 15	3 / 11	1 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	26.9	3 / 15	3 / 11	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.7	2 / 15	1 / 11	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	34.6	5 / 15	4 / 11	2 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	38.5	5 / 15	4 / 11	3 / 4	1 / 2	
Number of Egg/Embryo Banking Cycles						
	2	1	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	17			8		
Number of transfers	13			8		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	31.8			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 13			3 / 8		
Percentage of transfers resulting in singleton live births (%)	5 / 13			4 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 13			0 / 8		
Percentage of transfers resulting in live births (%)	6 / 13			4 / 8		
Percentage of transfers resulting in pregnancies (%)	6 / 13			4 / 8		

CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Minna R. Selub, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	87%	With ICSI	67%	Tubal factor	12%	Uterine factor	5%	Multiple Factors:		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	17%	Female factors only		12%
Used gestational carrier	0%			Diminished ovarian reserve	83%	Other factor	2%	Female & male factors		17%
				Endometriosis	7%	Unknown factor	0%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 41 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				5	3	4	1	2	0	
Percentage of cancellations before retrieval (%)				0 / 5	1 / 3	0 / 4	0 / 1	1 / 2		
Average number of embryos transferred				2.6	2.5	2.0	1.0			
Percentage of embryos transferred resulting in implantation (%)				3 / 13	0 / 5	0 / 8	0 / 1			
Percentage of elective single embryo transfers (eSET) (%)				0 / 4	0 / 2	0 / 2				
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				3 / 5	0 / 3	0 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in singleton live births (%)				3 / 5	0 / 3	0 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in twin live births (%)				0 / 5	0 / 3	0 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in live births (%)				3 / 5	0 / 3	0 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in pregnancies (%)				3 / 5	0 / 3	0 / 4	0 / 1	0 / 2		
Outcomes per Transfer										
Number of transfers				5	2	4	1	0	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				3 / 5	0 / 2	0 / 4	0 / 1			
Percentage of transfers resulting in singleton live births (%)				3 / 5	0 / 2	0 / 4	0 / 1			
Percentage of transfers resulting in twin live births (%)				0 / 5	0 / 2	0 / 4	0 / 1			
Percentage of transfers resulting in live births (%)				3 / 5	0 / 2	0 / 4	0 / 1			
Percentage of transfers resulting in pregnancies (%)				3 / 5	0 / 2	0 / 4	0 / 1			
Frozen Embryos from Nondonor Eggs										
Number of cycles				1	1	0	0	0	0	
Number of transfers				1	1	0	0	0	0	
Estimated average number of transfers per retrieval										
Average number of embryos transferred				2.0	2.0					
Percentage of embryos transferred resulting in implantation (%)				0 / 2	1 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1	0 / 1					
Percentage of transfers resulting in singleton live births (%)				0 / 1	0 / 1					
Percentage of transfers resulting in twin live births (%)				0 / 1	0 / 1					
Percentage of transfers resulting in live births (%)				0 / 1	0 / 1					
Percentage of transfers resulting in pregnancies (%)				0 / 1	1 / 1					
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				23			1			
Number of transfers				22			1			
Average number of embryos transferred				2.6			5.0			
Percentage of embryos transferred resulting in implantation (%)				12.3			0 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				18.2			0 / 1			
Percentage of transfers resulting in singleton live births (%)				22.7			0 / 1			
Percentage of transfers resulting in twin live births (%)				4.5			0 / 1			
Percentage of transfers resulting in live births (%)				27.3			0 / 1			
Percentage of transfers resulting in pregnancies (%)				27.3			0 / 1			

CURRENT SERVICES & PROFILE				Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE SPECIALISTS, LLC WINTER PARK, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	43%	Tubal factor	27%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	27%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	0%
				Endometriosis	13%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 15 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	4	4	1	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 4	2 / 4	0 / 1		
Average number of embryos transferred	2.0	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 6	0 / 3	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 5	0 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 5	1 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 5	1 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 5	1 / 4	0 / 4	0 / 1		
Outcomes per Transfer						
Number of transfers	3	3	2	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 3	0 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	1 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Specialists, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY WINTER PARK, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark P. Trolice, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	17%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	26%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	14%
				Endometriosis	11%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 224 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	21	25	8	0	1
Percentage of cancellations before retrieval (%)	0.0	4.8	8.0	1 / 8		1 / 1
Average number of embryos transferred	1.9	2.5	2.8	2.4		
Percentage of embryos transferred resulting in implantation (%)	39.4	18.8	13.9	0 / 12		
Percentage of elective single embryo transfers (eSET) (%)	3.0	0 / 13	0 / 13	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.6	4.8	20.0	0 / 8		0 / 1
Percentage of cycles resulting in singleton live births (%)	18.8	4.8	20.0	0 / 8		0 / 1
Percentage of cycles resulting in twin live births (%)	14.6	9.5	0.0	0 / 8		0 / 1
Percentage of cycles resulting in live births (%)	33.3	14.3	20.0	0 / 8		0 / 1
Percentage of cycles resulting in pregnancies (%)	39.6	19.0	20.0	0 / 8		0 / 1
Outcomes per Transfer						
Number of transfers	35	13	13	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	1 / 13	5 / 13	0 / 5		
Percentage of transfers resulting in singleton live births (%)	25.7	1 / 13	5 / 13	0 / 5		
Percentage of transfers resulting in twin live births (%)	20.0	2 / 13	0 / 13	0 / 5		
Percentage of transfers resulting in live births (%)	45.7	3 / 13	5 / 13	0 / 5		
Percentage of transfers resulting in pregnancies (%)	54.3	4 / 13	5 / 13	0 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	19	19	3	1	1
Number of transfers	29	19	18	2	1	1
Estimated average number of transfers per retrieval	1.2	1.5	0.9	0.7		1.0
Average number of embryos transferred	1.7	1.8	2.0	3.0	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	43.8	45.7	33.3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.5	8 / 19	6 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.8	8 / 19	7 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	13.8	4 / 19	2 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	58.6	12 / 19	9 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.6	12 / 19	10 / 18	0 / 2	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	7	3	10	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			8		
Number of transfers	18			8		
Average number of embryos transferred	1.6			1.4		
Percentage of embryos transferred resulting in implantation (%)	58.6			7 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	10 / 18			3 / 8		
Percentage of transfers resulting in singleton live births (%)	13 / 18			5 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 18			1 / 8		
Percentage of transfers resulting in live births (%)	14 / 18			6 / 8		
Percentage of transfers resulting in pregnancies (%)	14 / 18			6 / 8		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Assisted Reproduction & Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	13%	Uterine factor	5%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	19%	Male factor	18%
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	17%
				Endometriosis	9%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,045 (includes 72 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	299	108	84	34	12	1
Percentage of cancellations before retrieval (%)	6.7	8.3	19.0	14.7	2 / 12	0 / 1
Average number of embryos transferred	1.5	1.8	2.2	2.2	2.9	2.0
Percentage of embryos transferred resulting in implantation (%)	48.4	36.0	28.2	17.4	4.3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	42.3	8.1	0.0	0 / 14	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.8	23.1	17.9	5.9	0 / 12	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.1	25.0	22.6	5.9	0 / 12	0 / 1
Percentage of cycles resulting in twin live births (%)	8.7	6.5	4.8	2.9	0 / 12	0 / 1
Percentage of cycles resulting in live births (%)	42.8	31.5	27.4	8.8	0 / 12	0 / 1
Percentage of cycles resulting in pregnancies (%)	48.5	41.7	34.5	17.6	2 / 12	0 / 1
Outcomes per Transfer						
Number of transfers	247	87	60	22	9	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.6	28.7	25.0	9.1	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.1	31.0	31.7	9.1	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	10.5	8.0	6.7	4.5	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	51.8	39.1	38.3	13.6	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.7	51.7	48.3	27.3	2 / 9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	144	54	37	12	2	0
Number of transfers	139	52	34	12	2	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.0		
Average number of embryos transferred	1.4	1.5	1.4	1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	48.4	45.3	43.5	4 / 12	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.6	40.4	29.4	2 / 12	0 / 2	
Percentage of transfers resulting in singleton live births (%)	36.7	42.3	29.4	2 / 12	1 / 2	
Percentage of transfers resulting in twin live births (%)	7.2	7.7	8.8	0 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	44.6	50.0	38.2	2 / 12	1 / 2	
Percentage of transfers resulting in pregnancies (%)	56.8	59.6	52.9	5 / 12	1 / 2	
Number of Egg/Embryo Banking Cycles						
	39	35	26	9	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			55		
Number of transfers	21			53		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	41.4			43.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3			37.7		
Percentage of transfers resulting in singleton live births (%)	38.1			50.9		
Percentage of transfers resulting in twin live births (%)	4.8			0.0		
Percentage of transfers resulting in live births (%)	42.9			50.9		
Percentage of transfers resulting in pregnancies (%)	52.4			58.5		

CURRENT SERVICES & PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jessica B. Spencer, MD							
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b							
IVF	100%	With ICSI	87%	Tubal factor	28%	Uterine factor	12%	Multiple Factors:			
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	19%	Male factor	40%	Female factors only		22%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	5%	Female & male factors		29%	
				Endometriosis	11%	Unknown factor	10%				
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 319 (includes 5 cycle[s] using frozen eggs)							
Type of Cycle				Age of Woman							
				<35	35–37	38–40	41–42	43–44	>44		
Fresh Embryos from Nondonor Eggs											
Number of cycles				75	46	32	14	5	2		
Percentage of cancellations before retrieval (%)				5.3	13.0	3.1	2 / 14	1 / 5	0 / 2		
Average number of embryos transferred				1.8	1.8	2.8	3.9	2.3	3.5		
Percentage of embryos transferred resulting in implantation (%)				52.1	37.5	26.0	8.5	1 / 7	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)				20.9	21.1	0.0	0 / 12	0 / 1	0 / 2		
Outcomes per Cycle											
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				40.0	26.1	25.0	3 / 14	1 / 5	0 / 2		
Percentage of cycles resulting in singleton live births (%)				44.0	30.4	28.1	3 / 14	1 / 5	0 / 2		
Percentage of cycles resulting in twin live births (%)				13.3	8.7	6.3	0 / 14	0 / 5	0 / 2		
Percentage of cycles resulting in live births (%)				57.3	39.1	34.4	3 / 14	1 / 5	0 / 2		
Percentage of cycles resulting in pregnancies (%)				65.3	47.8	46.9	4 / 14	1 / 5	0 / 2		
Outcomes per Transfer											
Number of transfers				68	40	29	12	3	2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				44.1	30.0	27.6	3 / 12	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)				48.5	35.0	31.0	3 / 12	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)				14.7	10.0	6.9	0 / 12	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)				63.2	45.0	37.9	3 / 12	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)				72.1	55.0	51.7	4 / 12	1 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs											
Number of cycles				34	33	23	6	3	2		
Number of transfers				33	32	20	6	3	2		
Estimated average number of transfers per retrieval				1.4	1.3	1.2	1.5	3.0			
Average number of embryos transferred				1.7	1.8	1.9	3.3	3.3	4.0		
Percentage of embryos transferred resulting in implantation (%)				48.1	35.1	32.4	10.0	1 / 10	0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				33.3	31.3	35.0	0 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)				42.4	31.3	35.0	0 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)				15.2	12.5	5.0	1 / 6	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)				57.6	43.8	40.0	1 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)				60.6	50.0	55.0	1 / 6	1 / 3	0 / 2		
Number of Egg/Embryo Banking Cycles				14	8	7	1	1	0		
Donor Eggs				Fresh Embryos ^f				Frozen Embryos ^f			
Number of cycles				5				3			
Number of transfers				4				3			
Average number of embryos transferred				1.8				2.3			
Percentage of embryos transferred resulting in implantation (%)				3 / 7				0 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				3 / 4				0 / 3			
Percentage of transfers resulting in singleton live births (%)				3 / 4				0 / 3			
Percentage of transfers resulting in twin live births (%)				0 / 4				0 / 3			
Percentage of transfers resulting in live births (%)				3 / 4				0 / 3			
Percentage of transfers resulting in pregnancies (%)				3 / 4				0 / 3			

CURRENT SERVICES & PROFILE				Current Name: Emory Reproductive Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC

ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	25%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	25%	Male factor	26%
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	14%
				Endometriosis	13%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 413 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	46	40	19	1	0
Percentage of cancellations before retrieval (%)	7.6	4.3	10.0	5 / 19	0 / 1	
Average number of embryos transferred	1.7	2.1	2.5	2.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	32.6	17.7	18.5	7.7	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	30.8	2.9	0.0	0 / 11	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.7	17.4	17.5	1 / 19	0 / 1	
Percentage of cycles resulting in singleton live births (%)	25.8	17.4	17.5	2 / 19	0 / 1	
Percentage of cycles resulting in twin live births (%)	6.1	6.5	5.0	0 / 19	0 / 1	
Percentage of cycles resulting in live births (%)	31.8	23.9	22.5	2 / 19	0 / 1	
Percentage of cycles resulting in pregnancies (%)	37.9	23.9	30.0	3 / 19	0 / 1	
Outcomes per Transfer						
Number of transfers	53	38	32	12	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.3	21.1	21.9	1 / 12	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.1	21.1	21.9	2 / 12	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.5	7.9	6.3	0 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	39.6	28.9	28.1	2 / 12	0 / 1	
Percentage of transfers resulting in pregnancies (%)	47.2	28.9	37.5	3 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	83	28	38	6	2	2
Number of transfers	80	28	35	4	2	2
Estimated average number of transfers per retrieval	2.4	1.2	2.2	1.0	2.0	
Average number of embryos transferred	1.4	1.6	1.5	1.5	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)	42.6	46.5	44.7	3 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	32.1	37.1	2 / 4	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.3	39.3	40.0	3 / 4	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	7.5	10.7	5.7	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	43.8	50.0	45.7	3 / 4	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	52.5	64.3	62.9	3 / 4	1 / 2	0 / 2
Number of Egg/Embryo Banking Cycles						
	14	16	8	4	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			19		
Number of transfers	17			16		
Average number of embryos transferred	1.6			1.6		
Percentage of embryos transferred resulting in implantation (%)	38.5			41.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 17			5 / 16		
Percentage of transfers resulting in singleton live births (%)	7 / 17			6 / 16		
Percentage of transfers resulting in twin live births (%)	1 / 17			0 / 16		
Percentage of transfers resulting in live births (%)	8 / 17			6 / 16		
Percentage of transfers resulting in pregnancies (%)	10 / 17			8 / 16		

CURRENT SERVICES & PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES

AUGUSTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Larisa Gavrilova-Jordan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	31%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	0%
				Endometriosis	10%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 54 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	4	6	4	0	0
Percentage of cancellations before retrieval (%)	1 / 15	1 / 4	0 / 6	1 / 4		
Average number of embryos transferred	1.8	2.3	2.5	3.0		
Percentage of embryos transferred resulting in implantation (%)	34.8	2 / 7	1 / 7	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	4 / 13	0 / 3	1 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5 / 15	1 / 4	1 / 6	0 / 4		
Percentage of cycles resulting in singleton live births (%)	8 / 15	2 / 4	1 / 6	0 / 4		
Percentage of cycles resulting in twin live births (%)	0 / 15	0 / 4	0 / 6	0 / 4		
Percentage of cycles resulting in live births (%)	8 / 15	2 / 4	1 / 6	0 / 4		
Percentage of cycles resulting in pregnancies (%)	8 / 15	2 / 4	2 / 6	0 / 4		
Outcomes per Transfer						
Number of transfers	13	3	4	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 13	1 / 3	1 / 4	0 / 3		
Percentage of transfers resulting in singleton live births (%)	8 / 13	2 / 3	1 / 4	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 3	0 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	8 / 13	2 / 3	1 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	8 / 13	2 / 3	2 / 4	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	4	0	1	0
Number of transfers	12	3	4	0	1	0
Estimated average number of transfers per retrieval	2.4		1.0			
Average number of embryos transferred	1.7	1.3	1.8		1.0	
Percentage of embryos transferred resulting in implantation (%)	25.0	1 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 12	1 / 3	0 / 4		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 12	1 / 3	1 / 4		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 12	1 / 3	1 / 4		0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 3	1 / 4		0 / 1	
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	1 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY MASSEY FERTILITY INSTITUTE
SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY
AUGUSTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Edouard Servy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	49%	Tubal factor	17%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	33%
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	15%
				Endometriosis	3%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 293 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	73	45	34	13	9	5
Percentage of cancellations before retrieval (%)	13.7	17.8	20.6	1 / 13	1 / 9	0 / 5
Average number of embryos transferred	1.9	2.0	2.3	2.2	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	28.4	19.2	13.0	5.0	1 / 13	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	6.3	0.0	0.0	0 / 7	0 / 4	1 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.1	6.7	5.9	0 / 13	1 / 9	0 / 5
Percentage of cycles resulting in singleton live births (%)	19.2	15.6	11.8	1 / 13	1 / 9	0 / 5
Percentage of cycles resulting in twin live births (%)	8.2	4.4	2.9	0 / 13	0 / 9	0 / 5
Percentage of cycles resulting in live births (%)	27.4	20.0	14.7	1 / 13	1 / 9	0 / 5
Percentage of cycles resulting in pregnancies (%)	28.8	24.4	17.6	1 / 13	1 / 9	0 / 5
Outcomes per Transfer						
Number of transfers	51	36	24	9	6	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.6	8.3	8.3	0 / 9	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	27.5	19.4	16.7	1 / 9	1 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	11.8	5.6	4.2	0 / 9	0 / 6	0 / 4
Percentage of transfers resulting in live births (%)	39.2	25.0	20.8	1 / 9	1 / 6	0 / 4
Percentage of transfers resulting in pregnancies (%)	41.2	30.6	25.0	1 / 9	1 / 6	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	12	8	2	1	0
Number of transfers	38	12	8	2	1	0
Estimated average number of transfers per retrieval	1.6	2.4	1.1	2.0	0.5	0.0
Average number of embryos transferred	1.8	2.1	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.8	45.5	2 / 15	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.4	3 / 12	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.1	4 / 12	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	18.4	2 / 12	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	39.5	6 / 12	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	42.1	9 / 12	2 / 8	1 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	9	1	3	0	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			20		
Number of transfers	12			19		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	18.2			27.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12			3 / 19		
Percentage of transfers resulting in singleton live births (%)	2 / 12			5 / 19		
Percentage of transfers resulting in twin live births (%)	1 / 12			2 / 19		
Percentage of transfers resulting in live births (%)	3 / 12			7 / 19		
Percentage of transfers resulting in pregnancies (%)	3 / 12			7 / 19		

CURRENT SERVICES & PROFILE

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	40%	Uterine factor	16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	80%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	0%
				Endometriosis	34%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 117 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	14	5	5	0	0
Percentage of cancellations before retrieval (%)	17.6	2 / 14	0 / 5	0 / 5		
Average number of embryos transferred	2.0	2.2	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	30.2	20.0	0 / 6	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	6.7	0 / 9	0 / 2	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.8	2 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in singleton live births (%)	13.7	2 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in twin live births (%)	11.8	1 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in live births (%)	25.5	3 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in pregnancies (%)	27.5	3 / 14	0 / 5	3 / 5		
Outcomes per Transfer						
Number of transfers	32	9	3	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.6	2 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in singleton live births (%)	21.9	2 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in twin live births (%)	18.8	1 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in live births (%)	40.6	3 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in pregnancies (%)	43.8	3 / 9	0 / 3	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	5	1	0	0	0
Number of transfers	23	5	1	0	0	0
Estimated average number of transfers per retrieval	1.4	5.0				
Average number of embryos transferred	2.0	1.6	2.0			
Percentage of embryos transferred resulting in implantation (%)	42.9	6 / 8	2 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	2 / 5	0 / 1			
Percentage of transfers resulting in singleton live births (%)	21.7	4 / 5	0 / 1			
Percentage of transfers resulting in twin live births (%)	21.7	0 / 5	1 / 1			
Percentage of transfers resulting in live births (%)	43.5	4 / 5	1 / 1			
Percentage of transfers resulting in pregnancies (%)	65.2	4 / 5	1 / 1			
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			3		
Number of transfers	6			3		
Average number of embryos transferred	2.0			2.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 12			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6			1 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 6			2 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 3		
Percentage of transfers resulting in live births (%)	4 / 6			2 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 6			2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES SANDY SPRINGS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel Shapiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	32%
Used gestational carrier	<1%			Diminished ovarian reserve	54%	Other factor	21%
				Endometriosis	8%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,676 (includes 232 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	216	96	86	36	16	6
Percentage of cancellations before retrieval (%)	11.1	9.4	15.1	27.8	2 / 16	1 / 6
Average number of embryos transferred	1.2	1.9	2.1	2.4	3.6	3.0
Percentage of embryos transferred resulting in implantation (%)	43.8	20.7	19.8	17.6	6.9	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	75.9	23.6	17.1	0 / 13	0 / 8	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.5	7.3	7.0	2.8	0 / 16	0 / 6
Percentage of cycles resulting in singleton live births (%)	22.2	7.3	9.3	8.3	0 / 16	0 / 6
Percentage of cycles resulting in twin live births (%)	2.3	4.2	2.3	0.0	1 / 16	0 / 6
Percentage of cycles resulting in live births (%)	24.5	12.5	11.6	8.3	1 / 16	0 / 6
Percentage of cycles resulting in pregnancies (%)	27.3	15.6	20.9	13.9	1 / 16	0 / 6
Outcomes per Transfer						
Number of transfers	120	57	45	15	8	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	12.3	13.3	1 / 15	0 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.0	12.3	17.8	3 / 15	0 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	4.2	7.0	4.4	0 / 15	1 / 8	0 / 3
Percentage of transfers resulting in live births (%)	44.2	21.1	22.2	3 / 15	1 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	49.2	26.3	40.0	5 / 15	1 / 8	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	231	161	97	53	13	6
Number of transfers	228	161	97	53	13	6
Estimated average number of transfers per retrieval	1.5	1.8	1.3	1.2	0.7	1.0
Average number of embryos transferred	1.4	1.5	1.6	1.8	2.4	2.7
Percentage of embryos transferred resulting in implantation (%)	57.3	47.8	38.6	31.1	20.0	1 / 16
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.5	37.3	26.8	24.5	3 / 13	1 / 6
Percentage of transfers resulting in singleton live births (%)	50.0	43.5	35.1	30.2	3 / 13	1 / 6
Percentage of transfers resulting in twin live births (%)	6.1	8.1	3.1	5.7	1 / 13	0 / 6
Percentage of transfers resulting in live births (%)	56.6	52.2	38.1	35.8	4 / 13	1 / 6
Percentage of transfers resulting in pregnancies (%)	69.7	58.4	54.6	47.2	5 / 13	1 / 6
Number of Egg/Embryo Banking Cycles						
	52	44	50	32	11	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			234		
Number of transfers	1			232		
Average number of embryos transferred	1.0			1.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			46.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			27.2		
Percentage of transfers resulting in singleton live births (%)	1 / 1			34.9		
Percentage of transfers resulting in twin live births (%)	0 / 1			4.3		
Percentage of transfers resulting in live births (%)	1 / 1			39.7		
Percentage of transfers resulting in pregnancies (%)	1 / 1			52.2		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Biology Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	18%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	16%	Male factor	63%
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	3%
				Endometriosis	9%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 153 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	26	9	2	1	0
Percentage of cancellations before retrieval (%)	3.0	15.4	1 / 9	1 / 2	0 / 1	
Average number of embryos transferred	1.9	2.0	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	61.9	41.5	8 / 14	0 / 2	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	3.3	0.0	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.4	11.5	1 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	32.8	15.4	2 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	23.9	19.2	3 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	59.7	34.6	5 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	70.1	50.0	5 / 9	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	63	22	7	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.6	13.6	1 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.9	18.2	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	25.4	22.7	3 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	63.5	40.9	5 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	74.6	59.1	5 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	5	1	0	1
Number of transfers	17	6	5	1	0	1
Estimated average number of transfers per retrieval	2.4	1.5	5.0			
Average number of embryos transferred	1.7	1.7	1.6	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	44.4	0 / 10	7 / 8	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	0 / 6	1 / 5	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 17	0 / 6	1 / 5	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 6	1 / 5	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	6 / 17	0 / 6	2 / 5	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 17	0 / 6	4 / 5	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			2		
Number of transfers	14			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	76.9			3 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14			0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 14			1 / 2		
Percentage of transfers resulting in twin live births (%)	4 / 14			1 / 2		
Percentage of transfers resulting in live births (%)	11 / 14			2 / 2		
Percentage of transfers resulting in pregnancies (%)	13 / 14			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	<1%	Male factor	88%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	2%
				Endometriosis	9%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 214 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	24	24	17	14	6
Percentage of cancellations before retrieval (%)	6.5	0.0	12.5	1 / 17	1 / 14	0 / 6
Average number of embryos transferred	2.1	2.7	2.7	2.9	2.5	2.3
Percentage of embryos transferred resulting in implantation (%)	5 / 17	20.8	8.3	5.0	1 / 12	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 9	0 / 7	0 / 6	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.9	12.5	4.2	1 / 17	1 / 14	0 / 6
Percentage of cycles resulting in singleton live births (%)	12.9	12.5	4.2	1 / 17	1 / 14	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0 / 17	0 / 14	0 / 6
Percentage of cycles resulting in live births (%)	12.9	12.5	4.2	1 / 17	1 / 14	0 / 6
Percentage of cycles resulting in pregnancies (%)	16.1	16.7	8.3	1 / 17	2 / 14	0 / 6
Outcomes per Transfer						
Number of transfers	8	9	9	7	6	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8	3 / 9	1 / 9	1 / 7	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 8	3 / 9	1 / 9	1 / 7	1 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 9	0 / 9	0 / 7	0 / 6	0 / 4
Percentage of transfers resulting in live births (%)	4 / 8	3 / 9	1 / 9	1 / 7	1 / 6	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 9	2 / 9	1 / 7	2 / 6	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	18	24	6	5	1
Number of transfers	19	15	19	4	4	1
Estimated average number of transfers per retrieval	1.4	1.4	1.3	1.3	0.6	1.0
Average number of embryos transferred	1.8	2.0	2.1	3.0	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	51.4	36.7	45.0	1 / 12	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 19	6 / 15	4 / 19	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	11 / 19	9 / 15	8 / 19	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 19	1 / 15	1 / 19	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	14 / 19	10 / 15	10 / 19	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	14 / 19	10 / 15	13 / 19	1 / 4	1 / 4	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	2	6	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			6		
Number of transfers	6			5		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			6 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 6			3 / 5		
Percentage of transfers resulting in singleton live births (%)	5 / 6			3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 6			0 / 5		
Percentage of transfers resulting in live births (%)	5 / 6			4 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 6			4 / 5		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	23%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	28%	Male factor	91%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	1%
				Endometriosis	8%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				<1%			
				60%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 472 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	25	22	14	4	1
Percentage of cancellations before retrieval (%)	20.8	24.0	13.6	2 / 14	0 / 4	1 / 1
Average number of embryos transferred	1.8	2.2	2.4	2.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	48.5	60.5	20.0	29.2	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	3 / 18	0 / 17	2 / 18	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	37.5	32.0	13.6	3 / 14	1 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	41.7	32.0	27.3	3 / 14	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	12.5	20.0	4.5	1 / 14	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	54.2	56.0	31.8	4 / 14	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	54.2	64.0	36.4	7 / 14	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	18	18	19	12	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 18	8 / 18	3 / 19	3 / 12	1 / 3	
Percentage of transfers resulting in singleton live births (%)	10 / 18	8 / 18	6 / 19	3 / 12	1 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 18	5 / 18	1 / 19	1 / 12	0 / 3	
Percentage of transfers resulting in live births (%)	13 / 18	14 / 18	7 / 19	4 / 12	1 / 3	
Percentage of transfers resulting in pregnancies (%)	13 / 18	16 / 18	8 / 19	7 / 12	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	35	33	15	1	2
Number of transfers	76	34	33	15	1	2
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.9	0.3	0.2
Average number of embryos transferred	1.7	1.7	1.6	1.7	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)	67.2	52.0	70.5	4 / 17	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.8	32.4	27.3	3 / 15	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.1	41.2	45.5	3 / 15	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	23.7	17.6	18.2	0 / 15	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	72.4	58.8	63.6	3 / 15	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	77.6	67.6	87.9	8 / 15	0 / 1	0 / 2
Number of Egg/Embryo Banking Cycles						
	67	33	33	17	3	11
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			39		
Number of transfers	2			38		
Average number of embryos transferred	2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			74.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			47.4		
Percentage of transfers resulting in singleton live births (%)	1 / 2			68.4		
Percentage of transfers resulting in twin live births (%)	0 / 2			13.2		
Percentage of transfers resulting in live births (%)	1 / 2			81.6		
Percentage of transfers resulting in pregnancies (%)	1 / 2			92.1		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Benton HH Chun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	27%	Uterine factor	<1%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	15%	Male factor	60%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	9%
				Endometriosis	52%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 212 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	38	30	31	11	4
Percentage of cancellations before retrieval (%)	8.8	15.8	6.7	22.6	0 / 11	3 / 4
Average number of embryos transferred	1.4	2.2	2.5	3.3	4.4	1.0
Percentage of embryos transferred resulting in implantation (%)	47.1	30.2	27.5	14.3	3.2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	62.5	18.2	0 / 19	0 / 13	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.4	21.1	13.3	12.9	1 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.4	28.9	16.7	16.1	1 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	8.8	5.3	6.7	3.2	0 / 11	0 / 4
Percentage of cycles resulting in live births (%)	38.2	34.2	23.3	19.4	1 / 11	0 / 4
Percentage of cycles resulting in pregnancies (%)	47.1	36.8	40.0	19.4	1 / 11	0 / 4
Outcomes per Transfer						
Number of transfers	28	24	21	15	7	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.7	33.3	19.0	4 / 15	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.7	45.8	23.8	5 / 15	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	10.7	8.3	9.5	1 / 15	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	46.4	54.2	33.3	6 / 15	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	58.3	57.1	6 / 15	1 / 7	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	9	14	4	1	1
Number of transfers	17	8	13	3	1	0
Estimated average number of transfers per retrieval	5.7	2.7	1.6	1.5	0.5	
Average number of embryos transferred	1.4	1.5	2.2	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	1 / 7	23.1	0 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	1 / 8	2 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 17	1 / 8	4 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 8	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 17	1 / 8	5 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	10 / 17	4 / 8	6 / 13	0 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	1	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			12		
Number of transfers	1			12		
Average number of embryos transferred	1.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			10 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			7 / 12		
Percentage of transfers resulting in singleton live births (%)	0 / 1			8 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 12		
Percentage of transfers resulting in live births (%)	0 / 1			9 / 12		
Percentage of transfers resulting in pregnancies (%)	0 / 1			10 / 12		

CURRENT SERVICES & PROFILE

Current Name: IVF Hawaii

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	13%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	3%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	7%
				Endometriosis	33%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 527 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	39	55	29	12	8
Percentage of cancellations before retrieval (%)	5.7	12.8	10.9	10.3	2 / 12	4 / 8
Average number of embryos transferred	2.1	2.4	2.7	3.4	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	43.1	21.7	10.6	2.8	0 / 14	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	3.3	0.0	3.4	0 / 19	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.5	20.5	5.5	3.4	0 / 12	0 / 8
Percentage of cycles resulting in singleton live births (%)	9.4	20.5	7.3	3.4	0 / 12	0 / 8
Percentage of cycles resulting in twin live births (%)	20.8	5.1	0.0	0.0	0 / 12	0 / 8
Percentage of cycles resulting in live births (%)	30.2	25.6	7.3	3.4	0 / 12	0 / 8
Percentage of cycles resulting in pregnancies (%)	30.2	25.6	16.4	6.9	0 / 12	0 / 8
Outcomes per Transfer						
Number of transfers	31	25	33	21	5	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	12.9	32.0	9.1	4.8	0 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	16.1	32.0	12.1	4.8	0 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	35.5	8.0	0.0	0.0	0 / 5	0 / 4
Percentage of transfers resulting in live births (%)	51.6	40.0	12.1	4.8	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	51.6	40.0	27.3	9.5	0 / 5	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	18	24	7	3	3
Number of transfers	26	17	24	5	2	3
Estimated average number of transfers per retrieval	2.6	1.4	0.9	1.3		
Average number of embryos transferred	1.9	1.9	2.1	2.6	3.0	2.7
Percentage of embryos transferred resulting in implantation (%)	40.8	32.3	33.3	2 / 13	0 / 6	3 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.4	6 / 17	33.3	2 / 5	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.6	7 / 17	37.5	2 / 5	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	15.4	1 / 17	8.3	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	50.0	8 / 17	45.8	2 / 5	0 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	57.7	10 / 17	62.5	2 / 5	0 / 2	1 / 3
Number of Egg/Embryo Banking Cycles						
	2	5	16	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	80			137		
Number of transfers	71			133		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	47.0			30.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8			12.0		
Percentage of transfers resulting in singleton live births (%)	32.4			18.8		
Percentage of transfers resulting in twin live births (%)	25.4			17.3		
Percentage of transfers resulting in live births (%)	57.7			36.1		
Percentage of transfers resulting in pregnancies (%)	63.4			41.4		

CURRENT SERVICES & PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Nia Middleton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	28%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	4%
				Endometriosis	8%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 94 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	14	16	2	0	0
Percentage of cancellations before retrieval (%)	10.3	2 / 14	3 / 16	0 / 2		
Average number of embryos transferred	2.1	2.2	2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)	46.2	50.0	23.8	2 / 4		
Percentage of elective single embryo transfers (eSET) (%)	3.2	0 / 11	1 / 10	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.2	1 / 14	3 / 16	0 / 2		
Percentage of cycles resulting in singleton live births (%)	33.3	2 / 14	3 / 16	0 / 2		
Percentage of cycles resulting in twin live births (%)	17.9	5 / 14	1 / 16	1 / 2		
Percentage of cycles resulting in live births (%)	51.3	7 / 14	4 / 16	1 / 2		
Percentage of cycles resulting in pregnancies (%)	56.4	7 / 14	4 / 16	1 / 2		
Outcomes per Transfer						
Number of transfers	32	12	10	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.4	1 / 12	3 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	40.6	2 / 12	3 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	21.9	5 / 12	1 / 10	1 / 2		
Percentage of transfers resulting in live births (%)	62.5	7 / 12	4 / 10	1 / 2		
Percentage of transfers resulting in pregnancies (%)	68.8	7 / 12	4 / 10	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	1	3	0	0
Number of transfers	12	2	1	1	0	0
Estimated average number of transfers per retrieval	1.3		1.0	1.0		
Average number of embryos transferred	2.0	3.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	45.0	0 / 6	2 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 12	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	4 / 12	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 12	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 12	0 / 2	1 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	51%	Tubal factor	11%	Uterine factor	5%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	12%	Male factor	32%
Used gestational carrier	4%			Diminished ovarian reserve	30%	Other factor	10%
				Endometriosis	8%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 397 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	36	25	9	6	0
Percentage of cancellations before retrieval (%)	3.3	5.6	16.0	3 / 9	4 / 6	
Average number of embryos transferred	1.9	2.2	2.1	2.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.6	25.4	20.6	0 / 9	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	6.7	0.0	1 / 14	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.4	11.1	4.0	0 / 9	0 / 6	
Percentage of cycles resulting in singleton live births (%)	27.8	13.9	4.0	0 / 9	0 / 6	
Percentage of cycles resulting in twin live births (%)	16.7	11.1	8.0	0 / 9	0 / 6	
Percentage of cycles resulting in live births (%)	45.6	25.0	12.0	0 / 9	0 / 6	
Percentage of cycles resulting in pregnancies (%)	50.0	36.1	24.0	1 / 9	1 / 6	
Outcomes per Transfer						
Number of transfers	79	30	17	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.8	13.3	1 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	16.7	1 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.0	13.3	2 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	51.9	30.0	3 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.0	43.3	6 / 17	1 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	34	21	2	5	2
Number of transfers	36	33	21	2	3	1
Estimated average number of transfers per retrieval	1.2	1.4	1.0	0.7	0.8	1.0
Average number of embryos transferred	1.8	1.8	1.7	2.5	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	46.4	36.5	32.3	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.8	21.2	28.6	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.6	27.3	28.6	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	19.4	9.1	9.5	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	50.0	36.4	38.1	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	61.1	60.6	47.6	0 / 2	1 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	13	14	16	3	3	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	29			49		
Number of transfers	27			49		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	70.6			36.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.2			20.4		
Percentage of transfers resulting in singleton live births (%)	29.6			30.6		
Percentage of transfers resulting in twin live births (%)	40.7			12.2		
Percentage of transfers resulting in live births (%)	70.4			42.9		
Percentage of transfers resulting in pregnancies (%)	85.2			59.2		

CURRENT SERVICES & PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Zvi Binor, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	19%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	11%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	35%
				Endometriosis	16%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 161 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	24	28	8	16	5
Percentage of cancellations before retrieval (%)	4.3	16.7	21.4	4 / 8	4 / 16	2 / 5
Average number of embryos transferred	2.1	2.1	2.1	1.5	1.4	3.0
Percentage of embryos transferred resulting in implantation (%)	17.1	5.6	18.9	3 / 6	0 / 13	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 16	0 / 17	0 / 2	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.3	4.2	3.6	1 / 8	0 / 16	0 / 5
Percentage of cycles resulting in singleton live births (%)	25.5	8.3	3.6	1 / 8	0 / 16	0 / 5
Percentage of cycles resulting in twin live births (%)	0.0	0.0	7.1	1 / 8	0 / 16	0 / 5
Percentage of cycles resulting in live births (%)	25.5	8.3	10.7	2 / 8	0 / 16	0 / 5
Percentage of cycles resulting in pregnancies (%)	27.7	8.3	21.4	2 / 8	0 / 16	0 / 5
Outcomes per Transfer						
Number of transfers	40	17	19	4	9	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	1 / 17	1 / 19	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.0	2 / 17	1 / 19	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 17	2 / 19	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	30.0	2 / 17	3 / 19	2 / 4	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	32.5	2 / 17	6 / 19	2 / 4	0 / 9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	4	0	0	0	0
Number of transfers	16	4	0	0	0	0
Estimated average number of transfers per retrieval	3.2	2.0				
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation (%)	10.7	1 / 7				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 16	1 / 4				
Percentage of transfers resulting in singleton live births (%)	3 / 16	1 / 4				
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 4				
Percentage of transfers resulting in live births (%)	3 / 16	1 / 4				
Percentage of transfers resulting in pregnancies (%)	3 / 16	1 / 4				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			3		
Number of transfers	9			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 16			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9			1 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 9			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 9			0 / 3		
Percentage of transfers resulting in live births (%)	2 / 9			1 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 9			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY THE UNIVERSITY OF CHICAGO CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	14%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	18%	Male factor	21%
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	14%
				Endometriosis	4%	Unknown factor	25%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 235 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	30	23	4	3	1
Percentage of cancellations before retrieval (%)	15.4	20.0	17.4	2 / 4	2 / 3	0 / 1
Average number of embryos transferred	1.3	1.8	1.9		3.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	22.2	23.3		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	65.0	3 / 18	2 / 15		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.5	20.0	17.4	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.8	20.0	21.7	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	3.3	0.0	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	33.3	23.3	21.7	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	35.9	23.3	26.1	0 / 4	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	23	20	16	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.8	30.0	4 / 16		0 / 1	
Percentage of transfers resulting in singleton live births (%)	52.2	30.0	5 / 16		0 / 1	
Percentage of transfers resulting in twin live births (%)	4.3	5.0	0 / 16		0 / 1	
Percentage of transfers resulting in live births (%)	56.5	35.0	5 / 16		0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.9	35.0	6 / 16		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	21	17	3	2	0
Number of transfers	40	18	17	3	2	0
Estimated average number of transfers per retrieval	1.5	1.1	2.1	1.0		0.0
Average number of embryos transferred	1.4	1.8	2.0	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.4	34.5	14.7	2 / 4	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	4 / 18	1 / 17	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	22.5	4 / 18	2 / 17	2 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.0	2 / 18	0 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	27.5	6 / 18	2 / 17	2 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	35.0	9 / 18	5 / 17	2 / 3	0 / 2	
Number of Egg/Embryo Banking Cycles						
	18	10	3	2	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			11		
Number of transfers	3			11		
Average number of embryos transferred	1.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			3 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 3			1 / 11		
Percentage of transfers resulting in singleton live births (%)	2 / 3			1 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 11		
Percentage of transfers resulting in live births (%)	2 / 3			2 / 11		
Percentage of transfers resulting in pregnancies (%)	2 / 3			3 / 11		

CURRENT SERVICES & PROFILE

Current Name: University of Chicago Medicine Center for Reproductive Medicine and Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Edward Marut, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	21%	Male factor	24%
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	12%
				Endometriosis	5%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2,419 (includes 45 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	504	261	274	158	85	15
Percentage of cancellations before retrieval (%)	7.7	13.8	19.3	29.1	27.1	5 / 15
Average number of embryos transferred	1.5	1.8	2.1	2.2	2.3	2.2
Percentage of embryos transferred resulting in implantation (%)	46.6	35.3	21.4	13.0	3.5	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	48.5	20.9	4.4	0.0	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.2	20.7	12.0	8.2	2.4	0 / 15
Percentage of cycles resulting in singleton live births (%)	34.5	24.1	13.9	9.5	2.4	0 / 15
Percentage of cycles resulting in twin live births (%)	6.0	6.1	2.9	0.0	0.0	0 / 15
Percentage of cycles resulting in live births (%)	40.5	30.3	17.2	9.5	2.4	0 / 15
Percentage of cycles resulting in pregnancies (%)	45.6	36.8	25.5	14.6	5.9	0 / 15
Outcomes per Transfer						
Number of transfers	385	189	181	82	51	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.5	28.6	18.2	15.9	3.9	0 / 6
Percentage of transfers resulting in singleton live births (%)	45.2	33.3	21.0	18.3	3.9	0 / 6
Percentage of transfers resulting in twin live births (%)	7.8	8.5	4.4	0.0	0.0	0 / 6
Percentage of transfers resulting in live births (%)	53.0	41.8	26.0	18.3	3.9	0 / 6
Percentage of transfers resulting in pregnancies (%)	59.7	50.8	38.7	28.0	9.8	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	321	165	107	49	26	5
Number of transfers	296	154	100	44	23	4
Estimated average number of transfers per retrieval	1.6	1.2	1.0	0.8	0.7	0.5
Average number of embryos transferred	1.5	1.5	1.7	1.6	1.5	2.5
Percentage of embryos transferred resulting in implantation (%)	47.5	43.9	35.2	25.0	35.7	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.1	29.2	27.0	20.5	17.4	0 / 4
Percentage of transfers resulting in singleton live births (%)	39.9	32.5	33.0	27.3	21.7	0 / 4
Percentage of transfers resulting in twin live births (%)	9.8	10.4	4.0	4.5	8.7	0 / 4
Percentage of transfers resulting in live births (%)	49.7	43.5	37.0	31.8	30.4	0 / 4
Percentage of transfers resulting in pregnancies (%)	58.4	55.2	51.0	38.6	43.5	0 / 4
Number of Egg/Embryo Banking Cycles						
	65	68	55	38	23	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		60			91	
Number of transfers		47			86	
Average number of embryos transferred		1.4			1.5	
Percentage of embryos transferred resulting in implantation (%)		62.5			40.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.4			26.7	
Percentage of transfers resulting in singleton live births (%)		51.1			36.0	
Percentage of transfers resulting in twin live births (%)		10.6			7.0	
Percentage of transfers resulting in live births (%)		61.7			43.0	
Percentage of transfers resulting in pregnancies (%)		72.3			51.2	

CURRENT SERVICES & PROFILE

Current Name: Fertility Centers of Illinois-River North IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ilan Tur-Kaspa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	6%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	32%
				Endometriosis	4%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				0%			
				17%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 350 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	30	16	15	6	4
Percentage of cancellations before retrieval (%)	4.1	3.3	0 / 16	2 / 15	1 / 6	0 / 4
Average number of embryos transferred	1.5	2.0	2.0	2.4	2.7	3.7
Percentage of embryos transferred resulting in implantation (%)	38.2	22.4	16.7	0.0	0 / 8	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	45.7	12.5	0 / 9	0 / 8	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.4	13.3	2 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	22.4	16.7	2 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	6.1	6.7	1 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	28.6	23.3	3 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	40.8	23.3	3 / 16	1 / 15	0 / 6	1 / 4
Outcomes per Transfer						
Number of transfers	38	25	12	10	3	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	16.0	2 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.9	20.0	2 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	7.9	8.0	1 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	36.8	28.0	3 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.6	28.0	3 / 12	1 / 10	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	23	18	16	6	10
Number of transfers	63	22	18	16	6	10
Estimated average number of transfers per retrieval	1.4	1.5	1.4	0.7	0.5	2.5
Average number of embryos transferred	1.3	1.2	1.3	1.4	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	50.0	48.0	33.3	22.7	1 / 7	7 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.3	45.5	3 / 18	2 / 16	1 / 6	2 / 10
Percentage of transfers resulting in singleton live births (%)	42.9	54.5	4 / 18	3 / 16	1 / 6	3 / 10
Percentage of transfers resulting in twin live births (%)	9.5	0.0	0 / 18	0 / 16	0 / 6	1 / 10
Percentage of transfers resulting in live births (%)	52.4	54.5	4 / 18	3 / 16	1 / 6	4 / 10
Percentage of transfers resulting in pregnancies (%)	58.7	59.1	8 / 18	5 / 16	1 / 6	6 / 10
Number of Egg/Embryo Banking Cycles						
	32	9	12	16	11	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			6		
Number of transfers	3			5		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			0 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 3			0 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 3			1 / 5		
Percentage of transfers resulting in live births (%)	1 / 3			1 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 3			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mary Ellen Pavone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	8%	Uterine factor	2%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	10%	Male factor	28%
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	7%
				Endometriosis	5%	Unknown factor	25%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 914 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	260	127	105	66	28	2
Percentage of cancellations before retrieval (%)	5.0	10.2	17.1	15.2	14.3	0 / 2
Average number of embryos transferred	1.7	1.9	2.3	2.9	3.0	2.5
Percentage of embryos transferred resulting in implantation (%)	31.6	33.0	16.1	12.0	8.5	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	25.7	12.6	1.4	0.0	0 / 19	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.8	21.3	14.3	12.1	0.0	0 / 2
Percentage of cycles resulting in singleton live births (%)	24.6	23.6	16.2	12.1	0.0	0 / 2
Percentage of cycles resulting in twin live births (%)	8.8	11.0	3.8	0.0	0.0	0 / 2
Percentage of cycles resulting in live births (%)	33.5	34.6	20.0	12.1	0.0	0 / 2
Percentage of cycles resulting in pregnancies (%)	39.6	40.2	23.8	22.7	17.9	0 / 2
Outcomes per Transfer						
Number of transfers	230	105	81	50	21	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.5	25.7	18.5	16.0	0.0	0 / 2
Percentage of transfers resulting in singleton live births (%)	27.8	28.6	21.0	16.0	0.0	0 / 2
Percentage of transfers resulting in twin live births (%)	10.0	13.3	4.9	0.0	0.0	0 / 2
Percentage of transfers resulting in live births (%)	37.8	41.9	25.9	16.0	0.0	0 / 2
Percentage of transfers resulting in pregnancies (%)	44.8	48.6	30.9	30.0	23.8	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	100	41	23	8	3	1
Number of transfers	85	36	22	8	3	1
Estimated average number of transfers per retrieval	0.8	0.9	0.6	2.0	1.5	
Average number of embryos transferred	1.7	1.6	1.6	2.9	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	43.5	31.6	33.3	13.0	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.1	38.9	18.2	1 / 8	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.2	38.9	27.3	1 / 8	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	10.6	2.8	4.5	1 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	51.8	41.7	31.8	2 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.8	50.0	50.0	2 / 8	0 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	55	22	16	4	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		22			27	
Number of transfers		19			21	
Average number of embryos transferred		1.8			1.7	
Percentage of embryos transferred resulting in implantation (%)		41.2			36.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 19			19.0	
Percentage of transfers resulting in singleton live births (%)		7 / 19			19.0	
Percentage of transfers resulting in twin live births (%)		3 / 19			14.3	
Percentage of transfers resulting in live births (%)		10 / 19			33.3	
Percentage of transfers resulting in pregnancies (%)		11 / 19			42.9	

CURRENT SERVICES & PROFILE

Current Name: Northwestern University

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	54%	Tubal factor	21%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	8%
				Endometriosis	13%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 162 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	21	26	13	8	3
Percentage of cancellations before retrieval (%)	14.6	9.5	42.3	3 / 13	1 / 8	3 / 3
Average number of embryos transferred	1.5	1.7	2.4	2.7	2.8	
Percentage of embryos transferred resulting in implantation (%)	44.7	42.3	3.7	4.2	0 / 17	
Percentage of elective single embryo transfers (eSET) (%)	46.4	4 / 14	0 / 12	0 / 8	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.8	14.3	3.8	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in singleton live births (%)	22.9	14.3	3.8	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in twin live births (%)	6.3	9.5	0.0	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	29.2	23.8	3.8	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in pregnancies (%)	35.4	33.3	7.7	1 / 13	0 / 8	0 / 3
Outcomes per Transfer						
Number of transfers	32	15	12	9	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.1	3 / 15	1 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in singleton live births (%)	34.4	3 / 15	1 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in twin live births (%)	9.4	2 / 15	0 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in live births (%)	43.8	5 / 15	1 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in pregnancies (%)	53.1	7 / 15	2 / 12	1 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	5	2	2	2
Number of transfers	12	7	5	2	1	1
Estimated average number of transfers per retrieval	1.7	1.8	1.3	2.0		
Average number of embryos transferred	1.4	1.3	1.8	2.0	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	13 / 16	6 / 9	2 / 9	0 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 12	3 / 7	1 / 5	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	9 / 12	3 / 7	1 / 5	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 7	0 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 12	4 / 7	1 / 5	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 12	5 / 7	2 / 5	1 / 2	1 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			4		
Number of transfers	5			4		
Average number of embryos transferred	1.6			1.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 8			2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5			1 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5			2 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 5			0 / 4		
Percentage of transfers resulting in live births (%)	2 / 5			2 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 5			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mary W. Molo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	26%	Uterine factor	38%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	41%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	26%
				Endometriosis	21%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 281 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	36	37	17	13	18
Percentage of cancellations before retrieval (%)	4.0	8.3	2.7	1 / 17	2 / 13	5 / 18
Average number of embryos transferred	1.8	2.0	2.0	2.3	2.2	1.7
Percentage of embryos transferred resulting in implantation (%)	44.0	18.6	22.2	4.8	4.5	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	10.5	4.0	7.4	0 / 8	0 / 6	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.0	11.1	5.4	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in singleton live births (%)	26.0	11.1	8.1	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in twin live births (%)	10.0	5.6	10.8	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in live births (%)	36.0	16.7	18.9	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in pregnancies (%)	48.0	22.2	24.3	1 / 17	1 / 13	0 / 18
Outcomes per Transfer						
Number of transfers	41	30	32	9	10	9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	13.3	6.3	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in singleton live births (%)	31.7	13.3	9.4	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in twin live births (%)	12.2	6.7	12.5	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in live births (%)	43.9	20.0	21.9	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in pregnancies (%)	58.5	26.7	28.1	1 / 9	1 / 10	0 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	19	14	4	1	1
Number of transfers	26	14	11	4	0	1
Estimated average number of transfers per retrieval	1.2	1.2	1.2	0.8	0.0	0.5
Average number of embryos transferred	2.0	2.1	2.0	2.3		3.0
Percentage of embryos transferred resulting in implantation (%)	25.5	34.5	4.5	2 / 9		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.2	5 / 14	1 / 11	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	26.9	6 / 14	1 / 11	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	1 / 14	0 / 11	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	34.6	7 / 14	1 / 11	1 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	38.5	9 / 14	1 / 11	2 / 4		1 / 1
Number of Egg/Embryo Banking Cycles						
	10	6	5	4	4	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			10		
Number of transfers	3			9		
Average number of embryos transferred	1.7			2.1		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			5 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			2 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 3			1 / 9		
Percentage of transfers resulting in live births (%)	2 / 3			3 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 3			4 / 9		

CURRENT SERVICES & PROFILE

Current Name: Women's Health Consultants

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by R. Scott Springer, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	7%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	19%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	1%
				Endometriosis	4%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 206 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	10	9	1	5	0
Percentage of cancellations before retrieval (%)	6.3	1 / 10	0 / 9	0 / 1	0 / 5	
Average number of embryos transferred	1.9	2.3	2.0		2.3	
Percentage of embryos transferred resulting in implantation (%)	29.0	3 / 14	2 / 6		0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 6	0 / 2		0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.5	1 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in singleton live births (%)	12.5	2 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in twin live births (%)	8.3	0 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in live births (%)	20.8	2 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in pregnancies (%)	27.1	2 / 10	1 / 9	0 / 1	0 / 5	
Outcomes per Transfer						
Number of transfers	33	6	3	0	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	1 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in singleton live births (%)	18.2	2 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in twin live births (%)	12.1	0 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in live births (%)	30.3	2 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in pregnancies (%)	39.4	2 / 6	1 / 3		0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	17	7	4	1	0
Number of transfers	47	17	7	4	1	0
Estimated average number of transfers per retrieval	1.0	1.0	0.6	1.3	0.5	
Average number of embryos transferred	1.8	1.8	1.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	36.5	23.3	4 / 12	2 / 7	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.5	4 / 17	1 / 7	0 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	29.8	4 / 17	1 / 7	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	10.6	0 / 17	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	40.4	4 / 17	2 / 7	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	51.1	7 / 17	3 / 7	1 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles						
	24	13	4	1	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			9		
Number of transfers	1			9		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			8 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			5 / 9		
Percentage of transfers resulting in singleton live births (%)	0 / 1			5 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 1			1 / 9		
Percentage of transfers resulting in live births (%)	1 / 1			6 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 1			7 / 9		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	29%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	9%
				Endometriosis	9%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 155 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	31	15	8	0	5
Percentage of cancellations before retrieval (%)	2.0	9.7	3 / 15	2 / 8		0 / 5
Average number of embryos transferred	2.1	2.5	2.7	4.0		4.8
Percentage of embryos transferred resulting in implantation (%)	22.7	15.9	15.6	8.3		0 / 19
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0 / 9	0 / 5		0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.0	12.9	1 / 15	0 / 8		0 / 5
Percentage of cycles resulting in singleton live births (%)	24.0	19.4	2 / 15	0 / 8		0 / 5
Percentage of cycles resulting in twin live births (%)	8.0	6.5	0 / 15	0 / 8		0 / 5
Percentage of cycles resulting in live births (%)	32.0	25.8	3 / 15	0 / 8		0 / 5
Percentage of cycles resulting in pregnancies (%)	34.0	29.0	3 / 15	1 / 8		0 / 5
Outcomes per Transfer						
Number of transfers	47	28	12	6	0	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.5	14.3	1 / 12	0 / 6		0 / 4
Percentage of transfers resulting in singleton live births (%)	25.5	21.4	2 / 12	0 / 6		0 / 4
Percentage of transfers resulting in twin live births (%)	8.5	7.1	0 / 12	0 / 6		0 / 4
Percentage of transfers resulting in live births (%)	34.0	28.6	3 / 12	0 / 6		0 / 4
Percentage of transfers resulting in pregnancies (%)	36.2	32.1	3 / 12	1 / 6		0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	10	10	0	1	1
Number of transfers	12	9	10	0	1	1
Estimated average number of transfers per retrieval	1.5	3.0	10.0		1.0	
Average number of embryos transferred	2.2	2.1	2.0		1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	11.5	2 / 19	5.0		1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 9	0 / 10		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			3		
Number of transfers	6			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 12			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 6			0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 6			0 / 3		
Percentage of transfers resulting in live births (%)	2 / 6			0 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 6			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD. ELK GROVE VILLAGE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ketan N. Jobanputra, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	10%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	21%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	0%
				Endometriosis	3%	Unknown factor	28%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 29 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	3	6	4	1	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 3	0 / 6	0 / 4	0 / 1	
Average number of embryos transferred	2.3	1.7	2.3	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	44.0	1 / 5	1 / 9	2 / 9	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 2	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 12	0 / 3	1 / 6	1 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 12	1 / 3	1 / 6	2 / 4	1 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 12	0 / 3	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	6 / 12	1 / 3	1 / 6	2 / 4	1 / 1	
Percentage of cycles resulting in pregnancies (%)	7 / 12	1 / 3	1 / 6	2 / 4	1 / 1	
Outcomes per Transfer						
Number of transfers	11	3	4	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 11	0 / 3	1 / 4	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 3	1 / 4	2 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 3	0 / 4	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 11	1 / 3	1 / 4	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 11	1 / 3	1 / 4	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		3.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			1	
Number of transfers		1			1	
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		0 / 2			1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 1			1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 1	
Percentage of transfers resulting in live births (%)		0 / 1			1 / 1	
Percentage of transfers resulting in pregnancies (%)		0 / 1			1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Chicago Infertility Associates, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DAVIES FERTILITY & IVF SPECIALISTS, SC GLENVIEW, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Susan Davies, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	12%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	22%	Male factor	6%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	15%
				Endometriosis	6%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 198 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	27	34	16	10	1
Percentage of cancellations before retrieval (%)	7.0	22.2	11.8	2 / 16	6 / 10	0 / 1
Average number of embryos transferred	1.8	2.2	2.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	20.0	11.9	0.0	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	7.1	0 / 14	0 / 13	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.5	7.4	5.9	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.3	7.4	8.8	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in twin live births (%)	3.5	0.0	0.0	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in live births (%)	22.8	7.4	8.8	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in pregnancies (%)	29.8	14.8	11.8	0 / 16	1 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	32	16	18	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.3	2 / 16	2 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.4	2 / 16	3 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.3	0 / 16	0 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	40.6	2 / 16	3 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	53.1	4 / 16	4 / 18	0 / 9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	10	2	1	1	1
Number of transfers	15	10	2	1	1	1
Estimated average number of transfers per retrieval	0.6	1.0	0.2	0.3	0.5	
Average number of embryos transferred	2.0	2.0	2.5	4.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	15.0	1 / 5	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 10	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	6 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	4	2	8	1	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			4		
Number of transfers	1			3		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 1			2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 3		
Percentage of transfers resulting in live births (%)	1 / 1			2 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 1			2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Davies Fertility & IVF Specialists, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	8%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	9%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	5%
				Endometriosis	5%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 754 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	230	95	61	32	10	3
Percentage of cancellations before retrieval (%)	4.8	7.4	6.6	12.5	2 / 10	2 / 3
Average number of embryos transferred	1.9	2.0	2.5	3.2	3.8	6.0
Percentage of embryos transferred resulting in implantation (%)	51.5	36.9	21.5	11.1	10.0	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	7.4	7.8	2.0	0.0	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.8	26.3	21.3	15.6	1 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	33.9	28.4	24.6	15.6	1 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	21.3	13.7	6.6	3.1	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)	56.5	42.1	31.1	18.8	1 / 10	0 / 3
Percentage of cycles resulting in pregnancies (%)	62.6	52.6	41.0	31.3	3 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	217	84	53	27	8	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.5	29.8	24.5	18.5	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.9	32.1	28.3	18.5	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	22.6	15.5	7.5	3.7	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	59.9	47.6	35.8	22.2	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.4	59.5	47.2	37.0	3 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	55	19	6	1	0
Number of transfers	75	54	19	6	1	0
Estimated average number of transfers per retrieval	1.8	3.0	1.6	2.0		
Average number of embryos transferred	1.6	1.6	1.4	1.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	58.9	60.2	48.0	5 / 8	3 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.0	40.7	9 / 19	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.3	44.4	10 / 19	2 / 6	1 / 1	
Percentage of transfers resulting in twin live births (%)	13.3	18.5	1 / 19	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	58.7	63.0	11 / 19	3 / 6	1 / 1	
Percentage of transfers resulting in pregnancies (%)	73.3	77.8	12 / 19	4 / 6	1 / 1	
Number of Egg/Embryo Banking Cycles						
	3	6	8	3	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	78			52		
Number of transfers	73			47		
Average number of embryos transferred	1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)	81.8			64.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.7			51.1		
Percentage of transfers resulting in singleton live births (%)	31.5			59.6		
Percentage of transfers resulting in twin live births (%)	46.6			8.5		
Percentage of transfers resulting in live births (%)	78.1			68.1		
Percentage of transfers resulting in pregnancies (%)	84.9			78.7		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER DBA aParent IVF CENTER HIGHLAND PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Angeline Beltsos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	5%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	24%
Used gestational carrier	1%			Diminished ovarian reserve	42%	Other factor	40%
				Endometriosis	3%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2,275 (includes 70 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	297	152	137	93	51	11
Percentage of cancellations before retrieval (%)	6.4	7.2	18.2	17.2	21.6	2 / 11
Average number of embryos transferred	1.6	1.8	1.9	2.3	2.2	4.3
Percentage of embryos transferred resulting in implantation (%)	44.7	35.6	25.0	11.5	0.0	11.5
Percentage of elective single embryo transfers (eSET) (%)	38.7	20.7	11.9	0.0	0 / 16	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.2	19.7	9.5	6.5	0.0	0 / 11
Percentage of cycles resulting in singleton live births (%)	24.2	23.0	13.1	6.5	0.0	0 / 11
Percentage of cycles resulting in twin live births (%)	8.8	3.3	2.9	0.0	0.0	1 / 11
Percentage of cycles resulting in live births (%)	33.3	26.3	16.1	6.5	0.0	1 / 11
Percentage of cycles resulting in pregnancies (%)	38.4	33.6	23.4	10.8	0.0	2 / 11
Outcomes per Transfer						
Number of transfers	206	99	79	46	21	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.6	30.3	16.5	13.0	0.0	0 / 6
Percentage of transfers resulting in singleton live births (%)	35.0	35.4	22.8	13.0	0.0	0 / 6
Percentage of transfers resulting in twin live births (%)	12.6	5.1	5.1	0.0	0.0	1 / 6
Percentage of transfers resulting in live births (%)	48.1	40.4	27.8	13.0	0.0	1 / 6
Percentage of transfers resulting in pregnancies (%)	55.3	51.5	40.5	21.7	0.0	2 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	274	177	147	52	15	7
Number of transfers	249	163	133	51	15	7
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.5	0.4	0.3
Average number of embryos transferred	1.5	1.5	1.4	1.6	1.6	1.6
Percentage of embryos transferred resulting in implantation (%)	42.8	45.0	43.7	28.2	39.1	4 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.9	33.1	27.8	19.6	3 / 15	1 / 7
Percentage of transfers resulting in singleton live births (%)	36.5	41.7	30.1	25.5	3 / 15	1 / 7
Percentage of transfers resulting in twin live births (%)	6.8	8.6	7.5	2.0	3 / 15	0 / 7
Percentage of transfers resulting in live births (%)	43.8	50.3	37.6	27.5	6 / 15	1 / 7
Percentage of transfers resulting in pregnancies (%)	54.2	56.4	54.1	45.1	7 / 15	4 / 7
Number of Egg/Embryo Banking Cycles						
	110	115	139	78	32	21
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	95			202		
Number of transfers	75			180		
Average number of embryos transferred	1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)	53.3			50.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.0			27.2		
Percentage of transfers resulting in singleton live births (%)	38.7			36.7		
Percentage of transfers resulting in twin live births (%)	18.7			12.8		
Percentage of transfers resulting in live births (%)	57.3			50.0		
Percentage of transfers resulting in pregnancies (%)	68.0			61.1		

CURRENT SERVICES & PROFILE

Current Name: Highland Park IVF Center dba, aParent IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	75%	Tubal factor	1%	Uterine factor	15%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	10%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	35%
				Endometriosis	4%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	11	7	0	2	0
Percentage of cancellations before retrieval (%)	30.0	2 / 11	2 / 7		0 / 2	
Average number of embryos transferred	2.1	2.1	2.5		2.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 19	4 / 15	2 / 10		1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 7	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.0	2 / 11	0 / 7		1 / 2	
Percentage of cycles resulting in singleton live births (%)	10.0	2 / 11	1 / 7		1 / 2	
Percentage of cycles resulting in twin live births (%)	10.0	1 / 11	0 / 7		0 / 2	
Percentage of cycles resulting in live births (%)	20.0	3 / 11	1 / 7		1 / 2	
Percentage of cycles resulting in pregnancies (%)	25.0	3 / 11	1 / 7		1 / 2	
Outcomes per Transfer						
Number of transfers	9	7	4	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9	2 / 7	0 / 4		1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 9	2 / 7	1 / 4		1 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 9	1 / 7	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 9	3 / 7	1 / 4		1 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 9	3 / 7	1 / 4		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	7	0	0	0
Number of transfers	16	5	7	0	0	0
Estimated average number of transfers per retrieval	1.5	1.3	7.0			
Average number of embryos transferred	2.1	2.0	2.1			
Percentage of embryos transferred resulting in implantation (%)	8.8	1 / 10	1 / 15			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 16	1 / 5	1 / 7			
Percentage of transfers resulting in singleton live births (%)	1 / 16	1 / 5	1 / 7			
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 5	0 / 7			
Percentage of transfers resulting in live births (%)	2 / 16	1 / 5	1 / 7			
Percentage of transfers resulting in pregnancies (%)	2 / 16	1 / 5	1 / 7			
Number of Egg/Embryo Banking Cycles						
	6	2	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Hinsdale Center for Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INVIA FERTILITY SPECIALISTS HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vishvanath C. Karande, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	65%	Tubal factor	7%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	17%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	7%
				Endometriosis	7%	Unknown factor	33%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 632 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	176	58	46	23	17	9
Percentage of cancellations before retrieval (%)	9.1	8.6	6.5	13.0	1 / 17	2 / 9
Average number of embryos transferred	1.7	1.8	2.4	2.3	3.1	2.0
Percentage of embryos transferred resulting in implantation (%)	43.8	42.6	23.8	3.6	3.6	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	24.0	11.8	0.0	0 / 7	0 / 8	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.6	19.0	19.6	4.3	0 / 17	0 / 9
Percentage of cycles resulting in singleton live births (%)	21.6	20.7	21.7	4.3	0 / 17	0 / 9
Percentage of cycles resulting in twin live births (%)	9.7	8.6	4.3	0.0	0 / 17	0 / 9
Percentage of cycles resulting in live births (%)	31.3	31.0	26.1	4.3	0 / 17	0 / 9
Percentage of cycles resulting in pregnancies (%)	33.5	34.5	37.0	4.3	1 / 17	0 / 9
Outcomes per Transfer						
Number of transfers	105	37	34	12	9	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.5	29.7	26.5	1 / 12	0 / 9	0 / 6
Percentage of transfers resulting in singleton live births (%)	36.2	32.4	29.4	1 / 12	0 / 9	0 / 6
Percentage of transfers resulting in twin live births (%)	16.2	13.5	5.9	0 / 12	0 / 9	0 / 6
Percentage of transfers resulting in live births (%)	52.4	48.6	35.3	1 / 12	0 / 9	0 / 6
Percentage of transfers resulting in pregnancies (%)	56.2	54.1	50.0	1 / 12	1 / 9	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	114	37	18	3	2	0
Number of transfers	112	37	17	3	2	0
Estimated average number of transfers per retrieval	1.4	1.3	0.8	0.5	0.2	0.0
Average number of embryos transferred	1.6	1.3	1.8	1.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	48.3	49.0	46.7	0 / 3	2 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.0	27.0	5 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	34.8	32.4	6 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	16.1	8.1	1 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	50.9	40.5	8 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	58.9	56.8	9 / 17	0 / 3	2 / 2	
Number of Egg/Embryo Banking Cycles						
	21	14	13	4	9	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	28			38		
Number of transfers	26			36		
Average number of embryos transferred	1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)	56.8			51.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.6			36.1		
Percentage of transfers resulting in singleton live births (%)	38.5			44.4		
Percentage of transfers resulting in twin live births (%)	23.1			8.3		
Percentage of transfers resulting in live births (%)	61.5			52.8		
Percentage of transfers resulting in pregnancies (%)	69.2			66.7		

CURRENT SERVICES & PROFILE

Current Name: InVia Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	2%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	52%	Male factor	10%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	9%
				Endometriosis	3%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 75 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	12	4	4	0	3
Percentage of cancellations before retrieval (%)	2 / 16	1 / 12	1 / 4	1 / 4		0 / 3
Average number of embryos transferred	1.4	2.1	2.0			2.3
Percentage of embryos transferred resulting in implantation (%)	4 / 10	3 / 15	0 / 4			0 / 7
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	0 / 6	0 / 2			0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 16	1 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 16	1 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 16	1 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in live births (%)	4 / 16	2 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in pregnancies (%)	4 / 16	2 / 12	0 / 4	0 / 4		0 / 3
Outcomes per Transfer						
Number of transfers	7	7	2	0	0	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 7	1 / 7	0 / 2			0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 7	0 / 2			0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 7	0 / 2			0 / 3
Percentage of transfers resulting in live births (%)	4 / 7	2 / 7	0 / 2			0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 7	0 / 2			0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	5	5	3	0	0
Number of transfers	12	5	4	3	0	0
Estimated average number of transfers per retrieval	1.2	2.5	1.0	1.5		
Average number of embryos transferred	1.4	1.8	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 17	5 / 9	0 / 7	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	1 / 5	0 / 4	1 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 5	0 / 4	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 12	2 / 5	0 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	6 / 12	3 / 5	0 / 4	2 / 3		
Percentage of transfers resulting in pregnancies (%)	6 / 12	3 / 5	0 / 4	2 / 3		
Number of Egg/Embryo Banking Cycles						
	3	2	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	1 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					

CURRENT SERVICES & PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Marek W. Piekos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	10%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	45%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	8%
				Endometriosis	16%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 51 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	8	5	4	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 8	0 / 5	0 / 4	0 / 2	
Average number of embryos transferred	2.1	1.6	2.0	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	28.6	0 / 11	0 / 10	0 / 8	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 5	1 / 5	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.8	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	28.6	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of cycles resulting in twin live births (%)	4.8	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	38.1	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of cycles resulting in pregnancies (%)	42.9	1 / 8	0 / 5	0 / 4	1 / 2	
Outcomes per Transfer						
Number of transfers	20	8	5	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.0	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	40.0	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)	45.0	1 / 8	0 / 5	0 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	0	2	0	0	0
Number of transfers	7	0	2	0	0	0
Estimated average number of transfers per retrieval	1.4					
Average number of embryos transferred	1.9		2.5			
Percentage of embryos transferred resulting in implantation (%)	2 / 13		1 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 7		1 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 7		1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 7		0 / 2			
Percentage of transfers resulting in live births (%)	1 / 7		1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 7		1 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	0 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	0 / 2					

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD, SC & ASSOCIATES
NAPERVILLE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	10%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	5%
				Endometriosis	9%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 546 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	155	76	83	33	11	1
Percentage of cancellations before retrieval (%)	15.5	13.2	26.5	12.1	2 / 11	1 / 1
Average number of embryos transferred	1.8	2.0	2.2	2.6	2.6	
Percentage of embryos transferred resulting in implantation (%)	54.9	28.4	14.0	3.6	10.0	
Percentage of elective single embryo transfers (eSET) (%)	10.3	0.0	0.0	0.0	1 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.4	15.8	4.8	6.1	2 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	18.7	17.1	6.0	6.1	2 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	11.6	7.9	3.6	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	30.3	25.0	9.6	6.1	2 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	35.5	30.3	14.5	9.1	3 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	77	51	47	22	9	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.1	23.5	8.5	9.1	2 / 9	
Percentage of transfers resulting in singleton live births (%)	37.7	25.5	10.6	9.1	2 / 9	
Percentage of transfers resulting in twin live births (%)	23.4	11.8	6.4	0.0	0 / 9	
Percentage of transfers resulting in live births (%)	61.0	37.3	17.0	9.1	2 / 9	
Percentage of transfers resulting in pregnancies (%)	71.4	45.1	25.5	13.6	3 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	34	9	3	1	0
Number of transfers	72	33	9	3	0	0
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.8		
Average number of embryos transferred	1.8	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	43.8	23.3	5 / 18	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.2	27.3	1 / 9	0 / 3		
Percentage of transfers resulting in singleton live births (%)	37.5	33.3	2 / 9	0 / 3		
Percentage of transfers resulting in twin live births (%)	16.7	3.0	1 / 9	0 / 3		
Percentage of transfers resulting in live births (%)	54.2	36.4	3 / 9	0 / 3		
Percentage of transfers resulting in pregnancies (%)	63.9	36.4	4 / 9	0 / 3		
Number of Egg/Embryo Banking Cycles						
	12	13	6	3	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			9		
Number of transfers	16			9		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	71.4			9 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 16			2 / 9		
Percentage of transfers resulting in singleton live births (%)	5 / 16			3 / 9		
Percentage of transfers resulting in twin live births (%)	4 / 16			3 / 9		
Percentage of transfers resulting in live births (%)	10 / 16			6 / 9		
Percentage of transfers resulting in pregnancies (%)	13 / 16			8 / 9		

CURRENT SERVICES & PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	84%	Tubal factor	18%	Uterine factor	10%	Female factors only	14%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	14%	Male factor	39%	Female & male factors	21%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	11%		
				Endometriosis	10%	Unknown factor	14%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 550 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	31	28	14	9	2
Percentage of cancellations before retrieval (%)	0.0	9.7	35.7	6 / 14	3 / 9	0 / 2
Average number of embryos transferred	1.9	2.0	2.6	2.7	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	45.2	28.9	19.0	0 / 8	1 / 5	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	11.3	4.5	0 / 8	0 / 3	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.6	9.7	7.1	0 / 14	1 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	31.4	9.7	10.7	0 / 14	1 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	15.7	12.9	0.0	0 / 14	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	47.1	22.6	10.7	0 / 14	1 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	55.7	25.8	14.3	0 / 14	1 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	65	23	8	3	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	13.0	2 / 8	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.8	13.0	3 / 8	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	17.4	0 / 8	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	50.8	30.4	3 / 8	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	34.8	4 / 8	0 / 3	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	61	27	14	8	1
Number of transfers	77	51	21	12	7	1
Estimated average number of transfers per retrieval	1.5	1.3	0.6	0.4	0.6	0.3
Average number of embryos transferred	1.7	1.7	1.5	1.8	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	53.1	54.1	50.0	7 / 15	3 / 9	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.1	27.5	42.9	3 / 12	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.0	39.2	47.6	6 / 12	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	19.5	17.6	9.5	0 / 12	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	58.4	56.9	57.1	6 / 12	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	70.1	68.6	66.7	10 / 12	3 / 7	1 / 1
Number of Egg/Embryo Banking Cycles						
	39	30	31	26	9	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			41		
Number of transfers	20			37		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	84.6			45.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0			21.6		
Percentage of transfers resulting in singleton live births (%)	40.0			37.8		
Percentage of transfers resulting in twin live births (%)	50.0			10.8		
Percentage of transfers resulting in live births (%)	90.0			51.4		
Percentage of transfers resulting in pregnancies (%)	100.0			56.8		

CURRENT SERVICES & PROFILE

Current Name: IVF1

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Nasiruddin Rana, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	8%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	22%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	16%
				Endometriosis	7%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,019 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	204	74	94	50	25	14
Percentage of cancellations before retrieval (%)	4.9	6.8	13.8	10.0	20.0	5 / 14
Average number of embryos transferred	1.7	2.0	1.9	2.4	2.6	2.2
Percentage of embryos transferred resulting in implantation (%)	36.9	34.0	18.4	9.3	3.4	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	25.6	10.9	2.7	0.0	0 / 10	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.6	20.3	10.6	2.0	4.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	22.5	21.6	10.6	2.0	4.0	0 / 14
Percentage of cycles resulting in twin live births (%)	5.4	8.1	3.2	2.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	27.9	29.7	13.8	4.0	4.0	0 / 14
Percentage of cycles resulting in pregnancies (%)	32.8	32.4	18.1	12.0	4.0	0 / 14
Outcomes per Transfer						
Number of transfers	130	48	52	31	11	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.2	31.3	19.2	3.2	1 / 11	0 / 6
Percentage of transfers resulting in singleton live births (%)	35.4	33.3	19.2	3.2	1 / 11	0 / 6
Percentage of transfers resulting in twin live births (%)	8.5	12.5	5.8	3.2	0 / 11	0 / 6
Percentage of transfers resulting in live births (%)	43.8	45.8	25.0	6.5	1 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	51.5	50.0	32.7	19.4	1 / 11	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	178	72	57	17	6	2
Number of transfers	169	66	49	15	4	2
Estimated average number of transfers per retrieval	1.4	1.5	1.1	0.6	1.0	0.3
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.5	2.5
Percentage of embryos transferred resulting in implantation (%)	43.3	41.4	25.0	18.5	5 / 7	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.6	36.4	22.4	4 / 15	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	33.1	45.5	30.6	4 / 15	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	14.2	7.6	4.1	0 / 15	2 / 4	0 / 2
Percentage of transfers resulting in live births (%)	47.3	53.0	34.7	4 / 15	3 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.2	60.6	42.9	5 / 15	4 / 4	0 / 2
Number of Egg/Embryo Banking Cycles						
	40	29	27	15	3	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	27			70		
Number of transfers	24			61		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	51.1			27.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3			9.8		
Percentage of transfers resulting in singleton live births (%)	50.0			9.8		
Percentage of transfers resulting in twin live births (%)	20.8			9.8		
Percentage of transfers resulting in live births (%)	70.8			21.3		
Percentage of transfers resulting in pregnancies (%)	70.8			39.3		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	67%	Tubal factor	0%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	33%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	17%
				Endometriosis	33%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 1				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 2	0 / 1				
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 1				
Outcomes per Transfer						
Number of transfers	1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	1 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	1 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					

CURRENT SERVICES & PROFILE

Current Name: Daniel Rostein, MD, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS PEORIA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gary M. Horowitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	93%	With ICSI	80%	Tubal factor	10%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	17%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	55%
				Endometriosis	13%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 207 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	21	12	3	4	1
Percentage of cancellations before retrieval (%)	12.5	4.8	2 / 12	1 / 3	2 / 4	1 / 1
Average number of embryos transferred	1.8	1.8	1.7	3.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	20.8	17.2	4 / 14	0 / 7	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	37.3	0 / 12	1 / 4	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.3	9.5	1 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	18.8	14.3	1 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	3.8	4.8	0 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	22.5	19.0	2 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	22.5	19.0	2 / 12	0 / 3	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	55	16	9	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.4	2 / 16	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.3	3 / 16	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.5	1 / 16	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	32.7	4 / 16	2 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	32.7	4 / 16	2 / 9	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	21	11	0	1	0
Number of transfers	43	21	11	0	1	0
Estimated average number of transfers per retrieval	2.4	2.1	3.7		1.0	
Average number of embryos transferred	1.2	1.5	1.5		3.0	
Percentage of embryos transferred resulting in implantation (%)	26.4	29.6	4 / 16		0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.0	19.0	0 / 11		0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.6	23.8	2 / 11		0 / 1	
Percentage of transfers resulting in twin live births (%)	2.3	4.8	0 / 11		0 / 1	
Percentage of transfers resulting in live births (%)	27.9	28.6	2 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)	30.2	42.9	3 / 11		0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	1	2	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			2		
Number of transfers	1			2		
Average number of embryos transferred	1.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Chiravudh Sawetawan, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	31%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	24%
				Endometriosis	32%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				26%			
				17%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 201 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		39	28	10	7	1	0
Percentage of cancellations before retrieval (%)		7.7	0.0	2 / 10	1 / 7	1 / 1	
Average number of embryos transferred		1.8	1.9	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)		20.0	23.9	4 / 16	3 / 10		
Percentage of elective single embryo transfers (eSET) (%)		25.0	28.6	1 / 8	0 / 4		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		10.3	14.3	1 / 10	1 / 7	0 / 1	
Percentage of cycles resulting in singleton live births (%)		15.4	17.9	1 / 10	2 / 7	0 / 1	
Percentage of cycles resulting in twin live births (%)		5.1	3.6	0 / 10	0 / 7	0 / 1	
Percentage of cycles resulting in live births (%)		20.5	21.4	1 / 10	2 / 7	0 / 1	
Percentage of cycles resulting in pregnancies (%)		25.6	35.7	3 / 10	2 / 7	0 / 1	
Outcomes per Transfer							
Number of transfers		33	24	8	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		12.1	16.7	1 / 8	1 / 4		
Percentage of transfers resulting in singleton live births (%)		18.2	20.8	1 / 8	2 / 4		
Percentage of transfers resulting in twin live births (%)		6.1	4.2	0 / 8	0 / 4		
Percentage of transfers resulting in live births (%)		24.2	25.0	1 / 8	2 / 4		
Percentage of transfers resulting in pregnancies (%)		30.3	41.7	3 / 8	2 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		37	23	5	0	0	0
Number of transfers		34	19	5	0	0	0
Estimated average number of transfers per retrieval		2.6	1.9	1.3			
Average number of embryos transferred		1.6	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)		38.5	9.4	1 / 10			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.4	2 / 19	1 / 5			
Percentage of transfers resulting in singleton live births (%)		35.3	2 / 19	1 / 5			
Percentage of transfers resulting in twin live births (%)		8.8	0 / 19	0 / 5			
Percentage of transfers resulting in live births (%)		44.1	2 / 19	1 / 5			
Percentage of transfers resulting in pregnancies (%)		55.9	3 / 19	1 / 5			
Number of Egg/Embryo Banking Cycles		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		16			35		
Number of transfers		16			31		
Average number of embryos transferred		1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)		35.7			19.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 16			19.4		
Percentage of transfers resulting in singleton live births (%)		4 / 16			25.8		
Percentage of transfers resulting in twin live births (%)		2 / 16			3.2		
Percentage of transfers resulting in live births (%)		6 / 16			29.0		
Percentage of transfers resulting in pregnancies (%)		7 / 16			38.7		

CURRENT SERVICES & PROFILE				Current Name: Reproductive Health and Fertility Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF SKOKIE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Joel G. Brasch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	19%	Uterine factor	6%	Multiple Factors: Female factors only 10% Female & male factors 22%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	14%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	6%	
				Endometriosis	6%	Unknown factor	23%	

2014 ART SUCCESS RATES^c

Total number of cycles^d: 612 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	160	75	71	32	10	19
Percentage of cancellations before retrieval (%)	0.0	2.7	0.0	0.0	0 / 10	1 / 19
Average number of embryos transferred	2.0	2.1	2.4	3.4	2.0	2.8
Percentage of embryos transferred resulting in implantation (%)	33.0	20.3	12.8	5.6	0 / 18	0.0
Percentage of elective single embryo transfers (eSET) (%)	10.0	3.8	5.1	0.0	0 / 6	0 / 11
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.8	12.0	14.1	6.3	0 / 10	0 / 19
Percentage of cycles resulting in singleton live births (%)	23.8	12.0	14.1	6.3	0 / 10	0 / 19
Percentage of cycles resulting in twin live births (%)	14.4	4.0	2.8	3.1	0 / 10	0 / 19
Percentage of cycles resulting in live births (%)	38.1	18.7	16.9	9.4	0 / 10	0 / 19
Percentage of cycles resulting in pregnancies (%)	53.1	26.7	35.2	21.9	0 / 10	0 / 19
Outcomes per Transfer						
Number of transfers	157	64	67	30	9	15
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.1	14.1	14.9	6.7	0 / 9	0 / 15
Percentage of transfers resulting in singleton live births (%)	24.2	14.1	14.9	6.7	0 / 9	0 / 15
Percentage of transfers resulting in twin live births (%)	14.6	4.7	3.0	3.3	0 / 9	0 / 15
Percentage of transfers resulting in live births (%)	38.9	21.9	17.9	10.0	0 / 9	0 / 15
Percentage of transfers resulting in pregnancies (%)	54.1	31.3	37.3	23.3	0 / 9	0 / 15
Frozen Embryos from Nondonor Eggs						
Number of cycles	93	45	18	5	1	0
Number of transfers	93	44	18	5	1	0
Estimated average number of transfers per retrieval	1.7	2.3	1.4	0.5	0.5	0.0
Average number of embryos transferred	1.9	2.1	2.0	2.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	17.3	15.6	14.7	1 / 10	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.3	6.8	0 / 18	1 / 5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	19.4	9.1	1 / 18	1 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	4.3	4.5	2 / 18	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	23.7	13.6	3 / 18	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	40.9	38.6	4 / 18	2 / 5	1 / 1	
Number of Egg/Embryo Banking Cycles						
	17	3	4	6	2	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			27		
Number of transfers	8			27		
Average number of embryos transferred	2.0			2.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 14			5.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8			7.4		
Percentage of transfers resulting in singleton live births (%)	2 / 8			11.1		
Percentage of transfers resulting in twin live births (%)	1 / 8			0.0		
Percentage of transfers resulting in live births (%)	3 / 8			11.1		
Percentage of transfers resulting in pregnancies (%)	4 / 8			18.5		

CURRENT SERVICES & PROFILE

Current Name: Chicago IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH SHORE FERTILITY
SKOKIE, ILLINOIS**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by J. Ricardo Loret de Mola, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	38%	Tubal factor	24%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	29%
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	9%
				Endometriosis	21%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				13%			
				14%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 163 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		88	19	9	4	0	0
Percentage of cancellations before retrieval (%)		10.2	1 / 19	0 / 9	0 / 4		
Average number of embryos transferred		1.8	2.0	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)		57.1	35.3	31.8	1 / 12		
Percentage of elective single embryo transfers (eSET) (%)		15.1	0 / 18	0 / 9	0 / 4		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		21.6	7 / 19	4 / 9	1 / 4		
Percentage of cycles resulting in singleton live births (%)		28.4	8 / 19	6 / 9	1 / 4		
Percentage of cycles resulting in twin live births (%)		26.1	2 / 19	0 / 9	0 / 4		
Percentage of cycles resulting in live births (%)		54.5	10 / 19	6 / 9	1 / 4		
Percentage of cycles resulting in pregnancies (%)		58.0	10 / 19	6 / 9	1 / 4		
Outcomes per Transfer							
Number of transfers		76	18	9	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		25.0	7 / 18	4 / 9	1 / 4		
Percentage of transfers resulting in singleton live births (%)		32.9	8 / 18	6 / 9	1 / 4		
Percentage of transfers resulting in twin live births (%)		30.3	2 / 18	0 / 9	0 / 4		
Percentage of transfers resulting in live births (%)		63.2	10 / 18	6 / 9	1 / 4		
Percentage of transfers resulting in pregnancies (%)		67.1	10 / 18	6 / 9	1 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		15	0	1	2	0	0
Number of transfers		15	0	1	2	0	0
Estimated average number of transfers per retrieval		2.5			1.0		
Average number of embryos transferred		2.1		3.0	2.5		
Percentage of embryos transferred resulting in implantation (%)		22.6		1 / 3	3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 15		1 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)		4 / 15		1 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 15		0 / 1	1 / 2		
Percentage of transfers resulting in live births (%)		5 / 15		1 / 1	1 / 2		
Percentage of transfers resulting in pregnancies (%)		5 / 15		1 / 1	2 / 2		
Number of Egg/Embryo Banking Cycles		1	0	0	2	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		19			3		
Number of transfers		17			3		
Average number of embryos transferred		1.5			1.7		
Percentage of embryos transferred resulting in implantation (%)		65.4			4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 17			0 / 3		
Percentage of transfers resulting in singleton live births (%)		9 / 17			0 / 3		
Percentage of transfers resulting in twin live births (%)		3 / 17			2 / 3		
Percentage of transfers resulting in live births (%)		12 / 17			2 / 3		
Percentage of transfers resulting in pregnancies (%)		12 / 17			2 / 3		

CURRENT SERVICES & PROFILE		Current Name: Southern Illinois University School of Medicine Fertility and IVF Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Seth G. Levrant, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	49%	Tubal factor	33%	Uterine factor	22%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	36%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	39%
				Endometriosis	19%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 87 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	8	9	10	0	0
Percentage of cancellations before retrieval (%)	10.0	0 / 8	0 / 9	3 / 10		
Average number of embryos transferred	1.6	1.9	1.5	2.4		
Percentage of embryos transferred resulting in implantation (%)	40.5	3 / 15	1 / 12	1 / 17		
Percentage of elective single embryo transfers (eSET) (%)	30.4	0 / 7	0 / 4	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.0	1 / 8	1 / 9	0 / 10		
Percentage of cycles resulting in singleton live births (%)	30.0	1 / 8	1 / 9	0 / 10		
Percentage of cycles resulting in twin live births (%)	3.3	1 / 8	0 / 9	0 / 10		
Percentage of cycles resulting in live births (%)	33.3	2 / 8	1 / 9	0 / 10		
Percentage of cycles resulting in pregnancies (%)	46.7	2 / 8	1 / 9	1 / 10		
Outcomes per Transfer						
Number of transfers	25	8	8	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.0	1 / 8	1 / 8	0 / 7		
Percentage of transfers resulting in singleton live births (%)	36.0	1 / 8	1 / 8	0 / 7		
Percentage of transfers resulting in twin live births (%)	4.0	1 / 8	0 / 8	0 / 7		
Percentage of transfers resulting in live births (%)	40.0	2 / 8	1 / 8	0 / 7		
Percentage of transfers resulting in pregnancies (%)	56.0	2 / 8	1 / 8	1 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	7	6	1	3	0
Number of transfers	8	7	5	1	1	0
Estimated average number of transfers per retrieval	1.6	7.0		1.0		
Average number of embryos transferred	1.6	2.0	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 13	4 / 14	0 / 10	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	0	1	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		1		0		
Number of transfers		1		0		
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation (%)		1 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		1 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				

CURRENT SERVICES & PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	11%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	12%	Male factor	39%
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	22%
				Endometriosis	9%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 706 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	286	79	55	13	5	0
Percentage of cancellations before retrieval (%)	8.7	16.5	21.8	5 / 13	2 / 5	
Average number of embryos transferred	2.0	2.1	2.1	2.1	2.5	
Percentage of embryos transferred resulting in implantation (%)	32.1	30.3	16.3	1 / 15	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	3.4	4.9	0.0	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.7	21.5	16.4	1 / 13	0 / 5	
Percentage of cycles resulting in singleton live births (%)	26.2	22.8	16.4	1 / 13	0 / 5	
Percentage of cycles resulting in twin live births (%)	10.1	8.9	0.0	0 / 13	0 / 5	
Percentage of cycles resulting in live births (%)	36.7	31.6	16.4	1 / 13	0 / 5	
Percentage of cycles resulting in pregnancies (%)	42.3	39.2	27.3	1 / 13	0 / 5	
Outcomes per Transfer						
Number of transfers	243	62	40	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.7	27.4	22.5	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.9	29.0	22.5	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.9	11.3	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	43.2	40.3	22.5	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	49.8	50.0	37.5	1 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	33	13	2	2	0
Number of transfers	65	27	10	2	1	0
Estimated average number of transfers per retrieval	1.4	1.8	1.1		1.0	0.0
Average number of embryos transferred	1.8	1.8	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	32.7	30.4	4 / 16	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.7	14.8	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.3	22.2	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.8	11.1	0 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	43.1	33.3	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.8	40.7	4 / 10	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	7	2	1	0	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	63			59		
Number of transfers	56			54		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	48.5			27.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6			24.1		
Percentage of transfers resulting in singleton live births (%)	33.9			24.1		
Percentage of transfers resulting in twin live births (%)	21.4			7.4		
Percentage of transfers resulting in live births (%)	57.1			33.3		
Percentage of transfers resulting in pregnancies (%)	62.5			42.6		

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by William L. Gentry, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	31%	Tubal factor	22%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 16%		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	44%	Male factor	29%			
Used gestational carrier	1%			Diminished ovarian reserve	10%	Other factor	5%			
				Endometriosis	17%	Unknown factor	<1%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 136 (includes 1 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				56	7	11	2	0	2	
Percentage of cancellations before retrieval (%)				10.7	0 / 7	4 / 11	0 / 2		1 / 2	
Average number of embryos transferred				1.8	1.6	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)				38.8	5 / 11	6 / 9	0 / 4		2 / 2	
Percentage of elective single embryo transfers (eSET) (%)				20.9	3 / 7	1 / 6	0 / 2		0 / 1	
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				19.6	2 / 7	1 / 11	0 / 2		0 / 2	
Percentage of cycles resulting in singleton live births (%)				25.0	2 / 7	1 / 11	0 / 2		0 / 2	
Percentage of cycles resulting in twin live births (%)				10.7	0 / 7	1 / 11	0 / 2		1 / 2	
Percentage of cycles resulting in live births (%)				35.7	2 / 7	2 / 11	0 / 2		1 / 2	
Percentage of cycles resulting in pregnancies (%)				42.9	3 / 7	4 / 11	0 / 2		1 / 2	
Outcomes per Transfer										
Number of transfers				47	7	6	2	0	1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				23.4	2 / 7	1 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)				29.8	2 / 7	1 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)				12.8	0 / 7	1 / 6	0 / 2		1 / 1	
Percentage of transfers resulting in live births (%)				42.6	2 / 7	2 / 6	0 / 2		1 / 1	
Percentage of transfers resulting in pregnancies (%)				51.1	3 / 7	4 / 6	0 / 2		1 / 1	
Frozen Embryos from Nondonor Eggs										
Number of cycles				22	12	8	0	1	0	
Number of transfers				22	12	8	0	1	0	
Estimated average number of transfers per retrieval				2.8	4.0	4.0		1.0		
Average number of embryos transferred				2.0	1.8	1.4		2.0		
Percentage of embryos transferred resulting in implantation (%)				30.2	9.5	3 / 10		0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				22.7	1 / 12	2 / 8		0 / 1		
Percentage of transfers resulting in singleton live births (%)				22.7	1 / 12	3 / 8		0 / 1		
Percentage of transfers resulting in twin live births (%)				13.6	0 / 12	0 / 8		0 / 1		
Percentage of transfers resulting in live births (%)				36.4	1 / 12	3 / 8		0 / 1		
Percentage of transfers resulting in pregnancies (%)				50.0	2 / 12	4 / 8		0 / 1		
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				9			5			
Number of transfers				9			4			
Average number of embryos transferred				2.1			1.8			
Percentage of embryos transferred resulting in implantation (%)				13 / 19			2 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				3 / 9			2 / 4			
Percentage of transfers resulting in singleton live births (%)				4 / 9			2 / 4			
Percentage of transfers resulting in twin live births (%)				4 / 9			0 / 4			
Percentage of transfers resulting in live births (%)				8 / 9			2 / 4			
Percentage of transfers resulting in pregnancies (%)				9 / 9			2 / 4			

CURRENT SERVICES & PROFILE				Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	27%	Tubal factor	11%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	31%	Male factor	36%
Used gestational carrier	5%			Diminished ovarian reserve	18%	Other factor	1%
				Endometriosis	15%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 83 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	10	16	4	1	1
Percentage of cancellations before retrieval (%)	20.0	2 / 10	0 / 16	2 / 4	0 / 1	0 / 1
Average number of embryos transferred	1.7	1.8	2.2	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	5 / 14	25.8	0 / 2	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	15.0	1 / 6	0 / 11	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	2 / 10	2 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.3	2 / 10	3 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	20.0	1 / 10	1 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	43.3	3 / 10	4 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	46.7	4 / 10	5 / 16	0 / 4	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	23	8	14	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	2 / 8	2 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.4	2 / 8	3 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	26.1	1 / 8	1 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	56.5	3 / 8	4 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.9	4 / 8	5 / 14	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	4	2	0	2
Number of transfers	5	2	4	2	0	2
Estimated average number of transfers per retrieval	0.8	2.0	1.3	2.0		2.0
Average number of embryos transferred	1.8	2.0	2.0	2.5		2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 6	2 / 4	3 / 8	0 / 5		1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5	0 / 2	1 / 4	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 2	1 / 4	0 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 2	1 / 4	0 / 2		0 / 2
Percentage of transfers resulting in live births (%)	2 / 5	1 / 2	2 / 4	0 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 5	1 / 2	2 / 4	0 / 2		1 / 2
Number of Egg/Embryo Banking Cycles						
	1	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	5%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	30%	Male factor	65%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	4%
				Endometriosis	38%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 141 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	17	16	10	0	0
Percentage of cancellations before retrieval (%)	3.0	2 / 17	0 / 16	1 / 10		
Average number of embryos transferred	1.8	1.6	1.8	1.6		
Percentage of embryos transferred resulting in implantation (%)	54.6	43.5	33.3	1 / 13		
Percentage of elective single embryo transfers (eSET) (%)	13.8	4 / 13	0 / 12	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.3	4 / 17	3 / 16	1 / 10		
Percentage of cycles resulting in singleton live births (%)	37.9	4 / 17	4 / 16	1 / 10		
Percentage of cycles resulting in twin live births (%)	16.7	2 / 17	2 / 16	0 / 10		
Percentage of cycles resulting in live births (%)	56.1	6 / 17	6 / 16	1 / 10		
Percentage of cycles resulting in pregnancies (%)	66.7	7 / 17	8 / 16	1 / 10		
Outcomes per Transfer						
Number of transfers	60	14	16	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.7	4 / 14	3 / 16	1 / 8		
Percentage of transfers resulting in singleton live births (%)	41.7	4 / 14	4 / 16	1 / 8		
Percentage of transfers resulting in twin live births (%)	18.3	2 / 14	2 / 16	0 / 8		
Percentage of transfers resulting in live births (%)	61.7	6 / 14	6 / 16	1 / 8		
Percentage of transfers resulting in pregnancies (%)	73.3	7 / 14	8 / 16	1 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	7	1	0	1	0
Number of transfers	15	7	1	0	1	0
Estimated average number of transfers per retrieval	2.1	1.4				
Average number of embryos transferred	1.5	1.3	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	31.8	3 / 9	1 / 2		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15	2 / 7	1 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 15	3 / 7	1 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 7	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	5 / 15	3 / 7	1 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 15	3 / 7	1 / 1		0 / 1	
Number of Egg/Embryo Banking Cycles						
	2	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			1		
Number of transfers	2			1		
Average number of embryos transferred	1.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 2			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Community Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James G. Donahue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	27%
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	6%
				Endometriosis	8%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				<1%			
				2%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 165 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	21	6	5	0	0
Percentage of cancellations before retrieval (%)	11.8	33.3	2 / 6	2 / 5		
Average number of embryos transferred	1.9	2.2	2.7	2.5		
Percentage of embryos transferred resulting in implantation (%)	29.9	8.3	1 / 8	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	9.4	1 / 11	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.7	0.0	1 / 6	1 / 5		
Percentage of cycles resulting in singleton live births (%)	21.6	0.0	1 / 6	1 / 5		
Percentage of cycles resulting in twin live births (%)	5.9	4.8	0 / 6	0 / 5		
Percentage of cycles resulting in live births (%)	27.5	4.8	1 / 6	1 / 5		
Percentage of cycles resulting in pregnancies (%)	31.4	9.5	1 / 6	1 / 5		
Outcomes per Transfer						
Number of transfers	36	12	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.2	0 / 12	1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)	30.6	0 / 12	1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	8.3	1 / 12	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	38.9	1 / 12	1 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	44.4	2 / 12	1 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	9	4	0	0	0
Number of transfers	20	7	4	0	0	0
Estimated average number of transfers per retrieval	0.9	1.0	0.6	0.0	0.0	0.0
Average number of embryos transferred	1.5	1.7	1.5			
Percentage of embryos transferred resulting in implantation (%)	19.2	2 / 10	2 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	10.0	1 / 7	0 / 4			
Percentage of transfers resulting in singleton live births (%)	15.0	2 / 7	1 / 4			
Percentage of transfers resulting in twin live births (%)	5.0	0 / 7	0 / 4			
Percentage of transfers resulting in live births (%)	20.0	2 / 7	1 / 4			
Percentage of transfers resulting in pregnancies (%)	30.0	3 / 7	1 / 4			
Number of Egg/Embryo Banking Cycles						
	12	6	6	2	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			7		
Number of transfers	1			6		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			4 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			2 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 1			2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 6		
Percentage of transfers resulting in live births (%)	1 / 1			3 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 1			4 / 6		

CURRENT SERVICES & PROFILE

Current Name: Family Beginnings, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Marguerite K. Shepard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	39%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	31%	Male factor	10%
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	41%
				Endometriosis	7%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 29 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	5	7	0	0	0
Percentage of cancellations before retrieval (%)	2 / 6	2 / 5	1 / 7			
Average number of embryos transferred	1.3	1.3	1.6			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 4	0 / 8			
Percentage of elective single embryo transfers (eSET) (%)	3 / 4	1 / 2	1 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in singleton live births (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in live births (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in pregnancies (%)	0 / 6	0 / 5	0 / 7			
Outcomes per Transfer						
Number of transfers	4	3	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in live births (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in pregnancies (%)	0 / 4	0 / 3	0 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	1	0	0	0
Number of transfers	7	3	1	0	0	0
Estimated average number of transfers per retrieval	3.5	3.0	0.5			
Average number of embryos transferred	2.3	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 16	2 / 7	2 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	1 / 3	0 / 1			
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 3	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	2 / 7	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 7	2 / 3	1 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Indiana University Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHN C. JARRETT, II, MD
AMERICAN HEALTH NETWORK REPRODUCTIVE MEDICINE
INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John C. Jarrett, II, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	69%	Tubal factor	9%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	21%
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	21%
				Endometriosis	22%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 506 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	67	35	9	12	2
Percentage of cancellations before retrieval (%)	16.0	19.4	25.7	0 / 9	1 / 12	1 / 2
Average number of embryos transferred	1.7	1.9	2.2	2.7	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	47.2	37.1	20.4	0 / 19	0.0	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	18.5	8.7	0 / 19	0 / 6	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.8	26.9	14.3	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.4	29.9	14.3	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in twin live births (%)	13.3	6.0	5.7	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in live births (%)	43.6	35.8	20.0	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in pregnancies (%)	48.6	46.3	22.9	0 / 9	0 / 12	0 / 2
Outcomes per Transfer						
Number of transfers	140	51	23	7	9	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.7	35.3	21.7	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.3	39.2	21.7	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	17.1	7.8	8.7	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	56.4	47.1	30.4	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	62.9	60.8	34.8	0 / 7	0 / 9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	28	10	3	0	1
Number of transfers	65	22	9	2	0	1
Estimated average number of transfers per retrieval	2.0	1.2	0.8	2.0		
Average number of embryos transferred	1.5	1.8	1.9	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	23.5	12.5	0 / 17	1 / 4		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.4	9.1	0 / 9	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	18.5	9.1	0 / 9	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	4.6	4.5	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	23.1	13.6	0 / 9	1 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	30.8	18.2	0 / 9	1 / 2		0 / 1
Number of Egg/Embryo Banking Cycles						
	10	9	3	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		46			21	
Number of transfers		34			20	
Average number of embryos transferred		1.9			1.7	
Percentage of embryos transferred resulting in implantation (%)		36.2			24.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		23.5			15.0	
Percentage of transfers resulting in singleton live births (%)		29.4			20.0	
Percentage of transfers resulting in twin live births (%)		11.8			10.0	
Percentage of transfers resulting in live births (%)		41.2			30.0	
Percentage of transfers resulting in pregnancies (%)		52.9			30.0	

CURRENT SERVICES & PROFILE

Current Name: Indiana Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	36%	Tubal factor	16%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	21%	Male factor	20%
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	16%
				Endometriosis	7%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 124 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	20	9	3	1	0
Percentage of cancellations before retrieval (%)	11.1	25.0	2 / 9	0 / 3	0 / 1	
Average number of embryos transferred	1.9	2.2	2.7	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	50.7	38.7	4 / 16	3 / 8	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	5.9	1 / 13	0 / 6	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.7	25.0	2 / 9	0 / 3	1 / 1	
Percentage of cycles resulting in singleton live births (%)	31.1	30.0	2 / 9	0 / 3	1 / 1	
Percentage of cycles resulting in twin live births (%)	17.8	0.0	0 / 9	1 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	48.9	35.0	2 / 9	1 / 3	1 / 1	
Percentage of cycles resulting in pregnancies (%)	57.8	45.0	4 / 9	1 / 3	1 / 1	
Outcomes per Transfer						
Number of transfers	38	14	6	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.6	5 / 14	2 / 6	0 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	36.8	6 / 14	2 / 6	0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	21.1	0 / 14	0 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	57.9	7 / 14	2 / 6	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	68.4	9 / 14	4 / 6	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	3	0	1	0
Number of transfers	11	8	3	0	1	0
Estimated average number of transfers per retrieval	2.2	2.7	3.0			
Average number of embryos transferred	2.2	2.3	2.3		4.0	
Percentage of embryos transferred resulting in implantation (%)	37.5	3 / 18	0 / 7		0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 11	2 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 11	3 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	6 / 11	3 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 11	3 / 8	0 / 3		0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			8		
Number of transfers	8			8		
Average number of embryos transferred	1.9			2.3		
Percentage of embryos transferred resulting in implantation (%)	5 / 15			4 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8			2 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 8			4 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 8			0 / 8		
Percentage of transfers resulting in live births (%)	4 / 8			4 / 8		
Percentage of transfers resulting in pregnancies (%)	4 / 8			4 / 8		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care of Indiana

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF AT THE WOMEN'S HOSPITAL NEWBURGH, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel W. Griffin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	19%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	6%
				Endometriosis	14%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 178 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	15	6	11	2	0
Percentage of cancellations before retrieval (%)	6.4	0 / 15	1 / 6	1 / 11	1 / 2	
Average number of embryos transferred	1.8	1.8	2.0	2.7	4.0	
Percentage of embryos transferred resulting in implantation (%)	36.6	26.1	3 / 8	0.0	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	18.6	3 / 14	1 / 4	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.5	3 / 15	1 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	20.5	5 / 15	1 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.5	0 / 15	0 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	33.3	5 / 15	1 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	37.2	7 / 15	2 / 6	1 / 11	0 / 2	
Outcomes per Transfer						
Number of transfers	64	14	4	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	3 / 14	1 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 14	1 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.1	0 / 14	0 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	40.6	5 / 14	1 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.3	7 / 14	2 / 4	1 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	8	2	2	0	0
Number of transfers	35	7	2	2	0	0
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.7		0.0
Average number of embryos transferred	1.5	1.7	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	32.7	7 / 9	0 / 3	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.7	1 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in singleton live births (%)	31.4	1 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in twin live births (%)	5.7	3 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	37.1	4 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in pregnancies (%)	42.9	6 / 7	0 / 2	1 / 2		
Number of Egg/Embryo Banking Cycles	5	1	0	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				1.5		
Percentage of embryos transferred resulting in implantation (%)				0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF at the Women's Hospital

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David S. McLaughlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	29%	Tubal factor	6%	Uterine factor	6%	Female factors only	19%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	88%	Male factor	31%	Female & male factors	31%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	13%		
				Endometriosis	38%	Unknown factor	0%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 22 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	2	2	0	1	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2	2 / 2		1 / 1	
Average number of embryos transferred		4.0				
Percentage of embryos transferred resulting in implantation (%)		2 / 4				
Percentage of elective single embryo transfers (eSET) (%)		0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in live births (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in pregnancies (%)	0 / 2	1 / 2	0 / 2		0 / 1	
Outcomes per Transfer						
Number of transfers	0	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	0	1	0	0	0
Number of transfers	7	0	1	0	0	0
Estimated average number of transfers per retrieval	1.4	0.0				
Average number of embryos transferred	1.6		2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 11		1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7		1 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 7		1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 7		0 / 1			
Percentage of transfers resulting in live births (%)	3 / 7		1 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 7		1 / 1			
Number of Egg/Embryo Banking Cycles						
	4	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			1	
Number of transfers		0			1	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation (%)					0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 1	
Percentage of transfers resulting in singleton live births (%)					0 / 1	
Percentage of transfers resulting in twin live births (%)					0 / 1	
Percentage of transfers resulting in live births (%)					0 / 1	
Percentage of transfers resulting in pregnancies (%)					0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Women's Specialty Health Centers, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Donald C. Young, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	8%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	6%
				Endometriosis	12%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				0%			
				<1%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 570 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	37	18	4	3	1
Percentage of cancellations before retrieval (%)	12.8	21.6	7 / 18	0 / 4	3 / 3	1 / 1
Average number of embryos transferred	1.8	1.9	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	50.5	32.4	4 / 12	3 / 8		
Percentage of elective single embryo transfers (eSET) (%)	13.1	2 / 18	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.2	16.2	1 / 18	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.0	18.9	2 / 18	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	14.0	5.4	0 / 18	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	39.0	24.3	2 / 18	2 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.6	32.4	4 / 18	2 / 4	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	120	22	7	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	27.3	1 / 7	1 / 4		
Percentage of transfers resulting in singleton live births (%)	34.2	31.8	2 / 7	1 / 4		
Percentage of transfers resulting in twin live births (%)	19.2	9.1	0 / 7	1 / 4		
Percentage of transfers resulting in live births (%)	53.3	40.9	2 / 7	2 / 4		
Percentage of transfers resulting in pregnancies (%)	65.0	54.5	4 / 7	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	117	42	22	0	1	0
Number of transfers	116	42	22	0	1	0
Estimated average number of transfers per retrieval	1.5	1.1	1.2	0.0		
Average number of embryos transferred	1.5	1.4	1.6		1.0	
Percentage of embryos transferred resulting in implantation (%)	55.5	61.4	62.5		1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.7	38.1	13.6		0 / 1	
Percentage of transfers resulting in singleton live births (%)	50.9	47.6	22.7		1 / 1	
Percentage of transfers resulting in twin live births (%)	8.6	16.7	31.8		0 / 1	
Percentage of transfers resulting in live births (%)	59.5	64.3	54.5		1 / 1	
Percentage of transfers resulting in pregnancies (%)	69.8	71.4	72.7		1 / 1	
Number of Egg/Embryo Banking Cycles						
	45	33	16	6	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	20			40		
Number of transfers	16			40		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	72.4			34.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 16			17.5		
Percentage of transfers resulting in singleton live births (%)	5 / 16			22.5		
Percentage of transfers resulting in twin live births (%)	6 / 16			7.5		
Percentage of transfers resulting in live births (%)	11 / 16			30.0		
Percentage of transfers resulting in pregnancies (%)	13 / 16			52.5		

CURRENT SERVICES & PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF IOWA HOSPITALS AND CLINICS CENTER FOR ADVANCED REPRODUCTIVE CARE IOWA CITY, IOWA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	50%	Tubal factor	18%	Uterine factor	7%	Female factors only	17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	36%	Female & male factors	16%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	17%		
				Endometriosis	12%	Unknown factor	14%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 653 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	189	63	48	34	3	0
Percentage of cancellations before retrieval (%)	6.9	7.9	31.3	20.6	1 / 3	
Average number of embryos transferred	1.3	1.6	2.3	2.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	58.8	50.6	32.9	21.1	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	64.5	37.5	10.0	0.0	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	42.3	33.3	18.8	8.8	0 / 3	
Percentage of cycles resulting in singleton live births (%)	46.6	34.9	20.8	11.8	0 / 3	
Percentage of cycles resulting in twin live births (%)	6.3	9.5	6.3	2.9	0 / 3	
Percentage of cycles resulting in live births (%)	52.9	44.4	27.1	14.7	0 / 3	
Percentage of cycles resulting in pregnancies (%)	59.8	54.0	33.3	38.2	0 / 3	
Outcomes per Transfer						
Number of transfers	159	54	32	25	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	50.3	38.9	28.1	12.0	0 / 2	
Percentage of transfers resulting in singleton live births (%)	55.3	40.7	31.3	16.0	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.5	11.1	9.4	4.0	0 / 2	
Percentage of transfers resulting in live births (%)	62.9	51.9	40.6	20.0	0 / 2	
Percentage of transfers resulting in pregnancies (%)	71.1	63.0	50.0	52.0	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	134	54	29	7	3	0
Number of transfers	119	46	27	6	2	0
Estimated average number of transfers per retrieval	2.0	2.2	1.8	1.0		
Average number of embryos transferred	1.2	1.2	1.3	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	57.1	66.7	37.5	2 / 9	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.9	34.8	40.7	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.0	37.0	40.7	1 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.1	6.5	0.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	47.1	45.7	40.7	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	58.8	67.4	55.6	2 / 6	1 / 2	
Number of Egg/Embryo Banking Cycles						
	19	7	7	6	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			35		
Number of transfers	10			30		
Average number of embryos transferred	1.1			1.1		
Percentage of embryos transferred resulting in implantation (%)	8 / 11			48.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 10			36.7		
Percentage of transfers resulting in singleton live births (%)	5 / 10			36.7		
Percentage of transfers resulting in twin live births (%)	1 / 10			0.0		
Percentage of transfers resulting in live births (%)	6 / 10			36.7		
Percentage of transfers resulting in pregnancies (%)	7 / 10			56.7		

CURRENT SERVICES & PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	18%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	28%	Male factor	56%
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	9%
				Endometriosis	14%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 287 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	37	19	9	4	0
Percentage of cancellations before retrieval (%)	3.3	2.7	2 / 19	3 / 9	0 / 4	
Average number of embryos transferred	1.9	2.1	2.3	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.7	28.6	10.0	3 / 14	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	5.4	9.1	0 / 13	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.1	8.1	1 / 19	1 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	17.4	8.1	1 / 19	1 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	9.8	13.5	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	28.3	21.6	2 / 19	1 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	31.5	37.8	2 / 19	3 / 9	0 / 4	
Outcomes per Transfer						
Number of transfers	77	34	13	6	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.9	8.8	1 / 13	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	20.8	8.8	1 / 13	1 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	11.7	14.7	1 / 13	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	33.8	23.5	2 / 13	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	37.7	41.2	2 / 13	3 / 6	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	25	7	4	0	0
Number of transfers	46	24	6	4	0	0
Estimated average number of transfers per retrieval	2.4	1.7	1.2	0.8		
Average number of embryos transferred	2.3	2.0	2.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	17.9	14.6	1 / 15	0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.6	20.8	0 / 6	0 / 4		
Percentage of transfers resulting in singleton live births (%)	21.7	20.8	0 / 6	0 / 4		
Percentage of transfers resulting in twin live births (%)	4.3	4.2	0 / 6	0 / 4		
Percentage of transfers resulting in live births (%)	28.3	25.0	0 / 6	0 / 4		
Percentage of transfers resulting in pregnancies (%)	32.6	25.0	1 / 6	0 / 4		
Number of Egg/Embryo Banking Cycles						
	4	0	2	4	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			19		
Number of transfers	11			18		
Average number of embryos transferred	1.7			2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 19			19.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11			3 / 18		
Percentage of transfers resulting in singleton live births (%)	2 / 11			4 / 18		
Percentage of transfers resulting in twin live births (%)	1 / 11			1 / 18		
Percentage of transfers resulting in live births (%)	3 / 11			5 / 18		
Percentage of transfers resulting in pregnancies (%)	4 / 11			6 / 18		

CURRENT SERVICES & PROFILE

Current Name: Midwest Reproductive Center, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Courtney A. Marsh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	16%	Uterine factor	5%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	10%	Male factor	42%
Used gestational carrier	1%			Diminished ovarian reserve	14%	Other factor	18%
				Endometriosis	10%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 628 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	47	35	5	4	1
Percentage of cancellations before retrieval (%)	16.0	40.4	31.4	4 / 5	2 / 4	0 / 1
Average number of embryos transferred	1.7	2.0	1.7			
Percentage of embryos transferred resulting in implantation (%)	44.0	42.3	2 / 5			
Percentage of elective single embryo transfers (eSET) (%)	28.8	0 / 12	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.3	10.6	2.9	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	17.1	10.6	2.9	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	7.2	4.3	0.0	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	24.3	14.9	2.9	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	28.2	17.0	5.7	0 / 5	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	87	13	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.6	5 / 13	1 / 3			
Percentage of transfers resulting in singleton live births (%)	35.6	5 / 13	1 / 3			
Percentage of transfers resulting in twin live births (%)	14.9	2 / 13	0 / 3			
Percentage of transfers resulting in live births (%)	50.6	7 / 13	1 / 3			
Percentage of transfers resulting in pregnancies (%)	58.6	8 / 13	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	154	34	30	6	1	0
Number of transfers	114	23	21	4	1	0
Estimated average number of transfers per retrieval	1.1	1.0	0.6	0.6	0.3	
Average number of embryos transferred	1.5	1.4	1.4	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	42.6	33.3	46.7	2 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.1	34.8	57.1	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	39.1	57.1	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.6	0.0	4.8	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	41.2	39.1	61.9	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	53.5	43.5	61.9	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	39	16	29	7	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			21		
Number of transfers	6			16		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	4 / 9			26.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6			5 / 16		
Percentage of transfers resulting in singleton live births (%)	1 / 6			6 / 16		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 16		
Percentage of transfers resulting in live births (%)	2 / 6			6 / 16		
Percentage of transfers resulting in pregnancies (%)	3 / 6			7 / 16		

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	9%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	28%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	24%
				Endometriosis	12%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 313 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	117	23	18	7	0	0
Percentage of cancellations before retrieval (%)	5.1	13.0	3 / 18	1 / 7		
Average number of embryos transferred	1.8	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	50.3	28.6	25.0	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	9.0	0 / 14	0 / 8	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.2	26.1	2 / 18	0 / 7		
Percentage of cycles resulting in singleton live births (%)	26.5	34.8	2 / 18	0 / 7		
Percentage of cycles resulting in twin live births (%)	17.9	0.0	0 / 18	0 / 7		
Percentage of cycles resulting in live births (%)	44.4	34.8	2 / 18	0 / 7		
Percentage of cycles resulting in pregnancies (%)	48.7	39.1	4 / 18	0 / 7		
Outcomes per Transfer						
Number of transfers	88	16	10	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.5	6 / 16	2 / 10	0 / 4		
Percentage of transfers resulting in singleton live births (%)	35.2	8 / 16	2 / 10	0 / 4		
Percentage of transfers resulting in twin live births (%)	23.9	0 / 16	0 / 10	0 / 4		
Percentage of transfers resulting in live births (%)	59.1	8 / 16	2 / 10	0 / 4		
Percentage of transfers resulting in pregnancies (%)	64.8	9 / 16	4 / 10	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	17	11	6	1	0
Number of transfers	52	17	9	6	1	0
Estimated average number of transfers per retrieval	2.6	3.4	1.3	6.0	0.5	
Average number of embryos transferred	1.5	1.3	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.0	68.2	7 / 13	4 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.6	7 / 17	4 / 9	2 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	42.3	8 / 17	4 / 9	2 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.5	1 / 17	0 / 9	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	53.8	10 / 17	4 / 9	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.7	11 / 17	6 / 9	3 / 6	0 / 1	
Number of Egg/Embryo Banking Cycles	5	1	6	0	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			7		
Number of transfers	10			6		
Average number of embryos transferred	1.8			1.3		
Percentage of embryos transferred resulting in implantation (%)	9 / 18			6 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 10			2 / 6		
Percentage of transfers resulting in singleton live births (%)	8 / 10			4 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 10			1 / 6		
Percentage of transfers resulting in live births (%)	8 / 10			5 / 6		
Percentage of transfers resulting in pregnancies (%)	9 / 10			5 / 6		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	12%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	37%
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	5%
				Endometriosis	22%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 233 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	19	17	4	1	1
Percentage of cancellations before retrieval (%)	5.8	4 / 19	0 / 17	0 / 4	0 / 1	1 / 1
Average number of embryos transferred	1.6	1.8	1.9	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	41.1	24.0	30.0	0 / 3	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	40.0	1 / 11	1 / 14	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.6	5 / 19	5 / 17	0 / 4	1 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.4	6 / 19	6 / 17	0 / 4	1 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	8.7	0 / 19	1 / 17	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	39.1	6 / 19	7 / 17	0 / 4	1 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.3	6 / 19	7 / 17	1 / 4	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	62	14	16	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.4	5 / 14	5 / 16	0 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	33.9	6 / 14	6 / 16	0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	9.7	0 / 14	1 / 16	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	43.5	6 / 14	7 / 16	0 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	54.8	6 / 14	7 / 16	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	18	7	2	2	0
Number of transfers	62	17	7	1	2	0
Estimated average number of transfers per retrieval	1.9	4.3	3.5	0.2		
Average number of embryos transferred	1.5	1.6	1.7	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	34.1	37.0	1 / 12	0 / 2	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.4	6 / 17	1 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	27.4	7 / 17	1 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	8.1	1 / 17	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	37.1	8 / 17	1 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	40.3	9 / 17	1 / 7	0 / 1	2 / 2	
Number of Egg/Embryo Banking Cycles						
	8	2	0	5	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			9		
Number of transfers	3			7		
Average number of embryos transferred	1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			7 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			3 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 3			4 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 7		
Percentage of transfers resulting in live births (%)	1 / 3			5 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 3			5 / 7		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by James W. Akin, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	17%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	68%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	3%
				Endometriosis	20%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				6%			
				35%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 194 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		81	26	16	13	3	0
Percentage of cancellations before retrieval (%)		6.2	11.5	1 / 16	3 / 13	1 / 3	
Average number of embryos transferred		2.1	2.0	2.6	2.6	2.0	
Percentage of embryos transferred resulting in implantation (%)		31.3	31.0	17.6	4.3	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)		1.4	0.0	1 / 15	0 / 8	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		25.9	15.4	3 / 16	1 / 13	0 / 3	
Percentage of cycles resulting in singleton live births (%)		29.6	23.1	4 / 16	1 / 13	0 / 3	
Percentage of cycles resulting in twin live births (%)		11.1	11.5	0 / 16	0 / 13	0 / 3	
Percentage of cycles resulting in live births (%)		40.7	34.6	4 / 16	1 / 13	0 / 3	
Percentage of cycles resulting in pregnancies (%)		44.4	42.3	7 / 16	1 / 13	0 / 3	
Outcomes per Transfer							
Number of transfers		72	22	15	9	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.2	18.2	3 / 15	1 / 9	0 / 2	
Percentage of transfers resulting in singleton live births (%)		33.3	27.3	4 / 15	1 / 9	0 / 2	
Percentage of transfers resulting in twin live births (%)		12.5	13.6	0 / 15	0 / 9	0 / 2	
Percentage of transfers resulting in live births (%)		45.8	40.9	4 / 15	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancies (%)		50.0	50.0	7 / 15	1 / 9	0 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		31	4	3	2	0	0
Number of transfers		31	4	3	2	0	0
Estimated average number of transfers per retrieval		2.1	1.0	1.5	1.0		
Average number of embryos transferred		2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		19.2	0 / 8	1 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		12.9	0 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)		16.1	0 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)		3.2	0 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)		19.4	0 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)		38.7	0 / 4	1 / 3	1 / 2		
Number of Egg/Embryo Banking Cycles		1	0	1	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		7			6		
Number of transfers		7			6		
Average number of embryos transferred		2.4			1.7		
Percentage of embryos transferred resulting in implantation (%)		0 / 17			0 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 7			0 / 6		
Percentage of transfers resulting in singleton live births (%)		0 / 7			0 / 6		
Percentage of transfers resulting in twin live births (%)		0 / 7			0 / 6		
Percentage of transfers resulting in live births (%)		0 / 7			0 / 6		
Percentage of transfers resulting in pregnancies (%)		0 / 7			0 / 6		

CURRENT SERVICES & PROFILE		Current Name: Bluegrass Fertility Center			
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No
		Verified lab accreditation? (See Appendix C for details.)			
		Yes			

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LEXINGTON FERTILITY CENTER LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	39%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	28%	Male factor	61%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	6%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 19 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	3	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3				
Average number of embryos transferred	2.1	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 12	0 / 6				
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 7	0 / 3				
Percentage of cycles resulting in singleton live births (%)	2 / 7	0 / 3				
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 3				
Percentage of cycles resulting in live births (%)	2 / 7	0 / 3				
Percentage of cycles resulting in pregnancies (%)	2 / 7	0 / 3				
Outcomes per Transfer						
Number of transfers	7	3	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	0 / 3				
Percentage of transfers resulting in singleton live births (%)	2 / 7	0 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3				
Percentage of transfers resulting in live births (%)	2 / 7	0 / 3				
Percentage of transfers resulting in pregnancies (%)	2 / 7	0 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	0	0	0	0
Number of transfers	8	0	0	0	0	0
Estimated average number of transfers per retrieval	2.7					
Average number of embryos transferred	2.1					
Percentage of embryos transferred resulting in implantation (%)	2 / 15					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8					
Percentage of transfers resulting in singleton live births (%)	2 / 8					
Percentage of transfers resulting in twin live births (%)	0 / 8					
Percentage of transfers resulting in live births (%)	2 / 8					
Percentage of transfers resulting in pregnancies (%)	2 / 8					
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Lexington Fertility Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

FERTILITY AND ENDOCRINE ASSOCIATES LOUISVILLE REPRODUCTIVE CENTER LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	11%	Uterine factor	0%
Unstimulated	1%	PGD/PGS	4%	Ovulatory dysfunction	7%	Male factor	54%
Used gestational carrier	6%			Diminished ovarian reserve	63%	Other factor	9%
				Endometriosis	35%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 180 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	24	11	1	2	0
Percentage of cancellations before retrieval (%)	9.3	0.0	1 / 11	0 / 1	0 / 2	
Average number of embryos transferred	1.9	1.9	2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)	21.1	24.4	6 / 19	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	13.2	13.0	0 / 10	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.6	8.3	1 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	16.3	16.7	1 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	4.7	12.5	2 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	20.9	29.2	3 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	27.9	33.3	5 / 11	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	38	23	10	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	13.2	8.7	1 / 10	0 / 1		
Percentage of transfers resulting in singleton live births (%)	18.4	17.4	1 / 10	0 / 1		
Percentage of transfers resulting in twin live births (%)	5.3	13.0	2 / 10	0 / 1		
Percentage of transfers resulting in live births (%)	23.7	30.4	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancies (%)	31.6	34.8	5 / 10	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	9	11	3	1	3
Number of transfers	47	9	11	3	1	3
Estimated average number of transfers per retrieval	2.9	2.3	1.6	3.0		
Average number of embryos transferred	1.7	1.8	1.5	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	15.8	1 / 15	5 / 15	1 / 5		2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6.4	1 / 9	2 / 11	1 / 3	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	10.6	1 / 9	2 / 11	1 / 3	0 / 1	2 / 3
Percentage of transfers resulting in twin live births (%)	2.1	0 / 9	1 / 11	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	12.8	1 / 9	3 / 11	1 / 3	0 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	23.4	2 / 9	4 / 11	1 / 3	1 / 1	2 / 3
Number of Egg/Embryo Banking Cycles						
	0	0	3	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			13		
Number of transfers	6			12		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 8			6 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6			2 / 12		
Percentage of transfers resulting in singleton live births (%)	0 / 6			2 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 6			2 / 12		
Percentage of transfers resulting in live births (%)	0 / 6			4 / 12		
Percentage of transfers resulting in pregnancies (%)	3 / 6			6 / 12		

CURRENT SERVICES & PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY FIRST REPRODUCTIVE ENDOCRINE SERVICES LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Johanna S. Archer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	21%	Male factor	39%
Used gestational carrier	4%			Diminished ovarian reserve	21%	Other factor	12%
				Endometriosis	12%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 34 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	5	10	0	0	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 5	1 / 10			
Average number of embryos transferred	1.9	1.5	2.1			
Percentage of embryos transferred resulting in implantation (%)	43.5	0 / 6	2 / 19			
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 2	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 12	0 / 5	1 / 10			
Percentage of cycles resulting in singleton live births (%)	2 / 12	0 / 5	2 / 10			
Percentage of cycles resulting in twin live births (%)	4 / 12	0 / 5	0 / 10			
Percentage of cycles resulting in live births (%)	6 / 12	0 / 5	2 / 10			
Percentage of cycles resulting in pregnancies (%)	6 / 12	0 / 5	2 / 10			
Outcomes per Transfer						
Number of transfers	12	4	9	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12	0 / 4	1 / 9			
Percentage of transfers resulting in singleton live births (%)	2 / 12	0 / 4	2 / 9			
Percentage of transfers resulting in twin live births (%)	4 / 12	0 / 4	0 / 9			
Percentage of transfers resulting in live births (%)	6 / 12	0 / 4	2 / 9			
Percentage of transfers resulting in pregnancies (%)	6 / 12	0 / 4	2 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	4	0	0	0
Number of transfers	2	0	4	0	0	0
Estimated average number of transfers per retrieval	1.0		1.3	0.0		
Average number of embryos transferred	1.5		2.8			
Percentage of embryos transferred resulting in implantation (%)	1 / 3		6 / 11			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2		2 / 4			
Percentage of transfers resulting in singleton live births (%)	1 / 2		3 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 4			
Percentage of transfers resulting in live births (%)	1 / 2		4 / 4			
Percentage of transfers resulting in pregnancies (%)	1 / 2		4 / 4			
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Fertility First, Reproductive Endocrine Services

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF LOUISVILLE PHYSICIANS OB/GYN & WOMEN'S HEALTH FERTILITY CENTER LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Henry C. Bohler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	17%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	26%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	13%
				Endometriosis	20%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 138 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	15	10	0	3	0
Percentage of cancellations before retrieval (%)	6.7	1 / 15	3 / 10		0 / 3	
Average number of embryos transferred	1.9	1.8	2.5		2.0	
Percentage of embryos transferred resulting in implantation (%)	60.4	6 / 15	5 / 10		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	16.0	0 / 6	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6.7	1 / 15	3 / 10		0 / 3	
Percentage of cycles resulting in singleton live births (%)	6.7	2 / 15	3 / 10		0 / 3	
Percentage of cycles resulting in twin live births (%)	22.2	1 / 15	1 / 10		0 / 3	
Percentage of cycles resulting in live births (%)	31.1	3 / 15	4 / 10		0 / 3	
Percentage of cycles resulting in pregnancies (%)	37.8	6 / 15	4 / 10		0 / 3	
Outcomes per Transfer						
Number of transfers	27	9	4	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	11.1	1 / 9	3 / 4		0 / 2	
Percentage of transfers resulting in singleton live births (%)	11.1	2 / 9	3 / 4		0 / 2	
Percentage of transfers resulting in twin live births (%)	37.0	1 / 9	1 / 4		0 / 2	
Percentage of transfers resulting in live births (%)	51.9	3 / 9	4 / 4		0 / 2	
Percentage of transfers resulting in pregnancies (%)	63.0	6 / 9	4 / 4		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	9	4	1	1	0
Number of transfers	28	9	4	1	1	0
Estimated average number of transfers per retrieval	2.0	1.3	4.0	0.3	0.5	
Average number of embryos transferred	1.6	1.8	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 16	2 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	4 / 9	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.4	5 / 9	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.1	0 / 9	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	32.1	5 / 9	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 9	2 / 4	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	1	0	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			4		
Number of transfers	7			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	8 / 14			4 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 7			1 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 4		
Percentage of transfers resulting in live births (%)	6 / 7			2 / 4		
Percentage of transfers resulting in pregnancies (%)	6 / 7			3 / 4		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: University of Louisville Physicians OB/GYN & Women's Health Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE BATON ROUGE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by John Storment, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	13%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	64%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	22%
				Endometriosis	8%	Unknown factor	3%
						Multiple Factors:	
						Female factors only	12%
						Female & male factors	32%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 125 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		39	5	7	4	3	1
Percentage of cancellations before retrieval (%)		12.8	0 / 5	1 / 7	1 / 4	1 / 3	0 / 1
Average number of embryos transferred		1.9	1.6	2.0	2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)		36.7	2 / 8	0 / 10	1 / 5	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)		0.0	0 / 3	0 / 5	0 / 2	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.5	0 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)		20.5	0 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)		12.8	0 / 5	0 / 7	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)		33.3	0 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)		33.3	1 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Outcomes per Transfer							
Number of transfers		26	5	5	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.8	0 / 5	0 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)		30.8	0 / 5	0 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)		19.2	0 / 5	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)		50.0	0 / 5	0 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)		50.0	1 / 5	0 / 5	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	4	7	0	1	0
Number of transfers		19	4	7	0	1	0
Estimated average number of transfers per retrieval		0.8	2.0	2.3	0.0	0.5	0.0
Average number of embryos transferred		1.6	1.8	2.1		1.0	
Percentage of embryos transferred resulting in implantation (%)		48.3	0 / 7	4 / 15		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 19	0 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in singleton live births (%)		6 / 19	0 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 19	0 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in live births (%)		8 / 19	0 / 4	2 / 7		0 / 1	
Percentage of transfers resulting in pregnancies (%)		12 / 19	0 / 4	3 / 7		0 / 1	
Number of Egg/Embryo Banking Cycles		18	2	2	2	1	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		3			4		
Number of transfers		3			4		
Average number of embryos transferred		2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)		0 / 6			4 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 3			0 / 4		
Percentage of transfers resulting in singleton live births (%)		0 / 3			0 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 3			2 / 4		
Percentage of transfers resulting in live births (%)		0 / 3			2 / 4		
Percentage of transfers resulting in pregnancies (%)		0 / 3			2 / 4		

CURRENT SERVICES & PROFILE		This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.			
Current Name: Fertility Answers, LLC-Baton Rouge					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
				Verified lab accreditation? (See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA LAFAYETTE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	24%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	43%
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	0%
				Endometriosis	12%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 177 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	11	14	4	2	0
Percentage of cancellations before retrieval (%)	9.3	0 / 11	0 / 14	1 / 4	0 / 2	
Average number of embryos transferred	1.9	1.9	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	35.7	5 / 13	20.0	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	1.6	0 / 6	0 / 8	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.9	2 / 11	1 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	23.3	2 / 11	1 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	9.3	1 / 11	0 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	32.6	3 / 11	1 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancies (%)	40.7	4 / 11	4 / 14	0 / 4	1 / 2	
Outcomes per Transfer						
Number of transfers	68	7	11	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.5	2 / 7	1 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.4	2 / 7	1 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.8	1 / 7	0 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	41.2	3 / 7	1 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.5	4 / 7	4 / 11	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	3	5	3	0	0
Number of transfers	33	3	5	3	0	0
Estimated average number of transfers per retrieval	1.8	1.0	5.0	1.5	0.0	
Average number of embryos transferred	1.7	1.7	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 5	0 / 8	1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.3	1 / 3	0 / 5	0 / 3		
Percentage of transfers resulting in singleton live births (%)	36.4	2 / 3	0 / 5	1 / 3		
Percentage of transfers resulting in twin live births (%)	6.1	0 / 3	0 / 5	0 / 3		
Percentage of transfers resulting in live births (%)	42.4	2 / 3	0 / 5	1 / 3		
Percentage of transfers resulting in pregnancies (%)	51.5	2 / 3	0 / 5	1 / 3		
Number of Egg/Embryo Banking Cycles						
	5	2	1	2	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				1.5		
Percentage of embryos transferred resulting in implantation (%)				2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 2		
Percentage of transfers resulting in singleton live births (%)				2 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				2 / 2		
Percentage of transfers resulting in pregnancies (%)				2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Lafayette

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW ORLEANS MANDEVILLE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Richard P. Dickey, MD, PhD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	62%	Tubal factor	22%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 11%		
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	27%	Male factor	29%			
Used gestational carrier	1%			Diminished ovarian reserve	9%	Other factor	19%			
				Endometriosis	12%	Unknown factor	1%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 644 (includes 3 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				169	62	39	31	8	0	
Percentage of cancellations before retrieval (%)				8.9	22.6	12.8	19.4	3 / 8		
Average number of embryos transferred				2.0	2.0	1.8	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)				41.0	42.2	16.7	8.1	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)				6.6	6.7	14.3	0 / 13	0 / 3		
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				17.2	16.1	5.1	6.5	0 / 8		
Percentage of cycles resulting in singleton live births (%)				21.3	17.7	7.7	6.5	0 / 8		
Percentage of cycles resulting in twin live births (%)				13.0	8.1	2.6	0.0	0 / 8		
Percentage of cycles resulting in live births (%)				34.3	25.8	10.3	6.5	0 / 8		
Percentage of cycles resulting in pregnancies (%)				39.1	30.6	12.8	6.5	0 / 8		
Outcomes per Transfer										
Number of transfers				116	32	26	16	3	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				25.0	31.3	7.7	2 / 16	0 / 3		
Percentage of transfers resulting in singleton live births (%)				31.0	34.4	11.5	2 / 16	0 / 3		
Percentage of transfers resulting in twin live births (%)				19.0	15.6	3.8	0 / 16	0 / 3		
Percentage of transfers resulting in live births (%)				50.0	50.0	15.4	2 / 16	0 / 3		
Percentage of transfers resulting in pregnancies (%)				56.9	59.4	19.2	2 / 16	0 / 3		
Frozen Embryos from Nondonor Eggs										
Number of cycles				135	58	34	6	6	0	
Number of transfers				113	51	31	6	6	0	
Estimated average number of transfers per retrieval				1.4	1.5	1.4	0.5	2.0		
Average number of embryos transferred				1.9	1.8	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)				33.2	29.2	23.2	2 / 12	0 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				23.0	23.5	9.7	1 / 6	0 / 6		
Percentage of transfers resulting in singleton live births (%)				30.1	27.5	22.6	1 / 6	0 / 6		
Percentage of transfers resulting in twin live births (%)				11.5	7.8	3.2	0 / 6	0 / 6		
Percentage of transfers resulting in live births (%)				42.5	35.3	25.8	1 / 6	0 / 6		
Percentage of transfers resulting in pregnancies (%)				46.9	45.1	35.5	2 / 6	0 / 6		
Number of Egg/Embryo Banking Cycles				26	13	12	7	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				16			19			
Number of transfers				14			17			
Average number of embryos transferred				1.9			1.9			
Percentage of embryos transferred resulting in implantation (%)				29.6			21.9			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 14			6 / 17			
Percentage of transfers resulting in singleton live births (%)				2 / 14			7 / 17			
Percentage of transfers resulting in twin live births (%)				3 / 14			0 / 17			
Percentage of transfers resulting in live births (%)				5 / 14			7 / 17			
Percentage of transfers resulting in pregnancies (%)				5 / 14			7 / 17			

CURRENT SERVICES & PROFILE				Current Name: Fertility Institute of New Orleans			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUDUBON FERTILITY & REPRODUCTIVE MEDICINE NEW ORLEANS, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lindsay Wells, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	23%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	31%
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	25%
				Endometriosis	12%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 178 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	13	5	6	1	0
Percentage of cancellations before retrieval (%)	9.5	3 / 13	2 / 5	3 / 6	0 / 1	
Average number of embryos transferred	1.3	1.9	1.7		1.0	
Percentage of embryos transferred resulting in implantation (%)	38.7	3 / 13	3 / 5			
Percentage of elective single embryo transfers (eSET) (%)	69.6	1 / 7	1 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.4	2 / 13	1 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	23.8	3 / 13	1 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.4	0 / 13	1 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	26.2	3 / 13	2 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	28.6	3 / 13	2 / 5	0 / 6	1 / 1	
Outcomes per Transfer						
Number of transfers	25	7	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.0	2 / 7	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	3 / 7	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	4.0	0 / 7	1 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	44.0	3 / 7	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	48.0	3 / 7	2 / 3		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	7	8	3	0	0
Number of transfers	28	7	8	3	0	0
Estimated average number of transfers per retrieval	0.9	0.6	0.5	0.6	0.0	
Average number of embryos transferred	1.5	1.3	1.9	2.7		
Percentage of embryos transferred resulting in implantation (%)	59.5	6 / 9	3 / 7	1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.3	4 / 7	1 / 8	1 / 3		
Percentage of transfers resulting in singleton live births (%)	53.6	4 / 7	2 / 8	1 / 3		
Percentage of transfers resulting in twin live births (%)	7.1	1 / 7	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	64.3	5 / 7	2 / 8	1 / 3		
Percentage of transfers resulting in pregnancies (%)	75.0	5 / 7	6 / 8	1 / 3		
Number of Egg/Embryo Banking Cycles						
	10	9	13	4	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			17		
Number of transfers	0			14		
Average number of embryos transferred				1.4		
Percentage of embryos transferred resulting in implantation (%)				10 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				4 / 14		
Percentage of transfers resulting in singleton live births (%)				4 / 14		
Percentage of transfers resulting in twin live births (%)				1 / 14		
Percentage of transfers resulting in live births (%)				5 / 14		
Percentage of transfers resulting in pregnancies (%)				8 / 14		

CURRENT SERVICES & PROFILE

Current Name: Audubon Fertility & Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE SHREVEPORT, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	28%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	30%
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	5%
				Endometriosis	15%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	18	16	9	3	1
Percentage of cancellations before retrieval (%)	7.0	1 / 18	3 / 16	0 / 9	0 / 3	1 / 1
Average number of embryos transferred	2.0	2.0	2.2	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	37.5	26.7	27.6	3.7	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	13.7	1 / 13	1 / 11	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.8	2 / 18	3 / 16	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.3	2 / 18	4 / 16	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	10.5	3 / 18	2 / 16	0 / 9	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	45.6	5 / 18	6 / 16	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.1	5 / 18	6 / 16	1 / 9	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	52	15	13	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.7	2 / 15	3 / 13	1 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	36.5	2 / 15	4 / 13	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	11.5	3 / 15	2 / 13	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	50.0	5 / 15	6 / 13	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	53.8	5 / 15	6 / 13	1 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	9	4	1	0	0
Number of transfers	18	8	4	1	0	0
Estimated average number of transfers per retrieval	3.0	2.7	2.0			
Average number of embryos transferred	1.6	1.8	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	71.4	8 / 14	0 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 18	3 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	13 / 18	3 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 18	2 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	16 / 18	5 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	17 / 18	6 / 8	0 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			3		
Number of transfers	3			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 6			3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 3			1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 3			1 / 2		
Percentage of transfers resulting in live births (%)	3 / 3			2 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 3			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Arklatex Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE MAINE CENTER SOUTH PORTLAND, MAINE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	43%	Tubal factor	16%	Uterine factor	1%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	10%	Male factor	31%
Used gestational carrier	<1%			Diminished ovarian reserve	7%	Other factor	15%
				Endometriosis	9%	Unknown factor	25%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 334 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	46	49	9	4	5
Percentage of cancellations before retrieval (%)	7.8	4.3	6.1	0 / 9	2 / 4	2 / 5
Average number of embryos transferred	1.4	1.5	1.8	2.8	3.5	1.0
Percentage of embryos transferred resulting in implantation (%)	35.0	31.0	14.9	2 / 17	0 / 2	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	58.1	37.5	13.3	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.3	21.7	12.2	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.7	26.1	12.2	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in twin live births (%)	3.3	0.0	0.0	1 / 9	0 / 4	0 / 5
Percentage of cycles resulting in live births (%)	30.0	28.3	12.2	1 / 9	0 / 4	0 / 5
Percentage of cycles resulting in pregnancies (%)	35.6	37.0	22.4	3 / 9	1 / 4	0 / 5
Outcomes per Transfer						
Number of transfers	73	40	41	8	2	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.8	25.0	14.6	0 / 8	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	32.9	30.0	14.6	0 / 8	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	4.1	0.0	0.0	1 / 8	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	37.0	32.5	14.6	1 / 8	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	43.8	42.5	26.8	3 / 8	1 / 2	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	27	15	1	1	0
Number of transfers	54	24	15	1	1	0
Estimated average number of transfers per retrieval	2.3	1.2	1.1	0.5		
Average number of embryos transferred	1.5	1.6	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	28.2	32.4	8 / 19	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.4	8.3	4 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.2	16.7	5 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.3	8.3	1 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	31.5	25.0	6 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	35.2	41.7	8 / 15	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	4	5	7	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			2		
Number of transfers	2			2		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			3 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 2			1 / 2		
Percentage of transfers resulting in live births (%)	1 / 2			2 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Maine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED NATIONAL MILITARY MEDICAL CENTER
BETHESDA, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John Csokmay, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	27%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	43%
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	<1%
				Endometriosis	10%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 547 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	231	86	71	33	1	0
Percentage of cancellations before retrieval (%)	6.5	8.1	9.9	15.2	0 / 1	
Average number of embryos transferred	1.4	1.7	2.1	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	30.4	15.7	11.5	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	57.0	23.0	7.7	0.0	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.6	22.1	11.3	6.1	1 / 1	
Percentage of cycles resulting in singleton live births (%)	36.8	23.3	15.5	12.1	1 / 1	
Percentage of cycles resulting in twin live births (%)	2.2	5.8	1.4	3.0	0 / 1	
Percentage of cycles resulting in live births (%)	39.0	30.2	16.9	15.2	1 / 1	
Percentage of cycles resulting in pregnancies (%)	46.8	33.7	25.4	18.2	1 / 1	
Outcomes per Transfer						
Number of transfers	188	67	59	27	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.8	28.4	13.6	7.4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	45.2	29.9	18.6	14.8	1 / 1	
Percentage of transfers resulting in twin live births (%)	2.7	7.5	1.7	3.7	0 / 1	
Percentage of transfers resulting in live births (%)	47.9	38.8	20.3	18.5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	57.4	43.3	30.5	22.2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	73	22	24	2	2	0
Number of transfers	72	22	22	2	2	0
Estimated average number of transfers per retrieval	1.8	2.8	1.8	2.0		
Average number of embryos transferred	1.5	1.5	1.6	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	42.3	50.0	35.3	1 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.2	36.4	31.8	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.5	45.5	40.9	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.3	9.1	0.0	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	45.8	54.5	40.9	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.2	63.6	59.1	1 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles						
	0	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: The A.R.T. Institute of Washington, Inc.,
Walter Reed National Military Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Endrika L. Hinton, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	38%	Tubal factor	26%	Uterine factor	15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	0%
				Endometriosis	70%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				37%			
				19%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 35 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		9	9	2	0	1	0
Percentage of cancellations before retrieval (%)		0 / 9	2 / 9	0 / 2		0 / 1	
Average number of embryos transferred		1.9	1.5	2.0		3.0	
Percentage of embryos transferred resulting in implantation (%)		6 / 15	1 / 3	3 / 4		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)		0 / 7	1 / 2	0 / 2		0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		3 / 9	1 / 9	1 / 2		0 / 1	
Percentage of cycles resulting in singleton live births (%)		4 / 9	1 / 9	1 / 2		0 / 1	
Percentage of cycles resulting in twin live births (%)		1 / 9	0 / 9	1 / 2		0 / 1	
Percentage of cycles resulting in live births (%)		5 / 9	1 / 9	2 / 2		0 / 1	
Percentage of cycles resulting in pregnancies (%)		5 / 9	1 / 9	2 / 2		0 / 1	
Outcomes per Transfer							
Number of transfers		8	2	2	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 8	1 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)		4 / 8	1 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 8	0 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in live births (%)		5 / 8	1 / 2	2 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)		5 / 8	1 / 2	2 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		2	3	1	0	0	0
Number of transfers		2	3	1	0	0	0
Estimated average number of transfers per retrieval		0.5	0.8	0.5			
Average number of embryos transferred		1.5	2.0	1.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 3	2 / 6	1 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2	0 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 2	0 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 2	1 / 3	0 / 1			
Percentage of transfers resulting in live births (%)		1 / 2	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 2	1 / 3	1 / 1			
Number of Egg/Embryo Banking Cycles		3	3	2	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: Endrika Hinton, MD					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jairo E. Garcia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	48%	Tubal factor	17%	Uterine factor	10%
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	12%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	9%
				Endometriosis	11%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 433 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	94	54	53	32	26	5
Percentage of cancellations before retrieval (%)	6.4	13.0	22.6	18.8	15.4	1 / 5
Average number of embryos transferred	1.6	1.7	1.8	1.7	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	37.5	27.3	23.6	8.3	8.7	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	33.3	30.6	12.5	0 / 10	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.9	14.8	15.1	3.1	3.8	0 / 5
Percentage of cycles resulting in singleton live births (%)	20.2	18.5	15.1	3.1	7.7	0 / 5
Percentage of cycles resulting in twin live births (%)	10.6	3.7	3.8	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)	31.9	22.2	18.9	3.1	7.7	0 / 5
Percentage of cycles resulting in pregnancies (%)	34.0	29.6	22.6	6.3	7.7	0 / 5
Outcomes per Transfer						
Number of transfers	75	40	32	14	13	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.7	20.0	25.0	1 / 14	1 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	25.3	25.0	25.0	1 / 14	2 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	13.3	5.0	6.3	0 / 14	0 / 13	0 / 3
Percentage of transfers resulting in live births (%)	40.0	30.0	31.3	1 / 14	2 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	42.7	40.0	37.5	2 / 14	2 / 13	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	26	23	8	2	2
Number of transfers	38	26	22	8	2	2
Estimated average number of transfers per retrieval	0.9	1.2	1.3	0.7	1.0	2.0
Average number of embryos transferred	1.6	1.6	1.5	1.4	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	35.6	41.5	38.2	3 / 11	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.3	42.3	45.5	2 / 8	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.2	53.8	50.0	2 / 8	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	5.3	3.8	0.0	0 / 8	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	39.5	57.7	50.0	2 / 8	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	61.5	54.5	2 / 8	0 / 2	0 / 2
Number of Egg/Embryo Banking Cycles						
	24	6	11	10	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			6		
Number of transfers	5			6		
Average number of embryos transferred	1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)	5 / 9			3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5			0 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 5			2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 6		
Percentage of transfers resulting in live births (%)	2 / 5			2 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 5			3 / 6		

CURRENT SERVICES & PROFILE

Current Name: Johns Hopkins Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	9%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	24%
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	11%
				Endometriosis	4%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 7,648 (includes 189 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1,334	821	809	374	204	21
Percentage of cancellations before retrieval (%)	6.2	10.0	12.1	16.6	16.2	14.3
Average number of embryos transferred	1.4	1.5	1.9	2.5	2.8	2.7
Percentage of embryos transferred resulting in implantation (%)	43.2	36.7	27.6	16.7	6.5	0.0
Percentage of elective single embryo transfers (eSET) (%)	53.7	43.2	17.6	2.1	0.0	0 / 13
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.6	26.2	17.3	11.2	4.4	0.0
Percentage of cycles resulting in singleton live births (%)	33.6	28.5	20.1	13.9	5.4	0.0
Percentage of cycles resulting in twin live births (%)	4.9	3.9	3.1	2.4	0.5	0.0
Percentage of cycles resulting in live births (%)	38.8	32.6	23.5	16.3	5.9	0.0
Percentage of cycles resulting in pregnancies (%)	44.6	41.2	34.4	25.9	14.7	4.8
Outcomes per Transfer						
Number of transfers	1,109	667	625	258	147	16
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.6	32.2	22.4	16.3	6.1	0 / 16
Percentage of transfers resulting in singleton live births (%)	40.4	35.1	26.1	20.2	7.5	0 / 16
Percentage of transfers resulting in twin live births (%)	5.9	4.8	4.0	3.5	0.7	0 / 16
Percentage of transfers resulting in live births (%)	46.6	40.2	30.4	23.6	8.2	0 / 16
Percentage of transfers resulting in pregnancies (%)	53.7	50.7	44.5	37.6	20.4	1 / 16
Frozen Embryos from Nondonor Eggs						
Number of cycles	778	465	356	146	47	12
Number of transfers	746	435	329	133	43	10
Estimated average number of transfers per retrieval	1.6	1.1	0.9	1.0	0.9	1.7
Average number of embryos transferred	1.3	1.3	1.4	1.5	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	54.5	47.7	40.1	36.3	46.9	14.3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	34.9	28.3	26.3	23.3	1 / 10
Percentage of transfers resulting in singleton live births (%)	42.4	40.7	31.0	27.1	25.6	1 / 10
Percentage of transfers resulting in twin live births (%)	7.1	5.1	4.0	2.3	2.3	0 / 10
Percentage of transfers resulting in live births (%)	49.5	45.7	35.0	29.3	27.9	1 / 10
Percentage of transfers resulting in pregnancies (%)	62.2	55.9	49.5	51.1	65.1	2 / 10
Number of Egg/Embryo Banking Cycles						
	153	205	212	80	27	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	774			637		
Number of transfers	644			570		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	52.8			43.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.3			25.1		
Percentage of transfers resulting in singleton live births (%)	44.4			33.9		
Percentage of transfers resulting in twin live births (%)	5.9			4.4		
Percentage of transfers resulting in live births (%)	50.5			38.2		
Percentage of transfers resulting in pregnancies (%)	61.5			51.8		

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTGOMERY FERTILITY CENTER SILVER SPRING, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Yemi Famuyiwa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	31%	Uterine factor	37%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	19%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	5%
				Endometriosis	1%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	6	16	7	1	5
Percentage of cancellations before retrieval (%)	10.0	0 / 6	3 / 16	1 / 7	1 / 1	1 / 5
Average number of embryos transferred	2.0	1.8	1.7	1.8		3.0
Percentage of embryos transferred resulting in implantation (%)	14.3	3 / 11	1 / 17	0 / 9		0 / 6
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 4	0 / 8	0 / 3		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	2 / 6	1 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in singleton live births (%)	0.0	2 / 6	1 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in twin live births (%)	10.0	0 / 6	0 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in live births (%)	10.0	2 / 6	1 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in pregnancies (%)	10.0	2 / 6	2 / 16	0 / 7	0 / 1	0 / 5
Outcomes per Transfer						
Number of transfers	14	6	11	5	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 14	2 / 6	1 / 11	0 / 5		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 14	2 / 6	1 / 11	0 / 5		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 6	0 / 11	0 / 5		0 / 2
Percentage of transfers resulting in live births (%)	2 / 14	2 / 6	1 / 11	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 14	2 / 6	2 / 11	0 / 5		0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	1	0	0	0
Number of transfers	5	1	1	0	0	0
Estimated average number of transfers per retrieval	0.6	1.0			0.0	0.0
Average number of embryos transferred	1.4	3.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	1	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			8		
Number of transfers	2			7		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			2 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			1 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 2			1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 7		
Percentage of transfers resulting in live births (%)	0 / 2			1 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 7		

CURRENT SERVICES & PROFILE

Current Name: Montgomery Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	36%	Tubal factor	23%	Uterine factor	15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	8%
				Endometriosis	13%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 333 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	110	55	40	22	9	4
Percentage of cancellations before retrieval (%)	14.5	21.8	17.5	36.4	4 / 9	3 / 4
Average number of embryos transferred	1.5	1.7	2.2	3.8	3.4	5.0
Percentage of embryos transferred resulting in implantation (%)	39.1	13.2	22.9	13.3	0 / 17	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	40.5	25.0	3.1	0 / 13	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.3	12.7	10.0	9.1	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	31.8	12.7	20.0	9.1	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	4.5	0.0	5.0	4.5	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	36.4	12.7	25.0	13.6	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	40.9	18.2	35.0	22.7	0 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	86	41	33	13	5	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.9	17.1	12.1	2 / 13	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.7	17.1	24.2	2 / 13	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	5.8	0.0	6.1	1 / 13	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	46.5	17.1	30.3	3 / 13	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.3	24.4	42.4	5 / 13	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	19	6	1	1	4
Number of transfers	46	17	6	1	1	3
Estimated average number of transfers per retrieval	1.7	2.1	1.5	0.5		3.0
Average number of embryos transferred	1.8	1.7	1.8	2.0	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	32.1	34.5	2 / 11	0 / 2	0 / 1	3 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.3	6 / 17	2 / 6	0 / 1	0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	28.3	8 / 17	2 / 6	0 / 1	0 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	8.7	1 / 17	0 / 6	0 / 1	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	37.0	9 / 17	2 / 6	0 / 1	0 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)	52.2	9 / 17	2 / 6	0 / 1	0 / 1	2 / 3
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			6		
Number of transfers	3			5		
Average number of embryos transferred	1.7			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 5			4 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 3			1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 5		
Percentage of transfers resulting in live births (%)	1 / 3			2 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 3			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Maryland

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC-TOWSON TOWSON, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eugene Katz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	12%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	8%
				Endometriosis	7%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,715 (includes 25 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	475	236	153	84	33	5
Percentage of cancellations before retrieval (%)	4.0	10.6	11.1	15.5	6.1	1 / 5
Average number of embryos transferred	1.3	1.6	2.1	2.6	2.8	2.7
Percentage of embryos transferred resulting in implantation (%)	46.5	35.3	19.5	14.3	5.3	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	56.6	29.6	6.6	0.0	0.0	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.2	24.6	12.4	9.5	3.0	0 / 5
Percentage of cycles resulting in singleton live births (%)	38.7	29.7	14.4	9.5	3.0	0 / 5
Percentage of cycles resulting in twin live births (%)	4.0	7.6	2.6	2.4	0.0	0 / 5
Percentage of cycles resulting in live births (%)	43.6	37.3	17.0	11.9	3.0	0 / 5
Percentage of cycles resulting in pregnancies (%)	48.6	41.5	29.4	22.6	15.2	0 / 5
Outcomes per Transfer						
Number of transfers	423	203	120	59	28	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.0	28.6	15.8	13.6	3.6	0 / 3
Percentage of transfers resulting in singleton live births (%)	43.5	34.5	18.3	13.6	3.6	0 / 3
Percentage of transfers resulting in twin live births (%)	4.5	8.9	3.3	3.4	0.0	0 / 3
Percentage of transfers resulting in live births (%)	48.9	43.3	21.7	16.9	3.6	0 / 3
Percentage of transfers resulting in pregnancies (%)	54.6	48.3	37.5	32.2	17.9	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	220	71	58	14	3	2
Number of transfers	208	67	56	12	3	2
Estimated average number of transfers per retrieval	1.5	1.2	0.9	0.8	3.0	1.0
Average number of embryos transferred	1.3	1.3	1.6	1.8	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	56.3	52.4	40.2	3 / 12	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.9	34.3	26.8	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.6	35.8	37.5	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	4.8	7.5	5.4	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	51.4	43.3	42.9	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	65.9	53.7	58.9	7 / 12	0 / 3	0 / 2
Number of Egg/Embryo Banking Cycles						
	36	23	28	12	0	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		162			73	
Number of transfers		142			70	
Average number of embryos transferred		1.2			1.2	
Percentage of embryos transferred resulting in implantation (%)		49.7			37.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.0			21.4	
Percentage of transfers resulting in singleton live births (%)		38.0			25.7	
Percentage of transfers resulting in twin live births (%)		4.2			2.9	
Percentage of transfers resulting in live births (%)		42.3			28.6	
Percentage of transfers resulting in pregnancies (%)		58.5			44.3	

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC-Towson

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Elizabeth S. Ginsburg, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	51%	Tubal factor	9%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	28%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	9%
				Endometriosis	6%	Unknown factor	27%
						Multiple Factors:	
						Female factors only	8%
						Female & male factors	13%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 2,134 (includes 14 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		390	277	298	182	86	4
Percentage of cancellations before retrieval (%)		3.8	5.4	6.7	8.8	5.8	0 / 4
Average number of embryos transferred		1.5	1.9	2.2	3.6	4.4	4.7
Percentage of embryos transferred resulting in implantation (%)		40.7	33.4	16.3	5.4	2.0	0 / 8
Percentage of elective single embryo transfers (eSET) (%)		43.0	23.0	10.0	2.2	0.0	0 / 3
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		26.2	20.2	11.7	8.2	1.2	0 / 4
Percentage of cycles resulting in singleton live births (%)		32.3	24.5	13.1	9.3	1.2	0 / 4
Percentage of cycles resulting in twin live births (%)		8.2	10.8	4.4	1.1	2.3	0 / 4
Percentage of cycles resulting in live births (%)		40.5	35.7	17.8	10.4	3.5	0 / 4
Percentage of cycles resulting in pregnancies (%)		47.2	40.4	27.2	18.7	11.6	1 / 4
Outcomes per Transfer							
Number of transfers		354	239	251	151	75	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.8	23.4	13.9	9.9	1.3	0 / 3
Percentage of transfers resulting in singleton live births (%)		35.6	28.5	15.5	11.3	1.3	0 / 3
Percentage of transfers resulting in twin live births (%)		9.0	12.6	5.2	1.3	2.7	0 / 3
Percentage of transfers resulting in live births (%)		44.6	41.4	21.1	12.6	4.0	0 / 3
Percentage of transfers resulting in pregnancies (%)		52.0	46.9	32.3	22.5	13.3	1 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		203	124	139	53	16	3
Number of transfers		193	116	129	44	15	2
Estimated average number of transfers per retrieval		1.0	1.2	1.0	0.8	2.5	1.0
Average number of embryos transferred		1.4	1.4	1.6	2.1	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)		46.0	51.3	35.2	10.6	17.2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.5	37.1	20.2	11.4	2 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)		36.8	40.5	24.0	15.9	2 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)		9.3	11.2	11.6	0.0	1 / 15	0 / 2
Percentage of transfers resulting in live births (%)		46.1	51.7	35.7	15.9	3 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)		56.0	60.3	45.7	27.3	5 / 15	1 / 2
Number of Egg/Embryo Banking Cycles		97	49	57	33	4	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		53			50		
Number of transfers		49			49		
Average number of embryos transferred		1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)		59.4			42.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		42.9			26.5		
Percentage of transfers resulting in singleton live births (%)		51.0			30.6		
Percentage of transfers resulting in twin live births (%)		12.2			8.2		
Percentage of transfers resulting in live births (%)		63.3			38.8		
Percentage of transfers resulting in pregnancies (%)		73.5			59.2		

CURRENT SERVICES & PROFILE		Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Thomas L. Toth, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	44%	Tubal factor	14%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	35%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	10%
				Endometriosis	5%	Unknown factor	25%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 813 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	229	140	121	79	19	0
Percentage of cancellations before retrieval (%)	3.1	5.7	4.1	10.1	2 / 19	
Average number of embryos transferred	1.5	1.6	2.4	3.3	3.5	
Percentage of embryos transferred resulting in implantation (%)	41.6	38.9	22.9	11.3	8.3	
Percentage of elective single embryo transfers (eSET) (%)	37.1	35.5	3.8	0.0	0 / 16	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.6	30.0	19.0	15.2	2 / 19	
Percentage of cycles resulting in singleton live births (%)	40.2	35.0	25.6	16.5	3 / 19	
Percentage of cycles resulting in twin live births (%)	5.2	5.7	5.8	1.3	0 / 19	
Percentage of cycles resulting in live births (%)	45.4	40.7	31.4	17.7	3 / 19	
Percentage of cycles resulting in pregnancies (%)	52.0	47.1	42.1	27.8	5 / 19	
Outcomes per Transfer						
Number of transfers	213	124	113	64	17	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.2	33.9	20.4	18.8	2 / 17	
Percentage of transfers resulting in singleton live births (%)	43.2	39.5	27.4	20.3	3 / 17	
Percentage of transfers resulting in twin live births (%)	5.6	6.5	6.2	1.6	0 / 17	
Percentage of transfers resulting in live births (%)	48.8	46.0	33.6	21.9	3 / 17	
Percentage of transfers resulting in pregnancies (%)	55.9	53.2	45.1	34.4	5 / 17	
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	54	24	5	2	1
Number of transfers	42	52	21	5	2	1
Estimated average number of transfers per retrieval	1.1	1.0	1.3	1.3		1.0
Average number of embryos transferred	1.5	1.4	1.4	1.2	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	60.0	38.9	28.6	1 / 6	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.2	28.8	28.6	1 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.4	30.8	33.3	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	11.9	9.6	0.0	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	64.3	40.4	33.3	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	76.2	46.2	42.9	1 / 5	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	18	26	8	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	28			15		
Number of transfers	28			14		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	43.9			6 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.9			4 / 14		
Percentage of transfers resulting in singleton live births (%)	50.0			5 / 14		
Percentage of transfers resulting in twin live births (%)	7.1			0 / 14		
Percentage of transfers resulting in live births (%)	57.1			5 / 14		
Percentage of transfers resulting in pregnancies (%)	57.1			7 / 14		

CURRENT SERVICES & PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**FERTILITY SOLUTIONS, PC DBA
MASSACHUSETTS FERTILITY CENTER, LLC
DEDHAM, MASSACHUSETTS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ania Kowalik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	52%	Tubal factor	9%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	10%	Male factor	32%
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	6%
				Endometriosis	3%	Unknown factor	38%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 617 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	143	76	75	42	8	3
Percentage of cancellations before retrieval (%)	7.0	5.3	6.7	11.9	0 / 8	1 / 3
Average number of embryos transferred	1.3	1.7	2.1	3.0	2.3	4.0
Percentage of embryos transferred resulting in implantation (%)	39.0	34.0	18.0	9.6	0 / 14	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	66.0	40.0	19.3	0.0	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.6	27.6	13.3	9.5	0 / 8	0 / 3
Percentage of cycles resulting in singleton live births (%)	32.2	32.9	16.0	9.5	0 / 8	0 / 3
Percentage of cycles resulting in twin live births (%)	1.4	3.9	5.3	0.0	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	33.6	36.8	21.3	9.5	0 / 8	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.6	42.1	28.0	21.4	0 / 8	0 / 3
Outcomes per Transfer						
Number of transfers	115	62	63	29	6	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.0	33.9	15.9	13.8	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	40.3	19.0	13.8	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	1.7	4.8	6.3	0.0	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	41.7	45.2	25.4	13.8	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.4	51.6	33.3	31.0	0 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	104	56	31	12	1	1
Number of transfers	95	53	28	10	1	1
Estimated average number of transfers per retrieval	2.0	1.7	1.6	1.3	0.3	1.0
Average number of embryos transferred	1.4	1.6	1.6	2.6	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.2	36.9	30.2	15.0	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.7	26.4	21.4	2 / 10	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.9	28.3	28.6	3 / 10	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	7.4	7.5	3.6	0 / 10	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.3	35.8	32.1	3 / 10	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.9	49.1	42.9	4 / 10	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	3	3	7	3	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			13		
Number of transfers	8			12		
Average number of embryos transferred	1.3			1.8		
Percentage of embryos transferred resulting in implantation (%)	8 / 10			45.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 8			5 / 12		
Percentage of transfers resulting in singleton live births (%)	6 / 8			7 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 8			1 / 12		
Percentage of transfers resulting in live births (%)	7 / 8			8 / 12		
Percentage of transfers resulting in pregnancies (%)	7 / 8			9 / 12		

CURRENT SERVICES & PROFILE

Current Name: Fertility Solutions, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER LEXINGTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Samuel C. Pang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	41%	Tubal factor	15%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	38%
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	9%
				Endometriosis	7%	Unknown factor	21%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2,722 (includes 94 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	759	386	370	168	48	2
Percentage of cancellations before retrieval (%)	3.7	7.0	6.2	9.5	12.5	0 / 2
Average number of embryos transferred	1.3	1.6	2.1	2.9	3.1	1.5
Percentage of embryos transferred resulting in implantation (%)	41.7	37.9	22.5	8.7	5.5	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	60.6	36.6	6.6	2.5	0.0	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.5	23.8	13.5	10.7	6.3	0 / 2
Percentage of cycles resulting in singleton live births (%)	31.9	28.0	15.7	11.3	8.3	0 / 2
Percentage of cycles resulting in twin live births (%)	5.1	6.7	5.9	1.8	0.0	0 / 2
Percentage of cycles resulting in live births (%)	37.2	34.7	22.2	13.1	8.3	0 / 2
Percentage of cycles resulting in pregnancies (%)	42.7	41.2	31.9	22.0	16.7	0 / 2
Outcomes per Transfer						
Number of transfers	651	323	306	133	37	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.2	28.5	16.3	13.5	8.1	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.2	33.4	19.0	14.3	10.8	0 / 2
Percentage of transfers resulting in twin live births (%)	6.0	8.0	7.2	2.3	0.0	0 / 2
Percentage of transfers resulting in live births (%)	43.3	41.5	26.8	16.5	10.8	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.8	49.2	38.6	27.8	21.6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	362	189	114	47	17	3
Number of transfers	320	165	98	38	14	1
Estimated average number of transfers per retrieval	1.3	1.4	1.1	1.0	1.6	
Average number of embryos transferred	1.3	1.3	1.6	2.2	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	50.5	45.8	38.1	24.1	8.3	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	38.2	33.7	21.1	2 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.4	41.8	39.8	21.1	2 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	6.6	3.0	6.1	2.6	0 / 14	0 / 1
Percentage of transfers resulting in live births (%)	50.3	45.5	45.9	26.3	2 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.4	54.5	54.1	39.5	3 / 14	1 / 1
Number of Egg/Embryo Banking Cycles						
	33	28	21	9	4	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		19			49	
Number of transfers		19			45	
Average number of embryos transferred		1.2			1.2	
Percentage of embryos transferred resulting in implantation (%)		43.5			51.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 19			44.4	
Percentage of transfers resulting in singleton live births (%)		9 / 19			46.7	
Percentage of transfers resulting in twin live births (%)		0 / 19			2.2	
Percentage of transfers resulting in live births (%)		9 / 19			48.9	
Percentage of transfers resulting in pregnancies (%)		10 / 19			57.8	

CURRENT SERVICES & PROFILE

Current Name: IVF New England

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Danielle Vitiello, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	9%	Uterine factor	7%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	28%
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	20%
				Endometriosis	5%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,061 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	281	147	113	56	23	0
Percentage of cancellations before retrieval (%)	2.5	4.8	7.1	7.1	4.3	
Average number of embryos transferred	1.1	1.3	1.5	2.0	2.4	
Percentage of embryos transferred resulting in implantation (%)	51.0	40.3	30.0	9.4	4.9	
Percentage of elective single embryo transfers (eSET) (%)	79.3	50.0	28.8	5.6	1 / 14	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.9	25.9	12.4	10.7	4.3	
Percentage of cycles resulting in singleton live births (%)	38.4	27.9	13.3	10.7	4.3	
Percentage of cycles resulting in twin live births (%)	2.5	5.4	4.4	0.0	0.0	
Percentage of cycles resulting in live births (%)	40.9	33.3	17.7	10.7	4.3	
Percentage of cycles resulting in pregnancies (%)	45.2	38.8	29.2	16.1	8.7	
Outcomes per Transfer						
Number of transfers	230	120	77	43	17	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.6	31.7	18.2	14.0	1 / 17	
Percentage of transfers resulting in singleton live births (%)	47.0	34.2	19.5	14.0	1 / 17	
Percentage of transfers resulting in twin live births (%)	3.0	6.7	6.5	0.0	0 / 17	
Percentage of transfers resulting in live births (%)	50.0	40.8	26.0	14.0	1 / 17	
Percentage of transfers resulting in pregnancies (%)	55.2	47.5	42.9	20.9	2 / 17	
Frozen Embryos from Nondonor Eggs						
Number of cycles	138	48	59	18	9	0
Number of transfers	133	46	59	16	8	0
Estimated average number of transfers per retrieval	1.5	1.2	1.4	0.7	1.0	0.0
Average number of embryos transferred	1.2	1.2	1.4	1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	55.2	67.3	41.7	40.0	4 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.1	50.0	25.4	5 / 16	2 / 8	
Percentage of transfers resulting in singleton live births (%)	43.6	56.5	33.9	6 / 16	3 / 8	
Percentage of transfers resulting in twin live births (%)	6.0	6.5	6.8	1 / 16	0 / 8	
Percentage of transfers resulting in live births (%)	50.4	63.0	40.7	7 / 16	3 / 8	
Percentage of transfers resulting in pregnancies (%)	57.1	67.4	50.8	9 / 16	4 / 8	
Number of Egg/Embryo Banking Cycles						
	33	21	16	14	6	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		21			44	
Number of transfers		14			40	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		60.0			46.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 14			37.5	
Percentage of transfers resulting in singleton live births (%)		6 / 14			45.0	
Percentage of transfers resulting in twin live births (%)		3 / 14			5.0	
Percentage of transfers resulting in live births (%)		9 / 14			50.0	
Percentage of transfers resulting in pregnancies (%)		9 / 14			52.5	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kelly Lynch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	39%	Tubal factor	13%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	9%
				Endometriosis	10%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 596 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	135	70	63	36	7	0
Percentage of cancellations before retrieval (%)	6.7	2.9	11.1	13.9	1 / 7	
Average number of embryos transferred	1.3	1.4	2.0	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	36.8	33.7	9.2	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	65.2	53.5	4.8	7.4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.6	24.3	19.0	8.3	0 / 7	
Percentage of cycles resulting in singleton live births (%)	32.6	28.6	20.6	8.3	1 / 7	
Percentage of cycles resulting in twin live births (%)	3.0	2.9	6.3	2.8	0 / 7	
Percentage of cycles resulting in live births (%)	35.6	31.4	27.0	11.1	1 / 7	
Percentage of cycles resulting in pregnancies (%)	42.2	35.7	39.7	22.2	1 / 7	
Outcomes per Transfer						
Number of transfers	107	56	48	30	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.4	30.4	25.0	10.0	0 / 4	
Percentage of transfers resulting in singleton live births (%)	41.1	35.7	27.1	10.0	1 / 4	
Percentage of transfers resulting in twin live births (%)	3.7	3.6	8.3	3.3	0 / 4	
Percentage of transfers resulting in live births (%)	44.9	39.3	35.4	13.3	1 / 4	
Percentage of transfers resulting in pregnancies (%)	53.3	44.6	52.1	26.7	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	120	66	20	14	4	2
Number of transfers	108	52	20	12	3	2
Estimated average number of transfers per retrieval	1.4	1.9	1.5	1.7	1.5	
Average number of embryos transferred	1.2	1.4	1.5	1.8	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	48.4	33.3	28.0	23.8	2 / 5	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	32.7	20.0	4 / 12	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	41.7	34.6	35.0	4 / 12	0 / 3	2 / 2
Percentage of transfers resulting in twin live births (%)	3.7	1.9	0.0	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	45.4	36.5	35.0	4 / 12	0 / 3	2 / 2
Percentage of transfers resulting in pregnancies (%)	54.6	44.2	50.0	5 / 12	1 / 3	2 / 2
Number of Egg/Embryo Banking Cycles						
	14	4	3	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			16		
Number of transfers	15			14		
Average number of embryos transferred	1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)	11 / 18			9 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15			5 / 14		
Percentage of transfers resulting in singleton live births (%)	7 / 15			6 / 14		
Percentage of transfers resulting in twin live births (%)	1 / 15			1 / 14		
Percentage of transfers resulting in live births (%)	8 / 15			7 / 14		
Percentage of transfers resulting in pregnancies (%)	11 / 15			8 / 14		

CURRENT SERVICES & PROFILE

Current Name: Baystate Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY, LLC STONEHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Vito R. Cardone, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	35%	Tubal factor	11%	Uterine factor	8%	Multiple Factors: Female factors only 10% Female & male factors 4%	
Unstimulated	4%	PGD/PGS	2%	Ovulatory dysfunction	17%	Male factor	9%		
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	9%		
				Endometriosis	12%	Unknown factor	20%		

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 237 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		39	36	32	26	10	2
Percentage of cancellations before retrieval (%)		2.6	13.9	12.5	15.4	0 / 10	1 / 2
Average number of embryos transferred		1.8	1.8	2.1	2.7	3.2	3.0
Percentage of embryos transferred resulting in implantation (%)		27.9	18.6	17.4	4.7	2 / 19	0 / 3
Percentage of elective single embryo transfers (eSET) (%)		10.3	2 / 18	9.5	0 / 15	0 / 4	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		25.6	16.7	9.4	3.8	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)		28.2	16.7	12.5	3.8	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)		5.1	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)		33.3	16.7	12.5	3.8	1 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)		35.9	22.2	28.1	7.7	2 / 10	0 / 2
Outcomes per Transfer							
Number of transfers		34	24	23	16	6	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.4	25.0	13.0	1 / 16	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)		32.4	25.0	17.4	1 / 16	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)		5.9	0.0	0.0	0 / 16	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)		38.2	25.0	17.4	1 / 16	1 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)		41.2	33.3	39.1	2 / 16	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	9	7	5	2	0
Number of transfers		16	8	7	5	2	0
Estimated average number of transfers per retrieval		1.2	2.0	0.8	5.0	0.5	0.0
Average number of embryos transferred		1.9	1.5	1.6	2.6	3.0	
Percentage of embryos transferred resulting in implantation (%)		32.3	4 / 12	3 / 11	4 / 8	3 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 16	3 / 8	2 / 7	2 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)		4 / 16	3 / 8	3 / 7	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)		2 / 16	0 / 8	0 / 7	0 / 5	1 / 2	
Percentage of transfers resulting in live births (%)		6 / 16	3 / 8	3 / 7	2 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)		7 / 16	3 / 8	3 / 7	4 / 5	2 / 2	
Number of Egg/Embryo Banking Cycles		1	1	2	1	3	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		19			19		
Number of transfers		18			18		
Average number of embryos transferred		1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)		35.3			26.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		9 / 18			3 / 18		
Percentage of transfers resulting in singleton live births (%)		10 / 18			3 / 18		
Percentage of transfers resulting in twin live births (%)		0 / 18			3 / 18		
Percentage of transfers resulting in live births (%)		10 / 18			6 / 18		
Percentage of transfers resulting in pregnancies (%)		10 / 18			6 / 18		

CURRENT SERVICES & PROFILE		Current Name: Cardone Reproductive Medicine and Infertility, LLC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	42%	Tubal factor	7%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	27%
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	7%
				Endometriosis	5%	Unknown factor	28%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2,889 (includes 127 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	529	361	330	230	123	12
Percentage of cancellations before retrieval (%)	3.6	4.2	6.4	7.0	8.9	0 / 12
Average number of embryos transferred	1.5	1.7	2.1	2.7	3.0	3.6
Percentage of embryos transferred resulting in implantation (%)	39.9	27.9	19.3	8.7	4.6	0.0
Percentage of elective single embryo transfers (eSET) (%)	44.4	25.7	12.8	5.3	4.2	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	20.2	14.2	8.3	3.3	0 / 12
Percentage of cycles resulting in singleton live births (%)	30.1	23.5	16.7	9.1	4.9	0 / 12
Percentage of cycles resulting in twin live births (%)	7.4	4.2	2.4	0.9	0.0	0 / 12
Percentage of cycles resulting in live births (%)	37.4	27.7	19.4	10.0	4.9	0 / 12
Percentage of cycles resulting in pregnancies (%)	41.6	34.3	27.0	16.1	11.4	0 / 12
Outcomes per Transfer						
Number of transfers	446	291	266	182	90	10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6	25.1	17.7	10.4	4.4	0 / 10
Percentage of transfers resulting in singleton live births (%)	35.7	29.2	20.7	11.5	6.7	0 / 10
Percentage of transfers resulting in twin live births (%)	8.7	5.2	3.0	1.1	0.0	0 / 10
Percentage of transfers resulting in live births (%)	44.4	34.4	24.1	12.6	6.7	0 / 10
Percentage of transfers resulting in pregnancies (%)	49.3	42.6	33.5	20.3	15.6	0 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	283	210	160	62	18	4
Number of transfers	266	194	148	51	16	4
Estimated average number of transfers per retrieval	1.4	1.1	0.9	0.9	0.9	0.8
Average number of embryos transferred	1.4	1.4	1.5	1.8	2.2	1.5
Percentage of embryos transferred resulting in implantation (%)	41.4	38.7	34.0	17.4	9.4	2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.2	30.4	27.7	23.5	0 / 16	2 / 4
Percentage of transfers resulting in singleton live births (%)	33.1	34.0	32.4	27.5	0 / 16	2 / 4
Percentage of transfers resulting in twin live births (%)	7.1	4.6	4.7	0.0	0 / 16	0 / 4
Percentage of transfers resulting in live births (%)	40.2	38.7	37.2	27.5	0 / 16	2 / 4
Percentage of transfers resulting in pregnancies (%)	48.9	49.0	50.0	33.3	4 / 16	2 / 4
Number of Egg/Embryo Banking Cycles						
	41	80	80	28	10	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		57			139	
Number of transfers		54			128	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		57.0			34.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.8			21.1	
Percentage of transfers resulting in singleton live births (%)		35.2			28.9	
Percentage of transfers resulting in twin live births (%)		22.2			6.3	
Percentage of transfers resulting in live births (%)		57.4			35.2	
Percentage of transfers resulting in pregnancies (%)		70.4			42.2	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY ANN ARBOR, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael Lanham, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	12%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	37%	Male factor	54%
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	11%
				Endometriosis	6%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				17%			
				36%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 276 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	43	16	7	2	0
Percentage of cancellations before retrieval (%)	5.4	16.3	4 / 16	0 / 7	2 / 2	
Average number of embryos transferred	1.4	1.5	1.6	1.8		
Percentage of embryos transferred resulting in implantation (%)	45.9	25.0	6 / 19	2 / 11		
Percentage of elective single embryo transfers (eSET) (%)	56.5	46.7	3 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.9	16.3	1 / 16	1 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	35.7	20.9	4 / 16	1 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.4	2.3	0 / 16	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	41.1	23.3	4 / 16	1 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	25.6	5 / 16	2 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	46	32	12	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.3	21.9	1 / 12	1 / 6		
Percentage of transfers resulting in singleton live births (%)	43.5	28.1	4 / 12	1 / 6		
Percentage of transfers resulting in twin live births (%)	6.5	3.1	0 / 12	0 / 6		
Percentage of transfers resulting in live births (%)	50.0	31.3	4 / 12	1 / 6		
Percentage of transfers resulting in pregnancies (%)	60.9	34.4	5 / 12	2 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	29	16	4	1	0
Number of transfers	41	22	14	4	1	0
Estimated average number of transfers per retrieval	1.2	1.6	1.1	0.6	0.5	
Average number of embryos transferred	1.5	1.5	1.5	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	27.9	24.2	9.5	2 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.1	18.2	1 / 14	2 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.0	18.2	1 / 14	2 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.9	9.1	0 / 14	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	26.8	27.3	1 / 14	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	34.1	27.3	2 / 14	2 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	23	4	12	4	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			6		
Number of transfers	7			5		
Average number of embryos transferred	1.4			1.8		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7			2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 7			2 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 7			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 7			2 / 5		
Percentage of transfers resulting in pregnancies (%)	4 / 7			3 / 5		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	13%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	13%	Male factor	27%
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	25%
				Endometriosis	28%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 121 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	12	12	5	3	0
Percentage of cancellations before retrieval (%)	10.0	2 / 12	4 / 12	3 / 5	0 / 3	
Average number of embryos transferred	1.9	2.2	2.1	2.5	3.5	
Percentage of embryos transferred resulting in implantation (%)	34.4	8 / 17	5 / 15	0 / 2	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	5 / 16	2 / 9	0 / 6	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	1 / 12	3 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	35.0	1 / 12	3 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	10.0	2 / 12	0 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	45.0	3 / 12	3 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	45.0	6 / 12	4 / 12	1 / 5	0 / 3	
Outcomes per Transfer						
Number of transfers	17	9	7	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	1 / 9	3 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	7 / 17	1 / 9	3 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 17	2 / 9	0 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	9 / 17	3 / 9	3 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	9 / 17	6 / 9	4 / 7	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	10	2	2	1	2
Number of transfers	14	9	2	2	0	2
Estimated average number of transfers per retrieval	1.6	1.8	0.5	0.7		2.0
Average number of embryos transferred	1.6	1.8	2.0	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 16	1 / 4	1 / 3		0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14	3 / 9	0 / 2	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 14	4 / 9	0 / 2	1 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 9	0 / 2	0 / 2		0 / 2
Percentage of transfers resulting in live births (%)	4 / 14	4 / 9	0 / 2	1 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 14	4 / 9	1 / 2	1 / 2		0 / 2
Number of Egg/Embryo Banking Cycles						
	5	2	4	3	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			8		
Number of transfers	7			7		
Average number of embryos transferred	1.9			1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 13			4 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7			0 / 7		
Percentage of transfers resulting in singleton live births (%)	2 / 7			1 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 7		
Percentage of transfers resulting in live births (%)	4 / 7			2 / 7		
Percentage of transfers resulting in pregnancies (%)	4 / 7			3 / 7		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE MEDICINE BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael S. Mersol-Barg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	47%	Ovulatory dysfunction	21%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	10%
				Endometriosis	5%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 206 (includes 38 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	20	38	6	2	4
Percentage of cancellations before retrieval (%)	2.6	10.0	5.3	0 / 6	0 / 2	3 / 4
Average number of embryos transferred	1.4	1.4	1.4	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	9 / 14	25.9	0 / 4	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	40.9	2 / 6	5 / 11	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.4	20.0	18.4	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.9	25.0	18.4	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	2.6	5.0	0.0	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	31.6	30.0	18.4	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	44.7	35.0	23.7	0 / 6	1 / 2	0 / 4
Outcomes per Transfer						
Number of transfers	33	10	22	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.2	4 / 10	31.8	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 10	31.8	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.0	1 / 10	0.0	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	36.4	6 / 10	31.8	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.5	7 / 10	40.9	0 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	5	8	2	1	0
Number of transfers	23	5	8	2	1	0
Estimated average number of transfers per retrieval	1.9	1.7	0.7	0.5		
Average number of embryos transferred	1.3	1.4	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	29.0	2 / 7	5 / 11	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1	2 / 5	2 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.8	2 / 5	2 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	34.8	2 / 5	3 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	39.1	2 / 5	3 / 8	2 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	5	2	3	3	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			4		
Number of transfers	1			4		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			2 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 1			2 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in live births (%)	0 / 1			2 / 4		
Percentage of transfers resulting in pregnancies (%)	0 / 1			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF BRIGHTON, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	8%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	24%
				Endometriosis	19%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				28%			
				25%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 147 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	10	4	10	1	1
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Average number of embryos transferred	2.0	1.7	1.0			
Percentage of embryos transferred resulting in implantation (%)	44.7	1 / 12	0 / 1			
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	2 / 6				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.6	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.6	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	7.1	0 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	39.3	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	42.9	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	19	7	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 19	1 / 7	0 / 1			
Percentage of transfers resulting in singleton live births (%)	8 / 19	1 / 7	0 / 1			
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 7	0 / 1			
Percentage of transfers resulting in live births (%)	11 / 19	1 / 7	0 / 1			
Percentage of transfers resulting in pregnancies (%)	12 / 19	1 / 7	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	7	4	0	2	0
Number of transfers	27	7	4	0	2	0
Estimated average number of transfers per retrieval	1.1	1.2	0.6	0.0	1.0	0.0
Average number of embryos transferred	1.9	1.4	1.3		2.0	
Percentage of embryos transferred resulting in implantation (%)	51.0	2 / 8	1 / 5		3 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.4	2 / 7	1 / 4		1 / 2	
Percentage of transfers resulting in singleton live births (%)	48.1	2 / 7	1 / 4		1 / 2	
Percentage of transfers resulting in twin live births (%)	18.5	0 / 7	0 / 4		1 / 2	
Percentage of transfers resulting in live births (%)	66.7	2 / 7	1 / 4		2 / 2	
Percentage of transfers resulting in pregnancies (%)	70.4	3 / 7	1 / 4		2 / 2	
Number of Egg/Embryo Banking Cycles						
	15	5	7	4	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			15		
Number of transfers	5			15		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 9			19.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			1 / 15		
Percentage of transfers resulting in singleton live births (%)	1 / 5			2 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 15		
Percentage of transfers resulting in live births (%)	1 / 5			3 / 15		
Percentage of transfers resulting in pregnancies (%)	2 / 5			5 / 15		

CURRENT SERVICES & PROFILE

Current Name: Gago IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	11%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	48%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	5%
				Endometriosis	11%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 172 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	26	14	9	1	0
Percentage of cancellations before retrieval (%)	15.9	11.5	1 / 14	2 / 9	1 / 1	
Average number of embryos transferred	1.9	1.9	1.7	2.8		
Percentage of embryos transferred resulting in implantation (%)	19.0	25.6	1 / 19	0 / 17		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 19	0 / 5	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.7	23.1	1 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	21.7	23.1	1 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	1.4	3.8	0 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	23.2	26.9	1 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	26.1	34.6	1 / 14	0 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	56	22	11	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8	27.3	1 / 11	0 / 7		
Percentage of transfers resulting in singleton live births (%)	26.8	27.3	1 / 11	0 / 7		
Percentage of transfers resulting in twin live births (%)	1.8	4.5	0 / 11	0 / 7		
Percentage of transfers resulting in live births (%)	28.6	31.8	1 / 11	0 / 7		
Percentage of transfers resulting in pregnancies (%)	32.1	40.9	1 / 11	0 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	10	2	0	0	0
Number of transfers	15	9	2	0	0	0
Estimated average number of transfers per retrieval	7.5	4.5		0.0	0.0	
Average number of embryos transferred	1.3	1.4	1.5			
Percentage of embryos transferred resulting in implantation (%)	6 / 18	5 / 13	1 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15	2 / 9	0 / 2			
Percentage of transfers resulting in singleton live births (%)	6 / 15	2 / 9	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 15	1 / 9	0 / 2			
Percentage of transfers resulting in live births (%)	6 / 15	3 / 9	1 / 2			
Percentage of transfers resulting in pregnancies (%)	7 / 15	3 / 9	1 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			12		
Number of transfers	5			10		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 8			5 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			1 / 10		
Percentage of transfers resulting in singleton live births (%)	0 / 5			2 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 10		
Percentage of transfers resulting in live births (%)	0 / 5			3 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 5			5 / 10		

CURRENT SERVICES & PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by William G. Dodds, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	87%	Tubal factor	15%	Uterine factor	3%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	65%	Female factors only	9%
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	8%	Female & male factors	30%
				Endometriosis	18%	Unknown factor	5%		

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 934 (includes 5 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		277	84	62	25	4	0
Percentage of cancellations before retrieval (%)		8.3	11.9	19.4	24.0	0 / 4	
Average number of embryos transferred		2.0	2.3	2.7	3.6	3.3	
Percentage of embryos transferred resulting in implantation (%)		31.3	31.6	19.0	10.6	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)		3.9	0.0	0.0	0 / 16	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.2	19.0	14.5	4.0	0 / 4	
Percentage of cycles resulting in singleton live births (%)		26.0	22.6	16.1	4.0	0 / 4	
Percentage of cycles resulting in twin live births (%)		11.2	14.3	6.5	4.0	0 / 4	
Percentage of cycles resulting in live births (%)		37.5	38.1	22.6	8.0	0 / 4	
Percentage of cycles resulting in pregnancies (%)		41.9	40.5	32.3	24.0	1 / 4	
Outcomes per Transfer							
Number of transfers		242	68	50	16	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		23.1	23.5	18.0	1 / 16	0 / 4	
Percentage of transfers resulting in singleton live births (%)		29.8	27.9	20.0	1 / 16	0 / 4	
Percentage of transfers resulting in twin live births (%)		12.8	17.6	8.0	1 / 16	0 / 4	
Percentage of transfers resulting in live births (%)		43.0	47.1	28.0	2 / 16	0 / 4	
Percentage of transfers resulting in pregnancies (%)		47.9	50.0	40.0	6 / 16	1 / 4	
Frozen Embryos from Nondonor Eggs							
Number of cycles		201	78	31	11	3	0
Number of transfers		195	73	30	9	2	0
Estimated average number of transfers per retrieval		2.2	3.5	3.0	3.0	0.7	0.0
Average number of embryos transferred		2.2	2.3	2.3	2.8	5.5	
Percentage of embryos transferred resulting in implantation (%)		20.2	17.2	11.8	16.0	1 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.5	16.4	20.0	2 / 9	1 / 2	
Percentage of transfers resulting in singleton live births (%)		21.0	20.5	20.0	3 / 9	1 / 2	
Percentage of transfers resulting in twin live births (%)		5.1	4.1	3.3	0 / 9	0 / 2	
Percentage of transfers resulting in live births (%)		26.2	24.7	23.3	3 / 9	1 / 2	
Percentage of transfers resulting in pregnancies (%)		39.0	35.6	23.3	3 / 9	1 / 2	
Number of Egg/Embryo Banking Cycles		10	2	4	0	2	1
Donor Eggs		Fresh Embryos ^f			Frozen Embryos ^f		
Number of cycles		32			102		
Number of transfers		25			97		
Average number of embryos transferred		2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)		31.9			22.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		16.0			14.4		
Percentage of transfers resulting in singleton live births (%)		20.0			19.6		
Percentage of transfers resulting in twin live births (%)		16.0			9.3		
Percentage of transfers resulting in live births (%)		36.0			28.9		
Percentage of transfers resulting in pregnancies (%)		44.0			39.2		

CURRENT SERVICES & PROFILE		Current Name: Michigan Reproductive & IVF Center, PC			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
				Verified lab accreditation?	Yes
				(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN, PC ROCHESTER HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	86%	Tubal factor	14%	Uterine factor	17%
Unstimulated	6%	PGD/PGS	11%	Ovulatory dysfunction	25%	Male factor	42%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	12%
				Endometriosis	14%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,207 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	352	129	134	54	21	15
Percentage of cancellations before retrieval (%)	7.4	10.9	14.9	22.2	23.8	2 / 15
Average number of embryos transferred	1.9	2.0	2.1	2.3	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	43.0	31.9	31.2	19.0	4.3	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	8.8	7.1	3.7	3.6	1 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.9	22.5	11.2	14.8	4.8	0 / 15
Percentage of cycles resulting in singleton live births (%)	24.7	28.7	19.4	16.7	4.8	0 / 15
Percentage of cycles resulting in twin live births (%)	15.6	7.8	5.2	1.9	0.0	0 / 15
Percentage of cycles resulting in live births (%)	40.9	36.4	24.6	18.5	4.8	0 / 15
Percentage of cycles resulting in pregnancies (%)	49.4	42.6	40.3	25.9	14.3	2 / 15
Outcomes per Transfer						
Number of transfers	296	107	103	36	13	7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.3	27.1	14.6	22.2	1 / 13	0 / 7
Percentage of transfers resulting in singleton live births (%)	29.4	34.6	25.2	25.0	1 / 13	0 / 7
Percentage of transfers resulting in twin live births (%)	18.6	9.3	6.8	2.8	0 / 13	0 / 7
Percentage of transfers resulting in live births (%)	48.6	43.9	32.0	27.8	1 / 13	0 / 7
Percentage of transfers resulting in pregnancies (%)	58.8	51.4	52.4	38.9	3 / 13	2 / 7
Frozen Embryos from Nondonor Eggs						
Number of cycles	176	73	31	8	6	5
Number of transfers	160	59	27	7	5	3
Estimated average number of transfers per retrieval	1.8	2.6	1.0	0.4	0.4	0.3
Average number of embryos transferred	1.9	1.9	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	37.5	35.0	30.8	7 / 14	3 / 10	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.4	22.0	14.8	2 / 7	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	33.1	27.1	18.5	2 / 7	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	11.3	10.2	14.8	2 / 7	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	45.6	37.3	33.3	4 / 7	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.3	50.8	40.7	4 / 7	2 / 5	0 / 3
Number of Egg/Embryo Banking Cycles						
	16	10	20	17	12	9
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		78		38		
Number of transfers		65		34		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation (%)		53.8		36.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.7		23.5		
Percentage of transfers resulting in singleton live births (%)		30.8		26.5		
Percentage of transfers resulting in twin live births (%)		30.8		5.9		
Percentage of transfers resulting in live births (%)		61.5		32.4		
Percentage of transfers resulting in pregnancies (%)		70.8		52.9		

CURRENT SERVICES & PROFILE

This clinic has closed or reorganized since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP UNIVERSITY WOMEN'S CARE SOUTHFIELD, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Elizabeth E. Puscheck, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	13%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	21%	Male factor	53%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	21%
				Endometriosis	12%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	20	13	5	3	0
Percentage of cancellations before retrieval (%)	2.9	0.0	0 / 13	0 / 5	1 / 3	
Average number of embryos transferred	1.9	2.3	2.6	2.6	1.5	
Percentage of embryos transferred resulting in implantation (%)	45.5	37.0	24.1	3 / 13	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	9.7	0.0	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.5	25.0	2 / 13	1 / 5	1 / 3	
Percentage of cycles resulting in singleton live births (%)	26.5	40.0	3 / 13	2 / 5	1 / 3	
Percentage of cycles resulting in twin live births (%)	23.5	5.0	0 / 13	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	50.0	45.0	4 / 13	2 / 5	1 / 3	
Percentage of cycles resulting in pregnancies (%)	58.8	65.0	6 / 13	3 / 5	1 / 3	
Outcomes per Transfer						
Number of transfers	32	20	12	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	25.0	2 / 12	1 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	28.1	40.0	3 / 12	2 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	25.0	5.0	0 / 12	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	53.1	45.0	4 / 12	2 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)	62.5	65.0	6 / 12	3 / 5	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	23	6	1	0	0
Number of transfers	28	18	6	1	0	0
Estimated average number of transfers per retrieval	4.0	2.0	1.5	1.0		
Average number of embryos transferred	2.1	2.4	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	22.6	15.9	1 / 14	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	10.7	3 / 18	0 / 6	1 / 1		
Percentage of transfers resulting in singleton live births (%)	10.7	4 / 18	0 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)	10.7	1 / 18	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	21.4	5 / 18	0 / 6	1 / 1		
Percentage of transfers resulting in pregnancies (%)	39.3	6 / 18	1 / 6	1 / 1		
Number of Egg/Embryo Banking Cycles						
	1	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			5		
Number of transfers	3			4		
Average number of embryos transferred	1.7			2.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			1 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			0 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 3			0 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 4		
Percentage of transfers resulting in live births (%)	2 / 3			0 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 3			1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Wayne State University Physician Group, University Women's Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Nicole Budrys, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	33%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	50%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	3%
				Endometriosis	17%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 37 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	7	4	0	0	1
Percentage of cancellations before retrieval (%)	0 / 8	0 / 7	1 / 4			0 / 1
Average number of embryos transferred	1.6	1.8	2.7			1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 11	2 / 7	0 / 8			0 / 1
Percentage of elective single embryo transfers (eSET) (%)	3 / 7	1 / 4	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 8	0 / 7	0 / 4			0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 8	0 / 7	0 / 4			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 8	1 / 7	0 / 4			0 / 1
Percentage of cycles resulting in live births (%)	3 / 8	1 / 7	0 / 4			0 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 8	1 / 7	0 / 4			0 / 1
Outcomes per Transfer						
Number of transfers	7	4	3	0	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	0 / 4	0 / 3			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 4	0 / 3			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 4	0 / 3			0 / 1
Percentage of transfers resulting in live births (%)	3 / 7	1 / 4	0 / 3			0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 4	0 / 3			0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	6	4	1	0	0
Number of transfers	5	5	4	1	0	0
Estimated average number of transfers per retrieval	2.5	2.5	2.0	1.0		
Average number of embryos transferred	1.8	1.6	1.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 9	3 / 8	0 / 5	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 5	2 / 5	0 / 4	1 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 5	2 / 5	0 / 4	1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 5	2 / 5	0 / 4	1 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 5	3 / 5	0 / 4	1 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Henry Ford Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

BRENDA L. MOSKOVITZ, MD, PC TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Brenda L. Moskovitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	67%
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	0%
				Endometriosis	25%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				25%			
				42%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 14 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	3	1	2	1	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 3	0 / 1	0 / 2	0 / 1	
Average number of embryos transferred	2.0	1.5	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 2	1 / 3	0 / 2	0 / 2	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1	0 / 1	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 1	1 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 1	1 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 1	0 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 1	1 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	1 / 1	1 / 3	0 / 1	0 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	1	2	1	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	0 / 1	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Number of transfers	3	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0	0.0			
Average number of embryos transferred	1.3	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 4	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 3	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Brenda L. Moskovitz, MD, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Brad T. Miller, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	51%	Tubal factor	13%	Uterine factor	8%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	31%	Female factors only 10%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	15%	Female & male factors 13%	
				Endometriosis	13%	Unknown factor	12%		
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 575 (includes 15 cycle[s] using frozen eggs)					
Type of Cycle				Age of Woman					
				<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs									
Number of cycles				147	36	31	15	8	6
Percentage of cancellations before retrieval (%)				6.1	11.1	9.7	2 / 15	2 / 8	1 / 6
Average number of embryos transferred				1.7	2.2	2.2	2.7	3.8	2.0
Percentage of embryos transferred resulting in implantation (%)				42.3	23.2	30.8	23.3	0 / 12	0 / 6
Percentage of elective single embryo transfers (eSET) (%)				31.1	11.5	2 / 19	0 / 9	0 / 4	0 / 2
Outcomes per Cycle									
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				25.2	25.0	19.4	1 / 15	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)				31.3	25.0	25.8	1 / 15	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)				9.5	2.8	6.5	1 / 15	0 / 8	0 / 6
Percentage of cycles resulting in live births (%)				40.8	27.8	32.3	2 / 15	0 / 8	0 / 6
Percentage of cycles resulting in pregnancies (%)				44.2	33.3	38.7	5 / 15	1 / 8	0 / 6
Outcomes per Transfer									
Number of transfers				112	26	24	11	4	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				33.0	34.6	25.0	1 / 11	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)				41.1	34.6	33.3	1 / 11	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)				12.5	3.8	8.3	1 / 11	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)				53.6	38.5	41.7	2 / 11	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)				58.0	46.2	50.0	5 / 11	1 / 4	0 / 3
Frozen Embryos from Nondonor Eggs									
Number of cycles				93	45	26	6	5	0
Number of transfers				89	39	24	5	4	0
Estimated average number of transfers per retrieval				1.2	1.8	1.0	0.7	0.7	
Average number of embryos transferred				1.6	1.4	1.5	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)				44.1	42.3	39.4	2 / 7	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				37.1	30.8	20.8	1 / 5	2 / 4	
Percentage of transfers resulting in singleton live births (%)				41.6	41.0	25.0	1 / 5	2 / 4	
Percentage of transfers resulting in twin live births (%)				6.7	5.1	4.2	0 / 5	0 / 4	
Percentage of transfers resulting in live births (%)				49.4	46.2	29.2	1 / 5	2 / 4	
Percentage of transfers resulting in pregnancies (%)				61.8	56.4	50.0	2 / 5	2 / 4	
Number of Egg/Embryo Banking Cycles				34	11	20	7	6	0
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f		
Number of cycles				26			38		
Number of transfers				21			31		
Average number of embryos transferred				2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)				45.0			29.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				28.6			16.1		
Percentage of transfers resulting in singleton live births (%)				28.6			19.4		
Percentage of transfers resulting in twin live births (%)				23.8			12.9		
Percentage of transfers resulting in live births (%)				52.4			32.3		
Percentage of transfers resulting in pregnancies (%)				66.7			48.4		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine Associates of Michigan			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
				Verified lab accreditation?	(See Appendix C for details.)

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	9%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	6%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	5%
				Endometriosis	<1%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 178 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	18	14	4	4	2
Percentage of cancellations before retrieval (%)	3.3	3 / 18	7 / 14	2 / 4	2 / 4	0 / 2
Average number of embryos transferred	1.8	1.8	1.8	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	44.7	50.0	1 / 9	0 / 2	0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	16.0	2 / 11	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.0	4 / 18	0 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	33.3	5 / 18	1 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	13.3	2 / 18	0 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	46.7	7 / 18	1 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	53.3	7 / 18	1 / 14	0 / 4	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	26	11	5	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.6	4 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.5	5 / 11	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	15.4	2 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.8	7 / 11	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	61.5	7 / 11	1 / 5	0 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	8	7	1	0
Number of transfers	27	9	8	7	1	0
Estimated average number of transfers per retrieval	3.0	1.1	0.6	1.2	1.0	0.0
Average number of embryos transferred	1.8	1.3	1.8	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	43.8	4 / 12	4 / 14	5 / 10	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.8	4 / 9	4 / 8	0 / 7	1 / 1	
Percentage of transfers resulting in singleton live births (%)	18.5	4 / 9	4 / 8	0 / 7	1 / 1	
Percentage of transfers resulting in twin live births (%)	14.8	0 / 9	0 / 8	1 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	37.0	4 / 9	4 / 8	1 / 7	1 / 1	
Percentage of transfers resulting in pregnancies (%)	48.1	4 / 9	4 / 8	3 / 7	1 / 1	
Number of Egg/Embryo Banking Cycles						
	5	7	12	5	1	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			10		
Number of transfers	12			10		
Average number of embryos transferred	1.9			1.5		
Percentage of embryos transferred resulting in implantation (%)	43.5			6 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 12			2 / 10		
Percentage of transfers resulting in singleton live births (%)	3 / 12			4 / 10		
Percentage of transfers resulting in twin live births (%)	3 / 12			1 / 10		
Percentage of transfers resulting in live births (%)	6 / 12			5 / 10		
Percentage of transfers resulting in pregnancies (%)	7 / 12			5 / 10		

CURRENT SERVICES & PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Randle S. Corfman, MD, PhD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	70%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 24%		
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	64%	Male factor	36%			
Used gestational carrier	2%			Diminished ovarian reserve	3%	Other factor	4%			
				Endometriosis	11%	Unknown factor	10%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 239 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				114	22	14	5	0	0	
Percentage of cancellations before retrieval (%)				5.3	4.5	3 / 14	1 / 5			
Average number of embryos transferred				1.9	1.7	1.7	1.8			
Percentage of embryos transferred resulting in implantation (%)				49.7	38.7	2 / 15	0 / 7			
Percentage of elective single embryo transfers (eSET) (%)				9.2	4 / 18	1 / 8	0 / 3			
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				25.4	22.7	2 / 14	0 / 5			
Percentage of cycles resulting in singleton live births (%)				28.9	27.3	2 / 14	0 / 5			
Percentage of cycles resulting in twin live births (%)				25.4	13.6	0 / 14	0 / 5			
Percentage of cycles resulting in live births (%)				54.4	40.9	2 / 14	0 / 5			
Percentage of cycles resulting in pregnancies (%)				57.9	50.0	3 / 14	0 / 5			
Outcomes per Transfer										
Number of transfers				104	21	10	4	0	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				27.9	23.8	2 / 10	0 / 4			
Percentage of transfers resulting in singleton live births (%)				31.7	28.6	2 / 10	0 / 4			
Percentage of transfers resulting in twin live births (%)				27.9	14.3	0 / 10	0 / 4			
Percentage of transfers resulting in live births (%)				59.6	42.9	2 / 10	0 / 4			
Percentage of transfers resulting in pregnancies (%)				63.5	52.4	3 / 10	0 / 4			
Frozen Embryos from Nondonor Eggs										
Number of cycles				26	12	6	0	1	0	
Number of transfers				25	12	5	0	0	0	
Estimated average number of transfers per retrieval				2.3	4.0	5.0				
Average number of embryos transferred				1.6	1.4	1.4				
Percentage of embryos transferred resulting in implantation (%)				32.4	6 / 14	3 / 7				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				40.0	5 / 12	1 / 5				
Percentage of transfers resulting in singleton live births (%)				44.0	5 / 12	1 / 5				
Percentage of transfers resulting in twin live births (%)				0.0	0 / 12	0 / 5				
Percentage of transfers resulting in live births (%)				44.0	5 / 12	1 / 5				
Percentage of transfers resulting in pregnancies (%)				52.0	8 / 12	3 / 5				
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				25			14			
Number of transfers				23			14			
Average number of embryos transferred				1.9			1.4			
Percentage of embryos transferred resulting in implantation (%)				45.2			7 / 19			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				34.8			2 / 14			
Percentage of transfers resulting in singleton live births (%)				39.1			3 / 14			
Percentage of transfers resulting in twin live births (%)				21.7			2 / 14			
Percentage of transfers resulting in live births (%)				60.9			5 / 14			
Percentage of transfers resulting in pregnancies (%)				65.2			5 / 14			

CURRENT SERVICES & PROFILE				Current Name: The Midwest Center for Reproductive Health, PA			
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE ADVANCED REPRODUCTIVE TECHNOLOGIES MINNEAPOLIS, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lisa Erickson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	12%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	9%
				Endometriosis	9%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,148 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	331	119	91	40	19	4
Percentage of cancellations before retrieval (%)	4.2	9.2	7.7	15.0	3 / 19	0 / 4
Average number of embryos transferred	1.6	1.7	1.9	1.7	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	52.6	38.7	29.5	8.5	4.0	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	32.4	21.6	14.9	0 / 18	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.3	23.5	26.4	5.0	1 / 19	0 / 4
Percentage of cycles resulting in singleton live births (%)	37.5	28.6	30.8	5.0	1 / 19	0 / 4
Percentage of cycles resulting in twin live births (%)	16.3	9.2	5.5	2.5	0 / 19	0 / 4
Percentage of cycles resulting in live births (%)	53.8	37.8	36.3	7.5	1 / 19	0 / 4
Percentage of cycles resulting in pregnancies (%)	57.7	46.2	41.8	15.0	1 / 19	0 / 4
Outcomes per Transfer						
Number of transfers	298	100	73	30	11	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.9	28.0	32.9	6.7	1 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	41.6	34.0	38.4	6.7	1 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	18.1	11.0	6.8	3.3	0 / 11	0 / 2
Percentage of transfers resulting in live births (%)	59.7	45.0	45.2	10.0	1 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	64.1	55.0	52.1	20.0	1 / 11	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	133	69	43	16	5	0
Number of transfers	122	64	39	15	5	0
Estimated average number of transfers per retrieval	1.4	1.7	1.1	1.4	0.6	0.0
Average number of embryos transferred	1.5	1.4	1.6	1.8	1.2	
Percentage of embryos transferred resulting in implantation (%)	65.9	41.7	37.7	37.0	2 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.5	25.0	41.0	6 / 15	1 / 5	
Percentage of transfers resulting in singleton live births (%)	50.8	28.1	43.6	6 / 15	1 / 5	
Percentage of transfers resulting in twin live births (%)	15.6	9.4	5.1	1 / 15	0 / 5	
Percentage of transfers resulting in live births (%)	67.2	37.5	48.7	7 / 15	1 / 5	
Percentage of transfers resulting in pregnancies (%)	78.7	50.0	56.4	8 / 15	2 / 5	
Number of Egg/Embryo Banking Cycles						
	34	15	25	10	6	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	104			64		
Number of transfers	98			57		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	56.5			55.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.8			31.6		
Percentage of transfers resulting in singleton live births (%)	46.9			42.1		
Percentage of transfers resulting in twin live births (%)	14.3			17.5		
Percentage of transfers resulting in live births (%)	61.2			59.6		
Percentage of transfers resulting in pregnancies (%)	68.4			70.2		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE MEDICINE CENTER
MINNEAPOLIS, MINNESOTA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jani R. Jensen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	8%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	11%
				Endometriosis	6%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 386 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	34	24	11	5	0
Percentage of cancellations before retrieval (%)	10.9	35.3	29.2	1 / 11	2 / 5	
Average number of embryos transferred	1.6	1.8	2.1	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	43.5	41.9	27.6	19.0	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	38.6	4 / 16	2 / 15	0 / 10	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.6	14.7	8.3	2 / 11	0 / 5	
Percentage of cycles resulting in singleton live births (%)	34.8	14.7	8.3	2 / 11	0 / 5	
Percentage of cycles resulting in twin live births (%)	4.3	5.9	8.3	1 / 11	0 / 5	
Percentage of cycles resulting in live births (%)	40.2	20.6	16.7	3 / 11	0 / 5	
Percentage of cycles resulting in pregnancies (%)	47.8	32.4	29.2	4 / 11	1 / 5	
Outcomes per Transfer						
Number of transfers	73	17	15	10	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.1	5 / 17	2 / 15	2 / 10	0 / 3	
Percentage of transfers resulting in singleton live births (%)	43.8	5 / 17	2 / 15	2 / 10	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.5	2 / 17	2 / 15	1 / 10	0 / 3	
Percentage of transfers resulting in live births (%)	50.7	7 / 17	4 / 15	3 / 10	0 / 3	
Percentage of transfers resulting in pregnancies (%)	60.3	11 / 17	7 / 15	4 / 10	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	71	33	20	3	2	0
Number of transfers	69	30	20	2	2	0
Estimated average number of transfers per retrieval	1.5	1.2	2.2		0.4	
Average number of embryos transferred	1.6	1.7	1.8	1.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	36.3	24.5	40.6	1 / 2	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.9	23.3	15.0	1 / 2	1 / 2	
Percentage of transfers resulting in singleton live births (%)	31.9	30.0	20.0	1 / 2	1 / 2	
Percentage of transfers resulting in twin live births (%)	8.7	3.3	5.0	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	40.6	33.3	25.0	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.7	40.0	60.0	2 / 2	1 / 2	
Number of Egg/Embryo Banking Cycles						
	26	13	2	0	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			23		
Number of transfers	4			22		
Average number of embryos transferred	1.3			1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 5			37.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4			27.3		
Percentage of transfers resulting in singleton live births (%)	1 / 4			36.4		
Percentage of transfers resulting in twin live births (%)	0 / 4			13.6		
Percentage of transfers resulting in live births (%)	1 / 4			50.0		
Percentage of transfers resulting in pregnancies (%)	3 / 4			54.5		

CURRENT SERVICES & PROFILE

Current Name: Mayo Clinic Assisted Reproductive Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	19%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	19%	Male factor	67%
Used gestational carrier	1%			Diminished ovarian reserve	11%	Other factor	15%
				Endometriosis	19%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 553 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	191	62	40	12	4	1
Percentage of cancellations before retrieval (%)	2.1	0.0	20.0	1 / 12	0 / 4	0 / 1
Average number of embryos transferred	1.7	2.1	2.4	2.8	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	40.6	32.2	29.0	18.2	0 / 7	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	31.7	0.0	0.0	0 / 7	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.3	27.4	17.5	2 / 12	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.6	29.0	30.0	2 / 12	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	11.0	11.3	2.5	0 / 12	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	46.6	40.3	32.5	2 / 12	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.8	48.4	42.5	5 / 12	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	181	60	28	9	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.9	28.3	25.0	2 / 9	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.6	30.0	42.9	2 / 9	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	11.7	3.6	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	49.2	41.7	46.4	2 / 9	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.6	50.0	60.7	5 / 9	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	108	29	15	3	2	0
Number of transfers	104	27	15	3	2	0
Estimated average number of transfers per retrieval	1.6	1.0	0.8	0.8	0.7	
Average number of embryos transferred	1.5	1.4	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.0	13.5	22.7	3 / 6	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.0	18.5	3 / 15	2 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	29.8	18.5	5 / 15	2 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	2.9	0.0	0 / 15	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	32.7	18.5	5 / 15	2 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	34.6	22.2	5 / 15	2 / 3	1 / 2	
Number of Egg/Embryo Banking Cycles						
	12	7	10	3	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	29			20		
Number of transfers	29			19		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)	40.8			25.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.8			5 / 19		
Percentage of transfers resulting in singleton live births (%)	48.3			6 / 19		
Percentage of transfers resulting in twin live births (%)	3.4			1 / 19		
Percentage of transfers resulting in live births (%)	51.7			7 / 19		
Percentage of transfers resulting in pregnancies (%)	65.5			8 / 19		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC FLOWOOD, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randall S. Hines, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	25%	Uterine factor	36%
Unstimulated	3%	PGD/PGS	3%	Ovulatory dysfunction	29%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	25%
				Endometriosis	32%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 189 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	5	4	3	0	0
Percentage of cancellations before retrieval (%)	4.3	0 / 5	0 / 4	0 / 3		
Average number of embryos transferred	1.6	1.0	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 16	0 / 1	0 / 4	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	2 / 8		0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in singleton live births (%)	13.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in twin live births (%)	0.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in live births (%)	13.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in pregnancies (%)	17.4	0 / 5	0 / 4	0 / 3		
Outcomes per Transfer						
Number of transfers	10	1	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	3 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 10	0 / 1	0 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	10	6	1	0	0
Number of transfers	45	9	6	1	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.5	0.3	0.0	0.0
Average number of embryos transferred	1.5	1.3	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	30.2	3 / 12	4 / 12	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.8	2 / 9	1 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	26.7	3 / 9	2 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	6.7	0 / 9	1 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	33.3	3 / 9	3 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	37.8	3 / 9	3 / 6	0 / 1		
Number of Egg/Embryo Banking Cycles						
	30	10	10	3	4	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			26		
Number of transfers	4			25		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	7 / 7			27.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			20.0		
Percentage of transfers resulting in singleton live births (%)	0 / 4			32.0		
Percentage of transfers resulting in twin live births (%)	3 / 4			0.0		
Percentage of transfers resulting in live births (%)	3 / 4			32.0		
Percentage of transfers resulting in pregnancies (%)	4 / 4			40.0		

CURRENT SERVICES & PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER FLOWOOD, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by J. Preston Parry, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	85%	Tubal factor	32%	Uterine factor	8%	Multiple Factors: Female factors only 11% Female & male factors 21%		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	23%			
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	9%			
				Endometriosis	17%	Unknown factor	17%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 53 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				28	8	6	4	0	0	
Percentage of cancellations before retrieval (%)				17.9	0 / 8	0 / 6	0 / 4			
Average number of embryos transferred				1.6	2.4	1.7	2.5			
Percentage of embryos transferred resulting in implantation (%)				33.3	3 / 17	3 / 10	0 / 10			
Percentage of elective single embryo transfers (eSET) (%)				50.0	0 / 7	0 / 2	0 / 4			
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				25.0	1 / 8	1 / 6	0 / 4			
Percentage of cycles resulting in singleton live births (%)				32.1	1 / 8	1 / 6	0 / 4			
Percentage of cycles resulting in twin live births (%)				3.6	1 / 8	0 / 6	0 / 4			
Percentage of cycles resulting in live births (%)				35.7	2 / 8	1 / 6	0 / 4			
Percentage of cycles resulting in pregnancies (%)				42.9	2 / 8	2 / 6	0 / 4			
Outcomes per Transfer										
Number of transfers				22	7	6	4	0	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				31.8	1 / 7	1 / 6	0 / 4			
Percentage of transfers resulting in singleton live births (%)				40.9	1 / 7	1 / 6	0 / 4			
Percentage of transfers resulting in twin live births (%)				4.5	1 / 7	0 / 6	0 / 4			
Percentage of transfers resulting in live births (%)				45.5	2 / 7	1 / 6	0 / 4			
Percentage of transfers resulting in pregnancies (%)				54.5	2 / 7	2 / 6	0 / 4			
Frozen Embryos from Nondonor Eggs										
Number of cycles				2	2	0	0	0	0	
Number of transfers				2	1	0	0	0	0	
Estimated average number of transfers per retrieval				1.0	0.5					
Average number of embryos transferred				2.0	2.0					
Percentage of embryos transferred resulting in implantation (%)				0 / 4	0 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2	0 / 1					
Percentage of transfers resulting in singleton live births (%)				0 / 2	0 / 1					
Percentage of transfers resulting in twin live births (%)				0 / 2	0 / 1					
Percentage of transfers resulting in live births (%)				0 / 2	0 / 1					
Percentage of transfers resulting in pregnancies (%)				0 / 2	0 / 1					
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				2			1			
Number of transfers				2			1			
Average number of embryos transferred				1.0			1.0			
Percentage of embryos transferred resulting in implantation (%)				2 / 2			0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 2			0 / 1			
Percentage of transfers resulting in singleton live births (%)				2 / 2			0 / 1			
Percentage of transfers resulting in twin live births (%)				0 / 2			0 / 1			
Percentage of transfers resulting in live births (%)				2 / 2			0 / 1			
Percentage of transfers resulting in pregnancies (%)				2 / 2			0 / 1			

CURRENT SERVICES & PROFILE				Current Name: University of Mississippi Medical Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI FERTILITY INSTITUTE JACKSON, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John D. Isaacs, Jr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	18%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	3%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	1%
				Endometriosis	15%	Unknown factor	29%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 160 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	23	21	4	1	0
Percentage of cancellations before retrieval (%)	5.0	8.7	4.8	1 / 4	0 / 1	
Average number of embryos transferred	1.9	1.8	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	51.7	23.5	19.4	1 / 4	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	4.4	1 / 16	0 / 14	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	17.4	4.8	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	25.0	17.4	14.3	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	20.0	8.7	4.8	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	46.7	26.1	19.0	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)	50.0	26.1	23.8	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	46	19	17	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	4 / 19	1 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.6	4 / 19	3 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	26.1	2 / 19	1 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	60.9	6 / 19	4 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 19	5 / 17	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	4	2	2	0	0
Number of transfers	27	4	2	2	0	0
Estimated average number of transfers per retrieval	2.3	2.0	2.0	2.0		
Average number of embryos transferred	1.8	1.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	37.5	1 / 5	0 / 2	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	1 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	14.8	0 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	48.1	1 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	51.9	1 / 4	0 / 2	1 / 2		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			10		
Number of transfers	4			10		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 8			6 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			1 / 10		
Percentage of transfers resulting in singleton live births (%)	0 / 4			3 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 10		
Percentage of transfers resulting in live births (%)	0 / 4			3 / 10		
Percentage of transfers resulting in pregnancies (%)	0 / 4			4 / 10		

CURRENT SERVICES & PROFILE

Current Name: Mississippi Fertility Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS CHESTERFIELD, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	9%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	36%
Used gestational carrier	3%			Diminished ovarian reserve	48%	Other factor	8%
				Endometriosis	2%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,012 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	15	8	2	0	0
Percentage of cancellations before retrieval (%)	4.9	0 / 15	0 / 8	0 / 2		
Average number of embryos transferred	1.8	1.9	1.9	4.0		
Percentage of embryos transferred resulting in implantation (%)	33.6	15.4	3 / 13	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	9.8	0 / 12	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.5	3 / 15	2 / 8	0 / 2		
Percentage of cycles resulting in singleton live births (%)	24.7	4 / 15	2 / 8	0 / 2		
Percentage of cycles resulting in twin live births (%)	7.4	0 / 15	0 / 8	0 / 2		
Percentage of cycles resulting in live births (%)	33.3	4 / 15	2 / 8	0 / 2		
Percentage of cycles resulting in pregnancies (%)	38.3	5 / 15	2 / 8	0 / 2		
Outcomes per Transfer						
Number of transfers	65	15	7	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	3 / 15	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births (%)	30.8	4 / 15	2 / 7	0 / 2		
Percentage of transfers resulting in twin live births (%)	9.2	0 / 15	0 / 7	0 / 2		
Percentage of transfers resulting in live births (%)	41.5	4 / 15	2 / 7	0 / 2		
Percentage of transfers resulting in pregnancies (%)	47.7	5 / 15	2 / 7	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	136	74	44	30	19	38
Number of transfers	131	71	41	28	18	34
Estimated average number of transfers per retrieval	1.0	1.0	0.5	0.4	0.3	0.6
Average number of embryos transferred	1.9	1.8	2.0	2.3	2.1	2.4
Percentage of embryos transferred resulting in implantation (%)	21.6	21.8	14.3	9.8	0.0	2.4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.8	18.3	4.9	3.6	0 / 18	2.9
Percentage of transfers resulting in singleton live births (%)	17.6	26.8	4.9	3.6	0 / 18	2.9
Percentage of transfers resulting in twin live births (%)	6.9	4.2	0.0	3.6	0 / 18	0.0
Percentage of transfers resulting in live births (%)	25.2	31.0	4.9	7.1	0 / 18	2.9
Percentage of transfers resulting in pregnancies (%)	32.8	39.4	24.4	25.0	0 / 18	8.8
Number of Egg/Embryo Banking Cycles						
	123	71	83	67	70	56
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	45			43		
Number of transfers	38			39		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	18.8			21.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7.9			17.9		
Percentage of transfers resulting in singleton live births (%)	13.2			23.1		
Percentage of transfers resulting in twin live births (%)	5.3			5.1		
Percentage of transfers resulting in live births (%)	18.4			28.2		
Percentage of transfers resulting in pregnancies (%)	34.2			43.6		

CURRENT SERVICES & PROFILE

Current Name: Infertility Center of St. Louis

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gilbert Wilshire, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	44%	Male factor	58%
Used gestational carrier	5%			Diminished ovarian reserve	33%	Other factor	5%
				Endometriosis	20%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	10	4	2	0	0
Percentage of cancellations before retrieval (%)	4.0	1 / 10	0 / 4	0 / 2		
Average number of embryos transferred	2.0	2.6	1.8	3.5		
Percentage of embryos transferred resulting in implantation (%)	31.9	8.7	0 / 7	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	7.0	0 / 9	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.0	2 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in singleton live births (%)	28.0	2 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in twin live births (%)	12.0	0 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	40.0	2 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in pregnancies (%)	46.0	2 / 10	0 / 4	0 / 2		
Outcomes per Transfer						
Number of transfers	45	9	4	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	2 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in singleton live births (%)	31.1	2 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in twin live births (%)	13.3	0 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in live births (%)	44.4	2 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in pregnancies (%)	51.1	2 / 9	0 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	4	5	3	0	1
Number of transfers	24	4	4	3	0	1
Estimated average number of transfers per retrieval	2.4		1.0	1.5		
Average number of embryos transferred	2.0	2.0	2.0	2.7		1.0
Percentage of embryos transferred resulting in implantation (%)	17.0	1 / 8	0 / 8	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4.2	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	8.3	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	20.8	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	20.8	1 / 4	0 / 4	0 / 3		0 / 1
Number of Egg/Embryo Banking Cycles						
	1	0	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			11		
Number of transfers	11			10		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	33.3			3 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 11			2 / 10		
Percentage of transfers resulting in singleton live births (%)	2 / 11			3 / 10		
Percentage of transfers resulting in twin live births (%)	1 / 11			0 / 10		
Percentage of transfers resulting in live births (%)	3 / 11			3 / 10		
Percentage of transfers resulting in pregnancies (%)	5 / 11			3 / 10		

CURRENT SERVICES & PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY

UNIVERSITY OF MISSOURI

COLUMBIA, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Mira G. Aubuchon, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	31%	Tubal factor	39%	Uterine factor	33%	Multiple Factors:
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	50%	Female factors only
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	0%	Female & male factors
				Endometriosis	6%	Unknown factor	17%	0%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 18 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		6	7	0	0	0	0
Percentage of cancellations before retrieval (%)		0 / 6	1 / 7				
Average number of embryos transferred		2.0	1.8				
Percentage of embryos transferred resulting in implantation (%)		3 / 10	6 / 9				
Percentage of elective single embryo transfers (eSET) (%)		0 / 5	0 / 4				
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 6	2 / 7				
Percentage of cycles resulting in singleton live births (%)		1 / 6	2 / 7				
Percentage of cycles resulting in twin live births (%)		0 / 6	0 / 7				
Percentage of cycles resulting in live births (%)		1 / 6	2 / 7				
Percentage of cycles resulting in pregnancies (%)		2 / 6	3 / 7				
Outcomes per Transfer							
Number of transfers		5	5	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 5	2 / 5				
Percentage of transfers resulting in singleton live births (%)		1 / 5	2 / 5				
Percentage of transfers resulting in twin live births (%)		0 / 5	0 / 5				
Percentage of transfers resulting in live births (%)		1 / 5	2 / 5				
Percentage of transfers resulting in pregnancies (%)		2 / 5	3 / 5				
Frozen Embryos from Nondonor Eggs							
Number of cycles		2	2	0	0	0	0
Number of transfers		2	2	0	0	0	0
Estimated average number of transfers per retrieval		1.0					
Average number of embryos transferred		2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 4	0 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births (%)		0 / 2	0 / 2				
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 2				
Percentage of transfers resulting in live births (%)		0 / 2	0 / 2				
Percentage of transfers resulting in pregnancies (%)		0 / 2	0 / 2				
Number of Egg/Embryo Banking Cycles		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			0		
Number of transfers		1			0		
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation (%)		0 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1					
Percentage of transfers resulting in singleton live births (%)		0 / 1					
Percentage of transfers resulting in twin live births (%)		0 / 1					
Percentage of transfers resulting in live births (%)		0 / 1					
Percentage of transfers resulting in pregnancies (%)		0 / 1					

CURRENT SERVICES & PROFILE		Current Name: Missouri Center for Reproductive Medicine and Fertility, University of Missouri					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS CREVE COEUR, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Molina Dayal, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	3%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	11%	Male factor	23%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	38%
				Endometriosis	4%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 522 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	163	45	25	3	5	0
Percentage of cancellations before retrieval (%)	0.6	0.0	8.0	0 / 3	0 / 5	
Average number of embryos transferred	1.8	1.6	1.6	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	36.8	4.8	1 / 5	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	16.1	16.0	0 / 8	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.5	13.3	0.0	0 / 3	0 / 5	
Percentage of cycles resulting in singleton live births (%)	26.4	22.2	4.0	0 / 3	0 / 5	
Percentage of cycles resulting in twin live births (%)	12.3	6.7	0.0	0 / 3	0 / 5	
Percentage of cycles resulting in live births (%)	38.7	28.9	4.0	0 / 3	0 / 5	
Percentage of cycles resulting in pregnancies (%)	42.9	37.8	4.0	1 / 3	0 / 5	
Outcomes per Transfer						
Number of transfers	130	37	13	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.9	16.2	0 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.1	27.0	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.4	8.1	0 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	48.5	35.1	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	53.8	45.9	1 / 13	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	39	20	6	3	1
Number of transfers	64	39	19	6	2	1
Estimated average number of transfers per retrieval	1.3	1.1	0.5	0.4	0.4	0.2
Average number of embryos transferred	1.5	1.4	1.2	1.7	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	47.9	36.5	22.7	1 / 10	2 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.8	17.9	3 / 19	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.5	33.3	5 / 19	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2.6	0 / 19	0 / 6	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	50.0	35.9	5 / 19	1 / 6	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.8	46.2	6 / 19	1 / 6	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	22	24	34	13	5	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	17			26		
Number of transfers	15			25		
Average number of embryos transferred	1.9			1.6		
Percentage of embryos transferred resulting in implantation (%)	34.5			31.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 15			8.0		
Percentage of transfers resulting in singleton live births (%)	4 / 15			24.0		
Percentage of transfers resulting in twin live births (%)	3 / 15			4.0		
Percentage of transfers resulting in live births (%)	7 / 15			28.0		
Percentage of transfers resulting in pregnancies (%)	7 / 15			44.0		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-St. Louis

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	36%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	51%
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	1%
				Endometriosis	39%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 115 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	11	5	0	0	0
Percentage of cancellations before retrieval (%)	10.6	0 / 11	0 / 5			
Average number of embryos transferred	1.9	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	43.4	22.7	3 / 10			
Percentage of elective single embryo transfers (eSET) (%)	2.6	0 / 11	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.5	1 / 11	2 / 5			
Percentage of cycles resulting in singleton live births (%)	25.5	1 / 11	2 / 5			
Percentage of cycles resulting in twin live births (%)	14.9	1 / 11	0 / 5			
Percentage of cycles resulting in live births (%)	42.6	2 / 11	2 / 5			
Percentage of cycles resulting in pregnancies (%)	51.1	4 / 11	3 / 5			
Outcomes per Transfer						
Number of transfers	39	11	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	1 / 11	2 / 5			
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 11	2 / 5			
Percentage of transfers resulting in twin live births (%)	17.9	1 / 11	0 / 5			
Percentage of transfers resulting in live births (%)	51.3	2 / 11	2 / 5			
Percentage of transfers resulting in pregnancies (%)	61.5	4 / 11	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	8	1	3	0	0
Number of transfers	14	8	1	3	0	0
Estimated average number of transfers per retrieval	2.8	8.0				
Average number of embryos transferred	1.8	1.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	34.8	2 / 10	1 / 1	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 14	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 8	0 / 1	0 / 3		
Percentage of transfers resulting in live births (%)	5 / 14	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in pregnancies (%)	7 / 14	2 / 8	1 / 1	0 / 3		
Number of Egg/Embryo Banking Cycles						
	1	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			7		
Number of transfers	2			6		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 4			2 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			1 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 2			1 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 2			0 / 6		
Percentage of transfers resulting in live births (%)	2 / 2			1 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 2			2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	15%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	21%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	2%
				Endometriosis	18%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 191 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	30	14	3	4	2
Percentage of cancellations before retrieval (%)	0.0	3.3	0 / 14	0 / 3	0 / 4	2 / 2
Average number of embryos transferred	1.9	2.2	2.3	2.0	2.7	
Percentage of embryos transferred resulting in implantation (%)	33.0	33.3	16.7	1 / 4	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	7.4	3.7	0 / 11	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.4	23.3	3 / 14	1 / 3	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	37.7	36.7	4 / 14	1 / 3	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	4.9	0.0	0 / 14	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	42.6	36.7	4 / 14	1 / 3	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	52.5	63.3	5 / 14	1 / 3	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	58	27	13	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.2	25.9	3 / 13	1 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	39.7	40.7	4 / 13	1 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.2	0.0	0 / 13	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	44.8	40.7	4 / 13	1 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	55.2	70.4	5 / 13	1 / 2	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	15	10	3	3	0
Number of transfers	30	13	9	2	3	0
Estimated average number of transfers per retrieval	1.9	1.9	1.8	2.0		
Average number of embryos transferred	1.9	1.8	2.6	2.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	22.8	29.2	13.0	1 / 4	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.3	2 / 13	1 / 9	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	23.3	2 / 13	1 / 9	0 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.7	0 / 13	1 / 9	0 / 2	1 / 3	
Percentage of transfers resulting in live births (%)	30.0	2 / 13	2 / 9	0 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)	36.7	6 / 13	2 / 9	1 / 2	1 / 3	
Number of Egg/Embryo Banking Cycles						
	4	2	1	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			5		
Number of transfers	1			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			1 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 1			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Fertility Partnership

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY ST. LOUIS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Saji Jacob, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	37%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	16%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	23%
				Endometriosis	33%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 51 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	11	10	1	0	0
Percentage of cancellations before retrieval (%)	0 / 16	0 / 11	3 / 10	0 / 1		
Average number of embryos transferred	1.9	2.0	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	33.3	35.0	6 / 16	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	1 / 9	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 16	2 / 11	2 / 10	0 / 1		
Percentage of cycles resulting in singleton live births (%)	3 / 16	2 / 11	2 / 10	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 16	1 / 11	0 / 10	0 / 1		
Percentage of cycles resulting in live births (%)	4 / 16	3 / 11	2 / 10	0 / 1		
Percentage of cycles resulting in pregnancies (%)	9 / 16	6 / 11	5 / 10	0 / 1		
Outcomes per Transfer						
Number of transfers	15	10	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15	2 / 10	2 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 15	2 / 10	2 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 10	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 15	3 / 10	2 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 15	6 / 10	5 / 7	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	0.7	0.0	0.0	0.0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	2 / 2					
Number of Egg/Embryo Banking Cycles						
	3	3	1	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			0		
Number of transfers	3			0		
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation (%)	4 / 7					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3					
Percentage of transfers resulting in singleton live births (%)	2 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 3					
Percentage of transfers resulting in live births (%)	2 / 3					
Percentage of transfers resulting in pregnancies (%)	3 / 3					

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	61%	Tubal factor	17%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	26%	Male factor	31%
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	7%
				Endometriosis	9%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 684 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	240	80	64	42	12	0
Percentage of cancellations before retrieval (%)	5.8	7.5	17.2	21.4	4 / 12	
Average number of embryos transferred	1.8	2.0	2.8	3.3	3.6	
Percentage of embryos transferred resulting in implantation (%)	42.6	37.2	29.0	6.3	0 / 18	
Percentage of elective single embryo transfers (eSET) (%)	18.5	7.7	0.0	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.2	26.3	23.4	2.4	0 / 12	
Percentage of cycles resulting in singleton live births (%)	36.3	33.8	26.6	4.8	0 / 12	
Percentage of cycles resulting in twin live births (%)	10.8	11.3	7.8	2.4	0 / 12	
Percentage of cycles resulting in live births (%)	48.3	45.0	35.9	7.1	0 / 12	
Percentage of cycles resulting in pregnancies (%)	55.0	53.8	43.8	14.3	0 / 12	
Outcomes per Transfer						
Number of transfers	221	73	51	31	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	28.8	29.4	3.2	0 / 5	
Percentage of transfers resulting in singleton live births (%)	39.4	37.0	33.3	6.5	0 / 5	
Percentage of transfers resulting in twin live births (%)	11.8	12.3	9.8	3.2	0 / 5	
Percentage of transfers resulting in live births (%)	52.5	49.3	45.1	9.7	0 / 5	
Percentage of transfers resulting in pregnancies (%)	59.7	58.9	54.9	19.4	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	35	19	8	2	0
Number of transfers	82	33	16	7	2	0
Estimated average number of transfers per retrieval	1.2	1.4	1.1	0.5	0.5	
Average number of embryos transferred	1.6	1.5	1.5	1.9	2.5	
Percentage of embryos transferred resulting in implantation (%)	41.9	51.1	43.5	3 / 9	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.8	24.2	7 / 16	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.3	30.3	8 / 16	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	4.9	15.2	0 / 16	1 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	51.2	45.5	8 / 16	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	58.5	60.6	10 / 16	4 / 7	0 / 2	
Number of Egg/Embryo Banking Cycles						
	30	13	11	7	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			18		
Number of transfers	14			18		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	53.8			40.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 14			4 / 18		
Percentage of transfers resulting in singleton live births (%)	5 / 14			5 / 18		
Percentage of transfers resulting in twin live births (%)	3 / 14			2 / 18		
Percentage of transfers resulting in live births (%)	8 / 14			7 / 18		
Percentage of transfers resulting in pregnancies (%)	11 / 14			9 / 18		

CURRENT SERVICES & PROFILE

Current Name: Fertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BILLINGS CLINIC REPRODUCTIVE MEDICINE AND FERTILITY CARE BILLINGS, MONTANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Stacy Shomento, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	37%	Tubal factor	19%	Uterine factor	4%	Female factors only	11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	29%	Female & male factors	18%
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	<1%		
				Endometriosis	12%	Unknown factor	20%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	19	19	6	1	0
Percentage of cancellations before retrieval (%)	9.0	5 / 19	3 / 19	0 / 6	0 / 1	
Average number of embryos transferred	1.6	2.3	2.9	4.3	5.0	
Percentage of embryos transferred resulting in implantation (%)	47.8	50.0	32.5	15.4	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	38.2	0 / 12	0 / 15	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.3	7 / 19	2 / 19	1 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	35.8	7 / 19	3 / 19	1 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	10.4	3 / 19	4 / 19	1 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	46.3	10 / 19	7 / 19	2 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	52.2	10 / 19	9 / 19	3 / 6	1 / 1	
Outcomes per Transfer						
Number of transfers	57	12	15	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.4	7 / 12	2 / 15	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	42.1	7 / 12	3 / 15	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.3	3 / 12	4 / 15	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	54.4	10 / 12	7 / 15	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.4	10 / 12	9 / 15	3 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	6	0	0	0	0
Number of transfers	22	6	0	0	0	0
Estimated average number of transfers per retrieval	1.8					
Average number of embryos transferred	1.8	2.0				
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 12				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	13.6	2 / 6				
Percentage of transfers resulting in singleton live births (%)	18.2	2 / 6				
Percentage of transfers resulting in twin live births (%)	18.2	0 / 6				
Percentage of transfers resulting in live births (%)	36.4	2 / 6				
Percentage of transfers resulting in pregnancies (%)	40.9	4 / 6				
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Billings Clinic, Reproductive Medicine and Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS ELKHORN, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	21%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	43%
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	25%
				Endometriosis	14%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 487 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	50	24	5	0	0
Percentage of cancellations before retrieval (%)	6.7	16.0	16.7	1 / 5		
Average number of embryos transferred	1.8	1.9	2.6	4.0		
Percentage of embryos transferred resulting in implantation (%)	40.9	40.3	6.1	0 / 12		
Percentage of elective single embryo transfers (eSET) (%)	15.3	12.5	0 / 18	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.7	22.0	4.2	0 / 5		
Percentage of cycles resulting in singleton live births (%)	21.3	24.0	4.2	0 / 5		
Percentage of cycles resulting in twin live births (%)	12.8	10.0	4.2	0 / 5		
Percentage of cycles resulting in live births (%)	34.8	34.0	8.3	0 / 5		
Percentage of cycles resulting in pregnancies (%)	37.8	42.0	8.3	0 / 5		
Outcomes per Transfer						
Number of transfers	120	37	19	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.2	29.7	1 / 19	0 / 3		
Percentage of transfers resulting in singleton live births (%)	29.2	32.4	1 / 19	0 / 3		
Percentage of transfers resulting in twin live births (%)	17.5	13.5	1 / 19	0 / 3		
Percentage of transfers resulting in live births (%)	47.5	45.9	2 / 19	0 / 3		
Percentage of transfers resulting in pregnancies (%)	51.7	56.8	2 / 19	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	145	36	11	4	0	0
Number of transfers	120	27	11	3	0	0
Estimated average number of transfers per retrieval	2.0	2.7	2.2	3.0		
Average number of embryos transferred	1.7	1.6	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	52.0	48.6	35.0	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.3	18.5	3 / 11	0 / 3		
Percentage of transfers resulting in singleton live births (%)	44.2	29.6	3 / 11	0 / 3		
Percentage of transfers resulting in twin live births (%)	11.7	14.8	2 / 11	0 / 3		
Percentage of transfers resulting in live births (%)	55.8	44.4	5 / 11	0 / 3		
Percentage of transfers resulting in pregnancies (%)	70.0	66.7	6 / 11	0 / 3		
Number of Egg/Embryo Banking Cycles						
	6	3	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			18		
Number of transfers	14			16		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	60.9			25.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 14			5 / 16		
Percentage of transfers resulting in singleton live births (%)	4 / 14			6 / 16		
Percentage of transfers resulting in twin live births (%)	5 / 14			0 / 16		
Percentage of transfers resulting in live births (%)	9 / 14			6 / 16		
Percentage of transfers resulting in pregnancies (%)	11 / 14			7 / 16		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Victoria M. Maclin, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	50%	Tubal factor	13%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	4%	Male factor	44%
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	5%
				Endometriosis	14%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				11%			
				19%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 353 (includes 5 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		145	49	33	10	1	0
Percentage of cancellations before retrieval (%)		4.1	6.1	12.1	3 / 10	0 / 1	
Average number of embryos transferred		1.8	1.7	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		45.9	45.8	34.8	4 / 10	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)		12.8	0.0	0 / 18	0 / 3		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		23.4	22.4	18.2	1 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)		26.2	26.5	30.3	1 / 10	1 / 1	
Percentage of cycles resulting in twin live births (%)		13.8	12.2	3.0	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)		40.7	38.8	33.3	1 / 10	1 / 1	
Percentage of cycles resulting in pregnancies (%)		43.4	42.9	36.4	2 / 10	1 / 1	
Outcomes per Transfer							
Number of transfers		104	35	23	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.7	31.4	26.1	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)		36.5	37.1	43.5	1 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)		19.2	17.1	4.3	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)		56.7	54.3	47.8	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)		60.6	60.0	52.2	2 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		36	14	4	0	1	0
Number of transfers		33	14	4	0	1	0
Estimated average number of transfers per retrieval		1.5	1.2				
Average number of embryos transferred		1.7	1.7	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)		43.4	25.0	3 / 8		1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		21.2	4 / 14	1 / 4		1 / 1	
Percentage of transfers resulting in singleton live births (%)		27.3	4 / 14	1 / 4		1 / 1	
Percentage of transfers resulting in twin live births (%)		9.1	0 / 14	1 / 4		0 / 1	
Percentage of transfers resulting in live births (%)		39.4	4 / 14	2 / 4		1 / 1	
Percentage of transfers resulting in pregnancies (%)		48.5	6 / 14	2 / 4		1 / 1	
Number of Egg/Embryo Banking Cycles		8	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		38			9		
Number of transfers		37			9		
Average number of embryos transferred		1.8			1.2		
Percentage of embryos transferred resulting in implantation (%)		59.7			3 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.4			0 / 9		
Percentage of transfers resulting in singleton live births (%)		35.1			2 / 9		
Percentage of transfers resulting in twin live births (%)		27.0			0 / 9		
Percentage of transfers resulting in live births (%)		62.2			2 / 9		
Percentage of transfers resulting in pregnancies (%)		70.3			3 / 9		

CURRENT SERVICES & PROFILE				Current Name: Heartland Center for Reproductive Medicine, PC			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREEN VALLEY FERTILITY PARTNERS HENDERSON, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jeffrey D. Fisch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	27%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	6%	Male factor	38%
Used gestational carrier	3%			Diminished ovarian reserve	5%	Other factor	16%
				Endometriosis	13%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 117 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	16	18	9	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 16	3 / 18	1 / 9	0 / 1	
Average number of embryos transferred	1.5	1.6	1.3	1.6		
Percentage of embryos transferred resulting in implantation (%)	37.0	52.2	7 / 13	1 / 8		
Percentage of elective single embryo transfers (eSET) (%)	46.2	4 / 13	3 / 6	1 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.7	6 / 16	1 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.3	7 / 16	4 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.9	1 / 16	0 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	37.1	8 / 16	4 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	42.9	10 / 16	7 / 18	1 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	31	14	11	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.0	6 / 14	1 / 11	0 / 5		
Percentage of transfers resulting in singleton live births (%)	38.7	7 / 14	4 / 11	0 / 5		
Percentage of transfers resulting in twin live births (%)	3.2	1 / 14	0 / 11	0 / 5		
Percentage of transfers resulting in live births (%)	41.9	8 / 14	4 / 11	0 / 5		
Percentage of transfers resulting in pregnancies (%)	48.4	10 / 14	7 / 11	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	10	4	2	2	0
Number of transfers	10	10	4	2	2	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.0	2.0	
Average number of embryos transferred	1.4	1.6	1.8	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	6 / 16	1 / 7	0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10	3 / 10	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 10	3 / 10	1 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 10	1 / 10	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	3 / 10	4 / 10	1 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 10	4 / 10	1 / 4	0 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles						
	2	2	1	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Green Valley Fertility Partners

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bruce S. Shapiro, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	11%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	4%	Male factor	37%
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	12%
				Endometriosis	4%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 845 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	42	23	10	8	1
Percentage of cancellations before retrieval (%)	14.1	14.3	30.4	2 / 10	5 / 8	1 / 1
Average number of embryos transferred	1.5	1.6	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	56.0	6 / 14	3 / 4	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	7 / 15	2 / 7	1 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5.9	7.1	8.7	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	8.2	7.1	8.7	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	2.4	2.4	0.0	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in live births (%)	11.8	9.5	8.7	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in pregnancies (%)	11.8	11.9	17.4	0 / 10	0 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	17	9	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	3 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 17	3 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	10 / 17	4 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	10 / 17	5 / 9	4 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	132	84	47	15	5	3
Number of transfers	125	70	41	12	5	0
Estimated average number of transfers per retrieval	1.0	0.8	0.6	0.5	0.4	0.0
Average number of embryos transferred	1.4	1.6	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	58.9	55.9	54.7	11 / 15	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.6	25.7	24.4	5 / 12	1 / 5	
Percentage of transfers resulting in singleton live births (%)	42.4	32.9	31.7	5 / 12	1 / 5	
Percentage of transfers resulting in twin live births (%)	13.6	18.6	14.6	1 / 12	0 / 5	
Percentage of transfers resulting in live births (%)	56.0	51.4	46.3	6 / 12	1 / 5	
Percentage of transfers resulting in pregnancies (%)	69.6	65.7	61.0	10 / 12	2 / 5	
Number of Egg/Embryo Banking Cycles						
	76	72	57	19	12	11
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	70			69		
Number of transfers	61			63		
Average number of embryos transferred	1.6			1.5		
Percentage of embryos transferred resulting in implantation (%)	62.4			60.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	50.8			44.4		
Percentage of transfers resulting in singleton live births (%)	55.7			52.4		
Percentage of transfers resulting in twin live births (%)	14.8			12.7		
Percentage of transfers resulting in live births (%)	70.5			65.1		
Percentage of transfers resulting in pregnancies (%)	77.0			71.4		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Las Vegas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eva D. Littman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	4%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	59%	Ovulatory dysfunction	5%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	3%
				Endometriosis	3%	Unknown factor	50%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 223 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	26	9	12	4	1
Percentage of cancellations before retrieval (%)	4.5	11.5	2 / 9	3 / 12	0 / 4	0 / 1
Average number of embryos transferred	1.8	1.6	1.7	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	35.7	28.1	7 / 12	0 / 4	2 / 4	
Percentage of elective single embryo transfers (eSET) (%)	11.8	1 / 13	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	7.7	2 / 9	0 / 12	1 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.5	11.5	4 / 9	0 / 12	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	6.8	3.8	1 / 9	0 / 12	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	36.4	15.4	5 / 9	0 / 12	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	43.2	30.8	6 / 9	0 / 12	2 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	40	21	7	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.5	9.5	2 / 7	0 / 3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	32.5	14.3	4 / 7	0 / 3	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.5	4.8	1 / 7	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	40.0	19.0	5 / 7	0 / 3	1 / 3	
Percentage of transfers resulting in pregnancies (%)	47.5	38.1	6 / 7	0 / 3	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	11	3	1	2	0
Number of transfers	27	10	3	1	1	0
Estimated average number of transfers per retrieval	1.2	0.4	0.2	0.3	0.1	0.0
Average number of embryos transferred	1.8	1.3	1.7	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	32.6	9 / 12	1 / 5	2 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.9	1 / 10	1 / 3	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	29.6	1 / 10	1 / 3	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	11.1	4 / 10	0 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	40.7	5 / 10	1 / 3	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	48.1	6 / 10	1 / 3	1 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	17	24	13	4	7	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			10		
Number of transfers	6			10		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	7 / 12			9 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6			2 / 10		
Percentage of transfers resulting in singleton live births (%)	1 / 6			5 / 10		
Percentage of transfers resulting in twin live births (%)	3 / 6			2 / 10		
Percentage of transfers resulting in live births (%)	4 / 6			7 / 10		
Percentage of transfers resulting in pregnancies (%)	4 / 6			7 / 10		

CURRENT SERVICES & PROFILE

Current Name: Red Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Geoffrey Sher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	8%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	15%	Male factor	15%
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	88%
				Endometriosis	18%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				52%			
				14%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 475 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	30	29	9	2	0
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1 / 9	1 / 2	
Average number of embryos transferred	1.8	1.8	1.6	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	44.4	33.3	13.5	0 / 3	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	11.1	13.6	4 / 19	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.8	20.0	10.3	0 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	11.8	23.3	13.8	0 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	19.6	10.0	0.0	0 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	31.4	33.3	13.8	0 / 9	0 / 2	
Percentage of cycles resulting in pregnancies (%)	37.3	36.7	20.7	0 / 9	0 / 2	
Outcomes per Transfer						
Number of transfers	74	25	24	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.9	24.0	12.5	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	16.2	28.0	16.7	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	27.0	12.0	0.0	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	43.2	40.0	16.7	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.4	44.0	25.0	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	18	16	12	9	4
Number of transfers	40	18	14	12	9	4
Estimated average number of transfers per retrieval	1.1	1.2	0.3	0.3	0.3	0.6
Average number of embryos transferred	1.6	1.6	1.8	1.6	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	23.4	29.6	36.0	6 / 19	1 / 12	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	12.5	4 / 18	2 / 14	2 / 12	1 / 9	0 / 4
Percentage of transfers resulting in singleton live births (%)	12.5	6 / 18	3 / 14	4 / 12	1 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)	7.5	0 / 18	3 / 14	1 / 12	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)	20.0	6 / 18	6 / 14	5 / 12	1 / 9	1 / 4
Percentage of transfers resulting in pregnancies (%)	30.0	10 / 18	6 / 14	5 / 12	1 / 9	1 / 4
Number of Egg/Embryo Banking Cycles						
	15	9	50	45	33	7
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	16			23		
Number of transfers	13			22		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	29.2			37.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 13			18.2		
Percentage of transfers resulting in singleton live births (%)	3 / 13			27.3		
Percentage of transfers resulting in twin live births (%)	1 / 13			9.1		
Percentage of transfers resulting in live births (%)	4 / 13			40.9		
Percentage of transfers resulting in pregnancies (%)	6 / 13			40.9		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Sher Institute for Reproductive Medicine-Las Vegas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	75%	Tubal factor	23%	Uterine factor	17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	36%
Used gestational carrier	1%			Diminished ovarian reserve	45%	Other factor	11%
				Endometriosis	15%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 318 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	32	32	15	5	3
Percentage of cancellations before retrieval (%)	6.0	0.0	6.3	0 / 15	0 / 5	0 / 3
Average number of embryos transferred	1.8	1.9	2.0	2.1	2.3	4.0
Percentage of embryos transferred resulting in implantation (%)	49.5	32.5	16.4	3 / 19	0 / 9	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	25.5	2 / 19	0.0	0 / 9	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.3	18.8	15.6	2 / 15	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	37.3	28.1	18.8	2 / 15	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	11.9	6.3	0.0	0 / 15	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	50.7	34.4	18.8	2 / 15	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	52.2	34.4	25.0	4 / 15	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	53	21	28	10	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.4	28.6	17.9	2 / 10	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	47.2	42.9	21.4	2 / 10	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	15.1	9.5	0.0	0 / 10	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	64.2	52.4	21.4	2 / 10	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.0	52.4	28.6	4 / 10	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	20	13	5	1	0
Number of transfers	35	20	13	5	1	0
Estimated average number of transfers per retrieval	1.8	2.0	1.0	1.0	0.3	0.0
Average number of embryos transferred	1.7	1.7	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	59.6	54.5	40.0	2 / 10	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.4	45.0	5 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.7	50.0	6 / 13	1 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	20.0	10.0	0 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	65.7	60.0	6 / 13	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	71.4	70.0	8 / 13	2 / 5	1 / 1	
Number of Egg/Embryo Banking Cycles						
	1	4	9	3	2	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	21			48		
Number of transfers	18			48		
Average number of embryos transferred	1.9			1.6		
Percentage of embryos transferred resulting in implantation (%)	71.9			45.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 18			41.7		
Percentage of transfers resulting in singleton live births (%)	8 / 18			52.1		
Percentage of transfers resulting in twin live births (%)	7 / 18			8.3		
Percentage of transfers resulting in live births (%)	15 / 18			60.4		
Percentage of transfers resulting in pregnancies (%)	17 / 18			66.7		

CURRENT SERVICES & PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Misty B. Porter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	26%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	5%
				Endometriosis	4%	Unknown factor	29%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 140 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	30	11	11	0	0
Percentage of cancellations before retrieval (%)	2.0	16.7	3 / 11	2 / 11		
Average number of embryos transferred	1.8	2.0	2.8	4.2		
Percentage of embryos transferred resulting in implantation (%)	33.3	20.0	3 / 12	10.7		
Percentage of elective single embryo transfers (eSET) (%)	21.4	17.4	0 / 8	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.0	16.7	2 / 11	1 / 11		
Percentage of cycles resulting in singleton live births (%)	20.0	16.7	3 / 11	1 / 11		
Percentage of cycles resulting in twin live births (%)	16.0	6.7	0 / 11	1 / 11		
Percentage of cycles resulting in live births (%)	36.0	23.3	3 / 11	2 / 11		
Percentage of cycles resulting in pregnancies (%)	40.0	26.7	6 / 11	4 / 11		
Outcomes per Transfer						
Number of transfers	46	24	8	9	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.6	20.8	2 / 8	1 / 9		
Percentage of transfers resulting in singleton live births (%)	21.7	20.8	3 / 8	1 / 9		
Percentage of transfers resulting in twin live births (%)	17.4	8.3	0 / 8	1 / 9		
Percentage of transfers resulting in live births (%)	39.1	29.2	3 / 8	2 / 9		
Percentage of transfers resulting in pregnancies (%)	43.5	33.3	6 / 8	4 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	15	2	2	0	0
Number of transfers	9	15	2	1	0	0
Estimated average number of transfers per retrieval	1.1	3.8		0.5		
Average number of embryos transferred	1.7	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 15	12.5	1 / 4	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 9	3 / 15	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 9	3 / 15	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 15	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 9	3 / 15	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 9	5 / 15	1 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			4		
Number of transfers	4			3		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 8			3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 4			1 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 4			1 / 3		
Percentage of transfers resulting in live births (%)	3 / 4			2 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 4			2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Dartmouth-Hitchcock Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY ASBURY, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	12%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	22%
				Endometriosis	5%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 243 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	21	26	17	14	4
Percentage of cancellations before retrieval (%)	2.4	19.0	26.9	4 / 17	7 / 14	1 / 4
Average number of embryos transferred	1.8	1.6	1.8	2.0	1.7	4.0
Percentage of embryos transferred resulting in implantation (%)	35.0	10.0	2 / 16	1 / 18	0 / 5	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	10.7	3 / 10	0 / 5	0 / 6	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	4.8	7.7	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in singleton live births (%)	16.7	4.8	7.7	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in twin live births (%)	14.3	0.0	0.0	0 / 17	0 / 14	0 / 4
Percentage of cycles resulting in live births (%)	31.0	4.8	7.7	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in pregnancies (%)	38.1	14.3	7.7	1 / 17	0 / 14	0 / 4
Outcomes per Transfer						
Number of transfers	34	14	9	9	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.6	1 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.6	1 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	17.6	0 / 14	0 / 9	0 / 9	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	38.2	1 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.1	3 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	8	4	5	0
Number of transfers	28	11	8	4	4	0
Estimated average number of transfers per retrieval	1.6	1.6	2.7	0.7	0.4	0.0
Average number of embryos transferred	1.6	1.5	1.4	1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)	39.5	6 / 16	2 / 11	2 / 7	3 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.9	4 / 11	0 / 8	1 / 4	1 / 4	
Percentage of transfers resulting in singleton live births (%)	25.0	4 / 11	2 / 8	2 / 4	1 / 4	
Percentage of transfers resulting in twin live births (%)	14.3	0 / 11	0 / 8	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	39.3	4 / 11	2 / 8	2 / 4	1 / 4	
Percentage of transfers resulting in pregnancies (%)	53.6	6 / 11	2 / 8	2 / 4	2 / 4	
Number of Egg/Embryo Banking Cycles						
	4	7	3	4	9	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			27		
Number of transfers	5			24		
Average number of embryos transferred	1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)	3 / 8			20.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5			16.7		
Percentage of transfers resulting in singleton live births (%)	2 / 5			20.8		
Percentage of transfers resulting in twin live births (%)	0 / 5			0.0		
Percentage of transfers resulting in live births (%)	2 / 5			20.8		
Percentage of transfers resulting in pregnancies (%)	3 / 5			33.3		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY BASKING RIDGE, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	12%	Uterine factor	6%
Unstimulated	<1%	PGD/PGS	36%	Ovulatory dysfunction	21%	Male factor	62%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	32%
				Endometriosis	5%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 4,975 (includes 34 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	581	278	219	97	50	26
Percentage of cancellations before retrieval (%)	4.6	8.6	15.5	21.6	24.0	7.7
Average number of embryos transferred	1.4	1.4	1.4	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	63.9	63.1	64.8	35.7	5 / 18	
Percentage of elective single embryo transfers (eSET) (%)	56.9	53.5	45.3	6 / 17	1 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.8	15.1	11.4	3.1	8.0	0.0
Percentage of cycles resulting in singleton live births (%)	24.3	19.4	12.8	6.2	8.0	0.0
Percentage of cycles resulting in twin live births (%)	7.1	5.8	4.1	1.0	0.0	0.0
Percentage of cycles resulting in live births (%)	31.5	25.2	16.9	7.2	8.0	0.0
Percentage of cycles resulting in pregnancies (%)	34.9	28.4	22.4	15.5	10.0	0.0
Outcomes per Transfer						
Number of transfers	287	115	69	26	12	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.2	36.5	36.2	11.5	4 / 12	
Percentage of transfers resulting in singleton live births (%)	49.1	47.0	40.6	23.1	4 / 12	
Percentage of transfers resulting in twin live births (%)	14.3	13.9	13.0	3.8	0 / 12	
Percentage of transfers resulting in live births (%)	63.8	60.9	53.6	26.9	4 / 12	
Percentage of transfers resulting in pregnancies (%)	70.7	68.7	71.0	57.7	5 / 12	
Frozen Embryos from Nondonor Eggs						
Number of cycles	898	508	376	167	53	17
Number of transfers	860	485	341	154	46	12
Estimated average number of transfers per retrieval	1.1	1.1	0.8	0.7	0.5	0.3
Average number of embryos transferred	1.4	1.3	1.3	1.3	1.3	1.6
Percentage of embryos transferred resulting in implantation (%)	63.9	63.2	60.2	51.4	29.1	6 / 15
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.7	44.3	38.4	26.6	26.1	4 / 12
Percentage of transfers resulting in singleton live births (%)	48.7	51.8	44.3	34.4	34.8	4 / 12
Percentage of transfers resulting in twin live births (%)	12.9	9.9	9.1	9.1	0.0	0 / 12
Percentage of transfers resulting in live births (%)	61.7	61.6	53.4	43.5	34.8	4 / 12
Percentage of transfers resulting in pregnancies (%)	72.3	72.6	67.4	59.7	41.3	7 / 12
Number of Egg/Embryo Banking Cycles						
	490	310	349	187	82	26
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	68			159		
Number of transfers	55			150		
Average number of embryos transferred	1.3			1.4		
Percentage of embryos transferred resulting in implantation (%)	65.2			54.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.7			32.0		
Percentage of transfers resulting in singleton live births (%)	41.8			39.3		
Percentage of transfers resulting in twin live births (%)	14.5			10.7		
Percentage of transfers resulting in live births (%)	56.4			50.0		
Percentage of transfers resulting in pregnancies (%)	70.9			61.3		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLIFTON LOW COST IVF CLIFTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Charles Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	44%	Tubal factor	6%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%
				Endometriosis	0%	Unknown factor	71%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	3	3	1	1	0
Percentage of cancellations before retrieval (%)	0 / 8	1 / 3	1 / 3	0 / 1	0 / 1	
Average number of embryos transferred	1.8	2.0	1.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 14	0 / 4	1 / 3	0 / 3	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 2	0 / 1	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	3 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	3 / 8	0 / 3	1 / 3	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	8	2	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 8	0 / 2	1 / 2	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		3.0				
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Clifton Low Cost IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LOW COST IVF
CLIFTON, NEW JERSEY**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William Ziegler, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	14%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	21%	Male factor	63%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	3%
				Endometriosis	16%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 264 (includes 21 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	37	39	13	6	0
Percentage of cancellations before retrieval (%)	3.7	2.7	10.3	1 / 13	0 / 6	
Average number of embryos transferred	1.5	1.9	2.4	3.3	2.4	
Percentage of embryos transferred resulting in implantation (%)	41.4	50.9	16.9	0.0	1 / 12	
Percentage of elective single embryo transfers (eSET) (%)	38.3	10.7	0.0	0 / 8	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.8	29.7	15.4	0 / 13	0 / 6	
Percentage of cycles resulting in singleton live births (%)	31.7	40.5	17.9	0 / 13	0 / 6	
Percentage of cycles resulting in twin live births (%)	11.0	16.2	7.7	0 / 13	0 / 6	
Percentage of cycles resulting in live births (%)	42.7	56.8	25.6	0 / 13	0 / 6	
Percentage of cycles resulting in pregnancies (%)	46.3	62.2	28.2	2 / 13	1 / 6	
Outcomes per Transfer						
Number of transfers	76	31	33	10	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	35.5	18.2	0 / 10	0 / 5	
Percentage of transfers resulting in singleton live births (%)	34.2	48.4	21.2	0 / 10	0 / 5	
Percentage of transfers resulting in twin live births (%)	11.8	19.4	9.1	0 / 10	0 / 5	
Percentage of transfers resulting in live births (%)	46.1	67.7	30.3	0 / 10	0 / 5	
Percentage of transfers resulting in pregnancies (%)	50.0	74.2	33.3	2 / 10	1 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	8	2	3	0	0
Number of transfers	23	8	2	3	0	0
Estimated average number of transfers per retrieval	2.3	1.6	1.0	0.6	0.0	0.0
Average number of embryos transferred	1.4	1.5	1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	34.5	7 / 12	0 / 2	2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.4	1 / 8	0 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	26.1	1 / 8	0 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	8.7	3 / 8	0 / 2	1 / 3		
Percentage of transfers resulting in live births (%)	34.8	4 / 8	0 / 2	1 / 3		
Percentage of transfers resulting in pregnancies (%)	47.8	4 / 8	0 / 2	1 / 3		
Number of Egg/Embryo Banking Cycles						
	1	1	1	2	2	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			12		
Number of transfers	7			12		
Average number of embryos transferred	1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)	5 / 9			11 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			3 / 12		
Percentage of transfers resulting in singleton live births (%)	4 / 7			4 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 7			3 / 12		
Percentage of transfers resulting in live births (%)	4 / 7			7 / 12		
Percentage of transfers resulting in pregnancies (%)	4 / 7			8 / 12		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	12%	Uterine factor	0%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	<1%
				Endometriosis	5%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 395 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	29	37	13	10	3
Percentage of cancellations before retrieval (%)	2.8	6.9	8.1	3 / 13	3 / 10	1 / 3
Average number of embryos transferred	1.6	1.8	2.2	2.6	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	49.5	33.3	17.9	4 / 13	1 / 9	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	37.7	19.0	4.5	0 / 5	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	24.1	16.2	0 / 13	1 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	22.2	31.0	16.2	2 / 13	1 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	15.3	3.4	2.7	0 / 13	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)	37.5	34.5	18.9	2 / 13	1 / 10	0 / 3
Percentage of cycles resulting in pregnancies (%)	45.8	41.4	21.6	2 / 13	1 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	60	23	26	5	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	30.4	23.1	0 / 5	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	39.1	23.1	2 / 5	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	18.3	4.3	3.8	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	45.0	43.5	26.9	2 / 5	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.0	52.2	30.8	2 / 5	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	32	23	3	2	1
Number of transfers	57	31	23	3	2	1
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.6	0.3	0.3
Average number of embryos transferred	1.3	1.5	1.6	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	41.7	46.7	45.5	1 / 3	1 / 3	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.6	16.1	21.7	1 / 3	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	31.6	25.8	34.8	1 / 3	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	1.8	9.7	8.7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	33.3	35.5	43.5	1 / 3	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	50.9	41.9	65.2	2 / 3	1 / 2	1 / 1
Number of Egg/Embryo Banking Cycles						
	24	23	26	5	7	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6			16	
Number of transfers		6			16	
Average number of embryos transferred		1.8			1.6	
Percentage of embryos transferred resulting in implantation (%)		6 / 11			52.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6			5 / 16	
Percentage of transfers resulting in singleton live births (%)		2 / 6			6 / 16	
Percentage of transfers resulting in twin live births (%)		2 / 6			1 / 16	
Percentage of transfers resulting in live births (%)		4 / 6			7 / 16	
Percentage of transfers resulting in pregnancies (%)		4 / 6			10 / 16	

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	18%	Uterine factor	4%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	26%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	2%
				Endometriosis	2%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	13	5	5	3
Percentage of cancellations before retrieval (%)	0 / 11	1 / 8	1 / 13	0 / 5	1 / 5	1 / 3
Average number of embryos transferred	2.2	2.0	1.8	2.3	4.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 18	2 / 12	30.0	1 / 9	0 / 8	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	1 / 5	0 / 5	0 / 2	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 11	0 / 8	2 / 13	1 / 5	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 11	2 / 8	3 / 13	1 / 5	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 11	0 / 8	0 / 13	0 / 5	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	1 / 11	2 / 8	4 / 13	1 / 5	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	2 / 11	2 / 8	4 / 13	1 / 5	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	9	6	11	4	2	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 9	0 / 6	2 / 11	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 9	2 / 6	3 / 11	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 6	0 / 11	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	1 / 9	2 / 6	4 / 11	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 9	2 / 6	4 / 11	1 / 4	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	1	0	0	0	0
Number of transfers	8	1	0	0	0	0
Estimated average number of transfers per retrieval	1.6	1.0				
Average number of embryos transferred	2.4	1.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 17	1 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 8	1 / 1				
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	4.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					

CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HUDSON I.V.F. CENTER FOR FERTILITY AND GYNECOLOGY ENGLEWOOD CLIFFS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	100%	Tubal factor	16%	Uterine factor	16%	Female factors only	21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	21%	Female & male factors	16%
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	0%		
				Endometriosis	11%	Unknown factor	11%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 23 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	1	2	1	0	0
Percentage of cancellations before retrieval (%)		0 / 1	0 / 2	0 / 1		
Average number of embryos transferred		2.0	3.0	3.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 3	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in pregnancies (%)		1 / 1	0 / 2	0 / 1		
Outcomes per Transfer						
Number of transfers	0	1	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	0	0	0	0
Number of transfers	1	3	0	0	0	0
Estimated average number of transfers per retrieval	0.5	1.0				
Average number of embryos transferred	3.0	1.3				
Percentage of embryos transferred resulting in implantation (%)	0 / 3	1 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 3				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3				
Percentage of transfers resulting in live births (%)	0 / 1	1 / 3				
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 3				
Number of Egg/Embryo Banking Cycles	2	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			7		
Number of transfers	4			7		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			1 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 4			2 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 4			0 / 7		
Percentage of transfers resulting in live births (%)	2 / 4			2 / 7		
Percentage of transfers resulting in pregnancies (%)	2 / 4			2 / 7		

CURRENT SERVICES & PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Peter G. McGovern, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	76%	Tubal factor	17%	Uterine factor	10%	Multiple Factors: Female factors only 8% Female & male factors 41%		
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	16%	Male factor	63%			
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	7%			
				Endometriosis	7%	Unknown factor	7%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 492 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				100	49	56	20	24	6	
Percentage of cancellations before retrieval (%)				3.0	2.0	12.5	10.0	20.8	0 / 6	
Average number of embryos transferred				1.8	1.8	1.9	1.8	2.3	1.3	
Percentage of embryos transferred resulting in implantation (%)				37.7	44.6	18.8	9.5	3.7	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)				4.9	8.3	0.0	0 / 7	0 / 9	0 / 1	
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				23.0	22.4	7.1	10.0	0.0	0 / 6	
Percentage of cycles resulting in singleton live births (%)				24.0	28.6	8.9	10.0	0.0	0 / 6	
Percentage of cycles resulting in twin live births (%)				13.0	12.2	1.8	0.0	0.0	0 / 6	
Percentage of cycles resulting in live births (%)				37.0	40.8	10.7	10.0	0.0	0 / 6	
Percentage of cycles resulting in pregnancies (%)				49.0	53.1	19.6	10.0	4.2	0 / 6	
Outcomes per Transfer										
Number of transfers				91	41	37	12	12	3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				25.3	26.8	10.8	2 / 12	0 / 12	0 / 3	
Percentage of transfers resulting in singleton live births (%)				26.4	34.1	13.5	2 / 12	0 / 12	0 / 3	
Percentage of transfers resulting in twin live births (%)				14.3	14.6	2.7	0 / 12	0 / 12	0 / 3	
Percentage of transfers resulting in live births (%)				40.7	48.8	16.2	2 / 12	0 / 12	0 / 3	
Percentage of transfers resulting in pregnancies (%)				53.8	63.4	29.7	2 / 12	1 / 12	0 / 3	
Frozen Embryos from Nondonor Eggs										
Number of cycles				40	23	14	3	4	3	
Number of transfers				40	23	13	3	4	3	
Estimated average number of transfers per retrieval				0.8	0.7	0.3	0.3	1.0	1.5	
Average number of embryos transferred				1.5	1.7	1.6	1.0	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)				45.8	26.3	28.6	3 / 3	1 / 10	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				30.0	21.7	1 / 13	1 / 3	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)				45.0	26.1	5 / 13	1 / 3	1 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)				7.5	0.0	0 / 13	1 / 3	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)				52.5	26.1	5 / 13	2 / 3	1 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)				60.0	34.8	6 / 13	2 / 3	1 / 4	0 / 3	
Number of Egg/Embryo Banking Cycles				41	26	37	11	3	2	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				6			24			
Number of transfers				3			24			
Average number of embryos transferred				2.0			1.5			
Percentage of embryos transferred resulting in implantation (%)				3 / 6			44.4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 3			33.3			
Percentage of transfers resulting in singleton live births (%)				2 / 3			50.0			
Percentage of transfers resulting in twin live births (%)				0 / 3			4.2			
Percentage of transfers resulting in live births (%)				2 / 3			54.2			
Percentage of transfers resulting in pregnancies (%)				2 / 3			62.5			

CURRENT SERVICES & PROFILE				Current Name: University Reproductive Associates, PC			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Allen Morgan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	32%	Tubal factor	22%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	22%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	4%
				Endometriosis	7%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 85 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	14	13	11	3	0
Percentage of cancellations before retrieval (%)	8.0	2 / 14	3 / 13	5 / 11	1 / 3	
Average number of embryos transferred	1.9	2.0	1.4	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	50.0	60.0	2 / 11	2 / 10	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	5.0	0 / 10	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.0	1 / 14	2 / 13	2 / 11	0 / 3	
Percentage of cycles resulting in singleton live births (%)	32.0	3 / 14	2 / 13	2 / 11	0 / 3	
Percentage of cycles resulting in twin live births (%)	24.0	4 / 14	0 / 13	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	56.0	7 / 14	2 / 13	2 / 11	0 / 3	
Percentage of cycles resulting in pregnancies (%)	56.0	8 / 14	3 / 13	2 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	21	10	9	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	1 / 10	2 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.1	3 / 10	2 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	28.6	4 / 10	0 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	66.7	7 / 10	2 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	66.7	8 / 10	3 / 9	2 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	4	0	0	0
Number of transfers	4	2	2	0	0	0
Estimated average number of transfers per retrieval		0.5	1.0			
Average number of embryos transferred	2.0	2.0	3.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 8	1 / 2	0 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4	1 / 2	0 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 4	1 / 2	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	0 / 2			
Percentage of transfers resulting in live births (%)	3 / 4	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 4	2 / 2	0 / 2			
Number of Egg/Embryo Banking Cycles						
	0	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			0		
Number of transfers	5			0		
Average number of embryos transferred	2.2					
Percentage of embryos transferred resulting in implantation (%)	7 / 11					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5					
Percentage of transfers resulting in singleton live births (%)	1 / 5					
Percentage of transfers resulting in twin live births (%)	3 / 5					
Percentage of transfers resulting in live births (%)	4 / 5					
Percentage of transfers resulting in pregnancies (%)	4 / 5					

CURRENT SERVICES & PROFILE

Current Name: Shore Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC

PRINCETON IVF

LAWRENCEVILLE, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Seth G. Derman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	18%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	43%	Male factor	45%
Used gestational carrier	5%			Diminished ovarian reserve	43%	Other factor	8%
				Endometriosis	10%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 86 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	16	20	2	4	1
Percentage of cancellations before retrieval (%)	4.2	0 / 16	15.0	0 / 2	1 / 4	0 / 1
Average number of embryos transferred	2.0	2.5	2.6	2.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	39.5	14.7	19.4	1 / 5	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 14	0 / 11	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	2 / 16	25.0	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.0	3 / 16	25.0	0 / 2	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	12.5	1 / 16	0.0	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	37.5	4 / 16	25.0	0 / 2	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	41.7	5 / 16	30.0	1 / 2	1 / 4	1 / 1
Outcomes per Transfer						
Number of transfers	19	15	14	2	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 19	2 / 15	5 / 14	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	3 / 15	5 / 14	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 19	1 / 15	0 / 14	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	9 / 19	4 / 15	5 / 14	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 19	5 / 15	6 / 14	1 / 2	1 / 3	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	2	0	0	0
Number of transfers	7	3	2	0	0	0
Estimated average number of transfers per retrieval	7.0	3.0				
Average number of embryos transferred	1.6	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 11	2 / 3	2 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	1 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3	1 / 2			
Percentage of transfers resulting in live births (%)	2 / 7	2 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 3	1 / 2			
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			1		
Number of transfers	3			1		
Average number of embryos transferred	2.3			3.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 7			2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 3			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 1		
Percentage of transfers resulting in live births (%)	0 / 3			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 3			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley OBGYN & Infertility Group, PC, Princeton IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST INFERTILITY AND IVF LITTLE SILVER, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Miguel Damien, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	10%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	4%	Male factor	45%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	17%
				Endometriosis	15%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 274 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	38	41	19	9	2
Percentage of cancellations before retrieval (%)	2.6	2.6	2.4	1 / 19	0 / 9	0 / 2
Average number of embryos transferred	1.9	1.9	2.2	2.6	3.0	2.5
Percentage of embryos transferred resulting in implantation (%)	48.0	40.0	14.3	9.8	0.0	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	1.6	0.0	0.0	0 / 14	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.8	10.5	14.6	0 / 19	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	20.5	18.4	17.1	0 / 19	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	21.8	15.8	0.0	1 / 19	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	42.3	34.2	17.1	1 / 19	0 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	51.3	39.5	26.8	4 / 19	0 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	68	29	32	17	9	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.7	13.8	18.8	0 / 17	0 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.5	24.1	21.9	0 / 17	0 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	25.0	20.7	0.0	1 / 17	0 / 9	0 / 2
Percentage of transfers resulting in live births (%)	48.5	44.8	21.9	1 / 17	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.8	51.7	34.4	4 / 17	0 / 9	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	9	3	1	2	0
Number of transfers	14	8	3	0	2	0
Estimated average number of transfers per retrieval	0.9	0.9	0.6	0.0	2.0	0.0
Average number of embryos transferred	1.6	1.6	3.0		1.5	
Percentage of embryos transferred resulting in implantation (%)	65.0	7 / 13	3 / 9		1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 14	2 / 8	1 / 3		1 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 14	2 / 8	1 / 3		1 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 14	2 / 8	1 / 3		0 / 2	
Percentage of transfers resulting in live births (%)	8 / 14	4 / 8	2 / 3		1 / 2	
Percentage of transfers resulting in pregnancies (%)	12 / 14	5 / 8	2 / 3		1 / 2	
Number of Egg/Embryo Banking Cycles						
	6	6	3	2	1	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			11		
Number of transfers	6			10		
Average number of embryos transferred	1.8			2.1		
Percentage of embryos transferred resulting in implantation (%)	8 / 8			57.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			2 / 10		
Percentage of transfers resulting in singleton live births (%)	1 / 6			4 / 10		
Percentage of transfers resulting in twin live births (%)	3 / 6			3 / 10		
Percentage of transfers resulting in live births (%)	4 / 6			7 / 10		
Percentage of transfers resulting in pregnancies (%)	6 / 6			7 / 10		

CURRENT SERVICES & PROFILE

Current Name: Damien Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE SAINT BARNABAS MEDICAL CENTER LIVINGSTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	14%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	11%	Male factor	31%
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	5%
				Endometriosis	7%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 918 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	170	116	99	51	38	10
Percentage of cancellations before retrieval (%)	5.9	15.5	10.1	21.6	47.4	4 / 10
Average number of embryos transferred	1.4	1.5	1.8	2.4	1.9	2.3
Percentage of embryos transferred resulting in implantation (%)	44.6	34.4	14.9	11.5	4.0	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	55.4	35.7	23.8	4.3	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.0	22.4	13.1	3.9	2.6	0 / 10
Percentage of cycles resulting in singleton live births (%)	34.7	25.0	15.2	5.9	2.6	0 / 10
Percentage of cycles resulting in twin live births (%)	5.3	4.3	1.0	2.0	0.0	0 / 10
Percentage of cycles resulting in live births (%)	40.0	29.3	17.2	7.8	2.6	0 / 10
Percentage of cycles resulting in pregnancies (%)	45.3	33.6	19.2	15.7	2.6	0 / 10
Outcomes per Transfer						
Number of transfers	148	88	80	32	13	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.5	29.5	16.3	6.3	1 / 13	0 / 6
Percentage of transfers resulting in singleton live births (%)	39.9	33.0	18.8	9.4	1 / 13	0 / 6
Percentage of transfers resulting in twin live births (%)	6.1	5.7	1.3	3.1	0 / 13	0 / 6
Percentage of transfers resulting in live births (%)	45.9	38.6	21.3	12.5	1 / 13	0 / 6
Percentage of transfers resulting in pregnancies (%)	52.0	44.3	23.8	25.0	1 / 13	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	58	51	9	3	1
Number of transfers	93	55	49	8	2	1
Estimated average number of transfers per retrieval	1.1	1.0	0.9	0.7	0.4	
Average number of embryos transferred	1.1	1.1	1.2	1.3	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	42.4	44.8	5 / 10	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.6	23.6	36.7	4 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.0	29.1	38.8	5 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1.1	5.5	4.1	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	44.1	34.5	42.9	5 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.8	43.6	49.0	5 / 8	0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	42	31	36	9	4	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		26			43	
Number of transfers		25			42	
Average number of embryos transferred		1.2			1.1	
Percentage of embryos transferred resulting in implantation (%)		46.4			43.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.0			33.3	
Percentage of transfers resulting in singleton live births (%)		36.0			40.5	
Percentage of transfers resulting in twin live births (%)		4.0			0.0	
Percentage of transfers resulting in live births (%)		40.0			40.5	
Percentage of transfers resulting in pregnancies (%)		52.0			50.0	

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	41%	Tubal factor	16%	Uterine factor	2%
Unstimulated	4%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	35%
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	4%
				Endometriosis	3%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 747 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	135	87	122	72	56	33
Percentage of cancellations before retrieval (%)	7.4	11.5	18.0	20.8	33.9	33.3
Average number of embryos transferred	1.9	1.9	1.9	2.0	1.6	1.6
Percentage of embryos transferred resulting in implantation (%)	37.8	26.7	22.0	7.2	6.5	1 / 14
Percentage of elective single embryo transfers (eSET) (%)	7.3	7.3	5.5	0.0	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.0	14.9	9.8	2.8	1.8	0.0
Percentage of cycles resulting in singleton live births (%)	25.9	19.5	11.5	2.8	1.8	0.0
Percentage of cycles resulting in twin live births (%)	8.9	3.4	2.5	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	35.6	23.0	14.8	2.8	1.8	0.0
Percentage of cycles resulting in pregnancies (%)	40.7	29.9	19.7	12.5	3.6	3.0
Outcomes per Transfer						
Number of transfers	103	64	76	40	20	9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.1	20.3	15.8	5.0	5.0	0 / 9
Percentage of transfers resulting in singleton live births (%)	34.0	26.6	18.4	5.0	5.0	0 / 9
Percentage of transfers resulting in twin live births (%)	11.7	4.7	3.9	0.0	0.0	0 / 9
Percentage of transfers resulting in live births (%)	46.6	31.3	23.7	5.0	5.0	0 / 9
Percentage of transfers resulting in pregnancies (%)	53.4	40.6	31.6	22.5	10.0	1 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	41	25	18	3	3
Number of transfers	52	31	15	13	3	3
Estimated average number of transfers per retrieval	1.5	1.4	0.8	0.8	0.4	0.4
Average number of embryos transferred	2.0	2.0	1.9	2.3	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	27.9	34.9	21.4	13.3	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	38.7	4 / 15	0 / 13	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	38.5	45.2	4 / 15	1 / 13	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	7.7	3.2	0 / 15	0 / 13	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	46.2	51.6	4 / 15	1 / 13	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.2	51.6	4 / 15	3 / 13	0 / 3	0 / 3
Number of Egg/Embryo Banking Cycles						
	4	4	6	2	6	7
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			44		
Number of transfers	13			38		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	30.8			26.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 13			13.2		
Percentage of transfers resulting in singleton live births (%)	7 / 13			18.4		
Percentage of transfers resulting in twin live births (%)	0 / 13			10.5		
Percentage of transfers resulting in live births (%)	7 / 13			28.9		
Percentage of transfers resulting in pregnancies (%)	8 / 13			36.8		

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	33%	Tubal factor	18%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	11%
				Endometriosis	2%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 138 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	18	11	6	4	1
Percentage of cancellations before retrieval (%)	0.0	0 / 18	0 / 11	0 / 6	0 / 4	0 / 1
Average number of embryos transferred	2.1	2.2	2.6	3.3	4.8	5.0
Percentage of embryos transferred resulting in implantation (%)	44.9	42.9	17.2	20.0	0 / 19	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	11.5	0 / 16	0 / 11	0 / 5	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.3	2 / 18	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	37.0	5 / 18	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	13.0	3 / 18	0 / 11	0 / 6	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	50.0	9 / 18	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	68.5	11 / 18	5 / 11	3 / 6	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	52	17	11	6	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.6	2 / 17	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.5	5 / 17	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	13.5	3 / 17	0 / 11	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	51.9	9 / 17	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	71.2	11 / 17	5 / 11	3 / 6	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	6	3	0	1	0
Number of transfers	12	6	3	0	1	0
Estimated average number of transfers per retrieval	1.7	6.0				
Average number of embryos transferred	2.0	1.8	1.0		3.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 19	4 / 10	3 / 3		0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 12	2 / 6	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	2 / 6	2 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 12	3 / 6	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 12	4 / 6	3 / 3		0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			9		
Number of transfers	11			8		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	80.0			6 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 11			2 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 11			2 / 8		
Percentage of transfers resulting in twin live births (%)	5 / 11			1 / 8		
Percentage of transfers resulting in live births (%)	9 / 11			3 / 8		
Percentage of transfers resulting in pregnancies (%)	10 / 11			5 / 8		

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	24%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	20%	Male factor	44%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	27%
				Endometriosis	11%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 433 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	59	39	27	5	2
Percentage of cancellations before retrieval (%)	8.5	8.5	2.6	11.1	0 / 5	0 / 2
Average number of embryos transferred	1.6	2.0	2.3	3.6	4.3	4.0
Percentage of embryos transferred resulting in implantation (%)	51.4	25.3	15.3	13.3	1 / 13	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	38.5	8.9	7.4	0.0	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.2	16.9	15.4	11.1	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.6	22.0	15.4	11.1	1 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	12.3	6.8	2.6	7.4	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	47.7	28.8	17.9	18.5	1 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	53.1	33.9	23.1	25.9	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	110	46	31	21	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.5	21.7	19.4	14.3	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.9	28.3	19.4	14.3	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	14.5	8.7	3.2	9.5	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	56.4	37.0	22.6	23.8	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	62.7	43.5	29.0	33.3	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	71	23	12	5	2	0
Number of transfers	68	22	11	5	2	0
Estimated average number of transfers per retrieval	1.7	1.5	1.2	1.3	0.3	
Average number of embryos transferred	1.8	1.8	2.2	1.8	4.0	
Percentage of embryos transferred resulting in implantation (%)	44.3	48.4	12.5	2 / 9	1 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.4	22.7	1 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.2	22.7	2 / 11	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	13.2	13.6	0 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	51.5	36.4	2 / 11	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.3	59.1	3 / 11	2 / 5	1 / 2	
Number of Egg/Embryo Banking Cycles						
	9	2	0	3	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			25		
Number of transfers	11			24		
Average number of embryos transferred	1.5			1.7		
Percentage of embryos transferred resulting in implantation (%)	8 / 17			28.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 11			25.0		
Percentage of transfers resulting in singleton live births (%)	4 / 11			37.5		
Percentage of transfers resulting in twin live births (%)	2 / 11			0.0		
Percentage of transfers resulting in live births (%)	6 / 11			37.5		
Percentage of transfers resulting in pregnancies (%)	6 / 11			41.7		

CURRENT SERVICES & PROFILE

Current Name: South Jersey Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Arie Birkenfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	14%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	24%
Used gestational carrier	2%			Diminished ovarian reserve	61%	Other factor	<1%
				Endometriosis	2%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 338 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	26	37	12	7	3
Percentage of cancellations before retrieval (%)	6.0	11.5	18.9	2 / 12	1 / 7	2 / 3
Average number of embryos transferred	1.8	2.0	2.0	2.1	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	39.5	32.5	28.6	4.8	0 / 14	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	15.8	5.0	8.3	0 / 8	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.0	15.4	10.8	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	36.0	19.2	13.5	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	6.0	11.5	2.7	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	42.0	30.8	16.2	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)	50.0	34.6	37.8	1 / 12	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	43	21	28	10	5	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.6	19.0	14.3	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.9	23.8	17.9	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	7.0	14.3	3.6	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	48.8	38.1	21.4	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.1	42.9	50.0	1 / 10	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	24	17	5	3	1
Number of transfers	41	24	17	5	3	1
Estimated average number of transfers per retrieval	1.4	1.1	0.9	1.3	0.4	0.1
Average number of embryos transferred	1.6	1.8	1.4	1.0	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	42.6	45.0	50.0	2 / 5	2 / 5	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.0	50.0	5 / 17	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	22.0	50.0	5 / 17	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	4.9	8.3	2 / 17	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	31.7	58.3	7 / 17	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	48.8	66.7	10 / 17	2 / 5	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	18	12	12	4	7	10
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			31		
Number of transfers	10			26		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	9 / 15			44.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10			7.7		
Percentage of transfers resulting in singleton live births (%)	4 / 10			11.5		
Percentage of transfers resulting in twin live births (%)	1 / 10			19.2		
Percentage of transfers resulting in live births (%)	5 / 10			30.8		
Percentage of transfers resulting in pregnancies (%)	7 / 10			50.0		

CURRENT SERVICES & PROFILE

Current Name: Diamond Institute for Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ali Nasser, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	36%	Tubal factor	16%	Uterine factor	10%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	13%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	7%
				Endometriosis	7%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 463 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	32	33	13	16	3
Percentage of cancellations before retrieval (%)	6.3	9.4	24.2	2 / 13	6 / 16	1 / 3
Average number of embryos transferred	1.6	1.8	1.7	2.2	1.6	3.0
Percentage of embryos transferred resulting in implantation (%)	45.4	43.1	23.1	4.5	2 / 10	1 / 6
Percentage of elective single embryo transfers (eSET) (%)	37.1	8.3	2 / 19	0 / 9	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.3	15.6	15.2	0 / 13	1 / 16	1 / 3
Percentage of cycles resulting in singleton live births (%)	30.4	18.8	18.2	0 / 13	1 / 16	1 / 3
Percentage of cycles resulting in twin live births (%)	11.4	21.9	0.0	0 / 13	0 / 16	0 / 3
Percentage of cycles resulting in live births (%)	41.8	40.6	18.2	0 / 13	1 / 16	1 / 3
Percentage of cycles resulting in pregnancies (%)	44.3	46.9	27.3	1 / 13	3 / 16	1 / 3
Outcomes per Transfer						
Number of transfers	69	28	24	10	8	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.0	17.9	20.8	0 / 10	1 / 8	1 / 2
Percentage of transfers resulting in singleton live births (%)	34.8	21.4	25.0	0 / 10	1 / 8	1 / 2
Percentage of transfers resulting in twin live births (%)	13.0	25.0	0.0	0 / 10	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	47.8	46.4	25.0	0 / 10	1 / 8	1 / 2
Percentage of transfers resulting in pregnancies (%)	50.7	53.6	37.5	1 / 10	3 / 8	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	37	30	11	3	2
Number of transfers	57	37	30	10	3	2
Estimated average number of transfers per retrieval	1.2	1.0	0.9	0.5	0.4	
Average number of embryos transferred	1.7	1.2	1.3	1.2	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	25.3	51.2	41.0	7 / 12	0 / 3	3 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.5	45.9	33.3	5 / 10	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	22.8	51.4	36.7	5 / 10	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	8.8	2.7	6.7	0 / 10	0 / 3	1 / 2
Percentage of transfers resulting in live births (%)	31.6	54.1	43.3	5 / 10	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	33.3	62.2	50.0	7 / 10	0 / 3	2 / 2
Number of Egg/Embryo Banking Cycles						
	31	28	29	17	8	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			20		
Number of transfers	10			20		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 13			40.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10			25.0		
Percentage of transfers resulting in singleton live births (%)	2 / 10			35.0		
Percentage of transfers resulting in twin live births (%)	1 / 10			10.0		
Percentage of transfers resulting in live births (%)	3 / 10			45.0		
Percentage of transfers resulting in pregnancies (%)	6 / 10			55.0		

CURRENT SERVICES & PROFILE

Current Name: Valley Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**IVF NEW JERSEY
SOMERSET, NEW JERSEY**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

LOUIS R. MANARA, DO VOORHEES, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Louis R. Manara, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	44%	Tubal factor	3%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	13%
				Endometriosis	4%	Unknown factor	28%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 206 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	41	30	4	5	2
Percentage of cancellations before retrieval (%)	4.8	19.5	20.0	0 / 4	0 / 5	1 / 2
Average number of embryos transferred	1.5	1.8	1.9	2.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	34.3	26.3	17.1	1 / 7	0 / 8	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	5 / 17	2 / 17	0 / 16	0 / 3	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	7.3	13.3	1 / 4	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	19.0	7.3	16.7	1 / 4	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	4.8	7.3	0.0	0 / 4	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	23.8	14.6	16.7	1 / 4	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	23.8	14.6	20.0	2 / 4	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	23	21	18	4	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1	14.3	4 / 18	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.8	14.3	5 / 18	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	8.7	14.3	0 / 18	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	43.5	28.6	5 / 18	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.5	28.6	6 / 18	2 / 4	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	15	12	1	0	0
Number of transfers	34	15	12	1	0	0
Estimated average number of transfers per retrieval	1.5	0.9	1.2	0.3		0.0
Average number of embryos transferred	1.2	1.7	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	45.0	40.0	9 / 17	2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.2	7 / 15	2 / 12	0 / 1		
Percentage of transfers resulting in singleton live births (%)	41.2	7 / 15	3 / 12	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 15	3 / 12	0 / 1		
Percentage of transfers resulting in live births (%)	41.2	8 / 15	6 / 12	0 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 15	6 / 12	1 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			7		
Number of transfers	10			6		
Average number of embryos transferred	1.4			1.0		
Percentage of embryos transferred resulting in implantation (%)	11 / 14			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10			0 / 6		
Percentage of transfers resulting in singleton live births (%)	5 / 10			0 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 10			0 / 6		
Percentage of transfers resulting in live births (%)	7 / 10			0 / 6		
Percentage of transfers resulting in pregnancies (%)	8 / 10			2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Louis R. Manara, DO

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH JERSEY FERTILITY ASSOCIATES, LLC
WAYNE, NEW JERSEY

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Zalman Levine, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	23%	Uterine factor	31%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	38%	Male factor	51%
Used gestational carrier	<1%			Diminished ovarian reserve	53%	Other factor	16%
				Endometriosis	7%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				26%			
				46%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 272 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		53	27	33	18	10	3
Percentage of cancellations before retrieval (%)		1.9	3.7	9.1	3 / 18	1 / 10	1 / 3
Average number of embryos transferred		2.1	2.1	2.6	3.0	3.2	2.0
Percentage of embryos transferred resulting in implantation (%)		38.4	43.1	17.7	7.1	0 / 11	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		7.3	1 / 19	0.0	0 / 12	0 / 5	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		30.2	14.8	18.2	2 / 18	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)		32.1	25.9	18.2	2 / 18	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)		11.3	18.5	3.0	0 / 18	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)		43.4	44.4	21.2	2 / 18	0 / 10	0 / 3
Percentage of cycles resulting in pregnancies (%)		45.3	51.9	36.4	2 / 18	2 / 10	0 / 3
Outcomes per Transfer							
Number of transfers		43	24	26	14	6	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.2	16.7	23.1	2 / 14	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)		39.5	29.2	23.1	2 / 14	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)		14.0	20.8	3.8	0 / 14	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)		53.5	50.0	26.9	2 / 14	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)		55.8	58.3	46.2	2 / 14	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		25	15	10	4	0	1
Number of transfers		23	13	10	4	0	1
Estimated average number of transfers per retrieval		0.9	1.1	0.8	0.3	0.0	
Average number of embryos transferred		1.8	2.0	2.1	1.5		3.0
Percentage of embryos transferred resulting in implantation (%)		21.1	41.7	28.6	3 / 6		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		13.0	6 / 13	2 / 10	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)		13.0	6 / 13	4 / 10	0 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)		8.7	2 / 13	0 / 10	1 / 4		0 / 1
Percentage of transfers resulting in live births (%)		21.7	8 / 13	4 / 10	1 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)		34.8	9 / 13	5 / 10	2 / 4		0 / 1
Number of Egg/Embryo Banking Cycles		16	8	12	12	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		11			12		
Number of transfers		11			12		
Average number of embryos transferred		2.2			2.0		
Percentage of embryos transferred resulting in implantation (%)		50.0			25.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 11			2 / 12		
Percentage of transfers resulting in singleton live births (%)		4 / 11			3 / 12		
Percentage of transfers resulting in twin live births (%)		4 / 11			1 / 12		
Percentage of transfers resulting in live births (%)		8 / 11			4 / 12		
Percentage of transfers resulting in pregnancies (%)		8 / 11			5 / 12		

CURRENT SERVICES & PROFILE				Current Name: Fertility Institute of New Jersey and New York			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	61%	Tubal factor	12%	Uterine factor	25%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	12%	Male factor	80%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	5%
				Endometriosis	5%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 287 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	6	2	0	1
Percentage of cancellations before retrieval (%)	3 / 19	4 / 10	2 / 6	0 / 2		1 / 1
Average number of embryos transferred	1.8	2.0	2.3	2.5		
Percentage of embryos transferred resulting in implantation (%)	48.0	7 / 10	1 / 7	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 5	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 19	2 / 10	1 / 6	1 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	5 / 19	2 / 10	1 / 6	1 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 19	2 / 10	0 / 6	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	8 / 19	4 / 10	1 / 6	1 / 2		0 / 1
Percentage of cycles resulting in pregnancies (%)	8 / 19	5 / 10	1 / 6	1 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	14	5	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 14	2 / 5	1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 5	1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 14	2 / 5	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	8 / 14	4 / 5	1 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 14	5 / 5	1 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	27	26	3	0	1
Number of transfers	56	26	19	2	0	1
Estimated average number of transfers per retrieval	1.1	1.2	0.7	0.4	0.0	0.5
Average number of embryos transferred	1.6	1.5	1.3	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)	38.8	37.8	22.7	1 / 3		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	23.1	2 / 19	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	35.7	38.5	4 / 19	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	10.7	7.7	0 / 19	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	46.4	46.2	4 / 19	1 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	50.0	7 / 19	1 / 2		0 / 1
Number of Egg/Embryo Banking Cycles						
	42	21	27	5	5	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			26		
Number of transfers	7			24		
Average number of embryos transferred	1.6			1.8		
Percentage of embryos transferred resulting in implantation (%)	7 / 11			34.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			33.3		
Percentage of transfers resulting in singleton live births (%)	4 / 7			50.0		
Percentage of transfers resulting in twin live births (%)	1 / 7			0.0		
Percentage of transfers resulting in live births (%)	5 / 7			50.0		
Percentage of transfers resulting in pregnancies (%)	6 / 7			54.2		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine of New Mexico

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	39%	Uterine factor	21%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	7%	Male factor	12%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	9%
				Endometriosis	40%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 447 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	40	49	46	34	10
Percentage of cancellations before retrieval (%)	6.4	7.5	6.1	13.0	17.6	3 / 10
Average number of embryos transferred	1.9	2.4	2.9	2.9	3.3	3.0
Percentage of embryos transferred resulting in implantation (%)	43.1	20.2	19.7	15.2	7.1	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	23.5	0.0	2.6	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.8	12.5	14.3	10.9	2.9	0 / 10
Percentage of cycles resulting in singleton live births (%)	31.9	17.5	14.3	10.9	2.9	0 / 10
Percentage of cycles resulting in twin live births (%)	10.6	10.0	8.2	0.0	0.0	0 / 10
Percentage of cycles resulting in live births (%)	42.6	27.5	22.4	10.9	2.9	0 / 10
Percentage of cycles resulting in pregnancies (%)	46.8	30.0	32.7	21.7	14.7	0 / 10
Outcomes per Transfer						
Number of transfers	38	35	41	32	26	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.8	14.3	17.1	15.6	3.8	0 / 4
Percentage of transfers resulting in singleton live births (%)	39.5	20.0	17.1	15.6	3.8	0 / 4
Percentage of transfers resulting in twin live births (%)	13.2	11.4	9.8	0.0	0.0	0 / 4
Percentage of transfers resulting in live births (%)	52.6	31.4	26.8	15.6	3.8	0 / 4
Percentage of transfers resulting in pregnancies (%)	57.9	34.3	39.0	31.3	19.2	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	19	35	10	9	4
Number of transfers	52	19	35	8	9	4
Estimated average number of transfers per retrieval	1.5	1.1	1.3	0.8	0.8	0.5
Average number of embryos transferred	1.8	2.1	2.3	2.4	3.3	1.8
Percentage of embryos transferred resulting in implantation (%)	41.1	30.0	15.2	6 / 19	6.7	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	5 / 19	22.9	2 / 8	0 / 9	1 / 4
Percentage of transfers resulting in singleton live births (%)	28.8	5 / 19	28.6	2 / 8	1 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)	13.5	2 / 19	2.9	1 / 8	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)	44.2	8 / 19	31.4	3 / 8	1 / 9	1 / 4
Percentage of transfers resulting in pregnancies (%)	55.8	8 / 19	31.4	4 / 8	2 / 9	1 / 4
Number of Egg/Embryo Banking Cycles						
	22	9	11	6	4	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			16		
Number of transfers	8			16		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	4 / 15			26.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8			3 / 16		
Percentage of transfers resulting in singleton live births (%)	2 / 8			4 / 16		
Percentage of transfers resulting in twin live births (%)	1 / 8			1 / 16		
Percentage of transfers resulting in live births (%)	3 / 8			5 / 16		
Percentage of transfers resulting in pregnancies (%)	3 / 8			6 / 16		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	49%	Tubal factor	19%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	13%	Male factor	57%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	18%
				Endometriosis	1%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 609 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	117	58	46	30	35	7
Percentage of cancellations before retrieval (%)	8.5	22.4	17.4	36.7	14.3	1 / 7
Average number of embryos transferred	1.6	1.8	2.2	2.9	2.9	4.0
Percentage of embryos transferred resulting in implantation (%)	37.4	35.7	23.6	15.0	2.3	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	33.8	14.7	16.1	0 / 6	0 / 13	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.7	24.1	19.6	6.7	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	22.2	29.3	21.7	6.7	0.0	0 / 7
Percentage of cycles resulting in twin live births (%)	6.8	3.4	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	29.1	32.8	21.7	6.7	0.0	0 / 7
Percentage of cycles resulting in pregnancies (%)	38.5	37.9	32.6	6.7	2.9	0 / 7
Outcomes per Transfer						
Number of transfers	93	41	33	7	15	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.7	34.1	27.3	2 / 7	0 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.0	41.5	30.3	2 / 7	0 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	4.9	0.0	0 / 7	0 / 15	0 / 2
Percentage of transfers resulting in live births (%)	36.6	46.3	30.3	2 / 7	0 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	48.4	53.7	45.5	2 / 7	1 / 15	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	37	24	9	9	6
Number of transfers	80	36	18	9	9	6
Estimated average number of transfers per retrieval	1.4	1.3	0.8	0.5	0.4	0.8
Average number of embryos transferred	1.5	1.8	1.7	2.1	1.8	2.2
Percentage of embryos transferred resulting in implantation (%)	46.2	29.2	26.7	3 / 19	3 / 16	0 / 13
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	27.8	3 / 18	1 / 9	2 / 9	0 / 6
Percentage of transfers resulting in singleton live births (%)	33.8	27.8	5 / 18	2 / 9	2 / 9	0 / 6
Percentage of transfers resulting in twin live births (%)	7.5	11.1	1 / 18	0 / 9	0 / 9	0 / 6
Percentage of transfers resulting in live births (%)	41.3	38.9	6 / 18	2 / 9	2 / 9	0 / 6
Percentage of transfers resulting in pregnancies (%)	56.3	41.7	7 / 18	3 / 9	2 / 9	0 / 6
Number of Egg/Embryo Banking Cycles						
	32	19	18	11	19	8
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	23			8		
Number of transfers	20			7		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	51.4			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0			0 / 7		
Percentage of transfers resulting in singleton live births (%)	45.0			0 / 7		
Percentage of transfers resulting in twin live births (%)	15.0			1 / 7		
Percentage of transfers resulting in live births (%)	60.0			1 / 7		
Percentage of transfers resulting in pregnancies (%)	65.0			2 / 7		

CURRENT SERVICES & PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Adam M. Griffin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	69%	Tubal factor	19%	Uterine factor	0%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	17%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	2%
				Endometriosis	11%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 429 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	163	79	60	22	9	3
Percentage of cancellations before retrieval (%)	8.6	13.9	8.3	22.7	3 / 9	0 / 3
Average number of embryos transferred	2.0	2.1	2.8	2.9	3.8	2.3
Percentage of embryos transferred resulting in implantation (%)	35.7	26.9	14.3	5.0	8.7	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	9.0	6.5	0.0	0 / 11	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.6	21.5	10.0	0.0	2 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	25.2	29.1	11.7	4.5	2 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	13.5	3.8	6.7	0.0	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	39.9	32.9	18.3	4.5	2 / 9	0 / 3
Percentage of cycles resulting in pregnancies (%)	43.6	41.8	26.7	9.1	2 / 9	0 / 3
Outcomes per Transfer						
Number of transfers	138	64	51	14	6	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.2	26.6	11.8	0 / 14	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	29.7	35.9	13.7	1 / 14	2 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	15.9	4.7	7.8	0 / 14	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	47.1	40.6	21.6	1 / 14	2 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.4	51.6	31.4	2 / 14	2 / 6	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	12	5	0	0	0
Number of transfers	38	12	2	0	0	0
Estimated average number of transfers per retrieval	1.0	0.7	1.0	0.0		
Average number of embryos transferred	1.7	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	38.3	14.3	0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.4	3 / 12	0 / 2			
Percentage of transfers resulting in singleton live births (%)	21.1	3 / 12	0 / 2			
Percentage of transfers resulting in twin live births (%)	13.2	0 / 12	0 / 2			
Percentage of transfers resulting in live births (%)	34.2	3 / 12	0 / 2			
Percentage of transfers resulting in pregnancies (%)	52.6	3 / 12	0 / 2			
Number of Egg/Embryo Banking Cycles						
	11	4	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			2		
Number of transfers	3			2		
Average number of embryos transferred	2.3			1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 7			1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 3			1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 3			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 2		
Percentage of transfers resulting in live births (%)	3 / 3			1 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 3			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	9%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	36%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	5%
				Endometriosis	4%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 250 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	15	17	16	4	2
Percentage of cancellations before retrieval (%)	10.5	0 / 15	1 / 17	0 / 16	0 / 4	0 / 2
Average number of embryos transferred	1.9	2.6	2.8	2.3	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	28.3	5.6	7.1	2.7	0 / 6	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	18.8	0 / 13	0 / 15	0 / 14	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.8	1 / 15	1 / 17	1 / 16	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	18.4	2 / 15	3 / 17	1 / 16	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	10.5	0 / 15	0 / 17	0 / 16	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	28.9	2 / 15	3 / 17	1 / 16	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	31.6	2 / 15	3 / 17	1 / 16	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	33	14	15	16	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	1 / 14	1 / 15	1 / 16	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	21.2	2 / 14	3 / 15	1 / 16	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	12.1	0 / 14	0 / 15	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	33.3	2 / 14	3 / 15	1 / 16	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	36.4	2 / 14	3 / 15	1 / 16	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	11	12	5	5	3
Number of transfers	36	11	12	3	5	2
Estimated average number of transfers per retrieval	0.8	0.5	0.5	0.5	0.7	0.7
Average number of embryos transferred	1.9	2.1	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	27.1	13.0	16.7	0 / 6	0 / 10	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	2 / 11	2 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	19.4	3 / 11	3 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	11.1	0 / 11	0 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	30.6	3 / 11	3 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	38.9	3 / 11	4 / 12	0 / 3	0 / 5	0 / 2
Number of Egg/Embryo Banking Cycles						
	25	15	22	6	7	2
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		1		3		
Number of transfers		1		3		
Average number of embryos transferred		1.0		1.7		
Percentage of embryos transferred resulting in implantation (%)		2 / 1		2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1		1 / 3		
Percentage of transfers resulting in singleton live births (%)		0 / 1		2 / 3		
Percentage of transfers resulting in twin live births (%)		1 / 1		0 / 3		
Percentage of transfers resulting in live births (%)		1 / 1		2 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 1		2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Tony Tsai, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	10%	Uterine factor	8%	Multiple Factors: Female factors only 0% Female & male factors <1%
Unstimulated	2%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	<1%	Other factor	7%	
				Endometriosis	4%	Unknown factor	49%	

2014 ART SUCCESS RATES^c

Total number of cycles^d: 251 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	34	37	24	16	28
Percentage of cancellations before retrieval (%)	6.3	14.7	10.8	4.2	1 / 16	14.3
Average number of embryos transferred	3.2	3.3	3.3	3.0	3.1	2.2
Percentage of embryos transferred resulting in implantation (%)	16.0	6.7	11.5	3.6	2.9	0 / 18
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 13	0 / 9	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6.3	2.9	8.1	0.0	0 / 16	0.0
Percentage of cycles resulting in singleton live births (%)	11.3	5.9	8.1	4.2	0 / 16	0.0
Percentage of cycles resulting in twin live births (%)	3.8	2.9	2.7	0.0	0 / 16	0.0
Percentage of cycles resulting in live births (%)	15.0	8.8	10.8	4.2	0 / 16	0.0
Percentage of cycles resulting in pregnancies (%)	36.3	17.6	21.6	12.5	1 / 16	3.6
Outcomes per Transfer						
Number of transfers	65	26	26	19	11	12
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7.7	3.8	11.5	0 / 19	0 / 11	0 / 12
Percentage of transfers resulting in singleton live births (%)	13.8	7.7	11.5	1 / 19	0 / 11	0 / 12
Percentage of transfers resulting in twin live births (%)	4.6	3.8	3.8	0 / 19	0 / 11	0 / 12
Percentage of transfers resulting in live births (%)	18.5	11.5	15.4	1 / 19	0 / 11	0 / 12
Percentage of transfers resulting in pregnancies (%)	44.6	23.1	30.8	3 / 19	1 / 11	1 / 12
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	0	1	3	2
Number of transfers	11	8	0	1	3	2
Estimated average number of transfers per retrieval	1.6	1.1			0.8	0.7
Average number of embryos transferred	3.2	3.5		1.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	3.1	3.6		0 / 1	0 / 9	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 11	0 / 8		0 / 1	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 11	0 / 8		0 / 1	0 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 8		0 / 1	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	0 / 11	0 / 8		0 / 1	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 11	1 / 8		0 / 1	0 / 3	1 / 2
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			6		
Number of transfers	0			6		
Average number of embryos transferred				3.3		
Percentage of embryos transferred resulting in implantation (%)				0.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 6		
Percentage of transfers resulting in singleton live births (%)				0 / 6		
Percentage of transfers resulting in twin live births (%)				0 / 6		
Percentage of transfers resulting in live births (%)				0 / 6		
Percentage of transfers resulting in pregnancies (%)				0 / 6		

CURRENT SERVICES & PROFILE

Current Name: The New York Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	49%	Tubal factor	32%	Uterine factor	12%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	15%
				Endometriosis	8%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 292 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	52	54	35	18	1
Percentage of cancellations before retrieval (%)	3.9	7.7	13.0	28.6	4 / 18	0 / 1
Average number of embryos transferred	1.7	1.8	2.1	2.7	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	22.5	24.6	16.0	12.8	0.0	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	28.2	6.5	0.0	0 / 19	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.6	17.3	9.3	5.7	0 / 18	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.5	21.2	13.0	5.7	0 / 18	0 / 1
Percentage of cycles resulting in twin live births (%)	2.0	3.8	3.7	2.9	0 / 18	0 / 1
Percentage of cycles resulting in live births (%)	27.5	25.0	16.7	8.6	0 / 18	0 / 1
Percentage of cycles resulting in pregnancies (%)	31.4	28.8	29.6	20.0	0 / 18	0 / 1
Outcomes per Transfer						
Number of transfers	43	39	41	20	10	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.3	23.1	12.2	10.0	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.2	28.2	17.1	10.0	0 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	2.3	5.1	4.9	5.0	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	32.6	33.3	22.0	15.0	0 / 10	0 / 1
Percentage of transfers resulting in pregnancies (%)	37.2	38.5	39.0	35.0	0 / 10	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	6	3	0	3	2
Number of transfers	15	5	3	0	2	2
Estimated average number of transfers per retrieval	0.7	1.3	0.4	0.0	0.2	
Average number of embryos transferred	1.5	2.2	3.0		1.5	2.5
Percentage of embryos transferred resulting in implantation (%)	45.5	5 / 11	1 / 9		0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 15	3 / 5	1 / 3		0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 15	3 / 5	1 / 3		0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 5	0 / 3		0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	8 / 15	4 / 5	1 / 3		0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 15	4 / 5	1 / 3		0 / 2	0 / 2
Number of Egg/Embryo Banking Cycles						
	13	3	4	1	8	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			10		
Number of transfers	2			8		
Average number of embryos transferred	2.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 5			1 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			1 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 8		
Percentage of transfers resulting in live births (%)	1 / 2			1 / 8		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 8		

CURRENT SERVICES & PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE WELLNESS JERICHO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Gregory Zapantis, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	18%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	10%	Male factor	40%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	58%
				Endometriosis	9%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				33%			
				37%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 164 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		15	23	25	11	0	5
Percentage of cancellations before retrieval (%)		0 / 15	4.3	4.0	1 / 11		2 / 5
Average number of embryos transferred		1.8	1.7	2.0	2.2		2.0
Percentage of embryos transferred resulting in implantation (%)		52.0	25.8	12.5	0 / 13		0 / 6
Percentage of elective single embryo transfers (eSET) (%)		3 / 14	4 / 17	0 / 14	0 / 4		0 / 2
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		5 / 15	30.4	8.0	0 / 11		0 / 5
Percentage of cycles resulting in singleton live births (%)		5 / 15	30.4	12.0	0 / 11		0 / 5
Percentage of cycles resulting in twin live births (%)		3 / 15	0.0	0.0	0 / 11		0 / 5
Percentage of cycles resulting in live births (%)		8 / 15	30.4	12.0	0 / 11		0 / 5
Percentage of cycles resulting in pregnancies (%)		9 / 15	39.1	24.0	0 / 11		0 / 5
Outcomes per Transfer							
Number of transfers		14	19	18	6	0	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 14	7 / 19	2 / 18	0 / 6		0 / 3
Percentage of transfers resulting in singleton live births (%)		5 / 14	7 / 19	3 / 18	0 / 6		0 / 3
Percentage of transfers resulting in twin live births (%)		3 / 14	0 / 19	0 / 18	0 / 6		0 / 3
Percentage of transfers resulting in live births (%)		8 / 14	7 / 19	3 / 18	0 / 6		0 / 3
Percentage of transfers resulting in pregnancies (%)		9 / 14	9 / 19	6 / 18	0 / 6		0 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		15	10	12	3	3	0
Number of transfers		14	10	12	3	3	0
Estimated average number of transfers per retrieval		1.6	0.6	0.5	0.8	0.8	
Average number of embryos transferred		1.4	1.5	1.8	1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)		45.0	7 / 15	40.0	1 / 3	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 14	1 / 10	5 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)		7 / 14	2 / 10	6 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)		1 / 14	2 / 10	0 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)		8 / 14	4 / 10	6 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)		8 / 14	5 / 10	8 / 12	1 / 3	0 / 3	
Number of Egg/Embryo Banking Cycles		8	10	14	3	4	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		2			1		
Number of transfers		2			1		
Average number of embryos transferred		1.5			1.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 3			1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 2			1 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 2			1 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)		1 / 2			1 / 1		
Percentage of transfers resulting in pregnancies (%)		1 / 2			1 / 1		

CURRENT SERVICES & PROFILE		Current Name: New York Reproductive Wellness			
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No
		Verified lab accreditation? (See Appendix C for details.)			
		Yes			

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY LOUDONVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Steven Bayer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	42%	Tubal factor	16%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	2%
				Endometriosis	7%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 222 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	35	29	13	4	0
Percentage of cancellations before retrieval (%)	2.5	8.6	17.2	3 / 13	0 / 4	
Average number of embryos transferred	1.7	1.9	2.2	2.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	26.3	12.2	1 / 19	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	18.6	7.7	0 / 15	0 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.6	31.4	13.8	1 / 13	1 / 4	
Percentage of cycles resulting in singleton live births (%)	27.8	31.4	13.8	1 / 13	1 / 4	
Percentage of cycles resulting in twin live births (%)	13.9	2.9	0.0	0 / 13	0 / 4	
Percentage of cycles resulting in live births (%)	41.8	34.3	13.8	1 / 13	1 / 4	
Percentage of cycles resulting in pregnancies (%)	43.0	37.1	20.7	1 / 13	1 / 4	
Outcomes per Transfer						
Number of transfers	71	30	20	7	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6	36.7	20.0	1 / 7	1 / 4	
Percentage of transfers resulting in singleton live births (%)	31.0	36.7	20.0	1 / 7	1 / 4	
Percentage of transfers resulting in twin live births (%)	15.5	3.3	0.0	0 / 7	0 / 4	
Percentage of transfers resulting in live births (%)	46.5	40.0	20.0	1 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	47.9	43.3	30.0	1 / 7	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	8	2	2	0	0
Number of transfers	29	8	2	2	0	0
Estimated average number of transfers per retrieval	1.5	1.3	2.0	2.0		
Average number of embryos transferred	1.3	1.4	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	18.4	3 / 11	1 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	13.8	1 / 8	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	17.2	1 / 8	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.4	1 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	20.7	2 / 8	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	24.1	2 / 8	1 / 2	0 / 2		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			6		
Number of transfers	11			6		
Average number of embryos transferred	1.7			1.3		
Percentage of embryos transferred resulting in implantation (%)	12 / 19			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 11			0 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 11			0 / 6		
Percentage of transfers resulting in twin live births (%)	4 / 11			0 / 6		
Percentage of transfers resulting in live births (%)	6 / 11			0 / 6		
Percentage of transfers resulting in pregnancies (%)	8 / 11			1 / 6		

CURRENT SERVICES & PROFILE

Current Name: Albany IVF Fertility

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE UNIVERSITY HOSPITAL THE CENTER FOR HUMAN REPRODUCTION MANHASSET, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Avner Hershlag, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	9%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	6%
				Endometriosis	3%	Unknown factor	31%
						Multiple Factors:	
						Female factors only	4%
						Female & male factors	5%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,263 (includes 37 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		242	113	133	62	37	6
Percentage of cancellations before retrieval (%)		5.4	4.4	15.8	19.4	35.1	0 / 6
Average number of embryos transferred		1.4	1.9	2.3	2.7	2.9	3.2
Percentage of embryos transferred resulting in implantation (%)		31.6	29.7	16.7	4.0	4.3	0 / 16
Percentage of elective single embryo transfers (eSET) (%)		54.7	15.1	3.8	0.0	0 / 12	0 / 4
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		24.4	16.8	10.5	3.2	2.7	0 / 6
Percentage of cycles resulting in singleton live births (%)		27.7	21.2	12.8	3.2	5.4	0 / 6
Percentage of cycles resulting in twin live births (%)		3.3	8.0	3.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births (%)		31.0	29.2	15.8	3.2	5.4	0 / 6
Percentage of cycles resulting in pregnancies (%)		34.3	35.4	20.3	8.1	5.4	0 / 6
Outcomes per Transfer							
Number of transfers		197	93	91	38	16	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.9	20.4	15.4	5.3	1 / 16	0 / 5
Percentage of transfers resulting in singleton live births (%)		34.0	25.8	18.7	5.3	2 / 16	0 / 5
Percentage of transfers resulting in twin live births (%)		4.1	9.7	4.4	0.0	0 / 16	0 / 5
Percentage of transfers resulting in live births (%)		38.1	35.5	23.1	5.3	2 / 16	0 / 5
Percentage of transfers resulting in pregnancies (%)		42.1	43.0	29.7	13.2	2 / 16	0 / 5
Frozen Embryos from Nondonor Eggs							
Number of cycles		156	106	89	32	15	2
Number of transfers		153	106	84	32	15	2
Estimated average number of transfers per retrieval		1.2	1.4	1.2	0.7	1.0	1.0
Average number of embryos transferred		1.5	1.5	1.6	1.8	1.7	1.5
Percentage of embryos transferred resulting in implantation (%)		44.8	35.6	24.6	35.7	4.0	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		21.6	22.6	17.9	12.5	0 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)		28.8	27.4	26.2	21.9	1 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)		12.4	7.5	1.2	12.5	0 / 15	0 / 2
Percentage of transfers resulting in live births (%)		41.8	34.9	27.4	34.4	1 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)		52.9	47.2	39.3	46.9	2 / 15	0 / 2
Number of Egg/Embryo Banking Cycles		44	43	52	31	10	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		17			34		
Number of transfers		15			34		
Average number of embryos transferred		1.5			1.7		
Percentage of embryos transferred resulting in implantation (%)		33.3			28.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 15			26.5		
Percentage of transfers resulting in singleton live births (%)		7 / 15			38.2		
Percentage of transfers resulting in twin live births (%)		0 / 15			2.9		
Percentage of transfers resulting in live births (%)		7 / 15			41.2		
Percentage of transfers resulting in pregnancies (%)		8 / 15			44.1		

CURRENT SERVICES & PROFILE		Current Name: North Shore University Hospital, The Center for Human Reproduction			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes
				Verified lab accreditation?	(See Appendix C for details.)

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF MELVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	73%	Tubal factor	15%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	6%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	<1%
				Endometriosis	5%	Unknown factor	34%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,214 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	221	127	127	99	61	14
Percentage of cancellations before retrieval (%)	3.2	5.5	12.6	14.1	14.8	3 / 14
Average number of embryos transferred	1.7	1.9	2.2	2.7	2.8	2.1
Percentage of embryos transferred resulting in implantation (%)	39.8	35.9	20.9	11.0	4.8	0 / 19
Percentage of elective single embryo transfers (eSET) (%)	23.8	12.9	5.4	1.5	2.4	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	18.9	16.5	11.1	3.3	0 / 14
Percentage of cycles resulting in singleton live births (%)	27.6	24.4	20.5	14.1	4.9	0 / 14
Percentage of cycles resulting in twin live births (%)	10.9	8.7	2.4	1.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	38.5	33.1	22.8	15.2	4.9	0 / 14
Percentage of cycles resulting in pregnancies (%)	48.0	50.4	33.9	22.2	11.5	0 / 14
Outcomes per Transfer						
Number of transfers	204	115	103	79	47	9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.5	20.9	20.4	13.9	4.3	0 / 9
Percentage of transfers resulting in singleton live births (%)	29.9	27.0	25.2	17.7	6.4	0 / 9
Percentage of transfers resulting in twin live births (%)	11.8	9.6	2.9	1.3	0.0	0 / 9
Percentage of transfers resulting in live births (%)	41.7	36.5	28.2	19.0	6.4	0 / 9
Percentage of transfers resulting in pregnancies (%)	52.0	55.7	41.7	27.8	14.9	0 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles	144	84	85	35	29	23
Number of transfers	139	79	79	32	25	20
Estimated average number of transfers per retrieval	1.9	2.2	1.5	1.8	1.2	6.7
Average number of embryos transferred	1.8	1.7	1.9	2.4	2.2	1.5
Percentage of embryos transferred resulting in implantation (%)	24.9	19.0	19.3	13.0	14.8	20.7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.2	22.8	19.0	15.6	12.0	10.0
Percentage of transfers resulting in singleton live births (%)	27.3	24.1	21.5	15.6	20.0	20.0
Percentage of transfers resulting in twin live births (%)	3.6	1.3	3.8	3.1	4.0	0.0
Percentage of transfers resulting in live births (%)	30.9	25.3	25.3	18.8	24.0	20.0
Percentage of transfers resulting in pregnancies (%)	39.6	30.4	31.6	25.0	32.0	30.0
Number of Egg/Embryo Banking Cycles						
	26	12	20	8	10	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		51			33	
Number of transfers		48			33	
Average number of embryos transferred		1.9			1.9	
Percentage of embryos transferred resulting in implantation (%)		39.1			28.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		25.0			21.2	
Percentage of transfers resulting in singleton live births (%)		27.1			27.3	
Percentage of transfers resulting in twin live births (%)		10.4			9.1	
Percentage of transfers resulting in live births (%)		37.5			36.4	
Percentage of transfers resulting in pregnancies (%)		56.3			42.4	

CURRENT SERVICES & PROFILE

Current Name: Long Island IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James Stelling, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	18%	Uterine factor	8%
Unstimulated	1%	PGD/PGS	4%	Ovulatory dysfunction	12%	Male factor	38%
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	20%
				Endometriosis	6%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,331 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	134	161	124	93	42
Percentage of cancellations before retrieval (%)	5.3	4.5	9.3	11.3	14.0	33.3
Average number of embryos transferred	1.6	1.9	2.0	2.3	2.7	1.9
Percentage of embryos transferred resulting in implantation (%)	35.8	30.7	18.8	7.8	2.9	0.0
Percentage of elective single embryo transfers (eSET) (%)	32.1	17.3	10.1	8.2	0.0	0 / 11
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	22.4	10.6	7.3	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	27.9	23.9	14.3	7.3	1.1	0.0
Percentage of cycles resulting in twin live births (%)	7.7	6.7	3.1	0.8	1.1	0.0
Percentage of cycles resulting in live births (%)	35.6	30.6	18.0	8.1	2.2	0.0
Percentage of cycles resulting in pregnancies (%)	41.8	37.3	26.1	14.5	4.3	0.0
Outcomes per Transfer						
Number of transfers	171	105	130	81	66	17
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.5	28.6	13.1	11.1	0.0	0 / 17
Percentage of transfers resulting in singleton live births (%)	33.9	30.5	17.7	11.1	1.5	0 / 17
Percentage of transfers resulting in twin live births (%)	9.4	8.6	3.8	1.2	1.5	0 / 17
Percentage of transfers resulting in live births (%)	43.3	39.0	22.3	12.3	3.0	0 / 17
Percentage of transfers resulting in pregnancies (%)	50.9	47.6	32.3	22.2	6.1	0 / 17
Frozen Embryos from Nondonor Eggs						
Number of cycles	152	105	55	35	17	5
Number of transfers	146	102	53	33	17	4
Estimated average number of transfers per retrieval	1.4	1.5	0.8	0.8	0.8	0.7
Average number of embryos transferred	1.5	1.5	1.4	1.9	1.7	1.5
Percentage of embryos transferred resulting in implantation (%)	40.7	29.8	40.6	9.3	14.3	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.3	13.7	28.3	6.1	3 / 17	1 / 4
Percentage of transfers resulting in singleton live births (%)	29.5	20.6	30.2	9.1	4 / 17	1 / 4
Percentage of transfers resulting in twin live births (%)	8.9	6.9	5.7	3.0	0 / 17	0 / 4
Percentage of transfers resulting in live births (%)	38.4	27.5	35.8	12.1	4 / 17	1 / 4
Percentage of transfers resulting in pregnancies (%)	47.9	40.2	50.9	24.2	5 / 17	1 / 4
Number of Egg/Embryo Banking Cycles						
	44	31	32	19	16	6
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	20			20		
Number of transfers	20			19		
Average number of embryos transferred	1.6			1.3		
Percentage of embryos transferred resulting in implantation (%)	44.8			39.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0			4 / 19		
Percentage of transfers resulting in singleton live births (%)	35.0			5 / 19		
Percentage of transfers resulting in twin live births (%)	10.0			1 / 19		
Percentage of transfers resulting in live births (%)	45.0			6 / 19		
Percentage of transfers resulting in pregnancies (%)	60.0			9 / 19		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialists of New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE MT. KISCO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	54%	Tubal factor	11%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	11%
				Endometriosis	17%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 38 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	8	2	3	5	3
Percentage of cancellations before retrieval (%)	2 / 7	1 / 8	0 / 2	2 / 3	1 / 5	0 / 3
Average number of embryos transferred	1.5	2.0	3.0	2.0	4.5	4.7
Percentage of embryos transferred resulting in implantation (%)	3 / 6	5 / 10	1 / 6	0 / 2	0 / 18	1 / 14
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	1 / 5	0 / 2	0 / 1	0 / 4	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 7	1 / 8	1 / 2	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	3 / 7	1 / 8	1 / 2	0 / 3	0 / 5	1 / 3
Percentage of cycles resulting in twin live births (%)	0 / 7	2 / 8	0 / 2	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	3 / 7	3 / 8	1 / 2	0 / 3	0 / 5	1 / 3
Percentage of cycles resulting in pregnancies (%)	3 / 7	3 / 8	1 / 2	0 / 3	0 / 5	1 / 3
Outcomes per Transfer						
Number of transfers	4	5	2	1	4	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4	1 / 5	1 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 4	1 / 5	1 / 2	0 / 1	0 / 4	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 4	2 / 5	0 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	3 / 4	3 / 5	1 / 2	0 / 1	0 / 4	1 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 4	3 / 5	1 / 2	0 / 1	0 / 4	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	5	0	1	0	0
Number of transfers	2	4	0	1	0	0
Estimated average number of transfers per retrieval	0.7	1.0				
Average number of embryos transferred	1.0	1.5		2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2	4 / 6		1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 4		1 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 2	2 / 4		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 4		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2	3 / 4		1 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 2	3 / 4		1 / 1		
Number of Egg/Embryo Banking Cycles						
	0	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Westchester Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Hugh D. Melnick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	24%	Uterine factor	0%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	5%	Male factor	12%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	9%
				Endometriosis	1%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				0%			
				<1%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 163 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	19	18	29	4	5
Percentage of cancellations before retrieval (%)	2.5	0 / 19	0 / 18	0.0	0 / 4	0 / 5
Average number of embryos transferred	1.8	2.0	1.9	2.2	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	26.9	18.8	26.1	10.2	0 / 8	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	1 / 9	0 / 16	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.5	2 / 19	2 / 18	6.9	0 / 4	0 / 5
Percentage of cycles resulting in singleton live births (%)	15.0	2 / 19	2 / 18	6.9	0 / 4	0 / 5
Percentage of cycles resulting in twin live births (%)	2.5	2 / 19	1 / 18	0.0	0 / 4	0 / 5
Percentage of cycles resulting in live births (%)	20.0	4 / 19	3 / 18	6.9	0 / 4	0 / 5
Percentage of cycles resulting in pregnancies (%)	27.5	5 / 19	5 / 18	13.8	0 / 4	0 / 5
Outcomes per Transfer						
Number of transfers	29	17	13	22	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.2	2 / 17	2 / 13	9.1	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	20.7	2 / 17	2 / 13	9.1	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.4	2 / 17	1 / 13	0.0	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	27.6	4 / 17	3 / 13	9.1	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	37.9	5 / 17	5 / 13	18.2	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	1	6	6	0	9
Number of transfers	8	1	6	6	0	6
Estimated average number of transfers per retrieval	0.8	0.3	2.0	0.5	0.0	1.2
Average number of embryos transferred	1.8	2.0	2.2	2.0		1.8
Percentage of embryos transferred resulting in implantation (%)	1 / 13	0 / 2	1 / 13	0 / 12		1 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8	0 / 1	0 / 6	0 / 6		1 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 1	0 / 6	0 / 6		1 / 6
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	0 / 6	0 / 6		0 / 6
Percentage of transfers resulting in live births (%)	1 / 8	0 / 1	0 / 6	0 / 6		1 / 6
Percentage of transfers resulting in pregnancies (%)	1 / 8	0 / 1	1 / 6	0 / 6		1 / 6
Number of Egg/Embryo Banking Cycles						
	1	2	3	1	4	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	3 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	1 / 2					
Percentage of transfers resulting in live births (%)	2 / 2					
Percentage of transfers resulting in pregnancies (%)	2 / 2					

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

BROOKLYN/WESTSIDE FERTILITY CENTER BROOKLYN FERTILITY CENTER NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Dov B. Goldstein, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	64%	Tubal factor	58%	Uterine factor	89%	Multiple Factors: Female factors only 27% Female & male factors 69%		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	50%	Male factor	69%			
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	0%			
				Endometriosis	0%	Unknown factor	0%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 27 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				4	5	1	0	4	0	
Percentage of cancellations before retrieval (%)				0 / 4	0 / 5	0 / 1		0 / 4		
Average number of embryos transferred				2.0	2.0	3.0		2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 8	0 / 6	2 / 3		0 / 6		
Percentage of elective single embryo transfers (eSET) (%)				0 / 4	0 / 3	0 / 1		0 / 2		
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				0 / 4	0 / 5	0 / 1		0 / 4		
Percentage of cycles resulting in singleton live births (%)				0 / 4	0 / 5	0 / 1		0 / 4		
Percentage of cycles resulting in twin live births (%)				0 / 4	0 / 5	1 / 1		0 / 4		
Percentage of cycles resulting in live births (%)				0 / 4	0 / 5	1 / 1		0 / 4		
Percentage of cycles resulting in pregnancies (%)				0 / 4	0 / 5	1 / 1		0 / 4		
Outcomes per Transfer										
Number of transfers				4	3	1	0	3	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 4	0 / 3	0 / 1		0 / 3		
Percentage of transfers resulting in singleton live births (%)				0 / 4	0 / 3	0 / 1		0 / 3		
Percentage of transfers resulting in twin live births (%)				0 / 4	0 / 3	1 / 1		0 / 3		
Percentage of transfers resulting in live births (%)				0 / 4	0 / 3	1 / 1		0 / 3		
Percentage of transfers resulting in pregnancies (%)				0 / 4	0 / 3	1 / 1		0 / 3		
Frozen Embryos from Nondonor Eggs										
Number of cycles				2	2	0	0	0	0	
Number of transfers				2	2	0	0	0	0	
Estimated average number of transfers per retrieval				2.0	1.0			0.0		
Average number of embryos transferred				2.0	2.0					
Percentage of embryos transferred resulting in implantation (%)				0 / 4	1 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2	1 / 2					
Percentage of transfers resulting in singleton live births (%)				0 / 2	1 / 2					
Percentage of transfers resulting in twin live births (%)				0 / 2	0 / 2					
Percentage of transfers resulting in live births (%)				0 / 2	1 / 2					
Percentage of transfers resulting in pregnancies (%)				0 / 2	1 / 2					
Number of Egg/Embryo Banking Cycles				0	0	0	0	1	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				4			4			
Number of transfers				4			4			
Average number of embryos transferred				2.0			2.0			
Percentage of embryos transferred resulting in implantation (%)				1 / 8			0 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 4			0 / 4			
Percentage of transfers resulting in singleton live births (%)				0 / 4			0 / 4			
Percentage of transfers resulting in twin live births (%)				0 / 4			0 / 4			
Percentage of transfers resulting in live births (%)				0 / 4			0 / 4			
Percentage of transfers resulting in pregnancies (%)				1 / 4			0 / 4			

CURRENT SERVICES & PROFILE				Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael M. Guarnaccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	9%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	11%
				Endometriosis	3%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,611 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	203	225	244	161	118	29
Percentage of cancellations before retrieval (%)	9.9	11.1	14.3	23.6	33.1	24.1
Average number of embryos transferred	1.5	1.7	1.9	1.8	1.9	2.1
Percentage of embryos transferred resulting in implantation (%)	35.9	30.3	21.1	8.5	6.1	4.8
Percentage of elective single embryo transfers (eSET) (%)	35.2	15.9	3.6	2.2	3.7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.2	16.9	9.8	3.1	2.5	3.4
Percentage of cycles resulting in singleton live births (%)	22.7	19.1	11.5	3.7	2.5	3.4
Percentage of cycles resulting in twin live births (%)	6.9	4.9	3.7	1.2	0.0	0.0
Percentage of cycles resulting in live births (%)	30.0	24.4	15.2	5.0	2.5	3.4
Percentage of cycles resulting in pregnancies (%)	35.5	30.7	22.1	9.9	5.9	3.4
Outcomes per Transfer						
Number of transfers	159	164	147	79	39	10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.8	23.2	16.3	6.3	7.7	1 / 10
Percentage of transfers resulting in singleton live births (%)	28.9	26.2	19.0	7.6	7.7	1 / 10
Percentage of transfers resulting in twin live births (%)	8.8	6.7	6.1	2.5	0.0	0 / 10
Percentage of transfers resulting in live births (%)	38.4	33.5	25.2	10.1	7.7	1 / 10
Percentage of transfers resulting in pregnancies (%)	45.3	42.1	36.7	20.3	17.9	1 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	79	69	67	15	15	8
Number of transfers	77	63	67	14	13	8
Estimated average number of transfers per retrieval	1.0	0.8	0.6	0.5	0.7	0.6
Average number of embryos transferred	1.5	1.4	1.8	1.6	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	35.2	36.5	29.5	6 / 19	5 / 17	5 / 14
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.5	30.2	20.9	3 / 14	3 / 13	1 / 8
Percentage of transfers resulting in singleton live births (%)	35.1	31.7	26.9	4 / 14	3 / 13	1 / 8
Percentage of transfers resulting in twin live births (%)	3.9	6.3	6.0	1 / 14	1 / 13	2 / 8
Percentage of transfers resulting in live births (%)	39.0	38.1	32.8	5 / 14	4 / 13	3 / 8
Percentage of transfers resulting in pregnancies (%)	48.1	42.9	55.2	6 / 14	6 / 13	3 / 8
Number of Egg/Embryo Banking Cycles						
	49	57	81	27	14	13
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	80			55		
Number of transfers	68			46		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	47.9			24.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.4			4.3		
Percentage of transfers resulting in singleton live births (%)	32.4			6.5		
Percentage of transfers resulting in twin live births (%)	17.6			8.7		
Percentage of transfers resulting in live births (%)	50.0			15.2		
Percentage of transfers resulting in pregnancies (%)	64.7			37.0		

CURRENT SERVICES & PROFILE

Current Name: Columbia University Center for Women's Reproductive Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

ANDREW LOUCOPOULOS, MD, PhD NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Andrew Loucopoulos, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	21%	Tubal factor	12%	Uterine factor	0%	Female factors only	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	6%	Female & male factors	0%
Used gestational carrier	0%			Diminished ovarian reserve	65%	Other factor	0%		
				Endometriosis	0%	Unknown factor	12%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	0	4	5	2	0
Percentage of cancellations before retrieval (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Average number of embryos transferred	2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)				0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1			0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	1 / 3		0 / 4	1 / 5	0 / 2	
Outcomes per Transfer						
Number of transfers	1	0	0	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	2	0	0	0
Number of transfers	1	0	2	0	0	0
Estimated average number of transfers per retrieval	1.0		1.0			
Average number of embryos transferred	2.0		1.5			
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1		0 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2			
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Andrew Loucopoulos, MD, PhD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Hanna Jesionowska, MD							
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b							
				Tubal factor		54%	Uterine factor		3%	Multiple Factors: Female factors only 29% Female & male factors 42%	
				Ovulatory dysfunction		2%	Male factor		53%		
				Diminished ovarian reserve		63%	Other factor		9%		
				Endometriosis		9%	Unknown factor		2%		
IVF	100%	With ICSI	94%								
Unstimulated	0%	PGD/PGS	0%								
Used gestational carrier	3%										
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 64 (includes 0 cycle[s] using frozen eggs)							
Type of Cycle				Age of Woman							
				<35	35–37	38–40	41–42	43–44	>44		
Fresh Embryos from Nondonor Eggs											
Number of cycles				14	8	6	7	0	0		
Percentage of cancellations before retrieval (%)				0 / 14	0 / 8	0 / 6	1 / 7				
Average number of embryos transferred				2.0	1.9	2.2	2.7				
Percentage of embryos transferred resulting in implantation (%)				50.0	5 / 11	1 / 11	4 / 13				
Percentage of elective single embryo transfers (eSET) (%)				0 / 13	0 / 5	0 / 4	0 / 6				
Outcomes per Cycle											
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				4 / 14	3 / 8	1 / 6	2 / 7				
Percentage of cycles resulting in singleton live births (%)				4 / 14	4 / 8	1 / 6	2 / 7				
Percentage of cycles resulting in twin live births (%)				2 / 14	0 / 8	0 / 6	0 / 7				
Percentage of cycles resulting in live births (%)				6 / 14	4 / 8	1 / 6	2 / 7				
Percentage of cycles resulting in pregnancies (%)				9 / 14	5 / 8	1 / 6	5 / 7				
Outcomes per Transfer											
Number of transfers				14	7	5	6	0	0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				4 / 14	3 / 7	1 / 5	2 / 6				
Percentage of transfers resulting in singleton live births (%)				4 / 14	4 / 7	1 / 5	2 / 6				
Percentage of transfers resulting in twin live births (%)				2 / 14	0 / 7	0 / 5	0 / 6				
Percentage of transfers resulting in live births (%)				6 / 14	4 / 7	1 / 5	2 / 6				
Percentage of transfers resulting in pregnancies (%)				9 / 14	5 / 7	1 / 5	5 / 6				
Frozen Embryos from Nondonor Eggs											
Number of cycles				0	0	1	1	0	2		
Number of transfers				0	0	1	1	0	2		
Estimated average number of transfers per retrieval				0.0	0.0		1.0				
Average number of embryos transferred						2.0	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)						2 / 2	0 / 2		1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						0 / 1	0 / 1		1 / 2		
Percentage of transfers resulting in singleton live births (%)						0 / 1	0 / 1		1 / 2		
Percentage of transfers resulting in twin live births (%)						1 / 1	0 / 1		0 / 2		
Percentage of transfers resulting in live births (%)						1 / 1	0 / 1		1 / 2		
Percentage of transfers resulting in pregnancies (%)						1 / 1	0 / 1		1 / 2		
Number of Egg/Embryo Banking Cycles				2	2	0	1	0	0		
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f				
Number of cycles				20			0				
Number of transfers				20			0				
Average number of embryos transferred				2.5							
Percentage of embryos transferred resulting in implantation (%)				32.6							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				35.0							
Percentage of transfers resulting in singleton live births (%)				40.0							
Percentage of transfers resulting in twin live births (%)				5.0							
Percentage of transfers resulting in live births (%)				50.0							
Percentage of transfers resulting in pregnancies (%)				65.0							

CURRENT SERVICES & PROFILE				Current Name: Manhattan Reproductive Medicine			
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MEDICAL OFFICES FOR HUMAN REPRODUCTION CENTER FOR HUMAN REPRODUCTION (CHR) NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	78%	Tubal factor	8%	Uterine factor	5%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	4%	Male factor	21%
Used gestational carrier	<1%			Diminished ovarian reserve	87%	Other factor	23%
				Endometriosis	10%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				27%			
				20%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 610 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	41	54	74	66	73
Percentage of cancellations before retrieval (%)	9.4	22.0	13.0	17.6	6.1	24.7
Average number of embryos transferred	1.8	1.8	2.0	2.6	3.1	2.6
Percentage of embryos transferred resulting in implantation (%)	28.6	21.2	14.1	4.4	2.3	0.0
Percentage of elective single embryo transfers (eSET) (%)	14.3	15.4	3.4	0.0	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.6	12.2	13.0	5.4	3.0	0.0
Percentage of cycles resulting in singleton live births (%)	29.7	12.2	13.0	5.4	3.0	0.0
Percentage of cycles resulting in twin live births (%)	3.1	7.3	1.9	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	32.8	19.5	14.8	5.4	3.0	0.0
Percentage of cycles resulting in pregnancies (%)	37.5	22.0	20.4	8.1	6.1	0.0
Outcomes per Transfer						
Number of transfers	52	30	42	52	55	40
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.7	16.7	16.7	7.7	3.6	0.0
Percentage of transfers resulting in singleton live births (%)	36.5	16.7	16.7	7.7	3.6	0.0
Percentage of transfers resulting in twin live births (%)	3.8	10.0	2.4	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	40.4	26.7	19.0	7.7	3.6	0.0
Percentage of transfers resulting in pregnancies (%)	46.2	30.0	26.2	11.5	7.3	0.0
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	13	6	2	5	2
Number of transfers	9	13	6	2	5	2
Estimated average number of transfers per retrieval	0.8	0.8	0.9	0.2	0.2	0.2
Average number of embryos transferred	1.8	2.0	2.3	2.5	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 16	30.8	2 / 14	2 / 5	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 9	3 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	3 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 13	0 / 6	0 / 2	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	1 / 9	4 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 9	5 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Number of Egg/Embryo Banking Cycles						
	7	12	6	8	16	10
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	63			74		
Number of transfers	60			71		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	45.8			18.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0			18.3		
Percentage of transfers resulting in singleton live births (%)	35.0			22.5		
Percentage of transfers resulting in twin live births (%)	20.0			2.8		
Percentage of transfers resulting in live births (%)	55.0			25.4		
Percentage of transfers resulting in pregnancies (%)	58.3			28.2		

CURRENT SERVICES & PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	38%	Tubal factor	12%	Uterine factor	14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	4%
				Endometriosis	16%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 52 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	8	2	7	5	2
Percentage of cancellations before retrieval (%)	1 / 13	1 / 8	0 / 2	3 / 7	0 / 5	0 / 2
Average number of embryos transferred	2.0	2.2	2.0	2.7	3.8	5.0
Percentage of embryos transferred resulting in implantation (%)	45.8	2 / 11	1 / 4	0 / 8	1 / 15	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	2 / 12	0 / 5	0 / 2	0 / 3	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 13	2 / 8	1 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 13	2 / 8	1 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 8	0 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	6 / 13	2 / 8	1 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	8 / 13	2 / 8	1 / 2	0 / 7	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	12	5	2	3	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12	2 / 5	1 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 5	1 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	2 / 5	1 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	8 / 12	2 / 5	1 / 2	0 / 3	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	4	1	1	2	0
Number of transfers	1	4	1	1	2	0
Estimated average number of transfers per retrieval	1.0	2.0	1.0	0.5	0.7	
Average number of embryos transferred	2.0	2.0	2.0	3.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	2 / 8	0 / 2		0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1	0 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 4	0 / 1	1 / 1	0 / 2	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			2		
Number of transfers	2			2		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 2			1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER-WEST SIDE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John J. Zhang, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	12%	Uterine factor	4%
Unstimulated	31%	PGD/PGS	3%	Ovulatory dysfunction	3%	Male factor	14%
Used gestational carrier	<1%			Diminished ovarian reserve	76%	Other factor	2%
				Endometriosis	3%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 5,482 (includes 95 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	176	159	321	262	320	461
Percentage of cancellations before retrieval (%)	8.5	14.5	15.9	18.7	14.7	23.6
Average number of embryos transferred	1.3	1.3	1.4	1.5	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	35.3	23.7	22.5	6.6	5.1	4.5
Percentage of elective single embryo transfers (eSET) (%)	54.1	58.5	36.6	20.0	23.3	0.0
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.6	7.5	4.0	0.4	0.0	0.7
Percentage of cycles resulting in singleton live births (%)	19.3	9.4	4.7	0.8	0.0	0.7
Percentage of cycles resulting in twin live births (%)	1.7	0.0	0.6	0.0	0.3	0.2
Percentage of cycles resulting in live births (%)	21.0	9.4	5.3	0.8	0.3	0.9
Percentage of cycles resulting in pregnancies (%)	23.9	11.3	7.2	2.3	1.6	1.3
Outcomes per Transfer						
Number of transfers	95	59	74	44	57	78
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.6	20.3	17.6	2.3	0.0	3.8
Percentage of transfers resulting in singleton live births (%)	35.8	25.4	20.3	4.5	0.0	3.8
Percentage of transfers resulting in twin live births (%)	3.2	0.0	2.7	0.0	1.8	1.3
Percentage of transfers resulting in live births (%)	38.9	25.4	23.0	4.5	1.8	5.1
Percentage of transfers resulting in pregnancies (%)	44.2	30.5	31.1	13.6	8.8	7.7
Frozen Embryos from Nondonor Eggs						
Number of cycles	205	170	206	146	137	172
Number of transfers	203	167	201	142	135	169
Estimated average number of transfers per retrieval	0.7	0.5	0.3	0.3	0.3	0.3
Average number of embryos transferred	1.3	1.3	1.2	1.3	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	55.5	45.4	42.1	28.0	11.1	2.3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.9	29.9	33.3	14.8	4.4	2.4
Percentage of transfers resulting in singleton live births (%)	45.3	34.1	37.8	19.7	5.2	2.4
Percentage of transfers resulting in twin live births (%)	7.4	4.2	0.5	0.7	0.0	0.0
Percentage of transfers resulting in live births (%)	52.7	38.3	38.3	20.4	5.2	2.4
Percentage of transfers resulting in pregnancies (%)	60.1	52.1	52.2	36.6	18.5	5.3
Number of Egg/Embryo Banking Cycles						
	216	293	506	428	457	558
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			175		
Number of transfers	6			173		
Average number of embryos transferred	1.2			1.2		
Percentage of embryos transferred resulting in implantation (%)	3 / 7			57.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 6			28.9		
Percentage of transfers resulting in singleton live births (%)	3 / 6			38.7		
Percentage of transfers resulting in twin live births (%)	0 / 6			8.1		
Percentage of transfers resulting in live births (%)	3 / 6			46.8		
Percentage of transfers resulting in pregnancies (%)	3 / 6			56.6		

CURRENT SERVICES & PROFILE

Current Name: New Hope Fertility Center-West Side

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Majid Fateh, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	4%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	14%	Male factor	19%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	13%
				Endometriosis	25%	Unknown factor	19%
						Multiple Factors:	
						Female factors only	3%
						Female & male factors	3%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 97 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		12	12	7	1	2	0
Percentage of cancellations before retrieval (%)		0 / 12	0 / 12	0 / 7	0 / 1	0 / 2	
Average number of embryos transferred		1.7	2.5	2.2	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)		2 / 17	3.8	1 / 13	0 / 2	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)		4 / 10	1 / 11	0 / 5	0 / 1	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 12	0 / 12	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)		1 / 12	0 / 12	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)		0 / 12	0 / 12	0 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)		1 / 12	0 / 12	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)		2 / 12	2 / 12	1 / 7	0 / 1	0 / 2	
Outcomes per Transfer							
Number of transfers		10	12	6	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 10	0 / 12	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)		1 / 10	0 / 12	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 10	0 / 12	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)		1 / 10	0 / 12	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 10	2 / 12	1 / 6	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		17	7	4	2	1	2
Number of transfers		17	6	4	2	1	2
Estimated average number of transfers per retrieval		1.3	0.6	1.3	0.2	0.2	
Average number of embryos transferred		1.5	1.5	1.0	2.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)		4.0	3 / 9	1 / 4	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 17	2 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)		1 / 17	2 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 17	0 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)		1 / 17	2 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 17	3 / 6	1 / 4	0 / 2	0 / 1	0 / 2
Number of Egg/Embryo Banking Cycles		3	5	3	7	6	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			4		
Number of transfers		0			4		
Average number of embryos transferred					2.3		
Percentage of embryos transferred resulting in implantation (%)					1 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 4		
Percentage of transfers resulting in singleton live births (%)					1 / 4		
Percentage of transfers resulting in twin live births (%)					0 / 4		
Percentage of transfers resulting in live births (%)					1 / 4		
Percentage of transfers resulting in pregnancies (%)					1 / 4		

CURRENT SERVICES & PROFILE				Current Name: New York Fertility Institute			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY SERVICES, PC BATZOFIN FERTILITY SERVICES, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Joel Batzofin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	8%	Uterine factor	3%
Unstimulated	2%	PGD/PGS	5%	Ovulatory dysfunction	11%	Male factor	10%
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	31%
				Endometriosis	3%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 171 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	8	14	14	1	3
Percentage of cancellations before retrieval (%)	1 / 16	0 / 8	0 / 14	1 / 14	0 / 1	0 / 3
Average number of embryos transferred	1.9	1.6	2.5	2.2	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 17	4 / 11	2 / 15	5.0	0 / 3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	3 / 6	0 / 5	2 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 16	0 / 8	0 / 14	0 / 14	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 16	1 / 8	0 / 14	1 / 14	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 16	0 / 8	0 / 14	0 / 14	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 16	1 / 8	0 / 14	1 / 14	0 / 1	0 / 3
Percentage of cycles resulting in pregnancies (%)	3 / 16	3 / 8	2 / 14	1 / 14	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	9	7	6	9	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 9	0 / 7	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 7	0 / 6	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 7	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 9	1 / 7	0 / 6	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 9	3 / 7	2 / 6	1 / 9	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	8	10	5	3	0
Number of transfers	7	8	9	5	3	0
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.8	0.0
Average number of embryos transferred	1.9	1.4	1.3	1.2	2.3	
Percentage of embryos transferred resulting in implantation (%)	2 / 13	4 / 11	3 / 12	1 / 6	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	1 / 8	0 / 9	1 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 8	0 / 9	1 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 8	0 / 9	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 7	2 / 8	0 / 9	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 8	3 / 9	1 / 5	0 / 3	
Number of Egg/Embryo Banking Cycles						
	7	11	16	10	3	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			19		
Number of transfers	3			18		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 5			9.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			1 / 18		
Percentage of transfers resulting in singleton live births (%)	1 / 3			1 / 18		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 18		
Percentage of transfers resulting in live births (%)	2 / 3			1 / 18		
Percentage of transfers resulting in pregnancies (%)	3 / 3			3 / 18		

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE MEDICAL SERVICES, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Galina Karpenko, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	3%	Uterine factor	2%
Unstimulated	35%	PGD/PGS	11%	Ovulatory dysfunction	6%	Male factor	12%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	<1%
				Endometriosis	12%	Unknown factor	35%
						Multiple Factors:	
						Female factors only	5%
						Female & male factors	6%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 150 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		20	9	12	15	7	8
Percentage of cancellations before retrieval (%)		0.0	0 / 9	0 / 12	0 / 15	0 / 7	1 / 8
Average number of embryos transferred		1.7	1.8	1.9	1.7	2.7	2.3
Percentage of embryos transferred resulting in implantation (%)		20.0	3 / 16	2 / 17	13.6	1 / 19	0 / 14
Percentage of elective single embryo transfers (eSET) (%)		3 / 15	2 / 7	0 / 6	0 / 8	0 / 7	0 / 4
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		25.0	2 / 9	2 / 12	3 / 15	0 / 7	0 / 8
Percentage of cycles resulting in singleton live births (%)		25.0	2 / 9	2 / 12	3 / 15	0 / 7	0 / 8
Percentage of cycles resulting in twin live births (%)		0.0	0 / 9	0 / 12	0 / 15	0 / 7	0 / 8
Percentage of cycles resulting in live births (%)		25.0	2 / 9	2 / 12	3 / 15	0 / 7	0 / 8
Percentage of cycles resulting in pregnancies (%)		30.0	3 / 9	2 / 12	3 / 15	1 / 7	0 / 8
Outcomes per Transfer							
Number of transfers		18	9	9	13	7	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 18	2 / 9	2 / 9	3 / 13	0 / 7	0 / 6
Percentage of transfers resulting in singleton live births (%)		5 / 18	2 / 9	2 / 9	3 / 13	0 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)		0 / 18	0 / 9	0 / 9	0 / 13	0 / 7	0 / 6
Percentage of transfers resulting in live births (%)		5 / 18	2 / 9	2 / 9	3 / 13	0 / 7	0 / 6
Percentage of transfers resulting in pregnancies (%)		6 / 18	3 / 9	2 / 9	3 / 13	1 / 7	0 / 6
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	6	8	3	0	3
Number of transfers		12	5	7	2	0	3
Estimated average number of transfers per retrieval		2.0	0.8	0.5	0.2	0.0	1.0
Average number of embryos transferred		1.4	1.8	2.0	2.0		1.7
Percentage of embryos transferred resulting in implantation (%)		4 / 17	3 / 9	4 / 14	0 / 4		0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 12	3 / 5	2 / 7	0 / 2		0 / 3
Percentage of transfers resulting in singleton live births (%)		4 / 12	3 / 5	2 / 7	0 / 2		0 / 3
Percentage of transfers resulting in twin live births (%)		0 / 12	0 / 5	0 / 7	0 / 2		0 / 3
Percentage of transfers resulting in live births (%)		4 / 12	3 / 5	2 / 7	0 / 2		0 / 3
Percentage of transfers resulting in pregnancies (%)		4 / 12	3 / 5	3 / 7	0 / 2		0 / 3
Number of Egg/Embryo Banking Cycles		2	4	13	11	5	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			9		
Number of transfers		0			9		
Average number of embryos transferred					1.4		
Percentage of embryos transferred resulting in implantation (%)					11 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					5 / 9		
Percentage of transfers resulting in singleton live births (%)					5 / 9		
Percentage of transfers resulting in twin live births (%)					1 / 9		
Percentage of transfers resulting in live births (%)					6 / 9		
Percentage of transfers resulting in pregnancies (%)					8 / 9		

CURRENT SERVICES & PROFILE				Current Name: New York Reproductive Medical Services, PC			
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWAY MEDICAL NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Janelle Luk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	69%	Tubal factor	10%	Uterine factor	2%
Unstimulated	14%	PGD/PGS	1%	Ovulatory dysfunction	20%	Male factor	12%
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	6%
				Endometriosis	3%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 387 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	28	40	24	22	15
Percentage of cancellations before retrieval (%)	3.4	3.6	7.5	8.3	13.6	4 / 15
Average number of embryos transferred	1.6	1.8	2.5	2.6	3.4	1.8
Percentage of embryos transferred resulting in implantation (%)	43.6	36.4	18.8	17.4	1 / 17	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	37.5	1 / 11	0.0	0 / 7	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.7	14.3	10.0	8.3	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	25.4	14.3	10.0	12.5	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	5.1	7.1	2.5	0.0	0.0	0 / 15
Percentage of cycles resulting in live births (%)	30.5	21.4	12.5	12.5	0.0	0 / 15
Percentage of cycles resulting in pregnancies (%)	33.9	21.4	22.5	12.5	4.5	0 / 15
Outcomes per Transfer						
Number of transfers	35	12	26	9	5	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	4 / 12	15.4	2 / 9	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)	42.9	4 / 12	15.4	3 / 9	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)	8.6	2 / 12	3.8	0 / 9	0 / 5	0 / 5
Percentage of transfers resulting in live births (%)	51.4	6 / 12	19.2	3 / 9	0 / 5	0 / 5
Percentage of transfers resulting in pregnancies (%)	57.1	6 / 12	34.6	3 / 9	1 / 5	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	11	16	7	3	0
Number of transfers	34	11	16	7	3	0
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.2	0.2	0.0
Average number of embryos transferred	1.4	1.9	1.4	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.2	47.6	13.6	4 / 11	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.2	5 / 11	1 / 16	2 / 7	1 / 3	
Percentage of transfers resulting in singleton live births (%)	44.1	5 / 11	1 / 16	3 / 7	1 / 3	
Percentage of transfers resulting in twin live births (%)	2.9	1 / 11	0 / 16	0 / 7	0 / 3	
Percentage of transfers resulting in live births (%)	50.0	6 / 11	1 / 16	3 / 7	1 / 3	
Percentage of transfers resulting in pregnancies (%)	61.8	8 / 11	3 / 16	3 / 7	1 / 3	
Number of Egg/Embryo Banking Cycles						
	25	15	30	32	13	10
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	1.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Neway Medical

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NYU FERTILITY CENTER NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	28%	Tubal factor	6%	Uterine factor	7%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	15%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	46%
				Endometriosis	5%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2,372 (includes 77 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	133	101	125	75	65	12
Percentage of cancellations before retrieval (%)	8.3	23.8	35.2	45.3	33.8	3 / 12
Average number of embryos transferred	1.3	1.4	1.8	2.1	2.5	3.6
Percentage of embryos transferred resulting in implantation (%)	42.0	47.8	33.0	9.7	6.4	1 / 18
Percentage of elective single embryo transfers (eSET) (%)	66.3	50.9	19.2	0.0	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.8	20.8	4.8	1.3	1.5	0 / 12
Percentage of cycles resulting in singleton live births (%)	31.6	22.8	10.4	1.3	1.5	0 / 12
Percentage of cycles resulting in twin live births (%)	3.0	5.0	4.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births (%)	34.6	27.7	14.4	1.3	1.5	0 / 12
Percentage of cycles resulting in pregnancies (%)	41.4	38.6	24.8	8.0	9.2	1 / 12
Outcomes per Transfer						
Number of transfers	107	67	63	31	32	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	31.3	9.5	3.2	3.1	0 / 5
Percentage of transfers resulting in singleton live births (%)	39.3	34.3	20.6	3.2	3.1	0 / 5
Percentage of transfers resulting in twin live births (%)	3.7	7.5	7.9	0.0	0.0	0 / 5
Percentage of transfers resulting in live births (%)	43.0	41.8	28.6	3.2	3.1	0 / 5
Percentage of transfers resulting in pregnancies (%)	51.4	58.2	49.2	19.4	18.8	1 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	188	120	157	105	47	6
Number of transfers	171	110	138	91	39	6
Estimated average number of transfers per retrieval	0.8	0.4	0.5	0.5	0.5	0.2
Average number of embryos transferred	1.2	1.1	1.2	1.3	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	52.3	61.1	54.0	44.2	26.5	3 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.8	40.0	34.8	34.1	28.2	3 / 6
Percentage of transfers resulting in singleton live births (%)	39.2	46.4	44.9	41.8	30.8	3 / 6
Percentage of transfers resulting in twin live births (%)	2.9	2.7	1.4	1.1	0.0	0 / 6
Percentage of transfers resulting in live births (%)	42.1	49.1	46.4	42.9	30.8	3 / 6
Percentage of transfers resulting in pregnancies (%)	59.6	63.6	63.0	54.9	38.5	4 / 6
Number of Egg/Embryo Banking Cycles						
	187	269	283	179	79	34
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	29			101		
Number of transfers	27			89		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	54.3			50.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6			33.7		
Percentage of transfers resulting in singleton live births (%)	44.4			42.7		
Percentage of transfers resulting in twin live births (%)	3.7			4.5		
Percentage of transfers resulting in live births (%)	48.1			47.2		
Percentage of transfers resulting in pregnancies (%)	63.0			56.2		

CURRENT SERVICES & PROFILE

Current Name: NYU Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Cecilia Schmidt-Sarosi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	25%	Uterine factor	17%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	32%	Male factor	62%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	21%
				Endometriosis	8%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 131 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	3	4	1	1
Percentage of cancellations before retrieval (%)	0 / 2	0 / 1	0 / 3	0 / 4	0 / 1	1 / 1
Average number of embryos transferred	1.5	1.0	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 1	1 / 3	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	1 / 1	0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 1	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 2	1 / 1	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 2	0 / 1	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	2 / 2	1 / 1	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 2	1 / 1	1 / 3	1 / 4	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	2	1	2	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 1	1 / 2	0 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1	1 / 2	1 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	0 / 2	0 / 4		
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	1 / 2	1 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	1 / 2	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	11	6	5	0	0
Number of transfers	6	11	6	5	0	0
Estimated average number of transfers per retrieval	0.5	0.8	0.3	0.5	0.0	0.0
Average number of embryos transferred	1.5	1.4	1.3	1.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 9	4 / 15	2 / 8	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	4 / 11	1 / 6	2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 6	4 / 11	1 / 6	2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 11	0 / 6	0 / 5		
Percentage of transfers resulting in live births (%)	1 / 6	4 / 11	1 / 6	2 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 6	4 / 11	2 / 6	2 / 5		
Number of Egg/Embryo Banking Cycles						
	13	13	21	9	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			10		
Number of transfers	3			10		
Average number of embryos transferred	1.3			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			6 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			3 / 10		
Percentage of transfers resulting in singleton live births (%)	1 / 3			3 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 10		
Percentage of transfers resulting in live births (%)	1 / 3			4 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 3			4 / 10		

CURRENT SERVICES & PROFILE

Current Name: Offices for Fertility and Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP

NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Lawrence Grunfeld, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	54%	Tubal factor	11%	Uterine factor	4%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	11%	Male factor	24%	Female factors only	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	11%	Female & male factors	
				Endometriosis	6%	Unknown factor	23%	9%	
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 3,370 (includes 48 cycle[s] using frozen eggs)					
Type of Cycle				Age of Woman					
				<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs									
Number of cycles				475	336	421	206	157	35
Percentage of cancellations before retrieval (%)				6.9	9.5	18.3	20.9	26.1	25.7
Average number of embryos transferred				1.6	1.7	1.7	2.1	2.1	2.1
Percentage of embryos transferred resulting in implantation (%)				48.7	38.2	29.0	17.6	6.5	9.1
Percentage of elective single embryo transfers (eSET) (%)				38.0	23.6	20.7	12.0	0.0	0 / 11
Outcomes per Cycle									
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				28.0	21.7	13.8	8.3	4.5	5.7
Percentage of cycles resulting in singleton live births (%)				32.0	28.3	16.6	10.7	5.1	8.6
Percentage of cycles resulting in twin live births (%)				11.4	7.4	5.0	2.4	0.0	0.0
Percentage of cycles resulting in live births (%)				43.6	35.7	21.6	13.1	5.1	8.6
Percentage of cycles resulting in pregnancies (%)				51.2	41.7	26.8	19.9	8.3	11.4
Outcomes per Transfer									
Number of transfers				398	271	273	114	77	18
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				33.4	26.9	21.2	14.9	9.1	2 / 18
Percentage of transfers resulting in singleton live births (%)				38.2	35.1	25.6	19.3	10.4	3 / 18
Percentage of transfers resulting in twin live births (%)				13.6	9.2	7.7	4.4	0.0	0 / 18
Percentage of transfers resulting in live births (%)				52.0	44.3	33.3	23.7	10.4	3 / 18
Percentage of transfers resulting in pregnancies (%)				61.1	51.7	41.4	36.0	16.9	4 / 18
Frozen Embryos from Nondonor Eggs									
Number of cycles				261	191	178	54	22	9
Number of transfers				239	176	155	41	21	6
Estimated average number of transfers per retrieval				1.0	0.7	0.5	0.4	0.4	0.4
Average number of embryos transferred				1.5	1.4	1.4	1.3	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)				56.0	54.7	46.5	42.0	26.9	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				38.1	39.2	38.1	36.6	14.3	1 / 6
Percentage of transfers resulting in singleton live births (%)				42.7	44.9	42.6	46.3	28.6	1 / 6
Percentage of transfers resulting in twin live births (%)				14.2	10.2	4.5	2.4	0.0	0 / 6
Percentage of transfers resulting in live births (%)				56.9	55.1	47.1	48.8	28.6	1 / 6
Percentage of transfers resulting in pregnancies (%)				68.2	65.3	61.3	53.7	38.1	3 / 6
Number of Egg/Embryo Banking Cycles				133	203	226	87	45	14
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f		
Number of cycles				172			97		
Number of transfers				150			94		
Average number of embryos transferred				1.6			1.4		
Percentage of embryos transferred resulting in implantation (%)				61.2			45.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				31.3			30.9		
Percentage of transfers resulting in singleton live births (%)				42.7			36.2		
Percentage of transfers resulting in twin live births (%)				20.7			9.6		
Percentage of transfers resulting in live births (%)				63.3			45.7		
Percentage of transfers resulting in pregnancies (%)				70.7			53.2		

CURRENT SERVICES & PROFILE				Current Name: Reproductive Medicine Associates of New York, LLP			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEOFFREY SHER, MD, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	6%	Uterine factor	<1%
Unstimulated	3%	PGD/PGS	5%	Ovulatory dysfunction	2%	Male factor	11%
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	5%
				Endometriosis	6%	Unknown factor	25%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,186 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	115	104	109	91	82	34
Percentage of cancellations before retrieval (%)	6.1	11.5	15.6	12.1	22.0	32.4
Average number of embryos transferred	2.0	2.0	2.1	2.2	2.9	2.5
Percentage of embryos transferred resulting in implantation (%)	25.9	29.9	16.1	11.1	5.4	5.0
Percentage of elective single embryo transfers (eSET) (%)	12.8	6.8	8.9	0.0	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.8	17.3	7.3	4.4	3.7	0.0
Percentage of cycles resulting in singleton live births (%)	18.3	20.2	8.3	8.8	3.7	0.0
Percentage of cycles resulting in twin live births (%)	8.7	3.8	1.8	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	27.0	24.0	10.1	8.8	3.7	0.0
Percentage of cycles resulting in pregnancies (%)	29.6	32.7	14.7	11.0	7.3	2.9
Outcomes per Transfer						
Number of transfers	86	71	55	43	34	8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.8	25.4	14.5	9.3	8.8	0 / 8
Percentage of transfers resulting in singleton live births (%)	24.4	29.6	16.4	18.6	8.8	0 / 8
Percentage of transfers resulting in twin live births (%)	11.6	5.6	3.6	0.0	0.0	0 / 8
Percentage of transfers resulting in live births (%)	36.0	35.2	20.0	18.6	8.8	0 / 8
Percentage of transfers resulting in pregnancies (%)	39.5	47.9	29.1	23.3	17.6	1 / 8
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	58	42	12	20	8
Number of transfers	87	55	41	12	20	5
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.2	0.3	0.3
Average number of embryos transferred	1.8	1.6	1.6	1.8	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	28.2	35.2	30.3	38.1	14.6	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.1	30.9	29.3	3 / 12	20.0	0 / 5
Percentage of transfers resulting in singleton live births (%)	26.4	36.4	31.7	3 / 12	20.0	0 / 5
Percentage of transfers resulting in twin live births (%)	9.2	9.1	4.9	2 / 12	0.0	0 / 5
Percentage of transfers resulting in live births (%)	35.6	45.5	36.6	5 / 12	20.0	0 / 5
Percentage of transfers resulting in pregnancies (%)	39.1	47.3	41.5	6 / 12	25.0	0 / 5
Number of Egg/Embryo Banking Cycles						
	94	77	88	46	51	11
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	17			35		
Number of transfers	15			35		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	46.2			18.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 15			11.4		
Percentage of transfers resulting in singleton live births (%)	6 / 15			14.3		
Percentage of transfers resulting in twin live births (%)	3 / 15			2.9		
Percentage of transfers resulting in live births (%)	9 / 15			17.1		
Percentage of transfers resulting in pregnancies (%)	9 / 15			28.6		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Libera Medical, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
CENTER FOR REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Zev Rosenwaks, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	68%	Tubal factor	16%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 21%		
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	7%	Male factor	35%			
Used gestational carrier	<1%			Diminished ovarian reserve	61%	Other factor	6%			
				Endometriosis	10%	Unknown factor	4%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 4,221 (includes 64 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				535	468	542	408	332	95	
Percentage of cancellations before retrieval (%)				6.7	12.0	11.8	21.8	25.0	31.6	
Average number of embryos transferred				1.7	2.1	2.5	3.0	3.4	3.4	
Percentage of embryos transferred resulting in implantation (%)				39.6	27.9	16.9	8.8	4.5	2.9	
Percentage of elective single embryo transfers (eSET) (%)				25.7	11.5	5.0	1.2	1.6	0.0	
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				23.0	19.2	16.8	6.1	3.6	1.1	
Percentage of cycles resulting in singleton live births (%)				28.0	23.3	21.8	7.6	3.9	2.1	
Percentage of cycles resulting in twin live births (%)				9.3	7.9	3.5	1.7	0.0	0.0	
Percentage of cycles resulting in live births (%)				37.4	31.4	25.3	9.6	3.9	2.1	
Percentage of cycles resulting in pregnancies (%)				44.7	37.8	31.7	16.2	12.3	9.5	
Outcomes per Transfer										
Number of transfers				453	394	445	285	223	56	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				27.2	22.8	20.4	8.8	5.4	1.8	
Percentage of transfers resulting in singleton live births (%)				33.1	27.7	26.5	10.9	5.8	3.6	
Percentage of transfers resulting in twin live births (%)				11.0	9.4	4.3	2.5	0.0	0.0	
Percentage of transfers resulting in live births (%)				44.2	37.3	30.8	13.7	5.8	3.6	
Percentage of transfers resulting in pregnancies (%)				52.8	44.9	38.7	23.2	18.4	16.1	
Frozen Embryos from Nondonor Eggs										
Number of cycles				305	199	188	65	43	8	
Number of transfers				269	174	166	64	38	7	
Estimated average number of transfers per retrieval				1.0	0.7	0.6	0.5	0.3	0.5	
Average number of embryos transferred				1.5	1.4	1.5	1.6	2.1	3.3	
Percentage of embryos transferred resulting in implantation (%)				45.6	40.4	33.3	32.3	13.5	9.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				29.4	32.8	27.7	21.9	10.5	0 / 7	
Percentage of transfers resulting in singleton live births (%)				36.1	35.6	33.7	29.7	13.2	0 / 7	
Percentage of transfers resulting in twin live births (%)				10.8	7.5	3.6	0.0	2.6	1 / 7	
Percentage of transfers resulting in live births (%)				46.8	43.1	37.3	29.7	15.8	1 / 7	
Percentage of transfers resulting in pregnancies (%)				54.6	50.6	48.2	53.1	31.6	2 / 7	
Number of Egg/Embryo Banking Cycles				172	181	221	106	89	13	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				105			82			
Number of transfers				105			75			
Average number of embryos transferred				1.8			1.5			
Percentage of embryos transferred resulting in implantation (%)				58.2			43.3			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				34.3			29.3			
Percentage of transfers resulting in singleton live births (%)				46.7			40.0			
Percentage of transfers resulting in twin live births (%)				19.0			6.7			
Percentage of transfers resulting in live births (%)				65.7			46.7			
Percentage of transfers resulting in pregnancies (%)				76.2			58.7			

CURRENT SERVICES & PROFILE				Current Name: Weill Medical College of Cornell University, Center for Reproductive Medicine			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rosalind A. Hayes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	16%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	22%
				Endometriosis	26%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 131 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	16	12	4	0	0
Percentage of cancellations before retrieval (%)	19.5	2 / 16	2 / 12	2 / 4		
Average number of embryos transferred	1.8	2.5	2.5	3.0		
Percentage of embryos transferred resulting in implantation (%)	26.8	16.7	30.0	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	20.0	0 / 11	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.5	3 / 16	3 / 12	0 / 4		
Percentage of cycles resulting in singleton live births (%)	24.4	5 / 16	4 / 12	0 / 4		
Percentage of cycles resulting in twin live births (%)	0.0	0 / 16	1 / 12	0 / 4		
Percentage of cycles resulting in live births (%)	24.4	5 / 16	5 / 12	0 / 4		
Percentage of cycles resulting in pregnancies (%)	26.8	5 / 16	5 / 12	1 / 4		
Outcomes per Transfer						
Number of transfers	23	12	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.8	3 / 12	3 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	43.5	5 / 12	4 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	1 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	43.5	5 / 12	5 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	47.8	5 / 12	5 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	7	2	1	2	0
Number of transfers	24	3	2	1	2	0
Estimated average number of transfers per retrieval	1.4	3.0	2.0			
Average number of embryos transferred	1.8	1.7	1.0	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	27.9	0 / 5	1 / 2	0 / 2	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.8	0 / 3	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	25.0	0 / 3	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.3	0 / 3	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	33.3	0 / 3	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	37.5	0 / 3	1 / 2	0 / 1	1 / 2	
Number of Egg/Embryo Banking Cycles						
	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			7		
Number of transfers	2			6		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			1 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			1 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 6		
Percentage of transfers resulting in live births (%)	1 / 2			1 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 6		

CURRENT SERVICES & PROFILE

Current Name: Rochester Fertility Care, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John T. Queenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	18%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	7%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	13%
				Endometriosis	13%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 348 (includes 33 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	46	27	6	3	0
Percentage of cancellations before retrieval (%)	4.9	10.9	18.5	0 / 6	0 / 3	
Average number of embryos transferred	1.9	2.1	2.5	4.8	4.3	
Percentage of embryos transferred resulting in implantation (%)	33.1	25.0	8.5	4.2	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	11.1	6.3	1 / 15	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.5	21.7	3.7	0 / 6	0 / 3	
Percentage of cycles resulting in singleton live births (%)	25.9	23.9	7.4	1 / 6	0 / 3	
Percentage of cycles resulting in twin live births (%)	8.6	6.5	3.7	0 / 6	0 / 3	
Percentage of cycles resulting in live births (%)	35.8	30.4	11.1	1 / 6	0 / 3	
Percentage of cycles resulting in pregnancies (%)	37.0	32.6	11.1	1 / 6	0 / 3	
Outcomes per Transfer						
Number of transfers	66	36	19	5	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.8	27.8	1 / 19	0 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	31.8	30.6	2 / 19	1 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	10.6	8.3	1 / 19	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	43.9	38.9	3 / 19	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	45.5	41.7	3 / 19	1 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	28	14	2	2	0
Number of transfers	51	27	12	2	2	0
Estimated average number of transfers per retrieval	1.3	1.8	1.2	0.5	2.0	
Average number of embryos transferred	1.7	1.8	1.8	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	33.0	21.3	45.0	0 / 6	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.6	18.5	2 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	19.6	22.2	4 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.8	0.0	0 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	31.4	22.2	4 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	41.2	29.6	8 / 12	0 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles						
	14	5	3	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			14		
Number of transfers	9			14		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	3 / 16			32.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9			3 / 14		
Percentage of transfers resulting in singleton live births (%)	2 / 9			4 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 9			2 / 14		
Percentage of transfers resulting in live births (%)	2 / 9			6 / 14		
Percentage of transfers resulting in pregnancies (%)	4 / 9			6 / 14		

CURRENT SERVICES & PROFILE

Current Name: Strong Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES, PC STATEN ISLAND, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eric S. Knochenhauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	27%	Uterine factor	12%
Unstimulated	0%	PGD/PGS	35%	Ovulatory dysfunction	19%	Male factor	56%
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	5%
				Endometriosis	16%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 325 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	22	28	14	10	6
Percentage of cancellations before retrieval (%)	10.9	4.5	14.3	2 / 14	2 / 10	0 / 6
Average number of embryos transferred	1.6	1.8	2.1	3.0	2.0	2.4
Percentage of embryos transferred resulting in implantation (%)	51.8	43.2	14.6	12.1	5 / 14	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	37.3	2 / 17	1 / 17	0 / 10	0 / 5	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	35.9	27.3	10.7	3 / 14	1 / 10	0 / 6
Percentage of cycles resulting in singleton live births (%)	37.5	40.9	14.3	4 / 14	1 / 10	0 / 6
Percentage of cycles resulting in twin live births (%)	6.3	4.5	0.0	0 / 14	1 / 10	0 / 6
Percentage of cycles resulting in live births (%)	43.8	45.5	14.3	4 / 14	2 / 10	0 / 6
Percentage of cycles resulting in pregnancies (%)	51.6	54.5	17.9	4 / 14	4 / 10	0 / 6
Outcomes per Transfer						
Number of transfers	55	21	20	11	7	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.8	28.6	15.0	3 / 11	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	43.6	42.9	20.0	4 / 11	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	7.3	4.8	0.0	0 / 11	1 / 7	0 / 5
Percentage of transfers resulting in live births (%)	50.9	47.6	20.0	4 / 11	2 / 7	0 / 5
Percentage of transfers resulting in pregnancies (%)	60.0	57.1	25.0	4 / 11	4 / 7	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	26	16	1	3	0
Number of transfers	46	24	16	1	3	0
Estimated average number of transfers per retrieval	1.2	2.0	1.1	0.3	1.0	0.0
Average number of embryos transferred	1.5	1.5	1.7	1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	40.0	40.0	25.9	0 / 1	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.8	33.3	4 / 16	0 / 1	1 / 3	
Percentage of transfers resulting in singleton live births (%)	37.0	33.3	5 / 16	0 / 1	1 / 3	
Percentage of transfers resulting in twin live births (%)	8.7	4.2	0 / 16	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	45.7	37.5	5 / 16	0 / 1	1 / 3	
Percentage of transfers resulting in pregnancies (%)	54.3	50.0	6 / 16	0 / 1	2 / 3	
Number of Egg/Embryo Banking Cycles						
	21	10	7	2	2	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		16			24	
Number of transfers		15			23	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		42.3			15.4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 15			13.0	
Percentage of transfers resulting in singleton live births (%)		4 / 15			17.4	
Percentage of transfers resulting in twin live births (%)		2 / 15			0.0	
Percentage of transfers resulting in live births (%)		6 / 15			17.4	
Percentage of transfers resulting in pregnancies (%)		8 / 15			26.1	

CURRENT SERVICES & PROFILE

Current Name: Island Reproductive Services, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	20%	Uterine factor	11%
Unstimulated	2%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	26%
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	21%
				Endometriosis	13%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2,867 (includes 53 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	643	308	299	179	84	38
Percentage of cancellations before retrieval (%)	5.4	7.1	11.4	15.6	15.5	36.8
Average number of embryos transferred	1.7	1.9	2.1	2.3	1.9	2.5
Percentage of embryos transferred resulting in implantation (%)	37.7	25.6	17.7	10.6	1.0	3.8
Percentage of elective single embryo transfers (eSET) (%)	25.5	9.3	5.2	2.0	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.4	14.9	10.0	6.1	1.2	0.0
Percentage of cycles resulting in singleton live births (%)	25.5	20.5	13.4	7.3	1.2	0.0
Percentage of cycles resulting in twin live births (%)	10.6	5.8	3.3	1.7	0.0	0.0
Percentage of cycles resulting in live births (%)	36.2	26.3	17.1	9.5	1.2	0.0
Percentage of cycles resulting in pregnancies (%)	43.2	33.1	24.4	15.1	3.6	2.6
Outcomes per Transfer						
Number of transfers	556	260	229	127	56	11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.5	17.7	13.1	8.7	1.8	0 / 11
Percentage of transfers resulting in singleton live births (%)	29.5	24.2	17.5	10.2	1.8	0 / 11
Percentage of transfers resulting in twin live births (%)	12.2	6.9	4.4	2.4	0.0	0 / 11
Percentage of transfers resulting in live births (%)	41.9	31.2	22.3	13.4	1.8	0 / 11
Percentage of transfers resulting in pregnancies (%)	50.0	39.2	31.9	21.3	5.4	1 / 11
Frozen Embryos from Nondonor Eggs						
Number of cycles	353	176	136	26	15	4
Number of transfers	326	162	127	21	15	3
Estimated average number of transfers per retrieval	1.4	1.3	1.2	0.6	0.8	0.1
Average number of embryos transferred	1.7	1.7	1.9	1.8	2.3	1.3
Percentage of embryos transferred resulting in implantation (%)	20.7	18.8	10.5	6.3	0.0	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.8	9.3	9.4	4.8	0 / 15	0 / 3
Percentage of transfers resulting in singleton live births (%)	22.7	12.3	11.8	9.5	0 / 15	0 / 3
Percentage of transfers resulting in twin live births (%)	4.0	4.9	2.4	0.0	0 / 15	0 / 3
Percentage of transfers resulting in live births (%)	26.7	17.3	14.2	9.5	0 / 15	0 / 3
Percentage of transfers resulting in pregnancies (%)	34.0	26.5	22.0	14.3	0 / 15	0 / 3
Number of Egg/Embryo Banking Cycles						
	77	36	39	16	11	17
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		175		182		
Number of transfers		137		162		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation (%)		30.0		12.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.0		8.0		
Percentage of transfers resulting in singleton live births (%)		25.5		15.4		
Percentage of transfers resulting in twin live births (%)		10.2		1.2		
Percentage of transfers resulting in live births (%)		35.8		16.7		
Percentage of transfers resulting in pregnancies (%)		44.5		22.8		

CURRENT SERVICES & PROFILE

Current Name: CNY Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY IVF SUNY UPSTATE MEDICAL UNIVERSITY SYRACUSE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Shawky Z. Badawy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	83%	Tubal factor	17%	Uterine factor	33%	Female factors only	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	50%	Female & male factors	33%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%		
				Endometriosis	0%	Unknown factor	33%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	0	1	1	0	0
Percentage of cancellations before retrieval (%)	1 / 4		0 / 1	0 / 1		
Average number of embryos transferred	3.3		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 10		0 / 2	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	2 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 4		0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	3	0	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: University IVF, SUNY Upstate Medical University

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael B. Blotner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	42%	Uterine factor	22%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	19%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	<1%
				Endometriosis	2%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				29%			
				15%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 157 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	22	11	13	9	4
Percentage of cancellations before retrieval (%)	9.7	9.1	2 / 11	2 / 13	2 / 9	1 / 4
Average number of embryos transferred	1.8	1.9	1.9	2.0	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	48.8	29.0	1 / 13	10.0	1 / 11	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	18.2	1 / 13	2 / 6	0 / 9	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.8	18.2	0 / 11	1 / 13	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.0	18.2	0 / 11	1 / 13	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	12.9	9.1	0 / 11	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	45.2	27.3	0 / 11	1 / 13	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	48.4	31.8	1 / 11	3 / 13	1 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	24	16	7	11	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	4 / 16	0 / 7	1 / 11	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.5	4 / 16	0 / 7	1 / 11	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	16.7	2 / 16	0 / 7	0 / 11	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	58.3	6 / 16	0 / 7	1 / 11	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	62.5	7 / 16	1 / 7	3 / 11	1 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	5	10	2	2	1
Number of transfers	15	5	9	1	1	1
Estimated average number of transfers per retrieval	1.1	0.8	1.3	0.5	0.3	
Average number of embryos transferred	1.5	1.6	1.7	2.0	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	13.0	3 / 8	4 / 15	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 15	1 / 5	1 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 15	1 / 5	1 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 5	1 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 15	1 / 5	2 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 15	3 / 5	3 / 9	0 / 1	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	5	2	2	1	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			6		
Number of transfers	4			5		
Average number of embryos transferred	2.3			1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 9			3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			2 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 4			3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 5		
Percentage of transfers resulting in live births (%)	1 / 4			3 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 4			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

GOLD COAST IVF REPRODUCTIVE MEDICINE AND SURGERY CENTER WOODBURY, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Steven F. Palter, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	95%	Tubal factor	20%	Uterine factor	5%	Multiple Factors: Female factors only 11% Female & male factors 26%		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	42%			
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	5%			
				Endometriosis	10%	Unknown factor	7%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 217 (includes 9 cycle[s] using frozen eggs)						
Type of Cycle		Age of Woman								
		<35	35–37	38–40	41–42	43–44	>44			
Fresh Embryos from Nondonor Eggs										
Number of cycles		42	32	24	26	13	3			
Percentage of cancellations before retrieval (%)		2.4	0.0	8.3	3.8	0 / 13	0 / 3			
Average number of embryos transferred		1.8	1.9	2.3	3.1	3.0	2.3			
Percentage of embryos transferred resulting in implantation (%)		66.7	56.9	22.2	12.3	3.0	0 / 7			
Percentage of elective single embryo transfers (eSET) (%)		10.3	0.0	0 / 13	0.0	0 / 9	0 / 2			
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		31.0	25.0	12.5	15.4	1 / 13	0 / 3			
Percentage of cycles resulting in singleton live births (%)		31.0	31.3	12.5	15.4	1 / 13	0 / 3			
Percentage of cycles resulting in twin live births (%)		26.2	25.0	8.3	0.0	0 / 13	0 / 3			
Percentage of cycles resulting in live births (%)		57.1	56.3	20.8	15.4	1 / 13	0 / 3			
Percentage of cycles resulting in pregnancies (%)		59.5	62.5	25.0	30.8	1 / 13	0 / 3			
Outcomes per Transfer										
Number of transfers		31	27	16	21	11	3			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.9	29.6	3 / 16	19.0	1 / 11	0 / 3			
Percentage of transfers resulting in singleton live births (%)		41.9	37.0	3 / 16	19.0	1 / 11	0 / 3			
Percentage of transfers resulting in twin live births (%)		35.5	29.6	2 / 16	0.0	0 / 11	0 / 3			
Percentage of transfers resulting in live births (%)		77.4	66.7	5 / 16	19.0	1 / 11	0 / 3			
Percentage of transfers resulting in pregnancies (%)		80.6	74.1	6 / 16	38.1	1 / 11	0 / 3			
Frozen Embryos from Nondonor Eggs										
Number of cycles		16	15	3	1	4	0			
Number of transfers		16	15	3	1	4	0			
Estimated average number of transfers per retrieval		2.3	1.4	0.4	0.2	0.8	0.0			
Average number of embryos transferred		1.5	1.7	1.7	3.0	1.8				
Percentage of embryos transferred resulting in implantation (%)		66.7	40.0	3 / 5	1 / 3	2 / 7				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 16	5 / 15	1 / 3	0 / 1	1 / 4				
Percentage of transfers resulting in singleton live births (%)		5 / 16	6 / 15	1 / 3	0 / 1	1 / 4				
Percentage of transfers resulting in twin live births (%)		4 / 16	0 / 15	1 / 3	0 / 1	0 / 4				
Percentage of transfers resulting in live births (%)		9 / 16	6 / 15	2 / 3	0 / 1	1 / 4				
Percentage of transfers resulting in pregnancies (%)		12 / 16	10 / 15	2 / 3	1 / 1	2 / 4				
Number of Egg/Embryo Banking Cycles		1	8	6	3	3	2			
Donor Eggs		Fresh Embryos ^f			Frozen Embryos ^f					
Number of cycles		1			5					
Number of transfers		1			5					
Average number of embryos transferred		2.0			1.8					
Percentage of embryos transferred resulting in implantation (%)		2 / 2			1 / 9					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			0 / 5					
Percentage of transfers resulting in singleton live births (%)		0 / 1			1 / 5					
Percentage of transfers resulting in twin live births (%)		1 / 1			0 / 5					
Percentage of transfers resulting in live births (%)		1 / 1			1 / 5					
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 5					

CURRENT SERVICES & PROFILE				Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE THE TALBERT FERTILITY INSTITUTE CARY, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sameh K. Toma, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	16%	Uterine factor	13%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	9%
				Endometriosis	5%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 416 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	40	23	8	1	2
Percentage of cancellations before retrieval (%)	7.1	17.5	17.4	3 / 8	0 / 1	1 / 2
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	35	26	4	2	5
Number of transfers	85	34	24	4	2	5
Estimated average number of transfers per retrieval	1.0	1.3	1.3	1.3	2.0	
Average number of embryos transferred	2.0	2.0	2.1	1.8	1.5	2.2
Percentage of embryos transferred resulting in implantation (%)	44.7	36.9	21.6	1 / 7	0 / 3	2 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.4	20.6	12.5	0 / 4	0 / 2	0 / 5
Percentage of transfers resulting in singleton live births (%)	35.3	20.6	20.8	1 / 4	0 / 2	0 / 5
Percentage of transfers resulting in twin live births (%)	21.2	20.6	8.3	0 / 4	0 / 2	1 / 5
Percentage of transfers resulting in live births (%)	56.5	41.2	29.2	1 / 4	0 / 2	1 / 5
Percentage of transfers resulting in pregnancies (%)	67.1	52.9	37.5	1 / 4	0 / 2	1 / 5
Number of Egg/Embryo Banking Cycles						
	7	3	4	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	28			28		
Number of transfers	16			23		
Average number of embryos transferred	2.1			2.1		
Percentage of embryos transferred resulting in implantation (%)	35.5			37.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 16			21.7		
Percentage of transfers resulting in singleton live births (%)	7 / 16			30.4		
Percentage of transfers resulting in twin live births (%)	2 / 16			17.4		
Percentage of transfers resulting in live births (%)	9 / 16			47.8		
Percentage of transfers resulting in pregnancies (%)	10 / 16			60.9		

CURRENT SERVICES & PROFILE

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CMC REPRODUCTIVE MEDICINE AND INFERTILITY

CMC WOMEN'S INSTITUTE

CHARLOTTE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Bradley S. Hurst, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	17%	Uterine factor	6%	Multiple Factors:
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	37%	Female factors only
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	21%	Female & male factors
				Endometriosis	8%	Unknown factor	9%	18%
								19%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 498 (includes 26 cycle[s] using frozen eggs)						
Type of Cycle		Age of Woman						
		<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs								
Number of cycles		83	39	30	13	2	0	
Percentage of cancellations before retrieval (%)		3.6	15.4	23.3	3 / 13	1 / 2		
Average number of embryos transferred		1.6	1.8	2.2	2.2	2.0		
Percentage of embryos transferred resulting in implantation (%)		35.1	30.6	31.3	4.5	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)		41.0	17.2	0 / 19	0 / 8	0 / 1		
Outcomes per Cycle								
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.5	7.7	10.0	1 / 13	0 / 2		
Percentage of cycles resulting in singleton live births (%)		32.5	15.4	13.3	1 / 13	0 / 2		
Percentage of cycles resulting in twin live births (%)		2.4	7.7	13.3	0 / 13	0 / 2		
Percentage of cycles resulting in live births (%)		34.9	23.1	26.7	1 / 13	0 / 2		
Percentage of cycles resulting in pregnancies (%)		39.8	30.8	33.3	1 / 13	0 / 2		
Outcomes per Transfer								
Number of transfers		64	30	22	10	1	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.6	10.0	13.6	1 / 10	0 / 1		
Percentage of transfers resulting in singleton live births (%)		42.2	20.0	18.2	1 / 10	0 / 1		
Percentage of transfers resulting in twin live births (%)		3.1	10.0	18.2	0 / 10	0 / 1		
Percentage of transfers resulting in live births (%)		45.3	30.0	36.4	1 / 10	0 / 1		
Percentage of transfers resulting in pregnancies (%)		51.6	40.0	45.5	1 / 10	0 / 1		
Frozen Embryos from Nondonor Eggs								
Number of cycles		87	42	39	6	1	0	
Number of transfers		73	37	34	5	1	0	
Estimated average number of transfers per retrieval		1.0	1.4	1.2	0.5	1.0	0.0	
Average number of embryos transferred		1.2	1.3	1.3	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)		42.7	41.3	46.2	2 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.1	29.7	41.2	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)		37.0	40.5	44.1	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)		1.4	2.7	0.0	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)		38.4	43.2	44.1	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)		52.1	51.4	58.8	5 / 5	0 / 1		
Number of Egg/Embryo Banking Cycles		53	20	25	10	1	1	
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f			
Number of cycles		3			17			
Number of transfers		3			14			
Average number of embryos transferred		1.7			1.5			
Percentage of embryos transferred resulting in implantation (%)		4 / 5			10 / 17			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 3			6 / 14			
Percentage of transfers resulting in singleton live births (%)		2 / 3			7 / 14			
Percentage of transfers resulting in twin live births (%)		1 / 3			1 / 14			
Percentage of transfers resulting in live births (%)		3 / 3			8 / 14			
Percentage of transfers resulting in pregnancies (%)		3 / 3			10 / 14			

CURRENT SERVICES & PROFILE				Current Name: CMC Reproductive Medicine and Infertility, CMC Women's Institute			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR ASSISTED REPRODUCTION CHARLOTTE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jack L. Crain, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	19%	Male factor	25%
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	10%
				Endometriosis	11%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,082 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	185	76	61	48	18	6
Percentage of cancellations before retrieval (%)	6.5	11.8	18.0	14.6	5 / 18	2 / 6
Average number of embryos transferred	1.9	1.8	2.1	2.0	2.7	2.5
Percentage of embryos transferred resulting in implantation (%)	42.8	29.7	17.9	7.0	1 / 13	1 / 5
Percentage of elective single embryo transfers (eSET) (%)	3.1	0.0	3.8	0 / 17	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.2	2.6	8.2	0.0	0 / 18	1 / 6
Percentage of cycles resulting in singleton live births (%)	10.3	5.3	9.8	0.0	0 / 18	1 / 6
Percentage of cycles resulting in twin live births (%)	8.1	7.9	1.6	2.1	0 / 18	0 / 6
Percentage of cycles resulting in live births (%)	18.9	13.2	11.5	2.1	0 / 18	1 / 6
Percentage of cycles resulting in pregnancies (%)	22.2	15.8	16.4	4.2	2 / 18	1 / 6
Outcomes per Transfer						
Number of transfers	75	35	29	21	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.7	5.7	17.2	0.0	0 / 6	1 / 2
Percentage of transfers resulting in singleton live births (%)	25.3	11.4	20.7	0.0	0 / 6	1 / 2
Percentage of transfers resulting in twin live births (%)	20.0	17.1	3.4	4.8	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	46.7	28.6	24.1	4.8	0 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	54.7	34.3	34.5	9.5	2 / 6	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	210	84	58	23	12	3
Number of transfers	204	83	54	22	10	3
Estimated average number of transfers per retrieval	1.4	1.2	0.9	0.9	0.6	0.4
Average number of embryos transferred	1.6	1.6	1.5	1.8	1.9	1.3
Percentage of embryos transferred resulting in implantation (%)	47.5	40.3	41.9	22.2	6 / 19	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.9	33.7	29.6	18.2	3 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	35.8	34.9	37.0	18.2	3 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	12.3	8.4	5.6	4.5	1 / 10	0 / 3
Percentage of transfers resulting in live births (%)	48.5	43.4	42.6	22.7	4 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.8	57.8	57.4	40.9	5 / 10	0 / 3
Number of Egg/Embryo Banking Cycles						
	70	36	47	16	14	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		38			45	
Number of transfers		29			43	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		68.9			46.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.4			20.9	
Percentage of transfers resulting in singleton live births (%)		51.7			27.9	
Percentage of transfers resulting in twin live births (%)		24.1			16.3	
Percentage of transfers resulting in live births (%)		75.9			44.2	
Percentage of transfers resulting in pregnancies (%)		82.8			58.1	

CURRENT SERVICES & PROFILE

Current Name: Institute for Assisted Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DUKE FERTILITY CENTER
DUKE UNIVERSITY MEDICAL CENTER
DURHAM, NORTH CAROLINA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jennifer L. Eaton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	40%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	11%
				Endometriosis	8%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 307 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	24	24	18	4	0
Percentage of cancellations before retrieval (%)	5.1	4.2	20.8	2 / 18	0 / 4	
Average number of embryos transferred	1.7	1.9	2.6	2.9	2.3	
Percentage of embryos transferred resulting in implantation (%)	32.7	21.6	14.6	10.6	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	28.3	6 / 19	0 / 15	0 / 15	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.8	20.8	4.2	3 / 18	0 / 4	
Percentage of cycles resulting in singleton live births (%)	35.9	20.8	4.2	3 / 18	0 / 4	
Percentage of cycles resulting in twin live births (%)	3.8	4.2	8.3	1 / 18	0 / 4	
Percentage of cycles resulting in live births (%)	39.7	25.0	12.5	4 / 18	0 / 4	
Percentage of cycles resulting in pregnancies (%)	43.6	29.2	20.8	4 / 18	0 / 4	
Outcomes per Transfer						
Number of transfers	66	20	17	16	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	25.0	1 / 17	3 / 16	0 / 3	
Percentage of transfers resulting in singleton live births (%)	42.4	25.0	1 / 17	3 / 16	0 / 3	
Percentage of transfers resulting in twin live births (%)	4.5	5.0	2 / 17	1 / 16	0 / 3	
Percentage of transfers resulting in live births (%)	47.0	30.0	3 / 17	4 / 16	0 / 3	
Percentage of transfers resulting in pregnancies (%)	51.5	35.0	5 / 17	4 / 16	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	29	26	9	0	1
Number of transfers	45	24	25	9	0	1
Estimated average number of transfers per retrieval	1.6	2.7	3.6	2.3		
Average number of embryos transferred	1.6	1.7	1.9	1.9		1.0
Percentage of embryos transferred resulting in implantation (%)	41.5	45.9	18.4	1 / 14		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	48.9	29.2	20.0	0 / 9		0 / 1
Percentage of transfers resulting in singleton live births (%)	51.1	33.3	20.0	0 / 9		0 / 1
Percentage of transfers resulting in twin live births (%)	4.4	12.5	0.0	0 / 9		0 / 1
Percentage of transfers resulting in live births (%)	55.6	45.8	20.0	0 / 9		0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	66.7	44.0	3 / 9		0 / 1
Number of Egg/Embryo Banking Cycles						
	9	1	2	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		17			18	
Number of transfers		16			17	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		37.0			36.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 16			2 / 17	
Percentage of transfers resulting in singleton live births (%)		5 / 16			2 / 17	
Percentage of transfers resulting in twin live births (%)		1 / 16			1 / 17	
Percentage of transfers resulting in live births (%)		6 / 16			3 / 17	
Percentage of transfers resulting in pregnancies (%)		8 / 16			9 / 17	

CURRENT SERVICES & PROFILE

Current Name: Duke Fertility Center, Duke University Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER FORT BRAGG, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jason Parker, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	30%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	5%	Male factor	15%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	<1%
				Endometriosis	9%	Unknown factor	29%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 138 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	17	10	14	7	1
Percentage of cancellations before retrieval (%)	6.2	1 / 17	0 / 10	0 / 14	0 / 7	0 / 1
Average number of embryos transferred	1.9	2.0	2.2	2.5	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	35.1	33.3	40.9	14.3	1 / 14	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1.9	0 / 13	0 / 9	0 / 13	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.8	6 / 17	3 / 10	1 / 14	1 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	36.9	6 / 17	3 / 10	4 / 14	1 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	10.8	1 / 17	2 / 10	0 / 14	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	47.7	7 / 17	5 / 10	4 / 14	1 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.8	7 / 17	7 / 10	5 / 14	1 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	59	15	10	14	7	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.3	6 / 15	3 / 10	1 / 14	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.7	6 / 15	3 / 10	4 / 14	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	11.9	1 / 15	2 / 10	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	52.5	7 / 15	5 / 10	4 / 14	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.9	7 / 15	7 / 10	5 / 14	1 / 7	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	3	3	1	0	0
Number of transfers	15	3	3	1	0	0
Estimated average number of transfers per retrieval	7.5					
Average number of embryos transferred	2.0	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.3	3 / 5	3 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15	1 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 15	1 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 15	1 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 15	2 / 3	2 / 3	0 / 1		
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Womack Army Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST CAROLINA UNIVERSITY GREENVILLE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Clifford C. Hayslip, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	46%	Tubal factor	33%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	7%
				Endometriosis	9%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 56 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	2	4	0	0
Percentage of cancellations before retrieval (%)	1 / 19	1 / 10	0 / 2	0 / 4		
Average number of embryos transferred	2.1	2.0	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	37.8	7 / 14	0 / 4	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 8	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 19	0 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in singleton live births (%)	5 / 19	1 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in twin live births (%)	3 / 19	3 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in live births (%)	8 / 19	4 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in pregnancies (%)	10 / 19	5 / 10	0 / 2	0 / 4		
Outcomes per Transfer						
Number of transfers	18	8	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 18	0 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 18	1 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 18	3 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	8 / 18	4 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	10 / 18	5 / 8	0 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	1	1	0	0
Number of transfers	8	5	1	1	0	0
Estimated average number of transfers per retrieval	8.0	1.7		1.0		
Average number of embryos transferred	1.6	1.4	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 13	3 / 7		0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 8	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 8	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 8	3 / 5	1 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			5		
Number of transfers	0			5		
Average number of embryos transferred				1.8		
Percentage of embryos transferred resulting in implantation (%)				3 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 5		
Percentage of transfers resulting in singleton live births (%)				2 / 5		
Percentage of transfers resulting in twin live births (%)				0 / 5		
Percentage of transfers resulting in live births (%)				2 / 5		
Percentage of transfers resulting in pregnancies (%)				3 / 5		

CURRENT SERVICES & PROFILE

This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PREMIER FERTILITY CENTER HIGH POINT REGIONAL HEALTH SYSTEM HIGH POINT, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jeffrey L. Deaton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	21%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	34%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	10%
				Endometriosis	6%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 121 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	13	5	1	0	0
Percentage of cancellations before retrieval (%)	6.5	0 / 13	1 / 5	0 / 1		
Average number of embryos transferred	1.6	1.7	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	43.6	8 / 19	0 / 4	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	43.5	2 / 10	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	38.7	4 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)	41.9	5 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)	3.2	1 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in live births (%)	45.2	6 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in pregnancies (%)	48.4	7 / 13	0 / 5	0 / 1		
Outcomes per Transfer						
Number of transfers	25	11	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	48.0	4 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	52.0	5 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.0	1 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	56.0	6 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 11	0 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	10	5	0	1	0
Number of transfers	29	8	5	0	0	0
Estimated average number of transfers per retrieval	4.1	2.7				
Average number of embryos transferred	1.6	1.4	1.4			
Percentage of embryos transferred resulting in implantation (%)	26.7	2 / 11	1 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.6	1 / 8	0 / 5			
Percentage of transfers resulting in singleton live births (%)	27.6	2 / 8	0 / 5			
Percentage of transfers resulting in twin live births (%)	3.4	0 / 8	0 / 5			
Percentage of transfers resulting in live births (%)	31.0	2 / 8	0 / 5			
Percentage of transfers resulting in pregnancies (%)	37.9	2 / 8	1 / 5			
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		7		12		
Number of transfers		5		11		
Average number of embryos transferred		1.6		1.5		
Percentage of embryos transferred resulting in implantation (%)		5 / 8		3 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 5		2 / 11		
Percentage of transfers resulting in singleton live births (%)		3 / 5		3 / 11		
Percentage of transfers resulting in twin live births (%)		1 / 5		0 / 11		
Percentage of transfers resulting in live births (%)		4 / 5		3 / 11		
Percentage of transfers resulting in pregnancies (%)		4 / 5		3 / 11		

CURRENT SERVICES & PROFILE

Current Name: Premier Fertility Center, High Point Regional Health System

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CONCEPTS HUNTERSVILLE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Mark L. Jutras, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	5%
				Endometriosis	5%	Unknown factor	21%
						Multiple Factors:	
						Female factors only	10%
						Female & male factors	13%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 110 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		22	10	9	0	0	0
Percentage of cancellations before retrieval (%)		4.5	3 / 10	1 / 9			
Average number of embryos transferred		1.6	2.2	2.0			
Percentage of embryos transferred resulting in implantation (%)		37.9	9 / 13	3 / 12			
Percentage of elective single embryo transfers (eSET) (%)		5 / 17	0 / 6	0 / 5			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		22.7	3 / 10	1 / 9			
Percentage of cycles resulting in singleton live births (%)		22.7	3 / 10	3 / 9			
Percentage of cycles resulting in twin live births (%)		9.1	2 / 10	0 / 9			
Percentage of cycles resulting in live births (%)		31.8	5 / 10	3 / 9			
Percentage of cycles resulting in pregnancies (%)		40.9	5 / 10	3 / 9			
Outcomes per Transfer							
Number of transfers		19	6	6	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 19	3 / 6	1 / 6			
Percentage of transfers resulting in singleton live births (%)		5 / 19	3 / 6	3 / 6			
Percentage of transfers resulting in twin live births (%)		2 / 19	2 / 6	0 / 6			
Percentage of transfers resulting in live births (%)		7 / 19	5 / 6	3 / 6			
Percentage of transfers resulting in pregnancies (%)		9 / 19	5 / 6	3 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles		15	6	10	2	0	0
Number of transfers		15	6	10	2	0	0
Estimated average number of transfers per retrieval		0.7	1.2	1.0	0.4		
Average number of embryos transferred		1.8	1.7	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)		61.5	7 / 10	3 / 15	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 15	2 / 6	2 / 10	2 / 2		
Percentage of transfers resulting in singleton live births (%)		4 / 15	3 / 6	3 / 10	2 / 2		
Percentage of transfers resulting in twin live births (%)		5 / 15	1 / 6	0 / 10	0 / 2		
Percentage of transfers resulting in live births (%)		9 / 15	4 / 6	3 / 10	2 / 2		
Percentage of transfers resulting in pregnancies (%)		11 / 15	6 / 6	3 / 10	2 / 2		
Number of Egg/Embryo Banking Cycles		15	4	9	5	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			3		
Number of transfers		0			2		
Average number of embryos transferred					1.5		
Percentage of embryos transferred resulting in implantation (%)					1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 2		
Percentage of transfers resulting in singleton live births (%)					1 / 2		
Percentage of transfers resulting in twin live births (%)					0 / 2		
Percentage of transfers resulting in live births (%)					1 / 2		
Percentage of transfers resulting in pregnancies (%)					1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Concepts					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Susannah D. Copland, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	7%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	19%
				Endometriosis	4%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 220 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	28	23	7	3	1
Percentage of cancellations before retrieval (%)	6.7	21.4	26.1	0 / 7	2 / 3	1 / 1
Average number of embryos transferred	1.2	1.5	1.7	1.8		
Percentage of embryos transferred resulting in implantation (%)	43.5	45.5	30.0	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	13 / 17	1 / 9	1 / 8	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.0	10.7	17.4	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.3	14.3	17.4	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	3.3	7.1	0.0	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	26.7	21.4	17.4	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	36.7	28.6	26.1	0 / 7	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	21	15	12	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	3 / 15	4 / 12	0 / 5		
Percentage of transfers resulting in singleton live births (%)	33.3	4 / 15	4 / 12	0 / 5		
Percentage of transfers resulting in twin live births (%)	4.8	2 / 15	0 / 12	0 / 5		
Percentage of transfers resulting in live births (%)	38.1	6 / 15	4 / 12	0 / 5		
Percentage of transfers resulting in pregnancies (%)	52.4	8 / 15	6 / 12	0 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	15	9	1	0	0
Number of transfers	26	15	8	1	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.6	0.2	0.0	0.0
Average number of embryos transferred	1.6	1.5	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	34.1	33.3	1 / 11	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.9	5 / 15	1 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	34.6	5 / 15	1 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.8	0 / 15	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	38.5	5 / 15	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 15	2 / 8	0 / 1		
Number of Egg/Embryo Banking Cycles						
	14	14	12	6	7	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			9		
Number of transfers	13			9		
Average number of embryos transferred	1.1			1.7		
Percentage of embryos transferred resulting in implantation (%)	11 / 13			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 13			3 / 9		
Percentage of transfers resulting in singleton live births (%)	9 / 13			3 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 13			0 / 9		
Percentage of transfers resulting in live births (%)	10 / 13			3 / 9		
Percentage of transfers resulting in pregnancies (%)	11 / 13			5 / 9		

CURRENT SERVICES & PROFILE

Current Name: Atlantic Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	13%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	17%	Male factor	35%
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	11%
				Endometriosis	8%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 665 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	160	72	55	16	7	0
Percentage of cancellations before retrieval (%)	7.5	16.7	14.5	3 / 16	2 / 7	
Average number of embryos transferred	1.8	1.7	1.9	2.8	2.5	
Percentage of embryos transferred resulting in implantation (%)	41.0	41.0	32.9	2.9	3 / 10	
Percentage of elective single embryo transfers (eSET) (%)	18.5	27.3	21.9	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.6	23.6	21.8	1 / 16	1 / 7	
Percentage of cycles resulting in singleton live births (%)	24.4	25.0	25.5	1 / 16	2 / 7	
Percentage of cycles resulting in twin live births (%)	13.1	8.3	5.5	0 / 16	0 / 7	
Percentage of cycles resulting in live births (%)	38.8	33.3	30.9	1 / 16	2 / 7	
Percentage of cycles resulting in pregnancies (%)	42.5	40.3	36.4	1 / 16	3 / 7	
Outcomes per Transfer						
Number of transfers	135	51	38	12	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.4	33.3	31.6	1 / 12	1 / 4	
Percentage of transfers resulting in singleton live births (%)	28.9	35.3	36.8	1 / 12	2 / 4	
Percentage of transfers resulting in twin live births (%)	15.6	11.8	7.9	0 / 12	0 / 4	
Percentage of transfers resulting in live births (%)	45.9	47.1	44.7	1 / 12	2 / 4	
Percentage of transfers resulting in pregnancies (%)	50.4	56.9	52.6	1 / 12	3 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	42	28	7	1	0
Number of transfers	64	37	26	7	1	0
Estimated average number of transfers per retrieval	1.2	1.0	1.6	2.3	0.5	0.0
Average number of embryos transferred	1.5	1.5	1.6	2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.0	42.6	19.5	4 / 15	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	35.1	15.4	1 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	35.9	40.5	15.4	2 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.1	8.1	3.8	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	48.6	19.2	2 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	56.3	54.1	26.9	2 / 7	1 / 1	
Number of Egg/Embryo Banking Cycles						
	20	18	12	2	2	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		71			82	
Number of transfers		67			78	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		52.3			33.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.3			28.2	
Percentage of transfers resulting in singleton live births (%)		40.3			35.9	
Percentage of transfers resulting in twin live births (%)		19.4			7.7	
Percentage of transfers resulting in live births (%)		59.7			43.6	
Percentage of transfers resulting in pregnancies (%)		65.7			47.4	

CURRENT SERVICES & PROFILE

Current Name: Carolina Conceptions, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNC FERTILITY RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	17%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	35%
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	12%
				Endometriosis	7%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 301 (includes 18 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	50	31	9	1	0
Percentage of cancellations before retrieval (%)	16.7	24.0	16.1	1 / 9	0 / 1	
Average number of embryos transferred	1.2	1.7	2.4	3.4		
Percentage of embryos transferred resulting in implantation (%)	66.2	42.9	15.8	16.7		
Percentage of elective single embryo transfers (eSET) (%)	76.9	25.8	0.0	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	43.1	16.0	19.4	2 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	50.0	18.0	19.4	2 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.8	10.0	3.2	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	52.8	28.0	22.6	2 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	58.3	44.0	29.0	4 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	54	35	25	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	57.4	22.9	24.0	2 / 7		
Percentage of transfers resulting in singleton live births (%)	66.7	25.7	24.0	2 / 7		
Percentage of transfers resulting in twin live births (%)	3.7	14.3	4.0	0 / 7		
Percentage of transfers resulting in live births (%)	70.4	40.0	28.0	2 / 7		
Percentage of transfers resulting in pregnancies (%)	77.8	62.9	36.0	4 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	14	17	2	2	0
Number of transfers	31	12	16	1	2	0
Estimated average number of transfers per retrieval	1.2	1.1	1.3			
Average number of embryos transferred	1.6	1.9	1.7	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	53.2	26.1	31.8	0 / 3	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.8	2 / 12	7 / 16	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	32.3	2 / 12	7 / 16	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	19.4	1 / 12	0 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	51.6	3 / 12	7 / 16	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	61.3	5 / 12	10 / 16	0 / 1	1 / 2	
Number of Egg/Embryo Banking Cycles						
	10	4	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			28		
Number of transfers	8			23		
Average number of embryos transferred	1.4			1.7		
Percentage of embryos transferred resulting in implantation (%)	7 / 10			36.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8			8.7		
Percentage of transfers resulting in singleton live births (%)	5 / 8			26.1		
Percentage of transfers resulting in twin live births (%)	1 / 8			8.7		
Percentage of transfers resulting in live births (%)	6 / 8			34.8		
Percentage of transfers resulting in pregnancies (%)	7 / 8			52.2		

CURRENT SERVICES & PROFILE

Current Name: UNC Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON-SALEM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Erika B. Johnston-Macananny, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	18%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	11%
				Endometriosis	14%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 394 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	49	37	6	5	0
Percentage of cancellations before retrieval (%)	1.1	4.1	13.5	1 / 6	0 / 5	
Average number of embryos transferred	1.7	2.1	2.4	3.0	3.3	
Percentage of embryos transferred resulting in implantation (%)	45.5	35.4	16.4	1 / 9	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	31.6	7.9	0.0	0 / 3	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.5	28.6	18.9	1 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	36.4	34.7	21.6	1 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	13.6	10.2	2.7	0 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	50.0	44.9	24.3	1 / 6	0 / 5	
Percentage of cycles resulting in pregnancies (%)	53.4	51.0	27.0	1 / 6	0 / 5	
Outcomes per Transfer						
Number of transfers	80	40	28	3	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.5	35.0	25.0	1 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	40.0	42.5	28.6	1 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	15.0	12.5	3.6	0 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	55.0	55.0	32.1	1 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)	58.8	62.5	35.7	1 / 3	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	35	27	15	2	0
Number of transfers	57	31	22	14	2	0
Estimated average number of transfers per retrieval	1.8	1.4	1.1	1.3		0.0
Average number of embryos transferred	1.7	1.7	1.8	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.7	36.2	25.7	13.0	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.1	25.8	9.1	1 / 14	1 / 2	
Percentage of transfers resulting in singleton live births (%)	29.8	32.3	22.7	3 / 14	1 / 2	
Percentage of transfers resulting in twin live births (%)	14.0	6.5	9.1	0 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	43.9	38.7	31.8	3 / 14	1 / 2	
Percentage of transfers resulting in pregnancies (%)	56.1	58.1	40.9	4 / 14	1 / 2	
Number of Egg/Embryo Banking Cycles	5	11	16	10	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			17		
Number of transfers	7			17		
Average number of embryos transferred	1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 12			34.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7			4 / 17		
Percentage of transfers resulting in singleton live births (%)	1 / 7			7 / 17		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 17		
Percentage of transfers resulting in live births (%)	3 / 7			8 / 17		
Percentage of transfers resulting in pregnancies (%)	3 / 7			9 / 17		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Wake Forest University Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	19%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	50%
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	12%
				Endometriosis	11%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 256 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	27	27	12	2	0
Percentage of cancellations before retrieval (%)	10.3	18.5	22.2	2 / 12	0 / 2	
Average number of embryos transferred	1.8	1.8	2.0	2.3	4.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	37.9	33.3	4.8	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	17.5	1 / 14	1 / 17	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.7	14.8	14.8	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)	21.8	22.2	22.2	1 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)	4.6	3.7	3.7	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)	26.4	25.9	25.9	1 / 12	0 / 2	
Percentage of cycles resulting in pregnancies (%)	35.6	29.6	37.0	1 / 12	0 / 2	
Outcomes per Transfer						
Number of transfers	63	16	18	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	4 / 16	4 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.2	6 / 16	6 / 18	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.3	1 / 16	1 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	36.5	7 / 16	7 / 18	1 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	49.2	8 / 16	10 / 18	1 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	21	12	1	0	0
Number of transfers	52	20	10	1	0	0
Estimated average number of transfers per retrieval	2.4	1.5	2.5			
Average number of embryos transferred	1.8	1.7	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	41.1	22.6	3 / 18	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.5	20.0	3 / 10	0 / 1		
Percentage of transfers resulting in singleton live births (%)	40.4	20.0	3 / 10	0 / 1		
Percentage of transfers resulting in twin live births (%)	1.9	5.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births (%)	42.3	25.0	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancies (%)	61.5	35.0	3 / 10	0 / 1		
Number of Egg/Embryo Banking Cycles						
	2	4	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			3		
Number of transfers	2			3		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 3		
Percentage of transfers resulting in live births (%)	2 / 2			0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Sanford Health Reproductive Medicine Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Nicholas J. Spirtos, DO				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	30%	Uterine factor	0%	Multiple Factors: Female factors only 45% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	40%	
				Endometriosis	35%	Unknown factor	0%	

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 23 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		3	4	2	1	0	0
Percentage of cancellations before retrieval (%)		0 / 3	0 / 4	0 / 2	0 / 1		
Average number of embryos transferred		2.0	2.3		3.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 6	3 / 9		0 / 3		
Percentage of elective single embryo transfers (eSET) (%)		0 / 3	0 / 4		0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 3	2 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)		1 / 3	3 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)		1 / 3	0 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in live births (%)		2 / 3	3 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in pregnancies (%)		2 / 3	3 / 4	0 / 2	0 / 1		
Outcomes per Transfer							
Number of transfers		3	4	0	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3	2 / 4		0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 3	3 / 4		0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 4		0 / 1		
Percentage of transfers resulting in live births (%)		2 / 3	3 / 4		0 / 1		
Percentage of transfers resulting in pregnancies (%)		2 / 3	3 / 4		0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		1	0	2	0	0	0
Number of transfers		1	0	2	0	0	0
Estimated average number of transfers per retrieval		1.0		0.7			
Average number of embryos transferred		2.0		2.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 2		0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1		0 / 2			
Percentage of transfers resulting in singleton live births (%)		1 / 1		0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 1		0 / 2			
Percentage of transfers resulting in live births (%)		1 / 1		0 / 2			
Percentage of transfers resulting in pregnancies (%)		1 / 1		0 / 2			
Number of Egg/Embryo Banking Cycles							
		1	0	2	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		7			0		
Number of transfers		7			0		
Average number of embryos transferred		1.9					
Percentage of embryos transferred resulting in implantation (%)		7 / 13					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 7					
Percentage of transfers resulting in singleton live births (%)		3 / 7					
Percentage of transfers resulting in twin live births (%)		1 / 7					
Percentage of transfers resulting in live births (%)		4 / 7					
Percentage of transfers resulting in pregnancies (%)		4 / 7					

CURRENT SERVICES & PROFILE		Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-AKRON AKRON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	24%	Uterine factor	11%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	24%	Male factor	62%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	8%
				Endometriosis	24%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 419 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	138	43	44	2	5	0
Percentage of cancellations before retrieval (%)	2.9	9.3	11.4	0 / 2	0 / 5	
Average number of embryos transferred	2.0	2.0	2.9	3.5	4.8	
Percentage of embryos transferred resulting in implantation (%)	28.0	19.4	9.3	1 / 5	0 / 19	
Percentage of elective single embryo transfers (eSET) (%)	4.4	6.9	0.0	0 / 2	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.3	16.3	6.8	1 / 2	0 / 5	
Percentage of cycles resulting in singleton live births (%)	23.2	18.6	11.4	1 / 2	0 / 5	
Percentage of cycles resulting in twin live births (%)	10.1	4.7	2.3	0 / 2	0 / 5	
Percentage of cycles resulting in live births (%)	33.3	23.3	13.6	1 / 2	0 / 5	
Percentage of cycles resulting in pregnancies (%)	37.7	27.9	18.2	2 / 2	0 / 5	
Outcomes per Transfer						
Number of transfers	119	36	34	2	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.5	19.4	8.8	1 / 2	0 / 4	
Percentage of transfers resulting in singleton live births (%)	26.9	22.2	14.7	1 / 2	0 / 4	
Percentage of transfers resulting in twin live births (%)	11.8	5.6	2.9	0 / 2	0 / 4	
Percentage of transfers resulting in live births (%)	38.7	27.8	17.6	1 / 2	0 / 4	
Percentage of transfers resulting in pregnancies (%)	43.7	33.3	23.5	2 / 2	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	96	17	9	1	1	1
Number of transfers	92	16	8	1	1	1
Estimated average number of transfers per retrieval	1.5	0.9	1.1	0.5	1.0	
Average number of embryos transferred	1.9	1.6	2.3	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.5	56.5	5 / 16	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.4	6 / 16	1 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.8	7 / 16	1 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	17.4	2 / 16	1 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.3	9 / 16	2 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.2	11 / 16	4 / 8	0 / 1	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	16	6	3	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	16			20		
Number of transfers	14			20		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	28.6			37.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 14			20.0		
Percentage of transfers resulting in singleton live births (%)	6 / 14			30.0		
Percentage of transfers resulting in twin live births (%)	0 / 14			10.0		
Percentage of transfers resulting in live births (%)	6 / 14			40.0		
Percentage of transfers resulting in pregnancies (%)	6 / 14			55.0		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology, Inc.-Akron

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER BEACHWOOD, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Cynthia Austin, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	3%	Multiple Factors:		
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	15%	Male factor	55%	Female factors only		10%
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	24%	Female & male factors		34%
				Endometriosis	10%	Unknown factor	9%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 713 (includes 4 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				197	89	77	37	7	0	
Percentage of cancellations before retrieval (%)				11.2	15.7	22.1	18.9	3 / 7		
Average number of embryos transferred				1.8	1.9	2.2	2.4	2.3		
Percentage of embryos transferred resulting in implantation (%)				44.3	45.7	29.1	4.9	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)				18.7	11.9	6.0	8.7	1 / 3		
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				27.4	18.0	16.9	2.7	0 / 7		
Percentage of cycles resulting in singleton live births (%)				34.0	22.5	23.4	5.4	0 / 7		
Percentage of cycles resulting in twin live births (%)				15.2	16.9	3.9	0.0	0 / 7		
Percentage of cycles resulting in live births (%)				49.2	39.3	28.6	5.4	0 / 7		
Percentage of cycles resulting in pregnancies (%)				54.8	49.4	35.1	10.8	0 / 7		
Outcomes per Transfer										
Number of transfers				171	73	54	27	4	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				31.6	21.9	24.1	3.7	0 / 4		
Percentage of transfers resulting in singleton live births (%)				39.2	27.4	33.3	7.4	0 / 4		
Percentage of transfers resulting in twin live births (%)				17.5	20.5	5.6	0.0	0 / 4		
Percentage of transfers resulting in live births (%)				56.7	47.9	40.7	7.4	0 / 4		
Percentage of transfers resulting in pregnancies (%)				63.2	60.3	50.0	14.8	0 / 4		
Frozen Embryos from Nondonor Eggs										
Number of cycles				98	57	48	9	6	2	
Number of transfers				98	53	44	9	6	2	
Estimated average number of transfers per retrieval				1.8	2.2	1.8	3.0	6.0		
Average number of embryos transferred				1.7	1.7	1.8	1.4	1.7	2.5	
Percentage of embryos transferred resulting in implantation (%)				43.2	51.1	33.8	4 / 12	3 / 10	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				32.7	22.6	18.2	2 / 9	2 / 6	1 / 2	
Percentage of transfers resulting in singleton live births (%)				34.7	26.4	20.5	3 / 9	2 / 6	1 / 2	
Percentage of transfers resulting in twin live births (%)				13.3	24.5	9.1	0 / 9	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)				48.0	50.9	29.5	3 / 9	2 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)				54.1	60.4	50.0	5 / 9	2 / 6	1 / 2	
Number of Egg/Embryo Banking Cycles				16	8	13	2	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				14			29			
Number of transfers				12			27			
Average number of embryos transferred				1.7			1.7			
Percentage of embryos transferred resulting in implantation (%)				60.0			30.2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				5 / 12			25.9			
Percentage of transfers resulting in singleton live births (%)				5 / 12			29.6			
Percentage of transfers resulting in twin live births (%)				3 / 12			7.4			
Percentage of transfers resulting in live births (%)				8 / 12			37.0			
Percentage of transfers resulting in pregnancies (%)				8 / 12			40.7			

CURRENT SERVICES & PROFILE				Current Name: Cleveland Clinic Fertility Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY HOSPITALS FERTILITY CENTER BEACHWOOD, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James Goldfarb, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	67%	Tubal factor	15%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	31%
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	14%
				Endometriosis	10%	Unknown factor	19%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 590 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	85	50	20	11	0
Percentage of cancellations before retrieval (%)	22.0	41.2	32.0	65.0	7 / 11	
Average number of embryos transferred	2.0	2.1	2.3	2.6	3.5	
Percentage of embryos transferred resulting in implantation (%)	36.0	31.6	22.5	3 / 11	2 / 14	
Percentage of elective single embryo transfers (eSET) (%)	6.1	4.3	7.7	0 / 4	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.1	9.4	10.0	0.0	1 / 11	
Percentage of cycles resulting in singleton live births (%)	23.2	11.8	12.0	0.0	2 / 11	
Percentage of cycles resulting in twin live births (%)	9.8	7.1	4.0	5.0	0 / 11	
Percentage of cycles resulting in live births (%)	33.5	20.0	16.0	5.0	2 / 11	
Percentage of cycles resulting in pregnancies (%)	37.8	24.7	20.0	15.0	2 / 11	
Outcomes per Transfer						
Number of transfers	117	48	31	5	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.2	16.7	16.1	0 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)	32.5	20.8	19.4	0 / 5	2 / 4	
Percentage of transfers resulting in twin live births (%)	13.7	12.5	6.5	1 / 5	0 / 4	
Percentage of transfers resulting in live births (%)	47.0	35.4	25.8	1 / 5	2 / 4	
Percentage of transfers resulting in pregnancies (%)	53.0	43.8	32.3	3 / 5	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	39	22	3	8	0
Number of transfers	73	30	19	3	7	0
Estimated average number of transfers per retrieval	1.1	1.2	1.6	1.0	1.4	0.0
Average number of embryos transferred	1.9	1.8	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	25.4	13.2	18.8	1 / 6	3 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.0	10.0	4 / 19	0 / 3	2 / 7	
Percentage of transfers resulting in singleton live births (%)	26.0	13.3	4 / 19	1 / 3	3 / 7	
Percentage of transfers resulting in twin live births (%)	5.5	3.3	0 / 19	0 / 3	0 / 7	
Percentage of transfers resulting in live births (%)	31.5	16.7	4 / 19	1 / 3	3 / 7	
Percentage of transfers resulting in pregnancies (%)	50.7	23.3	6 / 19	1 / 3	3 / 7	
Number of Egg/Embryo Banking Cycles						
	22	9	5	3	4	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		23			38	
Number of transfers		15			34	
Average number of embryos transferred		1.9			1.9	
Percentage of embryos transferred resulting in implantation (%)		50.0			27.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 15			14.7	
Percentage of transfers resulting in singleton live births (%)		7 / 15			26.5	
Percentage of transfers resulting in twin live births (%)		2 / 15			2.9	
Percentage of transfers resulting in live births (%)		9 / 15			29.4	
Percentage of transfers resulting in pregnancies (%)		10 / 15			35.3	

CURRENT SERVICES & PROFILE

Current Name: University Hospitals Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA FERTILITY CENTER CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Glen E. Hofmann, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	13%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	21%
Used gestational carrier	3%			Diminished ovarian reserve	44%	Other factor	7%
				Endometriosis	6%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 271 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	20	17	14	5	0
Percentage of cancellations before retrieval (%)	13.9	15.0	3 / 17	2 / 14	1 / 5	
Average number of embryos transferred	2.0	2.1	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	30.9	16.7	19.2	3.7	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	5.4	0 / 17	0 / 13	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.9	25.0	1 / 17	1 / 14	1 / 5	
Percentage of cycles resulting in singleton live births (%)	15.3	25.0	1 / 17	1 / 14	1 / 5	
Percentage of cycles resulting in twin live births (%)	13.9	0.0	1 / 17	0 / 14	0 / 5	
Percentage of cycles resulting in live births (%)	29.2	25.0	2 / 17	1 / 14	1 / 5	
Percentage of cycles resulting in pregnancies (%)	33.3	30.0	4 / 17	1 / 14	1 / 5	
Outcomes per Transfer						
Number of transfers	57	17	14	12	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.5	5 / 17	1 / 14	1 / 12	1 / 4	
Percentage of transfers resulting in singleton live births (%)	19.3	5 / 17	1 / 14	1 / 12	1 / 4	
Percentage of transfers resulting in twin live births (%)	17.5	0 / 17	1 / 14	0 / 12	0 / 4	
Percentage of transfers resulting in live births (%)	36.8	5 / 17	2 / 14	1 / 12	1 / 4	
Percentage of transfers resulting in pregnancies (%)	42.1	6 / 17	4 / 14	1 / 12	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	17	8	3	2	0
Number of transfers	43	17	8	3	2	0
Estimated average number of transfers per retrieval	2.0	2.4	1.3			
Average number of embryos transferred	1.8	1.8	1.8	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	27.0	6.7	5 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.3	2 / 17	0 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.2	2 / 17	3 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	2.3	0 / 17	1 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	34.9	2 / 17	4 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	44.2	2 / 17	4 / 8	0 / 3	0 / 2	
Number of Egg/Embryo Banking Cycles						
	5	3	4	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			34		
Number of transfers	21			34		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	29.3			28.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3			14.7		
Percentage of transfers resulting in singleton live births (%)	33.3			20.6		
Percentage of transfers resulting in twin live births (%)	9.5			5.9		
Percentage of transfers resulting in live births (%)	42.9			26.5		
Percentage of transfers resulting in pregnancies (%)	42.9			38.2		

CURRENT SERVICES & PROFILE

Current Name: Bethesda Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	14%	Uterine factor	13%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	29%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	9%
				Endometriosis	21%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,036 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	394	161	78	33	15	2
Percentage of cancellations before retrieval (%)	7.4	13.7	15.4	30.3	5 / 15	1 / 2
Average number of embryos transferred	1.7	2.0	2.3	2.1	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	40.9	30.0	26.8	4.8	1 / 15	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	29.3	8.2	0.0	1 / 14	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.1	19.9	24.4	0.0	0 / 15	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.2	24.2	26.9	0.0	1 / 15	0 / 2
Percentage of cycles resulting in twin live births (%)	11.7	6.2	9.0	0.0	0 / 15	0 / 2
Percentage of cycles resulting in live births (%)	42.4	31.7	35.9	0.0	1 / 15	0 / 2
Percentage of cycles resulting in pregnancies (%)	49.2	38.5	41.0	6.1	1 / 15	0 / 2
Outcomes per Transfer						
Number of transfers	348	134	64	20	8	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6	23.9	29.7	0.0	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.2	29.1	32.8	0.0	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	13.2	7.5	10.9	0.0	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	48.0	38.1	43.8	0.0	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.7	46.3	50.0	10.0	1 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	150	60	24	6	0	0
Number of transfers	146	55	21	6	0	0
Estimated average number of transfers per retrieval	1.6	2.1	4.2		0.0	0.0
Average number of embryos transferred	1.8	1.7	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	36.3	35.3	28.1	2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.2	23.6	23.8	0 / 6		
Percentage of transfers resulting in singleton live births (%)	25.3	27.3	33.3	0 / 6		
Percentage of transfers resulting in twin live births (%)	15.8	10.9	4.8	0 / 6		
Percentage of transfers resulting in live births (%)	41.1	38.2	38.1	0 / 6		
Percentage of transfers resulting in pregnancies (%)	48.6	50.9	47.6	2 / 6		
Number of Egg/Embryo Banking Cycles						
	11	3	3	0	2	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		46			42	
Number of transfers		46			38	
Average number of embryos transferred		1.6			1.8	
Percentage of embryos transferred resulting in implantation (%)		47.9			38.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.3			18.4	
Percentage of transfers resulting in singleton live births (%)		45.7			21.1	
Percentage of transfers resulting in twin live births (%)		8.7			18.4	
Percentage of transfers resulting in live births (%)		54.3			39.5	
Percentage of transfers resulting in pregnancies (%)		65.2			52.6	

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROHEALTH MEDICAL CENTER CLEVELAND, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Brian M. Mercer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	50%	Tubal factor	0%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	0%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%
				Endometriosis	0%	Unknown factor	100%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 3 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	1 / 1				
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 2					
Percentage of elective single embryo transfers (eSET) (%)	0 / 1					
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 1				
Outcomes per Transfer						
Number of transfers	1	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information

Current Name: MetroHealth Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	No	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Grant Schmidt, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	34%	Tubal factor	19%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	27%
Used gestational carrier	3%			Diminished ovarian reserve	27%	Other factor	12%
				Endometriosis	7%	Unknown factor	19%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 672 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	243	111	61	45	5	2
Percentage of cancellations before retrieval (%)	3.7	11.7	4.9	8.9	2 / 5	0 / 2
Average number of embryos transferred	1.7	2.0	2.2	2.9	3.0	3.5
Percentage of embryos transferred resulting in implantation (%)	44.4	29.6	14.8	8.0	0 / 9	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	22.9	2.4	2.2	0.0	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.7	20.7	18.0	11.1	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.5	22.5	21.3	11.1	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	13.6	5.4	1.6	0.0	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	44.9	29.7	23.0	11.1	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	50.6	38.7	29.5	24.4	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	222	93	53	38	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	24.7	20.8	13.2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	33.3	26.9	24.5	13.2	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	14.9	6.5	1.9	0.0	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	49.1	35.5	26.4	13.2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	55.4	46.2	34.0	28.9	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	25	11	6	0	1
Number of transfers	60	21	11	5	0	1
Estimated average number of transfers per retrieval	1.4	1.6	1.0	0.6	0.0	
Average number of embryos transferred	1.6	1.7	1.5	1.6		1.0
Percentage of embryos transferred resulting in implantation (%)	44.6	25.7	4 / 12	1 / 8		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	23.8	1 / 11	1 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	28.6	1 / 11	1 / 5		1 / 1
Percentage of transfers resulting in twin live births (%)	10.0	0.0	1 / 11	0 / 5		0 / 1
Percentage of transfers resulting in live births (%)	51.7	28.6	2 / 11	1 / 5		1 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	42.9	5 / 11	1 / 5		1 / 1
Number of Egg/Embryo Banking Cycles						
	14	5	7	6	3	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		30			33	
Number of transfers		29			31	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		53.2			36.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.4			12.9	
Percentage of transfers resulting in singleton live births (%)		51.7			12.9	
Percentage of transfers resulting in twin live births (%)		13.8			16.1	
Percentage of transfers resulting in live births (%)		65.5			29.0	
Percentage of transfers resulting in pregnancies (%)		69.0			41.9	

CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WRIGHT STATE PHYSICIANS, WOMEN'S HEALTH CARE
DAYTON, OHIO**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mark C. Bidwell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	10%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	48%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	4%
				Endometriosis	26%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				10%			
				16%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 198 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	26	14	2	0	0
Percentage of cancellations before retrieval (%)	5.3	7.7	1 / 14	1 / 2		
Average number of embryos transferred	1.9	2.0	2.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	42.4	37.8	21.4	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	11.4	4.2	0 / 13	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	40.0	26.9	2 / 14	0 / 2		
Percentage of cycles resulting in singleton live births (%)	45.3	30.8	4 / 14	0 / 2		
Percentage of cycles resulting in twin live births (%)	10.7	11.5	0 / 14	0 / 2		
Percentage of cycles resulting in live births (%)	56.0	42.3	4 / 14	0 / 2		
Percentage of cycles resulting in pregnancies (%)	61.3	53.8	6 / 14	0 / 2		
Outcomes per Transfer						
Number of transfers	70	24	13	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.9	29.2	2 / 13	0 / 1		
Percentage of transfers resulting in singleton live births (%)	48.6	33.3	4 / 13	0 / 1		
Percentage of transfers resulting in twin live births (%)	11.4	12.5	0 / 13	0 / 1		
Percentage of transfers resulting in live births (%)	60.0	45.8	4 / 13	0 / 1		
Percentage of transfers resulting in pregnancies (%)	65.7	58.3	6 / 13	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	16	13	0	1	0
Number of transfers	30	15	13	0	1	0
Estimated average number of transfers per retrieval	2.5	2.5	3.3			
Average number of embryos transferred	1.9	1.9	1.7		2.0	
Percentage of embryos transferred resulting in implantation (%)	26.4	13.0	22.7		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.7	2 / 15	3 / 13		0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.0	2 / 15	4 / 13		0 / 1	
Percentage of transfers resulting in twin live births (%)	3.3	0 / 15	0 / 13		0 / 1	
Percentage of transfers resulting in live births (%)	33.3	2 / 15	4 / 13		0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 15	5 / 13		0 / 1	
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			4		
Number of transfers	11			4		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	70.0			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 11			1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 11			1 / 4		
Percentage of transfers resulting in twin live births (%)	5 / 11			0 / 4		
Percentage of transfers resulting in live births (%)	9 / 11			1 / 4		
Percentage of transfers resulting in pregnancies (%)	9 / 11			2 / 4		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Kettering Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY WELLNESS INSTITUTE OF OHIO MASON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Neeoo W. Chin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	20%	Uterine factor	22%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	2%	Other factor	10%
				Endometriosis	76%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 41 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	14	3	0	0	0
Percentage of cancellations before retrieval (%)	0 / 19	0 / 14	0 / 3			
Average number of embryos transferred	2.2	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)	43.3	29.2	3 / 7			
Percentage of elective single embryo transfers (eSET) (%)	1 / 15	0 / 10	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6 / 19	2 / 14	0 / 3			
Percentage of cycles resulting in singleton live births (%)	7 / 19	3 / 14	0 / 3			
Percentage of cycles resulting in twin live births (%)	1 / 19	1 / 14	1 / 3			
Percentage of cycles resulting in live births (%)	8 / 19	4 / 14	1 / 3			
Percentage of cycles resulting in pregnancies (%)	11 / 19	6 / 14	2 / 3			
Outcomes per Transfer						
Number of transfers	15	12	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 15	2 / 12	0 / 3			
Percentage of transfers resulting in singleton live births (%)	7 / 15	3 / 12	0 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 12	1 / 3			
Percentage of transfers resulting in live births (%)	8 / 15	4 / 12	1 / 3			
Percentage of transfers resulting in pregnancies (%)	11 / 15	6 / 12	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			0		
Number of transfers	3			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	3 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 3					
Percentage of transfers resulting in twin live births (%)	1 / 3					
Percentage of transfers resulting in live births (%)	2 / 3					
Percentage of transfers resulting in pregnancies (%)	2 / 3					

CURRENT SERVICES & PROFILE

Current Name: The Fertility Wellness Institute of Ohio

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTER OF NORTHWEST OHIO
TOLEDO, OHIO**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE HEALTH WEST CHESTER, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Krystene B. Dipaola, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 3% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	2%	
				Endometriosis	14%	Unknown factor	7%	

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 197 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		73	33	16	4	0	3
Percentage of cancellations before retrieval (%)		11.0	6.1	5 / 16	1 / 4		1 / 3
Average number of embryos transferred		2.0	2.0	2.2	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)		37.9	25.0	45.0	0 / 2		1 / 2
Percentage of elective single embryo transfers (eSET) (%)		1.7	0.0	0 / 9	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		26.0	18.2	5 / 16	0 / 4		0 / 3
Percentage of cycles resulting in singleton live births (%)		27.4	24.2	5 / 16	0 / 4		0 / 3
Percentage of cycles resulting in twin live births (%)		15.1	9.1	2 / 16	0 / 4		0 / 3
Percentage of cycles resulting in live births (%)		42.5	33.3	7 / 16	0 / 4		0 / 3
Percentage of cycles resulting in pregnancies (%)		43.8	36.4	7 / 16	0 / 4		1 / 3
Outcomes per Transfer							
Number of transfers		62	31	9	1	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.6	19.4	5 / 9	0 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)		32.3	25.8	5 / 9	0 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)		17.7	9.7	2 / 9	0 / 1		0 / 2
Percentage of transfers resulting in live births (%)		50.0	35.5	7 / 9	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)		51.6	38.7	7 / 9	0 / 1		1 / 2
Frozen Embryos from Nondonor Eggs							
Number of cycles		26	5	2	1	0	0
Number of transfers		24	5	2	1	0	0
Estimated average number of transfers per retrieval		0.9	0.6	1.0	0.5	0.0	0.0
Average number of embryos transferred		1.8	1.8	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)		25.0	1 / 9	0 / 4	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		20.8	0 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)		20.8	1 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in twin live births (%)		4.2	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)		29.2	1 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in pregnancies (%)		33.3	1 / 5	0 / 2	1 / 1		
Number of Egg/Embryo Banking Cycles		10	5	1	2	1	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		6			6		
Number of transfers		3			5		
Average number of embryos transferred		1.3			2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 4			1 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3			0 / 5		
Percentage of transfers resulting in singleton live births (%)		1 / 3			1 / 5		
Percentage of transfers resulting in twin live births (%)		1 / 3			0 / 5		
Percentage of transfers resulting in live births (%)		2 / 3			1 / 5		
Percentage of transfers resulting in pregnancies (%)		2 / 3			1 / 5		

CURRENT SERVICES & PROFILE				Current Name: Center for Reproductive Health			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-WESTERVILLE WESTERVILLE, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard Moretuzzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	54%
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	5%
				Endometriosis	15%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 202 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	25	19	9	2	0
Percentage of cancellations before retrieval (%)	3.8	8.0	1 / 19	2 / 9	1 / 2	
Average number of embryos transferred	1.9	2.2	2.9	3.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	37.3	14.3	15.4	0.0	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	5.6	9.5	0 / 16	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.8	12.0	4 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	15.4	16.0	4 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	19.2	4.0	1 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	35.9	20.0	5 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in pregnancies (%)	44.9	24.0	6 / 19	0 / 9	0 / 2	
Outcomes per Transfer						
Number of transfers	73	22	18	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	13.7	13.6	4 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	16.4	18.2	4 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	20.5	4.5	1 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	38.4	22.7	5 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	47.9	27.3	6 / 18	0 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	16	5	2	0	0
Number of transfers	29	13	5	1	0	0
Estimated average number of transfers per retrieval	2.6	1.4	2.5			
Average number of embryos transferred	1.7	1.7	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	26.7	40.9	0 / 9	2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.7	8 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	24.1	9 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.4	0 / 13	0 / 5	1 / 1		
Percentage of transfers resulting in live births (%)	27.6	9 / 13	0 / 5	1 / 1		
Percentage of transfers resulting in pregnancies (%)	41.4	9 / 13	0 / 5	1 / 1		
Number of Egg/Embryo Banking Cycles						
	2	3	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			6		
Number of transfers	4			5		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 8			3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			2 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 4			3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 5		
Percentage of transfers resulting in live births (%)	0 / 4			3 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 4			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology, Inc.-Westerville

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	17%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	23%
				Endometriosis	21%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 294 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	138	41	20	2	6	1
Percentage of cancellations before retrieval (%)	6.5	9.8	0.0	1 / 2	3 / 6	0 / 1
Average number of embryos transferred	2.0	2.2	2.7	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	38.2	44.9	21.6	1 / 2	0 / 6	2 / 2
Percentage of elective single embryo transfers (eSET) (%)	0.8	3.0	0 / 19	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.4	12.2	20.0	1 / 2	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.9	12.2	30.0	1 / 2	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	14.5	26.8	5.0	0 / 2	0 / 6	1 / 1
Percentage of cycles resulting in live births (%)	47.1	41.5	35.0	1 / 2	0 / 6	1 / 1
Percentage of cycles resulting in pregnancies (%)	52.2	51.2	45.0	1 / 2	0 / 6	1 / 1
Outcomes per Transfer						
Number of transfers	127	34	19	1	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.1	14.7	4 / 19	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	14.7	6 / 19	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	15.7	32.4	1 / 19	0 / 1	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	51.2	50.0	7 / 19	1 / 1	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.7	61.8	9 / 19	1 / 1	0 / 2	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	17	8	1	0	0
Number of transfers	37	13	8	1	0	0
Estimated average number of transfers per retrieval	2.3	2.6	8.0			
Average number of embryos transferred	1.9	1.9	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	21.7	44.0	4 / 16	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.3	3 / 13	4 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	29.7	4 / 13	4 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	2.7	3 / 13	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	32.4	7 / 13	4 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	37.8	7 / 13	4 / 8	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			9		
Number of transfers	10			8		
Average number of embryos transferred	2.2			1.9		
Percentage of embryos transferred resulting in implantation (%)	63.6			5 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 10			1 / 8		
Percentage of transfers resulting in singleton live births (%)	6 / 10			1 / 8		
Percentage of transfers resulting in twin live births (%)	3 / 10			2 / 8		
Percentage of transfers resulting in live births (%)	9 / 10			3 / 8		
Percentage of transfers resulting in pregnancies (%)	9 / 10			4 / 8		

CURRENT SERVICES & PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Latasha B. Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	19%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	43%
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	25%
				Endometriosis	12%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 232 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	19	20	12	2	1
Percentage of cancellations before retrieval (%)	3.9	1 / 19	10.0	4 / 12	0 / 2	1 / 1
Average number of embryos transferred	1.9	1.8	2.6	2.7	3.5	
Percentage of embryos transferred resulting in implantation (%)	37.9	29.0	14.0	1 / 19	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	9.9	0 / 13	0 / 17	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.6	5 / 19	10.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	24.5	7 / 19	15.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	18.6	1 / 19	5.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	43.1	8 / 19	20.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.1	8 / 19	30.0	1 / 12	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	97	17	18	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.6	5 / 17	2 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	25.8	7 / 17	3 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	19.6	1 / 17	1 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	45.4	8 / 17	4 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	49.5	8 / 17	6 / 18	1 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	8	7	0	0	0
Number of transfers	27	8	7	0	0	0
Estimated average number of transfers per retrieval	3.0	4.0	1.0			0.0
Average number of embryos transferred	1.9	1.6	1.7			
Percentage of embryos transferred resulting in implantation (%)	28.8	6 / 13	2 / 12			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.5	1 / 8	1 / 7			
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 8	1 / 7			
Percentage of transfers resulting in twin live births (%)	3.7	2 / 8	0 / 7			
Percentage of transfers resulting in live births (%)	37.0	3 / 8	1 / 7			
Percentage of transfers resulting in pregnancies (%)	44.4	4 / 8	2 / 7			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			19		
Number of transfers	12			19		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	11 / 19			26.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12			5 / 19		
Percentage of transfers resulting in singleton live births (%)	1 / 12			7 / 19		
Percentage of transfers resulting in twin live births (%)	5 / 12			0 / 19		
Percentage of transfers resulting in live births (%)	6 / 12			7 / 19		
Percentage of transfers resulting in pregnancies (%)	7 / 12			8 / 19		

CURRENT SERVICES & PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER TULSA, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	14%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	15%	Male factor	49%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	27%
				Endometriosis	8%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 314 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	42	21	4	0	0
Percentage of cancellations before retrieval (%)	5.2	4.8	14.3	2 / 4		
Average number of embryos transferred	1.7	1.7	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	34.2	30.0	3 / 14	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	7.0	5.0	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.4	21.4	4.8	0 / 4		
Percentage of cycles resulting in singleton live births (%)	16.4	23.8	4.8	0 / 4		
Percentage of cycles resulting in twin live births (%)	7.5	4.8	4.8	0 / 4		
Percentage of cycles resulting in live births (%)	25.4	28.6	9.5	0 / 4		
Percentage of cycles resulting in pregnancies (%)	30.6	31.0	9.5	0 / 4		
Outcomes per Transfer						
Number of transfers	94	30	11	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.1	30.0	1 / 11	0 / 1		
Percentage of transfers resulting in singleton live births (%)	23.4	33.3	1 / 11	0 / 1		
Percentage of transfers resulting in twin live births (%)	10.6	6.7	1 / 11	0 / 1		
Percentage of transfers resulting in live births (%)	36.2	40.0	2 / 11	0 / 1		
Percentage of transfers resulting in pregnancies (%)	43.6	43.3	2 / 11	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	9	5	1	1	0
Number of transfers	45	9	5	1	1	0
Estimated average number of transfers per retrieval	1.7	1.3	0.6	0.1	1.0	
Average number of embryos transferred	1.6	1.4	1.2	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.6	8 / 13	2 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.7	3 / 9	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	6 / 9	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.6	1 / 9	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	51.1	7 / 9	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	55.6	7 / 9	2 / 5	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	6	4	6	5	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			15		
Number of transfers	8			15		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	6 / 15			28.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8			6 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 8			6 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 8			0 / 15		
Percentage of transfers resulting in live births (%)	4 / 8			6 / 15		
Percentage of transfers resulting in pregnancies (%)	4 / 8			7 / 15		

CURRENT SERVICES & PROFILE

Current Name: Tulsa Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON EUGENE, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	29%	Male factor	46%
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	6%
				Endometriosis	4%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 163 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	18	7	4	1	1
Percentage of cancellations before retrieval (%)	5.3	1 / 18	0 / 7	0 / 4	0 / 1	0 / 1
Average number of embryos transferred	2.1	2.1	2.6	3.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.0	35.5	2 / 18	0 / 15	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	5.7	1 / 15	0 / 7	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.1	7 / 18	0 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.3	8 / 18	1 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	10.5	0 / 18	0 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	36.8	8 / 18	1 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.4	9 / 18	2 / 7	0 / 4	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	53	15	7	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.6	7 / 15	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	28.3	8 / 15	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.3	0 / 15	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	39.6	8 / 15	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.9	9 / 15	2 / 7	0 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	11	5	5	1	0
Number of transfers	31	11	5	5	1	0
Estimated average number of transfers per retrieval	2.2	2.8	5.0	5.0		
Average number of embryos transferred	2.2	1.9	1.8	2.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	27.9	19.0	3 / 9	0 / 13	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.6	1 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.8	1 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.9	1 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	38.7	2 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.2	3 / 11	3 / 5	0 / 5	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			15		
Number of transfers	4			15		
Average number of embryos transferred	2.3			1.9		
Percentage of embryos transferred resulting in implantation (%)	8 / 9			17.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4			2 / 15		
Percentage of transfers resulting in singleton live births (%)	1 / 4			2 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 4			1 / 15		
Percentage of transfers resulting in live births (%)	4 / 4			3 / 15		
Percentage of transfers resulting in pregnancies (%)	4 / 4			4 / 15		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center of Oregon

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWEST FERTILITY CENTER PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eugene M. Stoelk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	42%	Tubal factor	30%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	9%	Male factor	37%
Used gestational carrier	3%			Diminished ovarian reserve	27%	Other factor	3%
				Endometriosis	14%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 151 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	15	15	4	2	0
Percentage of cancellations before retrieval (%)	16.7	2 / 15	1 / 15	0 / 4	0 / 2	
Average number of embryos transferred	1.8	1.8	2.6	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	40.4	43.5	35.3	1 / 12	2 / 7	
Percentage of elective single embryo transfers (eSET) (%)	13.3	1 / 10	0 / 13	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.0	3 / 15	2 / 15	1 / 4	1 / 2	
Percentage of cycles resulting in singleton live births (%)	21.4	5 / 15	4 / 15	1 / 4	2 / 2	
Percentage of cycles resulting in twin live births (%)	16.7	2 / 15	3 / 15	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	38.1	7 / 15	7 / 15	1 / 4	2 / 2	
Percentage of cycles resulting in pregnancies (%)	38.1	7 / 15	9 / 15	1 / 4	2 / 2	
Outcomes per Transfer						
Number of transfers	31	13	13	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.8	3 / 13	2 / 13	1 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	29.0	5 / 13	4 / 13	1 / 4	2 / 2	
Percentage of transfers resulting in twin live births (%)	22.6	2 / 13	3 / 13	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	51.6	7 / 13	7 / 13	1 / 4	2 / 2	
Percentage of transfers resulting in pregnancies (%)	51.6	7 / 13	9 / 13	1 / 4	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	13	8	2	0	0
Number of transfers	23	13	8	2	0	0
Estimated average number of transfers per retrieval	2.1	4.3	1.1	2.0		
Average number of embryos transferred	1.7	1.8	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	47.5	17.4	7 / 16	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.4	3 / 13	5 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	21.7	4 / 13	5 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	21.7	0 / 13	1 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	47.8	4 / 13	6 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	47.8	4 / 13	6 / 8	0 / 2		
Number of Egg/Embryo Banking Cycles						
	1	2	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			5		
Number of transfers	18			5		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	59.5			2 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 18			1 / 5		
Percentage of transfers resulting in singleton live births (%)	7 / 18			2 / 5		
Percentage of transfers resulting in twin live births (%)	6 / 18			0 / 5		
Percentage of transfers resulting in live births (%)	14 / 18			2 / 5		
Percentage of transfers resulting in pregnancies (%)	14 / 18			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Northwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	6%	Uterine factor	2%
Unstimulated	7%	PGD/PGS	15%	Ovulatory dysfunction	7%	Male factor	22%
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	30%
				Endometriosis	7%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,393 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	176	109	56	34	19	5
Percentage of cancellations before retrieval (%)	2.3	11.9	25.0	14.7	3 / 19	1 / 5
Average number of embryos transferred	1.8	1.8	1.6	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	61.9	54.4	50.0	6 / 16	1 / 2	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	14.4	15.0	26.1	1 / 7	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.3	22.9	21.4	8.8	1 / 19	1 / 5
Percentage of cycles resulting in singleton live births (%)	35.8	24.8	21.4	11.8	1 / 19	1 / 5
Percentage of cycles resulting in twin live births (%)	21.6	20.2	5.4	2.9	0 / 19	0 / 5
Percentage of cycles resulting in live births (%)	58.5	45.9	26.8	14.7	1 / 19	1 / 5
Percentage of cycles resulting in pregnancies (%)	66.5	53.2	32.1	17.6	1 / 19	1 / 5
Outcomes per Transfer						
Number of transfers	157	87	28	10	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.0	28.7	42.9	3 / 10	1 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	40.1	31.0	42.9	4 / 10	1 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	24.2	25.3	10.7	1 / 10	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	65.6	57.5	53.6	5 / 10	1 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	74.5	66.7	64.3	6 / 10	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	106	101	95	37	20	8
Number of transfers	97	99	89	35	18	8
Estimated average number of transfers per retrieval	0.8	0.9	0.8	0.6	0.7	0.2
Average number of embryos transferred	1.5	1.6	1.4	1.3	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	67.4	63.5	56.6	61.4	50.0	8 / 10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.1	47.5	40.4	42.9	8 / 18	3 / 8
Percentage of transfers resulting in singleton live births (%)	48.5	52.5	49.4	45.7	8 / 18	4 / 8
Percentage of transfers resulting in twin live births (%)	19.6	16.2	6.7	11.4	1 / 18	0 / 8
Percentage of transfers resulting in live births (%)	68.0	69.7	56.2	57.1	9 / 18	4 / 8
Percentage of transfers resulting in pregnancies (%)	74.2	76.8	69.7	68.6	10 / 18	5 / 8
Number of Egg/Embryo Banking Cycles						
	101	90	108	52	25	34
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	79			137		
Number of transfers	72			132		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	85.0			70.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.4			34.1		
Percentage of transfers resulting in singleton live births (%)	50.0			43.2		
Percentage of transfers resulting in twin live births (%)	33.3			22.0		
Percentage of transfers resulting in live births (%)	83.3			65.2		
Percentage of transfers resulting in pregnancies (%)	87.5			79.5		

CURRENT SERVICES & PROFILE

Current Name: Oregon Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CONSULTANTS OREGON HEALTH & SCIENCE UNIVERSITY PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by David M. Lee, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	14%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	45%
Used gestational carrier	5%			Diminished ovarian reserve	41%	Other factor	21%
				Endometriosis	7%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				16%			
				27%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 458 (includes 4 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		78	47	31	13	4	1
Percentage of cancellations before retrieval (%)		5.1	17.0	12.9	4 / 13	2 / 4	0 / 1
Average number of embryos transferred		1.8	2.0	2.1	2.2	2.0	4.0
Percentage of embryos transferred resulting in implantation (%)		50.0	35.6	12.2	2 / 11		0 / 4
Percentage of elective single embryo transfers (eSET) (%)		26.9	13.6	0 / 18	0 / 4	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.5	14.9	3.2	1 / 13	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)		23.1	14.9	3.2	1 / 13	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)		14.1	4.3	3.2	0 / 13	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)		37.2	19.1	6.5	1 / 13	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)		39.7	27.7	12.9	2 / 13	1 / 4	0 / 1
Outcomes per Transfer							
Number of transfers		53	23	20	5	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.2	30.4	5.0	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		34.0	30.4	5.0	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		20.8	8.7	5.0	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		54.7	39.1	10.0	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		58.5	56.5	20.0	2 / 5	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		65	30	30	10	3	2
Number of transfers		63	28	27	8	3	2
Estimated average number of transfers per retrieval		1.5	1.0	1.3	1.1	1.5	2.0
Average number of embryos transferred		1.7	1.8	1.7	2.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)		42.7	52.0	29.5	8 / 16	2 / 5	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.7	46.4	25.9	4 / 8	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)		36.5	57.1	33.3	4 / 8	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)		15.9	10.7	0.0	2 / 8	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)		52.4	67.9	37.0	6 / 8	2 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)		55.6	67.9	44.4	6 / 8	2 / 3	0 / 2
Number of Egg/Embryo Banking Cycles		22	13	14	5	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		47			37		
Number of transfers		41			35		
Average number of embryos transferred		1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)		70.8			35.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		34.1			25.7		
Percentage of transfers resulting in singleton live births (%)		39.0			31.4		
Percentage of transfers resulting in twin live births (%)		29.3			5.7		
Percentage of transfers resulting in live births (%)		68.3			37.1		
Percentage of transfers resulting in pregnancies (%)		75.6			48.6		

CURRENT SERVICES & PROFILE		Current Name: University Fertility Consultants, Oregon Health & Science University			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
		Verified lab accreditation? (See Appendix C for details.)			
		Yes			

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Stephen G. Somkuti, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	3%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	8%	Male factor	16%
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	49%
				Endometriosis	3%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				2%			
				5%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 523 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	165	93	76	26	5	4
Percentage of cancellations before retrieval (%)	6.1	8.6	10.5	19.2	0 / 5	0 / 4
Average number of embryos transferred	2.0	2.3	2.6	2.6	1.7	2.8
Percentage of embryos transferred resulting in implantation (%)	33.0	20.9	21.4	17.1	0 / 5	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	4.8	3.2	0.0	0 / 11	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.6	14.0	11.8	11.5	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.8	20.4	14.5	11.5	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	15.2	2.2	5.3	0.0	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	33.9	22.6	21.1	15.4	0 / 5	0 / 4
Percentage of cycles resulting in pregnancies (%)	38.8	32.3	30.3	19.2	0 / 5	0 / 4
Outcomes per Transfer						
Number of transfers	144	71	56	16	3	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.1	18.3	16.1	3 / 16	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	21.5	26.8	19.6	3 / 16	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	17.4	2.8	7.1	0 / 16	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	38.9	29.6	28.6	4 / 16	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	44.4	42.3	41.1	5 / 16	0 / 3	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	28	18	2	1	2
Number of transfers	41	28	17	2	1	2
Estimated average number of transfers per retrieval	2.0	2.8	1.4	1.0	1.0	
Average number of embryos transferred	1.5	1.8	1.9	1.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	23.3	27.7	9.1	0 / 2	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.5	17.9	2 / 17	0 / 2	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	26.8	17.9	2 / 17	0 / 2	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	10.7	0 / 17	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	26.8	28.6	2 / 17	0 / 2	0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	34.1	39.3	3 / 17	1 / 2	0 / 1	1 / 2
Number of Egg/Embryo Banking Cycles						
	7	4	8	2	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			23		
Number of transfers	15			23		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	66.7			29.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15			13.0		
Percentage of transfers resulting in singleton live births (%)	4 / 15			30.4		
Percentage of transfers resulting in twin live births (%)	6 / 15			8.7		
Percentage of transfers resulting in live births (%)	10 / 15			39.1		
Percentage of transfers resulting in pregnancies (%)	12 / 15			43.5		

CURRENT SERVICES & PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics,
Toll Center for Reproductive Sciences

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY SOLUTIONS, PC ALLENTOWN, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bruce I. Rose, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	16%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	53%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	4%
				Endometriosis	18%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 51 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	5	16	4	1	2
Percentage of cancellations before retrieval (%)	0 / 14	1 / 5	2 / 16	0 / 4	0 / 1	0 / 2
Average number of embryos transferred	2.4	2.3	2.3	3.7	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	23.3	1 / 7	5.0	1 / 11	0 / 2	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	0 / 3	0 / 8	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5 / 14	1 / 5	1 / 16	1 / 4	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	5 / 14	1 / 5	1 / 16	1 / 4	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 5	0 / 16	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	6 / 14	1 / 5	1 / 16	1 / 4	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	7 / 14	1 / 5	2 / 16	1 / 4	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	14	3	10	3	1	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 14	1 / 3	1 / 10	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 14	1 / 3	1 / 10	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 3	0 / 10	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	6 / 14	1 / 3	1 / 10	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 14	1 / 3	2 / 10	1 / 3	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	3	0	0	0
Number of transfers	1	1	3	0	0	0
Estimated average number of transfers per retrieval			1.0			
Average number of embryos transferred	3.0	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)	2 / 3	2 / 2	0 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1	0 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 1	1 / 1	0 / 3			
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1	0 / 3			
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1	0 / 3			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			4		
Number of transfers	0			4		
Average number of embryos transferred				2.5		
Percentage of embryos transferred resulting in implantation (%)				3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 4		
Percentage of transfers resulting in singleton live births (%)				2 / 4		
Percentage of transfers resulting in twin live births (%)				0 / 4		
Percentage of transfers resulting in live births (%)				2 / 4		
Percentage of transfers resulting in pregnancies (%)				3 / 4		

CURRENT SERVICES & PROFILE

Current Name: Infertility Solutions, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 21 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	9%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	23%	Male factor	50%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	34%
				Endometriosis	8%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 254 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	18	10	3	0	0
Percentage of cancellations before retrieval (%)	4.8	1 / 18	4 / 10	1 / 3		
Average number of embryos transferred	1.7	1.5	1.5			
Percentage of embryos transferred resulting in implantation (%)	76.7	9 / 18	0 / 3			
Percentage of elective single embryo transfers (eSET) (%)	31.6	6 / 12	1 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	4 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in singleton live births (%)	29.0	5 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in twin live births (%)	17.7	1 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in live births (%)	46.8	6 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in pregnancies (%)	56.5	9 / 18	0 / 10	0 / 3		
Outcomes per Transfer						
Number of transfers	40	13	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.0	4 / 13	0 / 2			
Percentage of transfers resulting in singleton live births (%)	45.0	5 / 13	0 / 2			
Percentage of transfers resulting in twin live births (%)	27.5	1 / 13	0 / 2			
Percentage of transfers resulting in live births (%)	72.5	6 / 13	0 / 2			
Percentage of transfers resulting in pregnancies (%)	87.5	9 / 13	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	27	10	4	1	0
Number of transfers	48	24	8	4	0	0
Estimated average number of transfers per retrieval	1.5	1.2	0.6	1.0	0.0	
Average number of embryos transferred	1.4	1.5	1.4	1.0		
Percentage of embryos transferred resulting in implantation (%)	64.6	45.2	5 / 8	3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.4	37.5	3 / 8	2 / 4		
Percentage of transfers resulting in singleton live births (%)	43.8	41.7	4 / 8	3 / 4		
Percentage of transfers resulting in twin live births (%)	20.8	4.2	0 / 8	0 / 4		
Percentage of transfers resulting in live births (%)	64.6	45.8	4 / 8	3 / 4		
Percentage of transfers resulting in pregnancies (%)	68.8	66.7	7 / 8	3 / 4		
Number of Egg/Embryo Banking Cycles						
	19	14	13	4	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			10	
Number of transfers		1			10	
Average number of embryos transferred		1.0			1.3	
Percentage of embryos transferred resulting in implantation (%)		1 / 1			6 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			4 / 10	
Percentage of transfers resulting in singleton live births (%)		1 / 1			4 / 10	
Percentage of transfers resulting in twin live births (%)		0 / 1			1 / 10	
Percentage of transfers resulting in live births (%)		1 / 1			5 / 10	
Percentage of transfers resulting in pregnancies (%)		1 / 1			5 / 10	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	23%	Male factor	53%
Used gestational carrier	2%			Diminished ovarian reserve	34%	Other factor	22%
				Endometriosis	11%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 69 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	19	9	0	2	0
Percentage of cancellations before retrieval (%)	0 / 16	0 / 19	2 / 9		0 / 2	
Average number of embryos transferred	1.2	1.9	1.9		2.0	
Percentage of embryos transferred resulting in implantation (%)	11 / 19	42.9	3 / 13		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	10 / 13	2 / 15	0 / 5		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9 / 16	5 / 19	1 / 9		0 / 2	
Percentage of cycles resulting in singleton live births (%)	10 / 16	5 / 19	2 / 9		0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 16	3 / 19	0 / 9		0 / 2	
Percentage of cycles resulting in live births (%)	10 / 16	8 / 19	2 / 9		0 / 2	
Percentage of cycles resulting in pregnancies (%)	11 / 16	9 / 19	2 / 9		0 / 2	
Outcomes per Transfer						
Number of transfers	16	18	7	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 16	5 / 18	1 / 7		0 / 2	
Percentage of transfers resulting in singleton live births (%)	10 / 16	5 / 18	2 / 7		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 16	3 / 18	0 / 7		0 / 2	
Percentage of transfers resulting in live births (%)	10 / 16	8 / 18	2 / 7		0 / 2	
Percentage of transfers resulting in pregnancies (%)	11 / 16	9 / 18	2 / 7		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	1	2	0	0
Number of transfers	3	3	1	2	0	0
Estimated average number of transfers per retrieval	0.6	0.5	0.5			
Average number of embryos transferred	1.3	1.7	3.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 5	1 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	1 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 3	1 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 3	1 / 1	0 / 2		
Number of Egg/Embryo Banking Cycles						
	2	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			5		
Number of transfers	3			5		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			3 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 3			3 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 3			3 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 3			4 / 5		

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	33%	Tubal factor	8%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	18%	Male factor	20%
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	11%
				Endometriosis	5%	Unknown factor	27%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,263 (includes 99 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	254	148	158	53	32	12
Percentage of cancellations before retrieval (%)	5.5	2.7	12.0	22.6	12.5	0 / 12
Average number of embryos transferred	2.0	2.2	2.5	2.4	3.5	2.8
Percentage of embryos transferred resulting in implantation (%)	32.6	28.0	22.2	13.9	6.2	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	15.3	0.8	5.5	0.0	4.5	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.1	22.3	19.0	7.5	9.4	0 / 12
Percentage of cycles resulting in singleton live births (%)	21.7	25.7	21.5	9.4	9.4	0 / 12
Percentage of cycles resulting in twin live births (%)	9.4	8.1	3.8	1.9	0.0	0 / 12
Percentage of cycles resulting in live births (%)	31.1	33.8	25.3	11.3	9.4	0 / 12
Percentage of cycles resulting in pregnancies (%)	38.2	43.2	36.7	18.9	18.8	0 / 12
Outcomes per Transfer						
Number of transfers	202	127	126	32	24	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.8	26.0	23.8	12.5	12.5	0 / 4
Percentage of transfers resulting in singleton live births (%)	27.2	29.9	27.0	15.6	12.5	0 / 4
Percentage of transfers resulting in twin live births (%)	11.9	9.4	4.8	3.1	0.0	0 / 4
Percentage of transfers resulting in live births (%)	39.1	39.4	31.7	18.8	12.5	0 / 4
Percentage of transfers resulting in pregnancies (%)	48.0	50.4	46.0	31.3	25.0	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	133	50	43	17	13	0
Number of transfers	118	49	40	15	9	0
Estimated average number of transfers per retrieval	1.0	0.9	0.6	0.5	1.0	0.0
Average number of embryos transferred	1.6	1.6	1.6	1.9	2.2	
Percentage of embryos transferred resulting in implantation (%)	36.4	32.9	29.7	34.5	3 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.0	28.6	22.5	5 / 15	1 / 9	
Percentage of transfers resulting in singleton live births (%)	29.7	30.6	22.5	7 / 15	1 / 9	
Percentage of transfers resulting in twin live births (%)	5.1	6.1	2.5	0 / 15	0 / 9	
Percentage of transfers resulting in live births (%)	34.7	36.7	25.0	7 / 15	1 / 9	
Percentage of transfers resulting in pregnancies (%)	50.8	49.0	42.5	9 / 15	3 / 9	
Number of Egg/Embryo Banking Cycles						
	48	31	51	24	3	3
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		16		75		
Number of transfers		12		70		
Average number of embryos transferred		1.8		1.5		
Percentage of embryos transferred resulting in implantation (%)		38.1		25.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 12		22.9		
Percentage of transfers resulting in singleton live births (%)		7 / 12		28.6		
Percentage of transfers resulting in twin live births (%)		0 / 12		2.9		
Percentage of transfers resulting in live births (%)		7 / 12		31.4		
Percentage of transfers resulting in pregnancies (%)		8 / 12		37.1		

CURRENT SERVICES & PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jennifer Gell, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	90%	Tubal factor	19%	Uterine factor	11%	Multiple Factors:		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	25%	Female factors only 7%		
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	6%	Female & male factors 7%		
				Endometriosis	6%	Unknown factor	13%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 123 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				30	13	23	5	2	0	
Percentage of cancellations before retrieval (%)				0.0	1 / 13	8.7	0 / 5	1 / 2		
Average number of embryos transferred				2.0	2.2	2.3	2.3	1.0		
Percentage of embryos transferred resulting in implantation (%)				21.6	27.3	7.0	2 / 9	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)				0.0	0 / 10	0 / 15	0 / 3			
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				20.0	3 / 13	4.3	1 / 5	0 / 2		
Percentage of cycles resulting in singleton live births (%)				20.0	3 / 13	4.3	1 / 5	0 / 2		
Percentage of cycles resulting in twin live births (%)				6.7	1 / 13	4.3	0 / 5	0 / 2		
Percentage of cycles resulting in live births (%)				26.7	4 / 13	8.7	1 / 5	0 / 2		
Percentage of cycles resulting in pregnancies (%)				33.3	5 / 13	8.7	1 / 5	0 / 2		
Outcomes per Transfer										
Number of transfers				26	10	19	4	1	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				23.1	3 / 10	1 / 19	1 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)				23.1	3 / 10	1 / 19	1 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)				7.7	1 / 10	1 / 19	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)				30.8	4 / 10	2 / 19	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)				38.5	5 / 10	2 / 19	1 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs										
Number of cycles				17	12	7	2	0	1	
Number of transfers				17	11	7	2	0	1	
Estimated average number of transfers per retrieval				2.1	2.8	1.2	2.0			
Average number of embryos transferred				1.8	1.5	2.3	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)				35.5	5 / 16	5 / 16	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				7 / 17	3 / 11	0 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)				8 / 17	3 / 11	0 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)				1 / 17	1 / 11	2 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in live births (%)				9 / 17	4 / 11	2 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)				9 / 17	4 / 11	2 / 7	1 / 2		0 / 1	
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				4			7			
Number of transfers				3			7			
Average number of embryos transferred				1.7			1.7			
Percentage of embryos transferred resulting in implantation (%)				1 / 5			4 / 12			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 3			1 / 7			
Percentage of transfers resulting in singleton live births (%)				1 / 3			2 / 7			
Percentage of transfers resulting in twin live births (%)				0 / 3			1 / 7			
Percentage of transfers resulting in live births (%)				1 / 3			3 / 7			
Percentage of transfers resulting in pregnancies (%)				1 / 3			3 / 7			

CURRENT SERVICES & PROFILE				Current Name: Geisinger Medical Center Fertility Program			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER HERSHEY, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William C. Dodson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	95%	Tubal factor	10%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	24%
Used gestational carrier	0%			Diminished ovarian reserve	1%	Other factor	3%
				Endometriosis	18%	Unknown factor	34%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 86 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	6	7	1	0	0
Percentage of cancellations before retrieval (%)	0.0	1 / 6	0 / 7	0 / 1		
Average number of embryos transferred	2.0	1.8	2.3			
Percentage of embryos transferred resulting in implantation (%)	33.3	5 / 9	2 / 16			
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 5	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.1	1 / 6	1 / 7	0 / 1		
Percentage of cycles resulting in singleton live births (%)	34.5	1 / 6	1 / 7	0 / 1		
Percentage of cycles resulting in twin live births (%)	3.4	1 / 6	0 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	37.9	2 / 6	1 / 7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	41.4	3 / 6	2 / 7	0 / 1		
Outcomes per Transfer						
Number of transfers	23	5	7	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.4	1 / 5	1 / 7			
Percentage of transfers resulting in singleton live births (%)	43.5	1 / 5	1 / 7			
Percentage of transfers resulting in twin live births (%)	4.3	1 / 5	0 / 7			
Percentage of transfers resulting in live births (%)	47.8	2 / 5	1 / 7			
Percentage of transfers resulting in pregnancies (%)	52.2	3 / 5	2 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	3	5	1	0	0
Number of transfers	17	3	5	1	0	0
Estimated average number of transfers per retrieval	1.5	1.5	2.5	1.0	0.0	
Average number of embryos transferred	1.9	1.7	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	28.1	0 / 5	4 / 12	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 17	0 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 17	0 / 3	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 17	0 / 3	3 / 5	0 / 1		
Number of Egg/Embryo Banking Cycles						
	6	1	1	0	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			4		
Number of transfers	0			3		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 3		
Percentage of transfers resulting in singleton live births (%)				2 / 3		
Percentage of transfers resulting in twin live births (%)				0 / 3		
Percentage of transfers resulting in live births (%)				2 / 3		
Percentage of transfers resulting in pregnancies (%)				2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	13%	Uterine factor	5%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	5%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	24%
				Endometriosis	7%	Unknown factor	19%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 755 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	230	62	57	26	8	4
Percentage of cancellations before retrieval (%)	6.1	9.7	8.8	15.4	2 / 8	0 / 4
Average number of embryos transferred	1.4	1.6	1.9	1.9	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)	53.8	48.6	30.9	7 / 18	1 / 12	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	61.3	30.0	10.0	3 / 10	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.9	17.7	12.3	7.7	1 / 8	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.1	19.4	17.5	7.7	1 / 8	0 / 4
Percentage of cycles resulting in twin live births (%)	8.7	9.7	3.5	0.0	0 / 8	0 / 4
Percentage of cycles resulting in live births (%)	38.3	32.3	21.1	11.5	1 / 8	0 / 4
Percentage of cycles resulting in pregnancies (%)	47.4	40.3	28.1	26.9	1 / 8	0 / 4
Outcomes per Transfer						
Number of transfers	187	46	36	12	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.4	23.9	19.4	2 / 12	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.8	26.1	27.8	2 / 12	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	10.7	13.0	5.6	0 / 12	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	47.1	43.5	33.3	3 / 12	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.3	54.3	44.4	7 / 12	1 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	119	51	35	9	2	0
Number of transfers	105	50	30	9	1	0
Estimated average number of transfers per retrieval	1.0	1.6	0.9	0.8	0.3	
Average number of embryos transferred	1.4	1.5	1.2	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.6	38.0	51.4	3 / 16	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.4	24.0	36.7	3 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	34.0	46.7	3 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	8.6	8.0	3.3	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	48.6	42.0	50.0	3 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	58.1	50.0	56.7	3 / 9	0 / 1	
Number of Egg/Embryo Banking Cycles						
	25	12	21	8	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	28			38		
Number of transfers	22			34		
Average number of embryos transferred	1.5			1.2		
Percentage of embryos transferred resulting in implantation (%)	56.7			52.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4			26.5		
Percentage of transfers resulting in singleton live births (%)	45.5			35.3		
Percentage of transfers resulting in twin live births (%)	9.1			5.9		
Percentage of transfers resulting in live births (%)	54.5			41.2		
Percentage of transfers resulting in pregnancies (%)	72.7			55.9		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND GYNECOLOGY ASSOCIATES PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Leonore C. Huppert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	44%	Tubal factor	13%	Uterine factor	13%	Multiple Factors: Female factors only 20% Female & male factors 27%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	33%		
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	13%		
				Endometriosis	7%	Unknown factor	20%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 27 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	2	1	2	1	0
Percentage of cancellations before retrieval (%)	1 / 3	0 / 2	0 / 1	1 / 2	0 / 1	
Average number of embryos transferred	1.0	3.0	4.0		4.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 6	0 / 4		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	0 / 2	0 / 1		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 2	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 3	0 / 2	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 2	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	0 / 3	0 / 2	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	1 / 3	0 / 2	0 / 1	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	2	2	1	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 2	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	0 / 2	0 / 2	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 2	0 / 1		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	1	2	0	0
Number of transfers	0	1	1	2	0	0
Estimated average number of transfers per retrieval	0.0			1.0		
Average number of embryos transferred		2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	2 / 2	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 1	0 / 2		
Percentage of transfers resulting in live births (%)		0 / 1	1 / 1	1 / 2		
Percentage of transfers resulting in pregnancies (%)		0 / 1	1 / 1	1 / 2		
Number of Egg/Embryo Banking Cycles						
	4	0	0	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			2	
Number of transfers		0			2	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation (%)					0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 2	
Percentage of transfers resulting in singleton live births (%)					0 / 2	
Percentage of transfers resulting in twin live births (%)					0 / 2	
Percentage of transfers resulting in live births (%)					0 / 2	
Percentage of transfers resulting in pregnancies (%)					0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Fertility and Gynecology Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Maureen P. Kelly, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	14%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	7%	Male factor	16%
Used gestational carrier	4%			Diminished ovarian reserve	24%	Other factor	16%
				Endometriosis	3%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 109 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	7	7	0	0	0
Percentage of cancellations before retrieval (%)	0 / 11	0 / 7	0 / 7			
Average number of embryos transferred	1.9	1.9	1.8			
Percentage of embryos transferred resulting in implantation (%)	6 / 13	3 / 13	2 / 9			
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	1 / 7	1 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 11	0 / 7	0 / 7			
Percentage of cycles resulting in singleton live births (%)	3 / 11	0 / 7	1 / 7			
Percentage of cycles resulting in twin live births (%)	1 / 11	1 / 7	0 / 7			
Percentage of cycles resulting in live births (%)	4 / 11	1 / 7	1 / 7			
Percentage of cycles resulting in pregnancies (%)	4 / 11	2 / 7	2 / 7			
Outcomes per Transfer						
Number of transfers	7	7	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	0 / 7	0 / 5			
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 7	1 / 5			
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 7	0 / 5			
Percentage of transfers resulting in live births (%)	4 / 7	1 / 7	1 / 5			
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 7	2 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	6	6	0	0	0
Number of transfers	16	4	5	0	0	0
Estimated average number of transfers per retrieval	0.8	0.4	0.5	0.0		
Average number of embryos transferred	1.5	1.3	1.2			
Percentage of embryos transferred resulting in implantation (%)	70.8	1 / 5	3 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 16	1 / 4	1 / 5			
Percentage of transfers resulting in singleton live births (%)	9 / 16	1 / 4	2 / 5			
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 4	0 / 5			
Percentage of transfers resulting in live births (%)	11 / 16	1 / 4	2 / 5			
Percentage of transfers resulting in pregnancies (%)	12 / 16	1 / 4	3 / 5			
Number of Egg/Embryo Banking Cycles						
	16	7	8	5	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			9		
Number of transfers	3			9		
Average number of embryos transferred	1.3			1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			6 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			2 / 9		
Percentage of transfers resulting in singleton live births (%)	0 / 3			4 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 9		
Percentage of transfers resulting in live births (%)	0 / 3			5 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 3			5 / 9		

CURRENT SERVICES & PROFILE

Current Name: Society Hill Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PENNSYLVANIA PENN FERTILITY CARE PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Clarisa R. Gracia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	65%	Tubal factor	14%	Uterine factor	6%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	8%	Male factor	21%
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	19%
				Endometriosis	9%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				13%			
				9%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 946 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	88	108	47	24	7
Percentage of cancellations before retrieval (%)	9.9	9.1	21.3	19.1	20.8	1 / 7
Average number of embryos transferred	1.3	1.6	2.0	2.2	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)	38.6	36.4	29.4	20.7	2.7	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	63.8	42.2	11.4	4.2	0 / 13	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.5	19.3	22.2	10.6	4.2	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.6	22.7	25.0	14.9	4.2	0 / 7
Percentage of cycles resulting in twin live births (%)	4.7	4.5	3.7	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	30.2	28.4	28.7	14.9	4.2	0 / 7
Percentage of cycles resulting in pregnancies (%)	34.9	39.8	38.0	23.4	4.2	0 / 7
Outcomes per Transfer						
Number of transfers	130	72	81	28	14	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.5	23.6	29.6	17.9	1 / 14	0 / 5
Percentage of transfers resulting in singleton live births (%)	33.8	27.8	33.3	25.0	1 / 14	0 / 5
Percentage of transfers resulting in twin live births (%)	6.2	5.6	4.9	0.0	0 / 14	0 / 5
Percentage of transfers resulting in live births (%)	40.0	34.7	38.3	25.0	1 / 14	0 / 5
Percentage of transfers resulting in pregnancies (%)	46.2	48.6	50.6	39.3	1 / 14	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	115	61	30	23	5	1
Number of transfers	110	58	29	21	5	1
Estimated average number of transfers per retrieval	0.8	1.0	0.5	0.6	0.5	0.3
Average number of embryos transferred	1.4	1.3	1.6	2.0	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	56.5	27.8	34.8	15.0	3 / 9	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.8	22.4	24.1	9.5	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.4	24.1	31.0	19.0	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	9.1	3.4	3.4	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	55.5	27.6	34.5	19.0	2 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.5	37.9	44.8	33.3	3 / 5	0 / 1
Number of Egg/Embryo Banking Cycles						
	73	28	39	22	10	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		24			49	
Number of transfers		19			41	
Average number of embryos transferred		1.1			1.3	
Percentage of embryos transferred resulting in implantation (%)		11 / 19			36.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 19			29.3	
Percentage of transfers resulting in singleton live births (%)		10 / 19			39.0	
Percentage of transfers resulting in twin live births (%)		0 / 19			2.4	
Percentage of transfers resulting in live births (%)		10 / 19			41.5	
Percentage of transfers resulting in pregnancies (%)		12 / 19			43.9	

CURRENT SERVICES & PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bryan R. Hecht, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	13%
				Endometriosis	12%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 60 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	8	3	0	2	0
Percentage of cancellations before retrieval (%)	2 / 18	0 / 8	0 / 3		0 / 2	
Average number of embryos transferred	2.2	2.1	2.0		2.5	
Percentage of embryos transferred resulting in implantation (%)	29.2	4 / 17	1 / 2		2 / 5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 8	0 / 1		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 18	0 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 18	1 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 18	1 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in live births (%)	2 / 18	2 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in pregnancies (%)	6 / 18	3 / 8	1 / 3		1 / 2	
Outcomes per Transfer						
Number of transfers	12	8	1	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 12	0 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	2 / 12	2 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 12	3 / 8	1 / 1		1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	5	3	0	1	0
Number of transfers	10	5	3	0	1	0
Estimated average number of transfers per retrieval	5.0	5.0	1.5			
Average number of embryos transferred	1.9	1.8	2.7		2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 19	1 / 5	2 / 8		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 10	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 10	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 5	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	0 / 10	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 10	3 / 5	2 / 3		0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			7		
Number of transfers	3			6		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 6			1 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			1 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 3			1 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 6		
Percentage of transfers resulting in live births (%)	2 / 3			1 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 3			2 / 6		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Jones Institute at West Penn Allegheny Health System							
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	78%	Tubal factor	14%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	46%
Used gestational carrier	1%			Diminished ovarian reserve	15%	Other factor	5%
				Endometriosis	12%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 363 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	100	52	25	9	3	0
Percentage of cancellations before retrieval (%)	2.0	3.8	8.0	1 / 9	0 / 3	
Average number of embryos transferred	1.3	1.7	1.7	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	53.3	41.9	34.2	0 / 12	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	68.4	28.9	3 / 18	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	38.0	26.9	32.0	0 / 9	0 / 3	
Percentage of cycles resulting in singleton live births (%)	41.0	28.8	32.0	0 / 9	1 / 3	
Percentage of cycles resulting in twin live births (%)	6.0	5.8	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births (%)	47.0	34.6	32.0	0 / 9	1 / 3	
Percentage of cycles resulting in pregnancies (%)	51.0	50.0	48.0	0 / 9	1 / 3	
Outcomes per Transfer						
Number of transfers	83	43	23	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.8	32.6	34.8	0 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	49.4	34.9	34.8	0 / 6	1 / 2	
Percentage of transfers resulting in twin live births (%)	7.2	7.0	0.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	56.6	41.9	34.8	0 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	61.4	60.5	52.2	0 / 6	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	75	32	18	8	1	1
Number of transfers	70	32	17	8	1	1
Estimated average number of transfers per retrieval	2.1	1.8	1.5	2.7		
Average number of embryos transferred	1.4	1.4	1.5	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	36.6	39.0	30.4	2 / 14	0 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.4	21.9	2 / 17	2 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.1	28.1	4 / 17	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	6.3	1 / 17	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.4	34.4	5 / 17	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	53.1	8 / 17	2 / 8	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	3	1	4	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			10		
Number of transfers	4			9		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 6			4 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4			1 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 4			2 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 4			1 / 9		
Percentage of transfers resulting in live births (%)	1 / 4			3 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 4			4 / 9		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Anthony N. Wakim, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	70%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 5%		
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	5%	Male factor	27%			
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	20%			
				Endometriosis	7%	Unknown factor	9%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 789 (includes 8 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				172	79	45	17	4	1	
Percentage of cancellations before retrieval (%)				2.3	12.7	11.1	4 / 17	0 / 4	0 / 1	
Average number of embryos transferred				1.6	2.0	2.4	2.8	2.7	4.0	
Percentage of embryos transferred resulting in implantation (%)				30.3	26.9	19.0	0.0	1 / 6	1 / 4	
Percentage of elective single embryo transfers (eSET) (%)				33.3	6.8	0.0	0 / 8	0 / 3	0 / 1	
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				17.4	15.2	6.7	0 / 17	1 / 4	1 / 1	
Percentage of cycles resulting in singleton live births (%)				18.0	16.5	6.7	0 / 17	1 / 4	1 / 1	
Percentage of cycles resulting in twin live births (%)				3.5	5.1	8.9	0 / 17	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)				21.5	21.5	15.6	0 / 17	1 / 4	1 / 1	
Percentage of cycles resulting in pregnancies (%)				25.0	27.8	20.0	0 / 17	2 / 4	1 / 1	
Outcomes per Transfer										
Number of transfers				104	47	26	8	3	1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				28.8	25.5	11.5	0 / 8	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)				29.8	27.7	11.5	0 / 8	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)				5.8	8.5	15.4	0 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)				35.6	36.2	26.9	0 / 8	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)				41.3	46.8	34.6	0 / 8	2 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs										
Number of cycles				175	78	53	19	10	1	
Number of transfers				153	61	38	15	8	1	
Estimated average number of transfers per retrieval				1.6	1.9	2.0	3.8	4.0		
Average number of embryos transferred				1.7	1.7	2.1	2.4	2.5	2.0	
Percentage of embryos transferred resulting in implantation (%)				22.6	18.4	15.0	5.7	10.0	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				23.5	14.8	13.2	2 / 15	0 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)				28.1	14.8	18.4	2 / 15	0 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)				2.0	4.9	0.0	0 / 15	1 / 8	0 / 1	
Percentage of transfers resulting in live births (%)				30.1	19.7	21.1	2 / 15	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancies (%)				37.9	27.9	26.3	3 / 15	1 / 8	0 / 1	
Number of Egg/Embryo Banking Cycles				19	5	3	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				35			65			
Number of transfers				29			56			
Average number of embryos transferred				1.4			1.6			
Percentage of embryos transferred resulting in implantation (%)				39.0			28.6			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				24.1			19.6			
Percentage of transfers resulting in singleton live births (%)				34.5			28.6			
Percentage of transfers resulting in twin live births (%)				6.9			7.1			
Percentage of transfers resulting in live births (%)				41.4			35.7			
Percentage of transfers resulting in pregnancies (%)				48.3			39.3			

CURRENT SERVICES & PROFILE				Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	54%	Tubal factor	41%	Uterine factor	10%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	16%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	33%
				Endometriosis	25%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 147 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	20	17	7	7	0
Percentage of cancellations before retrieval (%)	24.1	25.0	4 / 17	5 / 7	5 / 7	
Average number of embryos transferred	2.0	2.2	1.7		3.0	
Percentage of embryos transferred resulting in implantation (%)	33.8	9.1	0 / 15		0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	6.5	0 / 9	0 / 4		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.2	10.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in singleton live births (%)	22.2	10.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in twin live births (%)	9.3	0.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in live births (%)	31.5	10.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in pregnancies (%)	31.5	10.0	0 / 17	0 / 7	0 / 7	
Outcomes per Transfer						
Number of transfers	34	10	9	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.3	2 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.3	2 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in twin live births (%)	14.7	0 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in live births (%)	50.0	2 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 10	0 / 9		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	11	6	0	0	0
Number of transfers	10	10	6	0	0	0
Estimated average number of transfers per retrieval	1.3	0.9	1.5			
Average number of embryos transferred	2.0	1.8	2.2			
Percentage of embryos transferred resulting in implantation (%)	40.0	4 / 18	2 / 13			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 10	2 / 10	2 / 6			
Percentage of transfers resulting in singleton live births (%)	2 / 10	2 / 10	2 / 6			
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 10	0 / 6			
Percentage of transfers resulting in live births (%)	4 / 10	2 / 10	2 / 6			
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 10	2 / 6			
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			6		
Number of transfers	4			5		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 8			0 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			0 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 4			0 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 5		
Percentage of transfers resulting in live births (%)	1 / 4			0 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 4			0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Endocrinology and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC OF PENNSYLVANIA WAYNE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Isaac Sasson, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	12%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	22%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	4%
				Endometriosis	6%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 493 (includes 17 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	93	31	19	9	4	0
Percentage of cancellations before retrieval (%)	6.5	9.7	5 / 19	4 / 9	2 / 4	
Average number of embryos transferred	1.3	1.6	1.6	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	41.7	41.7	2 / 13	1 / 10	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	64.2	40.9	1 / 5	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.2	19.4	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	19.4	22.6	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	4.3	9.7	0 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	23.7	32.3	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	29.0	32.3	2 / 19	1 / 9	0 / 4	
Outcomes per Transfer						
Number of transfers	56	23	8	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	26.1	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.1	30.4	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.1	13.0	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	39.3	43.5	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	48.2	43.5	2 / 8	1 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	107	35	31	2	1	0
Number of transfers	102	35	30	2	1	0
Estimated average number of transfers per retrieval	1.4	1.5	1.8	0.4	0.2	
Average number of embryos transferred	1.4	1.4	1.5	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	51.6	33.3	27.3	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.4	34.3	13.3	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	39.2	40.0	20.0	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.9	0.0	6.7	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	46.1	40.0	26.7	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.8	42.9	33.3	1 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	14	8	11	4	5	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	48			54		
Number of transfers	42			48		
Average number of embryos transferred	1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)	49.0			32.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.0			18.8		
Percentage of transfers resulting in singleton live births (%)	38.1			25.0		
Percentage of transfers resulting in twin live births (%)	9.5			0.0		
Percentage of transfers resulting in live births (%)	47.6			25.0		
Percentage of transfers resulting in pregnancies (%)	57.1			43.8		

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RHPN WOMEN'S CLINIC & IVF-FERTILITY WEST READING, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	22%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	43%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	46%
				Endometriosis	33%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 94 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	14	8	4	3	0
Percentage of cancellations before retrieval (%)	18.9	3 / 14	1 / 8	1 / 4	0 / 3	
Average number of embryos transferred	2.2	2.4	2.8	3.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	30.6	13.6	4 / 14	0 / 9	1 / 10	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 5	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.4	1 / 14	2 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	35.1	1 / 14	2 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	2.7	0 / 14	1 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	37.8	1 / 14	3 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)	43.2	3 / 14	3 / 8	0 / 4	1 / 3	
Outcomes per Transfer						
Number of transfers	28	9	5	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.9	1 / 9	2 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.4	1 / 9	2 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	0 / 9	1 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	1 / 9	3 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.1	3 / 9	3 / 5	0 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	8	0	3	0	0
Number of transfers	6	5	0	1	0	0
Estimated average number of transfers per retrieval	1.5	2.5			0.0	
Average number of embryos transferred	2.0	1.8		1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 12	0 / 9		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 5		0 / 1		
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: RHPN Women's Clinic & IVF-Fertility

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	99%	Tubal factor	15%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	0%
				Endometriosis	4%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 118 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	12	11	2	3	3
Percentage of cancellations before retrieval (%)	0.0	0 / 12	0 / 11	0 / 2	0 / 3	0 / 3
Average number of embryos transferred	2.1	2.0	2.2	3.0	2.3	3.5
Percentage of embryos transferred resulting in implantation (%)	31.1	40.9	13.6	0 / 6	1 / 7	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	5.9	0 / 10	0 / 8	0 / 2	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.0	3 / 12	1 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.0	3 / 12	1 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	15.0	3 / 12	1 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	35.0	6 / 12	2 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	45.0	6 / 12	2 / 11	0 / 2	1 / 3	0 / 3
Outcomes per Transfer						
Number of transfers	36	11	10	2	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	3 / 11	1 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	22.2	3 / 11	1 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	16.7	3 / 11	1 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	38.9	6 / 11	2 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 11	2 / 10	0 / 2	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	1	1	0	0	1
Number of transfers	15	1	1	0	0	1
Estimated average number of transfers per retrieval	1.3	0.5	1.0			1.0
Average number of embryos transferred	1.9	1.0	2.0			2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	1 / 1	0 / 2			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15	0 / 1	0 / 1			0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 1	0 / 1			0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 1	0 / 1			0 / 1
Percentage of transfers resulting in live births (%)	7 / 15	1 / 1	0 / 1			0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 15	1 / 1	0 / 1			0 / 1
Number of Egg/Embryo Banking Cycles						
	3	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			12		
Number of transfers	14			12		
Average number of embryos transferred	2.1			1.8		
Percentage of embryos transferred resulting in implantation (%)	39.3			61.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14			2 / 12		
Percentage of transfers resulting in singleton live births (%)	4 / 14			4 / 12		
Percentage of transfers resulting in twin live births (%)	3 / 14			3 / 12		
Percentage of transfers resulting in live births (%)	7 / 14			7 / 12		
Percentage of transfers resulting in pregnancies (%)	9 / 14			9 / 12		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PEDRO J. BEAUCHAMP, MD IVF PROGRAM BAYAMON, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Pedro J. Beauchamp, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	75%	Tubal factor	44%	Uterine factor	11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	60%
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	37%
				Endometriosis	28%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 160 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	28	36	18	6	1
Percentage of cancellations before retrieval (%)	4.0	3.6	19.4	3 / 18	1 / 6	0 / 1
Average number of embryos transferred	2.1	2.4	2.4	2.6	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	51.6	37.1	19.0	11.1	1 / 7	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 13	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.0	21.4	16.7	2 / 18	1 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	18.0	25.0	22.2	2 / 18	1 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	20.0	14.3	2.8	0 / 18	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	40.0	42.9	25.0	2 / 18	1 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	66.0	53.6	36.1	6 / 18	2 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	47	26	29	13	5	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.0	23.1	20.7	2 / 13	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.1	26.9	27.6	2 / 13	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	21.3	15.4	3.4	0 / 13	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	42.6	46.2	31.0	2 / 13	1 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	70.2	57.7	44.8	6 / 13	2 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	1	1	1	1	0
Number of transfers	6	1	1	1	1	0
Estimated average number of transfers per retrieval	3.0		0.5	1.0		
Average number of embryos transferred	2.5	3.0	3.0	1.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 12	0 / 3	0 / 3	0 / 1	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			2		
Number of transfers	9			2		
Average number of embryos transferred	2.3			2.5		
Percentage of embryos transferred resulting in implantation (%)	47.6			3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9			0 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 9			0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 9			1 / 2		
Percentage of transfers resulting in live births (%)	6 / 9			1 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 9			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Pedro J. Beauchamp, MD IVF Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS CAGUAS, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jose R. Cruz, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	66%	Tubal factor	25%	Uterine factor	2%	Multiple Factors:		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	37%	Female factors only		2%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	3%	Female & male factors		8%
				Endometriosis	19%	Unknown factor	14%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 63 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				26	14	7	3	0	0	
Percentage of cancellations before retrieval (%)				3.8	1 / 14	0 / 7	0 / 3			
Average number of embryos transferred				2.0	2.1	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)				33.3	4.0	2 / 14	0 / 6			
Percentage of elective single embryo transfers (eSET) (%)				14.3	1 / 12	0 / 5	0 / 2			
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				26.9	1 / 14	0 / 7	0 / 3			
Percentage of cycles resulting in singleton live births (%)				30.8	1 / 14	0 / 7	0 / 3			
Percentage of cycles resulting in twin live births (%)				7.7	0 / 14	1 / 7	0 / 3			
Percentage of cycles resulting in live births (%)				38.5	1 / 14	1 / 7	0 / 3			
Percentage of cycles resulting in pregnancies (%)				46.2	1 / 14	1 / 7	0 / 3			
Outcomes per Transfer										
Number of transfers				22	12	6	3	0	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				31.8	1 / 12	0 / 6	0 / 3			
Percentage of transfers resulting in singleton live births (%)				36.4	1 / 12	0 / 6	0 / 3			
Percentage of transfers resulting in twin live births (%)				9.1	0 / 12	1 / 6	0 / 3			
Percentage of transfers resulting in live births (%)				45.5	1 / 12	1 / 6	0 / 3			
Percentage of transfers resulting in pregnancies (%)				54.5	1 / 12	1 / 6	0 / 3			
Frozen Embryos from Nondonor Eggs										
Number of cycles				3	4	2	0	0	0	
Number of transfers				3	4	2	0	0	0	
Estimated average number of transfers per retrieval				3.0	2.0	1.0				
Average number of embryos transferred				1.7	2.3	2.5				
Percentage of embryos transferred resulting in implantation (%)				1 / 5	0 / 9	1 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 3	0 / 4	0 / 2				
Percentage of transfers resulting in singleton live births (%)				1 / 3	0 / 4	1 / 2				
Percentage of transfers resulting in twin live births (%)				0 / 3	0 / 4	0 / 2				
Percentage of transfers resulting in live births (%)				1 / 3	0 / 4	1 / 2				
Percentage of transfers resulting in pregnancies (%)				1 / 3	0 / 4	1 / 2				
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				2			2			
Number of transfers				1			2			
Average number of embryos transferred				2.0			2.0			
Percentage of embryos transferred resulting in implantation (%)				0 / 2			0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1			0 / 2			
Percentage of transfers resulting in singleton live births (%)				0 / 1			0 / 2			
Percentage of transfers resulting in twin live births (%)				0 / 1			0 / 2			
Percentage of transfers resulting in live births (%)				0 / 1			0 / 2			
Percentage of transfers resulting in pregnancies (%)				0 / 1			0 / 2			

CURRENT SERVICES & PROFILE				Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SAN JUAN, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	22%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	2%	Male factor	39%
Used gestational carrier	8%			Diminished ovarian reserve	13%	Other factor	17%
				Endometriosis	7%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 50 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	11	5	3	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 11	0 / 5	0 / 3		
Average number of embryos transferred	2.1	2.0	2.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 15	10.0	2 / 13	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	1 / 9	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 7	2 / 11	1 / 5	0 / 3		
Percentage of cycles resulting in singleton live births (%)	2 / 7	2 / 11	1 / 5	0 / 3		
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 11	0 / 5	0 / 3		
Percentage of cycles resulting in live births (%)	2 / 7	2 / 11	1 / 5	0 / 3		
Percentage of cycles resulting in pregnancies (%)	2 / 7	2 / 11	2 / 5	0 / 3		
Outcomes per Transfer						
Number of transfers	7	10	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	2 / 10	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 10	1 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 10	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 7	2 / 10	1 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 7	2 / 10	2 / 5	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	7	1	1	0
Number of transfers	0	2	6	1	1	0
Estimated average number of transfers per retrieval		2.0		1.0		0.0
Average number of embryos transferred		3.0	1.7	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		0 / 6	1 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2	1 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 2	1 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		0 / 2	1 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		0 / 2	1 / 6	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	0	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			2		
Number of transfers	7			2		
Average number of embryos transferred	2.1			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 15			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 7			0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 7			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 7			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 7			0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 7			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' CENTER FOR REPRODUCTION AND INFERTILITY PROVIDENCE, RHODE ISLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ruben Alvero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	51%	Tubal factor	8%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	25%
Used gestational carrier	<1%			Diminished ovarian reserve	6%	Other factor	9%
				Endometriosis	3%	Unknown factor	47%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 602 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	169	99	97	52	20	0
Percentage of cancellations before retrieval (%)	3.6	4.0	9.3	9.6	10.0	
Average number of embryos transferred	1.8	2.0	2.6	3.2	3.4	
Percentage of embryos transferred resulting in implantation (%)	31.1	24.1	17.4	8.3	4.4	
Percentage of elective single embryo transfers (eSET) (%)	19.9	6.2	0.0	0.0	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.1	24.2	12.4	1.9	5.0	
Percentage of cycles resulting in singleton live births (%)	25.4	26.3	12.4	1.9	5.0	
Percentage of cycles resulting in twin live births (%)	9.5	5.1	8.2	5.8	0.0	
Percentage of cycles resulting in live births (%)	34.9	31.3	20.6	7.7	5.0	
Percentage of cycles resulting in pregnancies (%)	42.0	37.4	26.8	19.2	10.0	
Outcomes per Transfer						
Number of transfers	153	90	79	41	14	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.5	26.7	15.2	2.4	1 / 14	
Percentage of transfers resulting in singleton live births (%)	28.1	28.9	15.2	2.4	1 / 14	
Percentage of transfers resulting in twin live births (%)	10.5	5.6	10.1	7.3	0 / 14	
Percentage of transfers resulting in live births (%)	38.6	34.4	25.3	9.8	1 / 14	
Percentage of transfers resulting in pregnancies (%)	46.4	41.1	32.9	24.4	2 / 14	
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	32	23	7	3	0
Number of transfers	69	31	23	7	3	0
Estimated average number of transfers per retrieval	1.2	1.6	1.4	1.0	3.0	
Average number of embryos transferred	1.9	1.8	1.9	2.3	3.3	
Percentage of embryos transferred resulting in implantation (%)	18.7	15.1	16.7	2 / 16	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.8	25.8	21.7	0 / 7	0 / 3	
Percentage of transfers resulting in singleton live births (%)	18.8	25.8	26.1	0 / 7	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.8	0.0	0.0	1 / 7	0 / 3	
Percentage of transfers resulting in live births (%)	24.6	25.8	26.1	1 / 7	0 / 3	
Percentage of transfers resulting in pregnancies (%)	31.9	29.0	34.8	1 / 7	1 / 3	
Number of Egg/Embryo Banking Cycles						
	2	4	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			5		
Number of transfers	17			5		
Average number of embryos transferred	1.9			1.6		
Percentage of embryos transferred resulting in implantation (%)	42.4			3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 17			2 / 5		
Percentage of transfers resulting in singleton live births (%)	4 / 17			2 / 5		
Percentage of transfers resulting in twin live births (%)	4 / 17			0 / 5		
Percentage of transfers resulting in live births (%)	8 / 17			2 / 5		
Percentage of transfers resulting in pregnancies (%)	9 / 17			2 / 5		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Women and Infants' Center for Reproduction and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John E. Nichols, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	9%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	47%	Male factor	58%
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	4%
				Endometriosis	4%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 314 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	33	33	11	2	0
Percentage of cancellations before retrieval (%)	0.0	6.1	0.0	0 / 11	0 / 2	
Average number of embryos transferred	2.1	2.4	3.0	3.7	4.5	
Percentage of embryos transferred resulting in implantation (%)	48.1	23.0	11.1	24.3	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	7.1	0.0	8.0	0 / 10	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.6	12.1	6.1	2 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	37.0	18.2	6.1	2 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	14.1	9.1	6.1	1 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	54.3	27.3	12.1	4 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	63.0	36.4	21.2	5 / 11	1 / 2	
Outcomes per Transfer						
Number of transfers	85	31	27	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.3	12.9	7.4	2 / 10	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.0	19.4	7.4	2 / 10	0 / 2	
Percentage of transfers resulting in twin live births (%)	15.3	9.7	7.4	1 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	58.8	29.0	14.8	4 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	68.2	38.7	25.9	5 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	20	13	1	1	0
Number of transfers	41	20	13	1	1	0
Estimated average number of transfers per retrieval	2.0	3.3	0.9	1.0	0.5	
Average number of embryos transferred	2.0	1.8	2.2	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	24.1	27.8	21.4	0 / 2	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.4	15.0	2 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	26.8	30.0	2 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.3	5.0	1 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	34.1	35.0	3 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	41.5	45.0	5 / 13	0 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	7	4	7	1	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			31		
Number of transfers	12			31		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	77.3			45.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12			9.7		
Percentage of transfers resulting in singleton live births (%)	3 / 12			25.8		
Percentage of transfers resulting in twin live births (%)	6 / 12			22.6		
Percentage of transfers resulting in live births (%)	9 / 12			48.4		
Percentage of transfers resulting in pregnancies (%)	11 / 12			61.3		

CURRENT SERVICES & PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY FERTILITY CENTER OF THE CAROLINAS GREENVILLE, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	12%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	30%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	14%
				Endometriosis	21%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 142 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	20	6	5	2	0
Percentage of cancellations before retrieval (%)	0.0	25.0	0 / 6	0 / 5	0 / 2	
Average number of embryos transferred	1.9	2.1	2.0	2.7	3.5	
Percentage of embryos transferred resulting in implantation (%)	43.1	33.3	4 / 12	1 / 8	1 / 7	
Percentage of elective single embryo transfers (eSET) (%)	10.3	0 / 13	0 / 5	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.4	20.0	2 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	29.4	25.0	2 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	20.6	5.0	0 / 6	0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	50.0	30.0	2 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	45.0	3 / 6	1 / 5	1 / 2	
Outcomes per Transfer						
Number of transfers	30	14	6	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	4 / 14	2 / 6	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 14	2 / 6	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	23.3	1 / 14	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	56.7	6 / 14	2 / 6	1 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	56.7	9 / 14	3 / 6	1 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	6	8	4	0	0
Number of transfers	29	6	7	4	0	0
Estimated average number of transfers per retrieval	1.8	3.0	1.2	4.0		
Average number of embryos transferred	1.8	1.3	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.5	4 / 8	3 / 12	1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.7	1 / 6	1 / 7	1 / 4		
Percentage of transfers resulting in singleton live births (%)	24.1	2 / 6	3 / 7	1 / 4		
Percentage of transfers resulting in twin live births (%)	6.9	1 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in live births (%)	31.0	3 / 6	3 / 7	1 / 4		
Percentage of transfers resulting in pregnancies (%)	34.5	3 / 6	4 / 7	1 / 4		
Number of Egg/Embryo Banking Cycles						
	9	1	5	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			3		
Number of transfers	9			3		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	8 / 17			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 9			1 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 9			1 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 9			0 / 3		
Percentage of transfers resulting in live births (%)	4 / 9			1 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 9			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: University Medical Group, Department of Obstetrics and Gynecology, Fertility Center of the Carolinas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY SPECIALISTS MOUNT PLEASANT, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John Schnorr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	15%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	9%	Male factor	24%
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	10%
				Endometriosis	7%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 550 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	132	60	29	12	6	0
Percentage of cancellations before retrieval (%)	6.1	10.0	6.9	0 / 12	1 / 6	
Average number of embryos transferred	1.8	1.8	2.1	2.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.4	28.1	27.3	10.7	0 / 10	
Percentage of elective single embryo transfers (eSET) (%)	28.3	14.7	2 / 15	0 / 10	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.9	8.3	10.3	0 / 12	0 / 6	
Percentage of cycles resulting in singleton live births (%)	19.7	15.0	10.3	0 / 12	0 / 6	
Percentage of cycles resulting in twin live births (%)	5.3	5.0	6.9	1 / 12	0 / 6	
Percentage of cycles resulting in live births (%)	25.0	20.0	17.2	1 / 12	0 / 6	
Percentage of cycles resulting in pregnancies (%)	27.3	25.0	24.1	2 / 12	0 / 6	
Outcomes per Transfer						
Number of transfers	64	36	16	11	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.1	13.9	3 / 16	0 / 11	0 / 5	
Percentage of transfers resulting in singleton live births (%)	40.6	25.0	3 / 16	0 / 11	0 / 5	
Percentage of transfers resulting in twin live births (%)	10.9	8.3	2 / 16	1 / 11	0 / 5	
Percentage of transfers resulting in live births (%)	51.6	33.3	5 / 16	1 / 11	0 / 5	
Percentage of transfers resulting in pregnancies (%)	56.3	41.7	7 / 16	2 / 11	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	106	67	27	6	2	0
Number of transfers	102	64	24	6	2	0
Estimated average number of transfers per retrieval	1.2	1.8	1.6	1.5		
Average number of embryos transferred	1.4	1.4	1.8	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	59.3	51.2	33.3	1 / 11	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.1	32.8	33.3	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	48.0	39.1	37.5	1 / 6	1 / 2	
Percentage of transfers resulting in twin live births (%)	12.7	9.4	8.3	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	60.8	48.4	45.8	1 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	67.6	59.4	45.8	1 / 6	1 / 2	
Number of Egg/Embryo Banking Cycles						
	16	10	4	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	37			25		
Number of transfers	35			24		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	67.3			52.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	48.6			20.8		
Percentage of transfers resulting in singleton live births (%)	48.6			29.2		
Percentage of transfers resulting in twin live births (%)	17.1			12.5		
Percentage of transfers resulting in live births (%)	65.7			41.7		
Percentage of transfers resulting in pregnancies (%)	71.4			58.3		

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF CHARLESTON MOUNT PLEASANT, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Stephanie D. Singleton, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	59%	Tubal factor	9%	Uterine factor	3%	Multiple Factors:		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	17%	Male factor	42%	Female factors only		7%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	4%	Female & male factors		25%
				Endometriosis	6%	Unknown factor	12%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 238 (includes 25 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				66	23	24	5	1		0
Percentage of cancellations before retrieval (%)				3.0	13.0	16.7	0 / 5	0 / 1		
Average number of embryos transferred				1.8	1.9	2.1	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)				42.9	38.7	17.1	1 / 10	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)				21.7	0 / 16	0 / 17	0 / 4			
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				15.2	26.1	4.2	1 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)				19.7	26.1	8.3	1 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)				12.1	4.3	8.3	0 / 5	0 / 1		
Percentage of cycles resulting in live births (%)				31.8	30.4	16.7	1 / 5	0 / 1		
Percentage of cycles resulting in pregnancies (%)				39.4	39.1	16.7	1 / 5	0 / 1		
Outcomes per Transfer										
Number of transfers				48	17	17	5	1		0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				20.8	6 / 17	1 / 17	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)				27.1	6 / 17	2 / 17	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)				16.7	1 / 17	2 / 17	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)				43.8	7 / 17	4 / 17	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)				54.2	9 / 17	4 / 17	1 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs										
Number of cycles				42	13	10	1	0		0
Number of transfers				42	13	10	1	0		0
Estimated average number of transfers per retrieval				1.6	1.9	1.0				
Average number of embryos transferred				1.5	1.5	1.6	2.0			
Percentage of embryos transferred resulting in implantation (%)				53.6	3 / 17	2 / 11				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				33.3	2 / 13	2 / 10	0 / 1			
Percentage of transfers resulting in singleton live births (%)				38.1	2 / 13	2 / 10	0 / 1			
Percentage of transfers resulting in twin live births (%)				14.3	0 / 13	0 / 10	0 / 1			
Percentage of transfers resulting in live births (%)				52.4	2 / 13	2 / 10	0 / 1			
Percentage of transfers resulting in pregnancies (%)				64.3	4 / 13	5 / 10	1 / 1			
Number of Egg/Embryo Banking Cycles				9	4	3	0	0		0
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				0			12			
Number of transfers				0			12			
Average number of embryos transferred							1.7			
Percentage of embryos transferred resulting in implantation (%)							45.0			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							3 / 12			
Percentage of transfers resulting in singleton live births (%)							3 / 12			
Percentage of transfers resulting in twin live births (%)							3 / 12			
Percentage of transfers resulting in live births (%)							6 / 12			
Percentage of transfers resulting in pregnancies (%)							6 / 12			

CURRENT SERVICES & PROFILE				Current Name: The Fertility Center of Charleston			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY WEST COLUMBIA, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gail F. Whitman-Elia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	36%
				Endometriosis	10%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 251 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	18	22	6	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 18	9.1	0 / 6	0 / 2	
Average number of embryos transferred	2.1	2.2	2.1	2.2	3.0	
Percentage of embryos transferred resulting in implantation (%)	34.3	19.4	12.2	3 / 13	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	3.0	0 / 14	2 / 15	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.6	1 / 18	9.1	2 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	29.7	1 / 18	9.1	3 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.8	2 / 18	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	40.5	3 / 18	9.1	3 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	54.1	7 / 18	18.2	3 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	35	18	20	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.9	1 / 18	10.0	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	31.4	1 / 18	10.0	3 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.4	2 / 18	0.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	42.9	3 / 18	10.0	3 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.1	7 / 18	20.0	3 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	17	9	4	1	0
Number of transfers	59	17	9	4	1	0
Estimated average number of transfers per retrieval	1.1	1.2	3.0	0.6	1.0	
Average number of embryos transferred	2.1	2.2	2.6	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	28.2	26.3	21.7	0 / 11	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.1	3 / 17	2 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.3	4 / 17	3 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.2	2 / 17	1 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	47.5	6 / 17	4 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.8	7 / 17	4 / 9	0 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	43	11	3	6	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			4	
Number of transfers		7			4	
Average number of embryos transferred		1.9			2.5	
Percentage of embryos transferred resulting in implantation (%)		5 / 11			2 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 7			1 / 4	
Percentage of transfers resulting in singleton live births (%)		2 / 7			2 / 4	
Percentage of transfers resulting in twin live births (%)		1 / 7			0 / 4	
Percentage of transfers resulting in live births (%)		3 / 7			2 / 4	
Percentage of transfers resulting in pregnancies (%)		4 / 7			2 / 4	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility & Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	49%
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	39%
				Endometriosis	12%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 375 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	24	18	4	7	1
Percentage of cancellations before retrieval (%)	8.0	12.5	2 / 18	2 / 4	3 / 7	0 / 1
Average number of embryos transferred	1.7	1.8	2.2	2.0	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	39.7	27.8	16.7	1 / 4	1 / 5	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	32.4	1 / 16	0 / 10	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.7	16.7	0 / 18	1 / 4	1 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.0	16.7	1 / 18	1 / 4	1 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	5.7	8.3	1 / 18	0 / 4	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	39.8	25.0	2 / 18	1 / 4	1 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.3	33.3	3 / 18	1 / 4	1 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	73	20	11	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	20.0	0 / 11	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	20.0	1 / 11	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	6.8	10.0	1 / 11	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	47.9	30.0	2 / 11	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.4	40.0	3 / 11	1 / 2	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	40	9	1	1	0
Number of transfers	74	28	7	1	1	0
Estimated average number of transfers per retrieval	1.2	1.3	0.5	0.2	0.2	0.0
Average number of embryos transferred	1.4	1.4	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	34.6	25.0	3 / 13	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.2	28.6	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.6	32.1	3 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.4	0.0	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	27.0	32.1	3 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	37.8	35.7	3 / 7	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	46	18	12	5	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			10		
Number of transfers	0			9		
Average number of embryos transferred				1.6		
Percentage of embryos transferred resulting in implantation (%)				5 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 9		
Percentage of transfers resulting in singleton live births (%)				4 / 9		
Percentage of transfers resulting in twin live births (%)				0 / 9		
Percentage of transfers resulting in live births (%)				4 / 9		
Percentage of transfers resulting in pregnancies (%)				4 / 9		

CURRENT SERVICES & PROFILE

Current Name: Sanford Women's Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	12%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	37%
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	5%
				Endometriosis	7%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 210 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	12	5	4	2	1
Percentage of cancellations before retrieval (%)	5.9	1 / 12	2 / 5	0 / 4	0 / 2	0 / 1
Average number of embryos transferred	1.3	1.7				
Percentage of embryos transferred resulting in implantation (%)	2 / 4	2 / 5				
Percentage of elective single embryo transfers (eSET) (%)	2 / 3	1 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2.9	1 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	5.9	1 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	5.9	1 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	5.9	2 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	3	3	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3	1 / 3				
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3				
Percentage of transfers resulting in live births (%)	2 / 3	1 / 3				
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	35	3	4	2	1
Number of transfers	53	34	3	4	2	1
Estimated average number of transfers per retrieval	1.4	2.1	1.5	1.0	0.5	1.0
Average number of embryos transferred	1.4	1.6	1.7	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	35.1	32.7	2 / 5	2 / 7	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	23.5	2 / 3	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.8	29.4	2 / 3	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	3.8	5.9	0 / 3	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	39.6	35.3	2 / 3	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.4	47.1	2 / 3	2 / 4	0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	9	5	0	2	2	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			15		
Number of transfers	8			15		
Average number of embryos transferred	1.8			1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 14			45.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8			6 / 15		
Percentage of transfers resulting in singleton live births (%)	3 / 8			7 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 8			1 / 15		
Percentage of transfers resulting in live births (%)	5 / 8			8 / 15		
Percentage of transfers resulting in pregnancies (%)	5 / 8			8 / 15		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Ringland S. Murray, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	17%	Uterine factor	<1%
Unstimulated	5%	PGD/PGS	5%	Ovulatory dysfunction	6%	Male factor	46%
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	45%
				Endometriosis	22%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				20%			
				24%			

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 189 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		63	21	17	2	7	2
Percentage of cancellations before retrieval (%)		0.0	0.0	1 / 17	0 / 2	1 / 7	0 / 2
Average number of embryos transferred		1.7	2.1	1.9	2.5	2.7	2.5
Percentage of embryos transferred resulting in implantation (%)		44.0	34.3	8.0	0 / 5	1 / 8	0 / 5
Percentage of elective single embryo transfers (eSET) (%)		19.1	0 / 17	2 / 10	0 / 2	0 / 3	0 / 2
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		27.0	33.3	1 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)		30.2	33.3	1 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)		14.3	0.0	0 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)		46.0	38.1	1 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)		47.6	47.6	2 / 17	0 / 2	1 / 7	0 / 2
Outcomes per Transfer							
Number of transfers		54	18	13	2	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.5	7 / 18	1 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)		35.2	7 / 18	1 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)		16.7	0 / 18	0 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)		53.7	8 / 18	1 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)		55.6	10 / 18	2 / 13	0 / 2	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs							
Number of cycles		28	9	8	0	2	0
Number of transfers		28	9	8	0	2	0
Estimated average number of transfers per retrieval		1.2	1.3	1.6	0.0	2.0	
Average number of embryos transferred		1.8	2.0	1.8		3.0	
Percentage of embryos transferred resulting in implantation (%)		52.1	7 / 18	10 / 14		2 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.1	3 / 9	1 / 8		0 / 2	
Percentage of transfers resulting in singleton live births (%)		35.7	3 / 9	1 / 8		0 / 2	
Percentage of transfers resulting in twin live births (%)		17.9	1 / 9	3 / 8		1 / 2	
Percentage of transfers resulting in live births (%)		53.6	4 / 9	4 / 8		1 / 2	
Percentage of transfers resulting in pregnancies (%)		71.4	6 / 9	6 / 8		1 / 2	
Number of Egg/Embryo Banking Cycles		3	2	3	2	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		9			9		
Number of transfers		6			9		
Average number of embryos transferred		1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)		8 / 10			6 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 6			2 / 9		
Percentage of transfers resulting in singleton live births (%)		3 / 6			4 / 9		
Percentage of transfers resulting in twin live births (%)		2 / 6			0 / 9		
Percentage of transfers resulting in live births (%)		5 / 6			4 / 9		
Percentage of transfers resulting in pregnancies (%)		5 / 6			5 / 9		

CURRENT SERVICES & PROFILE				Current Name: Tennessee Reproductive Medicine			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Norman A. Assad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	78%	Tubal factor	4%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	13%
				Endometriosis	18%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 71 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	5	11	2	0	0
Percentage of cancellations before retrieval (%)	12.9	1 / 5	1 / 11	0 / 2		
Average number of embryos transferred	2.0	2.0	2.2	2.5		
Percentage of embryos transferred resulting in implantation (%)	51.2	5 / 8	3 / 17	3 / 5		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 4	0 / 8	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	1 / 5	2 / 11	1 / 2		
Percentage of cycles resulting in singleton live births (%)	35.5	2 / 5	3 / 11	1 / 2		
Percentage of cycles resulting in twin live births (%)	12.9	1 / 5	0 / 11	0 / 2		
Percentage of cycles resulting in live births (%)	48.4	3 / 5	3 / 11	1 / 2		
Percentage of cycles resulting in pregnancies (%)	51.6	3 / 5	4 / 11	2 / 2		
Outcomes per Transfer						
Number of transfers	21	4	9	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	1 / 4	2 / 9	1 / 2		
Percentage of transfers resulting in singleton live births (%)	52.4	2 / 4	3 / 9	1 / 2		
Percentage of transfers resulting in twin live births (%)	19.0	1 / 4	0 / 9	0 / 2		
Percentage of transfers resulting in live births (%)	71.4	3 / 4	3 / 9	1 / 2		
Percentage of transfers resulting in pregnancies (%)	76.2	3 / 4	4 / 9	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	4	3	0	0	0
Number of transfers	5	3	2	0	0	0
Estimated average number of transfers per retrieval	1.0	1.5	2.0			
Average number of embryos transferred	2.0	1.3	1.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 10	0 / 4	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	4 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 5	0 / 3	0 / 2			
Number of Egg/Embryo Banking Cycles						
	1	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Quillen Fertility and Women's Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gayla Harris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	19%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	50%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	0%
				Endometriosis	38%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 16 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	5	2	0	0	0
Percentage of cancellations before retrieval (%)	0 / 8	0 / 5	0 / 2			
Average number of embryos transferred	1.5	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 12	2 / 8	0 / 3			
Percentage of elective single embryo transfers (eSET) (%)	2 / 6	0 / 3	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 8	1 / 5	0 / 2			
Percentage of cycles resulting in singleton live births (%)	2 / 8	2 / 5	0 / 2			
Percentage of cycles resulting in twin live births (%)	1 / 8	0 / 5	0 / 2			
Percentage of cycles resulting in live births (%)	3 / 8	2 / 5	0 / 2			
Percentage of cycles resulting in pregnancies (%)	3 / 8	2 / 5	0 / 2			
Outcomes per Transfer						
Number of transfers	8	5	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8	1 / 5	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 8	2 / 5	0 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 5	0 / 2			
Percentage of transfers resulting in live births (%)	3 / 8	2 / 5	0 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 8	2 / 5	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	0	0
Number of transfers	0	0	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation (%)			0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 1			
Percentage of transfers resulting in singleton live births (%)			0 / 1			
Percentage of transfers resulting in twin live births (%)			0 / 1			
Percentage of transfers resulting in live births (%)			0 / 1			
Percentage of transfers resulting in pregnancies (%)			0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFREY A. KEENAN, MD DBA SOUTHEASTERN CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY KNOXVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	6%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	50%
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	18%
				Endometriosis	13%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 175 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	12	4	2	0	0
Percentage of cancellations before retrieval (%)	0 / 14	2 / 12	0 / 4	0 / 2		
Average number of embryos transferred	2.2	2.2	3.0	3.5		
Percentage of embryos transferred resulting in implantation (%)	15.4	22.7	1 / 12	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 10	0 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 14	2 / 12	0 / 4	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 14	3 / 12	1 / 4	0 / 2		
Percentage of cycles resulting in twin live births (%)	1 / 14	1 / 12	0 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	3 / 14	4 / 12	1 / 4	0 / 2		
Percentage of cycles resulting in pregnancies (%)	3 / 14	4 / 12	1 / 4	0 / 2		
Outcomes per Transfer						
Number of transfers	12	10	4	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 12	2 / 10	0 / 4	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 12	3 / 10	1 / 4	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 10	0 / 4	0 / 2		
Percentage of transfers resulting in live births (%)	3 / 12	4 / 10	1 / 4	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 12	4 / 10	1 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	6	1	2	0	0
Number of transfers	5	6	1	2	0	0
Estimated average number of transfers per retrieval	1.3	2.0	1.0	1.0		
Average number of embryos transferred	1.8	2.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 9	1 / 14	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5	1 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 5	1 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 5	1 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 5	1 / 6	0 / 1	0 / 2		
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			128		
Number of transfers	0			117		
Average number of embryos transferred				2.4		
Percentage of embryos transferred resulting in implantation (%)				34.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				29.9		
Percentage of transfers resulting in singleton live births (%)				35.9		
Percentage of transfers resulting in twin live births (%)				16.2		
Percentage of transfers resulting in live births (%)				53.8		
Percentage of transfers resulting in pregnancies (%)				61.5		

CURRENT SERVICES & PROFILE

Current Name: Jeffrey A. Keenan, MD dba,
Southeastern Center for Fertility and Reproductive Surgery

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	19%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	38%
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	9%
				Endometriosis	11%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 463 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	36	28	3	4	0
Percentage of cancellations before retrieval (%)	3.5	11.1	17.9	0 / 3	0 / 4	
Average number of embryos transferred	1.9	1.9	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.4	24.5	36.4	1 / 7	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	6.2	14.3	0.0	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.3	11.1	35.7	0 / 3	0 / 4	
Percentage of cycles resulting in singleton live births (%)	18.8	13.9	39.3	0 / 3	0 / 4	
Percentage of cycles resulting in twin live births (%)	28.2	8.3	7.1	0 / 3	0 / 4	
Percentage of cycles resulting in live births (%)	47.1	22.2	46.4	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancies (%)	47.1	25.0	53.6	1 / 3	0 / 4	
Outcomes per Transfer						
Number of transfers	65	28	23	3	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	14.3	43.5	0 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	24.6	17.9	47.8	0 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	36.9	10.7	8.7	0 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	61.5	28.6	56.5	0 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)	61.5	32.1	65.2	1 / 3	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	107	51	21	13	4	0
Number of transfers	95	44	19	7	4	0
Estimated average number of transfers per retrieval	1.3	1.3	1.3	1.8	4.0	0.0
Average number of embryos transferred	1.8	1.9	1.6	1.6	1.8	
Percentage of embryos transferred resulting in implantation (%)	55.2	52.6	54.8	1 / 10	1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.8	38.6	9 / 19	1 / 7	1 / 4	
Percentage of transfers resulting in singleton live births (%)	42.1	38.6	10 / 19	1 / 7	1 / 4	
Percentage of transfers resulting in twin live births (%)	24.2	18.2	2 / 19	0 / 7	0 / 4	
Percentage of transfers resulting in live births (%)	66.3	56.8	12 / 19	1 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	70.5	72.7	13 / 19	2 / 7	1 / 4	
Number of Egg/Embryo Banking Cycles						
	47	22	9	3	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			15		
Number of transfers	5			14		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			34.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5			6 / 14		
Percentage of transfers resulting in singleton live births (%)	3 / 5			7 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 14		
Percentage of transfers resulting in live births (%)	3 / 5			8 / 14		
Percentage of transfers resulting in pregnancies (%)	5 / 5			8 / 14		

CURRENT SERVICES & PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REGIONAL ONE HEALTH REPRODUCTIVE MEDICINE MEMPHIS, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Laura Detti, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	15%	Uterine factor	30%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	73%	Male factor	64%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	33%
				Endometriosis	21%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 41 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	5	5	0	0	1
Percentage of cancellations before retrieval (%)	1 / 18	0 / 5	1 / 5			1 / 1
Average number of embryos transferred	1.8	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	64.5	3 / 8	2 / 6			
Percentage of elective single embryo transfers (eSET) (%)	1 / 15	2 / 5	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7 / 18	0 / 5	0 / 5			0 / 1
Percentage of cycles resulting in singleton live births (%)	7 / 18	1 / 5	0 / 5			0 / 1
Percentage of cycles resulting in twin live births (%)	5 / 18	1 / 5	1 / 5			0 / 1
Percentage of cycles resulting in live births (%)	12 / 18	2 / 5	1 / 5			0 / 1
Percentage of cycles resulting in pregnancies (%)	12 / 18	3 / 5	1 / 5			0 / 1
Outcomes per Transfer						
Number of transfers	17	5	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 17	0 / 5	0 / 3			
Percentage of transfers resulting in singleton live births (%)	7 / 17	1 / 5	0 / 3			
Percentage of transfers resulting in twin live births (%)	5 / 17	1 / 5	1 / 3			
Percentage of transfers resulting in live births (%)	12 / 17	2 / 5	1 / 3			
Percentage of transfers resulting in pregnancies (%)	12 / 17	3 / 5	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0	0.5		0.0	0.0	0.0
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 2	0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	2	0	3	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Regional One Health Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	16%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	45%	Male factor	70%
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	3%
				Endometriosis	6%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 130 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	9	1	2	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 9	0 / 1	0 / 2	0 / 2	
Average number of embryos transferred	2.0	2.1		2.5		
Percentage of embryos transferred resulting in implantation (%)	24.6	2 / 12		0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	3.1	0 / 7		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.1	1 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	17.8	1 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	4.4	0 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	22.2	1 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancies (%)	26.7	3 / 9	0 / 1	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	33	7	0	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.2	1 / 7		0 / 2		
Percentage of transfers resulting in singleton live births (%)	24.2	1 / 7		0 / 2		
Percentage of transfers resulting in twin live births (%)	6.1	0 / 7		0 / 2		
Percentage of transfers resulting in live births (%)	30.3	1 / 7		0 / 2		
Percentage of transfers resulting in pregnancies (%)	36.4	3 / 7		0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	9	1	0	0	0
Number of transfers	15	9	1	0	0	0
Estimated average number of transfers per retrieval	1.7	3.0			0.0	
Average number of embryos transferred	1.9	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	37.9	9.5	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15	1 / 9	1 / 1			
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 9	1 / 1			
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 9	0 / 1			
Percentage of transfers resulting in live births (%)	8 / 15	1 / 9	1 / 1			
Percentage of transfers resulting in pregnancies (%)	8 / 15	2 / 9	1 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	26			18		
Number of transfers	26			18		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	44.7			21.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1			4 / 18		
Percentage of transfers resulting in singleton live births (%)	26.9			4 / 18		
Percentage of transfers resulting in twin live births (%)	23.1			1 / 18		
Percentage of transfers resulting in live births (%)	50.0			5 / 18		
Percentage of transfers resulting in pregnancies (%)	61.5			9 / 18		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	18%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	31%
				Endometriosis	22%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 680 (includes 38 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	66	44	9	5	1
Percentage of cancellations before retrieval (%)	13.2	22.7	18.2	3 / 9	4 / 5	0 / 1
Average number of embryos transferred	1.6	2.1	2.7	1.8		1.0
Percentage of embryos transferred resulting in implantation (%)	38.5	20.7	16.0	2 / 9		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	45.0	5.3	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.6	12.1	6.8	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.1	16.7	9.1	2 / 9	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	8.4	3.0	0.0	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	33.5	19.7	13.6	2 / 9	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	38.9	27.3	25.0	2 / 9	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	129	45	32	5	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.9	17.8	9.4	0 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	32.6	24.4	12.5	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	10.9	4.4	0.0	0 / 5		0 / 1
Percentage of transfers resulting in live births (%)	43.4	28.9	18.8	2 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	50.4	40.0	34.4	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	128	47	28	8	4	2
Number of transfers	117	45	25	7	4	2
Estimated average number of transfers per retrieval	1.5	1.6	1.2	1.4		2.0
Average number of embryos transferred	1.6	1.6	1.6	1.9	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	52.7	35.3	28.2	6 / 11	3 / 6	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.0	26.7	40.0	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	38.5	26.7	44.0	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	18.8	13.3	0.0	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	57.3	40.0	44.0	2 / 7	2 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	65.8	46.7	44.0	5 / 7	2 / 4	0 / 2
Number of Egg/Embryo Banking Cycles						
	31	21	18	4	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			57		
Number of transfers	1			52		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			35.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			25.0		
Percentage of transfers resulting in singleton live births (%)	1 / 1			34.6		
Percentage of transfers resulting in twin live births (%)	0 / 1			5.8		
Percentage of transfers resulting in live births (%)	1 / 1			40.4		
Percentage of transfers resulting in pregnancies (%)	1 / 1			51.9		

CURRENT SERVICES & PROFILE

Current Name: Nashville Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	47%
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	<1%
				Endometriosis	10%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 143 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	25	27	3	1	1
Percentage of cancellations before retrieval (%)	5.1	4.0	3.7	1 / 3	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.1	2.5	3.5		1.0
Percentage of embryos transferred resulting in implantation (%)	42.0	21.3	18.9	0 / 7		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	6.5	14.3	1 / 19	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.6	28.0	22.2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.8	28.0	22.2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	10.3	0.0	0.0	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	43.6	32.0	25.9	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	51.3	32.0	29.6	0 / 3	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	34	22	21	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.4	31.8	28.6	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	35.3	31.8	28.6	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	11.8	0.0	0.0	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	50.0	36.4	33.3	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	58.8	36.4	38.1	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	3	9	4	0	0
Number of transfers	16	2	9	3	0	0
Estimated average number of transfers per retrieval	2.7	0.3	2.3			
Average number of embryos transferred	2.0	2.5	1.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	6.3	1 / 5	5 / 15	0 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 16	1 / 2	4 / 9	0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 16	1 / 2	5 / 9	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 2	0 / 9	0 / 3		
Percentage of transfers resulting in live births (%)	2 / 16	1 / 2	5 / 9	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 16	1 / 2	5 / 9	0 / 3		
Number of Egg/Embryo Banking Cycles						
	3	4	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			4		
Number of transfers	4			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 8			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4			1 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 4			2 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 4		
Percentage of transfers resulting in live births (%)	2 / 4			2 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 4			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	14%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	7%
				Endometriosis	20%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 304 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	27	25	7	0	0
Percentage of cancellations before retrieval (%)	2.2	3.7	0.0	0 / 7		
Average number of embryos transferred	1.8	2.1	2.3	2.3		
Percentage of embryos transferred resulting in implantation (%)	24.1	23.8	25.0	2 / 14		
Percentage of elective single embryo transfers (eSET) (%)	32.3	0 / 10	1 / 15	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.0	7.4	12.0	0 / 7		
Percentage of cycles resulting in singleton live births (%)	15.2	11.1	16.0	1 / 7		
Percentage of cycles resulting in twin live births (%)	4.3	3.7	4.0	0 / 7		
Percentage of cycles resulting in live births (%)	19.6	14.8	20.0	1 / 7		
Percentage of cycles resulting in pregnancies (%)	26.1	14.8	32.0	2 / 7		
Outcomes per Transfer						
Number of transfers	31	10	15	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.4	2 / 10	3 / 15	0 / 6		
Percentage of transfers resulting in singleton live births (%)	22.6	3 / 10	4 / 15	1 / 6		
Percentage of transfers resulting in twin live births (%)	6.5	1 / 10	1 / 15	0 / 6		
Percentage of transfers resulting in live births (%)	29.0	4 / 10	5 / 15	1 / 6		
Percentage of transfers resulting in pregnancies (%)	38.7	4 / 10	8 / 15	2 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	75	41	20	7	2	1
Number of transfers	75	41	20	7	2	1
Estimated average number of transfers per retrieval	2.1	1.7	1.3	1.2	1.0	1.0
Average number of embryos transferred	1.7	1.8	2.1	1.9	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	36.0	32.4	21.4	4 / 13	1 / 6	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.0	29.3	10.0	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	29.3	15.0	2 / 7	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	14.7	7.3	10.0	1 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	41.3	36.6	25.0	3 / 7	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	45.3	51.2	35.0	3 / 7	1 / 2	1 / 1
Number of Egg/Embryo Banking Cycles						
	11	4	5	5	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			20		
Number of transfers	2			20		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			37.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			15.0		
Percentage of transfers resulting in singleton live births (%)	0 / 2			30.0		
Percentage of transfers resulting in twin live births (%)	1 / 2			10.0		
Percentage of transfers resulting in live births (%)	1 / 2			40.0		
Percentage of transfers resulting in pregnancies (%)	2 / 2			50.0		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility Institute, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RMATX.COM, PLLC
RMA OF TEXAS-AUSTIN
AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Francisco Arredondo, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only <1% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	2%	Unknown factor	13%	

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 189 (includes 6 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		29	17	10	5	2	0
Percentage of cancellations before retrieval (%)		10.3	2 / 17	2 / 10	0 / 5	1 / 2	
Average number of embryos transferred		1.0	1.7	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		9 / 15	5 / 19	2 / 9	2 / 6	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)		12 / 12	5 / 11	0 / 4	0 / 2	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		24.1	4 / 17	2 / 10	0 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)		24.1	5 / 17	2 / 10	0 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)		3.4	0 / 17	0 / 10	1 / 5	0 / 2	
Percentage of cycles resulting in live births (%)		27.6	5 / 17	2 / 10	1 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)		27.6	5 / 17	2 / 10	1 / 5	0 / 2	
Outcomes per Transfer							
Number of transfers		15	11	4	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 15	4 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)		7 / 15	5 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 15	0 / 11	0 / 4	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)		8 / 15	5 / 11	2 / 4	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)		8 / 15	5 / 11	2 / 4	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		33	14	11	0	1	0
Number of transfers		33	13	11	0	1	0
Estimated average number of transfers per retrieval		1.0	0.8	0.7	0.0		
Average number of embryos transferred		1.1	1.2	1.2		1.0	
Percentage of embryos transferred resulting in implantation (%)		48.6	1 / 15	8 / 13		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.4	0 / 13	7 / 11		0 / 1	
Percentage of transfers resulting in singleton live births (%)		39.4	1 / 13	7 / 11		0 / 1	
Percentage of transfers resulting in twin live births (%)		3.0	0 / 13	0 / 11		0 / 1	
Percentage of transfers resulting in live births (%)		42.4	1 / 13	7 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)		48.5	1 / 13	8 / 11		0 / 1	
Number of Egg/Embryo Banking Cycles		19	15	14	2	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		4			7		
Number of transfers		2			7		
Average number of embryos transferred		1.0			1.3		
Percentage of embryos transferred resulting in implantation (%)		1 / 2			8 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 2			3 / 7		
Percentage of transfers resulting in singleton live births (%)		1 / 2			4 / 7		
Percentage of transfers resulting in twin live births (%)		0 / 2			2 / 7		
Percentage of transfers resulting in live births (%)		1 / 2			6 / 7		
Percentage of transfers resulting in pregnancies (%)		1 / 2			6 / 7		

CURRENT SERVICES & PROFILE		Current Name: RMATX.COM, PLLC, RMA of Texas-Austin					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	19%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	25%
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	9%
				Endometriosis	22%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				21%			
				15%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,520 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	179	138	107	40	23	2
Percentage of cancellations before retrieval (%)	3.9	14.5	7.5	15.0	8.7	1 / 2
Average number of embryos transferred	1.5	2.0	2.3	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	35.6	32.8	20.6	17.9	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	46.7	6.5	1.9	0 / 14	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.8	9.4	8.4	5.0	0.0	0 / 2
Percentage of cycles resulting in singleton live births (%)	15.1	10.1	10.3	5.0	0.0	0 / 2
Percentage of cycles resulting in twin live births (%)	3.9	6.5	2.8	5.0	0.0	0 / 2
Percentage of cycles resulting in live births (%)	19.0	17.4	14.0	10.0	0.0	0 / 2
Percentage of cycles resulting in pregnancies (%)	19.6	21.0	18.7	12.5	0.0	0 / 2
Outcomes per Transfer						
Number of transfers	79	64	58	17	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.1	20.3	15.5	2 / 17	0 / 3	
Percentage of transfers resulting in singleton live births (%)	34.2	21.9	19.0	2 / 17	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.9	14.1	5.2	2 / 17	0 / 3	
Percentage of transfers resulting in live births (%)	43.0	37.5	25.9	4 / 17	0 / 3	
Percentage of transfers resulting in pregnancies (%)	44.3	45.3	34.5	5 / 17	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	266	148	114	47	23	5
Number of transfers	246	135	100	40	20	5
Estimated average number of transfers per retrieval	1.4	1.3	1.1	0.9	0.5	1.7
Average number of embryos transferred	1.3	1.4	1.5	1.6	1.8	2.2
Percentage of embryos transferred resulting in implantation (%)	54.3	50.0	36.0	27.6	30.6	1 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.7	38.5	26.0	25.0	5.0	1 / 5
Percentage of transfers resulting in singleton live births (%)	47.6	45.9	34.0	25.0	15.0	1 / 5
Percentage of transfers resulting in twin live births (%)	4.5	5.9	2.0	0.0	15.0	0 / 5
Percentage of transfers resulting in live births (%)	52.4	51.9	36.0	27.5	30.0	1 / 5
Percentage of transfers resulting in pregnancies (%)	63.8	62.2	49.0	45.0	40.0	1 / 5
Number of Egg/Embryo Banking Cycles						
	74	48	47	29	20	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		64			127	
Number of transfers		53			118	
Average number of embryos transferred		1.2			1.4	
Percentage of embryos transferred resulting in implantation (%)		54.2			43.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.8			21.2	
Percentage of transfers resulting in singleton live births (%)		45.3			33.9	
Percentage of transfers resulting in twin live births (%)		5.7			7.6	
Percentage of transfers resulting in live births (%)		50.9			41.5	
Percentage of transfers resulting in pregnancies (%)		58.5			54.2	

CURRENT SERVICES & PROFILE

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. JEFFREY YOUNGKIN
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jeffrey T. Youngkin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	33%	Tubal factor	14%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	57%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	14%
				Endometriosis	14%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				0%			
				43%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 7 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 2				
Average number of embryos transferred	2.0	2.5				
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 5				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 2				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 1	1 / 2				
Percentage of cycles resulting in singleton live births (%)	0 / 1	1 / 2				
Percentage of cycles resulting in twin live births (%)	1 / 1	0 / 2				
Percentage of cycles resulting in live births (%)	1 / 1	1 / 2				
Percentage of cycles resulting in pregnancies (%)	1 / 1	1 / 2				
Outcomes per Transfer						
Number of transfers	1	2	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	1 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2				
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 2				
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	1	2	0	0
Number of transfers	1	0	1	1	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.0		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	14%	Uterine factor	<1%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	19%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	11%
				Endometriosis	8%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 542 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	120	71	49	27	10	2
Percentage of cancellations before retrieval (%)	0.8	7.0	8.2	14.8	3 / 10	0 / 2
Average number of embryos transferred	1.6	1.8	1.8	1.9	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	40.2	23.1	20.3	6.9	0 / 8	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	34.3	9.6	11.1	0 / 12	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.7	14.1	6.1	7.4	0 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	26.7	16.9	14.3	7.4	0 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	7.5	5.6	4.1	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	35.0	22.5	18.4	7.4	0 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	44.2	29.6	22.4	7.4	0 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	108	61	37	15	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.1	16.4	8.1	2 / 15	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.6	19.7	18.9	2 / 15	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	8.3	6.6	5.4	0 / 15	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	38.9	26.2	24.3	2 / 15	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.1	34.4	29.7	2 / 15	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	49	28	8	2	2
Number of transfers	80	49	28	7	2	1
Estimated average number of transfers per retrieval	1.8	2.3	1.8	1.4	0.5	
Average number of embryos transferred	1.8	1.8	1.9	2.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.5	37.0	18.9	0 / 12	1 / 1	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.5	38.8	7.1	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	45.0	42.9	17.9	0 / 7	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	12.5	6.1	3.6	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	58.8	49.0	21.4	0 / 7	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	66.3	61.2	28.6	2 / 7	2 / 2	1 / 1
Number of Egg/Embryo Banking Cycles						
	16	10	9	4	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			24		
Number of transfers	18			24		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	56.7			37.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 18			12.5		
Percentage of transfers resulting in singleton live births (%)	9 / 18			33.3		
Percentage of transfers resulting in twin live births (%)	3 / 18			8.3		
Percentage of transfers resulting in live births (%)	12 / 18			41.7		
Percentage of transfers resulting in pregnancies (%)	14 / 18			50.0		

CURRENT SERVICES & PROFILE

Current Name: Center for Assisted Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	43%	Tubal factor	14%	Uterine factor	14%	Female factors only	23%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	42%	Female & male factors	29%
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	9%		
				Endometriosis	12%	Unknown factor	5%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 906 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	229	91	93	58	20	4
Percentage of cancellations before retrieval (%)	8.3	18.7	19.4	27.6	20.0	3 / 4
Average number of embryos transferred	1.8	1.9	2.5	2.6	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	38.1	23.9	14.8	12.6	13.3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	21.8	16.7	0.0	0.0	0 / 12	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.2	18.7	10.8	8.6	10.0	0 / 4
Percentage of cycles resulting in singleton live births (%)	22.3	22.0	15.1	8.6	10.0	0 / 4
Percentage of cycles resulting in twin live births (%)	10.0	1.1	2.2	1.7	0.0	0 / 4
Percentage of cycles resulting in live births (%)	33.2	23.1	17.2	10.3	10.0	0 / 4
Percentage of cycles resulting in pregnancies (%)	39.3	31.9	23.7	20.7	20.0	0 / 4
Outcomes per Transfer						
Number of transfers	182	65	66	36	13	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.2	26.2	15.2	13.9	2 / 13	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.0	30.8	21.2	13.9	2 / 13	0 / 1
Percentage of transfers resulting in twin live births (%)	12.6	1.5	3.0	2.8	0 / 13	0 / 1
Percentage of transfers resulting in live births (%)	41.8	32.3	24.2	16.7	2 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	49.5	44.6	33.3	33.3	4 / 13	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	108	36	33	6	8	1
Number of transfers	106	34	32	6	6	1
Estimated average number of transfers per retrieval	1.4	0.9	0.7	0.3	0.8	0.5
Average number of embryos transferred	1.4	1.6	1.4	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	61.8	57.1	65.1	2 / 9	3 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.9	38.2	40.6	2 / 6	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.4	47.1	59.4	2 / 6	3 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	14.2	11.8	9.4	0 / 6	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	57.5	61.8	68.8	2 / 6	3 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	68.9	67.6	75.0	2 / 6	3 / 6	0 / 1
Number of Egg/Embryo Banking Cycles						
	28	23	41	15	7	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		58			44	
Number of transfers		50			43	
Average number of embryos transferred		1.6			1.4	
Percentage of embryos transferred resulting in implantation (%)		67.1			40.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.0			27.9	
Percentage of transfers resulting in singleton live births (%)		50.0			30.2	
Percentage of transfers resulting in twin live births (%)		28.0			7.0	
Percentage of transfers resulting in live births (%)		78.0			39.5	
Percentage of transfers resulting in pregnancies (%)		80.0			48.8	

CURRENT SERVICES & PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	49%	Tubal factor	14%	Uterine factor	13%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	20%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	3%
				Endometriosis	3%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 127 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	11	13	9	2	1
Percentage of cancellations before retrieval (%)	0 / 19	3 / 11	5 / 13	3 / 9	1 / 2	1 / 1
Average number of embryos transferred	1.8	2.2	3.4	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	59.3	6 / 11	4 / 17	0 / 3	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	3 / 15	0 / 5	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5 / 19	1 / 11	2 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	6 / 19	2 / 11	2 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	4 / 19	2 / 11	1 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	10 / 19	4 / 11	3 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	11 / 19	4 / 11	3 / 13	0 / 9	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	15	5	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 15	1 / 5	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 15	2 / 5	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 15	2 / 5	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	10 / 15	4 / 5	3 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 15	4 / 5	3 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	11	5	2	0	0
Number of transfers	20	10	5	2	0	0
Estimated average number of transfers per retrieval	1.1	0.6	1.0	0.5	0.0	0.0
Average number of embryos transferred	1.8	1.7	1.6	2.5		
Percentage of embryos transferred resulting in implantation (%)	31.4	14 / 17	4 / 8	2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	5 / 10	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 10	1 / 5	1 / 2		
Percentage of transfers resulting in twin live births (%)	5.0	2 / 10	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	45.0	7 / 10	1 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	50.0	9 / 10	3 / 5	1 / 2		
Number of Egg/Embryo Banking Cycles						
	11	11	2	2	3	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	16%	Uterine factor	19%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	63%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	17%
				Endometriosis	24%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 186 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	8	3	0	0	0
Percentage of cancellations before retrieval (%)	6.1	0 / 8	0 / 3			
Average number of embryos transferred	2.0	2.0	2.7			
Percentage of embryos transferred resulting in implantation (%)	50.8	4 / 16	2 / 8			
Percentage of elective single embryo transfers (eSET) (%)	6.9	0 / 8	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.3	3 / 8	0 / 3			
Percentage of cycles resulting in singleton live births (%)	30.3	4 / 8	0 / 3			
Percentage of cycles resulting in twin live births (%)	30.3	0 / 8	1 / 3			
Percentage of cycles resulting in live births (%)	60.6	4 / 8	1 / 3			
Percentage of cycles resulting in pregnancies (%)	60.6	4 / 8	1 / 3			
Outcomes per Transfer						
Number of transfers	29	8	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.0	3 / 8	0 / 3			
Percentage of transfers resulting in singleton live births (%)	34.5	4 / 8	0 / 3			
Percentage of transfers resulting in twin live births (%)	34.5	0 / 8	1 / 3			
Percentage of transfers resulting in live births (%)	69.0	4 / 8	1 / 3			
Percentage of transfers resulting in pregnancies (%)	69.0	4 / 8	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	11	21	5	0	0
Number of transfers	21	11	21	5	0	0
Estimated average number of transfers per retrieval	1.1	0.7	1.0	0.3	0.0	0.0
Average number of embryos transferred	1.7	1.6	1.9	2.4		
Percentage of embryos transferred resulting in implantation (%)	54.5	8 / 17	43.2	0 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	6 / 11	23.8	0 / 5		
Percentage of transfers resulting in singleton live births (%)	42.9	8 / 11	33.3	0 / 5		
Percentage of transfers resulting in twin live births (%)	19.0	0 / 11	14.3	0 / 5		
Percentage of transfers resulting in live births (%)	61.9	8 / 11	47.6	0 / 5		
Percentage of transfers resulting in pregnancies (%)	71.4	9 / 11	57.1	1 / 5		
Number of Egg/Embryo Banking Cycles						
	18	15	21	15	2	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			5		
Number of transfers	4			5		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 7			6 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			2 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 4			2 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 4			2 / 5		
Percentage of transfers resulting in live births (%)	3 / 4			4 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 4			4 / 5		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF INSTITUTE, PA DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Noel Peng, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	32%	Uterine factor	75%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	61%
Used gestational carrier	0%			Diminished ovarian reserve	79%	Other factor	0%
				Endometriosis	21%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 73 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	0	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 3					
Average number of embryos transferred	1.7					
Percentage of embryos transferred resulting in implantation (%)	3 / 5					
Percentage of elective single embryo transfers (eSET) (%)	0 / 1					
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 3					
Percentage of cycles resulting in singleton live births (%)	1 / 3					
Percentage of cycles resulting in twin live births (%)	1 / 3					
Percentage of cycles resulting in live births (%)	2 / 3					
Percentage of cycles resulting in pregnancies (%)	2 / 3					
Outcomes per Transfer						
Number of transfers	3	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 3					
Percentage of transfers resulting in twin live births (%)	1 / 3					
Percentage of transfers resulting in live births (%)	2 / 3					
Percentage of transfers resulting in pregnancies (%)	2 / 3					
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	5	5	3	0	0
Number of transfers	11	4	4	3	0	0
Estimated average number of transfers per retrieval	0.9	0.4	0.4	0.4	0.0	0.0
Average number of embryos transferred	1.8	1.5	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	55.0	5 / 6	4 / 8	2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 11	3 / 4	2 / 4	1 / 3		
Percentage of transfers resulting in singleton live births (%)	7 / 11	3 / 4	2 / 4	1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 4	1 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	8 / 11	4 / 4	3 / 4	1 / 3		
Percentage of transfers resulting in pregnancies (%)	9 / 11	4 / 4	3 / 4	2 / 3		
Number of Egg/Embryo Banking Cycles						
	12	11	10	7	4	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				3.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

CURRENT SERVICES & PROFILE

Current Name: IVF Institute, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCED FERTILITY CENTER DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Anil B. Pinto, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	87%	Tubal factor	9%	Uterine factor	6%	Multiple Factors: Female factors only 5% Female & male factors 3%	
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	19%	Male factor	14%		
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	8%		
				Endometriosis	<1%	Unknown factor	12%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 158 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	12	9	3	0	0
Percentage of cancellations before retrieval (%)	2.8	2 / 12	3 / 9	0 / 3		
Average number of embryos transferred	1.8	1.7	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	56.4	6 / 12	3 / 9	1 / 4		
Percentage of elective single embryo transfers (eSET) (%)	13.8	1 / 6	0 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	2 / 12	2 / 9	1 / 3		
Percentage of cycles resulting in singleton live births (%)	22.2	2 / 12	2 / 9	1 / 3		
Percentage of cycles resulting in twin live births (%)	22.2	2 / 12	0 / 9	0 / 3		
Percentage of cycles resulting in live births (%)	44.4	4 / 12	2 / 9	1 / 3		
Percentage of cycles resulting in pregnancies (%)	55.6	4 / 12	3 / 9	1 / 3		
Outcomes per Transfer						
Number of transfers	30	7	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	2 / 7	2 / 5	1 / 2		
Percentage of transfers resulting in singleton live births (%)	26.7	2 / 7	2 / 5	1 / 2		
Percentage of transfers resulting in twin live births (%)	26.7	2 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	53.3	4 / 7	2 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	66.7	4 / 7	3 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	15	8	4	2	0
Number of transfers	23	14	8	4	2	0
Estimated average number of transfers per retrieval	1.6	1.4	0.7	0.6	2.0	
Average number of embryos transferred	2.0	1.9	1.9	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	44.2	22.2	4 / 15	1 / 8	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1	5 / 14	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	39.1	6 / 14	3 / 8	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	21.7	0 / 14	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	60.9	6 / 14	3 / 8	1 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 14	4 / 8	1 / 4	1 / 2	
Number of Egg/Embryo Banking Cycles	5	5	11	6	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			6		
Number of transfers	11			6		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	68.2			5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 11			1 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 11			1 / 6		
Percentage of transfers resulting in twin live births (%)	4 / 11			2 / 6		
Percentage of transfers resulting in live births (%)	7 / 11			3 / 6		
Percentage of transfers resulting in pregnancies (%)	9 / 11			3 / 6		

CURRENT SERVICES & PROFILE

Current Name: ReproMed Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Walid Saleh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	87%	Tubal factor	19%	Uterine factor	11%	Female factors only	9%
Unstimulated	<1%	PGD/PGS	24%	Ovulatory dysfunction	10%	Male factor	15%	Female & male factors	12%
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	17%		
				Endometriosis	0%	Unknown factor	10%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 245 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	29	20	4	3	0
Percentage of cancellations before retrieval (%)	8.5	6.9	10.0	0 / 4	0 / 3	
Average number of embryos transferred	1.7	2.0	2.1	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	46.5	37.2	41.4	2 / 6	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	21.3	1 / 18	0 / 15	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.2	17.2	20.0	0 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	35.2	17.2	35.0	0 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	9.9	13.8	10.0	1 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	45.1	31.0	45.0	1 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)	50.7	37.9	55.0	1 / 4	0 / 3	
Outcomes per Transfer						
Number of transfers	57	22	15	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.1	22.7	4 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	43.9	22.7	7 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.3	18.2	2 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	56.1	40.9	9 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	63.2	50.0	11 / 15	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	11	2	0	0
Number of transfers	25	9	11	1	0	0
Estimated average number of transfers per retrieval	1.6	1.3	1.2			
Average number of embryos transferred	2.0	2.0	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	34.0	5 / 18	3 / 18	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	4 / 9	1 / 11	0 / 1		
Percentage of transfers resulting in singleton live births (%)	28.0	4 / 9	1 / 11	0 / 1		
Percentage of transfers resulting in twin live births (%)	12.0	0 / 9	1 / 11	0 / 1		
Percentage of transfers resulting in live births (%)	40.0	4 / 9	2 / 11	0 / 1		
Percentage of transfers resulting in pregnancies (%)	52.0	5 / 9	2 / 11	0 / 1		
Number of Egg/Embryo Banking Cycles						
	9	4	9	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	25			20		
Number of transfers	18			20		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	67.6			20.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 18			5.0		
Percentage of transfers resulting in singleton live births (%)	7 / 18			10.0		
Percentage of transfers resulting in twin live births (%)	5 / 18			10.0		
Percentage of transfers resulting in live births (%)	12 / 18			20.0		
Percentage of transfers resulting in pregnancies (%)	15 / 18			30.0		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	5%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	9%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	34%
				Endometriosis	7%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				20%			
				17%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 74 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	9	8	2	3	0
Percentage of cancellations before retrieval (%)	0 / 12	1 / 9	0 / 8	0 / 2	0 / 3	
Average number of embryos transferred	1.8	2.0	2.0	2.0	2.7	
Percentage of embryos transferred resulting in implantation (%)	36.4	5 / 16	3 / 14	4 / 4	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 7	0 / 5	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 12	0 / 9	3 / 8	1 / 2	0 / 3	
Percentage of cycles resulting in singleton live births (%)	6 / 12	1 / 9	3 / 8	1 / 2	0 / 3	
Percentage of cycles resulting in twin live births (%)	1 / 12	2 / 9	0 / 8	0 / 2	0 / 3	
Percentage of cycles resulting in live births (%)	7 / 12	3 / 9	3 / 8	2 / 2	0 / 3	
Percentage of cycles resulting in pregnancies (%)	7 / 12	3 / 9	3 / 8	2 / 2	0 / 3	
Outcomes per Transfer						
Number of transfers	12	8	7	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	0 / 8	3 / 7	1 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 8	3 / 7	1 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 12	2 / 8	0 / 7	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	7 / 12	3 / 8	3 / 7	2 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	7 / 12	3 / 8	3 / 7	2 / 2	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	3	3	0	0	2
Number of transfers	5	3	3	0	0	2
Estimated average number of transfers per retrieval	0.7	1.5	0.5		0.0	2.0
Average number of embryos transferred	1.8	1.7	2.0			1.5
Percentage of embryos transferred resulting in implantation (%)	3 / 9	4 / 5	1 / 6			1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5	2 / 3	1 / 3			1 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 3	1 / 3			1 / 2
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 3	0 / 3			0 / 2
Percentage of transfers resulting in live births (%)	2 / 5	3 / 3	1 / 3			1 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 5	3 / 3	1 / 3			1 / 2
Number of Egg/Embryo Banking Cycles						
	5	2	6	0	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			9		
Number of transfers	2			9		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			6 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			3 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 2			4 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 9		
Percentage of transfers resulting in live births (%)	1 / 2			5 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 2			5 / 9		

CURRENT SERVICES & PROFILE

Current Name: Texas Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	25%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	23%
				Endometriosis	36%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 103 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	14	12	5	2	1
Percentage of cancellations before retrieval (%)	8.0	2 / 14	1 / 12	0 / 5	0 / 2	0 / 1
Average number of embryos transferred	1.9	2.4	2.5	3.0	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	56.4	37.9	29.6	0 / 12	0 / 6	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	3 / 18	0 / 11	0 / 11	0 / 4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.0	5 / 14	1 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	5 / 14	1 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	20.0	1 / 14	2 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	60.0	6 / 14	3 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	64.0	8 / 14	5 / 12	0 / 5	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	21	12	11	4	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.1	5 / 12	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.6	5 / 12	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	23.8	1 / 12	2 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	71.4	6 / 12	3 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	76.2	8 / 12	5 / 11	0 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	11	15	3	0	0
Number of transfers	9	11	15	3	0	0
Estimated average number of transfers per retrieval	2.3		5.0			
Average number of embryos transferred	2.0	1.7	2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 16	11 / 19	54.8	3 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9	2 / 11	6 / 15	1 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 9	3 / 11	6 / 15	1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 9	3 / 11	3 / 15	0 / 3		
Percentage of transfers resulting in live births (%)	4 / 9	6 / 11	9 / 15	1 / 3		
Percentage of transfers resulting in pregnancies (%)	4 / 9	8 / 11	11 / 15	3 / 3		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			6		
Number of transfers	0			6		
Average number of embryos transferred				1.3		
Percentage of embryos transferred resulting in implantation (%)				1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 6		
Percentage of transfers resulting in singleton live births (%)				1 / 6		
Percentage of transfers resulting in twin live births (%)				0 / 6		
Percentage of transfers resulting in live births (%)				1 / 6		
Percentage of transfers resulting in pregnancies (%)				1 / 6		

CURRENT SERVICES & PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jamie A. Massie, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	33%	Uterine factor	13%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	60%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	0%
				Endometriosis	12%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 123 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	35	22	1	0	0
Percentage of cancellations before retrieval (%)	0.0	2.9	9.1	0 / 1		
Average number of embryos transferred	2.0	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	42.7	15.4	20.9	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	6.3	9.4	0 / 17	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.8	17.1	13.6	0 / 1		
Percentage of cycles resulting in singleton live births (%)	33.8	20.0	13.6	0 / 1		
Percentage of cycles resulting in twin live births (%)	23.1	2.9	4.5	0 / 1		
Percentage of cycles resulting in live births (%)	56.9	22.9	22.7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	58.5	28.6	27.3	0 / 1		
Outcomes per Transfer						
Number of transfers	64	33	18	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.3	18.2	3 / 18	0 / 1		
Percentage of transfers resulting in singleton live births (%)	34.4	21.2	3 / 18	0 / 1		
Percentage of transfers resulting in twin live births (%)	23.4	3.0	1 / 18	0 / 1		
Percentage of transfers resulting in live births (%)	57.8	24.2	5 / 18	0 / 1		
Percentage of transfers resulting in pregnancies (%)	59.4	30.3	6 / 18	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert Kaufmann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	94%	Tubal factor	9%	Uterine factor	3%
Unstimulated	<1%	PGD/PGS	37%	Ovulatory dysfunction	8%	Male factor	32%
Used gestational carrier	7%			Diminished ovarian reserve	26%	Other factor	19%
				Endometriosis	4%	Unknown factor	19%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 625 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	124	40	28	19	3	2
Percentage of cancellations before retrieval (%)	3.2	2.5	0.0	1 / 19	0 / 3	0 / 2
Average number of embryos transferred	1.8	1.7	1.7	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	36.6	28.8	9.4	4 / 14	0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	14.9	12.0	2 / 15	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.2	15.0	3.6	2 / 19	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	21.0	17.5	7.1	2 / 19	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	8.9	7.5	0.0	0 / 19	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	29.8	25.0	7.1	2 / 19	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	33.1	30.0	10.7	2 / 19	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	82	30	19	9	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.5	20.0	1 / 19	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.7	23.3	2 / 19	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	13.4	10.0	0 / 19	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.1	33.3	2 / 19	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	40.0	3 / 19	2 / 9	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	138	35	19	6	5	0
Number of transfers	127	30	17	4	4	0
Estimated average number of transfers per retrieval	1.6	1.3	0.8	0.3	0.5	0.0
Average number of embryos transferred	1.6	1.3	1.6	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	27.7	29.7	14.8	0 / 5	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.5	20.0	4 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	23.6	23.3	4 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	7.9	0.0	0 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	31.5	23.3	4 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	37.8	33.3	4 / 17	0 / 4	1 / 4	
Number of Egg/Embryo Banking Cycles						
	25	11	11	8	6	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		57			69	
Number of transfers		39			64	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		55.4			29.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		25.6			23.4	
Percentage of transfers resulting in singleton live births (%)		30.8			26.6	
Percentage of transfers resulting in twin live births (%)		17.9			7.8	
Percentage of transfers resulting in live births (%)		48.7			34.4	
Percentage of transfers resulting in pregnancies (%)		66.7			37.5	

CURRENT SERVICES & PROFILE

Current Name: Fort Worth Fertility, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

DALLAS IVF FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	51%	Tubal factor	8%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	9%	Male factor	18%
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	3%
				Endometriosis	6%	Unknown factor	59%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 625 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	141	61	52	11	9	4
Percentage of cancellations before retrieval (%)	1.4	1.6	11.5	3 / 11	2 / 9	2 / 4
Average number of embryos transferred	1.7	1.9	1.9	2.2	2.8	
Percentage of embryos transferred resulting in implantation (%)	39.6	29.1	15.0	1 / 11	0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	27.9	9.8	0.0	0 / 5	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.2	18.0	11.5	1 / 11	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.4	24.6	15.4	1 / 11	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	5.7	6.6	0.0	0 / 11	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	34.0	31.1	15.4	1 / 11	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	36.9	32.8	21.2	2 / 11	0 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	90	43	33	6	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.1	25.6	18.2	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	44.4	34.9	24.2	1 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	8.9	9.3	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	53.3	44.2	24.2	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	57.8	46.5	33.3	2 / 6	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	101	42	22	9	2	0
Number of transfers	98	41	21	9	2	0
Estimated average number of transfers per retrieval	1.1	1.0	0.6	0.5	0.4	
Average number of embryos transferred	1.4	1.6	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	66.7	59.4	31.3	7 / 13	2 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.7	41.5	19.0	2 / 9	1 / 2	
Percentage of transfers resulting in singleton live births (%)	53.1	51.2	28.6	3 / 9	2 / 2	
Percentage of transfers resulting in twin live births (%)	16.3	19.5	4.8	2 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	69.4	70.7	33.3	5 / 9	2 / 2	
Percentage of transfers resulting in pregnancies (%)	79.6	75.6	42.9	5 / 9	2 / 2	
Number of Egg/Embryo Banking Cycles						
	49	26	28	16	5	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		14			30	
Number of transfers		10			30	
Average number of embryos transferred		1.4			1.6	
Percentage of embryos transferred resulting in implantation (%)		6 / 12			55.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 10			20.0	
Percentage of transfers resulting in singleton live births (%)		4 / 10			23.3	
Percentage of transfers resulting in twin live births (%)		1 / 10			20.0	
Percentage of transfers resulting in live births (%)		5 / 10			46.7	
Percentage of transfers resulting in pregnancies (%)		6 / 10			63.3	

CURRENT SERVICES & PROFILE

Current Name: Dallas IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC

FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	16%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	21%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	12%
				Endometriosis	5%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 391 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	131	56	61	19	3	0
Percentage of cancellations before retrieval (%)	7.6	21.4	23.0	4 / 19	2 / 3	
Average number of embryos transferred	1.9	1.9	2.1	3.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	53.5	41.3	22.9	14.0	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	9.3	5.3	0.0	0 / 14		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.0	25.0	16.4	2 / 19	1 / 3	
Percentage of cycles resulting in singleton live births (%)	31.3	33.9	18.0	3 / 19	1 / 3	
Percentage of cycles resulting in twin live births (%)	20.6	8.9	3.3	1 / 19	0 / 3	
Percentage of cycles resulting in live births (%)	51.9	42.9	21.3	4 / 19	1 / 3	
Percentage of cycles resulting in pregnancies (%)	53.4	46.4	31.1	7 / 19	1 / 3	
Outcomes per Transfer						
Number of transfers	100	39	45	15	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.0	35.9	22.2	2 / 15	1 / 1	
Percentage of transfers resulting in singleton live births (%)	41.0	48.7	24.4	3 / 15	1 / 1	
Percentage of transfers resulting in twin live births (%)	27.0	12.8	4.4	1 / 15	0 / 1	
Percentage of transfers resulting in live births (%)	68.0	61.5	28.9	4 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)	70.0	66.7	42.2	7 / 15	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	11	10	2	0	0
Number of transfers	33	10	10	2	0	0
Estimated average number of transfers per retrieval	1.1	0.7	2.0	1.0	0.0	
Average number of embryos transferred	1.7	1.8	1.5	2.5		
Percentage of embryos transferred resulting in implantation (%)	41.1	6 / 17	7 / 14	3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	4 / 10	2 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 10	2 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	9.1	0 / 10	2 / 10	1 / 2		
Percentage of transfers resulting in live births (%)	42.4	5 / 10	4 / 10	1 / 2		
Percentage of transfers resulting in pregnancies (%)	57.6	7 / 10	6 / 10	1 / 2		
Number of Egg/Embryo Banking Cycles						
	12	7	2	1	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			16		
Number of transfers	15			16		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	71.4			56.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15			4 / 16		
Percentage of transfers resulting in singleton live births (%)	4 / 15			5 / 16		
Percentage of transfers resulting in twin live births (%)	7 / 15			4 / 16		
Percentage of transfers resulting in live births (%)	11 / 15			9 / 16		
Percentage of transfers resulting in pregnancies (%)	13 / 15			12 / 16		

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	10%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	61%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	7%
				Endometriosis	4%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 218 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	32	20	9	5	0
Percentage of cancellations before retrieval (%)	3.1	6.3	15.0	1 / 9	1 / 5	
Average number of embryos transferred	1.6	1.8	2.1	3.0	3.3	
Percentage of embryos transferred resulting in implantation (%)	41.9	32.6	22.7	15.0	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	35.0	28.6	1 / 11	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.7	21.9	0.0	2 / 9	0 / 5	
Percentage of cycles resulting in singleton live births (%)	30.8	25.0	10.0	3 / 9	0 / 5	
Percentage of cycles resulting in twin live births (%)	4.6	9.4	5.0	0 / 9	0 / 5	
Percentage of cycles resulting in live births (%)	35.4	34.4	15.0	3 / 9	0 / 5	
Percentage of cycles resulting in pregnancies (%)	40.0	34.4	30.0	4 / 9	1 / 5	
Outcomes per Transfer						
Number of transfers	46	24	13	8	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.1	29.2	0 / 13	2 / 8	0 / 3	
Percentage of transfers resulting in singleton live births (%)	43.5	33.3	2 / 13	3 / 8	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.5	12.5	1 / 13	0 / 8	0 / 3	
Percentage of transfers resulting in live births (%)	50.0	45.8	3 / 13	3 / 8	0 / 3	
Percentage of transfers resulting in pregnancies (%)	56.5	45.8	6 / 13	4 / 8	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	19	10	1	1	0
Number of transfers	40	19	9	1	1	0
Estimated average number of transfers per retrieval	1.5	1.2	2.3	1.0	0.3	0.0
Average number of embryos transferred	1.7	1.7	2.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	49.2	37.5	10 / 17	1 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.5	2 / 19	2 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 19	3 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.5	2 / 19	3 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	7 / 19	6 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.0	9 / 19	7 / 9	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	4	3	1	0	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	1.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	13%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	27%	Male factor	28%
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	29%
				Endometriosis	16%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 369 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	14	18	5	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 18	0 / 5	0 / 1	
Average number of embryos transferred	2.1	2.0	2.5			
Percentage of embryos transferred resulting in implantation (%)	3 / 15	1 / 2	2 / 10			
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	0 / 1	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3.3	1 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3.3	1 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	3.3	1 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	4.9	1 / 14	2 / 18	0 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	7	1	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	1 / 1	1 / 4			
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 1	1 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 4			
Percentage of transfers resulting in live births (%)	2 / 7	1 / 1	1 / 4			
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 1	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	28	31	8	3	4
Number of transfers	84	28	31	8	3	4
Estimated average number of transfers per retrieval	1.4	1.4	1.0	0.5	0.5	1.0
Average number of embryos transferred	2.0	2.2	2.2	2.1	2.7	2.5
Percentage of embryos transferred resulting in implantation (%)	51.9	40.0	33.3	5 / 17	0 / 8	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.9	21.4	32.3	3 / 8	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	27.4	28.6	45.2	4 / 8	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	23.8	21.4	6.5	0 / 8	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	53.6	50.0	51.6	4 / 8	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	69.0	60.7	64.5	5 / 8	0 / 3	1 / 4
Number of Egg/Embryo Banking Cycles						
	11	14	17	14	6	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	21			21		
Number of transfers	16			21		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	63.0			33.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 16			14.3		
Percentage of transfers resulting in singleton live births (%)	3 / 16			23.8		
Percentage of transfers resulting in twin live births (%)	7 / 16			14.3		
Percentage of transfers resulting in live births (%)	10 / 16			38.1		
Percentage of transfers resulting in pregnancies (%)	13 / 16			47.6		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYLOR FAMILY FERTILITY PROGRAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	10%	Uterine factor	3%
Unstimulated	2%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	12%
				Endometriosis	2%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 284 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	15	21	9	4	1
Percentage of cancellations before retrieval (%)	13.5	2 / 15	38.1	3 / 9	0 / 4	0 / 1
Average number of embryos transferred	1.3	2.0	2.5	3.3	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	43.8	5 / 18	3.6	0 / 13	1 / 11	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	68.6	2 / 9	0 / 10	0 / 3	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.2	2 / 15	0.0	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.8	2 / 15	0.0	0 / 9	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	3.8	1 / 15	0.0	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	32.7	3 / 15	0.0	0 / 9	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	36.5	4 / 15	4.8	0 / 9	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	37	9	11	4	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.7	2 / 9	0 / 11	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.5	2 / 9	0 / 11	0 / 4	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	5.4	1 / 9	0 / 11	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	45.9	3 / 9	0 / 11	0 / 4	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.4	4 / 9	1 / 11	0 / 4	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	14	18	6	4	0
Number of transfers	58	14	13	6	3	0
Estimated average number of transfers per retrieval	1.2	1.2	0.9	1.0	1.5	0.0
Average number of embryos transferred	1.5	1.8	1.8	2.5	2.7	
Percentage of embryos transferred resulting in implantation (%)	32.9	28.0	31.8	4 / 15	1 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.9	4 / 14	2 / 13	3 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	27.6	6 / 14	2 / 13	3 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.9	0 / 14	1 / 13	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	34.5	6 / 14	3 / 13	3 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	41.4	7 / 14	6 / 13	4 / 6	1 / 3	
Number of Egg/Embryo Banking Cycles						
	32	10	11	4	2	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			9		
Number of transfers	2			9		
Average number of embryos transferred	1.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			1 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			0 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 9		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 9		

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by C. James Chuong, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	27%	Uterine factor	21%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	11%	Male factor	45%
Used gestational carrier	1%			Diminished ovarian reserve	35%	Other factor	13%
				Endometriosis	3%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 169 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	16	22	9	6	4
Percentage of cancellations before retrieval (%)	7.7	2 / 16	9.1	1 / 9	3 / 6	2 / 4
Average number of embryos transferred	2.5	2.4	3.1	3.3	3.5	4.0
Percentage of embryos transferred resulting in implantation (%)	49.2	26.9	21.2	5.0	0 / 7	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 17	0 / 6	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.3	0 / 16	18.2	1 / 9	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	12.8	3 / 16	22.7	1 / 9	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	20.5	2 / 16	4.5	0 / 9	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	35.9	5 / 16	27.3	1 / 9	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	41.0	5 / 16	36.4	1 / 9	0 / 6	0 / 4
Outcomes per Transfer						
Number of transfers	24	11	18	6	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	0 / 11	4 / 18	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	20.8	3 / 11	5 / 18	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	33.3	2 / 11	1 / 18	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	58.3	5 / 11	6 / 18	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.7	5 / 11	8 / 18	1 / 6	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	8	2	3	1	1
Number of transfers	18	7	2	3	1	1
Estimated average number of transfers per retrieval	1.6	2.3	2.0	3.0		0.5
Average number of embryos transferred	2.6	2.3	3.5	2.7	4.0	4.0
Percentage of embryos transferred resulting in implantation (%)	54.3	4 / 16	1 / 4	1 / 8	1 / 4	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 18	1 / 7	1 / 2	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 18	1 / 7	1 / 2	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5 / 18	1 / 7	0 / 2	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	13 / 18	2 / 7	1 / 2	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	15 / 18	2 / 7	2 / 2	1 / 3	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			20		
Number of transfers	14			17		
Average number of embryos transferred	2.3			2.7		
Percentage of embryos transferred resulting in implantation (%)	28.1			21.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 14			3 / 17		
Percentage of transfers resulting in singleton live births (%)	6 / 14			4 / 17		
Percentage of transfers resulting in twin live births (%)	1 / 14			1 / 17		
Percentage of transfers resulting in live births (%)	7 / 14			6 / 17		
Percentage of transfers resulting in pregnancies (%)	7 / 14			7 / 17		

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF HOUSTON HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	16%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	22%	Male factor	32%
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	26%
				Endometriosis	13%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,200 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	104	54	36	20	13	2
Percentage of cancellations before retrieval (%)	8.7	24.1	30.6	35.0	6 / 13	0 / 2
Average number of embryos transferred	1.4	1.7	2.0	1.8	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	38.9	18.6	2 / 16	0 / 11	0 / 1	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	59.4	18.2	0 / 8	0 / 4	1 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.2	5.6	2.8	0.0	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	23.1	7.4	5.6	0.0	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	3.8	1.9	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	27.9	9.3	5.6	0.0	0 / 13	0 / 2
Percentage of cycles resulting in pregnancies (%)	31.7	13.0	5.6	0.0	0 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	72	25	8	6	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.8	12.0	1 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	16.0	2 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.6	4.0	0 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	40.3	20.0	2 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.8	28.0	2 / 8	0 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	218	123	75	36	8	3
Number of transfers	197	101	67	31	6	2
Estimated average number of transfers per retrieval	1.3	1.0	0.7	0.5	0.3	0.1
Average number of embryos transferred	1.2	1.3	1.2	1.1	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	44.6	41.5	34.3	40.0	1 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.9	29.7	23.9	19.4	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	38.6	29.9	29.0	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	3.0	4.0	0.0	3.2	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	40.1	42.6	29.9	32.3	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.8	54.5	43.3	41.9	2 / 6	0 / 2
Number of Egg/Embryo Banking Cycles						
	129	87	89	58	24	16
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	23			72		
Number of transfers	21			63		
Average number of embryos transferred	1.3			1.4		
Percentage of embryos transferred resulting in implantation (%)	44.4			44.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3			23.8		
Percentage of transfers resulting in singleton live births (%)	47.6			42.9		
Percentage of transfers resulting in twin live births (%)	4.8			1.6		
Percentage of transfers resulting in live births (%)	52.4			44.4		
Percentage of transfers resulting in pregnancies (%)	52.4			61.9		

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE HEARD CLINIC HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael Heard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	10%	Uterine factor	13%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	38%	Male factor	35%
Used gestational carrier	6%			Diminished ovarian reserve	3%	Other factor	15%
				Endometriosis	10%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 47 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	6	1	2	2	1
Percentage of cancellations before retrieval (%)	0 / 6	0 / 6	0 / 1	0 / 2	0 / 2	1 / 1
Average number of embryos transferred	3.2	2.4	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 16	0 / 10	0 / 2	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 4	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	2 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 6	1 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	5	5	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 5	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	2	1	1	0
Number of transfers	7	4	2	1	1	0
Estimated average number of transfers per retrieval	1.4	2.0	1.0	1.0	0.5	
Average number of embryos transferred	1.9	1.5	2.0	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 13	0 / 6	1 / 4	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	0 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 4	1 / 2	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	4	0	2	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			5		
Number of transfers	2			5		
Average number of embryos transferred	2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 4			1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 2			1 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 5		

CURRENT SERVICES & PROFILE

Current Name: The Heard Clinic

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Ghassan F. Haddad, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	93%	Tubal factor	26%	Uterine factor	48%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	27%	Male factor	39%
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	26%
				Endometriosis	11%	Unknown factor	1%
						Multiple Factors:	
						Female factors only	40%
						Female & male factors	34%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 2,721 (includes 119 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		476	151	120	47	27	5
Percentage of cancellations before retrieval (%)		1.3	2.0	6.7	10.6	14.8	0 / 5
Average number of embryos transferred		1.8	1.9	1.9	1.9	1.8	3.0
Percentage of embryos transferred resulting in implantation (%)		40.8	27.1	24.6	4.3	1 / 11	0 / 9
Percentage of elective single embryo transfers (eSET) (%)		14.1	2.4	0.0	0 / 18	0 / 4	0 / 3
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		13.7	13.9	10.0	4.3	0.0	0 / 5
Percentage of cycles resulting in singleton live births (%)		16.2	16.6	13.3	4.3	0.0	0 / 5
Percentage of cycles resulting in twin live births (%)		7.1	6.0	3.3	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)		23.9	22.5	16.7	4.3	0.0	0 / 5
Percentage of cycles resulting in pregnancies (%)		26.7	25.2	25.0	8.5	3.7	0 / 5
Outcomes per Transfer							
Number of transfers		236	97	71	27	6	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.5	21.6	16.9	7.4	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)		32.6	25.8	22.5	7.4	0 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)		14.4	9.3	5.6	0.0	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)		48.3	35.1	28.2	7.4	0 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)		53.8	39.2	42.3	14.8	1 / 6	0 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		584	222	174	54	17	4
Number of transfers		562	205	164	47	15	4
Estimated average number of transfers per retrieval		1.3	1.3	1.0	0.8	0.5	0.4
Average number of embryos transferred		1.7	1.6	1.7	1.6	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)		50.4	46.2	37.5	33.8	22.7	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.8	30.7	29.3	17.0	3 / 15	2 / 4
Percentage of transfers resulting in singleton live births (%)		33.1	36.1	33.5	27.7	4 / 15	2 / 4
Percentage of transfers resulting in twin live births (%)		18.0	12.7	8.5	6.4	0 / 15	0 / 4
Percentage of transfers resulting in live births (%)		51.1	49.3	42.7	34.0	4 / 15	2 / 4
Percentage of transfers resulting in pregnancies (%)		63.2	58.5	53.0	46.8	5 / 15	2 / 4
Number of Egg/Embryo Banking Cycles		195	102	126	54	29	11
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		56			148		
Number of transfers		41			141		
Average number of embryos transferred		1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)		44.2			41.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		22.0			27.0		
Percentage of transfers resulting in singleton live births (%)		24.4			39.7		
Percentage of transfers resulting in twin live births (%)		26.8			9.9		
Percentage of transfers resulting in live births (%)		51.2			49.6		
Percentage of transfers resulting in pregnancies (%)		58.5			57.4		

CURRENT SERVICES & PROFILE		Current Name: Houston Fertility Institute			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes
				Verified lab accreditation?	Yes
				(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC SONJA KRISTIENSEN, MD HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sonja B. Kristiansen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	21%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	<1%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	12%
				Endometriosis	<1%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 119 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	17	11	9	5	3
Percentage of cancellations before retrieval (%)	0.0	0 / 17	1 / 11	1 / 9	1 / 5	1 / 3
Average number of embryos transferred	2.4	2.6	2.8	2.3	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	27.3	16.7	20.0	2 / 14	0 / 10	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 15	0 / 8	0 / 5	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	40.0	7 / 17	2 / 11	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.0	7 / 17	2 / 11	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	10.0	0 / 17	0 / 11	0 / 9	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	50.0	7 / 17	3 / 11	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	50.0	7 / 17	3 / 11	2 / 9	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	37	16	9	6	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.2	7 / 16	2 / 9	2 / 6	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.2	7 / 16	2 / 9	2 / 6	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	10.8	0 / 16	0 / 9	0 / 6	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	54.1	7 / 16	3 / 9	2 / 6	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	54.1	7 / 16	3 / 9	2 / 6	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	5	2	3	0	0
Number of transfers	8	5	2	3	0	0
Estimated average number of transfers per retrieval	1.6	1.0		3.0	0.0	
Average number of embryos transferred	2.3	2.4	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 18	3 / 12	2 / 4	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8	1 / 5	2 / 2	2 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 5	2 / 2	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	1 / 8	2 / 5	2 / 2	2 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 8	2 / 5	2 / 2	2 / 3		
Number of Egg/Embryo Banking Cycles						
	1	3	0	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			4		
Number of transfers	5			4		
Average number of embryos transferred	2.4			2.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 12			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5			2 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5			2 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in live births (%)	4 / 5			2 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5			3 / 4		

CURRENT SERVICES & PROFILE

Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Timothy N. Hickman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	8%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	12%	Male factor	24%
Used gestational carrier	2%			Diminished ovarian reserve	43%	Other factor	11%
				Endometriosis	5%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 730 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	157	68	75	47	27	2
Percentage of cancellations before retrieval (%)	3.2	0.0	5.3	10.6	22.2	0 / 2
Average number of embryos transferred	2.0	2.0	2.7	3.0	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	40.0	39.5	19.9	12.6	6.8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	7.0	4.8	1.7	0.0	0 / 13	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.8	22.1	18.7	6.4	3.7	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.5	29.4	25.3	8.5	3.7	0 / 2
Percentage of cycles resulting in twin live births (%)	15.3	17.6	6.7	4.3	0.0	0 / 2
Percentage of cycles resulting in live births (%)	48.4	48.5	32.0	14.9	3.7	0 / 2
Percentage of cycles resulting in pregnancies (%)	56.1	54.4	38.7	23.4	11.1	0 / 2
Outcomes per Transfer						
Number of transfers	148	67	65	35	17	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.4	22.4	21.5	8.6	1 / 17	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.5	29.9	29.2	11.4	1 / 17	0 / 1
Percentage of transfers resulting in twin live births (%)	16.2	17.9	7.7	5.7	0 / 17	0 / 1
Percentage of transfers resulting in live births (%)	51.4	49.3	36.9	20.0	1 / 17	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.5	55.2	44.6	31.4	3 / 17	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	52	38	9	6	1
Number of transfers	85	52	38	8	5	0
Estimated average number of transfers per retrieval	1.3	1.9	1.1	0.5	0.6	0.0
Average number of embryos transferred	1.8	1.6	1.8	1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	41.9	43.5	30.8	4 / 13	1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.4	21.2	23.7	2 / 8	1 / 5	
Percentage of transfers resulting in singleton live births (%)	28.2	32.7	34.2	3 / 8	1 / 5	
Percentage of transfers resulting in twin live births (%)	15.3	13.5	2.6	0 / 8	0 / 5	
Percentage of transfers resulting in live births (%)	44.7	46.2	36.8	3 / 8	1 / 5	
Percentage of transfers resulting in pregnancies (%)	57.6	53.8	47.4	4 / 8	1 / 5	
Number of Egg/Embryo Banking Cycles						
	39	22	26	12	6	2
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			32		17	
Number of transfers			32		16	
Average number of embryos transferred			1.8		1.9	
Percentage of embryos transferred resulting in implantation (%)			69.5		33.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			28.1		3 / 16	
Percentage of transfers resulting in singleton live births (%)			31.3		5 / 16	
Percentage of transfers resulting in twin live births (%)			46.9		0 / 16	
Percentage of transfers resulting in live births (%)			78.1		5 / 16	
Percentage of transfers resulting in pregnancies (%)			81.3		8 / 16	

CURRENT SERVICES & PROFILE

Current Name: Houston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVFMD IRVING, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sy Le, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	24%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	17%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	9%
				Endometriosis	7%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 563 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	138	40	23	8	6	1
Percentage of cancellations before retrieval (%)	1.4	0.0	4.3	0 / 8	1 / 6	0 / 1
Average number of embryos transferred	1.7	1.8	1.8	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.3	46.3	41.2	0 / 9	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	20.9	3.6	1 / 17	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.6	25.0	26.1	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.0	32.5	30.4	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	12.3	7.5	4.3	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	41.3	42.5	34.8	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	48.6	52.5	56.5	2 / 8	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	119	33	21	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	30.3	28.6	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.6	39.4	33.3	0 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	9.1	4.8	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	47.9	51.5	38.1	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	56.3	63.6	61.9	2 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	42	38	9	6	3
Number of transfers	92	41	38	9	6	3
Estimated average number of transfers per retrieval	1.7	1.5	1.1	0.9	0.5	0.8
Average number of embryos transferred	1.6	1.6	1.6	1.8	1.2	2.7
Percentage of embryos transferred resulting in implantation (%)	36.8	23.4	24.6	3 / 16	1 / 7	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	19.5	21.1	1 / 9	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.3	22.0	23.7	3 / 9	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	10.9	2.4	5.3	0 / 9	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	39.1	24.4	28.9	3 / 9	1 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.3	36.6	39.5	3 / 9	1 / 6	0 / 3
Number of Egg/Embryo Banking Cycles						
	23	22	33	10	10	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	30			24		
Number of transfers	26			24		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	53.5			43.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.9			20.8		
Percentage of transfers resulting in singleton live births (%)	26.9			25.0		
Percentage of transfers resulting in twin live births (%)	30.8			20.8		
Percentage of transfers resulting in live births (%)	57.7			45.8		
Percentage of transfers resulting in pregnancies (%)	69.2			58.3		

CURRENT SERVICES & PROFILE

Current Name: IVFMD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	29%	Tubal factor	27%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	24%	Male factor	40%
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	24%
				Endometriosis	23%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 214 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	12	14	6	0	2
Percentage of cancellations before retrieval (%)	3.1	1 / 12	0 / 14	0 / 6		1 / 2
Average number of embryos transferred	1.3	1.0	1.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 12	0 / 1	1 / 3			
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4.7	0 / 12	1 / 14	0 / 6		0 / 2
Percentage of cycles resulting in singleton live births (%)	6.3	0 / 12	1 / 14	0 / 6		0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 12	0 / 14	0 / 6		0 / 2
Percentage of cycles resulting in live births (%)	6.3	0 / 12	1 / 14	0 / 6		0 / 2
Percentage of cycles resulting in pregnancies (%)	6.3	0 / 12	1 / 14	0 / 6		0 / 2
Outcomes per Transfer						
Number of transfers	9	1	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9	0 / 1	1 / 2			
Percentage of transfers resulting in singleton live births (%)	4 / 9	0 / 1	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1	0 / 2			
Percentage of transfers resulting in live births (%)	4 / 9	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 9	0 / 1	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	55	16	10	2	0	0
Number of transfers	51	14	10	2	0	0
Estimated average number of transfers per retrieval	1.1	1.3	1.4	2.0		
Average number of embryos transferred	1.7	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	51.1	45.8	30.0	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.2	6 / 14	3 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	45.1	6 / 14	3 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	17.6	2 / 14	1 / 10	1 / 2		
Percentage of transfers resulting in live births (%)	62.7	8 / 14	4 / 10	1 / 2		
Percentage of transfers resulting in pregnancies (%)	66.7	9 / 14	4 / 10	1 / 2		
Number of Egg/Embryo Banking Cycles						
	4	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			18		
Number of transfers	8			18		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	2 / 14			58.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8			3 / 18		
Percentage of transfers resulting in singleton live births (%)	2 / 8			6 / 18		
Percentage of transfers resulting in twin live births (%)	0 / 8			6 / 18		
Percentage of transfers resulting in live births (%)	2 / 8			12 / 18		
Percentage of transfers resulting in pregnancies (%)	2 / 8			13 / 18		

CURRENT SERVICES & PROFILE

Current Name: The Centre for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY
LUBBOCK, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jaou-Chen Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	96%	Tubal factor	6%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	54%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	2%
				Endometriosis	20%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 113 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	15	7	2	3	2
Percentage of cancellations before retrieval (%)	5.1	0 / 15	0 / 7	0 / 2	1 / 3	0 / 2
Average number of embryos transferred	1.9	2.1	2.7	2.5	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	38.2	36.7	2 / 19	0 / 5	1 / 4	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	11.4	0 / 13	0 / 6	0 / 2	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.2	4 / 15	1 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	35.9	4 / 15	1 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	10.3	3 / 15	0 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	48.7	7 / 15	1 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	51.3	7 / 15	2 / 7	0 / 2	1 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	35	14	7	2	1	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.4	4 / 14	1 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	4 / 14	1 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	11.4	3 / 14	0 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	54.3	7 / 14	1 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	57.1	7 / 14	2 / 7	0 / 2	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	10	1	1	0	0
Number of transfers	19	9	1	1	0	0
Estimated average number of transfers per retrieval	1.3	1.5	0.3	0.5		
Average number of embryos transferred	2.0	1.7	3.0	4.0		
Percentage of embryos transferred resulting in implantation (%)	28.9	3 / 15	2 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 19	2 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	8 / 19	3 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 19	0 / 9	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	9 / 19	3 / 9	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	10 / 19	3 / 9	1 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	3	2	3	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			4		
Number of transfers	1			3		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 3		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 3		

CURRENT SERVICES & PROFILE

Current Name: Texas Tech University Health Sciences Center,
Center for Fertility and Reproductive Surgery

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	94%	Tubal factor	42%	Uterine factor	23%	Female factors only	34%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	21%	Male factor	33%	Female & male factors	24%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	42%		
				Endometriosis	4%	Unknown factor	4%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 159 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	24	14	6	3	2
Percentage of cancellations before retrieval (%)	3.6	0.0	1 / 14	1 / 6	1 / 3	1 / 2
Average number of embryos transferred	1.9	2.1	2.0	1.6	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	36.1	37.1	16.7	0 / 4	0 / 3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	7.5	0 / 16	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.9	8.3	4 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	14.5	8.3	4 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	7.3	8.3	0 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	25.5	20.8	4 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	38.2	29.2	4 / 14	2 / 6	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	42	17	12	5	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	2 / 17	4 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.0	2 / 17	4 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9.5	2 / 17	0 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	33.3	5 / 17	4 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	7 / 17	4 / 12	2 / 5	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	12	8	0	1	1
Number of transfers	25	12	8	0	1	1
Estimated average number of transfers per retrieval	2.3	2.0	2.7		1.0	
Average number of embryos transferred	1.8	1.6	1.8		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	57.5	12 / 17	8 / 14		0 / 2	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	12.0	1 / 12	1 / 8		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.0	2 / 12	2 / 8		0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	20.0	4 / 12	2 / 8		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	56.0	6 / 12	4 / 8		0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	76.0	9 / 12	5 / 8		0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			0		
Number of transfers	8			0		
Average number of embryos transferred	1.8					
Percentage of embryos transferred resulting in implantation (%)	7 / 12					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8					
Percentage of transfers resulting in singleton live births (%)	4 / 8					
Percentage of transfers resulting in twin live births (%)	1 / 8					
Percentage of transfers resulting in live births (%)	5 / 8					
Percentage of transfers resulting in pregnancies (%)	7 / 8					

CURRENT SERVICES & PROFILE

Current Name: Reproductive Institute of South Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PLANO PLANO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James Douglas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	36%	Tubal factor	14%	Uterine factor	4%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	56%	Male factor	46%
Used gestational carrier	1%			Diminished ovarian reserve	32%	Other factor	11%
				Endometriosis	9%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 280 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	37	29	15	11	2
Percentage of cancellations before retrieval (%)	4.8	5.4	20.7	2 / 15	1 / 11	0 / 2
Average number of embryos transferred	1.9	2.2	2.8	2.8	2.9	4.0
Percentage of embryos transferred resulting in implantation (%)	35.9	40.4	19.1	15.6	8.7	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	14.7	12.0	1 / 17	0 / 10	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.9	27.0	13.8	2 / 15	1 / 11	0 / 2
Percentage of cycles resulting in singleton live births (%)	16.1	32.4	17.2	2 / 15	1 / 11	0 / 2
Percentage of cycles resulting in twin live births (%)	9.7	8.1	3.4	1 / 15	0 / 11	0 / 2
Percentage of cycles resulting in live births (%)	25.8	40.5	20.7	3 / 15	1 / 11	0 / 2
Percentage of cycles resulting in pregnancies (%)	30.6	51.4	27.6	5 / 15	2 / 11	0 / 2
Outcomes per Transfer						
Number of transfers	37	25	17	13	8	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.6	40.0	4 / 17	2 / 13	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.0	48.0	5 / 17	2 / 13	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	16.2	12.0	1 / 17	1 / 13	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	43.2	60.0	6 / 17	3 / 13	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.4	76.0	8 / 17	5 / 13	2 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	22	15	3	0	0
Number of transfers	36	22	14	2	0	0
Estimated average number of transfers per retrieval	1.5	1.8	0.7	2.0	0.0	0.0
Average number of embryos transferred	1.7	1.5	1.9	1.5		
Percentage of embryos transferred resulting in implantation (%)	48.3	41.9	40.9	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.9	31.8	5 / 14	0 / 2		
Percentage of transfers resulting in singleton live births (%)	47.2	36.4	5 / 14	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.3	4.5	0 / 14	0 / 2		
Percentage of transfers resulting in live births (%)	55.6	45.5	6 / 14	0 / 2		
Percentage of transfers resulting in pregnancies (%)	63.9	50.0	8 / 14	1 / 2		
Number of Egg/Embryo Banking Cycles						
	7	3	7	1	4	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			12		
Number of transfers	10			9		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	65.0			6 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10			3 / 9		
Percentage of transfers resulting in singleton live births (%)	3 / 10			3 / 9		
Percentage of transfers resulting in twin live births (%)	5 / 10			1 / 9		
Percentage of transfers resulting in live births (%)	8 / 10			4 / 9		
Percentage of transfers resulting in pregnancies (%)	8 / 10			7 / 9		

CURRENT SERVICES & PROFILE

Current Name: IVF Plano

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS PLANO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Alfred J. Rodriguez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				Multiple Factors:	
IVF	100%	With ICSI	37%	Tubal factor	16%	Uterine factor	34%	Female factors only	43%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	54%	Male factor	39%	Female & male factors	34%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	31%		
				Endometriosis	20%	Unknown factor	<1%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 267 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	11	20	3	6	0
Percentage of cancellations before retrieval (%)	3.0	0 / 11	45.0	0 / 3	1 / 6	
Average number of embryos transferred	3.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 3	2 / 2				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3.0	1 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in singleton live births (%)	3.0	1 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in twin live births (%)	0.0	0 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in live births (%)	3.0	1 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in pregnancies (%)	3.0	1 / 11	0.0	0 / 3	0 / 6	
Outcomes per Transfer						
Number of transfers	1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	21	12	6	2	0
Number of transfers	47	20	12	6	2	0
Estimated average number of transfers per retrieval	1.0	0.9	0.4	0.5	0.3	0.0
Average number of embryos transferred	1.4	1.9	2.0	2.3	3.5	
Percentage of embryos transferred resulting in implantation (%)	61.8	35.1	59.1	4 / 14	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.8	35.0	4 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	55.3	35.0	4 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.8	5.0	2 / 12	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	68.1	40.0	7 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	76.6	50.0	10 / 12	3 / 6	0 / 2	
Number of Egg/Embryo Banking Cycles						
	26	15	21	11	4	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			20		
Number of transfers	3			20		
Average number of embryos transferred	1.3			1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			44.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			25.0		
Percentage of transfers resulting in singleton live births (%)	2 / 3			30.0		
Percentage of transfers resulting in twin live births (%)	0 / 3			10.0		
Percentage of transfers resulting in live births (%)	2 / 3			40.0		
Percentage of transfers resulting in pregnancies (%)	2 / 3			60.0		

CURRENT SERVICES & PROFILE

Current Name: Presbyterian Hospital Plano ARTS

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Joseph E. Martin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	26%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	18%	Male factor	35%
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	6%
				Endometriosis	13%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 541 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	135	62	41	19	7	2
Percentage of cancellations before retrieval (%)	7.4	9.7	19.5	4 / 19	1 / 7	1 / 2
Average number of embryos transferred	1.9	2.0	2.3	2.4	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	52.3	41.5	19.7	8.3	0.0	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	15.0	7.7	3.6	0 / 10	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.5	30.6	12.2	2 / 19	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.2	38.7	12.2	2 / 19	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	27.4	11.3	7.3	0 / 19	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)	52.6	51.6	19.5	2 / 19	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)	56.3	54.8	26.8	4 / 19	0 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	121	54	31	13	6	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.0	35.2	16.1	2 / 13	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.1	44.4	16.1	2 / 13	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	30.6	13.0	9.7	0 / 13	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	58.7	59.3	25.8	2 / 13	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	62.8	63.0	35.5	4 / 13	0 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	51	30	7	2	0
Number of transfers	70	50	27	7	2	0
Estimated average number of transfers per retrieval	1.7	4.2	1.5	1.8	0.3	0.0
Average number of embryos transferred	1.7	1.5	1.8	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	40.4	46.4	43.5	4 / 10	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	40.0	22.2	3 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	34.3	46.0	29.6	3 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.6	4.0	14.8	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	44.3	50.0	44.4	3 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.0	64.0	63.0	4 / 7	0 / 2	
Number of Egg/Embryo Banking Cycles						
	19	9	14	4	6	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	26			30		
Number of transfers	21			28		
Average number of embryos transferred	1.9			1.5		
Percentage of embryos transferred resulting in implantation (%)	37.5			40.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.1			21.4		
Percentage of transfers resulting in singleton live births (%)	38.1			32.1		
Percentage of transfers resulting in twin live births (%)	4.8			10.7		
Percentage of transfers resulting in live births (%)	42.9			42.9		
Percentage of transfers resulting in pregnancies (%)	61.9			50.0		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of San Antonio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF TEXAS, PLLC SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Susan Hudson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	93%	Tubal factor	17%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	2%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	25%
				Endometriosis	4%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 80 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	3	5	0	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3	0 / 5			
Average number of embryos transferred	1.7	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 5	1 / 2	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	0 / 1	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 7	1 / 3	0 / 5			
Percentage of cycles resulting in singleton live births (%)	1 / 7	1 / 3	0 / 5			
Percentage of cycles resulting in twin live births (%)	2 / 7	0 / 3	0 / 5			
Percentage of cycles resulting in live births (%)	3 / 7	1 / 3	0 / 5			
Percentage of cycles resulting in pregnancies (%)	3 / 7	1 / 3	0 / 5			
Outcomes per Transfer						
Number of transfers	3	1	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	2 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	3 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	4	8	0	0	0
Number of transfers	21	4	6	0	0	0
Estimated average number of transfers per retrieval	0.9	1.3	0.9	0.0	0.0	
Average number of embryos transferred	1.0	1.3	1.2			
Percentage of embryos transferred resulting in implantation (%)	70.0	1 / 5	2 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	52.4	0 / 4	1 / 6			
Percentage of transfers resulting in singleton live births (%)	61.9	0 / 4	2 / 6			
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 6			
Percentage of transfers resulting in live births (%)	61.9	0 / 4	2 / 6			
Percentage of transfers resulting in pregnancies (%)	71.4	1 / 4	4 / 6			
Number of Egg/Embryo Banking Cycles						
	20	1	4	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			3		
Number of transfers	0			3		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 3		
Percentage of transfers resulting in singleton live births (%)				0 / 3		
Percentage of transfers resulting in twin live births (%)				0 / 3		
Percentage of transfers resulting in live births (%)				0 / 3		
Percentage of transfers resulting in pregnancies (%)				1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Texas, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR WOMEN'S HEALTH ADVANCED FERTILITY CENTER SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	32%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	4%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				2%			
				19%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 65 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	5	5	3	6	3
Percentage of cancellations before retrieval (%)	1 / 6	1 / 5	0 / 5	1 / 3	3 / 6	2 / 3
Average number of embryos transferred	2.0	2.0	2.0		3.3	4.0
Percentage of embryos transferred resulting in implantation (%)	2 / 4	2 / 4	0 / 6			0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2	0 / 3		0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 6	0 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 6	0 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 6	1 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in live births (%)	1 / 6	1 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in pregnancies (%)	1 / 6	1 / 5	0 / 5	0 / 3	3 / 6	0 / 3
Outcomes per Transfer						
Number of transfers	2	2	3	0	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2	0 / 3		3 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	0	7	3	1	0
Number of transfers	10	0	7	3	0	0
Estimated average number of transfers per retrieval	2.0		1.4	1.5		
Average number of embryos transferred	2.1		1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	47.6		0 / 12	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in live births (%)	5 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in pregnancies (%)	7 / 10		0 / 7	0 / 3		
Number of Egg/Embryo Banking Cycles						
	2	0	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				1.5		
Percentage of embryos transferred resulting in implantation (%)				0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PERINATAL AND FERTILITY SPECIALISTS OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	67%	Tubal factor	6%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	35%	Male factor	53%
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	0%
				Endometriosis	29%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 19 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	1	1	1	0	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 1	1 / 1	0 / 1		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	0 / 3					
Percentage of elective single embryo transfers (eSET) (%)	0 / 1					
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in pregnancies (%)	0 / 3	0 / 1	0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	2	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	0 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	2	1	0	0
Number of transfers	4	1	2	1	0	0
Estimated average number of transfers per retrieval	1.3	1.0	2.0			
Average number of embryos transferred	1.5	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 6	1 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4	1 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 4	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 1	1 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles						
	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			2		
Number of transfers	0			2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of San Antonio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	24%	Male factor	37%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	13%
				Endometriosis	8%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 467 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	94	29	19	9	10	1
Percentage of cancellations before retrieval (%)	7.4	10.3	2 / 19	1 / 9	0 / 10	1 / 1
Average number of embryos transferred	1.6	1.8	1.9	2.3	2.3	
Percentage of embryos transferred resulting in implantation (%)	57.9	42.9	26.1	3 / 14	4.8	
Percentage of elective single embryo transfers (eSET) (%)	38.4	0 / 17	0 / 9	0 / 5	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.0	24.1	2 / 19	1 / 9	0 / 10	0 / 1
Percentage of cycles resulting in singleton live births (%)	40.4	27.6	3 / 19	2 / 9	1 / 10	0 / 1
Percentage of cycles resulting in twin live births (%)	13.8	10.3	1 / 19	0 / 9	0 / 10	0 / 1
Percentage of cycles resulting in live births (%)	54.3	37.9	4 / 19	2 / 9	1 / 10	0 / 1
Percentage of cycles resulting in pregnancies (%)	60.6	48.3	5 / 19	2 / 9	1 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	77	22	12	6	9	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.3	31.8	2 / 12	1 / 6	0 / 9	
Percentage of transfers resulting in singleton live births (%)	49.4	36.4	3 / 12	2 / 6	1 / 9	
Percentage of transfers resulting in twin live births (%)	16.9	13.6	1 / 12	0 / 6	0 / 9	
Percentage of transfers resulting in live births (%)	66.2	50.0	4 / 12	2 / 6	1 / 9	
Percentage of transfers resulting in pregnancies (%)	74.0	63.6	5 / 12	2 / 6	1 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	84	30	21	4	2	0
Number of transfers	83	29	21	4	2	0
Estimated average number of transfers per retrieval	1.1	1.6	0.8	0.3	0.4	0.0
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	51.4	35.7	2 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.1	48.3	9.5	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.0	58.6	14.3	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	4.8	0.0	14.3	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	45.8	58.6	28.6	2 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.2	65.5	33.3	2 / 4	0 / 2	
Number of Egg/Embryo Banking Cycles						
	65	17	26	12	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			21		
Number of transfers	8			21		
Average number of embryos transferred	1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 10			50.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8			33.3		
Percentage of transfers resulting in singleton live births (%)	6 / 8			47.6		
Percentage of transfers resulting in twin live births (%)	0 / 8			4.8		
Percentage of transfers resulting in live births (%)	6 / 8			52.4		
Percentage of transfers resulting in pregnancies (%)	6 / 8			61.9		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE FERTILITY CENTER SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	18%	Uterine factor	8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	31%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	5%
				Endometriosis	15%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 108 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	8	12	5	3	0
Percentage of cancellations before retrieval (%)	3.7	0 / 8	0 / 12	0 / 5	1 / 3	
Average number of embryos transferred	1.9	2.0	2.3	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.7	4 / 14	21.4	1 / 11	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	3 / 18	1 / 7	1 / 12	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.6	4 / 8	1 / 12	1 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 8	2 / 12	1 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	3.7	0 / 8	2 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	37.0	4 / 8	4 / 12	1 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	51.9	4 / 8	4 / 12	1 / 5	0 / 3	
Outcomes per Transfer						
Number of transfers	20	7	12	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	4 / 7	1 / 12	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.0	4 / 7	2 / 12	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 7	2 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	4 / 7	4 / 12	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	70.0	4 / 7	4 / 12	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	9	11	2	0	0
Number of transfers	23	9	11	2	0	0
Estimated average number of transfers per retrieval	1.8	4.5	1.4		0.0	
Average number of embryos transferred	1.8	1.4	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.8	7 / 12	3 / 16	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1	3 / 9	2 / 11	0 / 2		
Percentage of transfers resulting in singleton live births (%)	26.1	4 / 9	2 / 11	0 / 2		
Percentage of transfers resulting in twin live births (%)	4.3	1 / 9	0 / 11	0 / 2		
Percentage of transfers resulting in live births (%)	30.4	5 / 9	2 / 11	0 / 2		
Percentage of transfers resulting in pregnancies (%)	34.8	6 / 9	3 / 11	0 / 2		
Number of Egg/Embryo Banking Cycles						
	2	1	2	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1					
Percentage of transfers resulting in singleton live births (%)	1 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					

CURRENT SERVICES & PROFILE

Current Name: UT Medicine Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT & WHITE TEMPLE, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	3%
				Endometriosis	16%	Unknown factor	30%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 99 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	11	8	6	0	0
Percentage of cancellations before retrieval (%)	14.6	3 / 11	2 / 8	2 / 6		
Average number of embryos transferred	2.1	1.9	2.2	2.3		
Percentage of embryos transferred resulting in implantation (%)	36.4	6 / 15	3 / 13	1 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 7	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.6	1 / 11	2 / 8	0 / 6		
Percentage of cycles resulting in singleton live births (%)	17.1	1 / 11	2 / 8	1 / 6		
Percentage of cycles resulting in twin live births (%)	12.2	1 / 11	0 / 8	0 / 6		
Percentage of cycles resulting in live births (%)	29.3	2 / 11	2 / 8	1 / 6		
Percentage of cycles resulting in pregnancies (%)	46.3	4 / 11	3 / 8	1 / 6		
Outcomes per Transfer						
Number of transfers	32	8	6	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.8	1 / 8	2 / 6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	21.9	1 / 8	2 / 6	1 / 3		
Percentage of transfers resulting in twin live births (%)	15.6	1 / 8	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	37.5	2 / 8	2 / 6	1 / 3		
Percentage of transfers resulting in pregnancies (%)	59.4	4 / 8	3 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	6	7	2	0	0
Number of transfers	14	6	7	1	0	0
Estimated average number of transfers per retrieval	1.8		3.5			
Average number of embryos transferred	2.0	2.0	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	12.5	2 / 12	0 / 11	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 14	2 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 14	2 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 14	0 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 14	2 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 14	2 / 6	0 / 7	0 / 1		
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			1	
Number of transfers		0			1	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 1	
Percentage of transfers resulting in singleton live births (%)					0 / 1	
Percentage of transfers resulting in twin live births (%)					0 / 1	
Percentage of transfers resulting in live births (%)					0 / 1	
Percentage of transfers resulting in pregnancies (%)					0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Scott & White

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA THE WOODLANDS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	93%	Tubal factor	6%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	42%	Male factor	43%
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	25%
				Endometriosis	15%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 96 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	12	10	5	2	1
Percentage of cancellations before retrieval (%)	0.0	0 / 12	0 / 10	0 / 5	0 / 2	0 / 1
Average number of embryos transferred	1.8	2.2	2.7	3.0	1.0	4.0
Percentage of embryos transferred resulting in implantation (%)	47.6	46.2	41.7	4 / 15	0 / 1	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	20.8	0 / 12	0 / 8	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	38.5	6 / 12	0 / 10	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	42.3	7 / 12	1 / 10	2 / 5	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	11.5	2 / 12	3 / 10	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	53.8	9 / 12	5 / 10	2 / 5	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	57.7	9 / 12	5 / 10	3 / 5	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	25	12	9	5	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	6 / 12	0 / 9	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.0	7 / 12	1 / 9	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.0	2 / 12	3 / 9	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	56.0	9 / 12	5 / 9	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	9 / 12	5 / 9	3 / 5	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	5	2	3	1	1
Number of transfers	18	5	2	3	1	1
Estimated average number of transfers per retrieval	6.0	5.0	2.0	1.5		
Average number of embryos transferred	1.9	1.6	1.5	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	34.3	3 / 8	0 / 3	0 / 5	1 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 18	1 / 5	0 / 2	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 18	1 / 5	0 / 2	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 5	0 / 2	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	8 / 18	2 / 5	0 / 2	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 18	2 / 5	0 / 2	0 / 3	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			1		
Number of transfers	5			1		
Average number of embryos transferred	2.2			2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 5			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 5			1 / 1		
Percentage of transfers resulting in live births (%)	1 / 5			1 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 5			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	5%	Multiple Factors: Female factors only 0% Female & male factors 0%	
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	39%	Male factor	8%		
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	5%		
				Endometriosis	11%	Unknown factor	2%		

2014 ART SUCCESS RATES^c

Total number of cycles^d: 500 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	125	71	46	17	4	2
Percentage of cancellations before retrieval (%)	6.4	5.6	6.5	3 / 17	1 / 4	1 / 2
Average number of embryos transferred	1.8	2.0	2.0	2.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	47.4	21.4	30.8	7.7	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	18.3	1.8	2.8	0 / 12	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.6	18.3	13.0	1 / 17	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.6	18.3	17.4	1 / 17	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	11.2	2.8	6.5	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	39.2	21.1	26.1	1 / 17	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	44.0	28.2	37.0	2 / 17	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	96	58	40	13	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.1	22.4	15.0	1 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)	33.3	22.4	20.0	1 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)	14.6	3.4	7.5	0 / 13	0 / 3	
Percentage of transfers resulting in live births (%)	51.0	25.9	30.0	1 / 13	0 / 3	
Percentage of transfers resulting in pregnancies (%)	57.3	34.5	42.5	2 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	74	36	17	0	3	1
Number of transfers	68	32	14	0	1	1
Estimated average number of transfers per retrieval	2.1	1.3	1.3	0.0	0.3	0.5
Average number of embryos transferred	1.8	1.7	1.7		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	44.3	13.2	25.0		0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.8	6.3	4 / 14		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	9.4	5 / 14		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.8	6.3	0 / 14		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	52.9	15.6	5 / 14		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.7	18.8	7 / 14		0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	6	6	4	6	3	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		36			41	
Number of transfers		33			38	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		59.3			50.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.3			39.5	
Percentage of transfers resulting in singleton live births (%)		48.5			44.7	
Percentage of transfers resulting in twin live births (%)		21.2			13.2	
Percentage of transfers resulting in live births (%)		69.7			57.9	
Percentage of transfers resulting in pregnancies (%)		72.7			71.1	

CURRENT SERVICES & PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Russell Foulk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	18%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	21%	Male factor	35%
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	7%
				Endometriosis	19%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 634 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	241	56	32	11	6	2
Percentage of cancellations before retrieval (%)	1.7	7.1	6.3	4 / 11	1 / 6	0 / 2
Average number of embryos transferred	1.9	2.1	2.2	2.3	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	47.4	40.0	24.6	3 / 9	0 / 8	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	12.8	2.3	0.0	0 / 3	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.9	28.6	18.8	1 / 11	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.4	33.9	18.8	1 / 11	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	19.5	10.7	6.3	1 / 11	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	52.7	44.6	25.0	2 / 11	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	60.2	51.8	37.5	2 / 11	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	226	48	28	4	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.5	33.3	21.4	1 / 4	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.5	39.6	21.4	1 / 4	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	20.8	12.5	7.1	1 / 4	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	56.2	52.1	28.6	2 / 4	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	64.2	60.4	42.9	2 / 4	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	131	23	15	5	0	3
Number of transfers	130	22	15	5	0	3
Estimated average number of transfers per retrieval	1.7	1.2	1.0	5.0	0.0	3.0
Average number of embryos transferred	1.8	1.8	1.9	1.4		2.0
Percentage of embryos transferred resulting in implantation (%)	59.8	54.3	63.6	0 / 5		2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.5	36.4	5 / 15	0 / 5		1 / 3
Percentage of transfers resulting in singleton live births (%)	39.2	59.1	5 / 15	0 / 5		1 / 3
Percentage of transfers resulting in twin live births (%)	17.7	9.1	4 / 15	0 / 5		0 / 3
Percentage of transfers resulting in live births (%)	57.7	68.2	9 / 15	0 / 5		1 / 3
Percentage of transfers resulting in pregnancies (%)	80.0	81.8	12 / 15	1 / 5		2 / 3
Number of Egg/Embryo Banking Cycles						
	38	12	13	1	4	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	26			10		
Number of transfers	26			10		
Average number of embryos transferred	1.8			1.3		
Percentage of embryos transferred resulting in implantation (%)	65.9			9 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.5			4 / 10		
Percentage of transfers resulting in singleton live births (%)	57.7			5 / 10		
Percentage of transfers resulting in twin live births (%)	15.4			2 / 10		
Percentage of transfers resulting in live births (%)	76.9			7 / 10		
Percentage of transfers resulting in pregnancies (%)	84.6			8 / 10		

CURRENT SERVICES & PROFILE

Current Name: Utah Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**EAST BAY FERTILITY CENTER
PROVO, UTAH**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Erica B. Johnstone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	50%	Tubal factor	12%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	16%	Male factor	41%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	16%
				Endometriosis	11%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 638 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	214	68	28	16	7	2
Percentage of cancellations before retrieval (%)	1.9	7.4	10.7	3 / 16	2 / 7	0 / 2
Average number of embryos transferred	1.7	1.9	2.2	2.1	3.0	
Percentage of embryos transferred resulting in implantation (%)	60.1	46.2	37.5	2 / 14	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	26.7	6.5	0 / 17	1 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.0	26.5	17.9	1 / 16	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.2	36.8	17.9	1 / 16	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	17.8	7.4	10.7	0 / 16	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)	50.5	45.6	32.1	1 / 16	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)	56.1	50.0	35.7	3 / 16	0 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	165	50	19	8	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	36.0	5 / 19	1 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.8	50.0	5 / 19	1 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	23.0	10.0	3 / 19	0 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	65.5	62.0	9 / 19	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancies (%)	72.7	68.0	10 / 19	3 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	119	29	15	8	7	2
Number of transfers	115	29	15	8	7	1
Estimated average number of transfers per retrieval	2.0	1.9	1.1	0.7	0.8	1.0
Average number of embryos transferred	1.8	1.7	1.9	1.3	1.3	3.0
Percentage of embryos transferred resulting in implantation (%)	44.2	47.8	34.5	1 / 8	3 / 7	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.8	41.4	4 / 15	1 / 8	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.8	44.8	7 / 15	1 / 8	2 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	15.7	13.8	1 / 15	0 / 8	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	50.4	58.6	8 / 15	1 / 8	2 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.1	65.5	9 / 15	3 / 8	4 / 7	0 / 1
Number of Egg/Embryo Banking Cycles						
	20	8	11	9	7	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	46			19		
Number of transfers	41			18		
Average number of embryos transferred	1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)	56.3			48.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.5			4 / 18		
Percentage of transfers resulting in singleton live births (%)	34.1			8 / 18		
Percentage of transfers resulting in twin live births (%)	19.5			2 / 18		
Percentage of transfers resulting in live births (%)	56.1			10 / 18		
Percentage of transfers resulting in pregnancies (%)	68.3			13 / 18		

CURRENT SERVICES & PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER SANDY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	65%	Tubal factor	8%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	34%	Male factor	55%
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	8%
				Endometriosis	16%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 558 (includes 47 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	173	64	43	13	2	0
Percentage of cancellations before retrieval (%)	0.6	3.1	0.0	0 / 13	0 / 2	
Average number of embryos transferred	1.9	2.1	2.1	2.1	3.5	
Percentage of embryos transferred resulting in implantation (%)	49.8	20.4	35.6	17.4	1 / 7	
Percentage of elective single embryo transfers (eSET) (%)	13.0	11.8	9.4	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.5	15.6	30.2	2 / 13	0 / 2	
Percentage of cycles resulting in singleton live births (%)	31.8	20.3	32.6	2 / 13	0 / 2	
Percentage of cycles resulting in twin live births (%)	22.0	4.7	2.3	0 / 13	0 / 2	
Percentage of cycles resulting in live births (%)	53.8	25.0	37.2	2 / 13	0 / 2	
Percentage of cycles resulting in pregnancies (%)	59.5	31.3	58.1	3 / 13	1 / 2	
Outcomes per Transfer						
Number of transfers	156	55	38	11	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.7	18.2	34.2	2 / 11	0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.3	23.6	36.8	2 / 11	0 / 2	
Percentage of transfers resulting in twin live births (%)	24.4	5.5	2.6	0 / 11	0 / 2	
Percentage of transfers resulting in live births (%)	59.6	29.1	42.1	2 / 11	0 / 2	
Percentage of transfers resulting in pregnancies (%)	66.0	36.4	65.8	3 / 11	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	38	20	4	0	0
Number of transfers	90	33	18	4	0	0
Estimated average number of transfers per retrieval	2.1	2.4	1.5	2.0		0.0
Average number of embryos transferred	1.6	1.6	1.7	1.8		
Percentage of embryos transferred resulting in implantation (%)	34.3	38.5	14.3	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.8	30.3	1 / 18	2 / 4		
Percentage of transfers resulting in singleton live births (%)	33.3	36.4	1 / 18	2 / 4		
Percentage of transfers resulting in twin live births (%)	6.7	6.1	1 / 18	0 / 4		
Percentage of transfers resulting in live births (%)	40.0	42.4	2 / 18	2 / 4		
Percentage of transfers resulting in pregnancies (%)	48.9	54.5	4 / 18	2 / 4		
Number of Egg/Embryo Banking Cycles						
	3	4	6	1	0	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			24		
Number of transfers	20			21		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	27.0			22.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0			38.1		
Percentage of transfers resulting in singleton live births (%)	30.0			38.1		
Percentage of transfers resulting in twin live births (%)	5.0			0.0		
Percentage of transfers resulting in live births (%)	35.0			38.1		
Percentage of transfers resulting in pregnancies (%)	40.0			38.1		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF VERMONT MEDICAL CENTER VERMONT CENTER FOR REPRODUCTIVE MEDICINE BURLINGTON, VERMONT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Elizabeth McGee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	36%	Tubal factor	6%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	6%	Male factor	43%
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	17%
				Endometriosis	1%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 73 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	15	8	4	0	0
Percentage of cancellations before retrieval (%)	5 / 18	6 / 15	1 / 8	1 / 4		
Average number of embryos transferred	1.7	1.3	1.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	50.0	5 / 12	3 / 10	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	3 / 10	5 / 8	1 / 5	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 18	4 / 15	1 / 8	0 / 4		
Percentage of cycles resulting in singleton live births (%)	5 / 18	5 / 15	2 / 8	0 / 4		
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 15	0 / 8	0 / 4		
Percentage of cycles resulting in live births (%)	7 / 18	5 / 15	2 / 8	0 / 4		
Percentage of cycles resulting in pregnancies (%)	8 / 18	5 / 15	3 / 8	0 / 4		
Outcomes per Transfer						
Number of transfers	12	9	6	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	4 / 9	1 / 6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	5 / 12	5 / 9	2 / 6	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 9	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	7 / 12	5 / 9	2 / 6	0 / 3		
Percentage of transfers resulting in pregnancies (%)	8 / 12	5 / 9	3 / 6	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	7	4	1	1	0
Number of transfers	2	7	4	1	1	0
Estimated average number of transfers per retrieval	0.7	2.3	2.0			
Average number of embryos transferred	1.0	1.1	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	3 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 2	2 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 2	3 / 7	1 / 4	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			6		
Number of transfers	4			6		
Average number of embryos transferred	1.5			1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4			1 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 4			1 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 6		
Percentage of transfers resulting in live births (%)	3 / 4			1 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 4			1 / 6		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: University of Vermont Medical Center, Vermont Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHEASTERN REPRODUCTIVE MEDICINE COLCHESTER, VERMONT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	7%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	37%
Used gestational carrier	4%			Diminished ovarian reserve	23%	Other factor	3%
				Endometriosis	13%	Unknown factor	27%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				0%			
				10%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 31 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	6	4	0	2	1
Percentage of cancellations before retrieval (%)	0 / 14	1 / 6	1 / 4		0 / 2	0 / 1
Average number of embryos transferred	1.7	1.8	2.0		1.5	3.0
Percentage of embryos transferred resulting in implantation (%)	7 / 19	4 / 9	0 / 6		1 / 3	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	4 / 11	0 / 4	0 / 3		0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6 / 14	2 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	6 / 14	2 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 14	1 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 14	3 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	7 / 14	3 / 6	0 / 4		1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	12	5	3	0	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 12	2 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 12	2 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 12	3 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 12	3 / 5	0 / 3		1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 1	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)		1 / 1	1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 1			
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Northeastern Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	42%	Tubal factor	13%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	17%
				Endometriosis	7%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 173 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	16	18	12	4	3
Percentage of cancellations before retrieval (%)	0.0	0 / 16	0 / 18	0 / 12	0 / 4	0 / 3
Average number of embryos transferred	1.4	1.9	1.9	2.1	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	48.3	47.8	13.0	10.0	0 / 3	1 / 4
Percentage of elective single embryo transfers (eSET) (%)	56.4	1 / 13	1 / 9	0 / 8	1 / 2	1 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.5	3 / 16	2 / 18	1 / 12	0 / 4	1 / 3
Percentage of cycles resulting in singleton live births (%)	28.6	4 / 16	2 / 18	1 / 12	0 / 4	1 / 3
Percentage of cycles resulting in twin live births (%)	12.2	3 / 16	0 / 18	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	40.8	7 / 16	2 / 18	1 / 12	0 / 4	1 / 3
Percentage of cycles resulting in pregnancies (%)	53.1	9 / 16	5 / 18	4 / 12	0 / 4	1 / 3
Outcomes per Transfer						
Number of transfers	47	13	15	12	2	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.5	3 / 13	2 / 15	1 / 12	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	29.8	4 / 13	2 / 15	1 / 12	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	12.8	3 / 13	0 / 15	0 / 12	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	42.6	7 / 13	2 / 15	1 / 12	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	55.3	9 / 13	5 / 15	4 / 12	0 / 2	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	6	6	3	2	4
Number of transfers	16	5	6	1	2	4
Estimated average number of transfers per retrieval	1.2	0.7	0.9	0.5	0.7	1.0
Average number of embryos transferred	1.8	2.0	2.3	2.0	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	50.0	2 / 10	1 / 14	0 / 2	0 / 3	2 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 16	0 / 5	1 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 16	0 / 5	1 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	4 / 16	1 / 5	0 / 6	0 / 1	0 / 2	1 / 4
Percentage of transfers resulting in live births (%)	9 / 16	1 / 5	1 / 6	0 / 1	0 / 2	1 / 4
Percentage of transfers resulting in pregnancies (%)	10 / 16	1 / 5	1 / 6	0 / 1	0 / 2	1 / 4
Number of Egg/Embryo Banking Cycles						
	6	4	4	2	3	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			2		
Number of transfers	8			2		
Average number of embryos transferred	1.6			2.0		
Percentage of embryos transferred resulting in implantation (%)	8 / 13			3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8			1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 8			1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 8			1 / 2		
Percentage of transfers resulting in live births (%)	4 / 8			2 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 8			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Washington Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael Dimattina, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	61%	Tubal factor	14%	Uterine factor	5%
Unstimulated	76%	PGD/PGS	<1%	Ovulatory dysfunction	6%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	69%
				Endometriosis	4%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				36%			
				25%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,485 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	109	185	106	103	146
Percentage of cancellations before retrieval (%)	20.4	28.4	24.3	17.9	26.2	34.2
Average number of embryos transferred	1.0	1.2	1.1	1.3	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	26.4	28.6	17.4	19.0	0.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	7 / 11	2 / 11	2 / 12	0 / 11	0 / 7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.8	11.0	4.3	4.7	0.0	0.7
Percentage of cycles resulting in singleton live births (%)	11.4	12.8	5.9	5.7	0.0	0.7
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	1.9	0.0	0.0
Percentage of cycles resulting in live births (%)	11.4	12.8	5.9	7.5	0.0	0.7
Percentage of cycles resulting in pregnancies (%)	15.6	14.7	9.7	10.4	1.0	0.7
Outcomes per Transfer						
Number of transfers	86	47	87	48	43	37
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.9	25.5	9.2	10.4	0.0	2.7
Percentage of transfers resulting in singleton live births (%)	22.1	29.8	12.6	12.5	0.0	2.7
Percentage of transfers resulting in twin live births (%)	0.0	0.0	0.0	4.2	0.0	0.0
Percentage of transfers resulting in live births (%)	22.1	29.8	12.6	16.7	0.0	2.7
Percentage of transfers resulting in pregnancies (%)	30.2	34.0	20.7	22.9	2.3	2.7
Frozen Embryos from Nondonor Eggs						
Number of cycles	127	78	58	19	3	4
Number of transfers	122	72	49	15	3	2
Estimated average number of transfers per retrieval	1.2	1.0	0.9	0.3	0.1	0.0
Average number of embryos transferred	1.2	1.1	1.3	1.4	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	48.3	43.6	32.2	19.0	2 / 4	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.3	30.6	22.4	4 / 15	2 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	43.4	41.7	28.6	4 / 15	2 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	3.3	0.0	2.0	0 / 15	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	46.7	41.7	30.6	4 / 15	2 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	51.6	48.6	38.8	4 / 15	2 / 3	1 / 2
Number of Egg/Embryo Banking Cycles						
	76	53	46	40	37	43
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			58		
Number of transfers	17			53		
Average number of embryos transferred	1.2			1.0		
Percentage of embryos transferred resulting in implantation (%)	70.0			42.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 17			28.3		
Percentage of transfers resulting in singleton live births (%)	10 / 17			35.8		
Percentage of transfers resulting in twin live births (%)	2 / 17			1.9		
Percentage of transfers resulting in live births (%)	12 / 17			37.7		
Percentage of transfers resulting in pregnancies (%)	12 / 17			43.4		

CURRENT SERVICES & PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	51%	Tubal factor	20%	Uterine factor	11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	39%
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	14%
				Endometriosis	24%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 268 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	27	23	3	0	0
Percentage of cancellations before retrieval (%)	14.1	11.1	26.1	0 / 3		
Average number of embryos transferred	1.8	2.2	2.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	49.5	28.0	7.9	1 / 9		
Percentage of elective single embryo transfers (eSET) (%)	17.5	0.0	0 / 14	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.9	33.3	8.7	1 / 3		
Percentage of cycles resulting in singleton live births (%)	28.2	37.0	8.7	1 / 3		
Percentage of cycles resulting in twin live births (%)	11.8	7.4	0.0	0 / 3		
Percentage of cycles resulting in live births (%)	40.0	44.4	8.7	1 / 3		
Percentage of cycles resulting in pregnancies (%)	47.1	48.1	17.4	1 / 3		
Outcomes per Transfer						
Number of transfers	60	24	15	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.7	37.5	2 / 15	1 / 3		
Percentage of transfers resulting in singleton live births (%)	40.0	41.7	2 / 15	1 / 3		
Percentage of transfers resulting in twin live births (%)	16.7	8.3	0 / 15	0 / 3		
Percentage of transfers resulting in live births (%)	56.7	50.0	2 / 15	1 / 3		
Percentage of transfers resulting in pregnancies (%)	66.7	54.2	4 / 15	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	9	12	5	0	0
Number of transfers	42	9	11	4	0	0
Estimated average number of transfers per retrieval	1.0	1.3	1.2	0.4		
Average number of embryos transferred	1.5	1.2	1.5	1.8		
Percentage of embryos transferred resulting in implantation (%)	43.5	3 / 9	10 / 17	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	3 / 9	5 / 11	0 / 4		
Percentage of transfers resulting in singleton live births (%)	40.5	3 / 9	5 / 11	0 / 4		
Percentage of transfers resulting in twin live births (%)	7.1	0 / 9	2 / 11	1 / 4		
Percentage of transfers resulting in live births (%)	47.6	3 / 9	7 / 11	1 / 4		
Percentage of transfers resulting in pregnancies (%)	57.1	4 / 9	8 / 11	1 / 4		
Number of Egg/Embryo Banking Cycles						
	16	3	3	8	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			19		
Number of transfers	10			18		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	7 / 17			29.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10			3 / 18		
Percentage of transfers resulting in singleton live births (%)	3 / 10			4 / 18		
Percentage of transfers resulting in twin live births (%)	2 / 10			1 / 18		
Percentage of transfers resulting in live births (%)	5 / 10			5 / 18		
Percentage of transfers resulting in pregnancies (%)	5 / 10			7 / 18		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	12%	Uterine factor	7%
Unstimulated	<1%	PGD/PGS	10%	Ovulatory dysfunction	13%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	29%
				Endometriosis	7%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 547 (includes 64 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	32	23	15	11	12
Percentage of cancellations before retrieval (%)	0.0	3.1	4.3	2 / 15	2 / 11	0 / 12
Average number of embryos transferred	1.5	1.8	2.1	1.9	2.0	3.3
Percentage of embryos transferred resulting in implantation (%)	17.9	32.6	21.2	10.0	0 / 10	0.0
Percentage of elective single embryo transfers (eSET) (%)	9 / 18	23.8	3 / 16	2 / 9	0 / 3	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.6	15.6	21.7	2 / 15	0 / 11	0 / 12
Percentage of cycles resulting in singleton live births (%)	15.6	18.8	21.7	2 / 15	0 / 11	0 / 12
Percentage of cycles resulting in twin live births (%)	0.0	9.4	4.3	0 / 15	0 / 11	0 / 12
Percentage of cycles resulting in live births (%)	15.6	28.1	26.1	2 / 15	0 / 11	0 / 12
Percentage of cycles resulting in pregnancies (%)	18.8	34.4	30.4	3 / 15	0 / 11	0 / 12
Outcomes per Transfer						
Number of transfers	20	24	17	12	5	7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	20.8	5 / 17	2 / 12	0 / 5	0 / 7
Percentage of transfers resulting in singleton live births (%)	25.0	25.0	5 / 17	2 / 12	0 / 5	0 / 7
Percentage of transfers resulting in twin live births (%)	0.0	12.5	1 / 17	0 / 12	0 / 5	0 / 7
Percentage of transfers resulting in live births (%)	25.0	37.5	6 / 17	2 / 12	0 / 5	0 / 7
Percentage of transfers resulting in pregnancies (%)	30.0	45.8	7 / 17	3 / 12	0 / 5	0 / 7
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	39	24	13	8	1
Number of transfers	56	38	23	12	7	1
Estimated average number of transfers per retrieval	1.1	1.2	1.2	1.2	0.8	0.2
Average number of embryos transferred	1.3	1.4	1.5	1.7	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	52.7	38.8	41.9	5 / 17	2 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8	28.9	0.0	3 / 12	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.3	42.1	4.3	3 / 12	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2.6	21.7	1 / 12	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	51.8	44.7	26.1	4 / 12	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.9	55.3	43.5	6 / 12	3 / 7	1 / 1
Number of Egg/Embryo Banking Cycles						
	34	19	10	7	6	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	27			105		
Number of transfers	27			97		
Average number of embryos transferred	1.4			1.4		
Percentage of embryos transferred resulting in implantation (%)	47.4			43.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6			19.6		
Percentage of transfers resulting in singleton live births (%)	48.1			35.1		
Percentage of transfers resulting in twin live births (%)	7.4			7.2		
Percentage of transfers resulting in live births (%)	55.6			42.3		
Percentage of transfers resulting in pregnancies (%)	59.3			53.6		

CURRENT SERVICES & PROFILE

Current Name: Genetics & IVF Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARTNERS FOR FERTILITY AND IVF FAIRFAX, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Nancy Durso, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	0%	Multiple Factors: Female factors only 1% Female & male factors 2%		
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	8%	Male factor	30%			
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	6%			
				Endometriosis	5%	Unknown factor	43%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 94 (includes 2 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				28	17	19	10	1	2	
Percentage of cancellations before retrieval (%)				0.0	0 / 17	0 / 19	1 / 10	0 / 1	1 / 2	
Average number of embryos transferred				2.0	1.9	2.0	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)				18.6	11.5	6.3	1 / 18		0 / 2	
Percentage of elective single embryo transfers (eSET) (%)				0.0	1 / 13	0 / 11	0 / 7		0 / 1	
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				17.9	2 / 17	2 / 19	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)				17.9	3 / 17	2 / 19	1 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)				3.6	0 / 17	0 / 19	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)				21.4	3 / 17	2 / 19	1 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)				25.0	4 / 17	2 / 19	1 / 10	0 / 1	0 / 2	
Outcomes per Transfer										
Number of transfers				22	15	16	9	0	1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				22.7	2 / 15	2 / 16	0 / 9		0 / 1	
Percentage of transfers resulting in singleton live births (%)				22.7	3 / 15	2 / 16	1 / 9		0 / 1	
Percentage of transfers resulting in twin live births (%)				4.5	0 / 15	0 / 16	0 / 9		0 / 1	
Percentage of transfers resulting in live births (%)				27.3	3 / 15	2 / 16	1 / 9		0 / 1	
Percentage of transfers resulting in pregnancies (%)				31.8	4 / 15	2 / 16	1 / 9		0 / 1	
Frozen Embryos from Nondonor Eggs										
Number of cycles				7	1	4	0	0	0	
Number of transfers				7	1	3	0	0	0	
Estimated average number of transfers per retrieval				3.5	1.0	1.0	0.0			
Average number of embryos transferred				1.9	2.0	1.7				
Percentage of embryos transferred resulting in implantation (%)				0 / 13	0 / 2	0 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 7	0 / 1	0 / 3				
Percentage of transfers resulting in singleton live births (%)				0 / 7	0 / 1	0 / 3				
Percentage of transfers resulting in twin live births (%)				0 / 7	0 / 1	0 / 3				
Percentage of transfers resulting in live births (%)				0 / 7	0 / 1	0 / 3				
Percentage of transfers resulting in pregnancies (%)				0 / 7	0 / 1	0 / 3				
Number of Egg/Embryo Banking Cycles				0	0	2	1	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				0			0			
Number of transfers				0			0			
Average number of embryos transferred										
Percentage of embryos transferred resulting in implantation (%)										
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)										
Percentage of transfers resulting in singleton live births (%)										
Percentage of transfers resulting in twin live births (%)										
Percentage of transfers resulting in live births (%)										
Percentage of transfers resulting in pregnancies (%)										

CURRENT SERVICES & PROFILE				Current Name: Partners for Fertility and IVF			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	75%	Tubal factor	27%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	16%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	9%
				Endometriosis	11%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 411 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	105	67	50	35	3	7
Percentage of cancellations before retrieval (%)	19.0	9.0	12.0	34.3	3 / 3	5 / 7
Average number of embryos transferred	1.9	1.9	2.0	2.2		1.0
Percentage of embryos transferred resulting in implantation (%)	27.0	29.2	13.6	17.1		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1.4	4.1	3.2	0 / 15		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.1	17.9	8.0	2.9	0 / 3	0 / 7
Percentage of cycles resulting in singleton live births (%)	21.0	19.4	8.0	2.9	0 / 3	0 / 7
Percentage of cycles resulting in twin live births (%)	4.8	10.4	2.0	5.7	0 / 3	0 / 7
Percentage of cycles resulting in live births (%)	25.7	29.9	10.0	8.6	0 / 3	0 / 7
Percentage of cycles resulting in pregnancies (%)	35.2	32.8	16.0	11.4	0 / 3	0 / 7
Outcomes per Transfer						
Number of transfers	80	55	34	16	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8	21.8	11.8	1 / 16		0 / 1
Percentage of transfers resulting in singleton live births (%)	27.5	23.6	11.8	1 / 16		0 / 1
Percentage of transfers resulting in twin live births (%)	6.3	12.7	2.9	2 / 16		0 / 1
Percentage of transfers resulting in live births (%)	33.8	36.4	14.7	3 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	46.3	40.0	23.5	4 / 16		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	17	13	3	3	1
Number of transfers	29	17	12	3	3	1
Estimated average number of transfers per retrieval	1.8	1.1	2.4	1.5		0.3
Average number of embryos transferred	2.0	1.9	1.9	2.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	30.5	18.2	17.4	1 / 6	3 / 6	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.1	3 / 17	2 / 12	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.0	4 / 17	2 / 12	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	10.3	0 / 17	0 / 12	0 / 3	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	41.4	4 / 17	2 / 12	0 / 3	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	44.8	6 / 17	4 / 12	1 / 3	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	5	5	2	1	0	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	27			27		
Number of transfers	23			25		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	38.6			13.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.4			12.0		
Percentage of transfers resulting in singleton live births (%)	43.5			16.0		
Percentage of transfers resulting in twin live births (%)	0.0			4.0		
Percentage of transfers resulting in live births (%)	43.5			20.0		
Percentage of transfers resulting in pregnancies (%)	56.5			24.0		

CURRENT SERVICES & PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	20%	Uterine factor	30%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	33%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	56%
				Endometriosis	11%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 164 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	21	8	2	2	1
Percentage of cancellations before retrieval (%)	0.0	4.8	1 / 8	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	1.3	1.5	1.3	2.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	47.8	34.6	3 / 6	1 / 5	0 / 1	3 / 2
Percentage of elective single embryo transfers (eSET) (%)	62.5	7 / 16	1 / 3	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.4	33.3	2 / 8	1 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.1	33.3	2 / 8	1 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	8.1	4.8	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	43.2	38.1	2 / 8	1 / 2	0 / 2	1 / 1
Percentage of cycles resulting in pregnancies (%)	56.8	42.9	4 / 8	1 / 2	0 / 2	1 / 1
Outcomes per Transfer						
Number of transfers	36	18	6	2	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	7 / 18	2 / 6	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.1	7 / 18	2 / 6	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	1 / 18	0 / 6	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	44.4	8 / 18	2 / 6	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	9 / 18	4 / 6	1 / 2	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	13	10	1	0	0
Number of transfers	15	13	8	1	0	0
Estimated average number of transfers per retrieval	1.2	1.1	0.8	1.0	0.0	
Average number of embryos transferred	1.5	1.5	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	27.3	50.0	2 / 12	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15	6 / 13	2 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 15	6 / 13	2 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	2 / 13	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 15	8 / 13	2 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 15	8 / 13	2 / 8	0 / 1		
Number of Egg/Embryo Banking Cycles						
	3	6	8	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			13		
Number of transfers	19			13		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	68.0			4 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 19			2 / 13		
Percentage of transfers resulting in singleton live births (%)	9 / 19			2 / 13		
Percentage of transfers resulting in twin live births (%)	3 / 19			0 / 13		
Percentage of transfers resulting in live births (%)	12 / 19			2 / 13		
Percentage of transfers resulting in pregnancies (%)	15 / 19			4 / 13		

CURRENT SERVICES & PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael C. Edelstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	17%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	39%
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	3%
				Endometriosis	10%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 287 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	33	16	7	3	0
Percentage of cancellations before retrieval (%)	6.1	9.1	2 / 16	1 / 7	1 / 3	
Average number of embryos transferred	1.7	2.0	2.0	2.8	3.0	
Percentage of embryos transferred resulting in implantation (%)	36.5	27.9	59.1	1 / 14	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	40.0	13.6	1 / 10	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.2	15.2	4 / 16	1 / 7	0 / 3	
Percentage of cycles resulting in singleton live births (%)	18.2	18.2	5 / 16	1 / 7	0 / 3	
Percentage of cycles resulting in twin live births (%)	4.5	3.0	3 / 16	0 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	22.7	21.2	8 / 16	1 / 7	0 / 3	
Percentage of cycles resulting in pregnancies (%)	30.3	33.3	10 / 16	1 / 7	1 / 3	
Outcomes per Transfer						
Number of transfers	36	23	11	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	21.7	4 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	26.1	5 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.3	4.3	3 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	41.7	30.4	8 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	55.6	47.8	10 / 11	1 / 5	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	25	14	7	1	0
Number of transfers	80	25	14	7	1	0
Estimated average number of transfers per retrieval	2.2	1.8	1.8			
Average number of embryos transferred	1.6	1.7	1.6	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.5	57.5	43.5	3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.5	52.0	3 / 14	3 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	38.8	56.0	3 / 14	3 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.3	4.0	2 / 14	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	51.3	60.0	5 / 14	3 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.0	80.0	7 / 14	3 / 7	1 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			17		
Number of transfers	8			17		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	9 / 12			26.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8			2 / 17		
Percentage of transfers resulting in singleton live births (%)	4 / 8			5 / 17		
Percentage of transfers resulting in twin live births (%)	2 / 8			1 / 17		
Percentage of transfers resulting in live births (%)	6 / 8			6 / 17		
Percentage of transfers resulting in pregnancies (%)	7 / 8			8 / 17		

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Virginia

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Joseph G. Gianfortoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	17%	Uterine factor	12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	80%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	6%
				Endometriosis	13%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 131 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	8	4	1	2	0
Percentage of cancellations before retrieval (%)	0.0	1 / 8	0 / 4	0 / 1	0 / 2	
Average number of embryos transferred	1.3	1.6	2.0	2.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	47.8	5 / 8	4 / 8	0 / 2	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	13 / 17	1 / 4	0 / 4	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.0	2 / 8	2 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	23.8	2 / 8	2 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	9.5	1 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	33.3	3 / 8	3 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	38.1	3 / 8	3 / 4	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	18	5	4	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 18	2 / 5	2 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 18	2 / 5	2 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 5	1 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	3 / 5	3 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	8 / 18	3 / 5	3 / 4	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	21	7	3	1	0
Number of transfers	31	21	7	2	1	0
Estimated average number of transfers per retrieval	1.5	2.3	1.4	2.0	1.0	
Average number of embryos transferred	1.4	1.7	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	60.5	31.4	4 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.9	23.8	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.9	42.9	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.7	4.8	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	51.6	47.6	2 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	64.5	47.6	3 / 7	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	9	6	4	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			6		
Number of transfers	0			6		
Average number of embryos transferred				1.2		
Percentage of embryos transferred resulting in implantation (%)				5 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 6		
Percentage of transfers resulting in singleton live births (%)				3 / 6		
Percentage of transfers resulting in twin live births (%)				1 / 6		
Percentage of transfers resulting in live births (%)				4 / 6		
Percentage of transfers resulting in pregnancies (%)				4 / 6		

CURRENT SERVICES & PROFILE

Current Name: LifeSource Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George F. Tidey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	18%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	57%
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	13%
				Endometriosis	4%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 243 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	23	12	8	6	0
Percentage of cancellations before retrieval (%)	4.1	17.4	2 / 12	3 / 8	0 / 6	
Average number of embryos transferred	1.8	1.8	2.3	3.8	2.7	
Percentage of embryos transferred resulting in implantation (%)	23.6	31.0	1 / 16	2 / 11	0 / 16	
Percentage of elective single embryo transfers (eSET) (%)	23.3	3 / 14	1 / 7	0 / 4	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.4	8.7	1 / 12	1 / 8	0 / 6	
Percentage of cycles resulting in singleton live births (%)	22.4	13.0	1 / 12	1 / 8	0 / 6	
Percentage of cycles resulting in twin live births (%)	2.0	13.0	0 / 12	0 / 8	0 / 6	
Percentage of cycles resulting in live births (%)	24.5	26.1	1 / 12	1 / 8	0 / 6	
Percentage of cycles resulting in pregnancies (%)	24.5	30.4	1 / 12	3 / 8	0 / 6	
Outcomes per Transfer						
Number of transfers	31	17	7	4	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.3	2 / 17	1 / 7	1 / 4	0 / 6	
Percentage of transfers resulting in singleton live births (%)	35.5	3 / 17	1 / 7	1 / 4	0 / 6	
Percentage of transfers resulting in twin live births (%)	3.2	3 / 17	0 / 7	0 / 4	0 / 6	
Percentage of transfers resulting in live births (%)	38.7	6 / 17	1 / 7	1 / 4	0 / 6	
Percentage of transfers resulting in pregnancies (%)	38.7	7 / 17	1 / 7	3 / 4	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	18	14	1	1	0
Number of transfers	59	15	14	1	1	0
Estimated average number of transfers per retrieval	1.5	1.1	1.1	1.0	0.5	
Average number of embryos transferred	1.5	1.5	1.8	2.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	54.7	4 / 16	32.0	1 / 2	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.3	4 / 15	2 / 14	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.3	4 / 15	3 / 14	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.3	0 / 15	2 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	52.5	4 / 15	5 / 14	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	67.8	6 / 15	5 / 14	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	10	9	7	0	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			10		
Number of transfers	5			9		
Average number of embryos transferred	1.2			1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 6			7 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 5			2 / 9		
Percentage of transfers resulting in singleton live births (%)	4 / 5			3 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 5			2 / 9		
Percentage of transfers resulting in live births (%)	4 / 5			5 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 5			5 / 9		

CURRENT SERVICES & PROFILE

Current Name: The Richmond Center for Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	14%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	14%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	30%
				Endometriosis	3%	Unknown factor	33%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 87 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	9	5	1	1	0
Percentage of cancellations before retrieval (%)	1 / 17	2 / 9	3 / 5	0 / 1	0 / 1	
Average number of embryos transferred	1.9	1.7	2.5	3.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	25.0	3 / 10	1 / 3	0 / 3	2 / 5	
Percentage of elective single embryo transfers (eSET) (%)	3 / 15	3 / 6	0 / 2	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 17	2 / 9	1 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	4 / 17	3 / 9	1 / 5	0 / 1	1 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 17	0 / 9	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	5 / 17	3 / 9	1 / 5	0 / 1	1 / 1	
Percentage of cycles resulting in pregnancies (%)	6 / 17	3 / 9	2 / 5	0 / 1	1 / 1	
Outcomes per Transfer						
Number of transfers	15	6	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 15	2 / 6	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 15	3 / 6	1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 6	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 15	3 / 6	1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 15	3 / 6	2 / 2	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	9	8	1	2	0
Number of transfers	13	7	5	1	1	0
Estimated average number of transfers per retrieval	0.9	1.8	5.0			
Average number of embryos transferred	1.6	1.4	1.4	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.4	3 / 10	0 / 7	2 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13	2 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 13	3 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 13	0 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	7 / 13	3 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 13	3 / 7	0 / 5	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	6	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			7		
Number of transfers	4			6		
Average number of embryos transferred	1.5			2.7		
Percentage of embryos transferred resulting in implantation (%)	4 / 6			1 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			0 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 4			0 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 6		
Percentage of transfers resulting in live births (%)	3 / 4			0 / 6		
Percentage of transfers resulting in pregnancies (%)	3 / 4			1 / 6		

CURRENT SERVICES & PROFILE

Current Name: University Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE BEACH CENTER FOR INFERTILITY, ENDOCRINOLOGY AND IVF
VIRGINIA BEACH, VIRGINIA**

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	95%	Tubal factor	14%	Uterine factor	10%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	28%	Male factor	44%
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	5%
				Endometriosis	12%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 281 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	25	21	11	2	0
Percentage of cancellations before retrieval (%)	3.3	0.0	0.0	0 / 11	0 / 2	
Average number of embryos transferred	1.8	2.0	2.6	2.8	4.0	
Percentage of embryos transferred resulting in implantation (%)	33.8	13.9	22.6	24.0	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	7.9	0 / 17	0 / 9	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.3	12.0	14.3	1 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	16.7	16.0	23.8	1 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.7	0.0	0.0	0 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	28.3	16.0	23.8	2 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	33.3	24.0	23.8	4 / 11	0 / 2	
Outcomes per Transfer						
Number of transfers	45	20	12	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.8	15.0	3 / 12	1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.2	20.0	5 / 12	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.6	0.0	0 / 12	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	37.8	20.0	5 / 12	2 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	44.4	30.0	5 / 12	4 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	12	8	5	5	1
Number of transfers	39	11	6	5	4	1
Estimated average number of transfers per retrieval	1.3	0.9	0.3	0.6	4.0	
Average number of embryos transferred	2.0	1.8	1.7	3.2	3.3	1.0
Percentage of embryos transferred resulting in implantation (%)	26.7	3 / 17	2 / 10	4 / 16	1 / 13	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.9	2 / 11	1 / 6	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	23.1	3 / 11	2 / 6	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	0 / 11	0 / 6	2 / 5	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	33.3	3 / 11	2 / 6	2 / 5	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	41.0	5 / 11	2 / 6	2 / 5	1 / 4	0 / 1
Number of Egg/Embryo Banking Cycles						
	10	8	19	6	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			27		
Number of transfers	15			25		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	50.0			32.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15			0.0		
Percentage of transfers resulting in singleton live births (%)	4 / 15			0.0		
Percentage of transfers resulting in twin live births (%)	1 / 15			24.0		
Percentage of transfers resulting in live births (%)	5 / 15			24.0		
Percentage of transfers resulting in pregnancies (%)	10 / 15			40.0		

CURRENT SERVICES & PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANCISCO M. IRIANNI, MD WINCHESTER, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Francisco M. Irianni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	15%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	58%
Used gestational carrier	11%			Diminished ovarian reserve	33%	Other factor	6%
				Endometriosis	8%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 48 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	2	7	1	0	0
Percentage of cancellations before retrieval (%)	8.0	0 / 2	0 / 7	0 / 1		
Average number of embryos transferred	2.0	2.5	3.0			
Percentage of embryos transferred resulting in implantation (%)	24.3	1 / 5	19.0			
Percentage of elective single embryo transfers (eSET) (%)	20.0	0 / 2	1 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4.0	1 / 2	0 / 7	0 / 1		
Percentage of cycles resulting in singleton live births (%)	12.0	1 / 2	2 / 7	0 / 1		
Percentage of cycles resulting in twin live births (%)	4.0	0 / 2	0 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	16.0	1 / 2	2 / 7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	36.0	1 / 2	3 / 7	0 / 1		
Outcomes per Transfer						
Number of transfers	20	2	7	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5.0	1 / 2	0 / 7			
Percentage of transfers resulting in singleton live births (%)	15.0	1 / 2	2 / 7			
Percentage of transfers resulting in twin live births (%)	5.0	0 / 2	0 / 7			
Percentage of transfers resulting in live births (%)	20.0	1 / 2	2 / 7			
Percentage of transfers resulting in pregnancies (%)	45.0	1 / 2	3 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	2	0	0	0
Number of transfers	7	2	1	0	0	0
Estimated average number of transfers per retrieval	1.8		0.5			
Average number of embryos transferred	1.9	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 13	0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	2 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 2	0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Francisco M. Irianni, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Kevin M. Johnson, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	52%	Uterine factor	5%
Unstimulated	1%	PGD/PGS	6%	Ovulatory dysfunction	41%	Male factor	54%
Used gestational carrier	2%			Diminished ovarian reserve	81%	Other factor	3%
				Endometriosis	14%	Unknown factor	0%
						Multiple Factors:	
						Female factors only	28%
						Female & male factors	53%

2014 ART SUCCESS RATES ^c		Total number of cycles ^d : 234 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		27	19	20	13	3	1
Percentage of cancellations before retrieval (%)		3.7	6 / 19	40.0	4 / 13	0 / 3	0 / 1
Average number of embryos transferred		1.8	2.0	2.3	2.2		3.0
Percentage of embryos transferred resulting in implantation (%)		42.9	1 / 8	0 / 9	2 / 11		0 / 3
Percentage of elective single embryo transfers (eSET) (%)		1 / 16	0 / 4	0 / 3	0 / 3		0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		11.1	1 / 19	0.0	1 / 13	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)		11.1	1 / 19	0.0	1 / 13	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)		14.8	0 / 19	0.0	0 / 13	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)		25.9	1 / 19	0.0	1 / 13	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)		40.7	1 / 19	0.0	2 / 13	0 / 3	0 / 1
Outcomes per Transfer							
Number of transfers		20	4	4	5	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		15.0	1 / 4	0 / 4	1 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)		15.0	1 / 4	0 / 4	1 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)		20.0	0 / 4	0 / 4	0 / 5		0 / 1
Percentage of transfers resulting in live births (%)		35.0	1 / 4	0 / 4	1 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)		55.0	1 / 4	0 / 4	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		28	6	9	3	1	0
Number of transfers		27	5	6	3	0	0
Estimated average number of transfers per retrieval		0.6	0.3	0.4	0.3	0.0	
Average number of embryos transferred		1.8	1.2	1.3	2.3		
Percentage of embryos transferred resulting in implantation (%)		50.0	4 / 6	2 / 7	1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		48.1	3 / 5	1 / 6	1 / 3		
Percentage of transfers resulting in singleton live births (%)		51.9	4 / 5	1 / 6	1 / 3		
Percentage of transfers resulting in twin live births (%)		11.1	0 / 5	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)		63.0	4 / 5	1 / 6	1 / 3		
Percentage of transfers resulting in pregnancies (%)		70.4	4 / 5	2 / 6	1 / 3		
Number of Egg/Embryo Banking Cycles		38	16	13	7	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		19			9		
Number of transfers		18			8		
Average number of embryos transferred		1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)		66.7			7 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 18			1 / 8		
Percentage of transfers resulting in singleton live births (%)		8 / 18			2 / 8		
Percentage of transfers resulting in twin live births (%)		5 / 18			2 / 8		
Percentage of transfers resulting in live births (%)		13 / 18			4 / 8		
Percentage of transfers resulting in pregnancies (%)		15 / 18			4 / 8		

CURRENT SERVICES & PROFILE				Current Name: Overlake Reproductive Health, Inc., PS			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

BELLINGHAM IVF & FERTILITY CARE BELLINGHAM, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Emmett Branigan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	5%	Uterine factor	5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	82%
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	3%
				Endometriosis	8%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 67 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	4	8	3	1	1
Percentage of cancellations before retrieval (%)	0 / 16	0 / 4	1 / 8	0 / 3	1 / 1	0 / 1
Average number of embryos transferred	2.0	2.0	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	43.8	2 / 8	2 / 9	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 16	0 / 4	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8 / 16	1 / 4	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	9 / 16	2 / 4	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 16	0 / 4	0 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	11 / 16	2 / 4	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	12 / 16	2 / 4	3 / 8	0 / 3	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	16	4	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 16	1 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	9 / 16	2 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 4	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	11 / 16	2 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	12 / 16	2 / 4	3 / 6	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	6	1	0	1
Number of transfers	8	3	6	1	0	1
Estimated average number of transfers per retrieval	8.0	3.0		1.0		
Average number of embryos transferred	2.1	2.0	2.2	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	4 / 17	2 / 6	1 / 13	0 / 2		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8	1 / 3	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 8	2 / 3	1 / 6	0 / 1		1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 3	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	4 / 8	2 / 3	1 / 6	0 / 1		1 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	2 / 3	1 / 6	0 / 1		1 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			7		
Number of transfers	8			7		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 16			4 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 8			0 / 7		
Percentage of transfers resulting in singleton live births (%)	6 / 8			2 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 8			1 / 7		
Percentage of transfers resulting in live births (%)	6 / 8			3 / 7		
Percentage of transfers resulting in pregnancies (%)	7 / 8			6 / 7		

CURRENT SERVICES & PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POMA FERTILITY KIRKLAND, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael S. Opsahl, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	41%	Tubal factor	10%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	8%	Male factor	26%
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	16%
				Endometriosis	9%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 330 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	55	32	11	4	0
Percentage of cancellations before retrieval (%)	5.6	9.1	9.4	1 / 11	0 / 4	
Average number of embryos transferred	1.4	1.8	2.6	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	47.7	40.6	23.8	18.5	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	58.9	35.3	4.2	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	44.4	29.1	25.0	1 / 11	0 / 4	
Percentage of cycles resulting in singleton live births (%)	47.2	34.5	25.0	1 / 11	0 / 4	
Percentage of cycles resulting in twin live births (%)	1.4	3.6	9.4	0 / 11	0 / 4	
Percentage of cycles resulting in live births (%)	48.6	38.2	34.4	1 / 11	0 / 4	
Percentage of cycles resulting in pregnancies (%)	54.2	45.5	43.8	5 / 11	1 / 4	
Outcomes per Transfer						
Number of transfers	61	40	26	9	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	52.5	40.0	30.8	1 / 9	0 / 2	
Percentage of transfers resulting in singleton live births (%)	55.7	47.5	30.8	1 / 9	0 / 2	
Percentage of transfers resulting in twin live births (%)	1.6	5.0	11.5	0 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	57.4	52.5	42.3	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancies (%)	63.9	62.5	53.8	5 / 9	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	18	13	7	1	0
Number of transfers	29	17	10	5	1	0
Estimated average number of transfers per retrieval	1.0	0.7	0.7	1.0	0.5	0.0
Average number of embryos transferred	1.2	1.3	1.2	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	50.0	7 / 12	6 / 7	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.0	4 / 17	4 / 10	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.4	5 / 17	5 / 10	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.4	2 / 17	1 / 10	1 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	44.8	7 / 17	6 / 10	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	58.6	10 / 17	6 / 10	4 / 5	1 / 1	
Number of Egg/Embryo Banking Cycles						
	17	12	11	5	2	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			11		
Number of transfers	19			7		
Average number of embryos transferred	1.4			1.3		
Percentage of embryos transferred resulting in implantation (%)	78.3			4 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 19			2 / 7		
Percentage of transfers resulting in singleton live births (%)	8 / 19			2 / 7		
Percentage of transfers resulting in twin live births (%)	3 / 19			0 / 7		
Percentage of transfers resulting in live births (%)	12 / 19			2 / 7		
Percentage of transfers resulting in pregnancies (%)	15 / 19			4 / 7		

CURRENT SERVICES & PROFILE

Current Name: Poma Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	0%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	0%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	0%
				Endometriosis	15%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 42 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	8	3	3	0	1
Percentage of cancellations before retrieval (%)	0 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Average number of embryos transferred	2.1	2.1	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	26.7	0 / 17	0 / 6	0 / 6		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	0 / 7	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in live births (%)	4 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in pregnancies (%)	6 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Outcomes per Transfer						
Number of transfers	14	8	3	3	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	4 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	1	0	0	0	0
Number of transfers	6	1	0	0	0	0
Estimated average number of transfers per retrieval	3.0	0.5				
Average number of embryos transferred	2.5	3.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 15	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 6	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 6	0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			2		
Number of transfers	3			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 6			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 3			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 3			1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Olympia Women's Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	5%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	5%	Male factor	19%
Used gestational carrier	0%			Diminished ovarian reserve	62%	Other factor	8%
				Endometriosis	6%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 1,062 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	31	45	24	9	2
Percentage of cancellations before retrieval (%)	3.0	9.7	2.2	20.8	6 / 9	1 / 2
Average number of embryos transferred	1.5	1.7	2.0	1.7	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.0	30.6	20.0	3 / 19	1 / 6	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	52.8	3 / 18	4.0	1 / 8	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.7	12.9	8.9	8.3	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	18.2	19.4	13.3	12.5	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	3.0	3.2	2.2	0.0	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	21.2	22.6	15.6	12.5	0 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	24.2	29.0	22.2	12.5	1 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	36	21	30	11	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.6	19.0	13.3	2 / 11	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	20.0	3 / 11	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	5.6	4.8	3.3	0 / 11	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	38.9	33.3	23.3	3 / 11	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	44.4	42.9	33.3	3 / 11	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	138	78	73	32	16	1
Number of transfers	127	76	71	31	16	0
Estimated average number of transfers per retrieval	1.3	1.3	0.7	0.9	1.0	0.0
Average number of embryos transferred	1.2	1.3	1.2	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	59.6	57.3	52.3	43.2	8 / 18	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.6	40.8	39.4	32.3	4 / 16	
Percentage of transfers resulting in singleton live births (%)	45.7	47.4	47.9	32.3	4 / 16	
Percentage of transfers resulting in twin live births (%)	9.4	6.6	2.8	9.7	1 / 16	
Percentage of transfers resulting in live births (%)	55.1	53.9	50.7	41.9	5 / 16	
Percentage of transfers resulting in pregnancies (%)	63.8	64.5	60.6	51.6	8 / 16	
Number of Egg/Embryo Banking Cycles						
	66	48	88	30	16	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		47			250	
Number of transfers		2			243	
Average number of embryos transferred		1.0			1.2	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			49.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 2			38.3	
Percentage of transfers resulting in singleton live births (%)		1 / 2			48.1	
Percentage of transfers resulting in twin live births (%)		0 / 2			2.5	
Percentage of transfers resulting in live births (%)		1 / 2			50.6	
Percentage of transfers resulting in pregnancies (%)		1 / 2			56.8	

CURRENT SERVICES & PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SEATTLE REPRODUCTIVE MEDICINE INTEGRATED AMERICA SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Paul S. Dudley, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	67%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	18%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	10%
				Endometriosis	8%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 2,051 (includes 189 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	325	157	137	85	36	1
Percentage of cancellations before retrieval (%)	4.6	7.0	18.2	27.1	27.8	0 / 1
Average number of embryos transferred	1.4	1.6	1.9	2.0	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	46.5	35.1	23.2	12.8	5.3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	51.5	30.0	10.5	8.3	0.0	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.3	25.5	13.9	9.4	8.3	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.5	28.0	18.2	10.6	8.3	0 / 1
Percentage of cycles resulting in twin live births (%)	6.2	6.4	2.2	0.0	0.0	0 / 1
Percentage of cycles resulting in live births (%)	40.0	34.4	21.2	10.6	8.3	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.6	38.9	29.2	14.1	8.3	0 / 1
Outcomes per Transfer						
Number of transfers	262	127	100	45	23	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.1	31.5	19.0	17.8	13.0	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.6	34.6	25.0	20.0	13.0	0 / 1
Percentage of transfers resulting in twin live births (%)	7.6	7.9	3.0	0.0	0.0	0 / 1
Percentage of transfers resulting in live births (%)	49.6	42.5	29.0	20.0	13.0	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.3	48.0	40.0	26.7	13.0	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	297	136	112	42	23	6
Number of transfers	270	117	100	34	17	5
Estimated average number of transfers per retrieval	1.5	1.1	1.1	0.7	0.7	1.7
Average number of embryos transferred	1.3	1.3	1.4	1.4	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	48.2	44.5	35.3	39.0	39.1	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.6	29.1	23.0	35.3	6 / 17	0 / 5
Percentage of transfers resulting in singleton live births (%)	37.8	35.9	29.0	38.2	6 / 17	0 / 5
Percentage of transfers resulting in twin live births (%)	5.6	8.5	5.0	0.0	0 / 17	0 / 5
Percentage of transfers resulting in live births (%)	43.7	44.4	34.0	38.2	6 / 17	0 / 5
Percentage of transfers resulting in pregnancies (%)	57.0	51.3	45.0	58.8	10 / 17	1 / 5
Number of Egg/Embryo Banking Cycles						
	96	65	68	35	21	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		36			181	
Number of transfers		32			156	
Average number of embryos transferred		1.5			1.3	
Percentage of embryos transferred resulting in implantation (%)		46.7			31.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		34.4			23.7	
Percentage of transfers resulting in singleton live births (%)		34.4			25.0	
Percentage of transfers resulting in twin live births (%)		12.5			3.2	
Percentage of transfers resulting in live births (%)		46.9			28.2	
Percentage of transfers resulting in pregnancies (%)		59.4			39.7	

CURRENT SERVICES & PROFILE

Current Name: Seattle Reproductive Medicine, Integrated America

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE CARE UNIVERSITY OF WASHINGTON SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Diane Woodford, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	14%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	53%
Used gestational carrier	2%			Diminished ovarian reserve	44%	Other factor	13%
				Endometriosis	7%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				11%			
				36%			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 78 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	12	10	6	2	0
Percentage of cancellations before retrieval (%)	1 / 18	3 / 12	3 / 10	2 / 6	0 / 2	
Average number of embryos transferred	2.1	1.6	1.8	2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	32.0	5 / 11	3 / 10	1 / 10	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	1 / 5	1 / 4	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 18	2 / 12	0 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	4 / 18	2 / 12	2 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 12	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	6 / 18	3 / 12	2 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	6 / 18	4 / 12	4 / 10	1 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	12	7	6	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	2 / 7	0 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 7	2 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 12	1 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 12	3 / 7	2 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 12	4 / 7	4 / 6	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	7	1	0	1	0
Number of transfers	13	6	1	0	1	0
Estimated average number of transfers per retrieval	1.4	2.0	1.0	0.0	1.0	
Average number of embryos transferred	1.3	1.2	1.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 16	4 / 7	0 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 13	4 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 13	4 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 13	4 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 13	4 / 6	0 / 1		0 / 1	
Number of Egg/Embryo Banking Cycles						
	2	3	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Care, University of Washington

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Edwin Robins, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	<1%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	63%
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	6%
				Endometriosis	4%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 299 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	34	17	3	3	3
Percentage of cancellations before retrieval (%)	3.5	5.9	5 / 17	1 / 3	1 / 3	1 / 3
Average number of embryos transferred	1.6	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	60.0	30.3	2 / 4			
Percentage of elective single embryo transfers (eSET) (%)	24.4	2 / 14	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.2	8.8	2 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	23.5	11.8	2 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	12.9	8.8	0 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	36.5	20.6	2 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	42.4	20.6	2 / 17	0 / 3	0 / 3	0 / 3
Outcomes per Transfer						
Number of transfers	50	18	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.0	3 / 18	2 / 2			
Percentage of transfers resulting in singleton live births (%)	40.0	4 / 18	2 / 2			
Percentage of transfers resulting in twin live births (%)	22.0	3 / 18	0 / 2			
Percentage of transfers resulting in live births (%)	62.0	7 / 18	2 / 2			
Percentage of transfers resulting in pregnancies (%)	72.0	7 / 18	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	25	10	4	1	0
Number of transfers	45	25	10	4	1	0
Estimated average number of transfers per retrieval	1.0	1.2	1.3	1.3		
Average number of embryos transferred	1.6	1.6	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	58.3	48.6	3 / 15	3 / 6	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.6	16.0	3 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	16.0	3 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	22.2	28.0	0 / 10	1 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	62.2	44.0	3 / 10	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	66.7	48.0	3 / 10	2 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles						
	19	15	5	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			20		
Number of transfers	1			20		
Average number of embryos transferred	1.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			57.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			15.0		
Percentage of transfers resulting in singleton live births (%)	0 / 1			25.0		
Percentage of transfers resulting in twin live births (%)	0 / 1			15.0		
Percentage of transfers resulting in live births (%)	0 / 1			40.0		
Percentage of transfers resulting in pregnancies (%)	0 / 1			60.0		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SRM SPOKANE SPOKANE VALLEY, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Brenda Houmard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	12%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	31%	Male factor	45%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	3%
				Endometriosis	12%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 93 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	15	8	3	0	0
Percentage of cancellations before retrieval (%)	8.7	2 / 15	3 / 8	2 / 3		
Average number of embryos transferred	1.3	1.4	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	37.5	4 / 13	2 / 8	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	11 / 17	1 / 5	2 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.7	4 / 15	0 / 8	0 / 3		
Percentage of cycles resulting in singleton live births (%)	26.1	4 / 15	0 / 8	0 / 3		
Percentage of cycles resulting in twin live births (%)	4.3	0 / 15	1 / 8	0 / 3		
Percentage of cycles resulting in live births (%)	30.4	4 / 15	1 / 8	0 / 3		
Percentage of cycles resulting in pregnancies (%)	34.8	4 / 15	1 / 8	0 / 3		
Outcomes per Transfer						
Number of transfers	18	9	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 18	4 / 9	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 18	4 / 9	0 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	7 / 18	4 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	8 / 18	4 / 9	1 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	4	1	0	0
Number of transfers	12	5	3	1	0	0
Estimated average number of transfers per retrieval	1.3	1.7	1.0	1.0		
Average number of embryos transferred	1.8	1.6	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	31.8	2 / 8	0 / 2	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12	2 / 5	0 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 5	0 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 5	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 12	2 / 5	0 / 3	1 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 12	2 / 5	1 / 3	1 / 1		
Number of Egg/Embryo Banking Cycles						
	2	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	1			0		
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	1 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					

CURRENT SERVICES & PROFILE

Current Name: SRM Spokane

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GYFT CLINIC, PLLC TACOMA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Luis A. Murrain, DO, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	11%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	2%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	0%
				Endometriosis	5%	Unknown factor	30%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 46 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	7	3	3	1	1
Percentage of cancellations before retrieval (%)	4.3	1 / 7	0 / 3	2 / 3	1 / 1	1 / 1
Average number of embryos transferred	2.3	3.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	36.7	4 / 15	0 / 4			
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 5	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.4	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.7	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	17.4	0 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	39.1	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	52.2	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	22	5	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	3 / 5	0 / 2			
Percentage of transfers resulting in singleton live births (%)	22.7	3 / 5	0 / 2			
Percentage of transfers resulting in twin live births (%)	18.2	0 / 5	0 / 2			
Percentage of transfers resulting in live births (%)	40.9	3 / 5	0 / 2			
Percentage of transfers resulting in pregnancies (%)	54.5	3 / 5	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval		0.3				
Average number of embryos transferred	2.5	3.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 5	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			1		
Number of transfers	2			1		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 2			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2			0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 2			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: GYFT Clinic, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gregory E. Chow, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	55%	Tubal factor	31%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	3%
				Endometriosis	10%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 124 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	22	17	3	0	0
Percentage of cancellations before retrieval (%)	6.8	22.7	2 / 17	1 / 3		
Average number of embryos transferred	1.6	1.7	2.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	40.3	33.3	15.2	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	34.3	4 / 16	0 / 13	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.3	13.6	4 / 17	0 / 3		
Percentage of cycles resulting in singleton live births (%)	27.3	18.2	4 / 17	0 / 3		
Percentage of cycles resulting in twin live births (%)	13.6	9.1	0 / 17	0 / 3		
Percentage of cycles resulting in live births (%)	40.9	27.3	4 / 17	0 / 3		
Percentage of cycles resulting in pregnancies (%)	40.9	31.8	4 / 17	0 / 3		
Outcomes per Transfer						
Number of transfers	39	17	15	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	3 / 17	4 / 15	0 / 2		
Percentage of transfers resulting in singleton live births (%)	30.8	4 / 17	4 / 15	0 / 2		
Percentage of transfers resulting in twin live births (%)	15.4	2 / 17	0 / 15	0 / 2		
Percentage of transfers resulting in live births (%)	46.2	6 / 17	4 / 15	0 / 2		
Percentage of transfers resulting in pregnancies (%)	46.2	7 / 17	4 / 15	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	15	5	1	0	0
Number of transfers	13	13	5	1	0	0
Estimated average number of transfers per retrieval	1.9	2.6	1.7	1.0		
Average number of embryos transferred	1.8	1.8	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	33.3	37.5	4 / 9	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13	2 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 13	3 / 13	2 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 13	3 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	6 / 13	6 / 13	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 13	6 / 13	3 / 5	0 / 1		
Number of Egg/Embryo Banking Cycles						
	1	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Madigan Army Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Pickens A. Gantt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	96%	Tubal factor	16%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	25%	Male factor	34%
Used gestational carrier	8%			Diminished ovarian reserve	22%	Other factor	6%
				Endometriosis	6%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 32 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	2	1	0	0	1
Percentage of cancellations before retrieval (%)	5.0	0 / 2	0 / 1			0 / 1
Average number of embryos transferred	1.9	2.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	34.3	1 / 5	1 / 2			
Percentage of elective single embryo transfers (eSET) (%)	0 / 16	0 / 2	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	45.0	1 / 2	1 / 1			0 / 1
Percentage of cycles resulting in singleton live births (%)	50.0	1 / 2	1 / 1			0 / 1
Percentage of cycles resulting in twin live births (%)	5.0	0 / 2	0 / 1			0 / 1
Percentage of cycles resulting in live births (%)	55.0	1 / 2	1 / 1			0 / 1
Percentage of cycles resulting in pregnancies (%)	55.0	1 / 2	1 / 1			0 / 1
Outcomes per Transfer						
Number of transfers	18	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 18	1 / 2	1 / 1			
Percentage of transfers resulting in singleton live births (%)	10 / 18	1 / 2	1 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	11 / 18	1 / 2	1 / 1			
Percentage of transfers resulting in pregnancies (%)	11 / 18	1 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	0	0	0	0	0
Number of transfers	5	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.6					
Percentage of embryos transferred resulting in implantation (%)	2 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5					
Percentage of transfers resulting in singleton live births (%)	2 / 5					
Percentage of transfers resulting in twin live births (%)	0 / 5					
Percentage of transfers resulting in live births (%)	2 / 5					
Percentage of transfers resulting in pregnancies (%)	3 / 5					
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			0		
Number of transfers	3			0		
Average number of embryos transferred	1.7					
Percentage of embryos transferred resulting in implantation (%)	4 / 5					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3					
Percentage of transfers resulting in singleton live births (%)	0 / 3					
Percentage of transfers resulting in twin live births (%)	2 / 3					
Percentage of transfers resulting in live births (%)	2 / 3					
Percentage of transfers resulting in pregnancies (%)	2 / 3					

CURRENT SERVICES & PROFILE

Current Name: West Virginia University Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CABELL HUNTINGTON HOSPITAL CENTER FOR ADVANCED REPRODUCTIVE MEDICINE HUNTINGTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	23%
				Endometriosis	27%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 30 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	8	1	4	0	0
Percentage of cancellations before retrieval (%)	0 / 13	0 / 8	0 / 1	0 / 4		
Average number of embryos transferred	2.3	1.9	4.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	29.6	8 / 15	1 / 4	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 7	0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 13	2 / 8	0 / 1	0 / 4		
Percentage of cycles resulting in singleton live births (%)	2 / 13	2 / 8	1 / 1	0 / 4		
Percentage of cycles resulting in twin live births (%)	3 / 13	3 / 8	0 / 1	0 / 4		
Percentage of cycles resulting in live births (%)	5 / 13	5 / 8	1 / 1	0 / 4		
Percentage of cycles resulting in pregnancies (%)	5 / 13	5 / 8	1 / 1	0 / 4		
Outcomes per Transfer						
Number of transfers	12	8	1	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 12	2 / 8	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 12	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 12	3 / 8	0 / 1	0 / 3		
Percentage of transfers resulting in live births (%)	5 / 12	5 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 12	5 / 8	1 / 1	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred	1.0	1.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					

CURRENT SERVICES & PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Roger C. Toffle, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	30%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	60%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	33%
				Endometriosis	33%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 58 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	14	1	1	0	0
Percentage of cancellations before retrieval (%)	6.9	4 / 14	0 / 1	1 / 1		
Average number of embryos transferred	2.0	1.9	3.0			
Percentage of embryos transferred resulting in implantation (%)	38.0	4 / 15	0 / 3			
Percentage of elective single embryo transfers (eSET) (%)	9.5	0 / 6	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.8	3 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	13.8	3 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	13.8	0 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	31.0	3 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in pregnancies (%)	34.5	4 / 14	0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	25	8	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.0	3 / 8	0 / 1			
Percentage of transfers resulting in singleton live births (%)	16.0	3 / 8	0 / 1			
Percentage of transfers resulting in twin live births (%)	16.0	0 / 8	0 / 1			
Percentage of transfers resulting in live births (%)	36.0	3 / 8	0 / 1			
Percentage of transfers resulting in pregnancies (%)	40.0	4 / 8	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	0	0	0	0
Number of transfers	7	2	0	0	0	0
Estimated average number of transfers per retrieval	1.2					
Average number of embryos transferred	1.4	1.5				
Percentage of embryos transferred resulting in implantation (%)	0 / 8	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 7	0 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 2				
Percentage of transfers resulting in live births (%)	0 / 7	0 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 7	0 / 2				
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER GREEN BAY, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	98%	Tubal factor	17%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	28%	Male factor	73%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	19%
				Endometriosis	16%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	13	3	0	0	0
Percentage of cancellations before retrieval (%)	2.6	0 / 13	0 / 3			
Average number of embryos transferred	2.0	1.6	2.0			
Percentage of embryos transferred resulting in implantation (%)	47.5	3 / 13	2 / 4			
Percentage of elective single embryo transfers (eSET) (%)	3.2	0 / 5	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.7	1 / 13	1 / 3			
Percentage of cycles resulting in singleton live births (%)	15.4	2 / 13	1 / 3			
Percentage of cycles resulting in twin live births (%)	23.1	0 / 13	0 / 3			
Percentage of cycles resulting in live births (%)	38.5	2 / 13	1 / 3			
Percentage of cycles resulting in pregnancies (%)	43.6	3 / 13	2 / 3			
Outcomes per Transfer						
Number of transfers	31	8	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9.7	1 / 8	1 / 3			
Percentage of transfers resulting in singleton live births (%)	19.4	2 / 8	1 / 3			
Percentage of transfers resulting in twin live births (%)	29.0	0 / 8	0 / 3			
Percentage of transfers resulting in live births (%)	48.4	2 / 8	1 / 3			
Percentage of transfers resulting in pregnancies (%)	54.8	3 / 8	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	17	2	0	0	0
Number of transfers	31	17	1	0	0	0
Estimated average number of transfers per retrieval	1.9	2.8	0.5			
Average number of embryos transferred	1.7	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	57.1	51.7	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.3	5 / 17	1 / 1			
Percentage of transfers resulting in singleton live births (%)	41.9	7 / 17	1 / 1			
Percentage of transfers resulting in twin live births (%)	19.4	2 / 17	0 / 1			
Percentage of transfers resulting in live births (%)	61.3	9 / 17	1 / 1			
Percentage of transfers resulting in pregnancies (%)	67.7	11 / 17	1 / 1			
Number of Egg/Embryo Banking Cycles	5	2	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			1		
Number of transfers	11			1		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	47.6			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 11			1 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 11			1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 11			0 / 1		
Percentage of transfers resulting in live births (%)	7 / 11			1 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 11			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services,
The Women's Center at Aurora BayCare Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MENOMONEE FALLS, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Estil Strawn, Jr., MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	91%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 14%	
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	21%	Male factor	41%		
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	3%		
				Endometriosis	5%	Unknown factor	15%		
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 483 (includes 13 cycle[s] using frozen eggs)					
Type of Cycle				Age of Woman					
				<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs									
Number of cycles				125	54	28	14	0	0
Percentage of cancellations before retrieval (%)				4.0	13.0	17.9	0 / 14		
Average number of embryos transferred				1.4	1.8	2.1	2.2		
Percentage of embryos transferred resulting in implantation (%)				35.6	24.0	24.4	11.5		
Percentage of elective single embryo transfers (eSET) (%)				58.4	22.0	0 / 19	1 / 11		
Outcomes per Cycle									
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				27.2	9.3	10.7	1 / 14		
Percentage of cycles resulting in singleton live births (%)				28.8	13.0	17.9	1 / 14		
Percentage of cycles resulting in twin live births (%)				3.2	7.4	7.1	0 / 14		
Percentage of cycles resulting in live births (%)				32.0	20.4	25.0	1 / 14		
Percentage of cycles resulting in pregnancies (%)				34.4	25.9	25.0	3 / 14		
Outcomes per Transfer									
Number of transfers				95	42	20	12	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				35.8	11.9	15.0	1 / 12		
Percentage of transfers resulting in singleton live births (%)				37.9	16.7	25.0	1 / 12		
Percentage of transfers resulting in twin live births (%)				4.2	9.5	10.0	0 / 12		
Percentage of transfers resulting in live births (%)				42.1	26.2	35.0	1 / 12		
Percentage of transfers resulting in pregnancies (%)				45.3	33.3	35.0	3 / 12		
Frozen Embryos from Nondonor Eggs									
Number of cycles				104	34	23	7	2	0
Number of transfers				96	33	22	7	2	0
Estimated average number of transfers per retrieval				1.2	1.9	1.8	0.8		
Average number of embryos transferred				1.3	1.5	1.4	1.9	1.0	
Percentage of embryos transferred resulting in implantation (%)				35.2	31.3	22.6	0 / 13	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				25.0	18.2	18.2	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)				29.2	21.2	22.7	0 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)				4.2	9.1	4.5	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)				33.3	30.3	27.3	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)				40.6	33.3	27.3	0 / 7	0 / 2	
Number of Egg/Embryo Banking Cycles				20	4	6	6	0	0
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f		
Number of cycles				7			36		
Number of transfers				7			26		
Average number of embryos transferred				1.0			1.3		
Percentage of embryos transferred resulting in implantation (%)				2 / 7			32.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 7			15.4		
Percentage of transfers resulting in singleton live births (%)				1 / 7			19.2		
Percentage of transfers resulting in twin live births (%)				0 / 7			3.8		
Percentage of transfers resulting in live births (%)				1 / 7			23.1		
Percentage of transfers resulting in pregnancies (%)				1 / 7			38.5		

CURRENT SERVICES & PROFILE		Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Dan I. Lebovic, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	73%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	4%
				Endometriosis	10%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 193 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	21	14	1	2	0
Percentage of cancellations before retrieval (%)	6.3	0.0	2 / 14	0 / 1	0 / 2	
Average number of embryos transferred	1.5	1.5	1.6	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	42.9	7 / 19	0 / 1	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	49.0	8 / 18	3 / 10		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	39.7	14.3	3 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	42.9	23.8	4 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	6.3	14.3	1 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	49.2	38.1	5 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	54.0	47.6	5 / 14	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	51	19	12	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	49.0	3 / 19	3 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	52.9	5 / 19	4 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.8	3 / 19	1 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	60.8	8 / 19	5 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	66.7	10 / 19	5 / 12	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	9	12	1	0	0
Number of transfers	31	9	12	1	0	0
Estimated average number of transfers per retrieval	1.8	1.8	4.0			
Average number of embryos transferred	1.4	1.6	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	47.6	3 / 11	5 / 18	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	54.8	3 / 9	4 / 12	0 / 1		
Percentage of transfers resulting in singleton live births (%)	54.8	3 / 9	4 / 12	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.2	0 / 9	0 / 12	0 / 1		
Percentage of transfers resulting in live births (%)	58.1	3 / 9	4 / 12	0 / 1		
Percentage of transfers resulting in pregnancies (%)	64.5	5 / 9	5 / 12	0 / 1		
Number of Egg/Embryo Banking Cycles						
	7	3	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			3		
Number of transfers	3			3		
Average number of embryos transferred	1.3			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 3			0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 3			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 3		
Percentage of transfers resulting in live births (%)	3 / 3			1 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 3			2 / 3		

CURRENT SERVICES & PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David L. Olive, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	8%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	12%
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	15%
				Endometriosis	4%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 295 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	13	23	6	0	1
Percentage of cancellations before retrieval (%)	6.3	1 / 13	13.0	0 / 6		1 / 1
Average number of embryos transferred	2.2	1.8	2.1	1.5		
Percentage of embryos transferred resulting in implantation (%)	29.5	5 / 11	8.7	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 6	0 / 9	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.6	2 / 13	4.3	0 / 6		0 / 1
Percentage of cycles resulting in singleton live births (%)	14.6	3 / 13	8.7	0 / 6		0 / 1
Percentage of cycles resulting in twin live births (%)	2.1	0 / 13	0.0	0 / 6		0 / 1
Percentage of cycles resulting in live births (%)	18.8	3 / 13	8.7	0 / 6		0 / 1
Percentage of cycles resulting in pregnancies (%)	22.9	4 / 13	8.7	0 / 6		0 / 1
Outcomes per Transfer						
Number of transfers	22	6	12	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.8	2 / 6	1 / 12	0 / 2		
Percentage of transfers resulting in singleton live births (%)	31.8	3 / 6	2 / 12	0 / 2		
Percentage of transfers resulting in twin live births (%)	4.5	0 / 6	0 / 12	0 / 2		
Percentage of transfers resulting in live births (%)	40.9	3 / 6	2 / 12	0 / 2		
Percentage of transfers resulting in pregnancies (%)	50.0	4 / 6	2 / 12	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	75	21	16	9	1	0
Number of transfers	63	20	14	9	1	0
Estimated average number of transfers per retrieval	2.0	1.7	1.4	2.3		
Average number of embryos transferred	1.8	2.0	1.8	2.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	22.1	30.6	14.3	8.7	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	25.0	2 / 14	1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	19.0	35.0	3 / 14	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.8	0.0	0 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	25.4	40.0	3 / 14	1 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	33.3	50.0	5 / 14	2 / 9	0 / 1	
Number of Egg/Embryo Banking Cycles						
	5	4	3	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			50		
Number of transfers	10			39		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	7 / 18			23.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10			20.5		
Percentage of transfers resulting in singleton live births (%)	3 / 10			23.1		
Percentage of transfers resulting in twin live births (%)	2 / 10			7.7		
Percentage of transfers resulting in live births (%)	5 / 10			30.8		
Percentage of transfers resulting in pregnancies (%)	6 / 10			33.3		

CURRENT SERVICES & PROFILE

Current Name: Wisconsin Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER MILWAUKEE, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	11%	Uterine factor	6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	64%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	3%
				Endometriosis	33%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 38 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	5	4	0	0	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 5	0 / 4			
Average number of embryos transferred	2.0	2.2	2.8			
Percentage of embryos transferred resulting in implantation (%)	16.7	1 / 11	1 / 11			
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 5	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 12	1 / 5	1 / 4			
Percentage of cycles resulting in singleton live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of cycles resulting in twin live births (%)	0 / 12	0 / 5	0 / 4			
Percentage of cycles resulting in live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of cycles resulting in pregnancies (%)	4 / 12	1 / 5	1 / 4			
Outcomes per Transfer						
Number of transfers	12	5	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	1 / 5	1 / 4			
Percentage of transfers resulting in singleton live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 5	0 / 4			
Percentage of transfers resulting in live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 5	1 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	5	5	0	0	0
Number of transfers	4	5	5	0	0	0
Estimated average number of transfers per retrieval	0.8	5.0	5.0			
Average number of embryos transferred	2.0	1.6	1.6			
Percentage of embryos transferred resulting in implantation (%)	1 / 8	2 / 8	1 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4	0 / 5	1 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 5	1 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 5	0 / 5			
Percentage of transfers resulting in live births (%)	1 / 4	0 / 5	1 / 5			
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 5	1 / 5			
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN FERTILITY CENTER ONALASKA, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Sana Salih, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	94%	Tubal factor	14%	Uterine factor	3%	Multiple Factors:		
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	34%	Male factor	49%	Female factors only		22%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	25%	Female & male factors		34%
				Endometriosis	29%	Unknown factor	0%			
2014 ART SUCCESS RATES ^c				Total number of cycles ^d : 62 (includes 3 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				27	5	2	0	0	0	
Percentage of cancellations before retrieval (%)				3.7	1 / 5	0 / 2				
Average number of embryos transferred				1.3	1.7	2.5				
Percentage of embryos transferred resulting in implantation (%)				55.2	2 / 5	2 / 5				
Percentage of elective single embryo transfers (eSET) (%)				66.7	1 / 3	0 / 2				
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)				40.7	2 / 5	0 / 2				
Percentage of cycles resulting in singleton live births (%)				48.1	2 / 5	0 / 2				
Percentage of cycles resulting in twin live births (%)				3.7	0 / 5	1 / 2				
Percentage of cycles resulting in live births (%)				51.9	2 / 5	1 / 2				
Percentage of cycles resulting in pregnancies (%)				51.9	2 / 5	1 / 2				
Outcomes per Transfer										
Number of transfers				22	3	2	0	0	0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				50.0	2 / 3	0 / 2				
Percentage of transfers resulting in singleton live births (%)				59.1	2 / 3	0 / 2				
Percentage of transfers resulting in twin live births (%)				4.5	0 / 3	1 / 2				
Percentage of transfers resulting in live births (%)				63.6	2 / 3	1 / 2				
Percentage of transfers resulting in pregnancies (%)				63.6	2 / 3	1 / 2				
Frozen Embryos from Nondonor Eggs										
Number of cycles				13	6	2	0	0	0	
Number of transfers				13	5	2	0	0	0	
Estimated average number of transfers per retrieval				3.3	5.0					
Average number of embryos transferred				1.5	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)				6 / 18	3 / 10	1 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 13	1 / 5	1 / 2				
Percentage of transfers resulting in singleton live births (%)				3 / 13	1 / 5	1 / 2				
Percentage of transfers resulting in twin live births (%)				0 / 13	1 / 5	0 / 2				
Percentage of transfers resulting in live births (%)				3 / 13	2 / 5	1 / 2				
Percentage of transfers resulting in pregnancies (%)				6 / 13	2 / 5	1 / 2				
Number of Egg/Embryo Banking Cycles				0	0	0	0	0	0	
Donor Eggs				Fresh Embryos ^f			Frozen Embryos ^f			
Number of cycles				0			4			
Number of transfers				0			4			
Average number of embryos transferred							1.0			
Percentage of embryos transferred resulting in implantation (%)							3 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							3 / 4			
Percentage of transfers resulting in singleton live births (%)							3 / 4			
Percentage of transfers resulting in twin live births (%)							0 / 4			
Percentage of transfers resulting in live births (%)							3 / 4			
Percentage of transfers resulting in pregnancies (%)							3 / 4			

CURRENT SERVICES & PROFILE				Current Name: Gundersen Fertility Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	11%	Uterine factor	11%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	20%	Male factor	76%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	29%
				Endometriosis	5%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2014 ART SUCCESS RATES^c

Total number of cycles^d: 185 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	21	8	3	3	0
Percentage of cancellations before retrieval (%)	5.3	0.0	3 / 8	0 / 3	0 / 3	
Average number of embryos transferred	1.9	1.9	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.1	47.8	3 / 8	0 / 3	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	10.5	0 / 10	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.8	14.3	0 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	19.3	19.0	1 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	14.0	4.8	1 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	36.8	28.6	2 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	42.1	38.1	3 / 8	0 / 3	0 / 3	
Outcomes per Transfer						
Number of transfers	39	12	5	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	3 / 12	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.2	4 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	20.5	1 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	53.8	6 / 12	2 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	61.5	8 / 12	3 / 5	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	14	4	0	1	0
Number of transfers	26	12	3	0	1	0
Estimated average number of transfers per retrieval	1.0	1.1	0.4	0.0	1.0	
Average number of embryos transferred	1.7	1.8	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	52.5	40.0	2 / 6		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	6 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.6	6 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	19.2	0 / 12	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	53.8	6 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.4	9 / 12	2 / 3		0 / 1	
Number of Egg/Embryo Banking Cycles						
	12	4	6	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	16			6		
Number of transfers	13			5		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	58.3			4 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13			1 / 5		
Percentage of transfers resulting in singleton live births (%)	4 / 13			1 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 13			1 / 5		
Percentage of transfers resulting in live births (%)	7 / 13			2 / 5		
Percentage of transfers resulting in pregnancies (%)	9 / 13			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services, West Allis

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

2014

Appendix A

Technical Notes



APPENDIX A: TECHNICAL NOTES

Validation of 2014 ART Data

Site visits to assisted reproductive technology (ART) clinics for validation of 2014 ART data were conducted during April through June 2016. For validation of 2014 data, 34 of the 458 reporting clinics were randomly selected after taking into consideration the number of ART cycles performed at each clinic, some cycle and clinic characteristics, and whether the clinic had been selected before. During each validation visit, ART data reported by the clinic to the Centers for Disease Control and Prevention were compared with information documented in medical records.

For each clinic, the fully validated sample included up to 40 cycles resulting in pregnancy and up to 20 cycles not resulting in pregnancy. Up to 10 cycles using donor eggs or embryos were included among the fully validated sample at each clinic. In total, 1,996 ART cycles performed in 2014 across the 34 clinics were randomly

selected for full validation, along with 295 egg or embryo banking cycles selected for partial validation. The full validation included review of 1,300 cycles for which a pregnancy was reported. Among the nondonor cycles, 287 were multiple-fetus pregnancies. In addition, among patients whose cycles were fully validated, we verified the number of ART cycles performed during 2014. For each of these patients, we compared the total number of cycles reported with the total number of cycles in the medical record. If unreported ART cycles were identified in selected medical records, up to 10 of these cycles were also selected for partial validation.

Discrepancy rates are listed on the next pages for validated items of interest. Overall, validation of 2014 ART cycle data indicated that the majority of discrepancy rates were low (less than 4%).

Discrepancy Rates by Data Fields Selected for Validation

Data Field Name	Discrepancy Rate* (Confidence Interval†)	Comments
Patient date of birth	1.3% (0.5–2.1)	For approximately two out of three discrepancies, the difference did not result in changing the age category (Age of Woman).
Cycle intention	1.3% (0.5–2.1)	For approximately two out of three discrepancies, an ART procedure cycle was misreported as an egg/embryo banking cycle.
Cycle cancellation	0.7% (0.1–1.3)	
Number of eggs/ embryos transferred	0.6% (0.1–1.0)	
Outcome of ART treatment (i.e., pregnant or not pregnant)	0.8% (0.2–1.5)	
Number of fetal hearts on ultrasound	1.6% (0.4–2.7)	Of the discrepancies, 15% were misreported as single-fetus pregnancies instead of multiple-fetus pregnancies, whereas 70% were misreported as having one or more fetal hearts when there were none indicated in the medical record.
Pregnancy outcome (for example, miscarriage, live birth, or stillbirth)	3.5% (0.7–6.3)	For approximately 75% of the discrepancies, pregnancy outcome was misreported as a live birth when there was no information on pregnancy outcome in the medical record to confirm the birth.
Date of pregnancy outcome	5.5% (2.4–8.7)	For approximately two out of three discrepancies, there was no information on pregnancy outcome date in the medical record.
Number of infants born	3.0% (0.3–5.6)	For approximately 80% of the discrepancies, one or more live born infants were reported when there were none indicated in the medical record.
Cycle count	2.3% (0.8–3.8)	For approximately 70% of the discrepancies, the clinic reported one less cycle than was found in the medical record. About one out of three of these unreported cycles were canceled and about 90% did not result in a live birth (i.e., success).

Discrepancy Rates by Data Fields Selected for Validation (Cont'd)

Data Field Name	Discrepancy Rate* (Confidence Interval†)	Comments
Patient Diagnosis—Reason for ART		
Tubal factor	2.9% (1.8–3.9)	All reasons for ART were underreported except for unknown factor that, as a reason for ART, was overreported.
Ovulatory dysfunction	3.9% (1.4–6.5)	
Diminished ovarian reserve	4.9% (3.2–6.6)	
Endometriosis	2.0% (1.0–3.0)	
Uterine factor	3.1% (1.3–4.8)	
Male factor	3.1% (1.7–4.6)	
Other factor	4.4% (2.6–6.1)	
Unknown factor	2.7% (1.4–4.1)	

Note: ART = assisted reproductive technology.

* Discrepancy rates estimate the proportion of all ART cycles with differences for a particular data item. The discrepancy rate calculations weight the data from validated cycles to reflect the overall number of cycles performed at each clinic. Thus, findings from larger clinical practices were weighted more heavily than those from smaller practices.

† This table shows a range, called the 95% confidence interval, that conveys the reliability of the discrepancy rate. For a general explanation of confidence intervals, see page 526.

How to Interpret Confidence Intervals for Discrepancy Rates

What is a confidence interval?

Simply speaking, confidence intervals are a useful way to consider margin of error, a statistic often used in voter polls to indicate the range within which a value is likely to be correct (for example, 30% of the voters favor a particular candidate with a margin of error of plus or minus 3.5%).

Why do we need to consider confidence intervals if we already know the exact discrepancy rates for each clinic?

No discrepancy rate or statistic is absolute. Suppose that during validation, a sample of 100 cycles was reviewed, and a discrepancy rate of 15% was determined for a particular data item with a 95% confidence interval of 10%–20%. The 15% discrepancy rate tells us that we estimate the average chance that a discrepancy occurred for the selected data field among all reported cycles to be 15% based on the results of our sample of 100 cycles. However, that estimated discrepancy rate may not match the true discrepancy rate that we would calculate if we were to validate every single cycle during a reporting year.

The 95% confidence interval tells us that we are 95% confident that the true discrepancy rate is between 10% and 20%. In other words, if we were to repeat the process of selecting a sample of 100 cycles many times, calculating the discrepancy rate and 95% confidence interval for each sample, we would expect 95% of the calculated confidence intervals to capture the true discrepancy rate.

2014

Appendix B

Glossary of Terms



APPENDIX B: GLOSSARY OF TERMS

American Society for Reproductive Medicine (ASRM). Professional society whose affiliate organization, the Society for Assisted Reproductive Technology (SART), is composed of clinics and programs that provide ART.

ART (assisted reproductive technology). All treatments or procedures that include the handling of human eggs or embryos to help a woman become pregnant. ART includes but is not limited to in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT), zygote intrafallopian transfer (ZIFT), tubal embryo transfer, egg and embryo cryopreservation, egg and embryo donation, and gestational surrogacy.

ART cycle. An ART cycle starts when a woman begins taking fertility drugs or having her ovaries monitored for follicle production. If eggs are produced, the cycle progresses to egg retrieval. Retrieved eggs are combined with sperm to create embryos. If fertilization is successful, at least one embryo is selected for transfer. If implantation occurs, the cycle may progress to clinical pregnancy and possibly live birth. ART cycles include any process in which (1) an ART procedure is performed, (2) a woman has undergone ovarian stimulation or monitoring with the intent of having an ART procedure, or (3) frozen embryos have been thawed with the intent of transferring them to a woman.

Canceled cycle. An ART cycle in which ovarian stimulation was performed but the cycle was stopped before eggs were retrieved or, in the case of frozen embryo cycles, before embryos were transferred. Cycles are canceled for many reasons: eggs may not develop, the patient may become ill, or the patient may choose to stop treatment.

Cryopreservation. The practice of freezing eggs or embryos from a patient's ART cycle for potential future use.

Diminished ovarian reserve. This diagnosis means that the ability of the ovary to produce eggs is reduced. Reasons include congenital, medical, or surgical causes or advanced age.

Donor egg cycle. An embryo is formed from the egg of one woman (the donor) and then transferred to another woman (the recipient).

Donor embryo. An embryo that is donated by a patient or couple who previously underwent ART treatment and had extra embryos available.

Ectopic pregnancy. A pregnancy in which the fertilized egg implants in a location outside of the uterus—usually in the fallopian tube, the ovary, or the abdominal cavity. Ectopic pregnancy is a dangerous condition that must receive prompt medical treatment.

Egg. A female reproductive cell, also called an oocyte or ovum.

Egg/Embryo banking cycle. An ART cycle started with the intention of freezing (cryopreserving) all resulting eggs or embryos for potential future use.

Egg retrieval (also called oocyte retrieval). A procedure to collect the eggs contained in the ovarian follicles.

Egg transfer (also called oocyte transfer). The transfer of retrieved eggs into a woman's fallopian tubes through laparoscopy. This procedure is used only in GIFT.

Embryo. An egg that has been fertilized by a sperm and has then undergone one or more cell divisions.

Embryo transfer. Placement of embryos into a woman's uterus through the cervix after IVF: in ZIFT, zygotes are placed in a woman's fallopian tube.

Endometriosis. A medical condition that involves the presence of tissue similar to the uterine lining in abnormal locations.

eSET (elective single embryo transfer). Elective single embryo transfer is a procedure in which one embryo, selected from a larger number of available embryos, is placed in the uterus or fallopian tube. The embryo selected for eSET might be a frozen (cryopreserved) embryo from a previous IVF cycle or a fresh embryo selected from a larger number of fresh embryos yielded during the current fresh IVF cycle.

Female factor infertility. Infertility due to ovulatory disturbances, diminished ovarian reserve, pelvic abnormalities affecting the reproductive tract, or other abnormalities of the reproductive system.

Fertility Clinic Success Rate and Certification Act of 1992 (FCSRCA). Law passed by the United States Congress in 1992 requiring all clinics performing ART in the United States to annually report their success rate data to the Centers for Disease Control and Prevention.

Fertilization. The penetration of the egg by the sperm and the resulting combining of genetic material that develops into an embryo.

Fetus. The unborn offspring from the eighth week after conception to the moment of birth.

Follicle. A structure in the ovaries that contains a developing egg.

Fresh eggs, sperm, or embryos. Eggs, sperm, or embryos that have not been frozen. Fresh embryos, however, may have been conceived using either fresh or frozen sperm.

Frozen embryo cycle. An ART cycle in which frozen (cryopreserved) embryos are thawed and transferred to the woman.

Gamete. A reproductive cell, either a sperm or an egg.

Gestational age. The deviation of time from estimated last menstrual period (LMP) to birth. LMP is estimated using the date of retrieval or transfer.

Gestational carrier (also called a gestational surrogate). A woman who gestates, or carries, an embryo that was formed from the egg of another woman with the expectation of returning the infant to its intended parents.

Gestational sac. A fluid-filled structure that develops within the uterus early in pregnancy. In a normal pregnancy, a gestational sac contains a developing fetus.

GIFT (gamete intrafallopian transfer). An ART procedure that involves removing eggs from the woman's ovary and using a laparoscope to place the unfertilized eggs and sperm into the woman's fallopian tube through small incisions in her abdomen.

ICSI (intracytoplasmic sperm injection). A procedure in which a single sperm is injected directly into an egg; this procedure is commonly used to overcome male infertility problems.

Implantation rate. A measurement of ART success when the ART cycle results in an intrauterine clinical pregnancy, defined as the larger of either the number of maximum fetal hearts by ultrasound or maximum infants born, including live births and stillbirths, out of the total number of embryos transferred.

Induced or therapeutic abortion. A procedure used to end a pregnancy.

Infertility. In general, infertility refers to the inability to conceive after 12 months of unprotected intercourse. Women aged 35 and older unable to conceive after 6 months of unprotected intercourse generally are considered infertile for the purpose of initiating medical treatment.

IUI (intrauterine insemination). A medical procedure that involves placing sperm into a woman's uterus to facilitate fertilization. IUI is not considered an ART procedure because it does not involve the manipulation of eggs.

IVF (in vitro fertilization). An ART procedure that involves removing eggs from a woman's ovaries and fertilizing them outside her body. The resulting embryos are then transferred into a woman's uterus through the cervix.

Live birth. The delivery of one or more infants with any signs of life.

Male factor infertility. Any cause of infertility due to low sperm count or problems with sperm function that makes it difficult for a sperm to fertilize an egg under normal conditions.

Miscarriage (also called spontaneous abortion). A pregnancy ending in the spontaneous loss of the embryo or fetus before 20 weeks of gestation.

Multifetal pregnancy reduction. A procedure used to decrease the number of fetuses a woman carries and improve the chances that the remaining fetuses will develop into healthy infants. Multifetal reductions that occur naturally are referred to as spontaneous reductions.

Multiple factor infertility, female and male. A diagnostic category used when one or more female cause of infertility and male factor infertility are diagnosed.

Multiple factor infertility, female only. A diagnostic category used when more than one female cause of infertility but no male factor infertility is diagnosed.

Multiple-fetus pregnancy. A pregnancy with two or more fetuses, determined by the number of fetal hearts observed on an ultrasound.

Multiple-infant birth. A pregnancy that results in the birth of more than one infant.

NASS (National ART Surveillance System). Web-based data collection system used by all ART clinics to report data for each ART procedure to CDC.

Oocyte. The female reproductive cell, also called an egg.

Other causes of infertility. These include immunological problems, chromosomal abnormalities, cancer chemotherapy, and serious illnesses.

Ovarian hyperstimulation syndrome. A possible complication of ovarian stimulation or ovulation induction that can cause enlarged ovaries, a distended abdomen, nausea, vomiting or diarrhea, fluid in the abdominal cavity or chest, breathing difficulties, changes in blood volume or viscosity, and diminished kidney perfusion and function.

Ovarian monitoring. The use of ultrasound, or blood or urine tests to monitor follicle development and hormone production.

Ovarian stimulation. The use of drugs (oral or injected) to stimulate the ovaries to develop follicles and eggs.

Ovulatory dysfunction. A diagnostic category used when a woman's ovaries are not producing eggs normally. It is usually characterized by irregular menstrual cycles reflective of ovaries that are not producing one mature egg each month. It includes polycystic ovary syndrome and multiple ovarian cysts.

PGD/PGS (preimplantation genetic diagnosis or screening). Techniques performed on embryos prior to transfer. PGD is for detecting specific genetic conditions to reduce the risk of passing inherited diseases to children. PGS screens embryos for an abnormal number of chromosomes, which is of special value for women with advanced age, recurrent miscarriages, or failed IVF.

Pregnancy (clinical). A pregnancy documented by ultrasound that shows a gestational sac in the uterus. For ART data reporting purposes, pregnancy is defined as a clinical pregnancy rather than a chemical pregnancy (that is, a positive pregnancy test).

Singleton. A single infant.

Society for Assisted Reproductive Technology (SART). An affiliate of ASRM composed of clinics and programs that provide ART.

Sperm. The male reproductive cell.

Spontaneous abortion. See Miscarriage.

Stillbirth. The birth of an infant that shows no sign of life after 20 or more weeks of gestation.

Stimulated cycle. An ART cycle in which a woman receives oral or injected fertility drugs to stimulate her ovaries to develop follicles that contain mature eggs.

Thawed embryo cycle. Same as frozen embryo cycle.

Tubal factor infertility. A diagnostic category used when the woman's fallopian tubes are blocked or damaged, making it difficult for the egg to be fertilized or for an embryo to travel to the uterus.

Ultrasound. A technique used in ART for visualizing the follicles in the ovaries, the gestational sac, or the fetus.

Unknown cause of infertility. A diagnostic category used when no cause of infertility is found in either the woman or the man.

Unstimulated cycle. An ART cycle in which the woman does not receive drugs to stimulate her ovaries to produce more follicles and eggs. Instead, follicles and eggs develop naturally.

Uterine factor infertility. A structural or functional disorder of the uterus that results in reduced fertility.

ZIFT (zygote intrafallopian transfer). An ART procedure in which eggs are collected from a woman's ovary and fertilized outside her body. A laparoscope is then used to place the resulting zygote into the woman's fallopian tube through a small incision in her abdomen.

Zygote. A fertilized egg before it begins to divide.

2014

Appendix C

ART Clinics



APPENDIX C: ART CLINICS

2014 Reporting Clinics, by State

If the clinic name has changed since 2014, the current name is listed in italics directly under the 2014 name. If the clinic location has changed since 2014, the clinic is listed alphabetically by the current city and state.

Clinic names preceded by the § symbol have reorganized since January 1, 2014. Reorganization is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). Clinic names preceded by the † symbol have closed since January 1, 2014. Contact the NASS Help Desk for further clinic information at 1-888-650-0822 or nass@westat.com.

The accrediting agencies referenced throughout this list are:

- College of American Pathologists, Reproductive Laboratory Accreditation Program (CAP)
- The Joint Commission
- New York State Tissue Bank Program (NYSTB)

NOTE that the Centers for Disease Control and Prevention (CDC) does not oversee any of these accreditation programs. For further information on how to contact accrediting organizations directly, see page 20.

ALABAMA

Alabama Fertility Specialists
2700 Hwy 280, Suite 370E
Birmingham AL 35223
Telephone: (205) 874-0000; Fax: (205) 874-7021
Lab Name: Alabama Fertility Specialists Laboratory
Accreditation: CAP

ART Fertility Program of Alabama
2006 Brookwood Medical Center Dr, Suite 508
Birmingham AL 35209
Telephone: (205) 870-9784; Fax: (205) 870-0698
Lab Name: ART Fertility Program of Alabama IVF/
Andrology Laboratory
Accreditation: CAP

University of Alabama at Birmingham
Reproductive Endocrinology and Infertility
Women and Infants Center-OB/GYN
1700 6th Ave South, Suite 9103
Birmingham AL 35233
Telephone: (205) 996-3130; Fax: (205) 996-3164
Lab Name: University of Alabama at Birmingham
Gamete Biology Laboratory
Accreditation: CAP

Huntsville Reproductive Medicine, PC
20 Hughes Rd, Suite 203
Madison AL 35758
Telephone: (256) 213-2229; Fax: (256) 213-9978
Lab Name: Huntsville Reproductive Medicine, PC
Accreditation: None

Center for Reproductive Medicine
3 Mobile Infirmary Cir, Suite 213
Mobile AL 36607
Telephone: (251) 438-4200; Fax: (251) 438-4211
Lab Name: Center for
Reproductive Medicine-Alabama
Accreditation: CAP

University of South Alabama IVF and ART Program
Reproductive Endocrinology and Infertility Division
251 Cox St, Suite 100
Mobile AL 36604
Telephone: (251) 415-1491; Fax: (251) 415-1552
Lab Name: University of South Alabama IVF &
Andrology Laboratory
Accreditation: CAP

ALASKA

†Peninsula Medical Center
John Nels Anderson, MD
265 N. Binkley St
Soldotna AK 99669
Telephone: (907) 262-4161; Fax: (907) 262-1545
Contact the NASS Help Desk for further
clinic information.

ARIZONA

Troché Fertility Centers
17612 N. 59th Ave, Suite 100
Glendale AZ 85308
Telephone: (602) 993-8636; Fax: (602) 993-2528
Lab Name: Troché Fertility Centers ART Laboratory
Accreditation: CAP

Arizona Reproductive Medicine Specialists
1701 E. Thomas Rd, Bldg 1, Suite 101
Phoenix AZ 85016
Telephone: (602) 343-2767; Fax: (602) 343-2766
Lab Name: Arizona Reproductive Medicine
Specialists Laboratory
Accreditation: CAP

Southwest Fertility Center
3125 N. 32nd St, Suite 200
Phoenix AZ 85018
Telephone: (602) 956-7481; Fax: (602) 956-7591
Lab Name: Southwest Fertility Center Laboratory
Accreditation: CAP

Advanced Fertility Care, PLLC
9819 N. 95th St, Suite 105
Scottsdale AZ 85258
Telephone: (480) 874-2229; Fax: (480) 874-2231
Lab Name: Arizona Advanced
Reproductive Laboratory
Accreditation: CAP

Arizona Associates for Reproductive Health
8573 E. Princess Dr, Suite 101
Scottsdale AZ 85255
Telephone: (480) 946-9900; Fax: (480) 946-9914
Lab Name: Arizona Associates for Reproductive
Health ART Laboratories
Accreditation: CAP

Arizona Center for Fertility Studies
8997 E. Desert Cove Ave, 2nd Floor
Scottsdale AZ 85260
Telephone: (480) 860-4792; Fax: (480) 860-6819
Lab Name: Arizona Center for Fertility
Studies Laboratory
Accreditation: CAP

Boston IVF, The Arizona Center
8901 E. Mountain View Rd, Suite 201
Scottsdale AZ 85258
Telephone: (480) 559-0252; Fax: (480) 661-4141
Lab Name: Boston IVF, The Arizona
Center Laboratory
Accreditation: CAP

IVF Phoenix
9817 N. 95th St, Bldg I, Suite 105
Scottsdale AZ 85258
Telephone: (602) 765-2229; Fax: (602) 493-6641
Lab Name: IVF Phoenix Laboratory
Accreditation: CAP

Fertility Treatment Center
2155 E. Conference Dr, Suite 115
Tempe AZ 85284
Telephone: (480) 831-2445; Fax: (480) 897-1283
Lab Name: Fertility Treatment Center
ART Laboratory
Accreditation: CAP

Arizona Center for Reproductive Endocrinology
and Infertility
5190 E. Farness Dr, Suite 114
Tucson AZ 85712
Telephone: (520) 326-0001; Fax: (520) 326-7451
Lab Name: Arizona Center for Reproductive
Endocrinology and Infertility Laboratory
Accreditation: CAP

Vivere Arizona Reproductive Institute
1775 E. Skyline Dr, Suite 175
Tucson AZ 85718
Telephone: (520) 222-8400; Fax: (520) 219-2351
Lab Name: Vivere Arizona Reproductive
Institute Laboratory
Accreditation: CAP

ARKANSAS

Arkansas Fertility Center
Little Rock Fertility Center
9101 Kanis Rd, Suite 300
Little Rock AR 72205
Telephone: (501) 801-1200; Fax: (501) 801-1207
Lab Name: Arkansas Fertility and
Gynecology Laboratory
Accreditation: CAP

CALIFORNIA

LifeStart Fertility Center
29525 Canwood St, Suite 220
Agoura Hills CA 91301
Telephone: (818) 889-4532; Fax: (818) 889-4536
Lab Name: ART Reproductive Center
Accreditation: CAP

Alta Bates In Vitro Fertilization Program
2999 Regent St, Suite 101A
Berkeley CA 94705
Telephone: (510) 649-0440; Fax: (510) 649-8700
Lab Name: Pacific Fertility Center IVF Laboratory
Accreditation: CAP

Center for Reproductive Health & Gynecology
(CRH&G)
99 N. La Cienega Blvd, Suite 109
Beverly Hills CA 90211
Telephone: (310) 360-7584; Fax: (310) 360-9827
Lab Name: Center for Reproductive Health
& Gynecology
Accreditation: CAP

Southern California Reproductive Center
450 N. Roxbury Dr, Suite 500
Beverly Hills CA 90210
Telephone: (310) 277-2393; Fax: (310) 274-5112
Lab Name: ART Reproductive Center
Accreditation: CAP

Fertility Care of Orange County
203 N. Brea Blvd, Suite 100
Brea CA 92821
Telephone: (714) 256-0777; Fax: (714) 256-0105
Lab Name: FPG Labs of Newport, LLC dba
Ovagen Fertility
Accreditation: CAP

Central California IVF Program
Women's Specialty and Fertility Center
729 N. Medical Center Dr West, Suite 205
Clovis CA 93611
Telephone: (559) 299-7700; Fax: (559) 297-9679
Lab Name: Women's Specialty & Fertility Center
Embryology Laboratory
Accreditation: CAP

California IVF Fertility Center
1550 Drew Ave, Suite 100
Davis CA 95618
Telephone: (530) 771-0177; Fax: (530) 771-0135
Lab Name: California IVF Fertility Center Laboratory
Accreditation: CAP (Pend)

California Center for Reproductive Medicine
477 N. El Camino Real, Suite C310
Encinitas CA 92024
Telephone: (760) 274-2000; Fax: (760) 274-2006
Lab Name: California Center for Reproductive
Sciences Laboratory
Accreditation: CAP

The Fertility Institutes-Los Angeles, New
York, Guadalajara
16030 Ventura Blvd, Suite 404
Encino CA 91436
Telephone: (818) 728-4600; Fax: (818) 728-4616
Lab Name: Offices for Fertility and Reproductive
Medicine, PC
Accreditation: NYSTB
Lab Name: The Fertility Institutes IVF Lab
Accreditation: CAP

HRC Fertility-Encino
15503 Ventura Blvd, Suite 200
Encino CA 91436
Telephone: (818) 788-7288; Fax: (818) 788-5988
Lab Name: HRC Fertility-Encino Laboratory
Accreditation: CAP

Zouves Fertility Center
1241 E. Hillsdale Blvd, Suite 100
Foster City CA 94404
Telephone: (650) 378-1000; Fax: (650) 577-1128
Lab Name: Zouves Fertility Center
Accreditation: CAP

West Coast Fertility Centers
11160 Warner Ave, Suite 411
Fountain Valley CA 92708
Telephone: (714) 513-1399; Fax: (714) 513-1393
Lab Name: West Coast Fertility Centers Laboratory
Accreditation: CAP

Xpert Fertility Care of California
Minh N. Ho, MD, FACOG
11180 Warner Ave, Suite 465
Fountain Valley CA 92708
Telephone: (714) 429-5848; Fax: (619) 286-1474
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

Kaiser Permanente Center for Reproductive Health
39141 Civic Center Dr, Suite 350
Fremont CA 94538
Telephone: (510) 248-6900; Fax: (510) 248-6981
Lab Name: Kaiser Permanente Center for
Reproductive Health
Accreditation: CAP, The Joint Commission

CARE Fertility
1500 E. Chevy Chase Dr, Suite 450
Glendale CA 91206
Telephone: (818) 230-7778; Fax: (818) 484-2424
Lab Name: Care Fertility Laboratory
Accreditation: CAP

Marin Fertility Center
1100 S. Eliseo Dr, Suite 107
Greenbrae CA 94904
Telephone: (415) 925-9404; Fax: (415) 484-7045
Lab Name: MFC Lab, Inc.
Accreditation: None

Coastal Fertility Medical Center, Inc.
15500 Sand Canyon Ave, Suite 100
Irvine CA 92618
Telephone: (949) 726-0600; Fax: (949) 726-0601
Lab Name: Coastal Fertility Medical Center, Inc.,
Reproductive Specialty Laboratories
Accreditation: CAP

Fertility Center of Southern California
2192 Martin St, Suite 110
Irvine CA 92612
Telephone: (949) 955-0072; Fax: (949) 955-0077
Lab Name: FPG Labs of Newport, LLC dba
Ovagen Fertility
Accreditation: CAP

Life IVF Center
3500 Barranca Pkwy, Suite 300
Irvine CA 92606
Telephone: (949) 788-1133; Fax: (949) 788-1136
Lab Name: Life IVF Center Embryology Lab
Accreditation: CAP

Reproductive Fertility Center-OC
16300 Sand Canyon Ave, Suite 901
Irvine CA 92618
Telephone: (949) 453-8600; Fax: (949) 453-8601
Lab Name: Reproductive Fertility Center
Embryology Laboratory
Accreditation: CAP

Loma Linda University Center for Fertility and IVF
Department of Gynecology and Obstetrics
11370 Anderson St, Suite 3950
Loma Linda CA 92354
Telephone: (909) 558-2851; Fax: (909) 558-2450
Lab Name: Loma Linda University Health Care
Fertility Science Laboratory
Accreditation: CAP

California Fertility Partners
11818 Wilshire Blvd, Suite 300
Los Angeles CA 90025
Telephone: (310) 828-4008; Fax: (310) 828-3310
Lab Name: California Fertility Partners Reproductive
Technology Laboratories
Accreditation: CAP

Cedars Sinai Medical Center
Center for Fertility and Reproductive Medicine
444 S. San Vicente Blvd, Suite 1002
Los Angeles CA 90048
Telephone: (310) 423-9964; Fax: (310) 423-9777
Lab Name: ART Reproductive Center
Accreditation: CAP

CHA Fertility Center
5455 Wilshire Blvd, Suite 1904
Los Angeles CA 90036
Telephone: (323) 525-3377; Fax: (323) 525-3376
Lab Name: CHA Fertility Center Laboratory
Accreditation: CAP

Pacific Fertility Center-Los Angeles
10921 Wilshire Blvd, Suite 700
Los Angeles CA 90024
Telephone: (310) 209-7700; Fax: (310) 209-7799
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP

UCLA Fertility Center
Department of Obstetrics and Gynecology
200 Medical Plaza, Suite 220
Los Angeles CA 90095
Telephone: (310) 825-9500; Fax: (310) 825-2168
Lab Name: ART Reproductive Center
Accreditation: CAP

USC Reproductive Endocrinology and Infertility
1127 Wilshire Blvd, Suite 1400
Los Angeles CA 90017
Telephone: (213) 975-9990; Fax: (213) 975-9997
Lab Name: USC Fertility ART Laboratory
Accreditation: CAP

CARE for the Bay Area
555 Knowles Dr, Suite 212
Los Gatos CA 95032
Telephone: (408) 628-0783; Fax: (888) 850-3405
Lab Name: CARE for the Bay Area Laboratory
Accreditation: CAP (Pend)

Innovative Fertility Center
3500 N. Sepulveda Blvd
Manhattan Beach CA 90266
Telephone: (310) 648-2229; Fax: (310) 333-0666
Lab Name: HMR Life Center Laboratory
Accreditation: None

The Fertility and Gynecology Center
Monterey Bay IVF Program
9833 Blue Larkspur Ln
Monterey CA 93940
Telephone: (831) 649-4483; Fax: (831) 649-9010
Lab Name: Fertility and Gynecology Center
Accreditation: CAP

Nova In Vitro Fertilization
2500 Hospital Dr, Bldg 7
Mountain View CA 94040
Telephone: (650) 325-6682; Fax: (650) 968-6682
Lab Name: Nova IVF Laboratory
Accreditation: CAP

HRC Fertility-Orange County
500 Superior Ave, Suite 210
Newport Beach CA 92663
Telephone: (949) 287-5600; Fax: (626) 585-1603
Lab Name: HRC Fertility-Orange County Laboratory
Accreditation: CAP

Newport Fertility Center
20072 S.W. Birch St, Suite 230
Newport Beach CA 92660
Telephone: (949) 222-1290; Fax: (949) 222-1289
Lab Name: FPG Labs of Newport, LLC dba
Ovagen Fertility
Accreditation: CAP
Lab Name: CCRM-OC
Accreditation: CAP

OC Fertility
1401 Avocado Ave, Suite 403
Newport Beach CA 92660
Telephone: (949) 706-2229; Fax: (949) 706-8490
Lab Name: FPG Labs of Newport, LLC dba
Ovagen Fertility
Accreditation: CAP

Reproductive Specialty Medical Center
1441 Avocado Ave, Suite 203
Newport Beach CA 92660
Telephone: (949) 640-7200; Fax: (949) 720-0203
Lab Name: Reproductive Specialty Medical Center
Accreditation: The Joint Commission

Southern California Center for
Reproductive Medicine
361 Hospital Rd, Suite 333
Newport Beach CA 92663
Telephone: (949) 642-8727; Fax: (949) 642-5413
Lab Name: FPG Labs of Newport, LLC dba
Ovagen Fertility
Accreditation: CAP

Lane Fertility Institute
101 Rowland Way, Suite 305
Novato CA 94945
Telephone: (415) 893-0391; Fax: (415) 892-4455
Lab Name: Lane Fertility Institute Laboratory
Accreditation: CAP

American Reproductive Centers
1199 N. Indian Canyon Dr
Palm Springs CA 92262
Telephone: (760) 346-4334; Fax: (760) 346-3663
Lab Name: American Reproductive Center-Palm
Springs Laboratory
Accreditation: CAP (Pend)

Bay In Vitro Fertilization Center for
Reproductive Medicine
1681 El Camino Real
Palo Alto CA 94306
Telephone: (650) 322-0500; Fax: (650) 322-5404
Lab Name: Bay IVF Center for Reproductive
Medicine Laboratory
Accreditation: CAP

§Stanford Fertility and Reproductive
Medicine Center
Stanford Medicine Fertility & Reproductive Health
900 Welch Rd, Suite 350
Palo Alto CA 94304
Telephone: (650) 723-3861; Fax: (650) 725-4463
Lab Name: Lucille Salter Packard Children's
Hospital at Stanford Laboratory
Accreditation: CAP, The Joint Commission

HRC Fertility-Pasadena
333 S. Arroyo Pkwy, 3rd Floor
Pasadena CA 91105
Telephone: (626) 440-9161; Fax: (626) 585-1603
Lab Name: HRC Fertility-Pasadena Laboratory
Accreditation: CAP

Reproductive Partners-Beverly Hills, Redondo
Beach & Westminster
510 N. Prospect Ave, Suite 202
Redondo Beach CA 90277
Telephone: (310) 318-3010; Fax: (310) 798-7304
Lab Name: Reproductive Partners Medical Group,
Inc.-Redondo Beach
Accreditation: CAP

Northern California Fertility Medical Center
1130 Conroy Ln, Suite 100
Roseville CA 95661
Telephone: (916) 773-2229; Fax: (916) 773-8391
Lab Name: Northern California Fertility Medical
Center Laboratory
Accreditation: CAP

Kaiser Permanente Center for
Reproductive Health-Sacramento
1650 Response Rd, Suite 1A
Sacramento CA 95815
Telephone: (916) 614-5134; Fax: (916) 614-5045
Lab Name: Kaiser Permanente Center for
Reproductive Health-Sacramento
Accreditation: CAP

Fertility Specialists Medical Group
8010 Frost St, Plaza Level
San Diego CA 92123
Telephone: (858) 505-5500; Fax: (858) 505-5555
Lab Name: San Diego Center for Reproductive
Surgery Laboratory
Accreditation: CAP

Naval Medical Center San Diego Infertility
34800 Bob Wilson Dr
San Diego CA 92134
Telephone: (619) 532-5363; Fax: (619) 532-5448
Lab Name: Reproductive Partners Medical Group,
Inc., Laboratory-La Jolla
Accreditation: CAP
Lab Name: SDFC IVF & Andrology Laboratories
Accreditation: CAP

§San Diego Fertility Center
11515 El Camino Real, Suite 100
San Diego CA 92130
Telephone: (858) 794-6363; Fax: (858) 794-6360
Lab Name: SDFC IVF & Andrology Laboratories
Accreditation: CAP

Williams OB/GYN & Associates
1334 W. Covina Blvd, Suite 102
San Dimas CA 91773
Telephone: (909) 599-8677; Fax: (909) 592-0999
Lab Name: Williams OB/GYN &
Associates Laboratory
Accreditation: None

Laurel Fertility Care
1700 California St, Suite 570
San Francisco CA 94109
Telephone: (415) 673-9199; Fax: (415) 673-8796
Lab Name: Laurel Fertility Care Laboratory
Accreditation: CAP

Pacific Fertility Center
55 Francisco St, Suite 500
San Francisco CA 94133
Telephone: (415) 834-3000; Fax: (415) 834-3080
Lab Name: Pacific Fertility Center IVF Laboratory
Accreditation: CAP

UCSF Center for Reproductive Health
499 Illinois St, 6th Floor
San Francisco CA 94158
Telephone: (415) 353-3040; Fax: (415) 353-7744
Lab Name: UCSF Center for Reproductive
Health Laboratory
Accreditation: CAP, The Joint Commission

Palo Alto Medical Foundation Fertility Physicians of
Northern California
2581 Samaritan Dr, Suite 302
San Jose CA 95124
Telephone: (408) 356-5000; Fax: (408) 355-1665
Lab Name: PAMF for Healthcare Research &
Education, IVF Laboratory
Accreditation: CAP

Alex Steinleitner, MD
35 Casa St, Suite 260
San Luis Obispo CA 93405
Telephone: (805) 543-2228; Fax: (805) 269-0226
Lab Name: ART Reproductive Center
Accreditation: CAP

Reproductive Science Center of the San Francisco
Bay Area
100 Park Pl, Suite 200
San Ramon CA 94583
Telephone: (925) 867-1800; Fax: (925) 820-2279
Lab Name: Reproductive Science Center of the San
Francisco Bay Area Laboratory
Accreditation: CAP

Santa Barbara Fertility Center
536 E. Arrellaga St, Suite 201
Santa Barbara CA 93103
Telephone: (805) 965-3400; Fax: (805) 965-1222
Lab Name: Santa Barbara Fertility
Center Laboratory
Accreditation: CAP

Santa Monica Fertility
2825 Santa Monica Blvd, Suite 100
Santa Monica CA 90404
Telephone: (866) 991-1990; Fax: (310) 566-1485
Lab Name: Assisted Reproduction Laboratory
Accreditation: CAP

Santa Monica UCLA GYN Subspecialties Group
1450 Tenth St, Suite 404
Santa Monica CA 90401
Telephone: (310) 451-8144; Fax: (310) 451-3414
Lab Name: ART Reproductive Center
Accreditation: CAP
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP
Lab Name: Assisted Reproduction Laboratory
Accreditation: CAP

Advanced Fertility Associates Medical Group, Inc.
1111 Sonoma Ave, Suite 214
Santa Rosa CA 95405
Telephone: (707) 575-5831; Fax: (707) 575-4379
Lab Name: Advanced Fertility Associates Medical
Group, Inc., Laboratory
Accreditation: CAP

Valley Center for Reproductive Health
Tina Koopersmith, MD
13320 Riverside Dr, Suite 220
Sherman Oaks CA 91423
Telephone: (818) 986-1648; Fax: (818) 986-1653
Lab Name: ART Reproductive Center
Accreditation: CAP
Lab Name: HRC Fertility-Encino Laboratory
Accreditation: CAP

The Center for Fertility and Gynecology
Vermesh Center for Fertility
18370 Burbank Blvd, Suite 301
Tarzana CA 91356
Telephone: (818) 881-9800; Fax: (818) 881-1857
Lab Name: A.R.T. Medical Group, Inc., Laboratory
Accreditation: CAP

Tree of Life Center for Fertility
Snunit Ben-Ozer, MD
18370 Burbank Blvd, Suite 511
Tarzana CA 91356
Telephone: (818) 344-8522; Fax: (818) 344-8521
Lab Name: ART Reproductive Center
Accreditation: CAP

Fertility and Surgical Associates of California
325 Rolling Oaks Dr, Suite 110
Thousand Oaks CA 91361
Telephone: (805) 778-1122; Fax: (805) 778-0855
Lab Name: Fertility and Surgical Associates of
California IVF Laboratory
Accreditation: CAP

Pacific Reproductive Center
3720 Lomita Blvd, Suite 200
Torrance CA 90505
Telephone: (310) 376-7000; Fax: (310) 373-0319
Lab Name: Pacific Reproductive Center
IVF Laboratory
Accreditation: CAP

University Fertility Center
23550 Hawthorne Blvd, Suite 210
Torrance CA 90505
Telephone: (310) 378-7445; Fax: (310) 378-7427
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

Reproductive Fertility Center
California Center for Reproductive Health
9201 W. Sunset Blvd, Suite 202
West Hollywood CA 90069
Telephone: (310) 550-1951; Fax: (310) 550-1971
Lab Name: In Vitrotech Labs, Inc.
Accreditation: CAP

COLORADO

For current information for Advanced Reproductive
Medicine, University of Colorado, see Denver, CO

Reproductive Medicine & Fertility Center
265 Parkside Dr, Suite 200
Colorado Springs CO 80910
Telephone: (719) 475-2229; Fax: (719) 475-2227
Lab Name: Reproductive Medicine & Fertility
Center Laboratory
Accreditation: CAP

§Advanced Reproductive Medicine
University of Colorado
3055 Roslyn St, Suite 230
Denver CO 80238
Telephone: (303) 724-8089; Fax: (303) 724-8149
Lab Name: University of Colorado Hospital
IVF Clinical Laboratory, Advanced
Reproductive Medicine
Accreditation: CAP, The Joint Commission

Colorado Reproductive Endocrinology
4600 E. Hale Pkwy, Suite 350
Denver CO 80220
Telephone: (303) 321-7115; Fax: (303) 321-9519
Lab Name: Colorado Reproductive
Endocrinology Laboratory
Accreditation: CAP

Fertile Hope IVF
Albrecht Women's Care Denver IVF
9800 Pyramid Ct, Suite 310
Englewood CO 80112
Telephone: (720) 420-1570; Fax: (866) 657-9471
Lab Name: Rocky Mountain Fertility Laboratory
Accreditation: CAP

Rocky Mountain Center for Reproductive Medicine
1080 E. Elizabeth St
Fort Collins CO 80524
Telephone: (970) 493-6353; Fax: (970) 493-6366
Lab Name: Rocky Mountain Center for Reproductive
Medicine IVF/Embryology Laboratory
Accreditation: CAP

Conceptions Reproductive Associates of Colorado
271 W. County Line Rd
Littleton CO 80129
Telephone: (303) 794-0045; Fax: (303) 794-2054
Lab Name: Conceptions Reproductive Associates of
Colorado Laboratory
Accreditation: CAP

Colorado Center for Reproductive Medicine
10290 RidgeGate Cir
Lone Tree CO 80124
Telephone: (303) 788-8300; Fax: (303) 788-8310
Lab Name: Fertility Laboratories of Colorado
Accreditation: CAP

Rocky Mountain Fertility Center
9235 Crown Crest Blvd, Suite 250
Parker CO 80138
Telephone: (303) 999-3877; Fax: (303) 996-6836
Lab Name: Rocky Mountain Fertility Laboratory
Accreditation: CAP

CONNECTICUT

CT Fertility
4920 Main St, Suite 301
Bridgeport CT 06606
Telephone: (203) 373-1200; Fax: (203) 365-6516
Lab Name: Connecticut Fertility
Associates Laboratory
Accreditation: CAP

The Center for Advanced Reproductive Services
2 Batterson Park Rd
Farmington CT 06032
Telephone: (844) 467-3483; Fax: (860) 838-6481
Lab Name: Lab at the Center for Advanced
Reproductive Services
Accreditation: CAP

Greenwich Fertility and IVF Center, PC
55 Holly Hill Ln, Suite 270
Greenwich CT 06830
Telephone: (203) 863-2990; Fax: (203) 863-2980
Lab Name: Greenwich Fertility and IVF Center,
PC Laboratory
Accreditation: NYSTB

Yale Fertility Center
150 Sargent Dr, 2nd Floor
New Haven CT 06511
Telephone: (203) 785-4708; Fax: (203) 764-5911
Lab Name: Yale University School of Medicine, Yale
Fertility Center IVF Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Connecticut
761 Main Ave, Suite 200
Norwalk CT 06852
Telephone: (203) 750-7400; Fax: (203) 846-9579
Lab Name: Reproductive Medicine Associates of
Connecticut Laboratory
Accreditation: CAP

New England Fertility Institute
1275 Summer St, Suite 201
Stamford CT 06905
Telephone: (203) 325-3200; Fax: (203) 323-3130
Lab Name: New England Fertility
Institute Laboratory
Accreditation: CAP

The Stamford Hospital
30 Shelburne Rd
Stamford CT 06904
Telephone: (203) 276-7559; Fax: (203) 276-7259
Lab Name: New England Fertility
Institute Laboratory
Accreditation: CAP

†Women's Fertility Center
1290 Summer St, Suite 2500
Stamford CT 06905
Telephone: (203) 286-6810; Fax: (203) 286-6811
Contact the NASS Help Desk for further
clinic information.

Park Avenue Fertility and Reproductive Medicine
5520 Park Ave, Suite 103
Trumbull CT 06611
Telephone: (203) 372-6700; Fax: (203) 372-6706
Lab Name: Park Avenue Fertility and
Reproductive Medicine
Accreditation: CAP

DELAWARE

Delaware Institute for Reproductive Medicine, PA
Medical Arts Pavilion 1
4745 Ogletown-Stanton Rd, Suite 111
Newark DE 19713
Telephone: (302) 738-4600; Fax: (302) 738-3508
Lab Name: Delaware Institute for Reproductive
Medicine, PA Laboratory
Accreditation: CAP

Reproductive Associates of Delaware
Medical Arts Pavilion 2
4735 Ogletown-Stanton Rd, Suite 3217
Newark DE 19713
Telephone: (302) 602-8822; Fax: (302) 623-4241
Lab Name: Reproductive Associates of
Delaware Laboratory
Accreditation: CAP

DISTRICT OF COLUMBIA

Columbia Fertility Associates
2440 M St N.W., Suite 401
Washington DC 20037
Telephone: (202) 293-6567; Fax: (202) 778-6190
Lab Name: Columbia Fertility Associates Laboratory
Accreditation: The Joint Commission

George Washington University Medical
Faculty Associates
Fertility and IVF Center
2150 Pennsylvania Ave N.W., Suite 6-300
Washington DC 20037
Telephone: (202) 741-2520; Fax: (202) 741-2519
Lab Name: Medical Faculty Associates,
Inc., Laboratory
Accreditation: CAP

James A. Simon, MD, PC
1850 M St N.W., Suite 450
Washington DC 20036
Telephone: (202) 293-1000; Fax: (202) 463-6150
Lab Name: Columbia Fertility Associates Laboratory
Accreditation: The Joint Commission

FLORIDA

BocaFertility
875 Meadows Rd, Suite 334
Boca Raton FL 33486
Telephone: (561) 368-5500; Fax: (561) 368-4793
Lab Name: Boca Fertility Laboratory
Accreditation: CAP

Palm Beach Fertility Center
7015 Beracasa Way, Suite 201
Boca Raton FL 33433
Telephone: (561) 477-7728; Fax: (561) 477-7035
Lab Name: Palm Beach Fertility Center Laboratory
Accreditation: The Joint Commission

Florida Fertility Institute
2454 N. McMullen Booth Rd, Suite 601
Clearwater FL 33759
Telephone: (727) 796-7705; Fax: (727) 726-6062
Lab Name: Florida Fertility Institute
Accreditation: The Joint Commission

†Infertility and Reproductive Medicine of
South Broward
9900 Stirling Rd, Suite 300
Cooper City FL 33024
Telephone: (954) 432-2228; Fax: (954) 432-7277
Contact the NASS Help Desk for further
clinic information.

Southwest Florida Fertility Center, PA
15730 New Hampshire Ct, Suite 101
Fort Myers FL 33908
Telephone: (239) 561-3430; Fax: (239) 561-6980
Lab Name: Southwest Florida Fertility Center, PA
Accreditation: The Joint Commission

Specialists in Reproductive Medicine and
Surgery, PA
Embryo Donation International, PL
12611 World Plaza Ln, Bldg 53
Fort Myers FL 33907
Telephone: (239) 275-8118; Fax: (239) 275-5914
Lab Name: Specialists in Reproductive Medicine &
Surgery/Embryo Donation International
Accreditation: The Joint Commission

UF Health Reproductive Medicine at Springhill
4037 N.W. 86th Terrace, 1st Floor
Gainesville FL 32606
Telephone: (352) 265-6200; Fax: (352) 594-1676
Lab Name: University of Florida IVF and
Andrology Lab
Accreditation: CAP

Assisted Fertility Program
3627 University Blvd South, Suite 450
Jacksonville FL 32216
Telephone: (904) 398-1473; Fax: (904) 399-3634
Lab Name: Assisted Fertility Program Laboratory
Accreditation: CAP

Brown Fertility
14540 Old Saint Augustine Rd, Bldg 2, Suite 2497
Jacksonville FL 32258
Telephone: (904) 260-0352; Fax: (904) 260-0353
Lab Name: Brown Fertility Laboratory
Accreditation: None

Florida Institute for Reproductive Medicine
836 Prudential Dr, Suite 902
Jacksonville FL 32207
Telephone: (904) 399-5620; Fax: (904) 399-5645
Lab Name: Florida Institute for Reproductive
Medicine IVF Laboratory
Accreditation: CAP

Jacksonville Center for Reproductive Medicine
7051 Southpoint Pkwy, Suite 200
Jacksonville FL 32216
Telephone: (904) 493-2229; Fax: (904) 396-4546
Lab Name: North Florida Reproductive
Biology Laboratory
Accreditation: CAP

IVF Florida Reproductive Associates
2960 N. State Rd 7, Suite 300
Margate FL 33063
Telephone: (954) 247-6235; Fax: (954) 247-6296
Lab Name: IVF Florida Reproductive
Associates Laboratory
Accreditation: CAP

Viera Fertility Center
Fertility and Reproductive Medicine Center
for Women
3160 Alzante Cir
Melbourne FL 32940
Telephone: (321) 751-4673; Fax: (321) 751-4567
Lab Name: Viera Fertility Center
Accreditation: The Joint Commission

Conceptions Florida: Center for Fertility
and Genetics
4425 Ponce de Leon Blvd, Suite 110
Miami FL 33146
Telephone: (305) 446-4673; Fax: (305) 397-2580
Lab Name: Conceptions Florida: Center for Fertility
& Genetics Laboratory
Accreditation: None

Fertility & IVF Center of Miami, Inc.
8950 N. Kendall Dr, Suite 103
Miami FL 33176
Telephone: (305) 596-4013; Fax: (305) 596-4557
Lab Name: Fertility & IVF Center of Miami Assisted
Reproduction Laboratory
Accreditation: CAP

University of Miami Infertility Center
1400 N.W. 12th Ave, Suite 5
Miami FL 33136
Telephone: (305) 243-8642; Fax: (305) 324-0363
Lab Name: University of Miami Infertility
Center Laboratory
Accreditation: CAP

Center for Reproductive Medicine, PA
3435 Pinehurst Ave
Orlando FL 32804
Telephone: (407) 740-0909; Fax: (407) 740-7262
Lab Name: Center for Reproductive Medicine
IVF Laboratory
Accreditation: CAP, NYSTB

Reproductive Medicine Institute
258 S. Chickasaw Trail, Suite 310
Orlando FL 32825
Telephone: (407) 281-9229; Fax: (407) 207-7180
Lab Name: Reproductive Medicine
Institute Laboratory
Accreditation: CAP (Pend)

New Leaders in Fertility & Endocrinology, LLC
4400 Bayou Blvd, Suite 36
Pensacola FL 32503
Telephone: (850) 857-3733; Fax: (850) 512-1301
Lab Name: New LIFE Laboratory
Accreditation: CAP

Fertility & Genetics
201 N. Pine Island Rd, 2nd Floor
Plantation FL 33324
Telephone: (954) 584-2273; Fax: (954) 587-9630
Lab Name: LIFE Laboratories, LC
Accreditation: The Joint Commission

Fertility Center & Applied Genetics of Florida
6050 Cattleridge Blvd, Suite 103
Sarasota FL 34232
Telephone: (941) 342-1568; Fax: (941) 342-8296
Lab Name: Fertility Center & Applied Genetics of
Florida Laboratory
Accreditation: None

South Florida Institute for Reproductive Medicine
7300 S.W. 62nd Pl, 4th Floor
South Miami FL 33143
Telephone: (305) 662-7901; Fax: (305) 662-7910
Lab Name: South Florida Institute for Reproductive
Medicine Laboratory
Accreditation: CAP

Reproductive Health Associates, PA
Catherine L. Cowart, MD, FACOG
2919 Swann Ave, Suite 307
Tampa FL 33609
Telephone: (813) 872-0018; Fax: (813) 876-1149
Lab Name: Florida Fertility Institute
Accreditation: The Joint Commission

The Reproductive Medicine Group
5245 E. Fletcher Ave, Suite 1
Tampa FL 33617
Telephone: (813) 676-8844; Fax: (813) 676-8815
Lab Name: RMG ART Laboratories, Inc.
Accreditation: CAP

University of South Florida IVF
2 Tampa General Cir, 6th Floor
Tampa FL 33606
Telephone: (813) 259-0962; Fax: (813) 259-0882
Lab Name: University of South Florida IVF
Accreditation: None

F.I.R.S.T.
Florida Institute for Reproductive Sciences
and Technologies
2300 N. Commerce Pkwy, Suite 313
Weston FL 33326
Telephone: (954) 217-3456; Fax: (954) 217-3462
Lab Name: LIFE Laboratories, LC
Accreditation: The Joint Commission

Advanced Reproductive Specialists, LLC
2100 Aloma Ave, Suite 100
Winter Park FL 32792
Telephone: (407) 339-2229; Fax: (407) 339-2039
Lab Name: North Florida Reproductive
Biology Laboratory
Accreditation: CAP
Lab Name: Fertility Center of Orlando
Accreditation: None

Fertility Center of Assisted Reproduction
& Endocrinology
5901 Brick Ct
Winter Park FL 32792
Telephone: (407) 672-1106; Fax: (407) 678-2790
Lab Name: Vivere-Winter Park Fertility
Laboratory, LLC
Accreditation: CAP

GEORGIA

Atlanta Center for Reproductive Medicine
5909 Peachtree Dunwoody Rd, Suite 720
Atlanta GA 30328
Telephone: (770) 928-2276; Fax: (770) 592-2092
Lab Name: Atlanta Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Emory Reproductive Center
550 Peachtree St N.E., Suite 1800
Atlanta GA 30308
Telephone: (404) 778-3401; Fax: (404) 686-4956
Lab Name: Emory Reproductive Center Laboratory
Accreditation: CAP

Georgia Reproductive Specialists, LLC
5445 Meridian Mark Rd, Suite 270
Atlanta GA 30342
Telephone: (404) 843-2229; Fax: (404) 843-0812
Lab Name: Georgia Reproductive Specialists
Accreditation: The Joint Commission

Reproductive Medicine and Infertility Associates
810 Chafee Ave
Augusta GA 30904
Telephone: (706) 722-4434; Fax: (706) 722-9647
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP

Servy Massey Fertility Institute
Servy Institute for Reproductive Endocrinology
812 Chafee Ave
Augusta GA 30904
Telephone: (706) 724-0228; Fax: (706) 722-2387
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP

Columbus Center for Reproductive Endocrinology
and Infertility, LLC
2323 Whittlesey Rd
Columbus GA 31909
Telephone: (706) 653-6344; Fax: (706) 653-8933
Lab Name: Columbus Center for Reproductive
Endocrinology & Infertility Laboratory
Accreditation: CAP

Reproductive Biology Associates
1100 Johnson Ferry Rd N.E., Suite 200
Sandy Springs GA 30342
Telephone: (404) 843-3064; Fax: (404) 256-1528
Lab Name: Reproductive Biology
Associates Laboratory
Accreditation: The Joint Commission

The Georgia Center for Reproductive Medicine
5354 Reynolds St, Suite 510
Savannah GA 31405
Telephone: (912) 352-8588; Fax: (912) 352-8893
Lab Name: The Georgia Center for
Reproductive Medicine
Accreditation: CAP

HAWAII

Advanced Reproductive Center of Hawaii
1319 Punahou St, Suite 510
Honolulu HI 96826
Telephone: (808) 949-6611; Fax: (808) 949-6610
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP

Advanced Reproductive Medicine & Gynecology of
Hawaii, Inc.
1401 S. Beretania St, Suite 250
Honolulu HI 96814
Telephone: (808) 545-2800; Fax: (808) 262-3744
Lab Name: Fertility Institute of Hawaii Laboratory
Accreditation: CAP, NYSTB

IVF Hawaii
1329 Lusitana St, Suite 607
Honolulu HI 96813
Telephone: (808) 538-6655; Fax: (808) 537-5500
Lab Name: IVF Hawaii Laboratory
Accreditation: CAP

Pacific In Vitro Fertilization Institute
Kapi`olani Medical Center for Women and Children
1319 Punahou St, Suite 980
Honolulu HI 96826
Telephone: (808) 946-2226; Fax: (808) 943-1563
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP

Tripler Army Medical Center IVF Institute
Department of OB/GYN
1 Jarrett White Rd
Tripler AMC HI 96859
Telephone: (808) 433-5954; Fax: (808) 433-1552
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP
Lab Name: Fertility Institute of Hawaii Laboratory
Accreditation: CAP, NYSTB

IDAHO

Idaho Center for Reproductive Medicine
111 Main St, Suite 100
Boise ID 83702
Telephone: (208) 342-5900; Fax: (208) 342-2088
Lab Name: Idaho Center for Reproductive Medicine
Accreditation: The Joint Commission, NYSTB

ILLINOIS

Rush-Copley Center for Reproductive Health
2020 Ogden Ave, Suite 250
Aurora IL 60504
Telephone: (630) 978-6254; Fax: (630) 499-2487
Lab Name: Rush-Copley Medical Center
Accreditation: The Joint Commission

Center for Reproductive Medicine and Fertility
The University of Chicago
*University of Chicago Medicine Center for
Reproductive Medicine and Fertility*
333 S. Desplaines St, Suite 201
Chicago IL 60661
Telephone: (773) 702-6642; Fax: (773) 702-5848
Lab Name: University of Chicago Medicine, Center
for Reproductive Medicine & Fertility Laboratory
Accreditation: CAP

Fertility Centers of Illinois-River North IVF
900 N. Kingsbury St, River Walk 6
Chicago IL 60610
Telephone: (312) 222-8230; Fax: (847) 724-1649
Lab Name: Fertility Centers of Illinois, River North
IVF Laboratory
Accreditation: CAP

Institute for Human Reproduction (IHR)
409 W. Huron St, Suite 500
Chicago IL 60654
Telephone: (312) 288-6420; Fax: (312) 288-6421
Lab Name: Reproductive Genetics Innovations,
LLC Laboratory
Accreditation: CAP

Northwestern University
675 N. St. Clair St, Suite 14-200
Chicago IL 60611
Telephone: (312) 695-1364; Fax: (312) 472-0226
Lab Name: Northwestern Medical Group IVF &
Andrology Laboratories
Accreditation: CAP

University of Illinois at Chicago IVF Program
1801 W. Taylor St, M/C 652, Suite 4A
Chicago IL 60612
Telephone: (312) 355-2706; Fax: (312) 355-3161
Lab Name: University of Illinois at Chicago
IVF Program
Accreditation: CAP

Women's Health Consultants
1725 W. Harrison St, Suite 408E
Chicago IL 60612
Telephone: (312) 997-2229; Fax: (312) 997-2354
Lab Name: Rush Center for Advanced Reproductive
Care Laboratory
Accreditation: The Joint Commission

Center for Reproductive Health/Joliet IVF
2246 Weber Rd
Crest Hill IL 60403
Telephone: (815) 725-4161; Fax: (815) 725-4341
Lab Name: Center for Reproductive Health, SC/
Joliet IVF, LLC
Accreditation: CAP

Midwest Fertility Center
4333 Main St
Downers Grove IL 60515
Telephone: (630) 810-0212; Fax: (630) 810-1027
Lab Name: Midwest Fertility Center Laboratory
Accreditation: CAP

Chicago Infertility Associates, Ltd.
Alexian Brother's Hospital, Wimmer Bldg
800 Biesterfield Rd, Suite 402
Elk Grove Village IL 60007
Telephone: (847) 545-4733; Fax: (847) 952-7457
Lab Name: Reproductive Genetics Innovations,
LLC Laboratory
Accreditation: CAP
Lab Name: Global IVF Laboratory
Accreditation: None
Lab Name: Fertility and Cryogenics Laboratory
Accreditation: CAP

Davies Fertility & IVF Specialists, SC
2640 Patriot Blvd, Suite 260
Glenview IL 60026
Telephone: (847) 972-0300; Fax: (847) 972-0043
Lab Name: Davies Fertility & IVF Specialists,
SC, Laboratory
Accreditation: CAP (Pend)

Advanced Fertility Center of Chicago
30 Tower Ct, Suite F
Gurnee IL 60031
Telephone: (847) 662-1818; Fax: (847) 662-3001
Lab Name: Advanced Fertility Center of
Chicago Laboratory
Accreditation: CAP

Highland Park IVF Center dba
aParent IVF Center
767 Park Ave West, Suite B400
Highland Park IL 60035
Telephone: (847) 433-9050; Fax: (847) 433-9126
Lab Name: Highland Park IVF Center dba aParent
IVF Laboratory
Accreditation: The Joint Commission

Hinsdale Center for Reproduction
121 N. Elm St
Hinsdale IL 60521
Telephone: (630) 856-3535; Fax: (630) 856-3545
Lab Name: Hinsdale Center for
Reproduction Laboratory
Accreditation: CAP

InVia Fertility Specialists
1585 N. Barrington Rd, Suite 406
Hoffman Estates IL 60169
Telephone: (847) 884-8884; Fax: (847) 884-8093
Lab Name: InVia Fertility Laboratory
Accreditation: CAP

Reena Jabamoni, MD, SC
1585 N. Barrington Rd, Bldg 2, Suite 401
Hoffman Estates IL 60169
Telephone: (847) 843-7090; Fax: (847) 843-0584
Lab Name: Fertility Centers of Illinois, River North
IVF Laboratory
Accreditation: CAP
Lab Name: Reena Jabamoni MD, SC, Laboratory
Accreditation: None

Reproductive Health Specialists, Ltd.
1515 Essington Rd
Joliet IL 60435
Telephone: (815) 730-1100; Fax: (815) 730-1066
Lab Name: Reproductive Health Specialists, Ltd.,
IVF/Andrology Laboratory
Accreditation: CAP

The Advanced IVF Institute
Charles E. Miller, MD, SC & Associates
120 Osler Dr, Suite 100
Naperville IL 60540
Telephone: (630) 428-2229; Fax: (630) 428-0336
Lab Name: Charles E. Miller, MD, SC, Laboratory
Accreditation: CAP

IVF1
3 N. Washington St
Naperville IL 60540
Telephone: (630) 357-6540; Fax: (630) 357-6435
Lab Name: Naperville Fertility Center
Accreditation: CAP

Reproductive Medicine Institute
2425 W. 22nd St, Suite 102
Oak Brook IL 60523
Telephone: (630) 954-0054; Fax: (630) 954-0064
Lab Name: Reproductive Medicine Institute
Accreditation: CAP

Daniel Rostein, MD, SC
2208 Midwest Rd, Suite 102
Oak Brook IL 60523
Telephone: (630) 472-9100; Fax: (630) 472-9101
Lab Name: Reproductive Genetics Innovations,
LLC Laboratory
Accreditation: CAP

Sher Institute for Reproductive
Medicine-Central Illinois
5401 N. Knoxville Ave, Suite 102
Peoria IL 61614
Telephone: (309) 689-0411; Fax: (309) 689-0784
Lab Name: Sher Institute for Reproductive
Medicine-Central Illinois
Accreditation: CAP

Reproductive Health and Fertility Center
973 Featherstone Rd, Suite 100
Rockford IL 61107
Telephone: (815) 986-3737; Fax: (815) 986-3734
Lab Name: Reproductive Health and Fertility
Center Laboratory
Accreditation: CAP

Chicago IVF
5225 Old Orchard Rd, Suite 24A
Skokie IL 60077
Telephone: (866) 483-2446; Fax: (708) 403-5272
Lab Name: Advanced Reproductive Health Centers,
Ltd. IVF Laboratory
Accreditation: CAP

Southern Illinois University School of Medicine
Fertility and IVF Center
751 N. Rutledge St, Suite 0100
Springfield IL 62702
Telephone: (217) 545-2229; Fax: (217) 545-3119
Lab Name: SIU School of Medicine Fertility and IVF
Center Laboratory
Accreditation: CAP

Seth Levrant, MD, PC
Partners in Reproductive Health
16345 S. Harlem Ave, Suite 100
Tinley Park IL 60477
Telephone: (708) 532-7017; Fax: (708) 845-5287
Lab Name: Seth Levrant, MD, PC, In-Vitro Lab
Accreditation: CAP

INDIANA

Midwest Fertility Specialists
12188-A N. Meridian St, Suite 250
Carmel IN 46032
Telephone: (317) 571-1637; Fax: (317) 571-9483
Lab Name: Midwest Fertility Specialists
Accreditation: The Joint Commission

Advanced Reproduction Institute, LLC
Advanced Fertility Group
1222 Professional Blvd
Evansville IN 47714
Telephone: (812) 469-4920; Fax: (812) 469-4930
Lab Name: Advanced Reproduction Institute, LLC
Accreditation: The Joint Commission

Advanced Fertility Group
201 N. Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1300; Fax: (317) 817-1306
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Community Reproductive Endocrinology
7250 Clearvista Dr, Suite 380
Indianapolis IN 46256
Telephone: (317) 621-0600; Fax: (317) 621-0610
Lab Name: Assisted Fertility Services
Accreditation: The Joint Commission

Family Beginnings, PC
8435 Clearvista Pl, Suite 104
Indianapolis IN 46256
Telephone: (317) 595-3665; Fax: (317) 595-3666
Lab Name: Family Beginnings, PC
Accreditation: CAP

Indiana University Hospital
550 N. University Blvd, Room 4921
Indianapolis IN 46202
Telephone: (317) 944-1640; Fax: (317) 944-0869
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

John C. Jarrett, II, MD
American Health Network Reproductive Medicine
Indiana Fertility Institute
10610 N. Pennsylvania St, Suite 101
Indianapolis IN 46280
Telephone: (317) 575-6565; Fax: (317) 575-6575
Lab Name: IVF Indiana Embryology Laboratory
Accreditation: CAP

Reproductive Care of Indiana
201 Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1800; Fax: (317) 817-1810
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Boston IVF at the Women's Hospital
4199 Gateway Blvd, Suite 2600
Newburgh IN 47630
Telephone: (812) 842-4530; Fax: (812) 842-4595
Lab Name: Boston IVF at The Women's
Hospital Laboratory
Accreditation: CAP

Women's Specialty Health Centers, PC
9660 E. 146th St, Suite 300
Noblesville IN 46060
Telephone: (317) 774-1200; Fax: (317) 774-1222
Lab Name: Assisted Fertility Services
Accreditation: The Joint Commission

IOWA

Mid-Iowa Fertility, PC
1371 N.W. 121st St
Clive IA 50325
Telephone: (515) 222-3060; Fax: (515) 222-9563
Lab Name: Mid-Iowa Fertility, PC Laboratory
Accreditation: CAP

University of Iowa Hospitals and Clinics
Center for Advanced Reproductive Care
Department of Obstetrics and Gynecology
200 Hawkins Dr
Iowa City IA 52242
Telephone: (319) 356-8483; Fax: (319) 353-6659
Lab Name: University of Iowa Hospital and Clinics
IVF & Reproductive Testing Laboratory
Accreditation: CAP

KANSAS

Midwest Reproductive Center, PA
Doctors Bldg 1
20375 W. 151st St, Suite 403
Olathe KS 66061
Telephone: (913) 780-4300; Fax: (913) 780-4250
Lab Name: Midwest Reproductive
Center Laboratory
Accreditation: CAP

Center for Advanced Reproductive Medicine
10777 Nall Ave, Suite 200
Overland Park KS 66211
Telephone: (913) 588-2229; Fax: (913) 588-6258
Lab Name: University of Kansas Medical Center
Embryology Laboratory
Accreditation: CAP

Reproductive Resource Center of Greater
Kansas City
12200 W. 106th St, Suite 120
Overland Park KS 66215
Telephone: (913) 894-2323; Fax: (913) 894-0841
Lab Name: Reproductive Resource Center
IVF Laboratory
Accreditation: CAP

The Center for Reproductive Medicine
9300 E. 29th St North, Suite 102
Wichita KS 67226
Telephone: (316) 687-2112; Fax: (316) 687-1260
Lab Name: The Center for Reproductive Medicine,
CRM Laboratories
Accreditation: CAP

KENTUCKY

Bluegrass Fertility Center
1760 Nicholasville Rd, Suite 501
Lexington KY 40503
Telephone: (859) 260-1515; Fax: (859) 260-1425
Lab Name: Bluegrass Fertility Center Laboratory
Accreditation: CAP

Lexington Fertility Center
170 N. Eagle Creek Dr, Suite 101
Lexington KY 40509
Telephone: (859) 277-9763; Fax: (859) 276-2236
Lab Name: Lexington Fertility Center Laboratory
Accreditation: None

Fertility and Endocrine Associates
Louisville Reproductive Center
4123 Dutchmans Ln, Suite 414
Louisville KY 40207
Telephone: (502) 897-2144; Fax: (502) 897-9929
Lab Name: Louisville Reproductive Center
Embryology Laboratory
Accreditation: CAP

Fertility First
Reproductive Endocrine Services
6420 Dutchmans Pkwy, Suite 395
Louisville KY 40205
Telephone: (502) 749-6420; Fax: (502) 749-6426
Lab Name: Boston IVF at The Women's
Hospital Laboratory
Accreditation: CAP

§University of Louisville Physicians OB/GYN &
Women's Health Fertility Center
401 E. Chestnut St, Suite 410
Louisville KY 40202
Telephone: (502) 588-4400; Fax: (502) 588-4315
Lab Name: University of Louisville Physicians
OBGYN & Women's Health Laboratory
Accreditation: CAP

LOUISIANA

§A Woman's Center for Reproductive Medicine
Fertility Answers, LLC-Baton Rouge
500 Rue de La Vie, Suite 510
Baton Rouge LA 70817
Telephone: (225) 926-6886; Fax: (225) 922-3730
Lab Name: Fertility Answers, LLC-Baton
Rouge Laboratory
Accreditation: CAP

Fertility and Women's Health Center of Louisiana
Fertility Answers, LLC-Lafayette
206 E. Farrel Rd
Lafayette LA 70508
Telephone: (337) 989-8795; Fax: (337) 989-8766
Lab Name: Women's and Children's
Hospital Laboratory
Accreditation: The Joint Commission

Fertility Institute of New Orleans
800 N. Causeway Blvd, Suite 2C
Mandeville LA 70448
Telephone: (985) 892-7621; Fax: (985) 892-9245
Lab Name: Fertility Institute of New
Orleans Laboratory
Accreditation: CAP

Audubon Fertility & Reproductive Medicine
4321 Magnolia St
New Orleans LA 70115
Telephone: (504) 891-1390; Fax: (504) 891-1391
Lab Name: Vivere New Orleans Fertility
Laboratory, LLC
Accreditation: CAP

Arklatex Fertility and Reproductive Medicine
2401 Greenwood Rd, Suite A
Shreveport LA 71103
Telephone: (318) 841-5800; Fax: (318) 841-5817
Lab Name: E and A Laboratory, LLC
Accreditation: CAP

MAINE

Boston IVF, The Maine Center
778 Main St, Suite 2
South Portland ME 04106
Telephone: (207) 358-7600; Fax: (207) 761-7019
Lab Name: Boston IVF, The Maine
Center Laboratory
Accreditation: CAP

MARYLAND

The A.R.T. Institute of Washington, Inc.
Walter Reed National Military Medical Center
8901 Wisconsin Ave, Bldg 10, Rm 2104
Bethesda MD 20889
Telephone: (301) 400-2151; Fax: (301) 400-1800
Lab Name: The A.R.T. Institute of Washington,
Inc., Laboratory
Accreditation: CAP

Endrika Hinton, MD
10751 Falls Rd, Suite 302
Lutherville MD 21093
Telephone: (410) 616-7777; Fax: (410) 616-7767
Lab Name: Johns Hopkins IVF ART Laboratory
Accreditation: CAP

Johns Hopkins Fertility Center
10753 Falls Rd, Suite 335
Lutherville MD 21093
Telephone: (410) 847-3650; Fax: (410) 583-2792
Lab Name: Johns Hopkins IVF ART Laboratory
Accreditation: CAP

Montgomery Fertility Center
3202 Tower Oaks Blvd, Suite 370
Rockville MD 20852
Telephone: (301) 946-6962; Fax: (301) 946-6022
Lab Name: Montgomery Fertility Center Laboratory
Accreditation: None

Shady Grove Fertility Reproductive Science Center
15001 Shady Grove Rd, Suite 400
Rockville MD 20850
Telephone: (301) 340-1188; Fax: (301) 340-1612
Lab Name: Shady Grove Fertility Reproductive
Science Center
Accreditation: The Joint Commission, NYSTB

For current information for Montgomery Fertility
Center, see Rockville, MD

Fertility Center of Maryland
110 West Rd, Suite 102
Towson MD 21204
Telephone: (410) 296-6400; Fax: (410) 296-6405
Lab Name: Fertility Center of Maryland Laboratory
Accreditation: The Joint Commission

Shady Grove Fertility RSC-Towson
901 Dulaney Valley Rd, Suite 100
Towson MD 21204
Telephone: (410) 512-8300; Fax: (410) 512-8390
Lab Name: Shady Grove Fertility
RSC-Towson Laboratory
Accreditation: CAP

MASSACHUSETTS

Brigham and Women's Hospital Center for Assisted
Reproductive Technology
75 Francis St, Tower C
Boston MA 02115
Telephone: (617) 732-5570; Fax: (617) 975-0825
Lab Name: Brigham and Women's Hospital Center
for Assisted Reproductive Technology Laboratory
Accreditation: CAP, The Joint Commission

Massachusetts General Hospital Fertility Center
32 Fruit St, Yawkey 10A
Boston MA 02114
Telephone: (617) 726-8868; Fax: (617) 724-8882
Lab Name: Massachusetts General Hospital Fertility
Center Laboratory
Accreditation: CAP

Fertility Solutions, PC dba
Massachusetts Fertility Center, LLC
Fertility Solutions, PC
45 Stergis Way
Dedham MA 02026
Telephone: (781) 326-2451; Fax: (781) 329-2684
Lab Name: Fertility Solutions, PC Laboratory
Accreditation: CAP

Reproductive Science Center
IVF New England
1 Forbes Rd
Lexington MA 02421
Telephone: (781) 674-1200; Fax: (781) 674-2442
Lab Name: IVF New England Laboratory
Accreditation: CAP

§Fertility Centers of New England, Inc.
New England Clinics of Reproductive Medicine, Inc.
20 Pond Meadow Dr, Suite 101
Reading MA 01867
Telephone: (781) 942-7000; Fax: (781) 942-7200
Lab Name: New England Clinic of Reproductive
Medicine, Inc., Laboratory
Accreditation: CAP

Baystate Reproductive Medicine
Tolosky Center
3300 Main St, Suite B
Springfield MA 01199
Telephone: (413) 794-1950; Fax: (413) 794-1857
Lab Name: Baystate Medical Center, Reproductive
Biology Laboratory
Accreditation: CAP

Cardone Reproductive Medicine and Infertility, LLC
2 Main St, Suite 150
Stoneham MA 02180
Telephone: (781) 438-9600; Fax: (781) 438-9601
Lab Name: Boston IVF, Inc.
Accreditation: CAP

Boston IVF
130 Second Ave
Waltham MA 02451
Telephone: (781) 434-6400; Fax: (781) 434-6464
Lab Name: Boston IVF, Inc.
Accreditation: CAP

MICHIGAN

§Center for Reproductive Medicine
University of Michigan Reproductive Endocrinology
and Infertility
475 Market Pl, Suite B
Ann Arbor MI 48108
Telephone: (734) 763-4323; Fax: (734) 763-7682
Lab Name: University of Michigan, Assisted
Reproductive Technologies Laboratories
Accreditation: CAP

Advanced Reproductive Medicine and Surgery, PC
4190 Telegraph Rd, Suite 1500
Bloomfield Hills MI 48302
Telephone: (248) 203-0900; Fax: (248) 203-0902
Lab Name: Michigan Center IVF, PLLC Laboratory
Accreditation: CAP

Michigan Reproductive Medicine
41000 Woodward Ave, Suite 100E
Bloomfield Hills MI 48304
Telephone: (248) 593-6990; Fax: (248) 593-5925
Lab Name: Michigan Reproductive
Medicine Laboratory
Accreditation: CAP

Gago IVF
2250 Genoa Business Park Dr, Suite 110
Brighton MI 48114
Telephone: (810) 227-3232; Fax: (810) 227-3237
Lab Name: Gago IVF Laboratory
Accreditation: CAP (Pend)

Michigan Comprehensive Fertility Center
18181 Oakwood Blvd, Suite 109
Dearborn MI 48124
Telephone: (313) 299-6650; Fax: (313) 299-6658
Lab Name: Michigan Comprehensive Fertility
Center Laboratory
Accreditation: The Joint Commission

Michigan Reproductive & IVF Center, PC
3230 Eagle Park Dr N.E., Suite 100
Grand Rapids MI 49525
Telephone: (616) 988-2229; Fax: (616) 988-2009
Lab Name: Michigan Reproductive & IVF Center,
PC Laboratory
Accreditation: The Joint Commission

†IVF Michigan, PC
3950 S. Rochester Rd, Suite 2300
Rochester Hills MI 48307
Telephone: (248) 844-8845; Fax: (248) 844-9039
Contact the NASS Help Desk for further
clinic information.

Wayne State University Physician Group
University Women's Care
26400 W. 12 Mile Rd, Suite 140
Southfield MI 48034
Telephone: (248) 352-8200; Fax: (248) 356-8255
Lab Name: University Physician Group
Reproductive Laboratory
Accreditation: CAP

§Henry Ford Reproductive Medicine
1500 W. Big Beaver, Suite 105
Troy MI 48064
Telephone: (248) 637-4050; Fax: (248) 637-0115
Lab Name: Henry Ford Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Brenda L. Moskovitz, MD, PC
415 E. Maple Rd, Suite 101
Troy MI 48083
Telephone: (248) 524-1001; Fax: (248) 851-6522
Lab Name: Michigan Reproductive
Medicine Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Michigan
130 Town Center Dr, Suite 106
Troy MI 48084
Telephone: (248) 619-3100; Fax: (248) 619-9031
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP

Michigan Center for Fertility and Women's
Health, PLC
4700 E. 13 Mile Rd
Warren MI 48092
Telephone: (586) 576-0431; Fax: (586) 576-0924
Lab Name: Michigan Center IVF, PLLC Laboratory
Accreditation: CAP

MINNESOTA

The Midwest Center for Reproductive Health, PA
Arbor Lakes Medical Bldg
12000 Elm Creek Blvd North, Suite 350
Maple Grove MN 55369
Telephone: (763) 494-7700; Fax: (763) 494-7706
Lab Name: Midwest Center for Reproductive Health,
Assisted Reproductive Technology
Accreditation: CAP

Center for Reproductive Medicine
Advanced Reproductive Technologies
2828 Chicago Ave South, Suite 400
Minneapolis MN 55407
Telephone: (612) 863-5390; Fax: (612) 863-2697
Lab Name: Center for Reproductive Medicine
Embryology Laboratory
Accreditation: CAP

Mayo Clinic Assisted Reproductive Technologies
200 First St S.W., Charlton 3A
Rochester MN 55905
Telephone: (507) 266-3995; Fax: (507) 284-1774
Lab Name: Mayo Clinic Fertility Testing Laboratory
Accreditation: CAP

Reproductive Medicine & Infertility Associates
Woodbury Medical Arts Bldg
2101 Woodwinds Dr, Suite 100
Woodbury MN 55125
Telephone: (651) 222-6050; Fax: (651) 222-5975
Lab Name: Reproductive Medicine &
Infertility Associates, Reproductive
Biology Laboratory-Woodbury
Accreditation: CAP
Lab Name: Reproductive Medicine &
Infertility Associates, Reproductive
Biology Laboratory-Edina
Accreditation: CAP

MISSISSIPPI

Mississippi Reproductive Medicine, PLLC
1040 River Oaks Dr, Suite 202
Flowood MS 39232
Telephone: (601) 936-3650; Fax: (866) 491-0274
Lab Name: Mississippi Reproductive Medicine,
PLLC Laboratory
Mississippi Reproductive Medicine Laboratory
Accreditation: CAP

University of Mississippi Medical Center
2925 Layfair Dr, Room 146
Flowood MS 39232
Telephone: (601) 984-5330; Fax: (601) 984-6759
Lab Name: University of Mississippi Medical Center
IVF & Andrology Laboratory
Accreditation: CAP

Mississippi Fertility Institute
501 Marshall St, Suite 600
Jackson MS 39202
Telephone: (601) 984-5330; Fax: (601) 984-6759
Lab Name: Mississippi Fertility Institute
Accreditation: None

MISSOURI

Infertility Center of St. Louis
224 S. Woods Mill Rd, Suite 730
Chesterfield MO 63017
Telephone: (314) 576-1400; Fax: (314) 576-1442
Lab Name: St. Luke's Hospital Assisted
Reproductive Technology Laboratory
Accreditation: CAP

Mid-Missouri Reproductive Medicine and
Surgery, Inc.
1506 E. Broadway, Suite 220
Columbia MO 65201
Telephone: (573) 443-4511; Fax: (573) 443-7860
Lab Name: Mid-Missouri Reproductive Medicine
and Surgery, Inc., Laboratory
Accreditation: CAP

Missouri Center for Reproductive Medicine
and Fertility
University of Missouri
Department of Obstetrics, Gynecology and
Women's Health
500 N. Keene St, Suite 203
Columbia MO 65201
Telephone: (573) 817-3101; Fax: (573) 499-6065
Lab Name: University of Missouri, Missouri Center
for Reproductive Medicine and Fertility-ART Lab
Accreditation: CAP

Sher Institute for Reproductive Medicine-St. Louis
555 N. New Ballas Rd, Suite 150
Creve Coeur MO 63141
Telephone: (314) 983-9000; Fax: (314) 983-9023
Lab Name: Sher Institute for Reproductive Medicine
Laboratory-St. Louis
Accreditation: CAP

Midwest Women's Healthcare Specialists
2340 E. Meyer Blvd, Bldg 2, Suite 598
Kansas City MO 64132
Telephone: (816) 444-6888; Fax: (816) 444-8430
Lab Name: Research Medical Center IVF Laboratory
Accreditation: CAP

Fertility Partnership
5401 Veterans Memorial Pkwy, Suite 201
Saint Peters MO 63376
Telephone: (636) 441-7770; Fax: (636) 441-7775
Lab Name: Fertility Partnership Laboratory
Accreditation: None

Center for Reproductive Medicine & Robotic Surgery
522 N. New Ballas Rd, Suite 206
St. Louis MO 63141
Telephone: (314) 473-1285; Fax: (314) 473-1287
Lab Name: Center for Reproductive Medicine &
Robotic Surgery Laboratory
Accreditation: CAP

The Infertility and Reproductive Medicine Center
at Washington University School of Medicine and
Barnes-Jewish Hospital
*Fertility and Reproductive Medicine Center
at Washington University School of Medicine and
Barnes-Jewish Hospital*
4444 Forest Park Ave, Suite 3100
St. Louis MO 63108
Telephone: (314) 286-2400; Fax: (314) 286-2455
Lab Name: Fertility and Reproductive Medicine
Center at Washington University Laboratory
Accreditation: CAP

MONTANA

Billings Clinic
Reproductive Medicine and Fertility Care
1045 N. 30th St
Billings MT 59101
Telephone: (406) 238-2904; Fax: (406) 247-6839
Lab Name: Billings Clinic IVF Laboratory
Accreditation: CAP

NEBRASKA

Reproductive Health Specialists
717 N. 190th Plaza, Suite 2500
Elkhorn NE 68022
Telephone: (402) 815-1915; Fax: (402) 815-1065
Lab Name: Methodist Women's Hospital Andrology/
Embryology Laboratory
Accreditation: CAP

Heartland Center for Reproductive Medicine, PC
7308 S. 142nd St
Omaha NE 68138
Telephone: (402) 717-4200; Fax: (402) 717-4230
Lab Name: Heartland Center for Reproductive
Medicine, PC, Laboratory
Accreditation: CAP

NEVADA

Green Valley Fertility Partners
2510 Wigwam Pkwy, Suite 201
Henderson NV 89074
Telephone: (702) 722-2229; Fax: (702) 778-7672
Lab Name: Green Valley Fertility Partners Laboratory
Accreditation: CAP

Fertility Center of Las Vegas
8851 W. Sahara Ave, Suite 100
Las Vegas NV 89117
Telephone: (702) 254-1777; Fax: (702) 254-1213
Lab Name: Fertility Center of Las Vegas Laboratory
Accreditation: CAP

Red Rock Fertility Center
6420 Medical Center St, Suite 100
Las Vegas NV 89148
Telephone: (702) 262-0079; Fax: (702) 685-6910
Lab Name: Red Rock Fertility Center Laboratory
Accreditation: CAP

§Sher Institute for Reproductive
Medicine-Las Vegas
5320 S. Rainbow Blvd, Suite 300
Las Vegas NV 89118
Telephone: (702) 892-9696; Fax: (702) 794-0283
Lab Name: Sher Institute for Reproductive
Medicine-Las Vegas
Accreditation: CAP

The Nevada Center for Reproductive Medicine
645 Sierra Rose Dr, Suite 205
Reno NV 89511
Telephone: (775) 828-1200; Fax: (775) 828-1785
Lab Name: The Nevada Center for Reproductive
Medicine Laboratory
Accreditation: The Joint Commission

NEW HAMPSHIRE

Dartmouth-Hitchcock Medical Center
Department of Obstetrics and Gynecology
1 Medical Center Dr, 5th Floor
Lebanon NH 03756
Telephone: (603) 653-9240; Fax: (603) 650-0905
Lab Name: Dartmouth-Hitchcock Medical
Center Laboratory
Accreditation: CAP

NEW JERSEY

Sher Institute for Reproductive
Medicine-New Jersey
171 State Route 173, Suite 301
Asbury NJ 08802
Telephone: (908) 781-0666; Fax: (908) 238-5197
Lab Name: Sher Institute for Reproductive
Medicine-New Jersey
Accreditation: CAP

Reproductive Medicine Associates of New Jersey
140 Allen Rd
Basking Ridge NJ 07920
Telephone: (973) 971-4600; Fax: (973) 290-8370
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP

Clifton Low Cost IVF
1033 Route 46 East, Suite 102
Clifton NJ 07013
Telephone: (973) 779-7979; Fax: (973) 246-7299
Lab Name: Diamond Institute for
Infertility Laboratory
Accreditation: CAP

Reproductive Science Center of New Jersey
234 Industrial Way West, Suite A104
Eatontown NJ 07724
Telephone: (732) 918-2500; Fax: (732) 918-2504
Lab Name: Reproductive Science Center of New
Jersey Laboratory
Accreditation: CAP

Center for Advanced Reproductive Medicine
& Fertility
Four Ethel Rd, Suite 405A
Edison NJ 08817
Telephone: (732) 339-9300; Fax: (732) 339-9400
Lab Name: Center for Advanced Reproductive
Medicine & Fertility Laboratory
Accreditation: The Joint Commission

Women's Fertility Center
106 Grand Ave, Suite 400
Englewood NJ 07631
Telephone: (201) 569-6979; Fax: (201) 569-0269
Lab Name: Fertility Institute of New Jersey and New
York Laboratory
Accreditation: CAP

North Hudson I.V.F.
Center for Fertility and Gynecology
385 Sylvan Ave
Englewood Cliffs NJ 07632
Telephone: (201) 871-1999; Fax: (201) 871-1031
Lab Name: North Hudson IVF Laboratory
Accreditation: None

University Reproductive Associates, PC
214 Terrace Ave
Hasbrouck Heights NJ 07604
Telephone: (201) 288-6330; Fax: (201) 288-6331
Lab Name: University Reproductive Associates,
PC, Laboratories
Accreditation: CAP

Shore Institute for Reproductive Medicine
475 Route 70, Suite 201
Lakewood NJ 08701
Telephone: (732) 363-4777; Fax: (732) 363-2004
Lab Name: Shore Area IVF Laboratories, PC
Accreditation: CAP

Delaware Valley OBGYN & Infertility Group, PC
Princeton IVF
2 Princess Rd, Suite C
Lawrenceville NJ 08648
Telephone: (609) 896-0777; Fax: (609) 896-3266
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics Laboratory
Accreditation: CAP

For current information for East Coast Infertility and
IVF, see Shrewsbury, NJ

Institute for Reproductive Medicine and Science
Saint Barnabas Medical Center
94 Old Short Hills Rd, East Wing, Suite 403
Livingston NJ 07039
Telephone: (973) 322-8286; Fax: (973) 322-8890
Lab Name: Institute for Reproductive Medicine and
Science at Saint Barnabas Medical Center
Accreditation: CAP

For current information for Cooper Institute for
Reproductive Hormonal Disorders, see Mount
Laurel, NJ

Delaware Valley Institute of Fertility and Genetics
6000 Sagemore Dr, Suite 6102
Marlton NJ 08053
Telephone: (856) 988-0072; Fax: (856) 988-0056
Lab Name: Delaware Valley Institute of Fertility and
Genetics Reproductive Laboratories
Accreditation: CAP

South Jersey Fertility Center
400 Lippincott Dr, Suite 130
Marlton NJ 08053
Telephone: (856) 596-2233; Fax: (856) 596-2411
Lab Name: South Jersey Fertility Center
Accreditation: The Joint Commission

Diamond Institute for Infertility
89 Millburn Ave
Millburn NJ 07041
Telephone: (973) 761-5600; Fax: (973) 761-5100
Lab Name: Diamond Institute for
Infertility Laboratory
Accreditation: CAP

Cooper Institute for Reproductive
Hormonal Disorders
17000 Commerce Pkwy, Suite C
Mount Laurel NJ 08054
Telephone: (856) 751-5575; Fax: (856) 751-7289
Lab Name: Cooper Institute for Reproductive
Hormonal Disorders
Accreditation: CAP

Valley Hospital Fertility Center
The Robert and Audrey Luckow Pavilion
1 Valley Health Plaza, 1st Floor
Paramus NJ 07652
Telephone: (201) 634-5400; Fax: (201) 634-5506
Lab Name: Valley Hospital Fertility
Center Laboratory
Accreditation: CAP

East Coast Infertility and IVF
Damien Fertility Partners
655 Shrewsbury Ave, Suite 300
Shrewsbury NJ 07702
Telephone: (732) 758-6511; Fax: (732) 758-0148
Lab Name: Damien Fertility Partners Laboratory
Accreditation: CAP

Louis R. Manara, DO
200 Route 73, Suite A
Voorhees NJ 08043
Telephone: (856) 767-0009; Fax: (856) 767-0990
Lab Name: Center for Reproductive Medicine and
Fertility Laboratory
Accreditation: CAP

Fertility Institute of New Jersey and New York
400 Old Hook Rd, Suite 2-3
Westwood NJ 07675
Telephone: (201) 666-4200; Fax: (201) 666-2262
Lab Name: Fertility Institute of New Jersey and New York Laboratory
Accreditation: CAP

NEW MEXICO

Center for Reproductive Medicine of New Mexico
Presbyterian Professional Bldg
201 Cedar St S.E., Suite S1-20
Albuquerque NM 87106
Telephone: (505) 247-3333; Fax: (505) 217-1171
Lab Name: Center for Reproductive Medicine of New Mexico Laboratory
Accreditation: CAP

NEW YORK

The Fertility Institute at New York Methodist Hospital
506 6th St, KP4
Brooklyn NY 11215
Telephone: (718) 780-5065; Fax: (718) 780-5085
Lab Name: The Fertility Institute at New York Methodist Hospital
Accreditation: NYSTB

Genesis Fertility & Reproductive Medicine
6010 Bay Pkwy
Brooklyn NY 11204
Telephone: (718) 283-8600; Fax: (718) 283-6580
Lab Name: Brooklyn IVF
Accreditation: NYSTB

Infertility & IVF Medical Associates of Western New York
4510 Main St
Buffalo NY 14226
Telephone: (716) 839-3057; Fax: (716) 839-1477
Lab Name: Infertility & IVF Medical Associates of Western New York, PLLC
Accreditation: NYSTB

Hudson Valley Fertility, PLLC
400 Westage Business Center Dr, Suite 109
Fishkill NY 12524
Telephone: (845) 765-0125; Fax: (845) 765-0128
Lab Name: Hudson Valley Fertility
Accreditation: NYSTB

The New York Fertility Center
42-31 Colden St, Suite 202
Flushing NY 11355
Telephone: (718) 261-9068; Fax: (718) 260-9067
Lab Name: The New York Fertility Center
Accreditation: NYSTB

Montefiore's Institute for Reproductive Medicine and Health
141 S. Central Ave, Suite 201
Hartsdale NY 10530
Telephone: (914) 997-1060; Fax: (914) 997-1099
Lab Name: Montefiore's Institute for Reproductive Medicine and Health Laboratory
Accreditation: CAP, NYSTB

New York Reproductive Wellness
380 N. Broadway Ave, Suite 305
Jericho NY 11753
Telephone: (516) 605-2626; Fax: (516) 605-2624
Lab Name: New York Reproductive Wellness ART Laboratory
Accreditation: NYSTB

Albany IVF Fertility
399 Albany Shaker Rd
Loudonville NY 12211
Telephone: (518) 434-9759; Fax: (518) 436-9822
Lab Name: Albany IVF
Accreditation: NYSTB

North Shore University Hospital
The Center for Human Reproduction
300 Community Dr
Manhasset NY 11030
Telephone: (516) 562-2229; Fax: (516) 562-1710
Lab Name: North Shore University Hospital Center for Human Reproduction Laboratory
Accreditation: CAP, NYSTB

Long Island IVF
8 Corporate Center Dr, Suite 101
Melville NY 11747
Telephone: (631) 752-0606; Fax: (631) 752-0654
Lab Name: Long Island IVF Laboratory
Accreditation: CAP, NYSTB

Reproductive Specialists of New York
200 Old Country Rd, Suite 350
Mineola NY 11501
Telephone: (516) 739-2100; Fax: (516) 739-2179
Lab Name: Reproductive Specialists of New York
Accreditation: NYSTB

Westchester Reproductive Medicine
344 E. Main St, Suite 403
Mt. Kisco NY 10549
Telephone: (914) 218-8955; Fax: (914) 218-8956
Lab Name: American Fertility Services, PC dba
Neway Medical
Accreditation: NYSTB

Advanced Fertility Services
1625 Third Ave
New York NY 10128
Telephone: (212) 369-8700; Fax: (212) 289-8461
Lab Name: Advanced Fertility Services, PC
Accreditation: NYSTB

Brooklyn/Westside Fertility Center
Brooklyn Fertility Center
60 W. 68th St, Suite 1A
New York NY 10023
Telephone: (212) 721-4545; Fax: (212) 721-4598
Lab Name: Brooklyn/Westside Fertility
Center Laboratory
Accreditation: NYSTB

Columbia University Center for Women's
Reproductive Care
1790 Broadway, 2nd Floor
New York NY 10019
Telephone: (646) 756-8282; Fax: (646) 756-8280
Lab Name: Center for Women's Reproductive Care
at Columbia University
Accreditation: NYSTB

Andrew Loucopoulos, MD, PhD
1001 Fifth Ave
New York NY 10028
Telephone: (212) 472-7186; Fax: (212) 472-8606
Lab Name: Manhattan Fertility Services Laboratory
Accreditation: NYSTB

Manhattan Reproductive Medicine
159 E. 74th St, Suite 1C
New York NY 10021
Telephone: (212) 794-0080; Fax: (212) 794-0066
Lab Name: Manhattan Reproductive
Medicine Laboratory
Accreditation: NYSTB

Medical Offices for Human Reproduction
Center for Human Reproduction (CHR)
21 E. 69th St
New York NY 10021
Telephone: (212) 994-4400; Fax: (212) 994-4499
Lab Name: Medical Offices for Human
Reproduction/CHR
Accreditation: NYSTB

Metropolitan Reproductive Medicine, PC
422 West End Ave
New York NY 10024
Telephone: (212) 580-2252; Fax: (212) 580-2258
Lab Name: American Fertility Services, PC dba
Neway Medical
Accreditation: NYSTB

New Hope Fertility Center-West Side
4 Columbus Cir, 4th Floor
New York NY 10019
Telephone: (212) 400-9624; Fax: (212) 489-6294
Lab Name: New Hope Fertility Center Laboratory
Accreditation: NYSTB

New York Fertility Institute
1016 Fifth Ave
New York NY 10028
Telephone: (212) 734-5555; Fax: (212) 734-6059
Lab Name: New York Fertility Institute Laboratory
Accreditation: NYSTB

New York Fertility Services, PC
Batzofin Fertility Services, PC
16 E. 40th St, 2nd Floor
New York NY 10016
Telephone: (212) 679-2289; Fax: (212) 679-2288
Lab Name: Batzofin Fertility Services, PC
Accreditation: The Joint Commission, NYSTB

New York Reproductive Medical Services, PC
133 E. 58th St, Suite 1002
New York NY 10022
Telephone: (212) 317-8700; Fax: (877) 396-8029
Lab Name: Gramercy Fertility Services
Accreditation: NYSTB

Neway Medical
115 E. 57th St, Suite 500
New York NY 10022
Telephone: (212) 750-3330; Fax: (646) 462-3353
Lab Name: American Fertility Services, PC dba
Neway Medical
Accreditation: NYSTB

NYU Fertility Center
660 First Ave, 5th Floor
New York NY 10016
Telephone: (212) 263-8990; Fax: (212) 263-7853
Lab Name: NYU Fertility Center Laboratory
Accreditation: NYSTB

Offices for Fertility and Reproductive Medicine, PC
51 E. 67th St
New York NY 10065
Telephone: (212) 535-5350; Fax: (212) 535-5080
Lab Name: Offices for Fertility and Reproductive
Medicine, PC
Accreditation: NYSTB

Reproductive Medicine Associates of New York, LLP
635 Madison Ave, 10th Floor
New York NY 10022
Telephone: (212) 756-5777; Fax: (212) 756-5770
Lab Name: Reproductive Medicine Associates of
New York, LLP
Accreditation: NYSTB

§Geoffrey Sher, MD, PC
Libera Medical, PLLC
425 Fifth Ave, 3rd Floor
New York NY 10016
Telephone: (646) 792-7476; Fax: (646) 274-0600
Lab Name: Libera Medical, PLLC Laboratory
Accreditation: CAP, NYSTB

Weill Medical College of Cornell University
Center for Reproductive Medicine
1305 York Ave, 6th Floor
New York NY 10021
Telephone: (646) 962-2764; Fax: (646) 962-0359
Lab Name: Weill Medical College of Cornell
University CRMI Laboratory
Accreditation: NYSTB

Rochester Fertility Care, PC
1561 Long Pond Rd, Suite 410
Rochester NY 14626
Telephone: (585) 453-7760; Fax: (585) 453-7771
Lab Name: Rochester Fertility Care
Accreditation: NYSTB

Strong Fertility Center
500 Red Creek Dr, Suite 220
Rochester NY 14623
Telephone: (585) 487-3378; Fax: (585) 334-8998
Lab Name: Strong Fertility Center
Accreditation: NYSTB

Island Reproductive Services, PC
237 Richmond Valley Rd
Staten Island NY 10309
Telephone: (718) 948-6100; Fax: (718) 948-6114
Lab Name: Reproductive Center of Central
New Jersey
Accreditation: The Joint Commission

CNY Fertility Center
195 Intrepid Ln
Syracuse NY 13205
Telephone: (315) 469-8700; Fax: (315) 469-6789
Lab Name: CNY Fertility Center-Latham
Accreditation: NYSTB
Lab Name: CNY Fertility Center-Syracuse
Accreditation: NYSTB

University IVF
SUNY Upstate Medical University
725 Irving Ave, Suite 600
Syracuse NY 13210
Telephone: (315) 464-3929; Fax: (315) 464-4615
Lab Name: University IVF, SUNY Upstate
Medical University
Accreditation: NYSTB

Westchester Fertility and
Reproductive Endocrinology
136 S. Broadway, Suite 100
White Plains NY 10605
Telephone: (914) 949-6677; Fax: (914) 949-5758
Lab Name: Westchester IVF
Accreditation: NYSTB

Gold Coast IVF
Reproductive Medicine and Surgery Center
246 Crossways Park Dr West
Woodbury NY 11797
Telephone: (516) 682-8900; Fax: (516) 682-8901
Lab Name: Gold Coast IVF Laboratory
Accreditation: NYSTB

NORTH CAROLINA

North Carolina Center for Reproductive Medicine
The Talbert Fertility Institute
400 Ashville Ave, Suite 200
Cary NC 27518
Telephone: (919) 233-1680; Fax: (919) 233-1685
Lab Name: North Carolina Center for
Reproductive Medicine, North Carolina
Reproductive Laboratories
Accreditation: CAP

CMC Reproductive Medicine and Infertility
CMC Women's Institute
1025 Morehead Medical Dr, Suite 500
Charlotte NC 28204
Telephone: (704) 355-3153; Fax: (704) 355-9322
Lab Name: Carolinas Medical Center Andrology and
ART Laboratories
Accreditation: CAP

Institute for Assisted Reproduction
1524 E. Morehead St
Charlotte NC 28207
Telephone: (704) 343-3400; Fax: (704) 370-0427
Lab Name: Reproductive Endocrine Associates of
Charlotte, Institute for Assisted Reproduction
Accreditation: CAP

Duke Fertility Center
Duke University Medical Center
5704 Fayetteville Rd
Durham NC 27713
Telephone: (919) 572-4673; Fax: (919) 484-0461
Lab Name: Duke Fertility Center, Assisted
Reproductive Technologies Laboratory
Accreditation: CAP

Womack Army Medical Center
WAMC Mailstop A
2817 Reilly Rd, MCXC-OB
Fort Bragg NC 28310
Telephone: (910) 907-9270; Fax: (910) 907-7825
Lab Name: North Carolina IVF Labs
Accreditation: CAP

†East Carolina University
ECU Women's Physicians
2160 Herbert Ct
Greenville NC 27834
Telephone: (252) 744-3849; Fax: (252) 744-2016
Contact the NASS Help Desk for further
clinic information.

Premier Fertility Center
High Point Regional Health System
2783 NC Hwy 68, Suite 104
High Point NC 27265
Telephone: (336) 841-7070; Fax: (336) 841-7077
Lab Name: Premier Fertility Center Laboratory
Accreditation: CAP

Advanced Reproductive Concepts
9800 W. Kincey Ave, Suite 160
Huntersville NC 28078
Telephone: (704) 947-9000; Fax: (704) 992-1900
Lab Name: Advanced Reproductive Concepts,
PLLC Laboratory
Accreditation: CAP

Atlantic Reproductive Medicine Specialists
10208 Cerny St, Suite 306
Raleigh NC 27617
Telephone: (919) 248-8777; Fax: (919) 248-8776
Lab Name: Atlantic Fertility Center Partners
Accreditation: CAP

Carolina Conceptions, PA
2601 Lake Dr, Suite 301
Raleigh NC 27607
Telephone: (919) 782-5911; Fax: (919) 861-6400
Lab Name: Carolina Conceptions Embryology/
Andrology Laboratory
Accreditation: CAP

UNC Fertility
7920 ACC Blvd, Suite 300
Raleigh NC 27617
Telephone: (919) 908-0000; Fax: (919) 596-6147
Lab Name: UNC Fertility Laboratory
Accreditation: CAP

§Wake Forest University Center for
Reproductive Medicine
Medical Plaza-Miller
131 Miller St, 2nd Floor
Winston-Salem NC 27103
Telephone: (336) 716-6476; Fax: (336) 716-0194
Lab Name: Wake Forest University Center for
Reproductive Medicine Laboratory
Accreditation: CAP

NORTH DAKOTA

Sanford Health Reproductive Medicine Institute
1111 Harwood Dr South
Fargo ND 58104
Telephone: (701) 234-2700; Fax: (701) 234-2783
Lab Name: Sanford Health Reproductive
Medicine Laboratory
Accreditation: CAP

OHIO

Fertility Unlimited, Inc.
Northeastern Ohio Fertility Center
468 E. Market St
Akron OH 44304
Telephone: (330) 376-2300; Fax: (330) 376-4807
Lab Name: Fertility Unlimited, Inc., Laboratory
Accreditation: The Joint Commission

Reproductive Gynecology, Inc.-Akron
95 Arch St, Suite 250
Akron OH 44304
Telephone: (330) 375-7722; Fax: (330) 375-3986
Lab Name: Reproductive Gynecology,
LLC Laboratory-Akron
Accreditation: CAP

Cleveland Clinic Fertility Center
26900 Cedar Rd, Suite 220S
Beachwood OH 44122
Telephone: (216) 839-3150; Fax: (216) 839-3195
Lab Name: Cleveland Clinic Fertility Center
Accreditation: CAP

University Hospitals Fertility Center
Kathy Risman Pavilion
1000 Auburn Dr, Suite 310
Beachwood OH 44122
Telephone: (216) 285-5028; Fax: (216) 201-5388
Lab Name: University Hospitals Fertility
Center Laboratory
Accreditation: CAP

Bethesda Fertility Center
10506 Montgomery Rd, Suite 303
Cincinnati OH 45242
Telephone: (513) 865-1675; Fax: (513) 865-1676
Lab Name: Reproductive Studies Laboratory
Accreditation: The Joint Commission

Institute for Reproductive Health
3805 Edwards Rd, Suite 450
Cincinnati OH 45209
Telephone: (513) 924-5550; Fax: (513) 924-5549
Lab Name: Institute for Reproductive Health
ART Laboratory
Accreditation: CAP

§MetroHealth Medical Center
Department of Obstetrics & Gynecology
2500 MetroHealth Dr
Cleveland OH 44109
Telephone: (216) 778-4444; Fax: (216) 778-8642
Lab Name: Cleveland Clinic Fertility Center
Accreditation: CAP

Ohio Reproductive Medicine
4830 Knightsbridge Blvd, Suite E
Columbus OH 43214
Telephone: (614) 451-2280; Fax: (614) 451-4352
Lab Name: Reproductive Diagnostics Inc.
Accreditation: CAP

§Kettering Reproductive Medicine
3533 Southern Blvd, Suite 4100
Kettering OH 45429
Telephone: (937) 395-8444; Fax: (937) 395-8450
Lab Name: Kettering Medical Center Reproductive
Medicine Laboratory
Accreditation: CAP

The Fertility Wellness Institute of Ohio
6396 Thornberry Ct, Suite 710
Mason OH 45040
Telephone: (513) 326-4300; Fax: (513) 326-4306
Lab Name: UC Center for Reproductive
Health Laboratory
Accreditation: CAP

Center for Reproductive Health
7675 Wellness Way, Suite 315
West Chester OH 45069
Telephone: (513) 475-7600; Fax: (513) 475-7601
Lab Name: UC Center for Reproductive
Health Laboratory
Accreditation: CAP

Reproductive Gynecology, Inc.-Westerville
540 N. Cleveland Ave, Suite 100
Westerville OH 43082
Telephone: (614) 895-3333; Fax: (614) 895-3338
Lab Name: Reproductive Gynecology,
LLC Laboratory-Westerville
Accreditation: CAP

OKLAHOMA

Henry G. Bennett, Jr., Fertility Institute
3433 N.W. 56th St, Bldg B, Suite 200
Oklahoma City OK 73112
Telephone: (405) 949-6060; Fax: (405) 949-6872
Lab Name: Integris Canadian Valley Hospital Lab,
Bennett Fertility Institute Reproductive Services
Accreditation: CAP

OU Physicians Reproductive Medicine
840 Research Pkwy, Suite 200
Oklahoma City OK 73104
Telephone: (405) 271-1616; Fax: (405) 271-9222
Lab Name: OU Reproductive Medicine, Department
of OB/GYN ART Laboratory
Accreditation: CAP

Tulsa Fertility Center
115 E. 15th St
Tulsa OK 74119
Telephone: (918) 584-2870; Fax: (918) 587-3602
Lab Name: Tulsa Fertility Center Laboratory
Accreditation: CAP

OREGON

The Fertility Center of Oregon
590 Country Club Pkwy, Suite A
Eugene OR 97401
Telephone: (541) 683-1559; Fax: (541) 683-1709
Lab Name: Fertility Center of Oregon
Embryology Laboratory
Accreditation: None

Northwest Fertility Center
1750 S.W. Harbor Way, Suite 200
Portland OR 97201
Telephone: (503) 227-7799; Fax: (503) 227-5452
Lab Name: Northwest Fertility Center, Northwest
Reproductive Technologies
Accreditation: CAP

Oregon Reproductive Medicine
808 S.W. 15th Ave
Portland OR 97205
Telephone: (503) 274-4994; Fax: (503) 274-4946
Lab Name: The Reproductive Medicine Laboratory
Accreditation: CAP (Pend)

University Fertility Consultants
Oregon Health & Science University
OHSU Center for Health & Healing
3303 S.W. Bond Ave
Portland OR 97239
Telephone: (503) 418-3700; Fax: (503) 418-3708
Lab Name: Oregon Health & Science
University, Andrology/Embryology
Accreditation: CAP

PENNSYLVANIA

Abington Reproductive Medicine, Abington IVF
and Genetics
Toll Center for Reproductive Sciences
Arches Bldg
1200 Old York Rd, 2nd Floor
Abington PA 19001
Telephone: (215) 887-2010; Fax: (215) 481-7550
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics Laboratory
Accreditation: CAP

Infertility Solutions, PC
1275 S. Cedar Crest Blvd, Suite 3
Allentown PA 18103
Telephone: (610) 776-1217; Fax: (610) 776-4149
Lab Name: Infertility Solutions, PC
Accreditation: None

Reproductive Medicine Associates of Pennsylvania
1401 N. Cedar Crest Blvd, Suite 200
Allentown PA 18104
Telephone: (610) 820-6888; Fax: (610) 820-6818
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP

Family Fertility Center
95 Highland Ave, Suite 100
Bethlehem PA 18017
Telephone: (610) 868-8600; Fax: (610) 868-8700
Lab Name: Family Fertility Center
Accreditation: CAP

Main Line Fertility and Reproductive Medicine
825 Old Lancaster Rd, Suite 170
Bryn Mawr PA 19010
Telephone: (484) 380-4879; Fax: (474) 380-4866
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP

Geisinger Medical Center Fertility Program
100 N. Academy Ave
Danville PA 17822
Telephone: (570) 271-5620; Fax: (570) 271-5629
Lab Name: Geisinger Medical Center ART/
Andrology Laboratory
Accreditation: CAP

Reproductive Endocrinology and Fertility Center
2010 West Chester Pike, Suite 350
Havertown PA 19083
Telephone: (610) 853-1112; Fax: (610) 446-1425
Lab Name: Health Access Network,
Andrology/IVF Laboratory
Accreditation: CAP

Penn State Milton S. Hershey Medical Center
500 University Dr, C3608
Hershey PA 17033
Telephone: (717) 531-8478; Fax: (717) 531-6286
Lab Name: Milton S. Hershey Medical
Center Laboratory
Accreditation: The Joint Commission

Reproductive Medicine Associates of Philadelphia
625 Clark Ave, Suite 17B
King of Prussia PA 19406
Telephone: (215) 654-1544; Fax: (215) 654-1543
Lab Name: Reproductive Medicine Associates
of Philadelphia
Accreditation: The Joint Commission

Fertility and Gynecology Associates
Pine Bldg East
800 Spruce St
Philadelphia PA 19107
Telephone: (215) 829-6385; Fax: (215) 829-6553
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics Laboratory
Accreditation: CAP

Society Hill Reproductive Medicine
822 Pine St, Suite 4B
Philadelphia PA 19107
Telephone: (215) 829-8110; Fax: (215) 829-8119
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP

University of Pennsylvania
Penn Fertility Care
3701 Market St, Suite 730
Philadelphia PA 19104
Telephone: (215) 662-7455; Fax: (215) 615-4304
Lab Name: University of Pennsylvania, Penn Fertility
Care Laboratory
Accreditation: CAP, The Joint Commission

§Jones Institute at West Penn Allegheny
Health System
9335 McKnight Rd, Suite 240
Pittsburgh PA 15237
Telephone: (412) 847-1166; Fax: (412) 847-1168
Lab Name: Jones Institute at West Penn Allegheny
Health System Laboratory
Accreditation: CAP

Reproductive Health Specialists, Inc.
419 Rodi Rd
Pittsburgh PA 15235
Telephone: (412) 731-8000; Fax: (412) 731-8399
Lab Name: Reproductive Health Specialists, Inc.
Accreditation: CAP

University of Pittsburgh Physicians
Center for Fertility and Reproductive Endocrinology
Magee Womens Hospital
300 Halket St, Suite 5150
Pittsburgh PA 15213
Telephone: (412) 641-1600; Fax: (412) 641-7453
Lab Name: Center for Fertility and Reproductive
Endocrinology IVF Laboratory
Accreditation: CAP

For current information for Reproductive
Endocrinology and Fertility Center, see
Havertown, PA

Shady Grove Fertility RSC of Pennsylvania
945 Chesterbrook Blvd
Wayne PA 19087
Telephone: (610) 981-6000; Fax: (610) 964-0536
Lab Name: Shady Grove Fertility RSC of
Pennsylvania Laboratory
Accreditation: CAP, NYSTB

RHPN Women's Clinic & IVF-Fertility
301 S. 7th Ave, Suite 245
West Reading PA 19611
Telephone: (484) 628-7900; Fax: (610) 685-5264
Lab Name: Fertility Medical Labs, Ltd.
Accreditation: CAP

The Fertility Center, LLC
130 Leader Heights Rd
York PA 17403
Telephone: (717) 747-3099; Fax: (717) 747-3214
Lab Name: The Fertility Center, LLC Laboratory
Accreditation: None

PUERTO RICO

Pedro J. Beauchamp, MD IVF Program
Dr. Arturo Cadilla Bldg
100 Paseo San Pablo, Suite 503
Bayamon PR 00959
Telephone: (787) 798-0100; Fax: (787) 740-7250
Lab Name: PR Fertility and Reproductive Center
Accreditation: The Joint Commission

Clinica de Fertilidad HIMA-San Pablo Caguas
Ave Muñoz Rivera, A-1, Suite 303
Caguas PR 00726
Telephone: (787) 704-3434; Fax: (787) 961-4546
Lab Name: Clinica de Fertilidad HIMA-San Pablo
Accreditation: None

GREFI
Gynecology, Reproductive Endocrinology &
Fertility Institute
First Bank Bldg
1519 Ave Ponce de Leon, Suite 705
San Juan PR 00909
Telephone: (787) 721-3544; Fax: (787) 848-0979
Lab Name: GREFI Laboratory-Coto Laurel
Accreditation: None
Lab Name: GREFI Laboratory-San Juan
Accreditation: None

RHODE ISLAND

§Women and Infants' Center for Reproduction
and Infertility
90 Plain St, 5th Floor
Providence RI 02903
Telephone: (401) 453-7500; Fax: (401) 277-3638
Lab Name: Women and Infants Hospital
IVF Laboratory
Accreditation: CAP

SOUTH CAROLINA

Piedmont Reproductive Endocrinology Group, PA
17 Caledon Ct, Suite C
Greenville SC 29615
Telephone: (864) 232-7734; Fax: (864) 232-7099
Lab Name: Piedmont Reproductive Endocrinology
Group, PA Laboratory
Accreditation: CAP

University Medical Group, Department of Obstetrics
and Gynecology
Fertility Center of the Carolinas
890 W. Faris Rd, Suite 470
Greenville SC 29605
Telephone: (864) 455-1608; Fax: (864) 455-8492
Lab Name: Greenville Health System,
Reproductive Endocrinology & Infertility
Accreditation: CAP, The Joint Commission

Coastal Fertility Specialists
1375 Hospital Dr
Mount Pleasant SC 29464
Telephone: (843) 883-5800; Fax: (843) 216-0061
Lab Name: Coastal Fertility Specialists Laboratory
Accreditation: CAP, NYSTB

The Fertility Center of Charleston
1280 Hospital Dr, Suite 300
Mount Pleasant SC 29464
Telephone: (843) 881-7400; Fax: (843) 881-7444
Lab Name: The Fertility Center of Charleston
IVF Laboratory
Accreditation: CAP

Advanced Fertility & Reproductive Endocrinology
2324 Sunset Blvd
West Columbia SC 29169
Telephone: (803) 939-1515; Fax: (803) 939-0977
Lab Name: Advanced Fertility & Reproductive
Endocrinology Laboratory
Accreditation: CAP

SOUTH DAKOTA

Sanford Women's Health
1500 W. 22nd St, MB3, Suite 102B
Sioux Falls SD 57105
Telephone: (605) 328-8800; Fax: (605) 328-8831
Lab Name: Sanford Women's Health Advanced
Reproductive Laboratory
Accreditation: CAP

TENNESSEE

Fertility Center, LLC
7407 Ziegler Rd
Chattanooga TN 37421
Telephone: (423) 899-0500; Fax: (423) 899-2411
Lab Name: Fertility Center, LLC
Accreditation: The Joint Commission

Tennessee Reproductive Medicine
6031 Shallowford Rd, Suite 101
Chattanooga TN 37421
Telephone: (423) 876-2229; Fax: (423) 643-0699
Lab Name: Tennessee Reproductive
Medicine Laboratory
Accreditation: CAP

Quillen Fertility and Women's Services
1319 Sunset Dr, Suite 103
Johnson City TN 37604
Telephone: (423) 439-7246; Fax: (423) 282-4698
Lab Name: ETSU Physicians and Associates,
Quillen Fertility & Women's Services Laboratory
Accreditation: CAP

East Tennessee IVF and Andrology Center
9301 Park West Blvd, Bldg A
Knoxville TN 37923
Telephone: (865) 249-7031; Fax: (865) 588-4510
Lab Name: East Tennessee IVF and
Andrology Center
Accreditation: None

Jeffrey A. Keenan, MD dba
Southeastern Center for Fertility and
Reproductive Surgery
11126 Kingston Pike
Knoxville TN 37934
Telephone: (865) 777-0088; Fax: (865) 777-2015
Lab Name: Jeffrey A. Keenan, MD dba Southeastern
Center for Fertility and Reproductive
Surgery Laboratory
Accreditation: None

Kutteh Ke Fertility Associates of Memphis, PLLC
80 Humphreys Center, Suite 307
Memphis TN 38120
Telephone: (901) 747-2229; Fax: (901) 747-4446
Lab Name: Memphis Fertility Laboratory, Inc.
Accreditation: CAP

Regional One Health Reproductive Medicine
6555 Quince Rd, Suite 501
Memphis TN 38119
Telephone: (901) 515-3100; Fax: (901) 515-3199
Lab Name: Regional One Health Reproductive
Medicine Laboratory
Accreditation: CAP (Pend)

The Center for Reproductive Health
2410 Patterson St, Suite 401
Nashville TN 37203
Telephone: (615) 321-8899; Fax: (615) 321-8877
Lab Name: Fertility Laboratories of Nashville, Inc.
Accreditation: CAP

Nashville Fertility Center
345 23rd Ave North, Suite 401
Nashville TN 37203
Telephone: (615) 321-4740; Fax: (615) 320-0240
Lab Name: FPG Labs of Nashville, LLC
Accreditation: CAP

TEXAS

Austin Fertility and Reproductive
Medicine-Westlake IVF
300 Beardsley Ln, Bldg B, Suite 200
Austin TX 78746
Telephone: (512) 444-1414; Fax: (512) 579-2720
Lab Name: Westlake IVF Laboratory
Accreditation: CAP

Austin Fertility Institute, PA
2200 Park Bend Dr, Bldg 1, Suite 402
Austin TX 78758
Telephone: (512) 339-4234; Fax: (512) 339-4237
Lab Name: New Austin Health, LLC Laboratory
Accreditation: CAP

RMATX.COM, PLLC
RMA of Texas-Austin
911 W. 38th St, Suite 402
Austin TX 78705
Telephone: (512) 479-7979; Fax: (512) 479-7985
Lab Name: RMATX.COM, PLLC Laboratory
Accreditation: CAP

Texas Fertility Center
Vaughn, Silverberg & Associates
6500 N. Mopac Expressway, Bldg 1, Suite 1200
Austin TX 78731
Telephone: (512) 451-0149; Fax: (512) 451-0977
Lab Name: Ovagen Fertility-Austin Laboratory
Accreditation: CAP
Lab Name: San Antonio IVF Laboratory
Accreditation: CAP

Dr. Jeffrey Youngkin
Austin Fertility Center
805 E. 32nd St, Suite 201
Austin TX 78705
Telephone: (512) 478-3188; Fax: (512) 478-5092
Lab Name: Ovagen Fertility-Austin Laboratory
Accreditation: CAP

Center for Assisted Reproduction
1701 Park Place Ave
Bedford TX 76022
Telephone: (817) 540-1157; Fax: (817) 267-0522
Lab Name: Center for Assisted
Reproduction Laboratory
Accreditation: CAP

Dallas-Fort Worth Fertility Associates
5477 Glen Lakes Dr, Suite 200
Dallas TX 75231
Telephone: (214) 363-5965; Fax: (214) 363-0639
Lab Name: Dallas Fertility Center Laboratory
Accreditation: CAP

Fertility and Advanced Reproductive Medicine
Outpatient Bldg
1801 Inwood Rd, Suite 616
Dallas TX 75390
Telephone: (214) 645-3858; Fax: (214) 645-7930
Lab Name: Fertility and Advanced Reproductive
Medicine Laboratory
Accreditation: CAP

Fertility Center of Dallas
Baylor Medical Pavilion
3900 Junius St, Suite 610
Dallas TX 75246
Telephone: (972) 884-5700; Fax: (972) 884-5709
Lab Name: Fertility Center of Dallas Laboratory
Accreditation: CAP

IVF Institute, PA
7777 Forest Ln, Suite C-108
Dallas TX 75230
Telephone: (972) 566-6868; Fax: (972) 566-6860
Lab Name: Vivere Dallas Surgical Center
Fertility Laboratory
Accreditation: CAP

ReproMed Fertility Center
3800 San Jacinto St
Dallas TX 75204
Telephone: (214) 827-8777; Fax: (214) 827-8622
Lab Name: Vivere Dallas Surgical Center
Fertility Laboratory
Accreditation: CAP

§Sher Institute for Reproductive Medicine-Dallas
7777 Forest Ln, Suite C638
Dallas TX 75230
Telephone: (972) 566-6686; Fax: (972) 566-6670
Lab Name: Sher Institute for
Reproductive Medicine-Dallas
Accreditation: CAP

Texas Center for Reproductive Health
Barnett Tower
3600 Gaston Ave, Suite 504
Dallas TX 75246
Telephone: (214) 821-2274; Fax: (214) 821-2373
Lab Name: Texas Center for Reproductive Health
Accreditation: CAP

Southwest Center for Reproductive Health, PA
700 S. Mesa Hills
El Paso TX 79912
Telephone: (915) 842-9998; Fax: (915) 842-9972
Lab Name: Southwest Center for Reproductive Health, PA
Accreditation: None

Brooke Army Medical Center
Department of Obstetrics & Gynecology
3551 Roger Brooke Dr
Fort Sam Houston TX 78234
Telephone: (210) 916-6305; Fax: (210) 916-6350
Lab Name: BAMC IVF Laboratory
Accreditation: CAP

Fort Worth Fertility, PA
1800 Mistletree Blvd
Fort Worth TX 76104
Telephone: (817) 348-8145; Fax: (817) 348-8264
Lab Name: Texas Reproductive Center Laboratory
Accreditation: CAP

Dallas IVF
2840 Legacy Dr, Bldg 1, Suite 100
Frisco TX 75034
Telephone: (214) 297-0027; Fax: (214) 297-0035
Lab Name: Dallas IVF Laboratory
Accreditation: CAP

Fertility Specialists of Texas, PLLC
5757 Warren Pkwy, Suite 300
Frisco TX 75034
Telephone: (214) 618-2044; Fax: (214) 618-7838
Lab Name: Fertility Specialists of Texas Laboratory
Accreditation: CAP

Frisco Institute for Reproductive Medicine
8380 Warren Pkwy, Suite 201
Frisco TX 75034
Telephone: (972) 377-2625; Fax: (972) 377-2667
Lab Name: Frisco IVF Laboratory
Accreditation: CAP

Advanced Fertility Center of Texas
10901 Katy Freeway
Houston TX 77079
Telephone: (713) 467-4488; Fax: (713) 467-9499
Lab Name: Center for Women's Medicine
IVF Laboratory
Accreditation: CAP

Baylor Family Fertility Program
Family Fertility Center
Texas Children's Pavilion for Women
6651 Main St, Suite E350
Houston TX 77030
Telephone: (832) 826-7463; Fax: (823) 825-9413
Lab Name: Houston Fertility Specialists Laboratory
Accreditation: CAP
Lab Name: Family Fertility
Center Laboratory-Houston
Accreditation: CAP (Pend)

Cooper Institute for Advanced
Reproductive Medicine
7500 Beechnut St, Suite 308
Houston TX 77074
Telephone: (713) 771-9771; Fax: (713) 771-9773
Lab Name: Cooper Institute Reproductive Laboratory
Accreditation: None

Fertility Specialists of Houston
Houston Fertility Specialists
7900 Fannin St, Suite 4400
Houston TX 77054
Telephone: (713) 512-7914; Fax: (713) 512-7853
Lab Name: Houston Fertility Specialists Laboratory
Accreditation: CAP

The Heard Clinic
1315 St. Joseph Pkwy, Suite 1305
Houston TX 77002
Telephone: (713) 878-0878; Fax: (713) 654-8795
Lab Name: Cooper Institute Reproductive Laboratory
Accreditation: None
Lab Name: Houston Infertility Clinic Laboratory
Accreditation: CAP

Houston Fertility Institute
2500 Fondren Rd, Suite 350
Houston TX 77063
Telephone: (832) 237-1434; Fax: (832) 237-1436
Lab Name: New Houston Health IVF Laboratory
Accreditation: CAP

Houston Infertility Clinic
Sonja Kristiansen, MD
9055 Katy Freeway, Suite 450
Houston TX 77024
Telephone: (713) 862-6181; Fax: (713) 464-2810
Lab Name: Houston Infertility Clinic Laboratory
Accreditation: CAP

Houston IVF
929 Gessner Rd, Suite 2300
Houston TX 77024
Telephone: (713) 465-1211; Fax: (713) 550-1475
Lab Name: Houston IVF Laboratory
Accreditation: CAP

IVFMD
7501 Las Colinas Blvd, Suite 200A
Irving TX 75063
Telephone: (972) 506-9986; Fax: (972) 506-0044
Lab Name: IVFMD-Advanced
Reproductive Laboratory
Accreditation: CAP

The Centre for Reproductive Medicine
3405 22nd St, Suite 300
Lubbock TX 79410
Telephone: (806) 788-1212; Fax: (806) 788-1253
Lab Name: The Centre for Reproductive
Medicine Laboratory
Accreditation: CAP

Texas Tech University Health Sciences Center
Center for Fertility and Reproductive Surgery
3502 9th St, Suite G10
Lubbock TX 79415
Telephone: (806) 743-4256; Fax: (806) 743-4462
Lab Name: Texas Tech University Health Sciences
Center IVF Laboratory
Accreditation: CAP

Reproductive Institute of South Texas
110 E. Savannah, Bldg B, Suite 103
McAllen TX 78503
Telephone: (956) 687-2693; Fax: (956) 687-2829
Lab Name: Reproductive Institute of South
Texas Laboratory
Accreditation: CAP

IVF Plano
6300 W. Parker Rd, MOB 2, Suite G28
Plano TX 75093
Telephone: (972) 612-2500; Fax: (972) 612-9601
Lab Name: Texas Health Presbyterian Hospital
Plano ARTS Laboratory
Accreditation: CAP

Presbyterian Hospital Plano ARTS
6130 W. Parker Rd, Suite 215
Plano TX 75093
Telephone: (972) 981-3325; Fax: (972) 981-3336
Lab Name: Texas Health Presbyterian Hospital
Plano ARTS Laboratory
Accreditation: CAP

Fertility Center of San Antonio
4499 Medical Dr, Suite 200
San Antonio TX 78229
Telephone: (210) 692-0577; Fax: (210) 692-1210
Lab Name: Fertility Center of San
Antonio Laboratory
Accreditation: CAP

Fertility Institute of Texas, PLLC
540 Oak Centre, Suite 260
San Antonio TX 78258
Telephone: (210) 277-8111; Fax: (830) 620-9077
Lab Name: San Antonio IVF Laboratory
Accreditation: CAP

Institute for Women's Health
Advanced Fertility Center
18707 Hardy Oak Blvd, Suite 500
San Antonio TX 78258
Telephone: (210) 616-0680; Fax: (210) 616-0684
Lab Name: San Antonio IVF Laboratory
Accreditation: CAP

Perinatal and Fertility Specialists of San Antonio
Fertility Specialists of San Antonio
225 E. Sonterra Blvd, Suite 206
San Antonio TX 78258
Telephone: (210) 402-1560; Fax: (210) 402-1570
Lab Name: San Antonio IVF Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Texas, PA
19296 Stone Oak Pkwy
San Antonio TX 78258
Telephone: (210) 337-8453; Fax: (210) 337-8452
Lab Name: Reproductive Medicine Associates of
Texas, PA, Laboratory
Accreditation: CAP

UT Medicine Fertility Center
Medical Arts & Research Center
8300 Floyd Curl Dr, 5th Floor
San Antonio TX 78229
Telephone: (210) 450-9500; Fax: (210) 450-6028
Lab Name: UT Medicine Fertility Center Laboratory
Accreditation: CAP

Scott & White
Department of Obstetrics and Gynecology
2401 S. 31st St
Temple TX 76508
Telephone: (254) 724-2738; Fax: (254) 724-1046
Lab Name: Scott & White IVF Clinic Laboratory
Accreditation: None

North Houston Center for Reproductive
Medicine, PA
111 Vision Park, Suite 110
The Woodlands TX 77384
Telephone: (281) 444-4784; Fax: (281) 444-0429
Lab Name: North Houston Fertility Laboratory, Inc.
Accreditation: CAP

Center of Reproductive Medicine (CORM)
1015 Medical Center Blvd, Suite 2100
Webster TX 77598
Telephone: (281) 332-0073; Fax: (281) 332-1860
Lab Name: Center of Reproductive
Medicine Laboratory
Accreditation: CAP

UTAH

Utah Fertility Center
1446 W. Pleasant Grove Blvd
Pleasant Grove UT 84062
Telephone: (801) 785-5100; Fax: (801) 785-4597
Lab Name: Utah Fertility Center
Accreditation: The Joint Commission, NYSTB

Utah Center for Reproductive Medicine
675 Arapeen Dr, Suite 205
Salt Lake City UT 84108
Telephone: (801) 581-3834; Fax: (801) 585-2231
Lab Name: University of Utah School of Medicine
Andrology/Embryology Laboratory
Accreditation: CAP

Reproductive Care Center
10150 Petunia Way
Sandy UT 84092
Telephone: (801) 878-8888; Fax: (801) 878-8890
Lab Name: Reproductive Care Center Laboratory
Accreditation: CAP

VERMONT

§University of Vermont Medical Center
Vermont Center for Reproductive Medicine
111 Colchester Ave, Main Campus, Main Pavilion,
Level 4
Burlington VT 05401
Telephone: (802) 847-0986; Fax: (802) 847-0111
Lab Name: Vermont Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Northeastern Reproductive Medicine
105 West View Rd, Suite 302
Colchester VT 05446
Telephone: (802) 655-8888; Fax: (802) 497-3371
Lab Name: Northeastern Reproductive
Medicine Laboratory
Accreditation: CAP

VIRGINIA

Washington Fertility Center
4316 Evergreen Ln
Annandale VA 22003
Telephone: (703) 658-3100; Fax: (703) 658-3103
Lab Name: Washington Fertility Center
Reproductive Laboratories
Accreditation: CAP

Dominion Fertility and Endocrinology
46 S. Glebe Rd, Suite 301
Arlington VA 22204
Telephone: (703) 920-3890; Fax: (703) 892-6037
Lab Name: Dominion Fertility and
Endocrinology Laboratory
Accreditation: CAP

Reproductive Medicine and Surgery Center of
Virginia, PLC
595 Martha Jefferson Dr, Suite 390
Charlottesville VA 22911
Telephone: (434) 654-8520; Fax: (434) 654-8521
Lab Name: Reproductive Medicine & Surgery Center
of Virginia, PLC Laboratory
Accreditation: None

Genetics & IVF Institute
3015 Williams Dr
Fairfax VA 22031
Telephone: (703) 698-7355; Fax: (703) 204-4617
Lab Name: Genetics & IVF Institute Laboratory
Accreditation: CAP

For current information for Partners for Fertility and
IVF, see Vienna, VA

Jones Institute for Reproductive Medicine
601 Colley Ave
Norfolk VA 23507
Telephone: (757) 446-0324; Fax: (757) 446-8998
Lab Name: Jones Institute for Reproductive
Medicine Embryology Laboratory
Accreditation: CAP

Virginia Center for Reproductive Medicine
11150 Sunset Hills Rd, Suite 100
Reston VA 20190
Telephone: (703) 437-7722; Fax: (703) 437-0066
Lab Name: Virginia Reproductive Labs
Accreditation: CAP

Fertility Institute of Virginia
10710 Midlothian Turnpike, Suite 331
Richmond VA 23235
Telephone: (804) 379-9000; Fax: (804) 379-9031
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP

LifeSource Fertility Center
7603 Forest Ave, Suite 204
Richmond VA 23229
Telephone: (804) 673-2273; Fax: (804) 285-3109
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP

The Richmond Center for Fertility and Endocrinology
7603 Forest Ave, Suite 301
Richmond VA 23229
Telephone: (804) 285-9700; Fax: (804) 285-9745
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP

University Center for Advanced
Reproductive Medicine
Stony Point Women's Health
9000 Stony Point Pkwy
Richmond VA 23235
Telephone: (804) 327-8820; Fax: (804) 237-6637
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP

Partners for Fertility and IVF
8100 Boone Blvd, Suite 430
Vienna VA 22182
Telephone: (703) 876-3611; Fax: (703) 876-6317
Lab Name: Partners for Fertility and IVF
Accreditation: CAP

The New Hope Center for Reproductive Medicine
448 Viking Dr, Suite 100
Virginia Beach VA 23452
Telephone: (757) 496-5370; Fax: (757) 481-3354
Lab Name: The New Hope Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Francisco M. Irianni, MD
1820 W. Plaza Dr
Winchester VA 22601
Telephone: (540) 662-6092; Fax: (540) 667-2476
Lab Name: Medical Faculty Associates,
Inc., Laboratory
Accreditation: CAP

WASHINGTON

Overlake Reproductive Health, Inc., PS
11232 N.E. 15th St, Suite 201
Bellevue WA 98004
Telephone: (425) 646-4700; Fax: (425) 646-1076
Lab Name: Overlake Reproductive Health
Laboratory, LLC
Accreditation: The Joint Commission

Bellingham IVF & Fertility Care
2980 Squalicum Pkwy, Suite 103
Bellingham WA 98225
Telephone: (360) 715-8124; Fax: (360) 715-8126
Lab Name: Bellingham IVF & Fertility
Care Laboratory
Accreditation: None

Poma Fertility
12039 N.E. 128th St, Suite 110
Kirkland WA 98034
Telephone: (425) 822-7662; Fax: (425) 822-0172
Lab Name: Poma Fertility Laboratory
Accreditation: The Joint Commission

Olympia Women's Health
403 Black Hills Ln S.W., Suite E
Olympia WA 98502
Telephone: (360) 786-1515; Fax: (360) 754-7476
Lab Name: Olympia Women's Health
Accreditation: The Joint Commission

Pacific Northwest Fertility and IVF Specialists
1101 Madison Ave, Suite 1050
Seattle WA 98104
Telephone: (206) 515-0000; Fax: (206) 515-0001
Lab Name: Pacific Northwest Fertility and IVF
Specialists Laboratory
Accreditation: CAP

Seattle Reproductive Medicine
Integramed America
1505 Westlake Ave North, Suite 400
Seattle WA 98109
Telephone: (206) 301-5000; Fax: (206) 285-1119
Lab Name: Seattle Reproductive
Medicine Laboratory
Accreditation: CAP

University Reproductive Care
University of Washington
4245 Roosevelt Way N.E., 4th Floor
Seattle WA 98105
Telephone: (206) 598-4225; Fax: (206) 598-8722
Lab Name: University Reproductive Care Laboratory
Accreditation: CAP

The Center for Reproductive Health
508 W. 6th Ave, Suite 500
Spokane WA 99204
Telephone: (509) 462-7070; Fax: (509) 462-7071
Lab Name: The Center for Reproductive Health
Accreditation: The Joint Commission

SRM Spokane
15920 E. Indiana Ave, Suite 200
Spokane Valley WA 99216
Telephone: (206) 301-5000; Fax: (509) 321-5679
Lab Name: SRM Spokane Laboratory
Accreditation: CAP

GYFT Clinic, PLLC
2201 S. 19th St, Suite 101
Tacoma WA 98405
Telephone: (253) 475-5433; Fax: (253) 475-0290
Lab Name: Reproductive Assays Laboratory
Accreditation: CAP

§Madigan Army Medical Center
9040A Fitzsimmons Ave
Tacoma WA 98431
Telephone: (253) 968-3783; Fax: (253) 968-5295
Lab Name: Seattle Reproductive
Medicine Laboratory
Accreditation: CAP

WEST VIRGINIA

West Virginia University Fertility Center
830 Pennsylvania Ave, Suite 304
Charleston WV 25302
Telephone: (304) 388-2863; Fax: (304) 388-1570
Lab Name: West Virginia University Fertility Center
Accreditation: None

Cabell Huntington Hospital
Center for Advanced Reproductive Medicine
1600 Medical Center Dr, Suite 4500
Huntington WV 25701
Telephone: (304) 526-2602; Fax: (304) 526-2292
Lab Name: Cabell Huntington Hospital, Center for
Advanced Reproductive Medicine
Accreditation: The Joint Commission

West Virginia University Center for
Reproductive Medicine
1322 Pineview Dr, Suite 2
Morgantown WV 26505
Telephone: (304) 598-3100; Fax: (304) 598-8301
Lab Name: West Virginia University Center for
Reproductive Medicine Laboratory
Accreditation: CAP

WISCONSIN

Aurora Health Care-Aurora Fertility Services
The Women's Center at Aurora BayCare
Medical Center
2845 Greenbrier Rd, Suite 350
Green Bay WI 54311
Telephone: (920) 288-8500; Fax: (920) 288-8570
Lab Name: Aurora Health Care-Aurora Fertility
Services, Green Bay Laboratory
Accreditation: CAP

Froedtert & Medical College of Wisconsin
Reproductive Medicine Center
North Hills Health Center
W129 N0755 Northfield Dr, Bldg B, Suite 500
Menomonee Falls WI 53051
Telephone: (262) 253-9220; Fax: (262) 253-9221
Lab Name: Froedtert Hospital Reproductive
Medicine Center Laboratory
Accreditation: CAP

University of Wisconsin-Generations Fertility Care
2365 Deming Way
Middleton WI 53562
Telephone: (608) 824-6160; Fax: (608) 827-3040
Lab Name: University of Wisconsin-Generations
Fertility Care Laboratory
Accreditation: CAP

Wisconsin Fertility Institute
3146 Deming Way
Middleton WI 53562
Telephone: (608) 824-0075; Fax: (608) 829-0748
Lab Name: Wisconsin Fertility Institute Laboratory
Accreditation: CAP

Reproductive Specialty Center
2350 N. Lake Dr, Suite 504
Milwaukee WI 53211
Telephone: (414) 289-9668; Fax: (414) 289-0974
Lab Name: Reproductive Specialty
Center Laboratory
Accreditation: CAP

Gundersen Fertility Center
Center for Women
3111 Gundersen Dr, 4th Floor
Onalaska WI 54650
Telephone: (608) 775-2306; Fax: (608) 775-2993
Lab Name: Gundersen Fertility Center Laboratory
Accreditation: CAP

Aurora Health Care-Aurora Fertility Services,
West Allis
West Allis Memorial Hospital
8901 W. Lincoln Ave, 2nd Floor
West Allis WI 53227
Telephone: (414) 329-4300; Fax: (414) 329-4399
Lab Name: Aurora Health Care-Aurora Fertility
Services, West Allis Laboratory
Accreditation: CAP

2014 Nonreporting Clinics, by State

The clinics listed below provided ART services and were in operation as of January 1, 2014 and accordingly were required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act passed by the US Congress. These clinics either failed to submit data or the clinic's medical director did not approve the clinic's 2014 ART data for inclusion in this report.

Consumers who are aware of a clinic that was in operation in 2014 but is not included in this report's lists of either reporting or nonreporting clinics are encouraged to contact us with the complete name, mailing address, and telephone number of the clinic, by e-mail at artinfo@cdc.gov or by regular mail at CDC, ATTN: ART Surveillance and Research Team; 4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta GA 30341-3717. Providing this information will help ensure that clinics that should be in the report will be included in upcoming years.

Clinic names preceded by the † symbol have closed since January 1, 2014.

Arizona Reproductive Institute
1775 E. Skyline Dr, Suite 175
Tucson AZ 85718
Telephone: (520) 222-8400; Fax: (520) 219-2351

Reproductive Sciences Center
4150 Regents Park Row, Suite 280
La Jolla CA 92037
Telephone: (858) 625-0125; Fax: (858) 436-7171

Reproductive Health Center
4518 E. Camp Lowell Dr
Tucson AZ 85712
Telephone: (520) 733-0083; Fax: (520) 733-0771

Acacio Fertility Center
27882 Forbes Rd, Suite 200
Laguna Niguel CA 92677
Telephone: (949) 249-9200; Fax: (949) 249-9203

Kathleen Kornafel, MD, PhD
1560 E. Chevy Chase Dr, Suite 200
Glendale CA 91206
Telephone: (818) 242-9933; Fax: (818) 242-9937

Northridge Center for Reproductive Medicine
18546 Roscoe Blvd, Suite 240
Northridge CA 91324
Telephone: (818) 886-0600; Fax: (818) 886-0010

Hope IVF and Fertility Center
2500 Alton Pkwy, Suite 201
Irvine CA 92606
Telephone: (949) 387-3888; Fax: (949) 387-3907

†IVF-Orange Surgery Center
431 S. Batavia St, Suite 102
Orange CA 92868
Telephone: (714) 771-7800; Fax: (714) 289-9900

La Jolla IVF
9850 Genesee Ave, Suite 610
La Jolla CA 92037
Telephone: (858) 558-2221; Fax: (858) 558-2263

Dr. Aimee Eyvazzadeh
5401 Norris Canyon Rd, Suite 106
San Ramon CA 94583
Telephone: (925) 277-0600; Fax: (925) 277-0801

Reproductive Partners-UCSD Regional
Fertility Center
9850 Genesee Ave, Suite 800
La Jolla CA 92037
Telephone: (858) 552-9177; Fax: (858) 552-9188

†Garfield Fertility Center
1151 El Centro St, Suite A
South Pasadena CA 91030
Telephone: (626) 403-1888; Fax: (626) 403-2188

†Eric H. Silverstein, MD, Professional LLC dba
The Fertility Center of Colorado
6160 Tutt Blvd, Suite 210
Colorado Springs CO 80923
Telephone: (719) 636-0080; Fax: (719) 636-3030

Polcz Fertility Center
9868 S. State Rd 7, Suite 320
Boynton Beach FL 33472
Telephone: (561) 736-6006; Fax: (561) 736-5788

Center for Reproductive Medicine
Stephen Welden, MD, PA
18944 N. Dale Mabry Hwy, Suite 101
Lutz FL 33548
Telephone: (813) 948-8400; Fax: (813) 948-8409

Martin S. Balin, MD, PhD
409 W. Huron St, 5th Floor
Chicago IL 60654
Telephone: (800) 241-7133; Fax: (847) 676-3665

North Shore Fertility
4250 Dempster St
Skokie IL 60076
Telephone: (847) 763-8850; Fax: (847) 763-8851

†American Health Network-reproductive medicine
10610 N. Pennsylvania St, Suite 100
Indianapolis IN 46280
Telephone: (317) 580-4493; Fax: (317) 587-7056

†University of Kentucky
Women's Health Obstetrics & Gynecology
125 E. Maxwell St, Suite 140
Lexington KY 40508
Telephone: (859) 323-0005; Fax: (859) 323-0790

†Center for ART at Medstar Union
Memorial Hospital
33rd St Professional Bldg
201 E. University Pkwy, Suite 464
Baltimore MD 21218
Telephone: (410) 554-2271; Fax: (410) 554-2900

Center for Reproductive Medicine
9711 Medical Center Dr, Suite 214
Rockville MD 20850
Telephone: (301) 424-1904; Fax: (301) 424-1902

Siu Ng-Wagner, MD
14955 Shady Grove Rd Suite 125
Rockville MD 20850
Telephone: (301) 340-1495; Fax: (301) 838-9712

†REI Division at Tufts Medical Center
North Bldg, Mezzanine Level
800 Washington St
Boston MA 02111
Telephone: (617) 636-6066; Fax: (617) 636-5906

†Luana J. Kyselka, MD, PC
2877 Crooks Rd, Suite D
Troy MI 48084
Telephone: (248) 643-6634; Fax: (248) 643-7165

†Reproductive Medicine Center
606 24th Ave South, Suite 500
Minneapolis MN 55454
Telephone: (612) 372-7050; Fax: (612) 372-7040

Low Cost IVF
716 Broad St, Suite 2A
Clifton NJ 07013
Telephone: (973) 221-3122; Fax: (973) 710-0620

†Douglas S. Rabin, MD
33-00 Broadway, Suite 303
Fair Lawn NJ 07410
Telephone: (201) 703-9555; Fax: (201) 475-5678

†Princeton Center for Reproductive Medicine
65 S. Main St, Bldg C, Suite 100
Pennington NJ 08534
Telephone: (609) 818-1114; Fax: (609) 818-1100

†IVF New Jersey
81 Veronica Ave
Somerset NJ 08873
Telephone: (732) 220-9060; Fax: (732) 545-1164

†North Jersey Fertility Associates, LLC
57 Willowbrook Blvd, Suite 301
Wayne NJ 07470
Telephone: (973) 754-4055; Fax: (973) 754-4058

Beth Israel Center for Infertility &
Reproductive Health
10 Union Square East, Suite 2E
New York NY 10003
Telephone: (212) 844-8587; Fax: (212) 502-3386

†Continuum Reproductive Center of St. Luke's
Roosevelt Hospital
425 W. 59th St, Suite 5A
New York NY 10019
Telephone: (212) 523-7751; Fax: (212) 523-8348

Braverman Reproductive Immunology, PC
800 Woodbury Rd, Suite G
Woodbury NY 11797
Telephone: (516) 584-8710; Fax: (516) 584-8711

Wright State Physicians, Women's Health Care
Berry Women's Health Pavilion
1 Wyoming St, Suite 4130
Dayton OH 45409
Telephone: (937) 208-6810; Fax: (937) 208-4157

†Fertility Center of Northwest Ohio
2142 N. Cove Blvd
Toledo OH 43606
Telephone: (419) 291-8830; Fax: (419) 479-6005

†University Fertility Center
1804 FM 646 West, Suite N
Dickinson TX 77539
Telephone: (281) 335-1942; Fax: (281) 534-2770

Office of Frank DeLeon, MD
1300 W. Terrell Ave, Suite 320
Fort Worth TX 76104
Telephone: (817) 735-2300; Fax: (817) 882-8653

East Bay Fertility Center
746 E. 1910 South, Suite 1
Provo UT 84606
Telephone: (801) 377-0580; Fax: (801) 375-5582

The Beach Center for Infertility, Endocrinology
and IVF
844 First Colonial Rd, Suite 202
Virginia Beach VA 23451
Telephone: (757) 428-0002; Fax: (757) 428-4555

Washington Center for Reproductive Medicine
1370 116th Ave N.E., Suite 100
Bellevue WA 98004
Telephone: (425) 462-6100; Fax: (425) 635-0742

2014

Appendix D

National Consumer Organizations



APPENDIX D: NATIONAL CONSUMER ORGANIZATIONS

The following national consumer organizations offer support to people experiencing infertility:

Path2Parenthood
315 Madison Ave, Suite 901
New York NY 10017
Telephone: (888) 917-3777
info@path2parenthood.org
<http://www.path2parenthood.org>

RESOLVE: The National Infertility Association
7918 Jones Branch Dr, Suite 300
McLean VA 22102
Telephone: (703) 556-7172; Fax: (703) 506-3266
info@resolve.org
<http://www.resolve.org>

Womenshealth.gov
Office on Women's Health
US Department of Health and Human Services
200 Independence Ave S.W., Room 712E
Washington DC 20201
Telephone: (202) 690-7650; Fax: (202) 205-2631
<http://www.womenshealth.gov>



**US Department of Health and Human Services
Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion
Division of Reproductive Health**