
Zika Virus

Maps of Zika in the United States

Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of December 14, 2016)



^{*}See detailed map of the areas with active Zika virus transmission below.

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory — United States, 2015–2016 (as of December 14, 2016)§

States	Travel-associated cases* No. (% of cases in states) (N=4,432)	Locally acquired cases† No. (% of cases in states) (N=185)
Alabama	30 (1)	0 (0)
Arizona	51 (1)	0 (0)
Arkansas	13 (<1)	0 (0)
California	383 (9)	0 (0)
Colorado	E1 /1\	0 (0)

COIOFACO	υı	(1)	U	(U)
Connecticut	58	(1)	0	(0)
Delaware	17	(<1)	0	(0)
District of Columbia	. 27	(1)	0	(0)
Florida	785	(18)	184	4 (99)
Georgia	105	(2)	0	(0)
Hawaii	16	(<1)	0	(0)
Idaho	4	(<1)	0	(0)
Illinois	87	(2)	0	(0)
Indiana	47	(1)	0	(0)
lowa	19	(<1)	0	(0)
Kansas	18	(<1)	0	(0)
Kentucky	24	(1)	0	(0)
Louisiana	35	(1)	0	(0)
Maine	13	(<1)	0	(0)
Maryland	125	(3)	0	(0)
Massachusetts	106	(2)	0	(0)
Michigan	63	(1)	0	(0)
Minnesota	55	(1)	0	(0)
Mississippi	23	(1)	0	(0)
Missouri	36	(1)	0	(0)
Montana	7	(<1)	0	(0)
Nebraska	13	(<1)	0	(0)
Nevada	18	(<1)	0	(0)
New Hampshire	12	(<1)	0	(0)
New Jersey	164	(4)	0	(0)
New Mexico	9	(<1)	0	(0)
New York	944	(21)	0	(0)
North Carolina	83	(2)	0	(0)
North Dakota	2	(<1)	0	(0)
Ohio	76	(2)	0	(0)
Oklahoma	29	(1)	0	(0)
Oregon	40	(1)	0	(0)
Pennsylvania††	163	(4)	0	(0)
Rhode Island	42	(1)	0	(0)
South Carolina	54	(1)	0	(0)
South Dakota	2	(<1)	0	(0)
Tonnoccoo	FΩ	(1)	Λ	(O)

Travel associated assoc					
Wyoming	2	(<1)	0	(0)	
Wisconsin	48	(1)	0	(0)	
West Virginia	11	(<1)	0	(0)	
Washington	61	(1)	0	(0)	
Virginia	102	(2)	0	(0)	
Vermont	10	(<1)	0	(0)	
Utah	19**	(<1)	0	(0)	
Texas	272	(6)	1	(1)	
	JU	(1)	U	(U)	

Travel-associated cases* Locally acquired cases†

No. (% of cases in territories) No. (% of cases in territories) (N=129) (N=34,139)

American Samoa 0 (0) 72 (<1)

Puerto Rico 127 (98) 33,260*** (97)

US Virgin Islands 2 (2) 807 (2) §Only includes cases meeting the probable or confirmed CSTE case definition and does not

Active Zika Virus Transmission in Florida


include asymptomatic infections unless the case is a pregnant woman with a complication of pregnancy
*Travelers returning from affected areas, their sexual contacts, or infants infected in utero

[†]Presumed local mosquito-borne transmission

^{††}One additional case acquired through laboratory transmission

^{**}Includes one case with unknown route of person-to-person transmission.


^{***}The Puerto Rico Department of Health is retroactively reporting cases, resulting in larger than normal increases in cases in recent weeks.



(https://www.cdc.gov/zika/intheus/florida-maps.html)

Miami-Dade County, FL. Red shows areas where pregnant women should not travel. Yellow shows areas where pregnant women should consider postponing travel.

Zika Cautionary area in Brownsville, TX



(https://www.cdc.gov/zika/intheus/texas-update.html)

Brownsville, TX. Yellow shows areas where pregnant women should consider postponing travel.