Morbidity and Mortality

Weekly Report

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

Prepared by the

COMMUNICABLE DISEASE CENTER

634-5131

For release July 5, 1963

ATLANTA 22, GEORGIA

Vol. 12, No. 26

PROVISIONAL INFORMATION ON SELECTED NOTIFIABLE DISEASES IN THE UNITED STATES AND ON DEATHS IN SELECTED CITIES FOR WEEK ENDED JUNE 29, 1963

TULAREMIA – The five cases of tularemia reported for the week ending June 29 brings the total for the first 26 weeks of 1963 to 119 cases, as compared to 131 cases for the same period in 1962. All 5 cases this week were from Arkansas. In the table below are shown cumulative totals for the United States through the 26th week of 1962 and 1963, and annual totals for the years 1959 through 1962.

Ben and beiling	1963	1962	1961	1960	1959
21st through 26th week	47*	39*	(1000)	der Ju	-
1st through 26th week	119*	131*	14-10	_	_
Annual Total	_	308*	365	390	459

^{*}Preliminary figure for these years

The total number of cases of tularemia reported each year has shown a consistent decline since 1948 as seen in the accompanying graph (Figure 2). Geographic distribution of cases continues to show a concentration in the southeastern quadrant of the United States and is shown in the map on page 214 (Figure 1).

The seasonal distribution of tularemia cases, seen in Figure 3, shows two distinct peak periods of activity. The increased incidence during summer months is due primarily to cases acquired from infected ticks and flies, while the late fall and winter peak which occurs each year represents those cases caused by exposure to infected wildlife.

Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Cumulative totals include revised and delayed reports through previous week)

		26th We	ek	Cumulative						
Disease	Ended	Ended	Median	First 26 weeks						
	June 29, 1963	June 30, 1962	1958 - 1962	1963	1962	Median 1958 - 1962				
Aseptic meningitis	35 6 2	58 9 6	14 6	627 169 132	606 204 219	379 327				
Henatitis infectious and serum	40 647	29 764	30 588	779 23,639	782 31,654	758 19,253				
Meningococcal infections	7,199 35	7,525 34	8,198 38	335,217 1,445	416,423 1,215	365,536 1,337				
Paralytic	5 2	21 17	34 41	81 68	207 161	346				
Unspecified	2 1	3	- 50 V do	8	29 17	85 38				
Streptococcal sore throat and Scarlet fever	4,245	3,750 13		214,879 112	196,749 106					
Tetanus Tularemia Typhoid form	5	10	10	119	131					
Typhus fever, tick-borne.	11	19	19	182	246	312				
(Rocky Mountain spotted)	6	18		51	75					
Rabies in Animals	74	73	73	2,041	2,157	2,036				

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

Anthrax: Botulism: Malaria: La 2, Va 1, Calif 1 Plague:	Cum. 2 Psittacosis: Calif 1 5 Rabies in Man: 47 Smallpox: - Typhus, murine: Texas - 1	Cum. 30 - 7
---	---	----------------------

FIGURE 1
GEOGRAPHIC DISTRIBUTION OF TULAREMIA CASES
1961






FIGURE 2
TULAREMIA CASES - U. S. 1948-1962



EPIDEMIOLOGICAL REPORTS

Tularemia - Pennsylvania

On October 19, 1962 a 37-year-old industrial plant manager developed fever, a small ulcer on his right thumb and a painful swelling of his right axillary lymph glands. On October 21, the patient complained of generalized malaise, weakness, loss of appetite, and an extremely



Pausas Assurt Summary CDC

painful arm. Two days later he was hospitalized with 102.5° fever, swollen axillary lymph gland, and severe, shaking chills. The patient was treated with tetracycline and responded quickly. After 3-4 days of antibiotic therapy, the lymph glands were opened and drained, however, the ulcer on the right thumb persisted for approximately one month before healing. Cultures for *P. tularensis* were negative. Agglutination tests for *Pasteurella tularensis*

Morbidity and Mortality Weekly Report

antibodies, however, revealed the following titers:

10/24	1:80	
10/31	1:160	
11/7	1:360	

The patient was an ardent hunter but had not had contact with animals for many months prior to his illness. His neighbor possesses a dog and also a domesticated rabbit, but the patient has had no direct contact with either animal. He has had no experience with ticks or tick bites this year.

The patient recalled that on October 10th or 11th, while walking through his plant, his right thumb was pierced by a small steel thread from a spooled cable. The slight cut was washed and no further treatment given. About 4 days later he visited a neighboring house for a short period. On returning home he discovered a flea on his leg and two others on his clothes. He destroyed the fleas by grinding and crushing them between his right thumb and forefinger. Since the patient had no direct contact with animals or arthropods except the fleas, the latter must be considered as the possible vector.

(Reported by Dr. William D. Schrack, Jr., Director, Division of Communicable Disease Control, Pennsylvania Department of Health.)

Salmonella heidelberg — Washington

On January 1, nine of 13 persons from four families became ill following a New Year's Eve party at the home of one of the families. All in the host family developed the disease. The illnesses were characterized by fever, cramps, diarrhea, vomiting and headache. From eight of the nine who were ill and from one of those not experiencing illness, Salmonella beidelberg was recovered.

The dinner consisting of eggnog, rye crackers, cheese and pizza pie was served at 6:00 p.m.; a separate preparation of eggnog was served at 11:00 p.m. The eggnog ras prepared in the home from fresh eggs, milk, sugar, vanilla and nutmeg. All who became ill had consumed eggnog at 11:00 p.m.; two of these persons had not consumed food or eggnog at 6:00 p.m. Assuming the eggnog served at 11:00 p.m. to have been the vehicle, incubation periods ranged from 16 to 40 hours.

The source of the eggs were traced and cultures were obtained of eggs taken from the nest, cloacal droppings, and feed. All, however, failed to yield Salmonella isolates.

(Reported by Dr. Ernest Ager, Head, Communicable Disease Control, State of Washington Department of Health and W. J. Poss, Kittitas County Health Department.)

(Continued on page 220)

SUMMARY OF PNEUMONIA AND INFLUENZA DEATHS

The weekly average number of pneumonia-influenza deaths for the four-week period ending June 29 was 374 as compared with an expected weekly average of 408.

PNEUMONIA-INFLUENZA DEATHS IN 108 CITIES

A STATE OF	Sec.	WEEK	ENDING	11.5	4 Week	Weekly		
Mini-	6/8	6/15	6/22	6/29	Total	Average		
Observed	391	387	361	358	1,497	374		
Expected	419	412	405	398	1,634	408		
Excess	-28	_ 25	-44	-40	-137	- 34		




Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

JUNE 29, 1963 AND JUNE 30, 1962

Fort family deteloped	Polio	myelitis	total c		Fo1:	lomyeliti	s, paraly		Poliomy nonpara	elitis, lytic		ptic ngitis
Area	26th	week	and the second	lative 26 weeks	26th	week		lative 26 weeks	26th	week	26th	week
UNITED STATES WEW ENGLAND Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut MIDDLE ATLANTIC New York New Jersey Pennsylvania AST NORTH CENTRAL Ohio Indiana Illinois Michigan Wisconsin WEST NORTH CENTRAL Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas COUTH ATLANTIC Delaware Maryland District of Columbia Virginia West Virginia North Carolina South Carolina South Carolina South Carolina South Carolina Ceorgia Florida	1963	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963	196
UNITED STATES	5	21	81	207	2	17	68	161	2	3	35	58
NEW ENGLAND			-	3			_	3	4700.40	BULEAR	- 102	2
Maine	60 - PC 7	100	- 111	-	- 1		190 - 110	2012	15 50	10000	-40 H	
		insti	1716 FF	SEIG VIII		1000	dinical)	as May	No. Sec	251 00	- India	75-
	i Lua		-	2		12-11	5 - 15	-		-	alebi le	2
			KOHE -		-	40.00		2	F 3.	1110 200		
the first and the first term of the first and the first an		my hardet	THE CHARLES	1	-	74 R 10	5 M 39	10001	110000	61AB 253	7(3)-67	201
NAMES OF THE PARTY		56. 27	may be	s selling	1977	-4.45		ALC: N		10 1007	ghistle	= =1
	1	1	15	34		1	12	21	1	sic"llas	2	3
	200	1	5	33	-	1	5	20	-	10 2 2 2 2	-	1
	ī	DE ALCO	1 9	1	Str	ENGA 30	6	1	1	12.2	2	2
med and transit and all the medical	med nich	rto) in	g (00) (12)	E Retrie		a hold on	D. LIE	Strenge	a decided	Made 199	daysola	
EAST NORTH CENTRAL	1	1	17	11	3	1	12	7	1	in the	11	3
	1	1	5	5	-	1	3	5	1	-	2	1
		200° -	2	3		di bere	best- od	2	3,0471.71	HI PRINCIPLE	2	Eg-
	F 1550	141-14	7	2		min ski	6	4 100	10.07	500	119/1518	1
		22 14 33	2 1	115		serile o	2	Suma 1	n what	4 100	3 4	1
Wasconstill				1		Serific O	LUC- II	COLUMN T	7000		30114 111	
WEST NORTH CENTRAL	-	ACT - 12	3	8	-	all age	3	5	00020053	to miair	4	1
	-	-	2	2	(i)	-	2	2	- d-	1913	3	10 5
	Called a	A. Turn	20 7	3		-	-	2	-	-		1
	-	- Winding	1	3	-	-True - No	1	1	P- 1	-112111	1	-
	135050	B 42.79	-Assets	m = 2 1 m		THINGS	HEAD TO SERVICE	ado, E	SERBIAL CO.	aliffans		-
				17.0		-				100	of the latest	11112
	-	_	_			_]]	4. 259.04		W N/W SHIP	_
Market and the second second											_	_
	3	1	12	12	2	1	9	10	-		3	6
							1				-	-
				1						_		
	_	_	2	2	-	102.0	1	2	_	_ 1	3	
West Virginia	-	1	1	1	-	1	1	1		-	-	_
	1	-	3	2	1		3	2	-		-	-
	2	-	2	1100	1	-	1	1	- 1	-	- 500	-
	-	-	1	2		_	3	2	- 10.			7
Piorida			3	4			3	3				6
EAST SOUTH CENTRAL		2	6	8	-	1	5	5		-	1	4
Kentucky	-	1		3	_	-	- /	2		_	1	4
		1	2	3	-	1	2	1	-			-
	-	-	3	2	-	29-	2	2	- 1	W-W		-
mississippi	-		1	-	-	-	1	100	175	W - 31		-
WEST SOUTH CENTRAL		11	16	101		8	16	84	- 2	3	4	15
			1	101		2	1 1	1	1 2	3	-	15
Louisiana			13	7	-	Sh FAS	13	6	THE AT	(CAUCH)	9 90 1	9人担
Oklahoma		100		1	-	100		-	- 7	-	1	1
Texas	-	11	2	92	DI-10	8	2	77		3	3	14
MOUNTAIN				8	1.			7	100		2	71123
Montana	5			3		4412	COLUMN TARRE	2	nelber	Denog:	2	350
Idaho	-	10-1	(C) 1 164	-			10.00	0.00	a Video	e barre	23.00	latin
Wyoming		-		1		-	-	1	-	-	-	-
Colorado		-		-	-		174	-	-	-	1	-
New Mexico	-			-	-		-	-	-	-	-	-
Arizona Utah			330	3		1000	-	3		-	1	-
Nevada	W-16	77		1	TE 13	MINITED IN	300	1	10-21	100	m hatali	100
	3					1735	315 907	Williams	DO AS U	102 (10)	unious.	LHS
PACIFIC		5	12	22	-	5	11	19	-	-	8	24
Washington	M - 1	A11.58		-	-	-		-	-		1	-
Oregon		1 4	1	2	-	1	1	2	F0700M	-		Attack.
CaliforniaAlaska	/ Imas	4	11	20		4	10	17	the species	Long!	7	24
Hawaii.	COLUM			The bottom		57-12	- 17	-	157			
					_				-	-		

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

JUNE 29, 1963 AND JUNE 30, 1962 - (Continued)

Area							Hepatitis, infectious and serum				Measles	
	2644	Cumu- lative	2644	Cumu- lative	26.1		Under	26th 20 &	week		744	N/AP
Married have died	26th week	26 weeks		26 weeks		week	20 yr.	over		tal		week
TARREST TOTAL	1963	1963	1963	1963	1963	1962	1963	1963	1963	1962	1963	1962
UNITED STATES	6	169	2	132	40	29	295	304	647	764	7,199	7,525
NEW ENGLAND	_			4	4	1	32	23	56	33	259	1,004
Maine	0.7- 1	4	-			08.	16	10	26	10	4	131
New Hampshire		-	-	- 1		-	9	5	14	1	1	6
Vermont	- 1 - 2	-		-			2	-	2	1	32	115
Massachusetts Rhode Island	- W - 3		\$ 15 m	2 2	1 2	1	3	6	10	14 2	138	452 71
Connecticut	201 4	4 -	_	_	1	-	2	2	4	5	52	229
MIDDLE ATLANTIC	4 1			2.7				50	100	160	1 050	
MIDDLE ATLANTIC	446	4 3	1	21 13	9	8 5	49 31	59 40	108 71	163 77	1,252 682	1,593 904
New Jersey	1112 2	3	1	3		,	6	11	17	32	301	557
Pennsylvania	-	1	- 1	5	2	3	12	8	20	54	269	132
EAST NORTH CENTRAL		7.6		16			50	60	120	100	2 506	1 51/
Ohio	1	14	- 1	16 1	1 -	1 -	59 11	62 12	132 24	128 37	2,506	1,514 359
Indiana	6-3	2	8 1	3		1221	8	7	15	8	63	73
Illinois	1	10		7		111-1	6	13	19	24	145	221
Michigan	- 5 -	2		3	1	1	33	29	72	49	1,235	565
Wisconsin	- 3 - 1	-		2	1.	15.4	1	1	2	10	820	296
WEST NORTH CENTRAL	- 3	114	_	36	4	1	7	7	15	27	294	225
Minnesota	_ PI = CU	7		15	8	-	57	33		12	4	38
Iowa	3	84	1	1	100		-	3	3	2	134	55
Missouri North Dakota	0 3	5	7.47	1			5	2	7	8	104	32
South Dakota	-1-1	7	C 811	1 10	1 3	7	1	- 18	2	F-12-17	50	91
Nebraska	71 P. 1	5	- 1	8	3	1	1	1	2	1 2	2	8
Kansas	3.91- 1.	6	8 TI	-		-	- 1	1	1	2	NN	NN
SOUTH ATLANTIC	1	5	1	27	TOPLE	0	2.7	0.1	5.5	0.1	((0)	/ 57
Delaware	44	3	1	27	8	9	31	21	55	81	660	457 5
Maryland		1 -		- I	6	3	2	4	6	7	80	39
District of Columbia		4 . 2	- 1		100	_	1	200	1	1	1	4
Virginia	1	3	1	-	2	1	2	4	9	14	220	114
West Virginia	27- 61	5 1	3	1			7	4	11	11	243	177
North Carolina	9 3 7 TO	1		1 9		1 -	6	3 2	9	24 4	18 40	19 8
Georgia		3 -2 -1	1	8			5		5	6	40	9
Florida	Ct Mil	1	1	8		4	2	4	6	14	55	82
EAST SOUTH CENTRAL		7		9	1	1	22	13	37	84	372	372
Kentucky	785	2			- E	L T	5	4	11	37	218	59
Tennessee	4 - 5	4	- 6- 10	2		-	10	3	13	31	121	232
Alabama	- 1	1	- "	7	1.5	-	3	38 -	3	9	9	17
Mississippi			2 . 4	A STATE	1	-	4	6	10	7	24	64
WEST SOUTH CENTRAL	1	13		16		1	32	24	56	60	206	565
Arkansas	1001 - 9	3		1		-	2	161	2	7	-	31
Louisiana	1.34	5 5	E U I	2	-		5	11	16	15	1	en projekt.
Oklahoma Texas	1 -	6	- HE -	6 7		1	3 22	1 12	34	38	202	528
	078 1 2	6 4	5 3 1		- 712		120			4	-5000	320
MOUNTAIN	ly - 1	5	J 190 L	1	3	1	8	10	47	56	651	663
Montana Idaho	0.0	3 (7	0 10	= [-		-	3	2	7 6	2	38	108
Wyoming	**1 1	i	2 25-	110	1		123 - 7		-	4 2	118 10	28 2
Colorado	109	4 4	- 1		1		Te colle	1	11	9	162	201
New Mexico	5 - 1	Su L	y <u>-</u>	1	- 2		1	4	5	6	NN	NN
Arizona.	. 12 F - To	3	8 u-1	-	2	- 1	-	11.	11	25	287	150
Utah Nevada		1	9 To L	- 17	12502	1	4	3	7	8	34	167
		4 4	- 1		BEL						2	7
PACIFIC	VII 3	7	. T- K	2	10	7	55	85	141	132	999	1,132
Washington Oregon	140	2			1 -	1	17	11	28	42	40	252
California		4	- 31 -	2	9	6	30	12 61	20 91	13 71	106 488	306 446
Alaska	172		- 1	_		-	1	1	2	5	20	21
Hawaii		1		-	-	-	-			1	345	107

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

JUNE 29, 1963 AND JUNE 30, 1962 - (Continued)

College I	Meningoo Infectio			ococcal nroat & Fever	Tetanus	Tickborne Typhus (Rcky Mt.	Tularemia	Typhoi	d Fever	Rabie	s in Anim	nals
Area	26th wk.	Cumu- lative 26 weeks	100	week	26th wk.	Spotted)	26th wk.	26th wk.	Cumu- lative 26 weeks	26th	week	Cumu- lative 26 weeks
-911-94-14	1963	1963	1963	1962	1963	1963	1963	1963	1963	1963	1962	1963
UNITED STATES	35	1,445	4,245	3,750	8	6	5	11	182	74	73	2,041
NEW ENGLAND	4	91	541	373			-	7 (-)	6			20
Maine New Hampshire	-	15 4	89 2	109		_		-		ATT THE	114	1 12
Vermont		3	-	5					1		1200	7
Massachusetts	4	42	74	59		_	_	1 1-1	4		300	_
Rhode Island		9	29	43	-			-	-	-	-	-
Connecticut	10.5	18	347	153	1 -	-	-	-	1	-	-	-
MIDDLE ATLANTIC	5	197	204	164		1	2	3	26	2	7	57
New York	4	90	166	115		1 1	5	1	17	2	6	43
New Jersey		27	21	24	-	-	_	-	2		_	-
Pennsylvania	1	80	17	25	-	1	-	2	7	-	1	14
	11 20 1		201	201						10	0,	2/1
EAST NORTH CENTRAL.	5	233 67	294 49	296 26	3 2	1			11 3	12 5	7	341 211
Indiana		29	65	44	_	_	- 1	1	1	- 1	4	31
Illinois	_	39	42	95	1	-	-	- 1	5	3	10	49
Michigan	2	71	102	62	0.11	-	-		_ 1	1	2	31
Wisconsin.		27	36	69	-	-	-	-	1	3	1	19
WEST NORTH CENTRAL	4	87	97	82	2			794	10	18	14	485
Minnesota	1	17	4	6	1	-	_		3	3	4	128
Iowa	101-11	4	22	27		-	- 1)	-	1	3	5	178
Missouri	10- 4	30	2	- 1-	-	-	-	-	6	7	2	89
North Dakota	- 1	4	36	35	- :	-					2	14
South Dakota	1	5	9	1	1		-			3	1	57 10
Nebraska. Kansas	2	19	24	13]]				i	1	9
	-										orenda	A ATTIVITION
SOUTH ATLANTIC		274	317	394	1	4	-	1	35	6	7	308
Delaware.		2	10	7		1		1.1	1 3	the state	XIAA	3000
Maryland Dist. of Columbia	1111	41	10	3	1 1 -	200		7 3 1		1000		
Virginia		67	133	57	-	2	-	1	5	3	2	114
West Virginia		13	60	82		-	-	I	6	3	4	91
North Carolina	4	47	6	12	-	1	-	-	5	-	11150	5
South Carolina		13	15	1	111	1	- 1		2 2	- 900		6 37
Georgia. Florida		65	93	43 187	1	1			11	-	1	55
Plotida	Live J	0.5	75	10,								107 107
EAST SOUTH CENTRAL	2	111	856	552	-	1	-	3	18	6	1	167
Kentucky		25	66	15	-	7	-	-	1	3	121-00	79
Tennessee	1	48	715 10	509	1	1	1 [2	12	2 1	1	73 15
Alabama		21 17	65	24		1 1	1 -	1	1	10 to	1	10 - 12
	340	-									طحيينا	tink ent
WEST SOUTH CENTRAL	2	143	450	510	2	-	5	4	35	24	9	418
Arkansas	i	9	-		1	1 1	5	2 2	17	6 1	3	32 37
Louisiana	1	58 29	2 10	2	1	1		2	7 2	140-114	2	33
Texas	i	47	438	508	1	_	- 1		9	17	4	316
	TEN I		C L			100 40						-
MOUNTAIN		51	921	499	-	1	-		5			45
MontanaIdaho	ī	3 4	29 114	10 42	1 1	12	-	- = -	3-7	1000000		1
Wyoming	100	4	4	42		1					200	170
Colorado.		12	392	261			_		2		-	2
New Mexico		3	219	-	-	-	-		1	100	-	21
Arizona		8	94	91	-		-	A -	2	-	-	22
Utah Nevada	113214	14	69	93					- 1	ALAPIE	110000	1000
0.552.00.000.000	District	OX x 1							54 111			Street
PACIFIC	3	258	565	880	-	-	7-11	T-1-	36	6	11	200
Washington	1	19	119	156	-	1		= -	-	ourse ode		100
Oregon	2	17 208	9 390	13 681		15		17.7	2		10	190
Alaska	10-14	7	21	6	1 1 1	No 21 .			31 1	6	10	190
Hawaii.	F-1	7	26	24	-	11(-)	-		2	2000	THE PERSON	-
Puerto Rico	-	4	11	4	1	1 1 1		-	10	1-7-1	+	6

Table 4 (B). REPORTED PNEUMONIA-INFLUENZA DEATHS IN REPORTING CITIES

(Tables 4(A), 4(B), 4(C), and 4(D) will be published in sequence covering a four-week period.) $^{\circ}$

Area					Area	For weeks ending				
	6/8	6/15	6/22	6/29		6/8	6/15	6/22	6/29	
EW FNGLAND:				Latin	SOUTH ATLANTIC:			. 116		
Boston, Mass	5	3	3	8	Atlanta, Ga	1	9	4	1	
Bridgeport, Conn	* 7	2	3	6	Baltimore, Md	5	5	6	2	
Cambridge, Mass	0	0	0	8	Charlotte, N.C	ō	ō	1	ا	
Fall River, Mass	0	1	0	1	Jacksonville, Fla	1	3	2	1	
Hartford, Conn	1	1	0	0	Miami, Fla	0	ō	ō	111192	
Lowell, Mass	1	8	2	3	Norfolk, Va	4	3	3	2	
Lynn, Mass	0	1	1	1	Richmond, Va	5	1	2		
New Bedford, Mass	1	3	1	3	Savannah, Ga	3	1	3	8	
New Haven, Conn	1	0	0	0	St. Petersburg, Fla	4	3	4	12	
Providence, R.I.	3	1	3	1	Tampa, Fla	3	5	5		
Somerville, Mass	3	0	0	1	Washington, D.C	12	9	8	7	
Springfield, Mass	2	3	5	6	Wilmington, Del	4	5	4	(
Waterbury, Conn	0	0	1	0				- 171 101	-10	
Worcester, Mass	4	4	4	3	EAST SOUTH CENTRAL:		174.00	100	.9	
		1			Birmingham, Ala	2	2	0		
DDLE ATLANTIC:					Chattanooga, Tenn	0	2	1	144113	
Albany, N.Y	0	2	2	2	Knoxville, Tenn	1	0	0]	
Allentown, Pa.	2	1	0	2	Louisville, Ky	5	10	7	10	
Buffalo, N.Y	3	5	7	5	Memphis, Tenn	6	4	3		
Camden, N.J	2	0	1	5	Mobile, Ala	2	1	1	1 :	
Elizabeth, N.J	0	1	0	1	Montgomery, Ala	2	0	4	1	
Erie, Pa	2	4	3	0	Nashville, Tenn	2	9	4	(
Jersey City, N.J.	2	3	4	4	The state of the s		227.000	11-		
Newark, N.J.	1	1	3	3	WEST SOUTH CENTRAL:			137 - 0		
New York City, N.Y	61	47	42	56	Austin, Tex	4	5	7		
Paterson, N.J.	5	3	4	1	Baton Rouge, La	1	3	2	1	
Philadelphia, Pa	8	21	14	13*	Corpus Christi, Tex	1	0	1	(
Pittsburgh, Pa	6	4	5	6	Dallas, Tex.	1	5	3		
Reading, Pa	3	2	4	3	El Paso, Tex	0	4	1	3	
Rochester, N.Y.	6	7	11	7	Fort Worth, Tex	0	1	1		
Schenectady, N.Y	1	0	0	1	Houston, Tex	4	0	5	8	
Scranton, Pa	0	0	0	0	Little Rock, Ark	2	2	4	4	
Syracuse, N.Y.	3	0	2	2	New Orleans, La	5	3	7	7	
Trenton, N.J.	2	6	3	2	Oklahoma City, Okla	3	3	1	(
Utica, N.Y	1	1	1	2	San Antonio, Tex.	2	4	6	4	
Yonkers, N.Y	3	1	1	0	Shreveport, La	- 7	6	4	7	
0m 110mm1 0m1-m-15					Tulsa, Okla	2	2	1	2	
AST NORTH CENTRAL:				na _	NOTED TO BEEN BUILDING			DIRECTOR		
Akron, Ohio	0	0	1	0	MOUNTAIN:	700	Parallist.		F 9	
Canton, Ohio	2	6	2	0	Albuquerque, N. Mex	3	0	2	2	
Chicago, Ill	29	25	22	28	Colorado Springs, Colo	4	2	1	2	
Cincinnati, Ohio	. 3	3	3	3 1	Denver, Colo	4	4	4	3	
Cleveland, Ohio	4	5	2	4	Ogden, Utah	2	0	1	2	
Columbus, Ohio	5	2	5	3	Phoenix, Ariz	2	3	3	1	
Dayton, Ohio	0	0	1	0	Pueblo, Colo	0	0	0		
Detroit, Mich	11	12	9	8	Salt Lake City, Utah	1	3	0	(
Evansville, Ind	2	1	1	2	Tucson, Ariz	1	1	0	1	
Flint, Mich	2	4	3	4	DIGTETS.		100	hawc u	som.	
Fort Wayne, Ind	5	4	1	1	PACIFIC:		100			
Gary, Ind	3	1	2	3	Berkeley, Calif	0	0	1	300	
Grand Rapids, Mich.	0	3	1	5	Fresno, Calif	0	2	3	1 3	
Indianapolis, Ind	6	1	3	1 0	Glendale, Calif	0	2	0]	
Madison, Wis	0	3			Honolulu, Hawaii	2	0	1	V June 1	
Milwaukee, Wis	6	4	1	4	Long Beach, Calif	3	1	1		
Peoria, Ill	0	0	1	1 1	Los Angeles, Calif	13	11	23		
Rockford, Ill.	2	4	2	2	Oakland, Calif	2	3	4	61	
South Bend, Ind.	6	3	1	2	Pasadena, Calif	0	0	0	1 2	
Toledo, Ohio.	2	2	1	0	Portland, Oreg	2	1	4		
Youngstown, Ohio	1	2	0	1	Sacramento, Calif	1	3	2	A Ea	
ST NORTH CENTRAL.					San Diego, Calif	2	3	1	2	
ST NORTH CENTRAL:		1 .			San Francisco, Calif	5	3	3	2	
Des Moines, Iowa	1	2	3	2	San Jose, Calif	0	5	2	1	
Duluth, Minn	0	0	1	2	Seattle, Wash	6	6	4	-	
Kansas City, Kans	3	1 1	3	6	Spokane, Wash	1	0	0]	
Kansas City, Mo	5	7	4	2	Tacoma, Wash	1	0	0	0	
Lincoln, Nebr	4	3	3	1	Con Tree D.D.					
Minneapolis, Minn	1	2	2	3	San Juan, P.R	3	1	0	4	
Omaha, Nebr	1	3 =	4	1	Torran Lights					
St. Louis, Mo	13	7	6	3	0.	100	1155			
St. Paul, Minn	4	1	0	0	Current Week Mortality fo	r 108 Se	elected C	ities		
Wichita, Kans	6	7	4	3	///> m . 1					
		1	nal total		4(A) Total Mortality, all ag 4(B) Pneumonia-Influenza Dea				,443 358	

^{*}Estimate - based on average percent of divisional total. Totals for previous weeks include reported corrections.

NOTE: All deaths by place of occurrence.

Salmonella derby Epidemic - Follow-up Report

Seven hundred thirty-six isolations of Salmonella derby have been reported from 25 States and the District of Columbia since March 1, 1963. Previous reports appeared in MMWR, Vol. 12, pp. 199, 182, 173, 167, and

Five hundred sixty-six of the isolates have been from hospitalized patients who were admitted for reasons other than salmonellosis and acquired their infection in hospitals. Sixty-six isolations have been reported from patients whose initial contact with the organism was outside of the hospital, 28 patients have had unknown contact and 76 patients are under investigation.

Ten States have reported hospital-associated infections. Of these, 7 are in the northeastern United States.

Thirty-seven hospitals have been involved, with ten of these being in Pennsylvania, and nine in New York. Sixteen patients have died, primarily from other diseases. but have had associated S. derby gastroenteritis.

(Reported by the epidemiologists of the various State Departments of Health and teams from the Communicable Disease Center).

INTERNATIONAL NOTES - QUARANTINE MEASURES

Cholera

Hong Kong was declared infected with cholera on June 29, 1963, following the report of one case. Macao was declared infected with cholera on July 1, 1963, with four cases reported to date. Cholera was last reported from Hong Kong in October 1962, and Macao in September 1961.

Smallpox, Sweden

No new cases have been reported during the past week. The total number of confirmed cases remains at 23, including four deaths. The fourth death reported involved an unvaccinated 47-year-old male who died on June 15, 25 days after onset of illness. He was the father of case 7, also a fatality (See MMWR, Vol. 12, No. 21, pp. 174 and 183).

HEALTH, EDUCATION, AND WELFARE Communicable Disease Center PUBLIC HEALTH SERVICE

Atlanta 22, Georgia Official Business

STAGE AND FEES PAID DEPARTMENT OF H. E. ٤