


Maps of US Zika Cases

Maps of Zika in the United States

Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of February 15, 2017)



Laboratory-confirmed symptomatic Zika virus disease cases and viremic blood donors reported to ArboNET by states and territories — United States, 2015–2017 (as of February 15, 2017)

States	Symptomatic disease cases**		Viremic blood donors†	
	(N=5,040)		(N=36)	
	No.	(%)	No.	(%)
Alabama	38	(1)	0	(0)
Arizona	55	(1)	1	(3)
Arkansas	15	(<1)	0	(0)
California	420	(9)	5	(14)
Colorado	54	(1)	0	(0)
Connecticut	58	(1)	0	(0)
Delaware	17	(<1)	0	(0)

District of Columbia	31	(1)	0	(0)
Florida‡	1,069	(21)	24	(67)
Georgia	108	(2)	0	(0)
Hawaii	16	(<1)	0	(0)
Idaho	4	(<1)	0	(0)
Illinois	94	(2)	0	(0)
Indiana	53	(1)	0	(0)
Iowa	21	(<1)	0	(0)
Kansas	21	(<1)	0	(0)
Kentucky	32	(1)	0	(0)
Louisiana	39	(1)	0	(0)
Maine	14	(<1)	0	(0)
Maryland	130	(3)	0	(0)
Massachusetts	120	(2)	0	(0)
Michigan	66	(1)	0	(0)
Minnesota	64	(1)	0	(0)
Mississippi	25	(1)	0	(0)
Missouri	36	(1)	0	(0)
Montana	9	(<1)	0	(0)
Nebraska	13	(<1)	0	(0)
Nevada	22	(<1)	1	(3)
New Hampshire	12	(<1)	0	(0)
New Jersey	176	(4)	0	(0)
New Mexico	10	(<1)	0	(0)
New York	1,020	(21)	2	(6)
North Carolina	91	(2)	0	(0)
North Dakota	2	(<1)	0	(0)
Ohio	84	(2)	0	(0)
Oklahoma	29	(1)	0	(0)
Oregon	46	(1)	0	(0)
Pennsylvania	173	(4)	0	(0)
Rhode Island	54	(1)	0	(0)
South Carolina	54	(1)	0	(0)
South Dakota	2	(<1)	0	(0)
Tennessee	61	(1)	0	(0)
Texas‡	306	(6)	3	(8)

Utah	22 (<1)	0 (0)
Vermont	11 (<1)	0 (0)
Virginia	112 (2)	0 (0)
Washington	70 (1)	0 (0)
West Virginia	11 (<1)	0 (0)
Wisconsin	48 (1)	0 (0)
Wyoming	2 (<1)	0 (0)

Territories	Symptomatic disease cases**	Viremic blood donors†
	(N=37,023) No. (%)	(N=318) No. (%)
American Samoa	120 (<1)	0 (0)
Puerto Rico	35,930 (97)	318 (100)
US Virgin Islands	973 (3)	0 (0)

** Includes reported confirmed and probable Zika virus disease cases per the [CSTE case definitions](#).

† Viremic blood donors are people who reported no symptoms at the time of donating blood, but whose blood tested positive when screened for the presence of Zika virus RNA by the blood collection agency. Some viremic blood donors develop symptoms after their donation or may have had symptoms in the past. These individuals may be reported as both Zika virus disease cases and viremic blood donors.

‡ Includes 210 cases in Florida and 6 cases in Texas that were acquired through presumed local mosquito-borne transmission.