


## Maps of US Zika Cases

# Maps of Zika in the United States

## Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of March 29, 2017)



Laboratory-confirmed symptomatic Zika virus disease cases and presumptive viremic blood donors reported to ArboNET by states and territories – United States, 2015–2017 (as of March 29, 2017)

States	Symptomatic disease cases**		Presumptive viremic blood donors†	
	(N=5,182)		(N=43)	
	No.	(%)	No.	(%)
Alabama	40	(1)	0	(0)
Arizona	57	(1)	1	(2)
Arkansas	15	(<1)	0	(0)
California	437	(9)	5	(12)
Colorado	57	(1)	0	(0)
Connecticut	58	(1)	0	(0)
Delaware	17	(<1)	0	(0)

District of Columbia	32	(1)	0	(0)
Florida†	1,114	(21)	26	(60)
Georgia	110	(2)	0	(0)
Hawaii	16	(<1)	0	(0)
Idaho	5	(<1)	0	(0)
Illinois	94	(2)	0	(0)
Indiana	51	(1)	0	(0)
Iowa	27	(1)	1	(2)
Kansas	22	(<1)	0	(0)
Kentucky	33	(1)	0	(0)
Louisiana	39	(1)	0	(0)
Maine	14	(<1)	0	(0)
Maryland	135	(3)	0	(0)
Massachusetts	125	(3)	1	(2)
Michigan	72	(1)	0	(0)
Minnesota	64	(1)	0	(0)
Mississippi	25	(1)	0	(0)
Missouri	36	(1)	0	(0)
Montana	9	(<1)	0	(0)
Nebraska	13	(<1)	0	(0)
Nevada	22	(<1)	2	(5)
New Hampshire	12	(<1)	0	(0)
New Jersey	184	(4)	0	(0)
New Mexico	10	(<1)	0	(0)
New York	1,016	(20)	3	(7)
North Carolina	100	(2)	0	(0)
North Dakota	3	(<1)	0	(0)
Ohio	85	(2)	0	(0)
Oklahoma	29	(1)	0	(0)
Oregon	48	(1)	0	(0)
Pennsylvania	178	(4)	0	(0)
Rhode Island	54	(1)	0	(0)
South Carolina	54	(1)	0	(0)
South Dakota	2	(<1)	0	(0)
Tennessee	61	(1)	0	(0)
Texas†	319	(6)	3	(7)
Utah	22	(<1)	0	(0)

Vermont	11 (<1)	0 (0)
Virginia	114 (2)	0 (0)
Washington	72 (1)	0 (0)
West Virginia	11 (<1)	1 (2)
Wisconsin	56 (1)	0 (0)
Wyoming	2 (<1)	0 (0)
<b>Symptomatic disease cases**</b>	<b>(N=38,303)</b>	<b>Presumptive viremic blood donors†</b>
<b>Territories</b>	<b>No. (%)</b>	<b>(N=325)</b>
		<b>No. (%)</b>
American Samoa	132 (<1)	0 (0)
Puerto Rico	37,174 (97)	325 (100)
US Virgin Islands	997 (3)	0 (0)

\*\* Includes reported confirmed and probable Zika virus disease cases per the [CSTE case definitions](#).

† Presumptive viremic blood donors are people who reported no symptoms at the time of donating blood, but whose blood tested positive when screened for the presence of Zika virus RNA by the blood collection agency. Some presumptive viremic blood donors develop symptoms after their donation or may have had symptoms in the past. These individuals may be reported as both Zika virus disease cases and presumptive viremic blood donors.

‡ Includes 216 cases in Florida and 6 cases in Texas that were acquired through presumed local mosquito-borne transmission.