SUPPLEMENTARY TABLE 2. Reversible postpartum contraceptive use* among nonpregnant, sexually active teen mothers aged <20 years — 5 sites,[†] Pregnancy Risk Assessment Monitoring System (PRAMS), 2004–2013

	Postpartum Contraceptive Method								No Contraceptive			
	Most effective*		Moderately effective*		Least effective*		Any contraceptive method		Method		Total	
	n	% (95% CI)¶	n	% (95% CI) [¶]	n	% (95% CI)¶	n	% (95% CI)¶	n	% (95% CI)¶	n	Ν
Total	1,222	18.0 (16.5–19.6)	3,557	52.4 (50.4–54.4)	1,019	16.0 (14.5–17.5)	5,798	86.4 (85.0–87.7)	1,054	13.6 (12.3–15.0)	6,852	185,155
2004–2005	103	5.3 (3.9–7.0)	1,109	65.1 (60.8–69.0)	262	16.3 (13.3–19.9)	1,474	86.7 (83.3–89.4)	252	13.3 (10.6–16.7)	1,726	41,991
2006–2007	231	14.8 (12.2–18.0)	845	53.3 (49.2–57.3)	240	14.6 (12.0–17.6)	1,316	82.7 (79.4–85.6)	265	17.3 (14.4–20.6)	1,581	40,443
2008-2009	346	22.6 (19.3–26.3)	679	50.0 (46.0–54.1)	204	14.1 (11.5–17.1)	1,229	86.7 (84.0-89.0)	227	13.3 (11.0–16.0)	1,456	41,187
2010–2011	321	26.0 (22.3–30.2)	559	48.4 (43.8–52.9)	177	16.4 (13.3–20.2)	1,057	90.8 (88.2–92.9)	153	9.2 (7.1–11.8)	1,210	34,910
2012–2013	221	25.3 (20.6–30.7)	365	40.2 (34.4–46.3)	136	19.8 (15.1–25.4)	722	85.3 (81.1-88.6)	157	14.7 (11.4–18.9)	879	26,624
Change over time		§, §§		ş								

* Methods categorized by effectiveness, as determined by the percentage of females who experience pregnancy during the first year of typical use (7): most effective (contraceptive implants and intrauterine devices (IUDs) (<1%); moderately effective (oral contraceptive pills, injectables (e.g., Depo-Provera), birth control patch, and vaginal ring) (6%–10%); and least effective (condoms, diaphragm, cervical cap, contraceptive sponge, rhythm method/natural family planning, the "morning after pill," withdrawal, and "other" responses that could not be categorized to a more effective category) (>10%); also includes measure of teen mothers who report no postpartum contraceptive use.

[†] Arkansas, Michigan, Nebraska, Oregon, and Rhode Island.

[¶]Weighted percent.

[§]Significant linear effect (*P*-value <0.05).

^{§§} Significant quadratic effect (*P*-value <0.05).