


Maps of US Zika Cases

Maps of Zika in the United States

Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of April 26, 2017)



Laboratory-confirmed symptomatic Zika virus disease cases and presumptive viremic blood donors reported to ArboNET by states and territories — United States, 2015–2017 (as of April 26, 2017)

States	Symptomatic disease cases**		Presumptive viremic blood donors†	
	(N=5,264)	No. (%)	(N=45)	No. (%)
Alabama	40	(1)	1	(2)
Arizona	55	(1)	1	(2)
Arkansas	15	(<1)	0	(0)
California	444	(9)	5	(11)
Colorado	59	(1)	0	(0)
Connecticut	58	(1)	0	(0)
Delaware	17	(<1)	0	(0)

District of Columbia	43 (1)	0 (0)
Florida‡	1,134 (22)	26 (58)
Georgia	110 (2)	0 (0)
Hawaii	16 (<1)	0 (0)
Idaho	4 (<1)	0 (0)
Illinois	103 (2)	0 (0)
Indiana	51 (1)	0 (0)
Iowa	27 (1)	1 (2)
Kansas	22 (<1)	0 (0)
Kentucky	33 (1)	0 (0)
Louisiana	39 (1)	0 (0)
Maine	14 (<1)	0 (0)
Maryland	134 (3)	0 (0)
Massachusetts	127 (3)	1 (2)
Michigan	73 (1)	0 (0)
Minnesota	64 (1)	0 (0)
Mississippi	25 (1)	0 (0)
Missouri	38 (1)	0 (0)
Montana	9 (<1)	0 (0)
Nebraska	13 (<1)	0 (0)
Nevada	22 (<1)	1 (2)
New Hampshire	13 (<1)	0 (0)
New Jersey	189 (4)	0 (0)
New Mexico	10 (<1)	0 (0)
New York	1,021 (20)	3 (7)
North Carolina	100 (2)	0 (0)
North Dakota	3 (<1)	0 (0)
Ohio	85 (2)	0 (0)
Oklahoma	29 (1)	0 (0)
Oregon	49 (1)	0 (0)
Pennsylvania	179 (4)	0 (0)
Rhode Island	57 (1)	0 (0)
South Carolina	59 (1)	0 (0)
South Dakota	3 (<1)	0 (0)
Tennessee	61 (1)	0 (0)
Texas‡	326 (6)	5 (11)
Utah	22 (<1)	0 (0)

Vermont	13 (<1)	0 (0)
Virginia	115 (2)	0 (0)
Washington	72 (1)	0 (0)
West Virginia	11 (<1)	1 (2)
Wisconsin	56 (1)	0 (0)
Wyoming	2 (<1)	0 (0)
Symptomatic disease cases** Presumptive viremic blood donors†		
Territories	(N=36,575)	(N=325)
	No. (%)	No. (%)
American Samoa	132 (<1)	0 (0)
Puerto Rico	35,423 (97)	325 (100)
US Virgin Islands	1,020 (3)	0 (0)

** Includes reported confirmed and probable Zika virus disease cases per the [CSTE case definitions](#).

† Presumptive viremic blood donors are people who reported no symptoms at the time of donating blood, but whose blood tested positive when screened for the presence of Zika virus RNA by the blood collection agency. Some presumptive viremic blood donors develop symptoms after their donation or may have had symptoms in the past. These individuals may be reported as both Zika virus disease cases and presumptive viremic blood donors.

‡Includes 218 cases in Florida and 6 cases in Texas that were acquired through presumed local mosquito-borne transmission.