

Appendix. Coefficient Estimates

Appendix Table 1. Coefficient Estimates from Two-Part Models of 3 and 6 Months Post-Injury Medical Expenditures, Nurses and Aides (95% Confidence Interval in Brackets)

	3 Months		6 Months	
	(A) Part One: Coefficient (N=2696)	(B) Part Two: Coefficient (N=2250)	(A) Part One: Coefficient (N=2696)	(B) Part Two: Coefficient (N=2250)
Injured	0.78 [0.48, 1.07]	0.08 [-0.05, 0.21]	1.08 [0.67, 1.49]	0.09 [-0.02, 0.20]
Quartile of previous medical expenditures				
1 st	reference	reference	reference	reference
2 nd	1.42 [1.14, 1.70]	0.18 [0.01, 0.35]	0.89 [0.57, 1.21]	0.25 [0.11, 0.39]
3 rd	1.98 [1.66, 2.31]	0.50 [0.33, 0.67]	1.83 [1.41, 2.26]	0.75 [0.61, 0.89]
4 th	2.31 [1.95, 2.67]	1.18 [1.01, 1.35]	2.98 [2.31, 3.63]	1.40 [1.26, 1.54]
Group health insurance plan				
Premium	reference	reference	reference	reference
Grandfathered	-1.03 [-1.47, -0.60]	0.25 [-0.01, 0.51]	-1.36 [-1.86, -0.86]	0.07 [-0.16, 0.29]
Value	-0.15 [-0.72, 0.41]	-0.13 [-0.45, 0.20]	-0.05 [-0.65, 0.74]	-0.09 [-0.36, 0.18]
Age				
22-29 years	-0.11 [-0.48, 0.26]	-0.34 [-0.52, -0.17]	0.25 [-0.23, 0.73]	-0.30 [-0.45, -0.15]
30-39 years	-0.23 [-0.54, 0.09]	-0.24 [-0.39, -0.09]	0.09 [-0.31, 0.49]	-0.20 [-0.33, -0.07]
40-49 years	-0.54 [-0.84, -0.24]	-0.07 [-0.22, 0.09]	-0.33 [-0.70, 0.04]	-0.15 [-0.29, -0.02]
50-77 years	reference	reference	reference	reference
Job				
Nurse	reference	reference	reference	reference
Aide	-0.33 [-0.60, -0.06]	0.09 [-0.05, 0.24]	-0.66 [-0.98, 1.75]	0.06 [-0.06, 0.19]