

Appendix
Youth-Adult Connectedness: A Key Protective Factor for Adolescent Health
Sieving et al.

Appendix Table 1. Select Studies on Youth-Adult Connectedness by MN-PRC Researchers between 1996 and 2016

Citation	Type of youth-adult connectedness			Youth outcomes assessed							
	Parent / Family	Teacher / School	Other adult ^a	Academic / School	Eating behavior	Mental health	Psychosocial skills	Sexual health	Substance use	Violence	Other
Resnick MD, Bearman PS, Blum RW, et al. Protecting adolescents from harm: Findings from the National Longitudinal Study on Adolescent Health. <i>JAMA</i> . 1997;278(10):823-832.	●	●				▲		▲	▲	▲	
Sieving R, McNeely C, Blum R. Maternal expectations, mother-child connectedness, and adolescent sexual debut. <i>Arch Pediatr Adolesc Med</i> . 2000;154:809-816.	●							▲			
Eisenberg ME, Resnick MD. Suicidality among gay, lesbian and bisexual youth: The role of protective factors. <i>J Adolesc Health</i> . 2006;39:662-668.	●	●	●			▲					
Eisenberg ME, Ackard DM, Resnick MD. Protective factors and suicide risk among adolescents with a history of sexual abuse. <i>J Pediatr</i> . 2007;151:482-487.	●	●	●			▲					
Pettingell SL, Bearinger LH, Skay C, et al. Protecting urban American Indian young people from suicide. <i>Am J Health Behav</i> . 2008;32(5):465-476.	●	●	●			▲					
Sieving R, Widome R. Towards preventing youth violence: Engaging urban middle school students in community service learning. <i>CURA Reporter</i> . 2008;38(1):12-17.		●								▲	

Appendix
Youth–Adult Connectedness: A Key Protective Factor for Adolescent Health
 Sieving et al.

Citation	Type of youth-adult connectedness			Youth outcomes assessed							
	Parent / Family	Teacher / School	Other adult ^a	Academic / School	Eating behavior	Mental health	Psychosocial skills	Sexual health	Substance use	Violence	Other
Boutelle K, Eisenberg ME, Becker M, Neumark-Sztainer D. The reciprocal relationship between parent-child connectedness and adolescent emotional functioning over 5 years. <i>J Psychosom Res.</i> 2009;66:309–316.	●					▲					▲
Clark T, Robinson E, Crengle-Te Kupenga S, et al. Risk and protective factors for suicide attempt among indigenous Maori youth in New Zealand: The role of family connection as a moderating variable. <i>J Aborig Health.</i> 2011;7(1):16-31.	●					▲					
Stoddard S, Henly S, Sieving R, Bolland J. Social connections, trajectories of hopelessness, and serious violence in impoverished urban youth. <i>J Youth Adolesc.</i> 2011;40(3):278-295.	●					▲				▲	
Stoddard S, McMorris B, Sieving R. Do social connections and hope matter in predicting early adolescent violence? <i>Am J Community Psychol.</i> 2011;48(3-4):247-256.	●	●				▲				▲	
Bernat DH, Oakes JM, Pettingell SL, Resnick MD. Risk and direct protective factors for youth violence: Results from the National Longitudinal Study of Adolescent Health. <i>Am J Prev Med.</i> 2012;43(2S1):S57–S66.	●	●								▲	

Appendix
Youth–Adult Connectedness: A Key Protective Factor for Adolescent Health
Sieving et al.

Citation	Type of youth-adult connectedness			Youth outcomes assessed							
	Parent / Family	Teacher / School	Other adult ^a	Academic / School	Eating behavior	Mental health	Psychosocial skills	Sexual health	Substance use	Violence	Other
Hicks M, McRee AL, Eisenberg, ME. Teens talking to their partners about sex: The role of parent communication. <i>Am J Sex Educ.</i> 2013;8:1-2:1-17.		●						▲			
Secor-Turner M, McMorris B, Sieving R, Bearinger L. Life experiences of instability and sexual risk behaviors among high risk adolescent girls. <i>Perspect Sex Reprod Health.</i> 2013;45:101-107.	●							▲			
Shlafer R, McMorris B, Sieving R, Gower A. The impact of family and peer protective factors on girls’ violence perpetration and victimization. <i>J Adolesc Health.</i> 2013;52:365-371.	●									▲	
Berge JM, Wall MM, Larson NI, et al. The unique and additive associations of family functioning and parenting practices with disordered eating behaviors in diverse adolescents. <i>J Behav Med.</i> 2014;37(2):205-217.	●				▲						
McMorris BJ, Swartz K, Thul C, et al. Long–term impact of <i>Lead Peace</i> service learning program on high school seniors from North Minneapolis. <i>CURA Reporter.</i> 2014;44(2):22-29.		●	●	▲						▲	
Sieving R, McMorris B, Secor-Turner M, et al. Prime Time: 18-month violence outcomes of a clinic-based intervention. <i>Prev Sci.</i> 2014;49(2):460-472.	●	●								▲	▲

Appendix
Youth-Adult Connectedness: A Key Protective Factor for Adolescent Health
 Sieving et al.

Citation	Type of youth-adult connectedness			Youth outcomes assessed							
	Parent / Family	Teacher / School	Other adult ^a	Academic / School	Eating behavior	Mental health	Psychosocial skills	Sexual health	Substance use	Violence	Other
Sieving R, McRee AL, Secor-Turner M, et al. Prime Time: Long-term sexual health outcomes of a clinic-linked intervention. <i>Perspect Sex Reprod Health</i> . 2014;46:91-100.	●	●						▲			
Johnson KR, McMorris BJ, MapelLentz S, Scal PB. Improving self-management skills through patient centered communication. <i>J Adolesc Health</i> . 2015;57(6):61-69.			●								▲
Ghobadzadeh M, Sieving R, Gloppen K. Positive youth development and contraceptive use consistency. In press, <i>J Pediatr Health Care</i> . 2016.	●	●						▲			
Kast NR, Eisenberg ME, Sieving RE. The role of family communication and connectedness in dating violence victimization among sub-groups of Hispanic adolescents. In press, <i>J Interpers Violence</i> . 2016.	●									▲	
Porta C, Allen M, Hurtado GA, et al. Honoring roots in multiple worlds: Professionals' perspectives on healthy development of Latino youth. In press, <i>Health Promot Pract</i> . 2016.	●		●								▲

^a Other adult includes health care providers, community members, neighbors, formal mentors, and other adults.