

November 1960

Issue 67

*VD* **STATISTICAL LETTER**



**U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE**  
PUBLIC HEALTH SERVICE

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE  
Public Health Service  
Bureau of State Services – Communicable Disease Center  
Venereal Disease Branch  
Office of Statistics

LIMITED EDITION

This paper has been prepared for a special audience, and should not be listed in reading lists or periodicals as available on request.

C O N T E N T S

MORBIDITY

April - June 1960

Summary, United States excluding Territories, By Race, Sex, and Disease	1
By State and Territory:	
By Disease, Reporting Source, Rates per 100,000 population and Percentage by Private Physicians	2
By Cities with population 200,000 and over:	
By Disease, Reporting Source, Rates per 100,000 population and Percentage by Private Physicians	3
Fiscal Year 1960	
Summary, United States excluding Territories, By Race, Sex, and Disease	4
By State and Territory:	
By Disease, Reporting Source, Rates per 100,000 population and Percentage by Private Physicians	5
By Cities with population 200,000 and over:	
By Disease, Reporting Source, Rates per 100,000 population and Percentage by Private Physicians	6
Summary, United States excluding Territories, Cases and Rates per 100,000 population, By Race, Sex, and Disease	7

EPIDEMIOLOGICAL ACTIVITY

April - June 1960

By State and Territory:	
Investigations and Percent of Suspects Examined:	
I - Military	8
II - Private Physician Patients	9
III - Health Department Patients	10
Contacts Obtained from Health Department Clinic and Private Physician Patients:	
I - Primary and Secondary Syphilis	11
II - Early Latent Syphilis	12
III - Gonorrhoea	13
By Regions:	
Yield per 1,000 Persons Examined	14
Fiscal Year 1960	

By State and Territory:	
Investigations and Percent of Suspects Examined:	
I - Military	15
II - Private Physician Patients	16
III - Health Department Patients	17
Contacts Obtained from Health Department Clinic and Private Physician Patients:	
I - Primary and Secondary Syphilis	18
II - Early Latent Syphilis	19
III - Gonorrhoea	20
By Regions:	
Yield per 1,000 Persons Examined	21
Summary, United States excluding Territories	22

DIAGNOSTIC OBSERVATIONS IN PUBLIC CLINICS

By State and Territory:	
April - June 1960	23
Fiscal Year 1960	24
Fiscal Years 1952 - 1960:	
By Number of Diagnostic Observations	25
Rates per 100,000 population	26

REPORTED BLOOD SPECIMENS EXAMINED FOR SYPHILIS BY LABORATORIES

By State and Territory:	
Fiscal Years 1952 - 1960	27

SELECTEES

Summary, Fiscal Years 1956 - 1960	28
By State and Territory:	
Disposition of Syphilis Suspects, Fiscal Year 1960	29

SEPARATEES

Summary, Fiscal Years 1956 - 1960	28
By State and Territory:	
Disposition of Syphilis Suspects, Fiscal Year 1960	30

FIRST ADMISSIONS TO STATE MENTAL HOSPITALS FOR ALL PSYCHOSES DUE TO SYPHILIS

Calendar Years 1949 - 1958	31
----------------------------	----

VENEREAL DISEASE MORBIDITY SUMMARY  
 UNITED STATES TOTAL  
 (Excluding Territories)

April - June 1960

Stat. Ltr. 67

SOURCE OF REPORT	COLOR AND SEX	TOTAL SYPHILIS	SYPHILIS					GONORRHEA	OTHER VD			TOTAL OTHER VD	
			Primary and Secondary	Early Latent	Late and Late Latent	Congenital	Not Stated		Chancroid	Granuloma Inguinale	Lympho-granuloma Venereum		
BY PRIVATE PHYSICIANS	White and Unknown	Male	4398	662	393	3115	105	123	5648	34	2	1	37
		Female	3510	111	343	2665	273	118	1599	2	1	3	6
	Nonwhite	Male	2819	332	419	1924	64	80	6924	23	7	10	40
		Female	3191	239	557	2161	146	88	2417	3	6	8	17
	Total	13918	1344	1712	9865	588	409	16588	62	16	22	100	
	BY CLINICS, HOSPITALS, OR OTHER INSTITUTIONS	White and Unknown	Male	3534	502	480	2452	62	38	4834	57	1	13
Female			1836	112	295	1326	83	20	2544	3	1		4
Nonwhite		Male	6667	1051	1100	4293	172	51	25581	240	37	116	393
		Female	5445	748	1053	3380	226	38	12031	44	10	54	108
Total		17482	2413	2928	11451	543	147	44990	344	49	183	576	
TOTAL ALL SOURCES		White and Unknown	Male	7932	1164	873	5567	167	161	10482	91	3	14
	Female		5346	223	638	3991	356	138	4143	5	2	3	10
	Nonwhite	Male	9486	1383	1519	6217	236	131	32505	263	44	126	433
		Female	8636	987	1610	5541	372	126	14448	47	16	62	125
	Total	31400	3757	4640	21316	1131	556	61578	406	65	205	676	

Page 1

Source: Form PHS 9.688 and special reports  
 HEW-PHS-BSS-CDC-VD Branch  
 Office of Statistics  
 10/4/60 LBH/OGJ: lbh





**VENEREAL DISEASE MORBIDITY SUMMARY**  
**UNITED STATES TOTAL**  
**(Excluding Territories)**

Fiscal Year 1960

SOURCE OF REPORT	COLOR AND SEX		TOTAL SYPHILIS	SYPHILIS					GONORRHEA	OTHER VD			TOTAL OTHER VD
				Primary and Secondary	Early Latent	Late and Late Latent	Congenital	Not Stated		Chancroid	Granuloma Inguinale	Lympho-granuloma Venereum	
BY PRIVATE PHYSICIANS	White and Unknown	Male	17145	2415	1535	12320	443	432	23009	101	7	37	145
		Female	13723	417	1306	10509	1054	437	6229	9	4	7	20
	Nonwhite	Male	11204	1090	1692	7834	266	322	27169	70	24	38	132
		Female	13003	788	2328	9000	511	376	8236	12	20	15	47
	Total,		55075	4710	6861	39663	2274	1567	64643	192	55	97	344
BY CLINICS, HOSPITALS, OR OTHER INSTITUTIONS	White and Unknown	Male	12698	1606	1600	9091	246	155	19565	211	10	45	266
		Female	6931	365	922	5238	325	81	9903	32	1	7	40
	Nonwhite	Male	24514	3529	3699	16376	694	216	104881	934	149	482	1565
		Female	21031	2261	3747	13827	1054	142	47705	186	58	169	413
	Total,		65174	7761	9968	44532	2319	594	182054	1363	218	703	2284
TOTAL ALL SOURCES	White and Unknown	Male	29843	4021	3135	21411	689	587	42574	312	17	82	411
		Female	20654	782	2228	15747	1379	518	16132	41	5	14	60
	Nonwhite	Male	35718	4619	5391	24210	960	538	132050	1004	173	520	1697
		Female	34034	3049	6075	22827	1565	518	55941	198	78	184	460
	Total.		120249	12471	16829	84195	4593	2161	246697	1555	273	800	2628

Source: Form PHS 9.688 and special reports  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
10/4/60 LBH/OGJ: lbh





SELECTED VENEREAL DISEASE MORBIDITY DATA FOR CITIES WITH POPULATION OVER 200,000

Stat. Ltr. 67

Fiscal Year 1960

Table with columns: Cities By Region, SYPHILIS, GONORRHEA, TOTAL OTHER VENEREAL DISEASES. Rows include cities like Boston, Buffalo, Baltimore, Atlanta, Miami, Akron, Chicago, Dallas, Fort Worth, Houston, New Orleans, Oklahoma City, San Antonio, Denver, Honolulu, Los Angeles, Oakland, Portland, San Diego, San Francisco, Seattle, and U.S. TOTAL. Columns show Total All Sources, Private Physicians, Percent, Early Latent, Late Latent, and Congenital for SYPHILIS; and Total All Sources, Private Physicians, Percent for GONORRHEA and TOTAL OTHER VENEREAL DISEASES.

1/ Annual Rates per 100,000 population. Population estimates as of January 1, 1959. Copyright, Sales Management Survey of Buying Power, reproduction not licensed. Known Military Cases excluded. Includes cases with stage "not stated".

Source: Forms 9, 688 and PHS 9, 562 and Special Reports HEM-PHS-BSS-CDC-VB Branch Office of Statistics 10/6/60 GM/LBH: lhb

SUMMARY OF VENEREAL DISEASE CASES AND RATES PER 100,000 POPULATION  
UNITED STATES TOTAL  
(Known Military Cases Excluded)  
Fiscal Year 1960

Reporting Source Disease and Stage	All Classes						White						Non-White					
	Total		Male		Female		Total		Male		Female		Total		Male		Female	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
<b>BY PRIVATE PHYSICIANS</b>																		
Total Syphilis	55075	31.0	28349	33.0	26726	29.6	30868	19.7	17145	22.5	13723	17.2	24207	122.2	11204	116.4	13003	127.6
Primary & Secondary	4710	2.7	3505	4.1	1205	1.3	2832	1.8	2415	3.2	417	.5	1878	9.5	1090	11.3	788	7.7
Early Latent	6861	3.8	3227	3.8	3634	4.0	2841	1.8	1535	2.0	1306	1.7	4020	20.3	1692	17.6	2328	22.8
Late & Late Latent	39663	22.3	20154	23.4	19509	21.6	22829	14.6	12320	16.1	10509	13.2	16834	85.0	7834	81.4	9000	88.3
Congenital	2274	1.3	709	.8	1565	1.8	1497	.9	443	.6	1054	1.3	777	3.9	266	2.8	511	5.1
Not Stated	1567	.9	754	.9	813	.9	869	.6	432	.6	437	.5	698	3.5	322	3.3	376	3.7
Gonorrhea	64643	36.7	50178	58.4	14465	16.0	29238	18.7	23009	30.1	6229	7.8	35405	178.7	27169	282.2	8236	80.8
Total Other V D	344	.3	277	.4	67	.1	165	.1	145	.2	20	.0	179	.9	132	1.4	47	.5
Chancroid	192	.1	171	.3	21	.0	110	.1	101	.2	9	.0	82	.4	70	.7	12	.1
Granuloma Inguinale	55	.1	31	.0	24	.1	11	.0	7	.0	4	.0	44	.2	24	.3	20	.2
Lymphogranuloma Venereum	97	.1	75	.1	22	.0	44	.0	37	.0	7	.0	53	.3	38	.4	15	.2
<b>BY CLINICS, HOSPITALS, AND OTHER INSTITUTIONS</b>																		
Total Syphilis	65174	37.0	37212	43.3	27962	31.0	19629	12.6	12698	16.6	6931	8.7	45545	229.8	24514	254.7	21031	206.4
Primary & Secondary	7761	4.4	5135	6.0	2626	2.9	1971	1.3	1606	2.1	365	.5	5790	29.2	3529	36.7	2261	22.2
Early Latent	9968	5.7	5299	6.2	4669	5.2	2522	1.6	1600	2.1	922	1.2	7446	37.6	3699	38.4	3747	36.8
Late & Late Latent	44532	25.3	25467	29.6	19065	21.2	14329	9.2	9091	11.9	5238	6.5	30203	152.4	16376	170.1	13827	135.7
Congenital	2319	1.3	940	1.1	1379	1.5	571	.4	246	.3	325	.4	1748	8.8	694	7.2	1054	10.3
Not Stated	594	.3	371	.4	223	.2	236	.1	155	.2	81	.1	358	1.8	216	2.2	142	1.4
Gonorrhea	182054	103.4	124446	144.8	57608	63.9	29468	18.9	19565	25.6	9903	12.4	152586	770.0	104881	1089.6	47705	468.2
Total Other V D	2284	1.3	1831	2.1	443	.5	306	.2	266	.3	40	.1	1978	10.0	1565	16.2	413	4.1
Chancroid	1363	.8	1145	1.3	218	.2	243	.2	211	.2	32	.1	1120	5.7	934	9.7	186	1.8
Granuloma Inguinale	218	.1	159	.2	59	.1	11	.0	10	.0	1	.0	207	1.0	149	1.5	58	.6
Lymphogranuloma Venereum	703	.4	527	.6	176	.2	52	.0	45	.1	7	.0	651	3.3	482	5.0	169	1.7
<b>BY ALL SOURCES</b>																		
Total Syphilis	120249	68.0	65561	76.3	54688	60.6	50497	32.3	29843	39.1	20654	25.8	69752	352.0	35718	371.1	24034	234.0
Primary & Secondary	12471	7.1	8640	10.1	3831	4.2	4803	3.1	4021	5.3	782	1.0	7668	38.7	4619	48.0	3049	29.9
Early Latent	16829	9.5	8526	10.0	8303	9.2	5363	3.4	3135	4.1	2228	2.9	11466	57.9	5391	56.0	6075	59.6
Late & Late Latent	84195	47.6	45621	53.0	38574	42.8	37158	23.8	21411	28.0	15747	19.7	47037	237.4	24210	251.5	22827	224.0
Congenital	4593	2.6	1649	1.9	2944	3.3	2068	1.3	689	.9	1379	1.7	2525	12.7	960	10.0	1565	15.4
Not Stated	2161	1.2	1125	1.3	1036	1.1	1105	.7	587	.8	518	.6	1056	5.3	538	5.6	518	5.1
Gonorrhea	246697	140.1	174624	203.2	72073	79.9	58706	37.6	42574	55.7	16132	20.2	187991	948.7	132050	1371.8	55941	549.0
Total Other V D	2628	1.6	2108	2.5	520	.6	471	.3	411	.5	60	.1	2157	10.9	1697	17.6	460	4.6
Chancroid	1555	.9	1316	1.6	239	.2	353	.3	312	.4	410	.1	1202	6.1	1004	10.4	198	1.9
Granuloma Inguinale	273	.2	190	.2	83	.2	22	.0	17	.0	5	.0	251	1.2	173	1.8	78	.8
Lymphogranuloma Venereum	800	.5	602	.7	198	.2	96	.0	82	.1	14	.0	704	3.6	520	5.4	184	1.9

Estimates of Civilian population for January 1, 1960 based on Bureau of Census data.

Source: Form PHS 9.688 and special reports.  
HEW-PHS-183-CDC-VD Branch  
Office of Statistics  
10/4/60 LHH/1bh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED Stat.Ltr. 67  
 I - CIVILIAN CONTACTS OF ARMED FORCES PERSONNEL AND SELECTEE AND SEPARATEE SUSPECTS  
 ALL AREAS REPORTING

April - June 1960

States By HEW Regions	Total Contacts and Suspects *		Contacts of Military Cases								Selectees and Separatees	
			Syphilis				Gonorrhea					
			Pri. & Sec.		Early Latent		Other		Gonorrhea			
			Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined		
Connecticut	7	57.1	0	-	0	-	2	50.0	5	60.0	0	-
Maine	15	46.7	0	-	0	-	0	-	15	46.7	0	-
Massachusetts	96	69.8	0	-	2	100.0	0	-	86	68.6	6	83.3
New Hampshire	0	-	0	-	0	-	0	-	0	-	0	-
Rhode Island	39	30.8	0	-	0	-	0	-	38	28.9	0	-
Vermont	1	.0	0	-	0	-	0	-	1	.0	0	-
REGION I TOTAL	158	57.0	0	-	2	100.0	2	50.0	145	55.2	6	83.3
Delaware	7	85.7	0	-	0	-	0	-	6	83.3	1	100.0
New Jersey	64	56.3	4	25.0	6	33.3	0	-	43	53.3	10	90.0
New York	177	36.2	11	36.4	9	22.2	2	.0	129	30.2	25	76.0
Pennsylvania	79	69.6	1	100.0	6	50.0	0	-	58	63.8	14	100.0
REGION II TOTAL	327	49.2	16	37.5	21	33.3	2	.0	236	44.1	50	86.0
District of Columbia	60	68.3	10	70.0	0	-	0	-	50	68.0	0	-
Kentucky	152	44.7	2	50.0	0	-	0	-	142	43.0	7	71.4
Maryland	19	36.8	3	100.0	0	-	0	-	16	25.0	0	-
North Carolina	245	71.0	33	100.0	8	37.5	2	100.0	178	66.9	22	77.3
Virginia	213	79.8	15	66.7	5	100.0	0	-	178	78.7	11	100.0
West Virginia	32	59.4	2	.0	1	100.0	0	-	21	57.1	8	75.0
REGION III TOTAL	721	66.4	65	83.1	14	64.3	2	100.0	585	63.2	48	81.3
Alabama	79	63.3	10	80.0	1	100.0	4	50.0	54	57.4	6	100.0
Florida	206	50.5	3	100.0	1	.0	1	100.0	188	48.9	12	66.7
Georgia	192	64.6	7	85.7	2	50.0	1	100.0	175	62.9	4	75.0
Mississippi	70	88.6	3	100.0	0	-	0	-	64	89.1	3	66.7
South Carolina	360	67.8	41	82.9	2	50.0	1	100.0	304	65.8	4	50.0
Tennessee	205	91.7	30	96.7	0	-	1	100.0	160	90.6	14	92.9
REGION IV TOTAL	1112	69.4	94	88.3	6	50.0	8	75.0	945	67.2	43	79.1
Illinois	48	66.7	2	50.0	1	.0	0	-	42	66.7	3	100.0
Indiana	51	49.0	0	-	0	-	0	-	33	42.4	16	62.5
Michigan	66	63.6	7	71.4	0	-	0	-	44	63.6	15	60.0
Ohio	82	50.0	6	66.7	1	.0	0	-	66	48.5	9	55.6
Wisconsin	14	57.1	0	-	1	.0	0	-	10	60.0	3	66.7
REGION V TOTAL	261	56.7	15	66.7	3	.0	0	-	195	55.4	46	63.0
Iowa	11	81.8	0	-	0	-	0	-	8	75.0	2	100.0
Kansas	147	40.8	8	62.5	7	28.6	11	45.5	109	36.7	8	100.0
Minnesota	14	71.4	0	-	0	-	0	-	13	69.2	1	100.0
Missouri	95	67.4	0	-	1	.0	2	100.0	75	61.3	17	94.1
Nebraska	20	90.0	0	-	0	-	0	-	18	94.4	2	50.0
North Dakota	8	75.0	1	100.0	0	-	0	-	6	83.3	1	.0
South Dakota	27	55.6	1	100.0	0	-	0	-	23	56.5	3	33.3
REGION VI TOTAL	322	56.5	10	70.0	8	25.0	13	53.8	252	54.0	34	85.3
Arkansas	45	77.8	2	100.0	2	100.0	0	-	21	66.7	20	85.0
Louisiana	102	73.5	3	66.7	5	100.0	1	100.0	60	61.7	33	90.9
New Mexico	37	70.3	1	100.0	0	-	0	-	29	65.5	6	83.3
Oklahoma	151	92.7	0	-	2	100.0	0	-	134	92.5	6	83.3
Texas	422	81.3	3	66.7	1	100.0	0	-	336	78.3	71	95.8
REGION VII TOTAL	757	81.8	9	77.8	10	100.0	1	100.0	580	78.8	136	91.9
Colorado	38	39.5	0	-	0	-	0	-	35	42.9	3	.0
Idaho	2	100.0	0	-	0	-	0	-	1	100.0	1	100.0
Montana	32	40.6	0	-	0	-	0	-	32	40.6	0	-
Utah	5	.0	0	-	0	-	0	-	5	.0	0	-
Wyoming	4	50.0	0	-	0	-	0	-	4	50.0	0	-
REGION VIII TOTAL	81	39.5	0	-	0	-	0	-	77	40.3	4	25.0
Alaska	68	44.1	0	-	0	-	0	-	68	44.1	0	-
Arizona	35	54.3	2	100.0	0	-	0	-	24	41.7	8	75.0
California	448	48.7	19	47.4	2	50.0	9	55.6	408	49.0	0	-
Hawaii	36	66.7	0	-	0	-	0	-	35	65.7	1	100.0
Nevada	13	69.2	0	-	0	-	0	-	11	63.6	2	100.0
Oregon	22	68.2	0	-	0	-	0	-	21	66.7	1	100.0
Washington	101	59.4	5	40.0	0	-	0	-	85	57.6	11	81.8
REGION IX TOTAL	723	51.9	26	50.0	2	50.0	9	55.6	652	51.1	23	82.6
U. S. TOTAL	4462	64.1	235	76.6	66	51.5	37	59.5	3667	61.5	390	83.1
Puerto Rico	165	60.0	0	-	0	-	0	-	149	57.7	15	86.7
U. S. & TERRITORIES	4627	63.9	235	76.6	66	51.5	37	59.5	3816	61.3	405	83.2
Cities (incl. above)												
Detroit	23	69.6	3	66.7	0	-	0	-	16	68.8	4	75.0
New York	127	32.3	3	.0	9	22.2	0	-	93	25.8	20	75.0
Philadelphia	43	81.4	1	100.0	2	100.0	0	-	31	74.2	9	100.0
Pittsburgh	9	44.4	0	-	3	33.3	0	-	6	50.0	0	-
Chicago	17	29.4	2	50.0	1	.0	0	-	14	28.6	0	-
Baltimore	0	-	0	-	0	-	0	-	0	-	0	-

\* Totals include Other V. D. not shown separately.

Source: Form PHS 9.2127  
 HEW-PHS-BSS-CDC-VD Branch  
 Office of Statistics  
 11/7/60 MFR/LBH: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED  
II - CONTACTS AND OTHER SUSPECTS AMONG PRIVATE PHYSICIAN PATIENTS  
ALL AREAS REPORTING

April - June 1960

States By HEW Regions	Total Contacts and Suspects *		Contacts of Private Physician Cases								Positive STS and Other Suspects	
			Syphilis				Gonorrhea					
			Pri. & Sec.		Early Latent		Other		Gonorrhea			
Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	
Connecticut	293	87.4	4	75.0	2	.0	3	33.3	18	83.3	263	90.1
Maine	13	69.2	0	-	0	-	0	-	13	69.2	0	-
Massachusetts	19	94.7	2	100.0	0	-	1	100.0	9	88.9	7	100.0
New Hampshire	8	50.0	0	-	1	.0	0	-	4	25.0	3	100.0
Rhode Island	0	-	0	-	0	-	0	-	0	-	0	-
Vermont	25	80.0	1	100.0	0	-	0	-	19	78.9	5	80.0
REGION I TOTAL	358	85.8	7	85.7	3	.0	4	50.0	63	76.2	278	90.3
Delaware	118	92.4	0	-	0	-	0	-	0	-	118	92.4
New Jersey	364	86.5	95	84.2	27	70.4	0	-	46	73.9	196	92.9
New York	1323	81.6	423	75.4	64	78.1	7	85.7	45	66.7	783	86.1
Pennsylvania	1054	91.2	63	88.9	71	88.7	1	100.0	5	100.0	913	91.5
REGION II TOTAL	2859	86.2	581	78.3	162	81.5	8	87.5	96	71.9	2010	89.6
District of Columbia	258	88.8	64	90.6	5	100.0	0	-	3	66.7	185	88.1
Kentucky	749	93.3	6	100.0	10	90.0	2	100.0	9	77.8	722	93.5
Maryland	439	91.3	104	92.3	17	76.5	0	-	0	-	318	91.8
North Carolina	484	84.1	69	97.1	9	77.8	3	100.0	45	80.0	358	82.1
Virginia	1256	93.5	59	98.3	12	91.7	22	100.0	96	84.4	1060	94.1
West Virginia	704	93.2	4	100.0	1	100.0	1	.0	9	77.8	689	93.5
REGION III TOTAL	3890	91.7	306	94.4	54	85.2	28	96.4	162	82.1	3332	92.0
Alabama	161	92.5	81	93.8	36	88.9	0	-	24	87.5	20	100.0
Florida	550	89.6	63	81.0	26	84.6	21	90.5	15	73.3	425	91.8
Georgia	989	95.3	212	91.5	31	90.3	0	-	39	100.0	707	96.5
Mississippi	678	90.1	25	96.0	15	100.0	9	100.0	78	91.0	551	89.3
South Carolina	139	87.8	25	72.0	17	88.2	0	-	12	91.7	85	91.8
Tennessee	750	96.1	30	100.0	16	81.3	6	100.0	41	100.0	657	96.0
REGION IV TOTAL	3267	93.0	436	90.1	141	88.7	36	94.4	209	92.8	2445	93.8
Illinois	433	67.2	164	84.8	15	66.7	2	100.0	211	51.2	41	78.0
Indiana	201	77.6	10	70.0	1	.0	0	-	50	70.0	140	81.4
Michigan	1942	81.7	83	88.0	96	79.2	16	50.0	131	62.6	1616	83.4
Ohio	1430	91.4	38	81.6	5	40.0	6	83.3	49	69.4	1331	92.7
Wisconsin	14	92.9	1	100.0	0	-	1	100.0	0	100.0	2	50.0
REGION V TOTAL	4020	83.4	296	84.8	117	75.2	25	64.0	451	59.6	3130	87.2
Iowa	284	84.2	2	50.0	7	42.9	12	91.7	93	78.5	170	88.8
Kansas	464	85.1	10	70.0	22	77.3	44	90.9	31	45.2	357	88.8
Minnesota	127	90.6	3	100.0	1	100.0	0	-	19	42.1	104	99.0
Missouri	409	92.2	10	60.0	16	93.8	2	100.0	60	86.7	321	94.1
Nebraska	385	88.8	3	33.3	3	33.3	3	33.3	134	80.6	242	94.6
North Dakota	120	84.2	2	100.0	1	100.0	0	-	75	80.0	42	90.5
South Dakota	173	85.0	2	50.0	4	75.0	0	-	33	60.6	134	91.8
REGION VI TOTAL	1962	87.5	32	65.6	54	75.9	61	91.8	445	75.3	1370	92.2
Arkansas	232	97.4	74	97.3	25	92.0	0	-	28	100.0	104	99.0
Louisiana	795	94.2	27	96.3	2	100.0	1	100.0	4	100.0	761	94.1
New Mexico	206	90.8	5	100.0	0	-	1	100.0	1	100.0	199	90.5
Oklahoma	857	98.1	21	100.0	4	75.0	0	-	24	87.5	808	98.5
Texas	301	95.3	29	100.0	37	100.0	2	100.0	129	91.5	104	97.1
REGION VII TOTAL	2391	95.8	156	98.1	68	95.6	4	100.0	186	92.5	1976	96.0
Colorado	36	83.3	17	100.0	2	.0	0	-	9	55.6	7	100.0
Idaho	21	85.7	0	-	0	-	0	-	6	83.3	15	86.7
Montana	132	72.7	0	-	2	.0	0	-	44	70.5	86	75.6
Utah	33	45.5	1	.0	0	-	0	-	24	58.3	8	12.5
Wyoming	5	40.0	0	-	3	33.3	0	-	2	50.0	0	-
REGION VIII TOTAL	227	70.9	18	94.4	7	14.3	0	-	85	65.9	116	74.1
Alaska	6	66.7	0	-	0	-	0	-	6	66.7	0	-
Arizona	141	92.9	27	100.0	11	100.0	0	-	12	91.7	87	90.8
California	171	60.8	46	80.4	21	66.7	5	60.0	97	51.5	0	-
Hawaii	171	56.1	0	-	1	100.0	0	-	19	42.1	151	57.6
Nevada	37	83.8	12	58.3	2	100.0	0	-	4	100.0	0	-
Oregon	116	84.5	9	66.7	3	100.0	0	-	23	65.2	79	91.1
Washington	15	86.7	5	100.0	0	-	0	-	10	80.0	0	-
REGION IX TOTAL	657	72.6	99	82.8	38	81.6	5	60.0	171	58.5	317	75.1
U. S. TOTAL	19631	88.5	1931	86.3	644	82.1	171	87.1	1868	73.7	14974	91.0
Puerto Rico	0	-	0	-	0	-	0	-	0	-	0	-
U. S. & TERRITORIES	19631	88.5	1931	86.3	644	82.1	171	87.1	1868	73.7	14974	91.0
Cities (incl. above)												
Detroit	379	83.9	29	93.1	25	96.0	4	25.0	13	69.2	308	83.4
New York	903	80.6	353	75.6	37	78.4	4	75.0	18	33.3	491	86.2
Philadelphia	180	94.4	41	95.1	11	100.0	1	100.0	1	100.0	126	93.7
Pittsburgh	211	85.3	12	58.3	9	88.9	0	-	0	-	190	86.8
Chicago	184	87.0	140	89.3	2	100.0	0	-	1	100.0	41	78.0
Baltimore	27	74.1	20	85.0	7	42.9	0	-	0	-	0	-

\* Totals include Other V. D. not shown separately.



CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS  
I - PRIMARY AND SECONDARY SYPHILIS  
ALL AREAS REPORTING

April - June 1960

States By HEW Regions	PRIMARY AND SECONDARY SYPHILIS											
	Private Physicians						Clinics					
	Cases Reported <u>a/</u>	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported <u>a/</u>	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED		
Number				Number Per Case Reported	Number Per Case Interviewed	Number				Number Per Case Reported	Number Per Case Interviewed	
Connecticut	12	3	16.7	6	.50	2.00	14	1	7.1	5	.36	5.00
Maine	0	0	-	-	-	-	1	0	-	-	-	-
Massachusetts	29	3	10.3	3	.10	1.00	29	17	58.6	52	1.79	3.06
New Hampshire	0	0	-	-	-	-	0	0	-	-	-	-
Rhode Island	1	0	.0	-	-	-	0	0	-	-	-	-
Vermont	1	1	100.0	1	1.00	1.00	0	0	-	-	-	-
REGION I TOTAL	43	7	16.3	10	.23	1.43	44	18	40.9	57	1.30	3.17
Delaware	1	0	.0	-	-	-	1	2	200.0	6	6.00	3.00
New Jersey	68	42	61.8	144	2.12	3.43	104	97	93.3	248	2.38	2.56
New York	332	167	50.3	416	1.25	2.49	254	283	111.4	752	2.96	2.66
Pennsylvania	39	32	82.1	63	1.62	1.97	85	77	90.6	254	2.99	3.30
REGION II TOTAL	440	241	54.8	623	1.42	2.59	444	459	103.4	1260	2.84	2.75
District of Columbia	25	28	112.0	97	3.88	3.46	87	88	101.1	326	3.75	3.70
Kentucky	8	7	87.5	28	3.50	4.00	13	13	100.0	69	5.31	5.31
Maryland	31	25	80.6	102	3.29	4.08	52	53	101.9	267	5.13	5.04
North Carolina	15	14	93.3	69	4.60	4.93	88	123	139.8	542	6.16	4.41
Virginia	36	31	86.1	103	2.86	3.32	54	52	96.3	244	4.52	4.69
West Virginia	3	3	100.0	8	2.67	2.67	1	3	300.0	12	12.00	4.00
REGION III TOTAL	118	108	91.5	407	3.45	3.77	295	332	112.5	1460	4.95	4.40
Alabama	44	27	61.4	107	2.43	3.96	70	91	130.0	466	6.66	5.12
Florida	34	23	67.6	68	2.00	2.96	110	110	100.0	508	4.62	4.62
Georgia	59	59	100.0	267	4.53	4.53	125	122	97.6	667	5.34	5.47
Mississippi	14	11	78.6	42	3.00	3.82	25	32	128.0	122	4.88	3.81
South Carolina	17	16	94.1	42	2.47	2.63	80	80	100.0	610	7.63	7.63
Tennessee	22	13	59.1	39	1.77	3.00	109	108	99.1	580	5.32	5.37
REGION IV TOTAL	190	149	78.4	565	2.97	3.79	519	543	104.6	2953	5.69	5.44
Illinois	102	100	98.0	232	2.27	2.32	146	131	89.7	582	3.99	4.44
Indiana	9	7	77.8	14	1.56	2.00	9	13	144.4	19	2.11	1.46
Michigan	19	33	173.7	155	8.16	4.70	36	54	150.0	319	8.86	5.91
Ohio	23	18	78.3	53	2.30	2.94	38	41	107.9	144	3.79	3.51
Wisconsin	20	1	5.0	1	.05	1.00	0	1	.0	0	.00	-
REGION V TOTAL	173	159	91.9	455	2.63	2.86	229	240	104.8	1064	4.65	4.43
Iowa	2	2	100.0	3	1.50	1.50	0	0	-	-	-	-
Kansas	5	6	120.0	16	3.20	2.67	4	4	100.0	37	9.25	9.25
Minnesota	5	2	40.0	3	.60	1.50	2	3	150.0	7	3.50	2.33
Missouri	3	4	133.3	6	2.00	1.50	17	17	100.0	73	4.29	4.29
Nebraska	3	3	100.0	3	1.00	1.00	0	0	-	-	-	-
North Dakota	5	2	40.0	2	.40	1.00	0	0	-	-	-	-
South Dakota	0	0	-	-	-	-	5	5	100.0	29	5.80	5.80
REGION VI TOTAL	23	19	82.6	33	1.43	1.74	28	29	103.6	146	5.21	5.03
Arkansas	26	25	96.2	107	4.12	4.28	23	21	91.3	100	4.35	4.76
Louisiana	43	14	32.6	30	.70	2.14	191	206	107.9	666	3.49	3.23
New Mexico	3	3	100.0	3	1.00	1.00	5	6	120.0	21	4.20	3.50
Oklahoma	11	11	100.0	41	3.73	3.73	12	11	91.7	43	3.58	3.91
Texas	69	5	7.2	22	.32	4.40	176	183	104.0	633	3.60	3.46
REGION VII TOTAL	152	58	38.2	203	1.34	3.50	407	427	104.9	1463	3.59	3.43
Colorado	8	4	50.0	25	3.13	6.25	1	2	200.0	4	4.00	2.00
Idaho	0	1	.0	1	.00	1.00	0	1	100.0	2	2.00	2.00
Montana	2	0	.0	-	-	-	0	0	-	-	-	-
Utah	0	0	-	-	-	-	1	1	100.0	1	1.00	1.00
Wyoming	0	0	-	-	-	-	0	0	-	-	-	-
REGION VIII TOTAL	10	5	50.0	26	2.60	5.20	3	4	133.3	7	2.33	1.75
Alaska	1	0	.0	-	-	-	1	1	100.0	1	1.00	1.00
Arizona	30	12	40.0	38	1.27	3.17	38	36	94.7	140	3.68	3.89
California	142	138	97.2	78	.55	.57	229	222	96.9	1323	5.78	5.96
Hawaii	0	0	-	-	-	-	0	0	-	-	-	-
Nevada	5	6	120.0	13	2.60	2.17	3	1	33.3	3	1.00	3.00
Oregon	9	11	122.2	21	2.33	1.91	6	6	100.0	10	1.67	1.67
Washington	8	8	100.0	15	1.88	1.88	16	17	106.3	41	2.96	2.41
Washington	195	175	89.7	165	.85	.94	293	283	96.6	1518	5.18	5.36
U. S. TOTAL	1344	921	68.5	2487	1.85	2.70	2262	2335	103.2	9928	4.39	4.25
Puerto Rico	0	0	-	-	-	-	28	28	100.0	73	2.61	2.61
U. S. & TERRITORIES	1344	921	68.5	2487	1.85	2.70	2290	2363	103.2	10001	4.37	4.23
Cities (incl. above)												
Detroit	11	12	109.1	57	5.18	4.75	24	22	91.7	138	5.75	6.27
New York	286	127	44.4	313	1.09	2.46	223	263	117.9	693	3.11	2.63
Philadelphia	30	23	76.7	47	1.57	2.04	68	61	89.7	194	2.85	3.18
Pittsburgh	3	3	100.0	5	1.67	1.67	14	14	100.0	51	3.64	3.64
Chicago	72	70	97.2	203	2.82	2.90	142	122	85.9	537	3.78	4.40
Baltimore	6	6	100.0	21	3.50	3.50	37	38	102.7	170	4.59	4.47

a/ Cases reported on Morbidity Form PHS 9.688 with the exception of New York and New York City. These figures do not agree with clinic morbidity because of exclusion of certain types of cases not subject to clinic interview.

Source: Form PHS 9.2127  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/3/60 MFR/LBH: gh

CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS  
II - EARLY LATENT SYPHILIS  
ALL AREAS REPORTING

Stat. Ltr. 67

April - June 1960

States By HEW Regions	EARLY LATENT SYPHILIS											
	Private Physicians						Clinics					
	Cases Reported <sup>a/</sup>	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported <sup>a/</sup>	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED		
				Number	Per Case Reported	Per Case Interviewed				Number	Per Case Reported	Per Case Interviewed
Connecticut	13	2	15.4	3	.23	1.50	18	0	.0	-	-	-
Maine	1	0	.0	-	-	-	0	0	-	-	-	-
Massachusetts	18	1	5.6	1	.06	1.00	48	32	66.7	74	1.54	2.31
New Hampshire	2	1	50.0	0	-	.00	0	0	-	-	-	-
Rhode Island	2	0	.0	-	-	-	2	1	50.0	1	.50	1.00
Vermont	0	0	-	-	-	-	0	0	-	-	-	-
REGION I TOTAL	36	4	11.1	4	.11	1.00	68	33	48.5	75	1.10	2.27
Delaware	11	0	.0	-	-	-	12	2	16.7	4	.33	2.00
New Jersey	84	15	17.9	33	.39	2.20	109	60	55.0	147	1.35	2.45
New York	196	45	23.0	112	.57	2.49	222	155	69.8	337	1.52	2.17
Pennsylvania	61	31	50.8	81	1.33	2.61	167	61	36.5	157	.94	2.57
REGION II TOTAL	352	91	25.9	226	.64	2.48	510	278	54.5	645	1.26	2.32
District of Columbia	38	4	10.5	13	.34	3.25	79	55	69.6	143	1.81	2.60
Kentucky	6	4	66.7	15	2.50	3.75	14	13	92.9	49	3.50	3.77
Maryland	27	3	11.1	15	.56	6.00	65	52	80.0	174	2.68	3.35
North Carolina	57	1	1.8	3	.05	3.00	99	57	57.6	225	2.27	3.95
Virginia	38	11	28.9	20	.53	1.82	53	39	73.6	142	2.68	3.64
West Virginia	8	0	.0	-	-	-	68	8	11.8	28	.41	3.50
REGION III TOTAL	174	23	13.2	66	.38	2.87	319	224	70.2	761	2.39	3.40
Alabama	45	10	22.2	49	1.09	4.90	127	95	74.8	362	2.85	3.81
Florida	152	6	3.9	22	.14	3.67	116	78	67.2	290	2.50	3.72
Georgia	144	9	6.3	33	.23	3.67	70	59	84.3	221	3.16	3.75
Mississippi	7	3	42.9	11	1.57	3.67	24	17	70.8	70	2.92	4.12
South Carolina	60	4	6.7	26	.43	6.50	71	67	94.4	391	5.51	5.84
Tennessee	18	6	33.3	17	.94	2.83	64	68	106.3	309	4.83	4.54
REGION IV TOTAL	426	38	8.9	158	.37	4.16	472	384	81.4	1643	3.48	4.28
Illinois	142	43	30.3	16	.11	.37	299	157	52.5	400	1.34	2.55
Indiana	34	3	8.8	4	.12	1.33	18	8	44.4	11	.61	1.38
Michigan	62	48	77.4	106	1.71	2.21	40	37	92.5	277	6.93	7.49
Ohio	78	21	26.9	4	.05	.19	56	19	33.9	60	1.07	3.16
Wisconsin	24	2	8.3	2	.08	1.00	5	9	180.0	1	.20	.11
REGION V TOTAL	340	117	34.4	132	.39	1.13	418	230	55.0	749	1.79	3.26
Iowa	4	3	75.0	4	1.00	1.33	1	1	100.0	1	1.00	1.00
Kansas	20	10	50.0	26	1.30	2.60	13	12	92.3	36	2.77	3.00
Minnesota	5	1	20.0	1	.20	1.00	4	0	.0	-	-	-
Missouri	20	4	20.0	9	.45	2.25	45	18	40.0	62	1.38	3.44
Nebraska	4	0	.0	-	-	-	0	1	.0	1	.00	1.00
North Dakota	0	0	-	-	-	-	0	0	-	-	-	-
South Dakota	4	1	25.0	3	.75	3.00	6	4	66.7	41	6.83	10.25
REGION VI TOTAL	57	19	33.3	43	.75	2.26	69	36	52.2	141	2.04	3.92
Arkansas	12	9	75.0	34	2.83	3.78	33	18	54.5	167	5.06	9.28
Louisiana	73	2	2.7	3	.04	1.50	126	82	65.1	194	1.54	2.37
New Mexico	15	1	6.7	2	.13	2.00	18	14	77.8	32	1.78	2.89
Oklahoma	28	2	7.1	3	.11	1.50	5	2	40.0	10	2.00	5.00
Texas	89	14	15.7	32	.36	2.29	199	216	108.5	495	2.49	2.29
REGION VII TOTAL	217	28	12.9	74	.34	2.64	381	332	87.1	898	2.36	2.70
Colorado	3	1	33.3	1	.33	1.00	6	3	50.0	3	.50	1.00
Idaho	0	1	.0	1	1.00	1.00	0	0	-	-	-	-
Montana	0	0	-	-	-	-	4	0	.0	-	-	-
Utah	0	0	-	-	-	-	2	0	.0	-	-	-
Wyoming	0	0	-	-	-	-	1	0	.0	-	-	-
REGION VIII TOTAL	3	2	66.7	2	.67	1.00	13	3	23.1	3	.23	1.00
Alaska	0	0	-	-	-	-	1	0	.0	-	-	-
Arizona	17	6	35.3	9	.53	1.50	13	23	176.9	51	3.92	2.22
California	79	76	96.2	22	.28	1.29	288	273	94.8	599	2.08	2.19
Hawaii	2	1	50.0	1	.50	1.00	0	0	-	-	-	-
Nevada	3	2	66.7	3	1.00	1.50	1	1	100.0	1	1.00	1.00
Oregon	2	3	150.0	3	1.50	1.00	7	6	85.7	7	1.00	1.17
Washington	4	0	.0	-	-	-	13	8	61.5	11	.85	1.38
REGION IX TOTAL	107	88	82.2	38	.36	.43	323	311	96.3	669	2.07	2.15
U. S. TOTAL	1712	410	23.9	743	.43	1.81	2573	1831	71.2	5584	2.17	3.05
Puerto Rico	0	0	-	-	-	-	74	63	85.1	95	1.28	1.51
U. S. & TERRITORIES	1712	410	23.9	743	.43	1.81	2647	1894	71.6	5679	2.25	3.00
Cities (incl. above)												
Detroit	27	15	55.6	38	1.41	2.53	19	13	68.4	109	5.74	8.38
New York	174	27	15.5	53	.30	1.96	203	145	71.4	313	1.54	2.16
Philadelphia	35	10	28.6	17	.49	1.70	132	43	32.6	82	.62	1.91
Pittsburgh	4	3	75.0	14	3.50	4.67	15	7	46.7	34	2.27	4.86
Chicago	110	0	.0	-	-	-	271	127	46.9	365	1.35	2.87
Baltimore	16	1	6.3	7	.44	7.00	41	36	87.8	117	2.85	3.25

a/ Cases reported on Morbidity Form PH-9,688 with the exception of New York and New York City. These figures do not agree with clinic morbidity because of exclusion of certain types of cases not subject to clinic interview.

Source: Form PH-9,2127  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/3/60 MFR/LBH: gh

CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS  
III - GONORRHEA  
ALL AREAS REPORTING

April - June 1960

States By HEW Regions	GONORRHEA											
	Private Physicians						Clinics					
	Male Cases Reported a/	Number of Patients Interviewed	Percent of Male Cases Interviewed b/	CONTACTS OBTAINED			Male Cases Reported a/	Number of Patients Interviewed	Percent of Male Cases Interviewed b/	CONTACTS OBTAINED		
Number				Male Case Reported	Per Case Interviewed	Number				Male Case Reported	Per Case Interviewed	
Connecticut	153	61	39.9	49	.32	.80	146	50	34.2	48	.33	.96
Maine	16	0	.0	-	-	-	5	0	.0	-	-	-
Massachusetts	116	7	6.0	7	.06	1.00	266	352	132.3	452	1.70	1.28
New Hampshire	18	8	44.4	4	.22	.50	1	0	.0	-	-	-
Rhode Island	13	1	7.7	0	.00	.00	13	13	100.0	2	.15	.15
Vermont	20	22	110.0	24	1.20	1.09	0	0	.0	-	-	-
REGION I TOTAL	336	99	29.5	84	.25	.85	431	415	96.3	502	1.16	1.21
Delaware	71	0	.0	-	-	-	92	44	47.8	66	.72	1.50
New Jersey	309	8	2.6	9	.03	1.13	492	326	66.3	421	.86	1.29
New York	1083	12	1.1	16	.01	1.33	2283	1734	76.0	1677	.73	.97
Pennsylvania	214	7	3.3	12	.06	1.71	816	431	52.8	612	.75	1.42
REGION II TOTAL	1677	27	1.6	37	.02	1.37	3683	2535	68.8	2776	.75	1.10
District of Columbia	48	0	.0	-	-	-	1333	1945	145.9	2231	1.67	1.15
Kentucky	68	4	5.9	9	.13	2.25	482	145	30.1	185	.38	1.28
Maryland	199	0	.0	-	-	-	1293	1053	81.4	887	.69	.84
North Carolina	161	1	.6	2	.01	2.00	1319	906	68.7	1452	1.10	1.60
Virginia	310	70	22.6	99	.32	1.41	580	682	117.6	1106	1.91	1.62
West Virginia	32	5	15.6	6	.19	1.20	72	61	84.7	90	1.25	1.48
REGION III TOTAL	818	80	9.8	116	.14	1.45	5079	4792	94.3	5951	1.17	1.24
Alabama	148	29	19.6	40	.27	1.38	572	552	96.5	843	1.47	1.53
Florida	230	10	4.3	12	.05	1.20	1679	1201	71.5	1305	.78	1.09
Georgia	174	60	34.5	87	.50	1.45	1865	1769	94.9	2267	1.22	1.28
Mississippi	310	31	10.0	44	.14	1.42	761	606	79.6	834	1.10	2.38
South Carolina	1128	6	.5	9	.01	1.50	803	642	80.0	1370	1.71	2.13
Tennessee	186	11	5.9	19	.10	1.73	1254	1286	102.6	2227	1.78	1.73
REGION IV TOTAL	2176	147	6.8	211	.10	1.44	6934	6056	87.3	8846	1.24	1.46
Illinois	834	595	71.3	227	.27	.38	2914	2180	74.8	2953	1.01	1.35
Indiana	62	46	74.2	92	1.48	2.00	162	118	72.8	134	.83	1.14
Michigan	474	49	10.3	80	.17	1.63	863	1416	164.1	1421	1.65	1.00
Ohio	347	187	53.9	43	.12	.23	1123	1144	101.9	956	.85	.84
Wisconsin	51	9	17.6	9	.18	1.00	155	166	107.1	126	.81	.76
REGION V TOTAL	1768	886	50.1	451	.26	.51	5217	5024	96.3	5590	1.07	1.11
Iowa	136	58	42.6	92	.68	1.59	85	129	151.8	223	2.62	1.73
Kansas	102	36	35.3	36	.35	1.77	286	177	161.6	310	1.75	1.08
Minnesota	94	71	75.5	17	.18	.24	93	98	104.9	31	.33	.82
Missouri	183	20	10.9	33	.18	1.65	935	885	91.8	1099	1.18	1.24
Nebraska	95	103	108.4	140	1.47	1.36	37	51	137.8	80	2.16	1.57
North Dakota	68	63	92.6	105	1.54	1.67	0	0	-	-	-	-
South Dakota	21	17	81.0	25	1.19	1.47	72	46	63.9	80	1.11	1.74
REGION VI TOTAL	699	368	52.6	448	.64	1.22	1399	1435	102.6	1823	1.30	1.27
Arkansas	1939	6	.3	12	.01	2.00	167	81	48.5	113	.68	1.40
Louisiana	99	4	4.0	4	.04	1.00	855	457	53.5	580	.68	1.27
New Mexico	112	1	.9	1	.01	1.00	107	36	33.6	38	.36	1.06
Oklahoma	265	0	.0	-	-	-	432	675	156.3	683	1.58	1.01
Texas	1441	117	8.1	169	.12	1.44	2315	3379	146.0	3271	1.41	.97
REGION VII TOTAL	3856	128	3.3	186	.05	1.45	3876	4628	119.4	4685	1.21	1.01
Colorado	78	10	12.8	12	.15	1.20	102	156	152.9	218	2.14	1.40
Idaho	16	10	62.5	10	.63	1.00	17	16	94.1	22	1.29	1.38
Montana	19	0	.0	-	-	-	19	0	.0	-	-	-
Utah	47	8	17.0	11	.23	1.38	8	20	250.0	28	3.50	1.40
Wyoming	6	2	33.3	2	.33	1.00	9	0	.0	-	-	-
REGION VIII TOTAL	166	30	18.1	35	.21	1.17	155	192	123.9	268	1.73	1.40
Alaska	29	3	10.3	3	.10	1.00	19	31	163.2	31	1.63	1.00
Arizona	210	7	3.3	10	.05	1.43	196	139	70.9	160	.82	1.15
California	620	723	116.6	86	.14	.12	2532	2532	100.0	2336	.92	.92
Hawaii	22	9	40.9	10	.45	1.11	5	5	100.0	5	1.00	1.00
Nevada	19	4	21.1	4	.21	1.00	28	19	67.9	26	.93	1.37
Oregon	94	9	9.6	9	.10	1.00	105	91	86.7	105	1.00	1.15
Washington	82	1	1.2	2	.02	2.00	191	215	112.6	293	1.53	1.36
REGION IX TOTAL	1076	756	70.3	124	.12	.16	3076	3032	98.6	2956	.96	.97
U. S. TOTAL	12572	2521	20.1	1692	.13	.67	29850	28109	94.2	33397	1.12	1.19
Puerto Rico	0	0	-	-	-	-	415	553	133.3	473	1.14	.86
U. S. & TERRITORIES	12572	2521	20.1	1692	.13	.67	30265	28662	94.7	33870	1.12	1.18
Cities (incl. above)												
Detroit	107	1	.9	2	.02	2.00	597	592	99.2	514	.86	.87
New York	712	0	.0	-	-	-	1901	1525	80.2	1330	.70	.87
Philadelphia	170	2	1.2	2	.01	1.00	710	365	51.4	524	.74	1.44
Pittsburgh	30	0	.0	-	-	-	58	39	67.2	50	.86	1.28
Chicago	389	0	.0	-	-	-	2830	2065	73.0	2812	.99	1.36
Baltimore	102	0	.0	-	-	-	1264	1020	80.7	850	.67	.83

a/ Male cases reported on Morbidity Form PHS 9.688 with the exception of New York, New York City, and Hawaii. These figures do not agree with clinic morbidity because of exclusion of certain types of cases not subject to clinic interview.

b/ Some areas may have over 100% because some females were interviewed.

Source: Form PHS 9.2127  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/4/60 MFR/LBB: gh



EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED  
Cases Brought or Returned to Treatment  
UNITED STATES

Stat.Ltr. 67

April - June 1960

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<b>Private Physician</b>										
<b>P &amp; S Syphilis Contacts</b>										
P & S Syphilis	110	0	79	90	135	127	238	163	176	49
Early Latent	53	0	81	31	36	48	48	92	0	12
Other Syphilis	7	0	9	7	5	4	48	7	0	0
Gonorrhea	4	0	7	7	0	4	0	0	0	0
Other V. D.	2	0	0	0	0	4	0	0	0	37
Prophylactic Rx.	173	167	222	253	107	135	48	105	529	134
<b>Clinic-P &amp; S Syphilis</b>										
<b>Contacts</b>										
P & S Syphilis	99	0	109	91	86	119	69	144	0	71
Early Latent	51	59	90	49	36	62	61	57	333	41
Other Syphilis	6	0	9	5	9	2	0	3	0	1
Gonorrhea	11	0	9	4	19	6	46	2	0	9
Other V. D.	1	0	0	3	1	0	0	0	0	1
Prophylactic Rx.	178	0	264	251	172	204	214	135	0	61
<b>Clinic-Gonorrhea</b>										
<b>Contacts</b>										
P & S Syphilis	1	0	3	0	2	1	0	0	0	1
Early Latent	1	0	3	0	1	1	0	0	0	1
Other Syphilis	1	0	3	0	1	0	0	0	0	1
Gonorrhea	393	376	280	538	428	271	153	521	439	232
Other V. D.	0	0	0	1	0	0	0	0	0	0
Prophylactic Rx.	412	159	549	292	413	575	546	216	135	561
<b>All Military Contacts</b>										
<b>P &amp; S Syphilis</b>										
P & S Syphilis	5	0	0	14	7	0	0	0	0	6
Early Latent	5	12	0	7	1	0	0	4	0	14
Other Syphilis	1	0	0	2	3	0	0	0	0	0
Gonorrhea	372	424	220	341	351	160	333	583	419	281
Other V. D.	0	0	0	0	0	0	0	0	0	0
Prophylactic Rx.	333	200	475	382	374	412	242	178	161	413
<b>All Private Physician</b>										
<b>Contacts</b>										
P & S Syphilis	52	0	56	56	78	51	11	66	40	25
Early Latent	36	0	68	24	29	32	4	76	0	17
Other Syphilis	9	0	12	12	11	3	13	5	0	13
Gonorrhea	145	196	26	114	137	107	322	264	293	79
Other V. D.	2	0	2	0	0	2	0	0	0	25
Prophylactic Rx.	176	250	226	238	142	182	86	99	187	272
<b>All Clinic Contacts</b>										
<b>P &amp; S Syphilis</b>										
P & S Syphilis	25	0	34	25	24	23	6	33	0	26
Early Latent	18	12	32	16	16	16	9	21	6	20
Other Syphilis	6	7	10	4	6	3	3	7	12	4
Gonorrhea	247	275	153	335	277	177	128	328	399	120
Other V. D.	2	0	0	8	1	1	1	0	18	1
Prophylactic Rx.	304	119	368	254	313	420	464	174	123	307
<b>All Civilian Other Suspects</b>										
<b>P &amp; S Syphilis</b>										
P & S Syphilis	15	1	20	13	20	10	5	16	5	9
Early Latent	27	10	43	18	20	27	18	31	14	34
Other Syphilis	101	47	130	97	52	112	148	144	138	79
Gonorrhea	63	88	14	23	56	62	124	160	195	14
Other V. D.	2	1	0	5	3	0	0	2	5	0
Prophylactic Rx.	10	2	16	5	9	12	24	3	5	13
<b>All Persons Examined</b>										
<b>P &amp; S Syphilis</b>										
P & S Syphilis	20	1	26	19	23	16	6	24	8	18
Early Latent	24	10	41	17	18	23	14	29	8	25
Other Syphilis	58	32	90	55	29	71	81	79	65	35
Gonorrhea	145	159	55	156	165	102	154	244	294	82
Other V. D.	2	1	0	6	2	0	0	1	8	1
Prophylactic Rx.	138	52	128	121	159	154	182	81	83	188

Source: Form PRS 9.2127  
HEW-PRS-BSS-CDC-VD Branch  
Office of Statistics  
10/27/60 MFR/LBH: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED  
I - CIVILIAN CONTACTS OF ARMED FORCES PERSONNEL AND SELECTEE AND SEPARATEE SUSPECTS  
ALL AREAS REPORTING

Fiscal Year 1960

States By HEW Regions	Total Contacts and Suspects *		Contacts of Military Cases								Selectees and Separatees	
			Syphilis				Gonorrhea					
			Pri. & Sec.		Early Latent		Other		Gonorrhea			
			Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined		
Connecticut	54	55.6	1	100.0	13	46.2	2	50.0	29	48.3	9	88.9
Maine	74	40.5	0	-	0	-	0	-	74	40.5	0	-
Massachusetts	371	62.3	13	53.8	5	100.0	0	-	324	59.6	26	92.3
New Hampshire	12	58.3	0	-	0	-	0	-	12	58.3	0	-
Rhode Island	121	43.8	12	100.0	0	-	3	100.0	105	35.2	0	-
Vermont	4	50.0	0	-	0	-	0	-	2	50.0	2	50.0
REGION I TOTAL	636	55.5	26	76.9	18	61.1	5	80.0	546	51.6	37	89.2
Delaware	37	94.6	0	-	1	100.0	0	-	27	92.6	4	100.0
New Jersey	244	60.7	7	42.9	13	61.5	1	100.0	169	53.8	52	82.7
New York	596	41.4	29	48.3	18	61.1	6	50.0	415	34.2	126	60.3
Pennsylvania	323	64.4	10	60.0	8	62.5	0	-	242	58.3	60	91.7
REGION II TOTAL	1200	53.2	46	50.0	40	62.5	7	57.1	853	46.8	242	73.6
District of Columbia	236	47.0	16	81.3	2	100.0	0	-	215	43.7	2	100.0
Kentucky	496	40.7	11	36.4	1	100.0	2	.0	457	39.8	20	65.0
Maryland	69	75.4	7	100.0	2	100.0	0	-	55	70.9	1	100.0
North Carolina	973	59.7	70	87.1	17	58.8	4	100.0	832	56.5	42	81.0
Virginia	987	76.2	34	61.8	8	100.0	6	100.0	874	75.3	45	97.8
West Virginia	129	60.5	4	25.0	1	100.0	1	100.0	104	59.6	17	70.6
REGION III TOTAL	2890	61.5	142	75.4	31	77.4	13	84.6	2537	59.3	127	83.5
Alabama	322	68.0	23	82.6	9	66.7	10	40.0	246	65.4	29	89.7
Florida	732	55.5	14	78.6	4	75.0	7	71.4	657	53.1	44	79.5
Georgia	819	67.6	39	67.2	12	75.0	6	83.3	726	66.0	24	87.5
Mississippi	307	77.9	8	87.5	6	100.0	0	-	263	77.2	30	76.7
South Carolina	1176	72.3	81	82.7	13	69.2	4	100.0	1027	72.0	30	56.7
Tennessee	745	86.2	103	95.1	4	100.0	1	100.0	575	83.3	60	96.7
REGION IV TOTAL	4101	71.0	268	88.1	42	73.8	34	73.5	3494	69.0	217	82.9
Illinois	253	59.7	6	66.7	2	50.0	2	.0	207	58.9	34	67.6
Indiana	227	57.7	3	100.0	1	100.0	0	-	167	53.3	54	68.5
Michigan	371	60.1	12	58.3	0	-	1	.0	285	55.4	72	79.2
Ohio	317	55.5	7	57.1	8	25.0	1	.0	266	54.1	33	78.8
Wisconsin	52	48.1	0	-	4	75.0	0	-	42	40.5	5	80.0
REGION V TOTAL	1220	57.9	28	64.3	15	46.7	4	.0	967	54.8	198	74.2
Iowa	58	74.1	3	33.3	0	-	0	-	42	73.8	10	100.0
Kansas	463	49.5	24	62.5	17	47.1	11	45.5	376	46.3	28	92.9
Minnesota	49	46.9	0	-	0	-	0	-	45	44.4	4	75.0
Missouri	342	65.5	6	100.0	8	50.0	77	64.9	197	57.9	52	94.2
Nebraska	89	68.5	0	-	2	.0	0	-	78	70.5	9	66.7
North Dakota	43	69.8	1	100.0	0	-	0	-	40	72.5	2	.0
South Dakota	142	59.2	5	100.0	0	-	1	100.0	131	57.3	5	60.0
REGION VI TOTAL	1186	58.5	39	71.8	27	44.4	89	62.9	909	54.8	110	88.2
Arkansas	157	77.7	5	100.0	3	66.7	2	100.0	97	72.2	49	85.7
Louisiana	380	59.5	8	75.0	9	66.7	2	100.0	296	52.4	65	87.7
New Mexico	178	66.9	4	50.0	0	-	0	-	144	64.6	29	79.3
Oklahoma	795	75.5	9	88.9	15	86.7	17	94.1	712	73.9	25	80.0
Texas	1790	76.8	21	71.4	11	63.6	4	100.0	1497	74.5	221	92.8
REGION VII TOTAL	3300	74.0	47	76.6	38	73.7	25	96.0	2746	71.3	389	89.2
Colorado	182	48.4	3	.0	0	-	0	-	167	50.9	11	18.2
Idaho	14	57.1	2	100.0	0	-	0	-	9	33.3	3	100.0
Montana	79	32.9	0	-	1	100.0	8	12.5	70	34.3	0	-
Utah	35	34.3	1	.0	0	-	0	-	33	33.3	1	100.0
Wyoming	8	75.0	0	-	1	100.0	0	-	7	71.4	0	-
REGION VIII TOTAL	318	44.0	6	33.3	2	100.0	8	12.5	286	44.8	15	40.0
Alaska	366	46.2	0	-	0	-	0	-	361	46.5	1	.0
Arizona	182	56.0	25	68.0	1	100.0	0	-	140	53.6	12	66.7
California	1832	46.3	65	49.2	9	33.3	15	53.3	1699	46.5	0	-
Hawaii	234	65.8	1	100.0	2	.0	1	.0	210	63.8	17	100.0
Nevada	56	75.0	13	92.3	0	-	0	-	39	66.7	3	100.0
Oregon	95	60.0	3	66.7	1	.0	0	-	84	59.5	4	100.0
Washington	372	61.0	13	76.9	4	50.0	0	-	319	57.4	35	91.4
REGION IX TOTAL	3137	51.0	120	61.7	17	35.3	16	50.0	2852	50.0	72	88.9
U. S. TOTAL	17988	62.6	722	75.3	230	63.5	201	66.2	15190	60.2	1407	82.3
Puerto Rico	632	67.1	12	83.3	0	-	0	-	538	63.6	70	92.9
U. S. & TERRITORIES	18620	62.7	734	75.5	230	63.5	201	66.2	15728	60.3	1477	82.8
Cities (incl. above)												
Detroit	131	60.3	4	50.0	0	-	0	-	111	55.9	16	93.8
New York	407	38.1	20	45.0	10	30.0	4	50.0	277	30.7	95	57.9
Philadelphia	151	64.9	6	50.0	4	100.0	0	-	105	56.2	33	93.9
Pittsburgh	35	62.9	0	-	3	33.3	0	-	26	57.7	6	100.0
Chicago	90	43.3	5	60.0	1	.0	0	-	74	41.9	8	50.0
Baltimore	0	-	0	-	0	-	0	-	0	-	0	-

\* Totals include Other V. D. not shown separately.

Source: Form PHS 9.2127  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/7/60 MFR/LBH: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED  
 II - CONTACTS AND OTHER SUSPECTS AMONG PRIVATE PHYSICIAN PATIENTS  
 ALL AREAS REPORTING

Stat.Ltr.67

Fiscal Year 1960

States By HEW Regions	Total Contacts and Suspects *		Contacts of Private Physician Cases						Gonorrhea		Positive STS and Other Suspects	
			Pri. & Sec.		Syphilis		Other		Number Completed	Percent Examined	Number Completed	Percent Examined
			Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined				
Connecticut	1067	89.3	22	68.2	8	37.5	63	77.8	74	70.3	895	93.2
Maine	43	65.1	2	50.0	0	-	0	-	39	64.1	2	100.0
Massachusetts	101	75.2	14	50.0	1	0	2	100.0	60	73.3	24	95.8
New Hampshire	36	55.6	0	-	4	0	0	-	24	58.3	8	75.0
Rhode Island	10	60.0	0	-	0	-	3	66.7	7	57.1	0	-
Vermont	138	82.6	8	100.0	10	90.0	0	-	90	81.1	30	80.0
REGION I TOTAL	1395	85.8	46	67.4	23	52.2	68	77.9	294	72.1	959	92.7
Delaware	355	88.2	90	92.2	20	90.0	1	100.0	28	82.1	213	86.9
New Jersey	985	79.7	218	81.7	82	81.7	2	100.0	190	71.1	489	81.8
New York	3634	82.5	950	75.8	186	69.9	50	98.0	235	68.5	2208	87.6
Pennsylvania	4657	89.8	274	84.7	290	88.3	12	75.0	35	91.4	4045	90.2
REGION II TOTAL	9631	85.9	1532	79.2	578	81.5	65	93.8	488	71.9	6955	88.7
District of Columbia	729	87.0	190	86.8	18	94.4	0	-	14	85.7	502	86.7
Kentucky	3223	90.0	27	100.0	26	92.3	7	85.7	28	92.9	3135	89.9
Maryland	1174	86.1	203	85.7	17	76.5	0	-	6	50.0	948	86.6
North Carolina	2721	78.8	241	94.2	73	89.0	84	81.0	226	78.3	2094	76.6
Virginia	4601	93.5	129	88.4	77	77.9	36	100.0	321	86.9	4018	94.5
West Virginia	2295	89.0	26	84.6	17	88.2	7	57.1	61	70.5	2182	89.7
REGION III TOTAL	14743	88.4	816	89.3	228	85.1	134	85.1	656	82.3	12879	88.8
Alabama	437	90.4	213	89.2	55	89.1	0	-	72	86.1	97	96.9
Florida	1876	89.5	121	76.9	38	84.2	21	90.5	49	73.5	1643	91.2
Georgia	3769	95.3	807	93.1	198	93.9	0	-	328	93.9	2434	96.3
Mississippi	2405	89.5	72	88.9	29	75.9	49	95.9	345	84.6	1905	90.6
South Carolina	571	90.4	84	84.5	61	78.7	5	100.0	53	90.6	368	93.5
Tennessee	2707	95.6	158	98.1	75	93.3	36	100.0	130	94.6	2308	95.5
REGION IV TOTAL	11765	92.8	1455	91.0	456	89.3	111	96.4	977	88.9	8755	93.8
Illinois	1546	58.9	428	77.8	59	72.9	21	52.4	905	47.4	132	70.5
Indiana	803	77.6	46	67.4	8	75.0	1	0	190	58.4	558	85.1
Michigan	5501	81.0	194	80.4	193	79.8	46	71.7	466	58.6	4593	83.5
Ohio	5256	93.1	77	81.8	20	70.0	15	93.3	131	76.3	5012	93.8
Wisconsin	70	71.4	3	33.3	3	100.0	1	100.0	29	79.3	33	66.7
REGION V TOTAL	13176	83.0	748	78.1	283	77.7	84	70.2	1721	54.4	10328	88.4
Iowa	1287	84.1	23	52.2	22	36.4	44	77.3	361	80.6	832	88.0
Kansas	1799	85.3	69	60.9	98	73.5	215	90.7	102	56.9	1315	88.7
Minnesota	1108	85.8	43	46.5	10	40.0	2	100.0	165	61.2	888	92.8
Missouri	1672	90.8	62	85.5	44	79.5	28	92.9	201	81.1	1336	92.8
Nebraska	1461	91.5	22	68.2	6	50.0	13	84.6	536	85.8	884	95.9
North Dakota	580	87.4	24	62.5	6	100.0	0	-	341	85.3	209	93.3
South Dakota	449	78.8	15	73.3	8	75.0	0	-	92	66.3	334	82.6
REGION VI TOTAL	8356	87.2	258	65.1	194	69.1	302	88.7	1798	79.3	5798	91.1
Arkansas	1195	94.3	234	95.7	103	92.2	8	87.5	156	93.6	687	94.5
Louisiana	3756	95.2	116	91.4	12	100.0	4	100.0	42	90.5	3582	95.4
New Mexico	971	94.1	9	100.0	5	100.0	0	-	30	100.0	921	93.8
Oklahoma	2990	98.7	40	97.5	23	95.7	55	81.8	135	88.1	2736	99.6
Texas	1360	92.2	70	94.3	126	99.2	24	100.0	583	91.8	557	90.5
REGION VII TOTAL	10272	95.6	469	94.7	269	96.3	97	88.7	946	91.8	8483	96.2
Colorado	117	63.2	23	82.6	6	16.7	0	-	54	48.1	33	81.8
Idaho	125	78.4	5	100.0	5	60.0	4	100.0	65	78.5	46	76.1
Montana	693	50.6	6	50.0	2	0	13	30.8	95	52.6	576	51.0
Utah	264	70.5	14	78.6	8	62.5	1	100.0	205	73.2	36	52.8
Wyoming	14	64.3	1	100.0	3	33.3	0	-	10	70.0	0	-
REGION VIII TOTAL	1213	59.2	49	79.6	24	41.7	18	50.0	429	66.2	691	54.3
Alaska	44	63.6	0	-	0	-	1	0	43	65.1	0	-
Arizona	1713	81.8	174	77.6	145	89.7	73	90.4	337	68.5	961	85.5
California	742	60.0	213	69.0	92	80.4	28	78.6	406	49.8	0	-
Hawaii	767	82.5	2	100.0	1	100.0	0	-	100	49.0	664	87.5
Nevada	80	86.3	18	66.7	2	100.0	1	100.0	9	88.9	31	90.3
Oregon	542	85.4	42	78.6	8	100.0	12	75.0	114	75.4	363	89.3
Washington	77	85.7	16	87.5	27	96.3	0	-	34	76.5	0	-
REGION IX TOTAL	3965	78.3	465	73.8	275	87.6	115	85.2	1043	60.4	2019	86.9
U. S. TOTAL	74516	87.6	5838	83.5	2330	83.6	994	86.0	8352	73.2	56867	90.4
Puerto Rico	0	-	0	-	0	-	0	-	0	-	0	-
U. S. & TERRITORIES	74516	87.6	5838	83.5	2330	83.6	994	86.0	8352	73.2	56867	90.4
Cities (incl. above)												
Detroit	1295	83.1	57	86.0	50	90.0	8	62.5	54	42.6	1125	84.8
New York	1861	77.2	733	74.2	93	62.4	4	75.0	81	29.6	950	84.9
Philadelphia	905	83.9	102	84.3	84	84.5	6	50.0	4	100.0	709	83.9
Pittsburgh	854	84.7	57	80.7	25	76.0	0	-	4	50.0	768	85.4
Chicago	501	77.6	354	80.8	5	100.0	3	0	7	71.4	132	70.5
Baltimore	64	76.6	57	80.7	7	42.9	0	-	0	-	0	-

\* Totals include Other V. D. not shown separately.

Source: Form PHS 9.2127  
 HEW-PHS-BSS-CDC-VD Branch  
 Office of Statistics  
 11/8/60 MFR/LBH: gh



CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS  
I - PRIMARY AND SECONDARY SYPHILIS  
ALL AREAS REPORTING

Stat. Ltr. 67

Fiscal Year 1960

States By HW Regions	PRIMARY AND SECONDARY SYPHILIS													
	Private Physicians			CONTACTS OBTAINED				Clinics				CONTACTS OBTAINED		
	Cases Reported <sup>a/</sup>	Number of Patients Interviewed	Percent of Cases Interviewed	Number	Number Per Case	Number Per Case	Cases Reported <sup>a/</sup>	Number of Patients Interviewed	Percent of Cases Interviewed	Number	Number Per Case	Number Per Case		
Connecticut	42	6	14.3	11	.26	1.83	38	2	5.3	5	.13	2.50		
Maine	3	0	.0	-	-	-	1	0	.0	-	-	-		
Massachusetts	122	9	7.4	17	.14	1.89	103	89	86.4	188	1.83	2.11		
New Hampshire	2	3	150.0	1	.50	.33	1	0	.0	-	-	-		
Rhode Island	3	0	.0	-	-	-	6	0	.0	-	-	-		
Vermont	5	0	.0	-	-	-	0	-	-	-	-	-		
REGION I TOTAL	177	23	13.0	38	.21	1.65	149	91	61.1	193	1.30	2.12		
Delaware	18	14	77.8	99	5.50	7.07	214	20	92.9	31	1.82	3.10		
New Jersey	187	112	59.9	314	1.68	2.80	248	211	85.1	595	2.40	2.82		
New York	1116	492	44.1	1138	1.02	2.31	815	937	115.0	2527	3.10	2.70		
Pennsylvania	150	117	78.0	292	1.95	2.50	284	271	95.4	827	2.91	3.05		
REGION II TOTAL	1471	735	50.0	1843	1.25	2.51	1364	1429	104.8	3980	2.92	2.79		
District of Columbia	104	93	89.4	259	2.49	2.78	368	360	97.8	1228	3.34	3.41		
Kentucky	28	18	64.3	51	1.82	2.83	54	55	101.9	268	4.96	4.87		
Maryland	98	59	60.2	219	2.23	3.71	174	176	101.1	696	4.00	3.95		
North Carolina	62	23	37.1	223	3.60	4.21	226	272	120.4	1136	5.03	4.18		
Virginia	80	63	78.8	214	2.68	3.40	162	157	96.9	812	5.01	5.17		
West Virginia	18	12	66.7	34	1.89	2.83	9	17	188.9	65	7.22	3.82		
REGION III TOTAL	390	298	76.4	1000	2.56	3.36	993	1037	104.4	4205	4.23	4.05		
Alabama	121	61	50.4	230	1.90	3.77	196	241	123.0	1158	5.91	4.80		
Florida	106	72	67.9	223	2.10	3.10	344	344	100.0	1571	4.57	4.57		
Georgia	214	212	99.1	868	4.06	4.09	526	522	99.2	2795	5.31	5.35		
Mississippi	24	19	79.2	72	3.00	3.79	70	79	112.9	414	5.91	5.24		
South Carolina	80	40	50.0	133	1.66	3.33	202	217	107.4	1393	6.90	6.42		
Tennessee	68	47	69.1	149	2.19	3.17	326	350	107.4	1639	5.03	4.68		
REGION IV TOTAL	613	451	73.6	1675	2.73	3.71	1664	1753	105.3	8970	5.39	5.12		
Illinois	355	282	79.4	586	1.65	2.08	581	509	87.6	2420	4.17	4.75		
Indiana	58	37	63.8	89	1.53	2.41	24	27	112.5	62	2.58	2.30		
Michigan	66	77	116.7	298	4.52	3.87	80	120	150.0	753	9.54	6.36		
Ohio	56	47	83.9	129	2.30	2.74	79	80	101.3	289	3.66	3.61		
Wisconsin	65	2	3.1	2	.03	1.00	5	3	60.0	1	.20	.33		
REGION V TOTAL	600	445	74.2	1104	1.84	2.48	769	739	96.1	3535	4.60	4.78		
Iowa	13	12	92.3	18	1.38	1.50	0	0	-	-	-	-		
Kansas	27	24	88.9	76	2.81	3.17	34	33	97.1	180	5.29	5.45		
Minnesota	32	29	90.6	39	1.22	1.34	18	15	83.3	24	1.33	1.60		
Missouri	37	34	91.9	109	2.95	3.21	55	47	85.5	203	3.69	4.32		
Nebraska	14	7	50.0	13	.93	1.86	3	3	100.0	17	5.67	5.67		
North Dakota	9	5	55.6	15	1.67	3.00	0	0	-	-	-	-		
South Dakota	7	5	100.0	20	2.86	2.86	14	14	100.0	75	5.36	5.36		
REGION VI TOTAL	139	118	84.9	290	2.09	2.46	124	112	90.3	499	4.02	4.46		
Arkansas	98	66	67.3	290	2.96	4.39	96	91	94.8	501	5.22	5.51		
Louisiana	178	54	30.3	123	.69	2.28	507	531	104.7	1625	3.21	3.06		
New Mexico	26	10	38.5	17	.65	1.70	15	14	93.3	33	2.20	2.36		
Oklahoma	27	19	70.4	69	2.56	3.63	31	30	96.8	95	3.06	3.17		
Texas	248	30	12.1	74	.30	2.47	614	632	102.9	1926	3.14	3.05		
REGION VII TOTAL	577	179	31.0	573	.99	3.20	1263	1298	102.8	4180	3.31	3.22		
Colorado	25	9	36.0	30	1.20	3.33	7	6	85.7	9	1.29	1.50		
Idaho	3	5	166.7	5	1.67	1.00	4	2	50.0	3	.75	1.50		
Montana	9	0	.0	-	-	-	12	0	.0	-	-	-		
Utah	3	3	100.0	7	2.33	2.33	2	2	100.0	2	1.00	1.00		
Wyoming	2	0	.0	-	-	-	1	0	.0	-	-	-		
REGION VIII TOTAL	42	17	40.5	42	1.00	2.47	26	10	38.5	14	.54	1.40		
Alaska	3	0	.0	-	-	-	1	2	200.0	2	2.00	1.00		
Arizona	123	98	79.7	308	2.50	3.14	77	81	105.2	317	4.12	3.91		
California	482	466	96.7	185	.38	1.40	727	700	96.3	2968	4.08	4.24		
Hawaii	3	2	66.7	2	.67	1.00	2	2	100.0	10	5.00	5.00		
Nevada	11	9	81.8	20	1.82	2.22	3	1	33.3	3	1.00	3.00		
Oregon	31	29	93.5	66	2.13	2.28	37	38	102.7	119	3.22	3.13		
Washington	50	38	76.0	84	1.68	2.21	132	125	94.7	337	2.55	2.70		
REGION IX TOTAL	701	642	91.6	665	.95	1.04	981	949	96.7	3756	3.83	3.96		
U. S. TOTAL	4710	2908	61.7	7230	1.54	2.49	7333	7418	101.2	29332	4.00	3.95		
Puerto Rico	0	0	-	-	-	-	94	93	98.9	256	2.72	2.75		
U. S. & TERRITORIES	4710	2908	61.7	7230	1.54	2.49	7427	7511	101.1	29588	3.98	3.94		
Cities (incl. above)														
Detroit	26	25	96.2	93	3.58	3.72	52	47	90.4	322	6.19	6.85		
New York	948	357	37.7	780	.82	2.18	715	872	122.0	2325	3.25	2.67		
Philadelphia	81	65	80.2	142	1.75	2.18	231	219	94.8	623	2.70	2.84		
Pittsburgh	19	16	84.2	58	3.05	3.63	31	28	90.3	126	4.06	4.50		
Chicago	262	189	72.1	489	1.87	2.59	570	493	86.5	2312	4.06	4.69		
Baltimore	48	18	37.5	55	1.15	3.06	131	89	67.9	308	2.35	3.46		

<sup>a/</sup> Cases reported on Morbidity Form PHS 9.688 with the exception of New York and New York City. These figures do not agree with clinic morbidity because of exclusion of certain types of cases not subject to clinic interview.

Source: Form PHS 9.2127  
HW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/3/60 MFR/LBH: gh

CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS  
II - EARLY LATENT SYPHILIS  
ALL AREAS REPORTING

Fiscal Year 1960

States By H2W Regions	EARLY LATENT SYPHILIS											
	Private Physicians						Clinics					
	Cases Reported a/	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported a/	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED		
Number				Per Case Reported	Per Case Interviewed	Number				Per Case Reported	Per Case Interviewed	
Connecticut	49	9	18.4	5	.10	.56	67	6	9.0	9	.13	1.50
Maine	1	0	.0	-	-	-	0	-	-	-	-	-
Massachusetts	85	1	1.2	1	.01	1.00	127	82	64.6	190	1.50	2.32
New Hampshire	3	2	66.7	0	.00	.00	1	0	.0	-	-	-
Rhode Island	16	0	.0	-	-	-	6	1	16.7	1	.17	1.00
Vermont	3	3	100.0	19	6.33	6.33	0	0	-	-	-	-
REGION I TOTAL	177	15	8.5	25	.14	1.67	149	89	59.7	200	1.34	2.25
Delaware	44	6	13.6	39	.89	6.50	77	18	23.4	63	.82	3.50
New Jersey	332	39	11.7	108	.33	2.77	373	157	42.1	407	1.09	2.59
New York	685	93	13.6	246	.36	2.65	719	517	71.9	1256	1.75	2.43
Pennsylvania	235	123	52.3	317	1.35	2.58	558	218	39.1	647	1.16	2.97
REGION II TOTAL	1296	261	20.1	710	.55	2.72	1727	910	52.7	2373	1.37	2.61
District of Columbia	115	13	11.3	32	.28	2.46	317	212	66.9	568	1.79	2.68
Kentucky	21	11	52.4	33	1.57	3.00	29	28	96.6	82	2.83	2.93
Maryland	113	3	2.7	15	.13	5.00	307	223	72.6	687	2.24	3.08
North Carolina	324	8	2.5	77	.24	9.63	345	198	57.4	846	2.45	4.27
Virginia	144	44	30.6	77	.54	1.75	188	148	78.7	518	2.76	3.50
West Virginia	44	6	13.6	17	.39	2.83	52	22	42.3	63	1.21	2.86
REGION III TOTAL	761	85	11.2	251	.33	2.95	1238	831	67.1	2764	2.23	3.33
Alabama	226	17	7.5	68	.30	4.00	369	278	75.3	1012	2.74	3.64
Florida	596	13	2.2	40	.07	3.08	342	233	68.1	777	2.27	3.33
Georgia	462	53	11.5	160	.35	3.02	330	280	84.8	1160	3.52	4.14
Mississippi	25	11	44.0	24	.96	2.18	80	70	87.5	227	2.84	3.24
South Carolina	260	15	5.8	77	.30	5.13	237	205	86.5	1007	4.25	4.91
Tennessee	63	22	34.9	72	1.14	3.27	164	141	110.4	759	4.63	4.19
REGION IV TOTAL	1632	131	8.0	441	.27	3.37	1522	1247	81.9	4942	3.25	3.96
Illinois	538	144	26.8	71	.13	.49	948	527	55.6	1361	1.44	2.58
Indiana	117	8	6.8	14	.12	1.75	47	26	55.3	48	1.02	1.85
Michigan	231	84	36.4	226	.98	2.69	129	133	103.1	720	5.58	5.41
Ohio	320	70	21.9	32	.10	4.66	237	102	43.0	227	.96	2.23
Wisconsin	74	4	5.4	4	.05	1.00	18	13	72.2	1	.06	.08
REGION V TOTAL	1280	310	24.2	347	.27	1.12	1379	801	58.1	2357	1.71	2.94
Iowa	10	9	90.0	20	2.00	2.22	2	1	50.0	1	.50	1.00
Kansas	88	48	54.5	111	1.26	2.31	69	58	84.1	189	2.74	3.26
Minnesota	18	10	55.6	13	.72	1.30	10	4	40.0	7	.70	1.75
Missouri	85	15	17.6	36	.42	2.40	238	83	34.9	242	1.02	2.92
Nebraska	19	5	26.3	11	.58	2.20	2	3	150.0	7	3.50	2.33
North Dakota	3	2	66.7	4	1.33	2.00	0	1	-	-	-	-
South Dakota	9	1	11.1	3	.33	3.00	14	11	78.6	93	6.64	8.45
REGION VI TOTAL	232	90	38.8	198	.85	2.20	335	160	47.8	539	1.61	3.37
Arkansas	82	35	42.7	137	1.67	3.91	130	79	60.8	426	3.28	5.39
Louisiana	456	10	2.2	16	.04	1.60	601	270	44.9	624	1.04	2.31
New Mexico	78	3	3.8	7	.09	2.33	93	37	39.8	81	.87	2.19
Oklahoma	85	6	7.1	20	.24	3.33	48	34	70.8	53	1.10	1.56
Texas	273	57	20.9	123	.45	2.16	632	819	129.6	1417	2.24	1.73
REGION VII TOTAL	974	111	11.4	303	.31	2.73	1504	1239	82.4	2601	1.73	2.10
Colorado	30	1	3.3	1	.03	1.00	14	4	28.6	4	.29	1.00
Idaho	0	1	.0	1	.00	1.00	0	3	100.0	8	2.67	2.67
Montana	10	0	.0	-	-	-	8	0	.0	-	-	-
Utah	8	2	25.0	2	.25	1.00	7	0	.0	-	-	-
Wyoming	3	0	.0	-	-	-	1	0	.0	-	-	-
REGION VIII TOTAL	51	4	7.8	4	.08	1.00	33	7	21.2	12	.36	1.71
Alaska	0	0	-	-	-	-	1	2	200.0	2	2.00	1.00
Arizona	99	67	67.7	187	1.89	2.79	49	40	81.6	90	1.84	2.25
California	320	311	97.2	72	.23	.23	975	938	96.2	1616	1.66	1.72
Hawaii	8	2	25.0	2	.25	1.00	2	0	.0	-	-	-
Nevada	7	3	42.9	5	.71	1.67	7	2	25.0	3	.38	1.50
Oregon	22	5	22.7	7	.32	1.40	27	16	59.3	53	1.96	3.31
Washington	42	5	12.0	13	.31	2.60	49	35	71.4	82	1.67	2.34
REGION IX TOTAL	478	393	82.2	286	.60	.73	1111	1033	93.0	1846	1.66	1.79
U. S. TOTAL	6861	1400	20.4	2565	.37	1.83	8998	6317	70.2	17634	1.96	2.79
Puerto Rico	1	0	.0	-	-	-	307	256	83.4	338	1.10	1.32
U. S. & TERRITORIES	6862	1400	20.4	2565	.37	1.83	9305	6573	70.6	17972	1.93	2.73
Cities (incl. above)												
Detroit	88	26	29.5	54	.61	2.08	71	52	73.2	302	4.25	5.81
New York	608	41	6.7	94	.15	2.29	662	482	72.8	1154	1.74	2.39
Philadelphia	135	54	40.0	106	.79	1.96	424	141	33.3	310	.73	2.20
Pittsburgh	15	9	60.0	25	1.67	2.78	62	37	59.7	240	3.87	6.49
Chicago	404	2	.5	6	.01	3.00	844	420	49.8	1240	1.47	2.95
Baltimore	70	1	1.4	7	.10	7.00	150	110	73.3	321	2.14	2.92

a/ Cases reported on Morbidity Form PHS9.688 with the exception of New York and New York City. These figures do not agree with clinic morbidity because of exclusion of certain types of cases not subject to clinic interview.

Source: Form PHS 9.2127  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/4/60 MPR/LBH: gh

CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINICS AND PRIVATE PHYSICIAN PATIENTS  
III - GONORRHEA  
ALL AREAS REPORTING

Stat.Ltr. 67

Fiscal Year 1960

States by Regions	GONORRHEA											
	Private Physicians						Clinics					
	Male Cases Reported a/	Number of Patients Interviewed	Percent of Male Cases Interviewed b/	CONTACTS OBTAINED			Male Cases Reported a/	Number of Patients Interviewed	Percent of Male Cases Interviewed b/	CONTACTS OBTAINED		
Number				Male Case Reported	Per Case Interviewed	Number				Male Case Reported	Per Case Interviewed	
Connecticut	592	140	23.6	99	.17	.71	606	162	26.7	146	.24	.90
Maine	63	0	.0	-	-	-	25	0	.0	-	-	-
Massachusetts	500	48	9.6	59	.12	1.23	923	1105	119.7	1425	1.54	1.29
New Hampshire	59	27	45.8	10	.17	.37	2	0	.0	-	-	-
Rhode Island	90	1	1.1	0	.00	.00	29	13	44.8	2	.07	.15
Vermont	88	86	97.7	111	1.26	1.29	0	0	-	-	-	-
REGION I TOTAL	1392	302	21.7	279	.20	.92	1585	1280	80.8	1573	.99	1.23
Delaware	355	1	.3	1	.00	1.00	317	224	70.7	362	1.14	1.62
New Jersey	1286	64	5.0	73	.06	1.14	2016	1236	61.3	1591	.79	1.29
New York	4793	54	1.1	88	.02	1.63	9776	8087	82.7	8578	.88	1.06
Pennsylvania	1055	24	2.3	39	.04	1.63	3877	2432	62.7	3431	.88	1.41
REGION II TOTAL	7489	143	1.9	201	.03	1.41	15986	11979	74.9	13982	.87	1.17
District of Columbia	179	2	1.1	3	.02	1.50	5721	7100	124.1	8860	1.55	1.25
Kentucky	324	8	2.5	13	.04	1.63	2061	540	26.2	707	.34	1.31
Maryland	909	0	.0	-	-	-	5148	4787	93.0	4025	.78	.84
North Carolina	684	48	7.0	181	.26	3.77	5458	3400	62.3	5325	.98	1.57
Virginia	1063	225	21.2	374	.35	1.66	2272	2517	110.8	3856	1.70	1.93
West Virginia	244	22	9.0	26	.11	1.18	540	290	53.7	413	.76	1.42
REGION III TOTAL	3403	305	9.0	597	.18	1.96	21200	18634	87.9	23186	1.09	1.24
Alabama	651	82	12.6	100	.15	1.22	2139	2132	99.7	3140	1.47	1.47
Florida	958	35	3.7	40	.04	1.14	6337	4698	74.1	6200	.98	1.32
Georgia	684	244	35.7	336	.49	1.38	7360	7029	95.5	9927	1.35	1.41
Mississippi	889	192	21.6	287	.32	1.49	3078	2359	76.6	3189	1.04	1.35
South Carolina	4763	29	.6	60	.01	2.07	3106	2301	74.1	4227	1.36	1.84
Tennessee	950	31	3.3	49	.05	1.58	5277	5310	100.6	8646	1.64	1.63
REGION IV TOTAL	8895	613	6.9	872	.10	1.42	27297	23829	87.3	35329	1.29	1.48
Illinois	3208	2203	68.7	1036	.32	.47	12911	16835	83.9	14774	1.14	1.36
Indiana	439	156	35.5	303	.69	1.94	706	471	66.7	571	.81	1.21
Michigan	1957	121	6.2	374	.19	3.09	4128	6827	165.4	7064	1.71	1.03
Ohio	1434	504	35.1	141	.10	.28	4669	4579	98.1	4111	.88	.90
Wisconsin	7280	15	6.2	15	.06	1.00	575	332	57.7	251	.44	.76
REGION V TOTAL	7280	2999	41.2	1869	.26	.62	22989	23044	100.2	26771	1.16	1.16
Iowa	498	260	52.2	361	.72	1.39	214	315	147.2	566	2.64	1.80
Kansas	370	102	27.6	115	.31	1.13	717	1087	151.6	1208	1.68	1.11
Minnesota	438	360	82.2	233	.53	.65	359	336	93.6	301	.84	.90
Missouri	661	115	17.4	175	.26	1.52	3356	3284	97.9	4040	1.20	1.23
Nebraska	325	363	111.3	565	1.73	1.56	117	96	82.1	163	1.39	1.70
North Dakota	318	355	111.6	547	1.72	1.54	0	0	-	-	-	-
South Dakota	132	17	12.9	25	.19	1.47	299	248	82.9	366	1.22	1.48
REGION VI TOTAL	2743	1572	57.3	2021	.74	1.29	5082	5366	106.0	6644	1.31	1.24
Arkansas	6127	68	1.1	122	.02	1.79	720	366	50.8	552	.77	1.51
Louisiana	352	40	11.4	47	.13	1.18	3301	2032	61.6	2625	.80	1.29
New Mexico	737	33	4.5	47	.06	1.42	1480	163	11.0	205	.14	1.26
Oklahoma	771	4	.5	7	.01	1.75	1618	2524	156.0	2613	1.61	1.04
Texas	5613	617	11.0	935	.17	1.52	8627	12629	146.4	13364	1.55	1.06
REGION VII TOTAL	13600	762	5.6	1158	.09	1.52	14746	17714	120.1	19359	1.31	1.09
Colorado	249	31	12.4	35	.14	1.13	433	654	151.0	863	1.99	1.32
Idaho	60	39	65.0	50	.83	1.28	91	62	68.1	81	.89	1.31
Montana	112	0	.0	-	-	-	96	0	.0	-	-	-
Utah	183	93	50.8	141	.77	1.52	48	52	108.3	70	1.46	1.35
Wyoming	38	4	10.5	4	.11	1.00	26	1	3.8	1	.04	1.00
REGION VIII TOTAL	642	167	26.0	230	.36	1.38	694	769	110.8	1015	1.46	1.32
Alaska	128	34	26.6	34	.27	1.00	129	238	184.5	238	1.84	1.00
Arizona	1258	193	15.3	265	.21	1.37	748	530	70.9	732	.98	1.38
California	2550	2755	108.0	364	.14	.13	10415	11490	110.3	9866	.95	.86
Hawaii	106	29	27.4	31	.29	1.07	9	9	100.0	10	1.11	1.11
Nevada	76	6	7.9	7	.09	1.17	135	68	50.4	87	.64	1.28
Oregon	320	35	10.9	49	.15	1.40	379	332	87.6	412	1.09	1.24
Washington	296	7	2.4	12	.04	1.71	747	694	92.9	902	1.21	1.30
REGION IX TOTAL	4734	3059	64.6	762	.16	.25	12562	13361	106.4	12247	.97	.92
U. S. TOTAL	50178	9922	19.8	7989	.16	.81	122121	115976	95.0	140086	1.15	1.21
Puerto Rico	0	0	-	-	-	-	1750	2449	139.9	2239	1.28	.91
U. S. & TERRITORIES	50178	9922	19.8	7989	.16	.81	123871	118425	95.6	142325	1.15	1.20
Cities (incl. above)												
Detroit	418	2	.5	3	.01	1.50	2884	2856	99.0	2583	.90	.90
New York	3217	0	.0	-	-	-	8094	7265	89.8	7328	.91	1.01
Philadelphia	744	3	.4	3	.00	1.00	3318	2081	62.7	2932	.88	1.41
Pittsburgh	208	3	1.4	3	.01	1.00	312	231	74.0	312	1.00	1.35
Chicago	1546	0	.0	-	-	-	12555	10339	82.3	14167	1.13	1.37
Baltimore	455	0	.0	-	-	-	5026	3373	67.1	2872	.57	.85

a/ Male cases reported on Morbidity Form PHS 9.688 with the exception of New York, New York City, and Hawaii. These figures do not agree with clinic morbidity because of exclusion of certain types of cases not subject to clinic interview.  
b/ Some areas may have over 100% because some females were interviewed.

Source: Form PHS 9.2127  
HEW-PHS-885-CDC-VD Branch  
Office of Statistics  
11/4/60 MFR/LBH: gh

**EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED**  
Cases Brought or Returned to Treatment  
**UNITED STATES**

Fiscal Year 1960

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<b>Private Physician</b>										
<b>P &amp; S Syphilis Contacts</b>										
P & S Syphilis	105	226	80	86	116	122	83	128	128	122
Early Latent	54	161	71	49	44	45	24	68	26	50
Other Syphilis	8	0	7	11	8	7	12	7	0	0
Gonorrhea	5	0	5	4	5	2	0	5	0	15
Other V. D.	1	0	2	0	0	2	0	0	0	9
Prophylactic Rx.	150	65	175	196	130	146	155	119	256	79
<b>Clinic-P &amp; S Syphilis Contacts</b>										
P & S Syphilis	100	86	99	91	88	108	100	142	120	87
Early Latent	49	10	77	47	31	61	52	63	120	54
Other Syphilis	9	0	13	7	7	19	2	9	0	4
Gonorrhea	13	0	12	11	21	5	30	2	0	6
Other V. D.	1	0	0	2	1	0	0	0	0	0
Prophylactic Rx.	182	19	252	226	196	218	150	143	120	55
<b>Clinic-Gonorrhea Contacts</b>										
P & S Syphilis	1	0	1	0	1	0	0	0	0	1
Early Latent	1	0	1	1	1	1	1	0	0	1
Other Syphilis	0	0	1	0	1	0	0	0	0	1
Gonorrhea	392	361	257	598	422	263	206	477	389	246
Other V. D.	0	0	0	1	0	0	0	0	0	0
Prophylactic Rx.	420	191	570	261	414	591	569	232	122	573
<b>All Military Contacts</b>										
P & S Syphilis	5	22	2	7	6	2	5	1	0	3
Early Latent	5	6	4	5	6	2	2	4	15	6
Other Syphilis	1	0	0	1	1	0	0	0	7	0
Gonorrhea	375	363	167	451	312	261	343	519	343	328
Other V. D.	1	0	2	1	1	0	2	1	0	1
Prophylactic Rx.	339	200	535	314	430	397	263	209	164	373
<b>All Private Physician Contacts</b>										
P & S Syphilis	40	26	50	43	63	41	9	36	15	37
Early Latent	32	26	55	32	30	23	5	54	6	30
Other Syphilis	12	0	10	21	10	12	12	7	6	13
Gonorrhea	176	175	37	151	131	134	294	319	385	164
Other V. D.	2	0	3	2	0	1	0	1	9	7
Prophylactic Rx.	169	140	201	189	206	208	95	88	131	190
<b>All Clinic Contacts</b>										
P & S Syphilis	20	8	24	18	21	15	8	25	4	23
Early Latent	14	10	23	13	11	11	7	17	5	18
Other Syphilis	6	10	8	5	5	8	3	8	5	3
Gonorrhea	270	229	161	410	293	191	167	329	363	151
Other V. D.	2	0	0	6	1	0	0	1	6	1
Prophylactic Rx.	327	124	407	229	331	465	476	193	120	363
<b>All Civilian Other Suspects</b>										
P & S Syphilis	13	3	19	10	16	10	7	15	17	9
Early Latent	26	18	32	22	17	31	20	33	17	32
Other Syphilis	128	60	161	114	51	222	127	152	189	81
Gonorrhea	57	70	10	26	49	73	106	114	254	13
Other V. D.	2	0	1	4	3	0	1	2	1	0
Prophylactic Rx.	10	3	18	5	8	10	18	5	15	12
<b>All Persons Examined</b>										
P & S Syphilis	17	6	22	14	19	12	8	19	10	17
Early Latent	21	16	31	19	15	24	14	27	10	24
Other Syphilis	73	44	108	66	28	137	75	86	75	37
Gonorrhea	151	123	57	190	167	119	152	217	323	102
Other V. D.	2	0	1	5	2	0	1	2	4	1
Prophylactic Rx.	146	44	145	106	169	181	166	87	85	204

Source: Form PHS 9.2127  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
10/27/60 MFR/LBH: gh



VENEREAL DISEASE EPIDEMIOLOGIC ACTIVITY REPORT  
 UNITED STATES  
 (Excluding Territories)

Fiscal Year 1960

	NO. OF PATIENTS INTERVIEWED	NO. OF CONTACTS OBTAINED	CONTACT INDEX	NO. CLOSED (TOTAL G & H)	NO. PERSONS EXAMINED	NO. PERSONS NOT EXAMINED	% EXAMINED	PLACED UNDER TREATMENT					RETURNED TO RX	ALREADY UNDER AND ADEQUATE RX FOR DISEASE SUSPECTED	OTHER	PROP. OR EPI. RX	NOT INFECTED WITH DISEASE SUSPECTED
								PRI. & SEC. SYPHILIS	EARLY LATENT SYPHILIS	OTHER SYPHILIS	GONORRHEA	OTHER V. D.					
	A	B	C		G	H		L	M	N	O	P	Q	R	S	T	U
<b>MILITARY</b>																	
Pri. & Sec. Syphilis	163	382	2.34	722	544	178	75.3	39	30	2	11	1	4	55	3	99	309
Early Latent Syphilis	65	144	2.22	230	146	84	63.5	1	12		3		3	14		13	101
Other Syphilis	192	165	.86	201	133	68	66.2			2	10		2	9		37	73
Gonorrhoea	7476	9274	1.24	15190	9137	6053	60.2	5	7	3	3753	2	21	646	62	3248	1432
Other V. D.	145	199	1.37	238	139	99	58.4	1			9	6		7	1	24	95
Selectees & Separatees				1407	1158	249	82.3	24	166	102	41	2	61	399	4	18	377
<b>TOTAL MILITARY</b>	<b>8041</b>	<b>10164</b>	<b>1.26</b>	<b>17988</b>	<b>11257</b>	<b>6731</b>	<b>62.6</b>	<b>70</b>	<b>215</b>	<b>109</b>	<b>3827</b>	<b>11</b>	<b>91</b>	<b>1130</b>	<b>70</b>	<b>3439</b>	<b>2387</b>
<b>PRIVATE PHYSICIANS</b>																	
Pri. & Sec. Syphilis	2908	7230	2.49	5838	4875	963	83.5	510	263	37	24	6	47	891	14	730	2391
Early Latent Syphilis	1400	2565	1.83	2330	1948	382	83.6	45	159	33	6	3	18	308	12	79	1300
Other Syphilis	2900	672	.23	994	855	139	86.0	2	13	8	6	1	30	188	7	19	513
Gonorrhoea	9922	7989	.81	8352	6115	2237	73.2	2	2	3	2407		41	592	184	1510	1411
Other V. D.	78	112	1.44	135	99	36	73.3		1	3	2	18	4	19	2	3	49
Pos. STS				56867	51397	5470	90.4	809	1333	8010	3680	55	3700	19915	1298	457	13292
<b>TOTAL PRI. PHYSICIANS</b>	<b>17208</b>	<b>18568</b>	<b>1.08</b>	<b>74516</b>	<b>65289</b>	<b>9227</b>	<b>87.6</b>	<b>1368</b>	<b>1771</b>	<b>8170</b>	<b>6125</b>	<b>83</b>	<b>3840</b>	<b>21913</b>	<b>1517</b>	<b>2798</b>	<b>18956</b>
<b>CLINICS</b>																	
Pri. & Sec. Syphilis	7418	29332	3.95	28940	23283	5657	80.5	2322	1146	204	292	19	201	4031	40	4242	11104
Early Latent Syphilis	6317	17634	2.79	17428	13451	3977	77.2	352	645	178	92	7	125	2301	37	1178	8657
Other Syphilis	9380	6323	.67	7113	6194	919	87.1	13	26	382	8	5	82	552	32	99	5042
Gonorrhoea	116011	140132	1.21	133193	93357	39836	70.1	51	70	44	36554	19	125	5810	559	39212	11199
Other V. D.	983	1146	1.17	1148	870	278	75.8	6	3	7	43	177	3	60	1	69	577
Survey Pos STS				36836	32297	4539	87.7	173	933	6609	94	13	3287	17075	230	47	5673
Other Pos STS				89393	74179	15214	83.0	1067	2516	10216	6937	245	5181	22616	3294	978	22877
Other Cases				7327	6006	1321	82.0	109	75	199	215	7	441	2895	96	100	1871
Cluster S and A	3208	14370	4.48	35693	33722	1971	94.5	421	295	248	262	28	241	2710	41	303	29405
<b>TOTAL CLINICS</b>	<b>143317</b>	<b>208937</b>	<b>1.46</b>	<b>357071</b>	<b>283359</b>	<b>73712</b>	<b>79.4</b>	<b>4514</b>	<b>5709</b>	<b>18087</b>	<b>44497</b>	<b>520</b>	<b>9686</b>	<b>58050</b>	<b>4330</b>	<b>46228</b>	<b>96407</b>
<b>TOTAL CASE LOAD</b>	<b>168566</b>	<b>237669</b>	<b>1.41</b>	<b>449575</b>	<b>359905</b>	<b>89670</b>	<b>80.1</b>	<b>5952</b>	<b>7695</b>	<b>26366</b>	<b>54449</b>	<b>614</b>	<b>13617</b>	<b>81093</b>	<b>5917</b>	<b>52465</b>	<b>117750</b>

Page 22

Source: Form PHS 9.2127  
 HEW-PHS-BSS-CDC-VD Branch  
 Office of Statistics  
 10/31/60 MFR:gh

Stat. Ltr. 67

## DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS

April - June 1960

States By HEW Regions	Diagnostic Observations Completed*			Persons Infected		Persons Given Prophylactic Treatment
	Number	Annual Rate Per 100,000 Population	Ratio To Last Year	Number	Percent of Observations	
Connecticut	213	35.44	6.45	114	53.5	0
Massachusetts	939	76.59	1.17	662	70.5	85
Rhode Island	107	50.47	.49	11	10.3	16
REGION I TOTAL	1259	61.75	1.20	787	62.5	101
Delaware	412	369.51	.54	125	30.3	29
New Jersey	6974	474.26	1.02	1301	18.7	462
New York	18170	441.91	1.04	4763	26.2	1645
Pennsylvania	2339	82.77	.76	1352	57.8	311
REGION II TOTAL	27895	327.43	.99	7541	27.0	2447
District of Columbia	10284	5022.71	1.16	3069	29.8	166
Kentucky **						
Maryland	4631	623.49	1.01	1795	38.8	381
North Carolina	40134	3605.93	.84	2613	6.5	599
Virginia	13718	1420.45	.73	1634	11.9	457
West Virginia	2359	480.45	.59	262	11.1	23
REGION III TOTAL	71126	2022.21	.84	9373	13.2	1626
Alabama	7744	977.78	.98	965	12.5	133
Florida	50794	4346.94	1.12	3156	6.2	475
Georgia	47616	5056.12	.98	5532	11.6	1722
Mississippi	34508	6301.51	.92	2786	8.1	492
South Carolina	15100	2556.08	1.41	1115	7.4	77
Tennessee	9066	1041.17	.96	2538	28.0	492
REGION IV TOTAL	164828	3360.79	1.03	16092	9.8	3391
Illinois	42745	1683.38	.78	6640	15.5	2466
Indiana **						
Michigan	8373	421.50	.96	2841	33.9	550
Ohio	8954	370.04	.64	2097	23.4	2571
Wisconsin	443	44.26	.94	226	51.0	0
REGION V TOTAL	60515	761.53	.77	11804	19.5	5587
Iowa	179	25.51	2.21	151	84.4	9
Kansas	215	40.87	.72	131	60.9	16
Minnesota	741	87.33	.95	124	16.7	8
Missouri	10331	980.87	1.18	2466	23.9	433
Nebraska	94	26.09	.71	26	27.7	0
South Dakota	540	317.65	1.39	36	6.7	26
REGION VI TOTAL	12100	330.63	1.16	2934	24.2	492
Arkansas	17001	3924.07	.73	934	5.5	130
Louisiana	24652	3137.39	1.03	4391	17.8	131
New Mexico	252	118.03	.55	121	48.0	3
Oklahoma	8877	1584.47	1.03	767	8.6	245
Texas	39489	1689.92	1.00	4318	10.9	861
REGION VII TOTAL	90271	2085.03	.94	10531	11.7	1370
Colorado	4117	995.65	.93	44	1.1	26
Idaho	1195	725.34	1.24	46	3.8	0
Utah	77	35.16	.93	23	29.9	0
Wyoming	177	222.64	1.16	3	1.7	4
REGION VIII TOTAL	5566	634.84	.99	116	2.1	30
Alaska	49	124.84	2.23	42	85.7	9
Arizona	14684	4846.21	1.01	351	2.4	73
Hawaii	64	42.74	.28	11	17.2	3
Nevada	127	186.76	1.15	66	52.0	20
Oregon	1737	394.77	2.35	249	14.3	60
Washington	2989	432.25	.74	383	12.8	118
REGION IX TOTAL	19650	1161.69	1.00	1102	5.6	283
U. S. TOTAL	453210	1209.11	.94	60280	13.3	15327
Puerto Rico	46722	7993.50	.84	1636	3.5	2739
U. S. & TERRITORIES	499932	1313.27	.93	61916	12.4	18066
Cities (incl. above)						
Detroit	3456	708.20	1.01	1210	35.0	218
New York	11683	601.37	1.12	4242	36.3	1524
Philadelphia	1476	267.51	.76	925	62.7	256
Pittsburgh	362	87.86	1.24	203	56.1	46
Baltimore	2409	978.27	1.00	1683	69.9	337
Chicago	20818	2162.35	.67	5759	27.7	2086

\* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before the diagnosis is completed.

\*\* Data not available.

Source: Form PHS 9.721-1  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/1/60 CH/MFR: gh

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS

Stat.Ltr. 67

Fiscal Year 1960

States By HEW Regions	Diagnostic Observations Completed*			Persons Infected		Persons Given Prophylactic Treatment
	Number	Annual Rate Per 100,000 Population	Ratio To Last Year	Number	Percent of Observations	
Connecticut	390	16.22	2.39	186	47.7	5
Massachusetts	2912	59.38	.94	1908	65.5	275
Rhode Island	550	64.86	.89	38	6.9	38
REGION I TOTAL	3852	47.23	.99	2132	55.3	318
Delaware	1978	443.50	.75	787	39.8	154
New Jersey	26828	456.10	1.03	4612	17.2	1764
New York	64756	393.73	.96	17760	27.4	6610
Pennsylvania	10772	95.30	.93	6047	56.1	2171
REGION II TOTAL	104334	306.16	.97	29206	28.0	10699
District of Columbia	45611	5569.11	1.02	13565	29.7	623
Kentucky **	30868	1002.21	.89	3681	11.9	68
Maryland	17475	588.19	1.02	7361	42.1	1502
North Carolina	145070	3258.54	.86	10577	7.3	2458
Virginia	70707	1830.37	1.15	7223	10.2	1021
West Virginia	12593	641.19	.65	1443	11.5	120
REGION III TOTAL	322324	1879.55	.93	43850	13.6	5792
Alabama	27351	863.35	.90	3522	12.9	2827
Florida	210656	4506.97	1.05	12655	6.0	2239
Georgia	206472	5481.07	.97	21164	10.3	7703
Mississippi	128231	5928.39	.85	10915	8.5	1907
South Carolina	45986	1946.09	.98	4530	9.9	391
Tennessee	33300	956.07	.96	9881	29.7	1717
REGION IV TOTAL	651996	3323.46	.97	62667	9.6	16784
Illinois	173200	1705.23	.87	23833	13.8	10520
Indiana **	1917	41.40	.85	1217	63.5	6
Michigan	33507	421.68	.92	12374	36.9	2448
Ohio	38064	393.26	.76	8492	22.3	10677
Wisconsin	1718	42.91	.89	864	50.3	2
REGION V TOTAL	248406	682.13	.86	46780	18.8	23653
Iowa	443	15.78	.98	377	85.1	35
Kansas	1522	72.34	.30	1035	68.0	213
Minnesota	2553	75.22	.92	387	15.2	10
Missouri	37025	878.83	.99	10243	27.7	1852
Nebraska	611	42.40	.31	175	28.6	2
South Dakota	1387	203.97	1.27	136	9.8	39
REGION VI TOTAL	43541	297.43	.89	12353	28.4	2151
Arkansas	61655	3557.70	.70	3598	5.8	450
Louisiana	99925	3179.29	1.05	16168	16.2	945
New Mexico	1250	146.37	.29	541	43.3	50
Oklahoma	33234	1483.00	1.05	3081	9.3	1035
Texas	163135	1745.32	.99	15983	9.8	3443
REGION VII TOTAL	359199	2074.14	.94	39371	11.0	5923
Colorado	16592	1003.14	.84	561	3.4	118
Idaho	4613	700.00	1.16	177	3.8	10
Utah	358	40.87	1.73	63	17.6	4
Wyoming	670	210.69	1.27	16	2.4	14
REGION VIII TOTAL	22233	633.96	.91	817	3.7	146
Alaska	245	156.05	5.44	211	86.1	31
Arizona	56977	4701.07	1.05	1719	3.0	261
Hawaii	484	80.80	.66	55	11.4	32
Nevada	477	175.37	.32	237	49.7	58
Oregon	5788	328.86	1.67	925	16.0	292
Washington	12219	441.76	.82	1444	11.8	776
REGION IX TOTAL	76190	1126.07	1.01	4591	6.0	1450
U. S. TOTAL	1832075	1162.14	.94	242767	13.3	66916
Puerto Rico	179898	7694.53	.93	7771	4.3	11532
U. S. & TERRITORIES	2011973	1257.60	.94	250538	12.5	78448
Cities (incl. above)						
Detroit	13520	692.62	.93	5159	38.2	1000
New York	41365	532.30	1.00	15608	37.7	6059
Philadelphia	6826	309.29	.95	4124	60.4	1946
Pittsburgh	1415	85.86	1.17	798	56.4	140
Baltimore	9365	950.76	.96	6664	71.2	1329
Chicago	86250	2239.68	.75	20552	23.8	9257

\* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observation to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before the diagnosis is completed.  
 \*\* 3 quarters only.

Source: Form PHS 9.721-1  
 HEW-PHS-BSS-CDC-VD Branch  
 Office of Statistics  
 11/2/60 GH/MFR: gh

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS

Fiscal Years 1952 - 1960

States By HEW Regions	1952	1953	1954	1955	1956	1957	1958	1959	1960
Connecticut	1921	1986	874	1640	1352	2245	1702	163	390
Maine	271	172	-	-	-	-	-	-	-
Massachusetts	3084	5557	5781	4788	3224	3195	2924	3093	2912
New Hampshire	0	42	-	-	-	-	-	-	-
Rhode Island	187	305	175	210	167	728	504	617	550
Vermont	393	329	-	-	-	-	-	-	-
REGION I TOTAL	5896	8391	6813	6638	4743	6168	5130	3873	3852
Delaware	1722	1311	1078	1145	3105	3581	1548	2649	1978
New Jersey	53664	38349	29564	28144	32081	49660	32307	26100	26828
New York	55775	58622	54332	49308	48471	88526	66523	67664	64756
Pennsylvania	30920	62973	43608	33563	27092	39330	26199	11643	10772
REGION II TOTAL	142081	161255	128582	112160	110749	181097	108056	108056	104334
District of Columbia	29291	29574	28522	27826	27501	23819	48361	44771	45611
Kentucky	60539	50365	38894	34834	43471	34830	46219	44294	30868
Maryland	19607	18716	15783	19790	20670	23706	28816	17162	17475
North Carolina	163937	211382	180186	181505	171313	176801	180938	169643	145070
Virginia	28303	39603	48980	38638	44649	44649	61709	61709	70707
West Virginia	18580	27749	28082	16628	17046	15736	14783	19390	12593
REGION III TOTAL	320257	377389	340047	319221	315999	319541	360616	356969	322324
Alabama	47480	28310	24592	29184	25713	19551	32920	30391	27351
Florida	165558	168541	173992	124779	68941	111655	173130	197273	210656
Georgia	322181	273284	215629	207744	195656	214647	228258	212970	206472
Mississippi	226353	226485	251040	165014	153842	146880	129258	150177	128231
South Carolina	105841	193459	166965	63433	56725	59686	66076	46897	45986
Tennessee	58223	42455	34455	34344	32519	42264	34658	34753	33300
REGION IV TOTAL	925636	932534	866673	624498	533396	594683	664300	674911	651996
Illinois	51909	76838	57795	43521	39278	79089	101356	199714	173200
Indiana	5870	4851	3838	3697	2695	2901	2959	2959	1917
Michigan	21423	23398	23139	23039	25941	36239	36743	36270	33507
Ohio	52322	82297	40971	53309	62536	43434	50969	50227	38064
Wisconsin	2244	2119	2003	1966	2112	1846	1768	1920	1718
REGION V TOTAL	133768	189503	127746	125532	132768	163303	193813	291090	248406
Iowa	1132	1057	882	758	574	527	493	450	443
Kansas	7299	6881	7215	8342	7021	6643	5560	5135	1522
Minnesota	4540	4605	4558	4533	3935	3352	3131	2775	2553
Missouri	13287	12546	26721	28857	29818	38545	46530	37527	37025
Nebraska	5663	5654	5587	5538	6108	6385	3094	1953	611
North Dakota	0	12	-	-	-	-	-	-	-
South Dakota	1463	1577	1274	1322	1044	1385	1657	1094	1387
REGION VI TOTAL	33384	32332	46237	49350	48500	56840	60465	48934	43541
Arkansas	62530	60452	26282	41113	55527	61447	86997	88555	61655
Louisiana	74216	71915	94372	67471	76544	99330	118944	95085	99255
New Mexico	2629	2978	6827	30267	25686	6384	8915	4292	1250
Oklahoma	37215	64735	47982	33985	31087	31349	30223	31555	33234
Texas	218458	212809	211861	182386	168637	170441	166058	164552	163135
REGION VII TOTAL	395048	412889	387324	355222	357481	368951	411137	384039	359199
Colorado	5747	14912	14978	13232	15770	14477	16414	19704	16592
Idaho	6460	5948	6448	6463	5133	3468	3977	-	4613
Montana	527	517	436	654	532	478	148	-	-
Utah	1196	543	283	311	233	254	196	207	358
Wyoming	698	1969	833	880	922	873	546	527	570
REGION VIII TOTAL	14628	23889	22978	21540	22570	21609	20772	24415	22233
Alaska	-	-	-	-	-	-	-	45	245
Arizona	20782	15201	16221	21032	22749	42471	62252	54422	56971
California	56471	51915	51137	50146	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	484
Nevada	714	762	574	383	581	3334	395	1501	477
Oregon	1758	3281	3230	3539	3523	3262	3262	3456	5788
Washington	21583	19028	18612	18615	18791	16916	16833	14991	12219
REGION IX TOTAL	101308	90187	89774	93715	45644	65306	82742	74415	76190
U. S. TOTAL	2071966	2228369	2016174	1707876	1571750	1777498	1925552	1966702	1832075
Puerto Rico	180626	356594	233180	173891	185556	182151	205716	194048	179898
Virgin Islands	3657	4060	-	-	-	-	-	-	-
Alaska	590	536	169	158	44	149	98	-	-
Hawaii	2018	1952	1065	1052	975	726	527	732	-
U. S. & TERRITORIES	2258857	2591511	2250588	1882977	1758325	1960524	2131893	2161482	2011973
Cities (incl. above)									
Detroit	-	-	-	-	-	14500	14806	14506	13520
New York City	35621	33165	31356	28694	30081	45957	40028	41257	41365
Philadelphia	24449	29528	32050	29076	22348	25805	15644	7169	6828
Pittsburgh	1486	16787	1036	446	1409	1438	1568	1212	1415
Baltimore	11244	10948	9627	10494	9229	8799	9812	9753	9365
Chicago	47605	73115	53364	41661	37836	63133	78816	114558	86650
St. Louis	7430	7389	-	-	-	-	-	-	-

A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before diagnosis is completed.  
\* 3 quarters only.

Source: Form PHS 9.724-1  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/2/60 GH

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS  
ANNUAL RATES per 100,000 POPULATION

Stat.Ltr. 67

Fiscal Years 1952-1960

States By HEW Regions	1952	1953	1954	1955	1956	1957	1958	1959	1960
Connecticut	95	94	39	74	61	101	76	7	16
Maine	31	19	-	-	-	-	-	-	-
Massachusetts	66	118	120	98	65	67	61	64	59
New Hampshire	0	8	-	-	-	-	-	-	-
Rhode Island	24	39	22	26	21	91	61	73	65
Vermont	106	89	-	-	-	-	-	-	-
REGION I TOTAL	67	90	87	84	59	79	65	49	47
Delaware	528	383	308	316	817	909	360	594	444
New Jersey	1095	763	578	544	597	927	579	458	456
New York	374	390	358	321	427	548	420	418	394
Pennsylvania	295	599	410	308	343	360	238	527	95
REGION II TOTAL	464	521	411	353	336	552	385	440	306
District of Columbia	3799	3748	3512	3393	3309	2826	5978	5569	5569
Kentucky	2124	1755	1361	1190	1475	1167	1541	1460	1002*
Maryland	826	766	633	785	797	865	1019	592	588
North Carolina	4052	5174	4361	4361	4089	4080	4096	3794	3259
Virginia	878	1198	1443	1130	1049	1279	1141	1632	1830
West Virginia	935	1409	1458	854	852	794	749	985	641
REGION III TOTAL	2100	2440	2181	2011	1976	1952	2164	2105	1880
Alabama	1582	927	808	941	855	629	1053	954	863
Florida	5739	5586	5492	3631	2049	3037	4327	4593	4507
Georgia	9454	7976	6182	5834	5529	6171	6171	5681	5481
Mississippi	10465	10603	11797	7569	7379	6981	5962	6924	5928
South Carolina	5123	9121	7813	2922	2548	2592	2863	1999	1946
Tennessee	1770	1312	1057	1027	957	1226	1007	1007	956
REGION IV TOTAL	5506	5489	5032	3510	3027	3254	3544	3506	3383
Illinois	595	863	639	478	422	844	1057	2030	1705
Indiana	147	118	92	88	67	61	66	65	41*
Michigan	329	351	338	328	359	483	472	462	422
Ohio	652	997	484	625	699	479	555	539	393
Wisconsin	65	61	56	55	57	49	46	49	43
REGION V TOTAL	436	603	399	387	397	479	555	820	682
Iowa	43	40	34	29	21	20	18	16	16
Kansas	380	355	368	423	347	322	265	247	72
Minnesota	152	153	150	146	124	104	94	82	75
Missouri	332	318	665	701	728	913	1102	885	879
Nebraska	423	421	413	408	446	455	215	135	42
North Dakota	0	2	-	-	-	-	-	-	-
South Dakota	228	243	199	201	155	201	238	158	204
REGION VI TOTAL	237	229	340	356	346	397	415	334	297
Arkansas	3303	3312	1439	2174	3137	3427	4988	5063	3558
Louisiana	2726	2656	3404	2326	2638	3353	3929	3090	3179
New Mexico	383	418	936	4025	3340	807	1107	526	146
Oklahoma	1668	2958	2193	1522	1455	1422	1347	1402	1483
Texas	2809	2677	2591	2213	2019	1950	1855	1787	1745
REGION VII TOTAL	2580	2584	2468	2218	2244	2237	2451	2246	2074
Colorado	428	1075	1051	940	1046	928	1006	1175	1003
Idaho	1100	1018	1085	1057	847	890	545	604	700
Montana	90	87	71	105	85	76	23	24	41
Utah	170	74	37	41	30	31	177	167	211
Wyoming	245	670	272	291	306	283	177	695	634
REGION VIII TOTAL	418	665	624	582	592	550	509	695	634
Alaska	-	-	-	-	-	-	-	27	156
Arizona	2630	1788	1829	2159	2382	4103	5603	4868	4701
California	527	468	438	410	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	81
Nevada	430	428	299	183	269	1395	154	582	175
Oregon	114	205	199	216	212	151	185	195	329
Washington	920	798	762	757	753	652	634	554	442
REGION IX TOTAL	651	560	534	536	856	1171	1430	1237	1126
U. S. TOTAL	1365	1439	1298	1079	1048	1187	1264	1352	1162
Puerto Rico	8158	16106	10532	7829	8254	8074	9054	8415	7695
Virgin Islands	14628	16217	-	-	-	-	-	-	-
Alaska	487	406	118	92	26	93	59	-	-
Hawaii	429	418	229	217	194	138	95	127	-
U. S. & TERRITORIES	1461	1643	1423	1168	1172	1284	1373	1457	1258
Cities (Incl. above)									
Detroit	-	-	-	-	-	784	800	744	693
New York City	-	-	-	-	-	582	507	530	532
Philadelphia	451	420	397	363	508	1245	755	325	309
Pittsburgh	1180	1425	1547	1403	1079	212	232	74	86
Baltimore	219	2479	153	65	208	926	1033	997	951
Chicago	1183	1152	1013	1105	971	1744	2177	2988	2240
St. Louis	1315	2020	1529	1150	1045	-	-	-	-
	867	862	-	-	-	-	-	-	-

A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before diagnosis is completed.  
\* 3 quarters only.

Source: Form PHS 9-721-1  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
11/2/60 GH

REPORTED NUMBER OF BLOOD SPECIMENS EXAMINED FOR SYPHILIS  
BY LABORATORIES

Fiscal Years 1952 - 1960

STATES BY NEW REGIONS	1952	1953	1954	1955	1956	1957	1958	1959	1960
Connecticut	143010	156622	98879	99644	102470	109938	104785	103382	99790
Maine	67978	64905	55340	55447	54120	53067	52505	50905	23881*
Massachusetts	509856	508792	489981	503189	503671	492374	463614	462758	473735
New Hampshire	53266	53932	48439	42650	51707	47145	41386	76099	66267
Rhode Island	65494	81725	101605	91023	90019	91379	87037	86952	82545
Vermont	41908	46322	44649	45336	26982	44153	36338	37199	36433
REGION I TOTAL	881512	912298	838893	837289	828969	838056	785665	817295	782651
Delaware	31952	31390	37857	24803	39997	62385	59830	67349	70331
New Jersey	465044	452518	504803	655007	724675	744910	693422	633677	615107
New York	859401	953522	802855	819790	821577	797037	735869	709455	655674
Pennsylvania	306426	361069	272738	265401	244155	235940	300418	188906	183637
REGION II TOTAL	1662823	1798499	1618253	1765001	1830404	1840272	1789539	1599387	1524749
District of Columbia	108697	135763	135495	134023	140177	122144	492941	146656	139985
Kentucky	180137	161655	147077	147816	157664	143787	158497	485132	310658
Maryland	197440	196996	170010	159157	161730	167605	153246	144459	153833
North Carolina	334813	367029	287898	312772	321113	332091	315933	312062	278882
Virginia	439236	450513	377224	359186	349277	342154	315135	325127	324011
West Virginia	113746	110309	95754	84090	84013	80766	75477	74207	183262
REGION III TOTAL	1374069	1422265	1213458	1197044	1213974	1188547	1511229	1487643	1389980
Alabama	360063	323400	291575	290694	294318	286796	210608	301273	294088
Florida	619456	616486	717100	717100	699435	728554	701523	690836	689300
Georgia	626834	583105	429023	428360	449698	428934	404306	407035	533421
Mississippi	384785	354383	335224	229156	217755	196499	181671	207453	178780
South Carolina	290920	287887	266670	302627	291455	285818	295773	276847	254029
Tennessee	482123	507538	494184	473484	467761	452372	419054	421621	415838
REGION IV TOTAL	2764181	2672799	2437374	2441421	2420422	2378973	2212935	2305065	2365456
Illinois	1044575	989537	888500	895319	956031	1060311	1080274	1333333	1663654
Indiana	304674	451285	209718	199310	191757	179932	157336	156279	154531
Michigan	724741	855757	722068	724946	750573	764689	711950	728982	659925
Ohio	206966	223408	190959	188840	182706	155928	124327	122701	111918
Wisconsin	271521	294572	297851	292155	284727	259249	242618	248135	258320
REGION V TOTAL	2552477	2724559	2309096	2300570	2365794	2420109	2316505	2589430	2848348
Iowa	339833	418951	365665	394931	397657	400789	353501	407181	349087
Kansas	155663	157757	92184	121649	125150	121007	113777	118069	109180
Minnesota	315943	323056	274768	255683	239831	204599	165955	166955	159162
Missouri	176485	497459	322392	336779	333159	348256	330123	306077	250252
Nebraska	121799	137840	83181	125442	123498	110512	162157	126392	158755
North Dakota	51932	49510	48045	50966	52023	53977	44481	49133	36755
South Dakota	49912	60959	78211	88945	110863	87029	78625	77257	74917
REGION VI TOTAL	1211567	1645532	1275180	1363661	1382181	1326169	1250794	1286064	1138108
Arkansas	158959	160899	131622	174747	157372	159231	176256	187801	157217
Louisiana	295770	275788	291497	189005	228593	257929	265835	233019	272518
New Mexico	63952	78961	91339	87876	90059	76741	88816	80171	77021
Oklahoma	194703	195097	174491	162407	154701	155592	138521	139302	136152
Texas	550243	534250	471962	435164	412371	449180	396935	388783	390808
REGION VII TOTAL	1263627	1244995	1160911	1049199	1043096	1098673	1066363	1029076	1033716
Colorado	126380	114490	117935	119992	123746	131125	125614	160890	208521
Idaho	95950	165210	189566	173476	164129	161848	93247	81443	76588
Montana	46897	46062	44637	50569	41813	40782	36549	35377	18109*
Utah	88085	76080	65629	75139	83063	89341	95227	93457	79178
Wyoming	22625	22026	27797	20524	21171	19259	18716	15766	19895
REGION VIII TOTAL	379937	423868	445564	439700	433922	442355	369353	386933	402291
Alaska	77409	73040	49214	78330	96672	97958	107928	25024	31729
Arizona	582180	578419	583001	587880	612560	555012	760859	106121	103774
California	17373	18825	18989	20738	17980	14173	20403	22735	21236
Nevada	68665	83618	73511	75681	74428	73314	69530	72249	72150
Oregon	50514	179702	160050	175874	156411	155924	156226	153595	148983
Washington	796141	933604	884765	938503	958051	896381	1114946	926030	945851
REGION IX TOTAL	12886334	13778419	12183494	12332388	12476813	12429535	12417329	12426923	12431150
Puerto Rico	237273	160325	162469	420090	346513	375430	543127	496295	235384
Virgin Islands	5240	5252	5000	4939	6116	7166	7759	6707	3761*
Alaska	18875	28992	29379	14638	15520	15136	20908		
Hawaii	36948	47419	31620	31510	31374	30943	30234	28891	
U. S. & TERRITORIES	13184670	14020407	12411962	12803565	12876336	12858210	13019357	12958816	12670295

\* Data on Maine, Montana, and Virgin Islands incomplete.

Source: Form PHS 9.1072  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
10/26/60 GH

SUMMARY TABULATION OF SYPHILIS SUSPECTS AMONG SELECTEES  
Fiscal Years 1956 - 1960

Fiscal Year	Reported	Returned	Located	Examined	Brought to Treatment	Returned to Treatment	Total Needing Treatment
1956	1958	1892	1533	1491	424	166	590
1957	2804	2568	2162	2112	569	205	774
1958	2631	2403	2002	1953	433	150	583
1959	2310	2193	1757	1691	444	142	586
1960	1603	1465	1246	1229	376	95	471

Fiscal Year	Percent Returned of Reported	Percent Located of Returned	Percent Examined of Located	Percent of Examined		
				Brought to Treatment	Returned to Treatment	Total Needing Treatment
1956	96.6	81.0	97.3	28.4	11.1	39.6
1957	91.6	84.2	97.7	26.9	9.7	36.6
1958	91.3	83.3	97.6	22.2	7.7	29.9
1959	94.9	80.1	96.2	26.3	8.4	34.7
1960	91.4	85.1	98.6	30.6	7.7	38.3

SUMMARY TABULATION OF SYPHILIS SUSPECTS AMONG SEPARATEES  
Fiscal Years 1956 - 1960

Fiscal Year	Reported	Returned	Located	Examined	Brought to Treatment	Returned to Treatment	Total Needing Treatment
1956	1780	1725	1317	1260	179	80	259
1957	915	884	660	634	116	38	154
1958	800	754	545	524	84	18	102
1959	483	461	348	331	45	28	73
1960	280	264	206	204	27	11	38

Fiscal Year	Percent Returned of Reported	Percent Located of Returned	Percent Examined of Located	Percent of Examined		
				Brought to Treatment	Returned to Treatment	Total Needing Treatment
1956	96.9	76.3	95.7	14.2	6.3	20.6
1957	96.6	74.7	96.1	18.3	6.0	24.3
1958	94.2	72.4	96.1	16.0	3.4	19.5
1959	95.4	75.5	95.1	13.6	8.5	22.1
1960	94.3	78.0	99.0	13.2	5.4	18.6

Source: Form PHS-9.691 and PHS-9.956  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
10/27/60 GH/LBH: gh

## DISPOSITION OF SYPHILIS SUSPECTS AMONG ARMED SERVICES SELECTEES

By Date of Report

Fiscal Year 1960

States Reporting By HEW Regions	Total	Brought to Treatment	Returned to Treatment	Total Needing Treatment	Adequate Treatment	Not Infected	Returned Not Examined	No Disposition
Connecticut	13	2	0	2	3	3	5	0
Maine	0	0	0	0	0	0	0	0
Massachusetts	38	4	1	5	7	20	3	3
New Hampshire	0	0	0	0	0	0	0	0
Rhode Island	0	0	0	0	0	0	0	0
Vermont	0	0	0	0	0	0	0	0
REGION I TOTAL	51	6	1	7	10	23	8	3
Delaware	3	0	1	1	2	0	0	0
New Jersey	38	7	3	10	10	10	6	2
Up State New York	42	12	1	13	5	7	16	1
New York City	151	27	6	33	39	22	34	23
Pennsylvania	58	18	3	21	17	10	10	0
REGION II TOTAL	292	64	14	78	73	49	66	26
District of Columbia	0	0	0	0	0	0	0	0
Kentucky	10	0	0	0	2	2	5	1
Maryland	4	0	0	0	0	4	0	0
North Carolina	61	5	1	6	9	35	7	4
Virginia	70	19	1	20	24	20	6	0
West Virginia	6	0	0	0	1	4	1	0
REGION III TOTAL	151	24	2	26	36	65	19	5
Alabama	23	9	1	10	7	3	1	2
Florida	27	5	1	6	6	3	5	7
Georgia	15	4	0	4	4	4	1	2
Mississippi	21	2	2	4	10	5	1	1
South Carolina	7	1	0	1	2	1	0	3
Tennessee	26	5	0	5	5	2	3	11
REGION IV TOTAL	119	26	4	30	34	18	11	26
Illinois	44	14	2	14	13	6	10	1
Indiana	40	14	0	16	7	3	10	4
Michigan	26	4	0	4	9	8	0	5
Ohio	17	4	1	5	3	5	3	1
Wisconsin	2	0	0	0	0	1	0	1
REGION V TOTAL	129	36	3	39	32	23	23	12
Iowa	8	1	0	1	2	5	0	0
Kansas	18	2	3	5	8	3	2	0
Minnesota	13	1	0	1	5	7	0	0
Missouri	26	9	3	12	7	4	3	0
Nebraska	8	0	0	0	2	6	0	0
North Dakota	0	0	0	0	0	0	0	0
South Dakota	0	0	0	0	0	0	0	0
REGION VI TOTAL	73	13	6	19	24	25	5	0
Arkansas	70	13	5	18	40	2	9	1
Louisiana	78	22	8	30	25	9	5	9
New Mexico	17	1	2	3	4	6	1	3
Oklahoma	35	7	2	9	6	13	6	1
Texas	231	77	15	92	54	42	38	5
REGION VII TOTAL	431	120	32	152	129	72	59	19
Colorado	6	1	0	1	1	1	2	1
Idaho	1	0	0	0	0	1	0	0
Montana	0	0	0	0	0	0	0	0
Utah	0	0	0	0	0	0	0	0
Wyoming	0	0	0	0	0	0	0	0
REGION VIII TOTAL	7	1	0	1	1	2	2	1
Alaska	0	0	0	0	0	0	0	0
Arizona	18	2	0	2	1	0	0	15
California	220	43	9	52	41	66	35	26
Hawaii	0	0	0	0	0	0	0	0
Nevada	3	0	0	0	1	2	0	0
Oregon	1	0	0	0	0	1	0	0
Washington	32	2	1	3	4	17	6	2
REGION IX TOTAL	274	47	10	57	47	86	41	43
U. S. TOTAL	1527	337	72	409	386	363	234	135
Puerto Rico	75	39	23	62	7	2	2	2
Virgin Islands	1	0	0	0	0	0	0	1
TERRITORY TOTAL	76	39	23	62	7	2	2	3
U. S. & TERRITORIES	1603	376	95	471	393	365	236	138

Source: Form PHS-9.956  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
10/26/60 GH: gh



## DISPOSITION OF SYPHILIS SUSPECTS AMONG ARMED SERVICES SEPARATEES

Stat.Ltr. 67

By Date of Report

Fiscal Year 1960

States Reporting By HEW Regions	Total	Brought to Treatment	Returned to Treatment	Total Needing Treatment	Adequate Treatment	Not Infected	Returned Not Examined	No Disposition
Connecticut	2	0	0	0	0	1	1	0
Maine	0	0	0	0	0	0	0	0
Massachusetts	0	0	0	0	1	4	1	0
New Hampshire	0	0	0	0	0	0	0	0
Rhode Island	0	0	0	0	0	0	0	0
Vermont	0	0	0	0	0	0	0	0
REGION I TOTAL	8	0	0	0	1	5	2	0
Delaware	1	1	0	1	0	0	0	0
New Jersey	5	2	0	2	2	1	0	0
Up State New York	7	0	1	1	3	1	2	0
New York City	6	1	0	1	1	1	2	1
Pennsylvania	7	1	0	1	4	1	1	0
REGION II TOTAL	26	5	1	6	10	4	5	1
District of Columbia	3	2	0	2	0	1	0	0
Kentucky	11	1	0	1	3	4	2	1
Maryland	5	2	0	2	3	0	0	0
North Carolina	4	0	0	0	1	0	2	1
Virginia	8	0	1	1	5	1	1	1
West Virginia	7	1	1	2	3	0	1	3
REGION III TOTAL	38	6	2	8	15	6	6	3
Alabama	3	0	0	0	0	0	0	3
Florida	7	0	0	0	3	2	2	0
Georgia	5	1	0	1	0	1	2	1
Mississippi	2	0	0	0	1	0	1	0
South Carolina	2	0	0	0	0	1	0	1
Tennessee	8	0	0	0	1	1	3	3
REGION IV TOTAL	27	1	0	1	5	5	8	8
Illinois	20	2	1	3	8	5	4	0
Indiana	12	2	1	3	2	2	5	0
Michigan	18	1	1	2	7	5	4	0
Ohio	22	2	2	4	10	2	5	1
Wisconsin	0	0	0	0	0	0	0	0
REGION V TOTAL	72	7	5	12	27	14	18	1
Iowa	2	0	1	1	0	1	0	0
Kansas	9	2	2	4	2	2	1	0
Minnesota	6	0	0	0	5	1	0	1
Missouri	9	0	0	0	7	0	1	0
Nebraska	0	0	0	0	0	1	0	0
North Dakota	1	0	0	0	0	1	0	0
South Dakota	1	0	0	0	0	1	0	0
REGION VI TOTAL	28	2	3	5	14	6	2	1
Arkansas	6	1	0	1	3	2	0	0
Louisiana	7	0	0	0	5	0	2	0
New Mexico	2	0	0	0	0	1	0	1
Oklahoma	4	0	0	0	2	0	2	0
Texas	28	1	0	1	12	9	6	0
REGION VII TOTAL	47	2	0	2	22	12	10	1
Colorado	4	1	0	1	2	0	1	0
Idaho	0	0	0	0	0	0	0	0
Montana	2	0	0	0	0	1	0	1
Utah	0	0	0	0	0	0	0	0
Wyoming	0	0	0	0	0	0	0	0
REGION VIII TOTAL	6	1	0	1	2	1	1	1
Alaska	0	0	0	0	0	0	0	0
Arizona	1	0	0	0	1	2	0	0
California	19	2	0	2	9	0	0	0
Hawaii	0	0	0	0	0	0	0	0
Nevada	0	0	0	0	0	0	0	0
Oregon	2	0	0	0	0	1	0	0
Washington	4	1	0	1	0	3	1	0
REGION IX TOTAL	26	3	0	3	10	6	7	0
U. S. TOTAL	278	27	11	38	106	59	59	16
Puerto Rico	2	0	0	0	0	1	1	0
Virgin Islands	0	0	0	0	0	0	0	0
TERRITORY TOTAL	2	0	0	0	0	1	1	0
U. S. & TERRITORIES	280	27	11	38	106	60	60	16

Source: Form PHS-9.691  
HEW-PHS-BGS-CDC-VD Branch  
Office of Statistics  
10/27/60 GH: gh

FIRST ADMISSIONS TO STATE MENTAL HOSPITALS  
FOR ALL PSYCHOSES DUE TO SYPHILIS  
Rates per 100,000 Civilian Population

Stat.Ltr. 67

Calendar Years 1949 - 1958

States Reporting by HEW Regions	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
Connecticut	2.0	1.6	1.1	1.1	1.1	.6	1.0	.5	.7	.4
Maine	1.8	1.2	.9	.6	0	.3	.7	.2	.5	.1
Massachusetts	---	---	---	---	---	---	---	---	---	---
New Hampshire	2.3	.9	.8	.8	.4	.4	1.3	0	.4	.3
Rhode Island	.9	1.3	.5	1.0	1.2	.7	.6	.5	.6	.4
Vermont	2.2	1.1	0	1.4	.5	0	0	0	0	.3
REGION I TOTAL	1.8	1.3	.8	1.0	.8	.5	.8	.3	.5	.3
Delaware	6.6	3.4	2.1	4.7	3.7	2.2	.8	1.7	.7	.7
New Jersey	3.0	1.6	1.4	1.1	1.0	.9	.9	.5	.7	.5
New York	3.0	3.1	2.5	2.1	1.8	---	---	---	.8	.6
Pennsylvania	2.7	2.1	1.8	1.5	1.1	.9	.8	.5	.6	.5
REGION II TOTAL	2.9	2.5	2.1	1.7	1.5	.9	.8	.6	.7	.6
District of Columbia	9.9	6.3	6.1	5.8	4.5	2.8	---	2.1	2.5	1.2
Kentucky	2.8	2.0	1.9	1.8	1.7	1.5	.9	.9	.7	.6
Maryland	4.1	3.0	3.4	2.8	2.2	3.1	.9	.8	.8	.4
North Carolina	2.3	2.2	2.1	1.4	1.5	.7	.9	.6	.9	.5
Virginia	3.5	3.7	3.0	3.0	2.4	1.9	1.9	1.5	1.1	1.3
West Virginia	5.1	3.0	2.5	3.0	2.6	1.8	1.6	1.6	1.4	1.1
REGION III TOTAL	3.7	2.9	2.7	2.5	2.1	1.7	1.2	1.1	1.0	.8
Alabama	3.0	1.9	1.6	---	.7	1.0	.9	.7	.6	.5
Florida	3.9	2.1	2.2	2.3	1.5	1.6	1.3	1.0	1.0	.5
Georgia	3.6	2.8	1.7	1.3	1.3	2.0	1.1	1.2	1.2	1.7
Mississippi	3.6	3.6	2.5	2.6	---	1.1	.4	.5	.6	.5
South Carolina	5.4	4.0	3.1	2.6	---	1.0	1.8	1.3	.8	1.2
Tennessee	1.4	1.5	1.4	1.7	.9	1.7	.9	1.1	.6	.6
REGION IV TOTAL	3.3	2.5	2.0	2.0	1.1	1.5	1.1	1.0	.8	.8
Illinois	4.3	2.7	2.9	2.4	2.1	1.4	1.1	.9	.8	.6
Indiana	3.5	2.9	2.2	1.8	---	1.1	.9	.7	.6	.8
Michigan	2.6	1.8	1.7	1.3	.8	.8	.7	.5	.6	.7
Ohio	4.2	3.2	2.0	1.7	1.5	1.4	1.7	1.1	.9	.8
Wisconsin	.7	.4	.6	---	.2	.5	.4	.3	.5	.1
REGION V TOTAL	3.4	2.4	2.0	1.8	1.4	1.1	1.1	.8	.7	.7
Iowa	1.8	1.3	1.0	1.2	1.2	.6	.4	.4	.4	.2
Kansas	1.8	1.2	1.0	1.5	1.1	1.0	1.0	1.0	.8	.6
Minnesota	.7	1.0	.9	1.1	.6	.2	.1	.1	.1	.2
Missouri	2.9	2.7	1.5	1.4	1.4	1.0	.6	.7	.5	.6
Nebraska	1.3	2.2	.7	.3	.4	0	.1	.3	.5	.1
North Dakota	1.0	.2	.7	.5	1.0	0	.3	.5	.2	0
South Dakota	1.3	1.4	.6	---	---	.6	1.2	.1	.3	0
REGION VI TOTAL	1.8	1.7	1.1	1.2	1.0	.6	.5	.5	.4	.3
Arkansas	3.9	3.0	2.5	1.8	2.1	.9	1.2	.7	.7	.9
Louisiana	4.4	4.3	2.9	2.9	2.2	2.5	1.5	1.3	1.5	.9
New Mexico	4.0	1.5	1.5	1.3	.8	.5	.7	.4	.4	.4
Oklahoma	3.2	2.7	1.9	2.1	.9	.8	.8	.6	.8	---
Texas	3.3	2.6	2.1	1.2	1.6	1.0	.7	.8	.9	---
REGION VII TOTAL	3.6	2.9	2.2	1.7	1.6	1.2	1.0	.8	.9	.8
Colorado	1.1	1.2	1.3	.3	.5	.4	.7	.4	.4	.1
Idaho	1.6	.9	.7	.7	.7	.5	.8	.2	.3	0
Montana	.9	1.0	1.0	.7	---	1.1	1.8	.5	.6	.7
Utah	1.9	.7	.7	1.0	.3	.1	.3	.4	.6	0
Wyoming	.7	1.8	1.4	1.0	1.0	.7	0	0	0	0
REGION VIII TOTAL	1.3	1.1	1.1	.6	.5	.5	.8	.4	.4	.2
Arizona	2.8	3.3	3.0	2.4	1.2	1.1	.7	.8	.6	1.0
California	2.7	2.1	1.6	1.1	1.2	1.0	.7	.6	.6	.5
Nevada	3.2	2.5	1.8	.6	2.0	1.0	1.3	.8	0	.8
Oregon	1.5	1.2	.8	.8	.6	.3	.5	.3	.6	.5
Washington	2.1	1.7	1.2	.5	.8	.7	.4	.3	.2	.3
REGION IX TOTAL	2.5	2.0	1.5	1.0	1.1	.9	.6	.6	.5	.5
UNITED STATES TOTAL	3.0	2.4	1.9	1.7	1.4	1.1	.9	.7	.7	.6

--- Complete data not available.

Source: Patients in Mental Hospitals; 1949 - 1957, National Institute of Mental Health; 1958, Unpublished data National Institute of Mental Health  
Population Releases; Bureau of the Census.  
HEW-PHS-BSS-CDC-VD Branch  
Office of Statistics  
10/4/60 JHB lbh