

FEBRUARY 1965

Issue No. 84

VD STATISTICAL LETTER



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

C O N T E N T S

MORBIDITY July - September 1964

| | |
|--|---|
| SUMMARY, United States Excluding Territories, Cases and Rates per 100,000 Population, by Race, Sex, Source, and Disease | 1 |
| BY STATE AND TERRITORY: | |
| By Each Quarter of Fiscal Year 1965, Cumulative Fiscal Year 1965, Compared with Same Period of Fiscal Year 1964 | 2 |
| By Disease, Reporting Source, Rates per 100,000 population and Percentage by Private Sources | 3 |
| BY CITIES WITH POPULATION 200,000 and OVER: | |
| By Each Quarter of Fiscal Year 1965, Cumulative Fiscal Year 1965, Compared with Same Period of Fiscal Year 1964 | 4 |
| By Disease, Reporting Source, Rates per 100,000 population and Percentage by Private Sources | 5 |

EPIDEMIOLOGICAL ACTIVITY July - September 1964

| | |
|---|---|
| BY STATE AND TERRITORY: | |
| Investigations and Percent of Suspects Examined by Private and Public Patients | 6 |
| Contacts Obtained from Private and Public Patients: | |
| Primary and Secondary Syphilis | 7 |
| Early Latent Syphilis | 8 |
| BY REGIONS: | |
| Yield per 1,000 Persons Examined | 9 |

RESULTS OF FOLLOW-UP OF SEROLOGIC REACTORS

| | |
|--|----|
| BY STATE AND TERRITORY for July-September 1964 | 10 |
|--|----|

PHYSICIAN VISITATION REPORT

| | |
|--|----|
| BY STATE AND TERRITORY for July - September 1964 | 11 |
|--|----|

SUMMARY OF VENEREAL DISEASE CASES AND ANNUAL RATES ^{1/} PER 100,000 POPULATION
 UNITED STATES TOTAL EXCLUDING TERRITORIES
 (Known Military Cases Excluded)

July - September 1964

| Reporting Source Disease and Stage | All Classes | | | | | | White | | | | | | Non-White | | | | | |
|--|-------------|-------|-------|-------|--------|-------|-------|-------|-------|-------|--------|-------|-----------|--------|-------|--------|--------|-------|
| | Total | | Male | | Female | | Total | | Male | | Female | | Total | | Male | | Female | |
| | Cases | Rates | Cases | Rates | Cases | Rates | Cases | Rates | Cases | Rates | Cases | Rates | Cases | Rates | Cases | Rates | Cases | Rates |
| <u>PRIVATE PHYSICIANS, PRIVATE HOSPITALS, PRIVATE INSTITUTIONS</u> | | | | | | | | | | | | | | | | | | |
| Total Syphilis | 14750 | 31.3 | 7752 | 34.0 | 6998 | 28.9 | 7737 | 18.6 | 4343 | 21.5 | 3394 | 15.9 | 7013 | 127.5 | 3409 | 128.6 | 3604 | 126.3 |
| Primary and Secondary | 2172 | 4.6 | 1412 | 6.2 | 760 | 3.1 | 817 | 1.9 | 646 | 3.2 | 171 | .8 | 1355 | 24.6 | 766 | 28.9 | 589 | 20.7 |
| Early Latent | 1555 | 3.3 | 841 | 3.7 | 714 | 3.0 | 608 | 1.5 | 394 | 2.0 | 214 | 1.0 | 947 | 17.2 | 447 | 16.9 | 500 | 17.5 |
| Late and Late Latent | 10305 | 21.9 | 5245 | 23.0 | 5060 | 20.9 | 5860 | 14.1 | 3134 | 15.5 | 2726 | 12.8 | 4445 | 80.8 | 2111 | 79.6 | 2334 | 81.8 |
| Congenital | 479 | 1.0 | 137 | .6 | 342 | 1.4 | 299 | .7 | 89 | .4 | 210 | 1.0 | 180 | 3.3 | 48 | 1.8 | 132 | 4.6 |
| Not Stated | 239 | .5 | 117 | .5 | 122 | .5 | 153 | .4 | 80 | .4 | 73 | .3 | 86 | 1.6 | 37 | 1.4 | 49 | 1.7 |
| Gonorrhea | 22098 | 47.0 | 17318 | 75.8 | 4780 | 19.8 | 11104 | 26.7 | 8698 | 43.1 | 2406 | 11.3 | 10994 | 199.8 | 8620 | 235.2 | 2374 | 83.2 |
| Total Other VD | 38 | - | 30 | .1 | 8 | - | 11 | - | 10 | - | 1 | - | 27 | .5 | 20 | .7 | 7 | .2 |
| Chancroid | 23 | - | 20 | .1 | 3 | - | 7 | - | 7 | - | 0 | - | 16 | .3 | 13 | .5 | 3 | .1 |
| Granuloma Inguinale | 5 | - | 2 | - | 3 | - | 1 | - | 1 | - | 0 | - | 4 | .1 | 1 | - | 3 | .1 |
| Lymphogranuloma Venereum | 10 | - | 8 | - | 2 | - | 3 | - | 2 | - | 1 | - | 7 | .1 | 6 | .2 | 1 | - |
| <u>PUBLIC CLINICS, PUBLIC HOSPITALS, PUBLIC INSTITUTIONS</u> | | | | | | | | | | | | | | | | | | |
| Total Syphilis | 13713 | 29.1 | 7850 | 34.3 | 5863 | 24.3 | 3578 | 8.7 | 2320 | 11.5 | 1258 | 5.9 | 10135 | 184.1 | 5530 | 208.6 | 4605 | 161.5 |
| Primary and Secondary | 3717 | 7.9 | 2222 | 9.7 | 1495 | 6.2 | 602 | 1.5 | 437 | 2.2 | 165 | .8 | 3115 | 56.6 | 1785 | 67.3 | 1330 | 46.6 |
| Early Latent | 2902 | 6.2 | 1583 | 6.9 | 1319 | 5.4 | 563 | 1.4 | 385 | 1.9 | 178 | .8 | 2339 | 42.5 | 1198 | 45.2 | 1141 | 40.0 |
| Late and Late Latent | 6568 | 13.9 | 3797 | 16.6 | 2771 | 11.5 | 2278 | 5.5 | 1436 | 7.1 | 842 | 4.0 | 4290 | 77.9 | 2361 | 89.1 | 1929 | 67.7 |
| Congenital | 366 | .8 | 158 | .7 | 208 | .9 | 79 | .2 | 33 | .2 | 46 | .2 | 287 | 5.2 | 125 | 4.7 | 162 | 5.7 |
| Not Stated | 160 | .3 | 90 | .4 | 70 | .3 | 56 | .1 | 29 | .1 | 27 | .1 | 104 | 1.9 | 61 | 2.3 | 43 | 1.5 |
| Gonorrhea | 61338 | 130.4 | 45863 | 200.7 | 15475 | 64.0 | 10978 | 26.4 | 7377 | 36.5 | 3601 | 16.9 | 50360 | 915.2 | 38486 | 1451.9 | 11874 | 416.4 |
| Total Other VD | 507 | 1.0 | 425 | 1.9 | 82 | .3 | 47 | .1 | 46 | .2 | 1 | - | 460 | 8.4 | 379 | 14.3 | 81 | 2.9 |
| Chancroid | 296 | .6 | 249 | 1.1 | 47 | .2 | 42 | .1 | 41 | .2 | 1 | - | 254 | 4.6 | 208 | 7.8 | 46 | 1.6 |
| Granuloma Inguinale | 34 | - | 27 | .1 | 7 | - | 1 | - | 1 | - | 0 | - | 33 | .6 | 26 | 1.0 | 7 | .3 |
| Lymphogranuloma Venereum | 177 | .4 | 149 | .7 | 28 | .1 | 4 | - | 4 | - | 0 | - | 173 | 3.2 | 145 | 5.5 | 28 | 1.0 |
| <u>TOTAL ALL SOURCES</u> | | | | | | | | | | | | | | | | | | |
| Total Syphilis | 28463 | 60.4 | 15602 | 68.3 | 12861 | 53.2 | 11315 | 27.3 | 6663 | 33.0 | 4652 | 21.8 | 17148 | 311.6 | 8939 | 337.2 | 8209 | 287.8 |
| Primary and Secondary | 5889 | 12.5 | 3634 | 15.9 | 2255 | 9.3 | 1419 | 3.4 | 1083 | 5.4 | 336 | 1.6 | 4470 | 81.2 | 2551 | 96.2 | 1919 | 67.3 |
| Early Latent | 4457 | 9.5 | 2424 | 10.6 | 2033 | 8.4 | 1171 | 2.9 | 779 | 3.9 | 392 | 1.8 | 3286 | 59.7 | 1645 | 62.1 | 1641 | 57.5 |
| Late and Late Latent | 16873 | 35.8 | 9042 | 39.6 | 7831 | 32.4 | 8138 | 19.6 | 4570 | 22.6 | 3568 | 16.8 | 8735 | 158.7 | 4472 | 168.7 | 4263 | 149.5 |
| Congenital | 845 | 1.8 | 295 | 1.3 | 550 | 2.3 | 378 | .9 | 122 | .6 | 256 | 1.2 | 467 | 8.5 | 173 | 6.5 | 294 | 10.3 |
| Not Stated | 399 | .8 | 207 | .9 | 192 | .8 | 209 | .5 | 109 | .5 | 100 | .4 | 190 | 3.5 | 98 | 3.7 | 92 | 3.2 |
| Gonorrhea | 83436 | 177.4 | 63181 | 276.5 | 20255 | 83.8 | 22082 | 53.1 | 16075 | 79.6 | 6007 | 28.2 | 61354 | 1115.0 | 47106 | 1777.1 | 14248 | 499.6 |
| Total Other VD | 545 | 1.1 | 455 | 2.0 | 90 | .4 | 58 | .1 | 56 | .3 | 2 | - | 487 | 8.9 | 399 | 15.0 | 88 | 3.1 |
| Chancroid | 319 | .7 | 269 | 1.2 | 50 | .2 | 49 | .1 | 48 | .2 | 1 | - | 270 | 4.9 | 221 | 8.3 | 49 | 1.7 |
| Granuloma Inguinale | 39 | - | 29 | .1 | 10 | - | 2 | - | 2 | - | 0 | - | 37 | .7 | 27 | 1.0 | 10 | .4 |
| Lymphogranuloma Venereum | 187 | .4 | 157 | .7 | 30 | .1 | 7 | - | 6 | - | 1 | - | 180 | 3.3 | 151 | 5.7 | 29 | 1.0 |

Stat. Lit. 84
Page 1

^{1/} Estimated Civilian population based on Bureau of Census data.
 Rates less than .05 not shown.

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
FOR EACH QUARTER FISCAL YEAR 1965 TO DATE, CUMULATIVE NUMBER FOR FISCAL YEAR 1965, AND
NUMBER FOR SAME PERIOD OF TIME IN FISCAL YEAR 1964

| States By Regions | PRIMARY AND SECONDARY SYPHILIS | | | | | | TOTAL SYPHILIS | | | | | | GONORRHEA | | | | | |
|-------------------------|--------------------------------|---------------|---------------|---------------|------------------------|------------------------|----------------|---------------|---------------|---------------|------------------------|------------------------|---------------|---------------|---------------|---------------|------------------------|------------------------|
| | | | | | Cumulative | | | | | | Cumulative | | | | | | Cumulative | |
| | Jul.- Sep. | Oct.- Dec. | Jan.- Mar. | Apr.- Jun. | Fiscal Year 1964 | Fiscal Year 1965 | Jul.- Sep. | Oct.- Dec. | Jan.- Mar. | Apr.- Jun. | Fiscal Year 1964 | Fiscal Year 1965 | Jul.- Sep. | Oct.- Dec. | Jan.- Mar. | Apr.- Jun. | Fiscal Year 1964 | Fiscal Year 1965 |
| Connecticut | 45 | | | | 17 | 45 | 156 | | | | 155 | 156 | 569 | | | | 545 | 569 |
| Maine | 4 | | | | 4 | 4 | 21 | | | | 14 | 21 | 90 | | | | 63 | 90 |
| Massachusetts | 57 | | | | 92 | 57 | 529 | | | | 377 | 529 | 1055 | | | | 999 | 1055 |
| New Hampshire | 2 | | | | 1 | 2 | 33 | | | | 15 | 33 | 41 | | | | 28 | 41 |
| Rhode Island | 5 | | | | 5 | 0 | 111 | | | | 111 | 111 | 63 | | | | 60 | 63 |
| Vermont | 0 | | | | 0 | 0 | 0 | | | | 14 | 0 | 47 | | | | 50 | 47 |
| REGION I TOTAL | 113 | | | | 124 | 113 | 850 | | | | 686 | 850 | 1865 | | | | 1745 | 1865 |
| Delaware | 26 | | | | 19 | 26 | 310 | | | | 248 | 310 | 284 | | | | 306 | 284 |
| New Jersey | 308 | | | | 310 | 308 | 1298 | | | | 1410 | 1298 | 1301 | | | | 1232 | 1301 |
| New York | 902 | | | | 980 | 902 | 5065 | | | | 5064 | 5065 | 8956 | | | | 8415 | 8956 |
| Pennsylvania | 146 | | | | 170 | 146 | 1440 | | | | 2460 | 1440 | 2024 | | | | 2039 | 2024 |
| REGION II TOTAL | 1382 | | | | 1479 | 1382 | 8113 | | | | 9182 | 8113 | 12565 | | | | 11992 | 12565 |
| District of Columbia | 181 | | | | 191 | 181 | 613 | | | | 432 | 613 | 3074 | | | | 2823 | 3074 |
| Kentucky | 49 | | | | 53 | 49 | 450 | | | | 425 | 450 | 943 | | | | 618 | 943 |
| Maryland | 142 | | | | 164 | 142 | 772 | | | | 676 | 772 | 1898 | | | | 1665 | 1898 |
| North Carolina | 332 | | | | 241 | 332 | 637 | | | | 828 | 637 | 2316 | | | | 2258 | 2316 |
| Virginia | 78 | | | | 92 | 78 | 569 | | | | 895 | 569 | 2096 | | | | 2083 | 2096 |
| West Virginia | 13 | | | | 6 | 13 | 253 | | | | 318 | 253 | 225 | | | | 248 | 225 |
| REGION III TOTAL | 795 | | | | 747 | 795 | 3294 | | | | 3574 | 3294 | 10552 | | | | 9695 | 10552 |
| Alabama | 282 | | | | 171 | 282 | 515 | | | | 353 | 515 | 1103 | | | | 1135 | 1103 |
| Florida | 518 | | | | 487 | 518 | 1413 | | | | 1802 | 1413 | 3445 | | | | 3227 | 3445 |
| Georgia | 248 | | | | 310 | 248 | 621 | | | | 839 | 621 | 3157 | | | | 3026 | 3157 |
| Mississippi | 106 | | | | 73 | 106 | 207 | | | | 135 | 207 | 1300 | | | | 1413 | 1300 |
| South Carolina | 229 | | | | 225 | 229 | 471 | | | | 490 | 471 | 2122 | | | | 1873 | 2122 |
| Tennessee | 118 | | | | 100 | 118 | 409 | | | | 345 | 409 | 2622 | | | | 2294 | 2622 |
| REGION IV TOTAL | 1501 | | | | 1366 | 1501 | 3636 | | | | 3964 | 3636 | 12750 | | | | 12068 | 12750 |
| Illinois | 271 | | | | 251 | 271 | 1424 | | | | 1308 | 1424 | 7709 | | | | 7008 | 7709 |
| Indiana | 17 | | | | 9 | 17 | 335 | | | | 290 | 335 | 1079 | | | | 916 | 1079 |
| Michigan | 177 | | | | 116 | 177 | 1387 | | | | 1441 | 1387 | 3260 | | | | 3066 | 3260 |
| Ohio | 131 | | | | 103 | 131 | 743 | | | | 1009 | 743 | 3317 | | | | 3232 | 3317 |
| Wisconsin | 23 | | | | 14 | 23 | 215 | | | | 210 | 215 | 495 | | | | 424 | 495 |
| REGION V TOTAL | 619 | | | | 493 | 619 | 4104 | | | | 4258 | 4104 | 15860 | | | | 14586 | 15860 |
| Iowa | 10 | | | | 6 | 10 | 244 | | | | 219 | 244 | 486 | | | | 353 | 486 |
| Kansas | 6 | | | | 12 | 6 | 198 | | | | 225 | 198 | 783 | | | | 752 | 783 |
| Minnesota | 31 | | | | 16 | 31 | 74 | | | | 55 | 74 | 539 | | | | 515 | 539 |
| Missouri | 64 | | | | 59 | 64 | 1028 | | | | 943 | 1028 | 2818 | | | | 2374 | 2818 |
| Nebraska | 16 | | | | 24 | 16 | 75 | | | | 121 | 75 | 282 | | | | 271 | 282 |
| North Dakota | 0 | | | | 0 | 0 | 3 | | | | 10 | 3 | 156 | | | | 175 | 156 |
| South Dakota | 13 | | | | 7 | 13 | 43 | | | | 22 | 43 | 289 | | | | 270 | 289 |
| REGION VI TOTAL | 140 | | | | 124 | 140 | 1665 | | | | 1595 | 1665 | 5353 | | | | 4710 | 5353 |
| Arkansas | 42 | | | | 42 | 42 | 245 | | | | 508 | 245 | 1569 | | | | 1679 | 1569 |
| Louisiana | 218 | | | | 122 | 218 | 775 | | | | 808 | 775 | 1375 | | | | 1394 | 1375 |
| New Mexico | 35 | | | | 31 | 35 | 152 | | | | 146 | 152 | 451 | | | | 426 | 451 |
| Oklahoma | 31 | | | | 50 | 31 | 363 | | | | 406 | 363 | 961 | | | | 873 | 961 |
| Texas | 404 | | | | 428 | 404 | 1546 | | | | 1390 | 1546 | 7341 | | | | 7195 | 7341 |
| REGION VII TOTAL | 730 | | | | 673 | 730 | 3085 | | | | 3258 | 3085 | 11697 | | | | 11527 | 11697 |
| Colorado | 10 | | | | 6 | 10 | 176 | | | | 182 | 176 | 631 | | | | 516 | 631 |
| Idaho | 1 | | | | 5 | 1 | 3 | | | | 7 | 3 | 185 | | | | 172 | 185 |
| Montana | 12 | | | | 3 | 12 | 57 | | | | 48 | 57 | 130 | | | | 152 | 130 |
| Utah | 4 | | | | 2 | 4 | 51 | | | | 22 | 51 | 128 | | | | 130 | 128 |
| Wyoming | 1 | | | | 5 | 1 | 18 | | | | 38 | 18 | 47 | | | | 25 | 47 |
| REGION VIII TOTAL | 28 | | | | 21 | 28 | 305 | | | | 297 | 305 | 1121 | | | | 995 | 1121 |
| Alaska | 2 | | | | 2 | 2 | 8 | | | | 25 | 8 | 111 | | | | 187 | 111 |
| Arizona | 61 | | | | 42 | 61 | 150 | | | | 232 | 150 | 818 | | | | 723 | 818 |
| California | 463 | | | | 490 | 463 | 2948 | | | | 3050 | 2948 | 8798 | | | | 7441 | 8798 |
| Hawaii | 5 | | | | 4 | 5 | 38 | | | | 38 | 38 | 101 | | | | 83 | 101 |
| Nevada | 6 | | | | 12 | 6 | 69 | | | | 59 | 69 | 227 | | | | 189 | 227 |
| Oregon | 18 | | | | 19 | 18 | 92 | | | | 161 | 92 | 620 | | | | 522 | 620 |
| Washington | 26 | | | | 30 | 26 | 106 | | | | 77 | 106 | 998 | | | | 808 | 998 |
| REGION IX TOTAL | 581 | | | | 599 | 581 | 3411 | | | | 3676 | 3411 | 11673 | | | | 9953 | 11673 |
| U. S. TOTAL | 5889 | | | | 5626 | 5889 | 28463 | | | | 30490 | 28463 | 83436 | | | | 77271 | 83436 |
| Puerto Rico | 228 | | | | 160 | 228 | 443 | | | | 290 | 443 | 745 | | | | 695 | 745 |
| Virgin Islands | 8 | | | | 2 | 8 | 27 | | | | 72 | 27 | 69 | | | | 54 | 69 |
| Canal Zone | 6 | | | | 2 | 6 | 21 | | | | 22 | 21 | 84 | | | | 74 | 84 |
| TERRITORY TOTAL | 242 | | | | 174 | 242 | 561 | | | | 384 | 561 | 898 | | | | 823 | 898 |
| U. S. & TERRITORIES | 6131 | | | | 5800 | 6131 | 29024 | | | | 30874 | 29024 | 84334 | | | | 78094 | 84334 |

Source: Form PHS 9.688
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
1/14/65 LEM:emb

CONTACTS OBTAINED FROM PRIVATE AND PUBLIC PRIMARY AND SECONDARY SYPHILIS PATIENTS

ALL AREAS REPORTING

July - September 1964

| States By DHEW Regions | PRIMARY AND SECONDARY SYPHILIS | | | | | | | | | | | |
|-------------------------------------|--------------------------------|--------------------------------|------------------------------|-------------------|--------------------------|-----------------------------|----------------|--------------------------------|------------------------------|-------------------|--------------------------|-----------------------------|
| | Private Cases | | | | | | Public Cases | | | | | |
| | Cases Reported | Number of Patients Interviewed | Percent of Cases Interviewed | CONTACTS OBTAINED | | | Cases Reported | Number of Patients Interviewed | Percent of Cases Interviewed | CONTACTS OBTAINED | | |
| | | | | Number | Number Per Case Reported | Number Per Case Interviewed | | | | Number | Number Per Case Reported | Number Per Case Interviewed |
| Connecticut | 20 | 20 | 100.0 | 18 | .90 | .90 | 25 | 25 | 100.0 | 59 | 2.36 | 2.36 |
| Maine | 4 | 3 | 75.0 | 11 | 2.75 | 3.67 | 0 | 0 | - | - | - | - |
| Massachusetts | 21 | 8 | 38.1 | 5 | .24 | .63 | 36 | 36 | 100.0 | 43 | 1.19 | 1.19 |
| New Hampshire | 2 | 0 | - | - | - | - | 0 | 0 | - | - | - | - |
| Rhode Island | 2 | 0 | .0 | - | - | - | 3 | 1 | 33.3 | 0 | .00 | .00 |
| Vermont | 0 | 0 | - | - | - | - | 0 | 0 | - | - | - | - |
| REGION I TOTAL | 49 | 31 | 63.3 | 34 | .69 | 1.10 | 64 | 62 | 96.9 | 102 | 1.59 | 1.65 |
| Delaware | 5 | 5 | 100.0 | 15 | 3.00 | 3.00 | 21 | 19 | 90.5 | 79 | 3.76 | 4.16 |
| New Jersey | 143 | 143 | 100.0 | 386 | 2.70 | 2.70 | 165 | 165 | 100.0 | 572 | 3.47 | 3.47 |
| New York | 480 | 291 | 60.6 | 699 | 1.46 | 2.40 | 422 | 422 | 100.0 | 1370 | 3.25 | 3.25 |
| Pennsylvania | 75 | 70 | 93.3 | 241 | 3.21 | 3.44 | 71 | 65 | 91.5 | 253 | 3.56 | 3.89 |
| REGION II TOTAL | 703 | 509 | 72.4 | 1341 | 1.91 | 2.63 | 679 | 671 | 98.8 | 2274 | 3.35 | 3.39 |
| District of Columbia | 32 | 32 | 100.0 | 62 | 1.94 | 1.94 | 149 | 130 | 87.2 | 360 | 2.42 | 2.77 |
| Kentucky | 22 | 20 | 90.9 | 65 | 2.95 | 3.25 | 27 | 27 | 100.0 | 109 | 4.04 | 4.04 |
| Maryland | 54 | 50 | 92.6 | 111 | 2.06 | 2.22 | 88 | 86 | 100.0 | 284 | 3.23 | 3.23 |
| North Carolina | 81 | 81 | 100.0 | 266 | 3.28 | 3.28 | 251 | 251 | 100.0 | 1087 | 4.33 | 4.33 |
| Virginia | 24 | 20 | 83.3 | 65 | 2.71 | 3.25 | 49 | 54 | 90.7 | 174 | 3.22 | 3.55 |
| West Virginia | 5 | 5 | 100.0 | 17 | 3.40 | 3.40 | 8 | 8 | 100.0 | 43 | 5.38 | 5.38 |
| REGION III TOTAL | 218 | 208 | 95.4 | 586 | 2.69 | 2.82 | 577 | 553 | 95.8 | 2057 | 3.56 | 3.72 |
| Alabama | 52 | 52 | 100.0 | 164 | 3.15 | 3.15 | 230 | 230 | 100.0 | 914 | 3.97 | 3.97 |
| Florida | 205 | 205 | 100.0 | 776 | 3.79 | 3.79 | 313 | 313 | 100.0 | 1477 | 4.72 | 4.72 |
| Georgia | 67 | 67 | 100.0 | 259 | 3.87 | 3.87 | 181 | 181 | 100.0 | 864 | 4.77 | 4.77 |
| Mississippi | 25 | 24 | 96.0 | 99 | 3.96 | 4.13 | 81 | 81 | 100.0 | 327 | 4.04 | 4.04 |
| South Carolina | 75 | 74 | 98.7 | 308 | 4.11 | 4.16 | 154 | 152 | 98.7 | 682 | 4.43 | 4.49 |
| Tennessee | 32 | 32 | 100.0 | 205 | 6.41 | 6.41 | 86 | 68 | 79.1 | 408 | 4.74 | 6.00 |
| REGION IV TOTAL | 456 | 454 | 99.6 | 1811 | 3.97 | 3.99 | 1045 | 1025 | 98.1 | 4672 | 4.47 | 4.56 |
| Illinois | 70 | 65 | 92.9 | 156 | 2.23 | 2.40 | 201 | 199 | 99.0 | 714 | 3.55 | 3.59 |
| Indiana | 12 | 3 | 25.0 | 8 | .67 | 2.67 | 5 | 0 | .0 | - | - | - |
| Michigan | 69 | 69 | 100.0 | 176 | 2.55 | 2.55 | 108 | 107 | 99.1 | 386 | 3.57 | 3.61 |
| Ohio | 48 | 44 | 91.7 | 94 | 1.96 | 2.14 | 83 | 82 | 98.8 | 248 | 2.99 | 3.02 |
| Wisconsin | NA | NA | - | - | - | - | NA | NA | - | - | - | - |
| REGION V TOTAL | 199 | 181 | 91.0 | 434 | 2.18 | 2.40 | 397 | 388 | 97.7 | 1348 | 3.40 | 3.47 |
| Iowa | 8 | 7 | 87.5 | 24 | 3.00 | 3.43 | 2 | 2 | 100.0 | 7 | 3.50 | 3.50 |
| Kansas | 3 | 2 | 66.7 | 5 | 1.67 | 2.50 | 3 | 3 | 100.0 | 5 | 1.67 | 1.67 |
| Minnesota | 14 | 14 | 100.0 | 35 | 2.50 | 2.50 | 17 | 17 | 100.0 | 80 | 4.71 | 4.71 |
| Missouri | 24 | 24 | 100.0 | 59 | 2.46 | 2.46 | 40 | 40 | 100.0 | 184 | 4.60 | 4.60 |
| Nebraska | 13 | 13 | 100.0 | 53 | 4.08 | 4.08 | 3 | 3 | 100.0 | 5 | 1.67 | 1.67 |
| North Dakota | 0 | 0 | - | - | - | - | 0 | 0 | - | - | - | - |
| South Dakota | 2 | 2 | 100.0 | 7 | 3.50 | 3.50 | 11 | 11 | 100.0 | 40 | 3.63 | 3.64 |
| REGION VI TOTAL | 64 | 62 | 96.9 | 183 | 2.86 | 2.95 | 76 | 76 | 100.0 | 321 | 4.22 | 4.22 |
| Arkansas | 10 | 10 | 100.0 | 37 | 3.70 | 3.70 | 32 | 32 | 100.0 | 156 | 4.88 | 4.88 |
| Louisiana | 47 | 47 | 100.0 | 128 | 2.72 | 2.72 | 171 | 171 | 100.0 | 716 | 4.19 | 4.19 |
| New Mexico | 4 | 4 | 100.0 | 9 | 2.25 | 2.25 | 31 | 28 | 90.3 | 122 | 3.94 | 4.36 |
| Oklahoma | 7 | 7 | 100.0 | 30 | 4.29 | 4.29 | 24 | 24 | 100.0 | 100 | 4.17 | 4.17 |
| Texas | 138 | 113 | 81.9 | 303 | 2.20 | 2.68 | 266 | 266 | 100.0 | 1220 | 4.59 | 4.59 |
| REGION VII TOTAL | 206 | 181 | 87.9 | 507 | 2.46 | 2.80 | 524 | 521 | 99.4 | 2314 | 4.42 | 4.44 |
| Colorado | 8 | 6 | 75.0 | 19 | 2.38 | 3.17 | 2 | 2 | 100.0 | 7 | 3.50 | 3.50 |
| Idaho | 1 | 1 | 100.0 | 1 | 1.00 | 1.00 | 0 | 0 | - | - | - | - |
| Montana | 4 | 4 | 100.0 | 6 | 1.50 | 1.50 | 8 | 8 | 100.0 | 20 | 2.50 | 2.50 |
| Utah | 4 | 4 | 100.0 | 13 | 3.25 | 3.25 | 0 | 0 | - | - | - | - |
| Wyoming | 1 | 1 | 100.0 | 1 | 1.00 | 1.00 | 0 | 0 | - | - | - | - |
| REGION VIII TOTAL | 18 | 16 | 88.9 | 40 | 2.22 | 2.50 | 10 | 10 | 100.0 | 27 | 2.70 | 2.70 |
| Alaska | 2 | 1 | 50.0 | 1 | .50 | 1.00 | 0 | 0 | - | - | - | - |
| Arizona | 21 | 21 | 100.0 | 64 | 3.05 | 3.05 | 40 | 40 | 100.0 | 137 | 3.43 | 3.43 |
| California | 196 | 196 | 100.0 | 246 | 1.26 | 1.26 | 267 | 267 | 100.0 | 573 | 2.15 | 2.15 |
| Hawaii | 4 | 2 | 50.0 | 7 | 1.75 | 3.50 | 1 | 1 | 100.0 | 1 | 1.00 | 1.00 |
| Nevada | 2 | 0 | .0 | - | - | - | 4 | 4 | 100.0 | 12 | 3.00 | 3.00 |
| Oregon | 12 | 11 | 91.7 | 87 | 7.25 | 7.91 | 6 | 6 | 100.0 | 46 | 7.67 | 7.67 |
| Washington | 7 | 7 | 100.0 | 38 | 5.43 | 5.43 | 19 | 19 | 100.0 | 71 | 3.74 | 3.74 |
| REGION IX TOTAL | 244 | 238 | 97.5 | 443 | 1.82 | 1.86 | 337 | 337 | 100.0 | 840 | 2.49 | 2.49 |
| U. S. TOTAL | 2157 | 1880 | 87.2 | 5379 | 2.49 | 2.86 | 3709 | 3643 | 98.2 | 13955 | 3.76 | 3.83 |
| Puerto Rico | 7 | 3 | 42.9 | 15 | 2.14 | 5.00 | 221 | 219 | 99.1 | 820 | 3.71 | 3.74 |
| REGION III TOTAL (incl Puerto Rico) | 225 | 211 | 93.8 | 601 | 2.67 | 2.85 | 798 | 772 | 96.7 | 2877 | 3.61 | 3.73 |
| U. S. & TERRITORY | 2164 | 1883 | 87.0 | 5394 | 2.49 | 2.86 | 3930 | 3862 | 98.3 | 14775 | 3.76 | 3.83 |
| Cities (incl above) | | | | | | | | | | | | |
| New York | 361 | 172 | 47.6 | 288 | .80 | 1.67 | 380 | 380 | 100.0 | 1215 | 3.20 | 3.20 |
| Philadelphia | 32 | 32 | 100.0 | 92 | 2.88 | 2.88 | 47 | 47 | 100.0 | 153 | 3.26 | 3.26 |
| Baltimore | 35 | 32 | 91.4 | 75 | 2.14 | 2.34 | 67 | 67 | 100.0 | 221 | 3.30 | 3.30 |
| Chicago | 39 | 35 | 89.7 | 67 | 1.72 | 1.91 | 193 | 192 | 99.5 | 685 | 3.55 | 3.57 |

Source: Form PHS 9,2127 and PHS 9,688
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
1/22/65 MFR/lbh:emb

CONTACTS OBTAINED FROM PRIVATE AND PUBLIC EARLY LATENT SYPHILIS PATIENTS
ALL AREAS REPORTING

July - September 1964

| States By DHEW Regions | EARLY LATENT SYPHILIS | | | | | | | | | | | |
|--|-----------------------|--------------------------------------|------------------------------------|-------------------|----------|--------------------|-------------------|--------------------------------------|------------------------------------|-------------------|----------|--------------------|
| | Private Cases | | | | | | Public Cases | | | | | |
| | Cases Reported | Number of Patients Interviewed | Percent of Cases Interviewed | CONTACTS OBTAINED | | | Cases Reported | Number of Patients Interviewed | Percent of Cases Interviewed | CONTACTS OBTAINED | | |
| | | | | Number | Per Case | Number Per Case | | | | Number | Per Case | Number Per Case |
| Connecticut | 10 | 10 | 100.0 | 8 | .80 | .80 | 22 | 22 | 100.0 | 13 | .59 | .59 |
| Maine | 3 | 0 | .0 | - | - | - | 0 | 0 | - | - | - | - |
| Massachusetts | 11 | 3 | 27.3 | 2 | .18 | .67 | 40 | 33 | 82.5 | 55 | 1.38 | 1.67 |
| New Hampshire | 1 | 1 | 100.0 | 1 | 1.00 | 1.00 | 0 | 0 | - | - | - | - |
| Rhode Island | 8 | 0 | .0 | - | - | - | 1 | 0 | .0 | - | - | - |
| Vermont | 0 | 0 | - | - | - | - | 0 | 0 | - | - | - | - |
| REGION I TOTAL | 33 | 14 | 42.4 | 11 | .33 | .79 | 63 | 55 | 87.3 | 68 | 1.08 | 1.24 |
| Delaware | 9 | 4 | 44.4 | 5 | .56 | 1.25 | 16 | 11 | 68.8 | 30 | 1.88 | 2.73 |
| New Jersey | 107 | 31 | 29.0 | 53 | .50 | 1.71 | 141 | 68 | 48.2 | 169 | 1.20 | 2.49 |
| New York | 563 | 139 | 24.7 | 392 | .70 | 2.82 | 665 | 427 | 64.2 | 1156 | 1.74 | 2.71 |
| Pennsylvania | 43 | 17 | 39.5 | 35 | .81 | 2.06 | 70 | 60 | 85.7 | 190 | 2.71 | 3.17 |
| REGION II TOTAL | 722 | 191 | 26.5 | 485 | .67 | 2.54 | 892 | 566 | 63.5 | 1545 | 1.73 | 2.73 |
| District of Columbia | 19 | 6 | 31.6 | 8 | .42 | 1.33 | 79 | 51 | 64.6 | 122 | 1.54 | 2.39 |
| Kentucky | 4 | 3 | 75.0 | 7 | 1.75 | 2.33 | 12 | 11 | 91.7 | 53 | 4.42 | 4.82 |
| Maryland | 18 | 13 | 72.2 | 25 | 1.39 | 1.92 | 86 | 74 | 86.0 | 189 | 2.20 | 2.55 |
| North Carolina | 16 | 16 | 100.0 | 44 | 2.75 | 2.75 | 76 | 68 | 89.5 | 242 | 3.18 | 3.56 |
| Virginia | 12 | 11 | 91.7 | 47 | 3.92 | 4.27 | 25 | 23 | 92.0 | 94 | 3.76 | 4.09 |
| West Virginia | 1 | 1 | 100.0 | 2 | 2.00 | 2.00 | 0 | 0 | 50.0 | 10 | 2.50 | 5.00 |
| REGION III TOTAL | 70 | 50 | 71.4 | 133 | 1.90 | 2.66 | 282 | 229 | 81.2 | 710 | 2.52 | 3.10 |
| Alabama | 21 | 10 | 47.6 | 33 | 1.57 | 3.30 | 143 | 143 | 100.0 | 339 | 2.37 | 2.37 |
| Florida | 78 | 73 | 93.6 | 229 | 2.94 | 3.14 | 155 | 153 | 98.7 | 463 | 2.99 | 3.03 |
| Georgia | 35 | 35 | 100.0 | 128 | 3.66 | 3.66 | 83 | 83 | 100.0 | 327 | 3.94 | 3.94 |
| Mississippi | 5 | 5 | 100.0 | 14 | 2.80 | 2.80 | 49 | 49 | 100.0 | 192 | 3.92 | 3.92 |
| South Carolina | 33 | 14 | 42.4 | 53 | 1.61 | 3.79 | 56 | 32 | 57.1 | 145 | 2.59 | 4.53 |
| Tennessee | 11 | 10 | 90.9 | 36 | 3.27 | 3.60 | 44 | 40 | 90.9 | 168 | 3.82 | 4.20 |
| REGION IV TOTAL | 183 | 147 | 80.3 | 493 | 2.69 | 3.35 | 530 | 500 | 94.3 | 1634 | 3.08 | 3.27 |
| Illinois | 77 | 41 | 53.2 | 120 | 1.56 | 2.93 | 204 | 150 | 73.5 | 415 | 2.03 | 2.77 |
| Indiana | 26 | 0 | .0 | - | - | - | 17 | 0 | .0 | - | - | - |
| Michigan | 25 | 25 | 100.0 | 65 | 2.60 | 2.60 | 33 | 22 | 66.7 | 156 | 4.73 | 7.09 |
| Ohio | 50 | 17 | 34.0 | 20 | .40 | 1.18 | 37 | 21 | 56.8 | 67 | 1.81 | 3.19 |
| Wisconsin | NA | NA | - | - | - | - | NA | NA | - | - | - | - |
| REGION V TOTAL | 178 | 83 | 46.6 | 205 | 1.15 | 2.47 | 291 | 193 | 66.3 | 638 | 2.19 | 3.31 |
| Iowa | 5 | 5 | 100.0 | 9 | 1.80 | 1.80 | 0 | 0 | - | - | - | - |
| Kansas | 7 | 6 | 85.7 | 32 | 4.57 | 5.33 | 7 | 2 | 28.6 | 4 | .57 | 2.00 |
| Minnesota | 2 | 0 | .0 | - | - | - | 4 | 0 | .0 | - | - | - |
| Missouri | 35 | 13 | 37.1 | 39 | 1.11 | 3.00 | 27 | 19 | 70.4 | 99 | 3.67 | 5.21 |
| Nebraska | 2 | 1 | 50.0 | 3 | 1.50 | 3.00 | 3 | 2 | 66.7 | 11 | 3.67 | 5.50 |
| North Dakota | 0 | 0 | .0 | - | - | - | 0 | 0 | - | - | - | - |
| South Dakota | 1 | 0 | .0 | - | - | - | 2 | 2 | 100.0 | 5 | 2.50 | 2.50 |
| REGION VI TOTAL | 52 | 25 | 48.1 | 83 | 1.60 | 3.32 | 43 | 25 | 58.1 | 119 | 2.77 | 4.76 |
| Arkansas | 9 | 9 | 100.0 | 36 | 4.00 | 4.00 | 9 | 9 | 100.0 | 48 | 5.33 | 5.33 |
| Louisiana | 22 | 15 | 68.2 | 31 | 1.41 | 2.07 | 122 | 122 | 100.0 | 334 | 2.74 | 2.74 |
| New Mexico | 6 | 1 | 16.7 | 7 | 1.17 | 7.00 | 10 | 4 | 40.0 | 10 | 1.00 | 2.50 |
| Oklahoma | 4 | 4 | 100.0 | 21 | 5.25 | 5.25 | 10 | 10 | 100.0 | 402 | 4.00 | 4.00 |
| Texas | 71 | 66 | 93.0 | 168 | 2.37 | 2.55 | 290 | 290 | 100.0 | 902 | 3.11 | 3.11 |
| REGION VII TOTAL | 112 | 95 | 84.8 | 263 | 2.35 | 2.77 | 441 | 435 | 98.6 | 1334 | 3.02 | 3.07 |
| Colorado | 6 | 6 | 100.0 | 21 | 3.50 | 3.50 | 8 | 7 | 87.5 | 23 | 2.88 | 3.29 |
| Idaho | 0 | 0 | .0 | - | - | - | 0 | 0 | - | - | - | - |
| Montana | 2 | 0 | .0 | - | - | - | 1 | 1 | 100.0 | 3 | 3.00 | 3.00 |
| Utah | 2 | 2 | 33.3 | 2 | .33 | 1.00 | 2 | 0 | .0 | - | - | - |
| Wyoming | 1 | 0 | .0 | - | - | - | 0 | 0 | - | - | - | - |
| REGION VIII TOTAL | 15 | 8 | 53.3 | 23 | 1.53 | 2.88 | 11 | 8 | 72.7 | 26 | 2.36 | 3.25 |
| Alaska | 1 | 1 | 100.0 | 1 | 1.00 | 1.00 | 0 | - | - | - | - | - |
| Arizona | 2 | 2 | 100.0 | 11 | 5.50 | 5.50 | 12 | 12 | 100.0 | 98 | 8.17 | 8.17 |
| California | 158 | 158 | 100.0 | 161 | 1.02 | 1.02 | 308 | 308 | 100.0 | 501 | 1.63 | 1.63 |
| Hawaii | 3 | 1 | 33.3 | 1 | .33 | 1.00 | 1 | 0 | .0 | - | - | - |
| Nevada | 0 | 0 | .0 | - | - | - | 6 | 5 | 83.3 | 19 | 3.17 | 3.80 |
| Oregon | 1 | 1 | 100.0 | 1 | 1.00 | 1.00 | 1 | 1 | 100.0 | 3 | 3.00 | 3.00 |
| Washington | 4 | 4 | 100.0 | 36 | 9.00 | 9.00 | 11 | 9 | 81.8 | 41 | 3.73 | 4.56 |
| REGION IX TOTAL | 169 | 167 | 98.8 | 211 | 1.25 | 1.26 | 339 | 335 | 98.8 | 662 | 1.95 | 1.98 |
| U. S. TOTAL | 1534 | 780 | 50.8 | 1907 | 1.24 | 2.44 | 2892 | 2346 | 81.1 | 6736 | 2.33 | 2.87 |
| Puerto Rico | 6 | 3 | 50.0 | 7 | 1.17 | 2.33 | 125 | 76 | 60.8 | 281 | 2.25 | 3.70 |
| REGION III TOTAL (incl Puerto Rico) | 76 | 53 | 69.7 | 140 | 1.84 | 2.64 | 407 | 305 | 74.9 | 991 | 2.43 | 3.25 |
| U. S. & TERRITORY | 1540 | 783 | 50.8 | 1914 | 1.24 | 2.44 | 3017 | 2422 | 80.3 | 7017 | 2.33 | 2.90 |
| Cities (incl above) | | | | | | | | | | | | |
| New York | 485 | 63 | 13.0 | 140 | .29 | 2.22 | 646 | 403 | 62.4 | 1098 | 1.70 | 2.72 |
| Philadelphia | 7 | 7 | 100.0 | 7 | 1.00 | 1.00 | 54 | 53 | 98.1 | 129 | 2.39 | 2.43 |
| Baltimore | 7 | 5 | 71.4 | 14 | 2.00 | 2.80 | 65 | 58 | 89.2 | 139 | 2.14 | 2.40 |
| Chicago | 53 | 26 | 49.1 | 75 | 1.42 | 2.88 | 193 | 148 | 76.7 | 413 | 2.14 | 2.79 |

Source: Forms PHS 9.2127 and PHS 9.688
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
1/26/65 MFR/lhb:emb

EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED
Cases Brought or returned to Treatment
UNITED STATES

July - September 1964

| Source | United States | Regions | | | | | | | | |
|--|---------------|---------|-----|-----|-----|-----|-----|-----|------|-----|
| | | I | II | III | IV | V | VI | VII | VIII | IX |
| <u>Private P & S Syphilis Contacts</u> | | | | | | | | | | |
| P & S Syphilis | 120 | 238 | 135 | 120 | 119 | 114 | 160 | 103 | 176 | 66 |
| Early Latent | 40 | 95 | 50 | 30 | 38 | 24 | 31 | 49 | 29 | 31 |
| Other Syphilis | 2 | 24 | 1 | 0 | 3 | 0 | 0 | 5 | 0 | 0 |
| Other V. D. | 3 | 0 | 0 | 2 | 6 | 0 | 0 | 0 | 0 | 3 |
| Prophylactic Rx. | 171 | 0 | 167 | 146 | 183 | 138 | 252 | 186 | 235 | 159 |
| <u>Public P & S Syphilis Contacts</u> | | | | | | | | | | |
| P & S Syphilis | 101 | 196 | 101 | 115 | 94 | 102 | 97 | 106 | 104 | 89 |
| Early Latent | 37 | 21 | 65 | 23 | 28 | 38 | 42 | 51 | 42 | 34 |
| Other Syphilis | 4 | 0 | 1 | 3 | 4 | 4 | 4 | 7 | 0 | 6 |
| Other V. D. | 3 | 0 | 0 | 1 | 5 | 0 | 4 | 3 | 0 | 2 |
| Prophylactic Rx. | 264 | 31 | 265 | 215 | 288 | 273 | 307 | 286 | 208 | 187 |
| <u>All Military Contacts</u> | | | | | | | | | | |
| P & S Syphilis | 10 | 0 | 39 | 10 | 14 | 0 | 0 | 7 | 0 | 9 |
| Early Latent | 7 | 6 | 0 | 15 | 9 | 7 | 0 | 0 | 0 | 11 |
| Other Syphilis | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Other V. D. | 268 | 307 | 197 | 275 | 202 | 279 | 340 | 344 | 341 | 287 |
| Prophylactic Rx. | 392 | 393 | 329 | 361 | 421 | 257 | 313 | 361 | 390 | 415 |
| <u>All Private Contacts</u> | | | | | | | | | | |
| P & S Syphilis | 80 | 64 | 108 | 90 | 98 | 57 | 39 | 73 | 43 | 39 |
| Early Latent | 38 | 39 | 56 | 35 | 43 | 16 | 18 | 45 | 14 | 22 |
| Other Syphilis | 6 | 27 | 2 | 2 | 8 | 0 | 2 | 8 | 0 | 1 |
| Other V. D. | 81 | 290 | 5 | 51 | 21 | 128 | 290 | 31 | 324 | 87 |
| Prophylactic Rx. | 161 | 41 | 135 | 161 | 158 | 217 | 167 | 179 | 259 | 222 |
| <u>All Public Contacts</u> | | | | | | | | | | |
| P & S Syphilis | 57 | 37 | 66 | 57 | 65 | 42 | 26 | 56 | 16 | 24 |
| Early Latent | 29 | 9 | 61 | 20 | 26 | 19 | 13 | 41 | 7 | 17 |
| Other Syphilis | 5 | 13 | 3 | 2 | 6 | 4 | 2 | 9 | 3 | 2 |
| Other V. D. | 143 | 228 | 43 | 163 | 91 | 178 | 464 | 127 | 205 | 254 |
| Prophylactic Rx. | 262 | 189 | 212 | 286 | 281 | 317 | 201 | 252 | 270 | 306 |
| <u>All Civilian Other Suspects</u> | | | | | | | | | | |
| P & S Syphilis | 35 | 44 | 33 | 37 | 49 | 26 | 22 | 29 | 21 | 32 |
| Early Latent | 28 | 79 | 37 | 19 | 26 | 32 | 12 | 33 | 46 | 33 |
| Other Syphilis | 70 | 59 | 58 | 53 | 41 | 115 | 77 | 94 | 249 | 122 |
| Other V. D. | 42 | 163 | 5 | 20 | 12 | 90 | 260 | 37 | 21 | 9 |
| Prophylactic Rx. | 15 | 44 | 24 | 8 | 16 | 7 | 22 | 18 | 25 | 18 |
| <u>All Persons Examined</u> | | | | | | | | | | |
| P & S Syphilis | 44 | 43 | 49 | 46 | 58 | 31 | 24 | 39 | 22 | 28 |
| Early Latent | 29 | 31 | 45 | 20 | 27 | 28 | 13 | 36 | 21 | 24 |
| Other Syphilis | 45 | 23 | 38 | 33 | 26 | 81 | 50 | 60 | 83 | 52 |
| Other V. D. | 85 | 248 | 15 | 74 | 42 | 115 | 309 | 76 | 175 | 136 |
| Prophylactic Rx. | 114 | 136 | 82 | 113 | 122 | 94 | 86 | 113 | 194 | 184 |

Source: Form PHS 9.2127
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
1/20/65 MFR/lbh:emb

RESULTS OF FOLLOW-UP OF SEROLOGIC REACTORS FROM PROJECT AREAS

July - September 1964

| Areas | REACTORS | | | TYPE OF CLOSURE | | | | | CLOSED BY VOLUNTARY REPORT AND BY FIELD INVESTIGATION | | | | | |
|---------------------------|----------------|--------------|------------------------------|---------------------------|------------------|------------------|---------------------|------------------|---|-----------------------|-----------------|-------------------|-----------------|---------------------------|
| | Total Reported | Total Closed | Percent Closed ^{1/} | (Percent of Total Closed) | | | | | Disposition (Percent of Total) | | | | | |
| | | | | Adminis- trative | Record Search | Volun. Report | After MD Contact | Field Invest. | Total Number | Primary/ Secondary | Early Latent | Other Syphilis | Not Infected | All Other Dispositions |
| Connecticut | 1707 | 1671 | 97.9 | 35.7 | 37.8 | 9.4 | 9.4 | 9.7 | 442 | 17.0 | 14.9 | 20.6 | 7.2 | 40.3 |
| Maine | 248 | 31 | 12.5 | 64.5 | 12.9 | - | 22.6 | - | 7 | - | 14.3 | - | - | 85.7 |
| Vermont | 137 | 94 | 68.6 | 54.3 | 40.4 | - | 5.3 | - | 5 | - | - | - | 60.0 | 40.0 |
| REGION I TOTAL | 2092 | 1796 | 85.9 | 37.2 | 37.5 | 8.7 | 9.4 | 7.1 | 454 | 16.5 | 14.8 | 20.0 | 7.7 | 41.0 |
| Delaware | 1046 | 984 | 94.1 | - | 56.2 | 4.0 | 12.2 | 27.6 | 431 | 3.7 | 2.8 | 56.4 | 20.6 | 16.5 |
| New Jersey | 12144 | 12138 | 100.0 | 1.8 | 75.4 | 1.2 | 4.4 | 17.2 | 2774 | 4.4 | 4.3 | 6.5 | 5.4 | 79.4 |
| New York (Upstate) | 4837 | 4969 | 102.7 | 5.0 | 52.0 | 23.5 | 16.7 | 2.8 | 2140 | 7.3 | 4.0 | 34.1 | 48.4 | 6.2 |
| New York City | 25520 | 22999 | 90.1 | 61.4 | 23.9 | 2.2 | 11.7 | .8 | 3377 | 13.1 | 20.1 | 25.9 | 16.9 | 23.9 |
| Pennsylvania (excl Phila) | 4344 | 3632 | 83.6 | 19.2 | 42.5 | 4.4 | 30.2 | 3.7 | 1390 | 1.2 | 2.2 | 46.9 | 40.7 | 9.0 |
| Philadelphia | 3715 | 3959 | 106.6 | 1.6 | 40.1 | 13.8 | 19.6 | 24.8 | 2306 | 2.4 | 3.9 | 23.0 | 17.4 | 53.2 |
| REGION II TOTAL | 51606 | 48681 | 94.3 | 31.5 | 43.0 | 5.2 | 12.4 | 7.8 | 12418 | 6.5 | 8.2 | 25.9 | 22.7 | 36.8 |
| Dist of Columbia | 3316 | 3248 | 97.9 | 8.6 | 56.6 | 21.2 | 9.5 | 4.1 | 1132 | 9.4 | 7.6 | 16.7 | 37.1 | 29.2 |
| Kentucky | 2699 | 2480 | 91.9 | - | 62.3 | .1 | 36.6 | 1.0 | 935 | 3.2 | 1.1 | 41.9 | 44.6 | 9.2 |
| Maryland (excl Balto) | 917 | 874 | 95.3 | - | 39.9 | 20.5 | - | 39.6 | 525 | 5.0 | 8.0 | 60.8 | 10.7 | 15.6 |
| Baltimore | 1034 | 881 | 85.2 | 23.8 | 35.8 | 5.4 | 21.3 | 13.4 | 356 | 10.1 | 5.6 | 44.9 | 13.5 | 25.8 |
| North Carolina | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Virginia | 4532 | 4554 | 100.5 | 18.0 | 58.7 | 1.8 | 9.6 | 11.9 | 1061 | 3.2 | 3.8 | 43.6 | 37.8 | 11.6 |
| West Virginia | 1227 | 1441 | 117.4 | 8.9 | 44.1 | - | 44.7 | 2.4 | 678 | .9 | .6 | 45.1 | 13.6 | 39.8 |
| Puerto Rico | 2506 | 2418 | 96.5 | 57.9 | 23.6 | - | 3.0 | 15.6 | 449 | 7.3 | 1.7 | 14.3 | 21.4 | 52.3 |
| Virgin Islands | 304 | 282 | 92.8 | 37.2 | 28.4 | 12.8 | 6.7 | 14.9 | 97 | 8.2 | 42.3 | 19.5 | - | - |
| REGION III TOTAL | 16535 | 16178 | 97.8 | 18.2 | 49.5 | 6.4 | 15.9 | 10.0 | 5233 | 5.3 | 5.0 | 37.1 | 29.2 | 23.3 |
| Alabama | 2240 | 1931 | 86.2 | 82.0 | 4.0 | - | 8.3 | 5.7 | 271 | 17.7 | 10.7 | 21.4 | 8.1 | 42.1 |
| Florida | 5349 | 4334 | 81.0 | 31.6 | 36.0 | .3 | 25.4 | 6.6 | 1401 | 14.1 | 9.4 | 41.3 | 28.1 | 7.2 |
| Georgia | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Mississippi | 2118 | 2012 | 95.0 | 5.5 | 69.4 | .4 | 10.8 | 13.9 | 506 | 9.1 | 4.2 | 59.7 | 16.6 | 10.5 |
| South Carolina | 4408 | 3939 | 89.4 | 2.0 | 77.2 | 3.1 | 5.0 | 12.8 | 823 | 8.7 | 6.2 | 15.4 | 25.9 | 43.7 |
| Tennessee | 6554 | 4881 | 74.5 | 12.5 | 57.5 | 2.4 | 10.6 | 16.9 | 1461 | 5.4 | 3.0 | 20.3 | 24.6 | 46.6 |
| REGION IV TOTAL | 20669 | 17097 | 82.7 | 22.0 | 52.0 | 1.5 | 12.9 | 11.7 | 4462 | 9.9 | 6.2 | 30.5 | 24.0 | 29.3 |
| Illinois (downstate) | 2137 | 1880 | 88.0 | 44.5 | 37.4 | .9 | 6.7 | 10.5 | 341 | 5.3 | 5.3 | 22.6 | 37.5 | 29.3 |
| Chicago | 5977 | 5263 | 88.1 | 20.0 | 40.8 | 15.7 | 10.0 | 13.5 | 2060 | 4.1 | 7.5 | 23.2 | 32.0 | 33.2 |
| Michigan | 13463 | 10579 | 78.6 | 10.8 | 55.9 | 4.6 | 21.5 | 7.2 | 3525 | 2.1 | 1.1 | 32.9 | 45.8 | 18.0 |
| Ohio | 1523 | 2674 | 175.6 | - | 46.1 | - | 11.6 | 42.3 | 1440 | 1.7 | 3.8 | 48.6 | 45.8 | - |
| Wisconsin | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| REGION V TOTAL | 23100 | 20396 | 88.3 | 14.9 | 49.0 | 6.5 | 15.9 | 13.7 | 7366 | 2.7 | 3.6 | 32.8 | 41.6 | 19.3 |
| Iowa | 1405 | 1383 | 98.4 | .7 | 44.0 | 42.9 | 10.4 | 2.1 | 766 | .4 | .4 | 20.2 | 45.2 | 33.8 |
| Kansas | 758 | 732 | 96.6 | 14.0 | 57.9 | .3 | 40.3 | .1 | 298 | 1.0 | 2.7 | 45.0 | 38.3 | 13.1 |
| Minnesota | 957 | 1398 | 146.1 | 23.3 | 41.6 | .2 | 30.9 | 4.0 | 491 | 8.8 | 1.2 | 4.3 | 19.3 | 66.4 |
| Missouri | 3543 | 3621 | 102.2 | 14.1 | 36.1 | 22.2 | 19.4 | 8.3 | 1804 | 2.3 | 2.9 | 45.8 | 24.7 | 24.3 |
| Nebraska | 491 | 491 | 100.0 | 26.3 | 33.8 | 10.0 | 22.2 | 7.7 | 196 | 8.2 | 2.6 | 29.6 | 30.6 | 29.1 |
| North Dakota | 153 | 90 | 58.8 | 5.6 | 56.7 | - | 37.8 | - | 34 | 2.9 | - | 8.8 | 17.6 | 70.6 |
| South Dakota | 208 | 156 | 75.0 | - | 50.6 | 1.9 | 44.2 | 3.2 | 77 | 5.2 | 3.9 | 31.2 | 42.9 | 16.9 |
| REGION VI TOTAL | 7515 | 7871 | 104.7 | 12.6 | 40.9 | 18.5 | 22.7 | 5.5 | 3666 | 3.0 | 2.1 | 33.3 | 30.0 | 31.6 |
| Arkansas | 2730 | 2234 | 81.8 | 6.8 | 58.5 | 8.6 | 8.1 | 18.0 | 776 | 1.2 | 1.0 | 27.4 | 41.4 | 29.0 |
| Louisiana | 2743 | 2660 | 97.3 | 8.9 | 43.9 | - | 24.2 | 32.0 | 1498 | 5.6 | 6.7 | 23.9 | 19.8 | 44.0 |
| New Mexico | 1124 | 1184 | 105.3 | 8.9 | 31.3 | - | 53.7 | 6.1 | 708 | 4.2 | 2.7 | 16.9 | 66.2 | 9.9 |
| Oklahoma | 1300 | 1166 | 89.7 | 19.4 | 41.1 | 43.1 | 10.1 | - | 621 | 1.0 | .5 | 46.9 | 47.0 | 4.7 |
| Texas ^{2/} | 5413 | 3230 | 59.7 | 7.2 | 42.1 | 9.3 | 10.2 | 31.1 | 1638 | 4.5 | 11.2 | 41.2 | 20.6 | 22.5 |
| REGION VII TOTAL | 13310 | 10482 | 78.8 | 6.8 | 43.2 | 9.5 | 18.2 | 22.2 | 5241 | 3.9 | 6.0 | 31.6 | 32.7 | 25.8 |
| Colorado | 995 | 1021 | 102.6 | 21.0 | 32.0 | 1.2 | 37.5 | 8.3 | 480 | 1.3 | 3.1 | 37.1 | 49.8 | 8.8 |
| Idaho | 142 | 120 | 84.5 | 48.3 | 42.5 | - | 3.3 | 5.8 | 11 | 27.3 | - | 9.1 | 9.1 | 54.5 |
| Montana | 247 | 238 | 96.4 | 2.9 | 62.6 | 12.6 | 21.0 | .8 | 82 | 4.9 | 6.1 | 46.3 | 23.2 | 19.5 |
| Utah | 375 | 384 | 102.4 | 5.9 | 41.7 | .3 | 32.6 | - | 203 | 1.5 | 5.4 | 23.2 | 42.4 | 27.6 |
| Wyoming | 96 | 80 | 83.3 | - | 32.5 | - | 67.5 | - | 54 | 1.9 | - | 25.9 | 72.2 | - |
| REGION VIII TOTAL | 1855 | 1843 | 99.4 | 16.3 | 38.7 | 2.3 | 37.6 | 5.1 | 830 | 2.0 | 3.7 | 33.5 | 46.3 | 14.5 |
| Alaska | 148 | 116 | 78.4 | 23.3 | 41.4 | 17.2 | 15.5 | 2.6 | 41 | - | 2.4 | 4.9 | - | 92.7 |
| Arizona | 1887 | 1403 | 74.4 | 8.8 | 34.9 | 5.1 | 33.3 | 17.9 | 789 | 3.9 | 2.3 | 7.4 | 35.5 | 51.0 |
| California ^{2/} | 7050 | 5538 | 78.6 | 20.5 | 31.9 | 12.6 | 29.5 | 5.5 | 2635 | 3.0 | 2.9 | 21.9 | 51.3 | 20.9 |
| Los Angeles County | 8744 | 8912 | 101.9 | 54.4 | 17.7 | 2.6 | 19.0 | 6.3 | 2487 | 4.6 | 5.7 | 37.1 | 33.1 | 19.5 |
| San Francisco | 2541 | 3486 | 137.2 | 44.2 | 35.5 | 5.7 | 12.8 | 1.8 | 709 | 3.0 | 4.5 | 9.2 | 57.8 | 25.5 |
| Hawaii | 590 | 601 | 101.9 | 20.8 | 51.4 | 13.0 | 13.0 | 1.9 | 167 | 3.6 | 4.8 | 16.2 | 58.7 | 16.8 |
| Nevada | 306 | 182 | 59.5 | 23.6 | 43.4 | 16.5 | 13.7 | 2.7 | 60 | 3.3 | - | 60.0 | 16.7 | 20.0 |
| Oregon | 1360 | 1281 | 94.2 | 23.7 | 57.5 | 1.6 | 7.8 | 9.3 | 240 | 7.9 | .8 | 36.7 | 23.8 | 30.8 |
| Washington | 1362 | 1261 | 92.6 | 63.4 | 24.5 | .5 | 9.2 | 2.5 | 153 | 5.2 | 5.2 | 11.8 | 26.8 | 51.0 |
| REGION IX TOTAL | 23988 | 22780 | 95.0 | 39.2 | 28.8 | 5.9 | 20.1 | 6.0 | 7281 | 3.8 | 3.9 | 24.6 | 42.2 | 25.4 |
| U. S. & TERRITORIES | 160670 | 147124 | 91.6 | 24.9 | 43.2 | 6.2 | 15.8 | 9.9 | 46951 | 5.1 | 5.5 | 29.8 | 31.5 | 28.1 |

^{1/} Percent closed may exceed 100 percent because reactors can be closed which were reported in a preceding period of time.
^{2/} Does not include all areas.

Source: Form PHS 9.64
 DHEW-PHS-CDC-VD Branch
 Research and Control Statistics
 1/27/65 EMB:emb

PHYSICIAN VISITATION ACTIVITY FROM PROJECT AREAS FOR JULY-SEPTEMBER 1964

| States By DHEW Regions | For Physicians in Private Practice Who Were Visited For the First Time | | | | | | |
|---|--|-------------------|---------|---|----------|---|---------|
| | Number of Physicians | | | Number of Primary and Secondary Syphilis Cases | | Physicians Who Treated Venereal Disease During 3 Months Preceding First Visit | |
| | Not Visited | Number Visited | Percent | Treated | Reported | Number | Percent |
| Connecticut | 4030 | 44 | 1.1 | 3 | 3 | 10 | 25.0 |
| Maine | 1059 | 33 | 3.0 | 3 | 3 | 13 | 44.8 |
| Vermont | 582 | 0 | .0 | 0 | 0 | 0 | .0 |
| REGION I TOTAL | 5671 | 77 | 1.3 | 6 | 6 | 23 | 33.3 |
| Delaware | 93 | 494 | 84.2 | 9 | 9 | 108 | 25.6 |
| New Jersey | 5139 | 2861 | 35.8 | 150 | 141 | 194 | 6.8 |
| New York (Upstate) | 14237 | 779 | 5.2 | 72 | 68 | 198 | 27.6 |
| New York City | 17151 | 4287 | 20.0 | 318 | 169 | 788 | 19.8 |
| Pennsylvania (excl Phila) | 11014 | 1867 | 14.5 | 40 | 40 | 280 | 16.5 |
| Philadelphia | 3468 | 1322 | 27.6 | 47 | 45 | 173 | 17.8 |
| REGION II TOTAL | 51102 | 11610 | 18.5 | 636 | 472 | 1741 | 16.4 |
| Dist of Columbia | 2103 | 122 | 5.5 | 23 | 15 | 45 | 52.9 |
| Kentucky | 2632 | 152 | 5.5 | 10 | 10 | 64 | 46.0 |
| Maryland (excl Baltimore) | 1740 | 62 | 3.4 | 10 | 8 | 32 | 65.3 |
| Baltimore | 2703 | 29 | 1.1 | 13 | 13 | 20 | 74.1 |
| North Carolina | 3813 | 373 | 8.9 | 79 | 78 | 167 | 50.9 |
| Virginia | 1071 | 457 | 29.9 | 21 | 18 | 79 | 18.1 |
| West Virginia | 1576 | 159 | 9.2 | 3 | 3 | 54 | 39.1 |
| REGION III TOTAL | 15638 | 1354 | 8.0 | 159 | 145 | 461 | 38.3 |
| Alabama | 1969 | 309 | 13.6 | 75 | 64 | 76 | 25.3 |
| Florida | 6058 | 963 | 13.7 | 89 | 89 | 373 | 39.2 |
| Georgia | 2466 | 1134 | 31.5 | 53 | 53 | 315 | 39.9 |
| Mississippi | 1417 | 246 | 14.8 | 17 | 14 | 43 | 19.0 |
| South Carolina | 1708 | 234 | 12.0 | 46 | 28 | 108 | 52.2 |
| Tennessee | 3317 | 731 | 18.1 | 34 | 31 | 185 | 35.4 |
| REGION IV TOTAL | 16935 | 3617 | 17.6 | 314 | 279 | 1100 | 36.7 |
| Illinois (excl Chicago) | 4838 | 277 | 5.4 | 15 | 15 | 63 | 23.0 |
| Chicago | 5683 | 47 | .8 | 5 | 4 | 12 | 46.2 |
| Michigan | 7446 | 1178 | 13.7 | 44 | 43 | 272 | 26.0 |
| Ohio | 14257 | 444 | 3.0 | 17 | 13 | 148 | 38.9 |
| Wisconsin | 4495 | 37 | .8 | 10 | 7 | 17 | 50.0 |
| REGION V TOTAL | 36719 | 1983 | 5.1 | 91 | 82 | 512 | 29.1 |
| Iowa | 2634 | 462 | 14.9 | 6 | 5 | 136 | 30.5 |
| Kansas | 2250 | 243 | 9.7 | 6 | 6 | 125 | 59.0 |
| Minnesota | 5991 | 165 | 2.7 | 7 | 1 | 55 | 43.3 |
| Missouri | 5661 | 314 | 5.3 | 10 | 10 | 116 | 42.6 |
| Nebraska | 1435 | 153 | 9.6 | 13 | 10 | 53 | 42.1 |
| North Dakota | 304 | 245 | 44.6 | 0 | 0 | 71 | 30.5 |
| South Dakota | 545 | 102 | 15.8 | 2 | 2 | 36 | 52.2 |
| REGION VI TOTAL | 18820 | 1684 | 8.2 | 44 | 34 | 592 | 39.9 |
| Arkansas | 1010 | 455 | 31.1 | 12 | 12 | 165 | 38.6 |
| Louisiana | 3366 | 400 | 10.6 | 41 | 19 | 127 | 34.2 |
| New Mexico | 672 | 254 | 27.4 | 7 | 7 | 94 | 50.0 |
| Oklahoma | 2426 | 224 | 8.5 | 8 | 8 | 102 | 47.7 |
| Texas | 9342 | 858 | 8.4 | 133 | 94 | 482 | 58.8 |
| REGION VII TOTAL | 16816 | 2191 | 11.5 | 201 | 140 | 970 | 48.0 |
| Colorado | 2702 | 213 | 7.3 | 8 | 6 | 62 | 30.2 |
| Idaho | 292 | 278 | 48.8 | 0 | 0 | 24 | 9.2 |
| Montana | 682 | 38 | 5.3 | 3 | 3 | 9 | 30.0 |
| Utah | 776 | 127 | 14.1 | 6 | 6 | 38 | 32.5 |
| Wyoming | 253 | 51 | 16.2 | 1 | 1 | 10 | 20.0 |
| REGION VIII TOTAL | 4705 | 707 | 13.0 | 18 | 16 | 143 | 21.6 |
| Alaska | 145 | 32 | 18.1 | 0 | 0 | 7 | 31.8 |
| Arizona | 1405 | 423 | 23.1 | 7 | 2 | 36 | 8.9 |
| California (excl cities) | 9919 | 958 | 8.8 | 25 | 17 | 251 | 32.9 |
| Los Angeles County | 11286 | 2590 | 18.7 | 299 | 244 | 660 | 28.1 |
| San Francisco | 3095 | 162 | 4.7 | 17 | 14 | 40 | 25.5 |
| Hawaii | 748 | 33 | 4.2 | 2 | 1 | 6 | 24.0 |
| Nevada | 352 | 40 | 10.2 | 0 | 0 | 7 | 23.3 |
| Oregon | 2139 | 586 | 21.5 | 7 | 2 | 69 | 12.9 |
| Washington | 4043 | 125 | 3.0 | 4 | 4 | 21 | 17.5 |
| REGION IX TOTAL | 33042 | 5039 | 13.2 | 361 | 284 | 1097 | 24.9 |
| U. S. TOTAL (including cities) | 199547 | 28172 | 12.4 | 1830 | 1458 | 6639 | 26.3 |
| Puerto Rico | 1914 | 111 | 5.5 | 12 | 4 | 25 | 26.6 |
| Virgin Islands | 21 | 25 | 54.3 | 5 | 5 | 9 | 37.5 |
| TERRITORY TOTAL | 1935 | 136 | 6.6 | 17 | 9 | 34 | 28.8 |
| U. S. & TERRITORIES (including cities) | 201482 | 28308 | 12.3 | 1847 | 1467 | 6673 | 26.3 |

Source: Form PHS 9.62
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
1/22/65 GH:semb