

AUGUST 1966
Issue No. 90

VD STATISTICAL LETTER



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

C O N T E N T S

Morbidity:

By Color, Sex, Source, and Disease; United States, January-March 1966	1
By Age, Color, and Sex; United States, Primary and Secondary Syphilis, Calendar Years 1956, 1961-1965	2
Gonorrhea, Calendar Years 1956, 1961-1965	3
Each State and Territory, by Quarter and Cumulative Fiscal Years 1965 and 1966	4
Reporting Source; Each State and Territory, January-March 1966	5
Each City over 200,000 population by Quarter and Cumulative Fiscal Years 1965 and 1966	6
Reporting Source; Each City over 200,000 population, January-March 1966	7
Each City between 50,000 and 200,000 population, Calendar Years 1964-1965	8-12

Epidemiology:

Interviews, Contacts, and Disposition; United States, January-March 1966	13
Cases of Syphilis Brought to Treatment and Yield; United States, January-March 1966	14
Contacts Obtained by Reporting Source of Patients; Each State and Territory, Primary and Secondary Syphilis, January-March 1966	15
Early Latent Syphilis, January-March 1966	16
Investigations, Percent of Suspects Examined, By Reporting Source of Patients; Each State and Territory, January-March 1966	17

Serological Reactors:

Results of Follow-Up; Each State and Territory, Cumulative, Fiscal Year 1966 (July-March).	18
--	----

Physician Visitation:

Each State and Territory, Cumulative, Fiscal Year 1966 (July-March)	19
---	----

SUMMARY OF VENEREAL DISEASE CASES AND ANNUAL RATES ^{1/} PER 100,000 POPULATION
 UNITED STATES
 (Known Military Cases Excluded)
 January - March 1966

Reporting Source Disease and Stage	All Classes												Non-White					
	Total		Male		Female		Total		Male		Female		Total		Male		Female	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
<u>PRIVATE PHYSICIANS, PRIVATE HOSPITALS, PRIVATE INSTITUTIONS</u>																		
Total Syphilis	14183	29.4	7635	32.6	6548	26.5	6995	16.4	3952	19.1	3043	14.0	7188	125.2	3683	133.3	3505	117.7
Primary and Secondary	2105	4.4	1323	5.7	782	3.2	689	1.6	515	2.5	174	.8	1416	24.7	808	29.2	608	20.4
Early Latent	1452	3.0	840	3.6	612	2.5	527	1.2	357	1.7	170	.8	925	16.1	483	17.5	442	14.8
Late and Late Latent	9944	20.6	5202	22.2	4742	19.1	5391	12.7	2916	14.1	2475	11.3	4553	79.3	2286	82.7	2267	76.2
Congenital	486	1.0	172	.7	314	1.3	271	.6	107	.5	164	.8	215	3.7	65	2.4	150	5.0
Not Stated	196	.4	98	.4	98	.4	117	.3	57	.3	60	.3	79	1.4	41	1.5	38	1.3
Gonorrhea	23945	49.6	18225	77.7	5720	23.1	12284	28.9	9232	44.7	3052	14.0	11661	203.1	8993	325.3	2668	89.6
Total Other VD	36	.1	27	.1	9	-	22	.1	16	.1	6	-	14	.2	11	.4	3	.1
Chancroid	23	-	19	.1	4	-	17	-	13	.1	4	-	6	.1	6	.2	0	-
Granuloma Inguinale	9	-	5	-	4	-	3	-	1	-	2	-	6	.1	4	.1	2	.1
Lymphogranuloma Venereum	4	-	3	-	1	-	2	-	2	-	0	-	2	-	1	-	1	-
<u>PUBLIC CLINICS, PUBLIC HOSPITALS, PUBLIC INSTITUTIONS</u>																		
Total Syphilis	12539	26.0	7368	31.4	5171	20.9	3169	7.4	2134	10.3	1035	4.8	9370	163.2	5234	189.3	4136	139.0
Primary and Secondary	3394	7.0	1972	8.4	1422	5.7	445	1.0	318	1.5	127	.6	2949	51.3	1654	59.8	1295	43.5
Early Latent	2757	5.7	1641	7.0	1116	4.5	555	1.3	398	1.9	157	.7	2202	38.4	1243	45.0	959	32.2
Late and Late Latent	6023	12.5	3574	15.3	2449	9.9	2058	4.8	1356	6.6	702	3.2	3965	69.1	2218	80.2	1747	58.7
Congenital	318	.7	151	.6	167	.7	78	.2	41	.2	37	.2	240	4.2	110	4.0	130	4.4
Not Stated	47	.1	30	.1	17	.1	33	.1	21	.1	12	.1	14	.2	9	.3	5	.2
Gonorrhea	55590	115.3	41442	176.9	14148	57.0	11145	26.2	7546	36.5	3599	16.5	44445	774.1	33896	1226.0	10549	354.4
Total Other VD	291	.5	241	1.0	50	.2	40	.1	30	.1	10	-	251	4.5	211	7.6	40	1.3
Chancroid	190	.3	160	.7	30	.1	32	.1	24	.1	8	-	158	2.8	136	4.9	22	.7
Granuloma Inguinale	33	.1	30	.1	3	-	1	-	1	-	0	-	32	.6	29	1.0	3	.1
Lymphogranuloma Venereum	68	.1	51	.2	17	.1	7	-	5	-	2	-	61	1.1	46	1.7	15	.5
<u>TOTAL ALL SOURCES</u>																		
Total Syphilis	26722	55.4	15003	64.0	11719	47.4	10164	23.8	6086	29.4	4078	18.8	16558	288.4	8917	322.6	7641	256.7
Primary and Secondary	5499	11.4	3295	14.1	2204	8.9	1134	2.6	833	4.0	301	1.4	4365	76.0	2462	89.0	1903	63.9
Early Latent	4209	8.7	2481	10.6	1728	7.0	1082	2.5	755	3.6	327	1.5	3127	54.5	1726	62.5	1401	47.1
Late and Late Latent	15967	33.1	8776	37.5	7191	29.0	7449	17.5	4272	20.7	3177	14.5	8518	148.4	4504	162.9	4014	134.9
Congenital	804	1.7	323	1.3	481	2.0	349	.8	148	.7	201	1.0	455	7.9	175	6.4	280	9.4
Not Stated	243	.5	128	.5	115	.5	150	.4	78	.4	72	.4	93	1.6	50	1.8	43	1.4
Gonorrhea	79535	164.9	59667	254.6	19868	80.1	23429	55.1	16778	81.2	6651	30.5	56106	977.2	42889	1551.3	13217	444.0
Total Other VD	327	.6	268	1.1	59	.2	62	.2	46	.2	16	.1	265	4.7	222	8.0	43	1.4
Chancroid	213	.4	179	.8	34	.1	49	.1	37	.2	12	.1	164	2.9	142	5.1	22	.7
Granuloma Inguinale	42	.1	35	.1	7	-	4	-	2	-	2	-	38	.7	33	1.2	5	.2
Lymphogranuloma Venereum	72	.1	54	.2	18	.1	9	-	7	-	2	-	63	1.1	47	1.7	16	.5

Stat. Ltr. 90
Page 1

^{1/} Estimated Civilian population based on Bureau of Census data.
 Rates less than .05 not shown.

PRIMARY AND SECONDARY SYPHILIS
MORBIDITY AND AGE-SPECIFIC CASE RATES PER 100,000 POPULATION BY AGE GROUPS, COLOR AND SEX
UNITED STATES
Calendar Years 1956, 1961 - 1965

AGE	YEAR	MORBIDITY									AGE-SPECIFIC CASE RATES PER 100,000 POPULATION									YEAR	AGE
		White			Nonwhite			Total			White			Nonwhite			Total				
		Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total		
	1956	4	6	10	13	55	68	17	61	78	0.0	0.0	0.0	.4	1.7	1.0	.1	.2	.2	1956	
	1961	10	4	14	70	161	231	80	165	245	0.0	0.0	0.0	1.7	4.0	2.9	.3	.6	.4	1961	0-14
	1962	5	14	19	69	177	246	74	191	265	0.0	.1	0.0	1.7	4.3	3.0	.3	.7	.5	1962	0-14
	1963	16	15	31	70	172	242	86	187	273	.1	.1	.1	1.6	4.1	2.8	.3	.6	.5		
	1964	10	11	21	61	210	271	71	221	292	0.0	0.0	0.0	1.4	4.8	3.1	.2	.8	.5		
	1965	7	8	15	73	193	266	80	201	281	0.0	0.0	0.0	1.6	4.4	3.0	.3	.7	.5		
	1956	127	139	266	400	497	897	527	636	1163	2.8	2.8	2.8	59.3	68.7	64.2	10.1	11.3	10.7	1956	
	1961	372	238	610	1232	1373	2605	1604	1611	3215	6.5	4.0	5.2	153.6	164.0	158.9	24.7	23.8	24.2	1961	15-19
	1962	346	248	594	1365	1628	2993	1711	1876	3587	5.6	3.8	4.7	158.4	180.1	169.5	24.3	25.4	24.8	1962	15-19
	1963	326	249	575	1259	1604	2863	1585	1853	3438	5.0	3.7	4.4	137.6	168.1	153.2	21.4	24.2	22.8	1963	15-19
	1964	310	238	548	1317	1730	3047	1627	1968	3595	4.6	3.4	4.0	134.5	169.9	152.5	20.9	24.5	22.7	1964	15-19
	1965	286	248	534	1494	2011	3505	1780	2259	4039	3.9	3.4	3.7	142.3	186.2	164.5	21.4	26.9	24.2	1965	15-19
	1956	399	138	537	739	482	1221	1138	620	1758	10.9	3.0	6.4	136.1	72.4	101.1	27.0	11.6	18.4	1956	
	1961	1124	345	1469	2423	1683	4106	3547	2028	5575	26.5	6.9	15.9	396.6	231.8	307.1	73.2	35.5	52.8	1961	20-24
	1962	1046	310	1356	2697	2010	4707	3743	2320	6063	24.1	6.0	14.3	435.7	271.6	346.1	75.5	39.2	55.8	1962	20-24
	1963	1089	399	1488	2808	2036	4844	3897	2435	6332	23.5	7.2	14.7	432.0	264.4	341.1	73.8	38.8	54.8	1963	20-24
	1964	989	394	1383	2866	2206	5072	3855	2600	6455	20.3	6.9	13.0	419.0	277.1	342.5	69.4	39.7	53.4	1964	20-24
	1965	918	354	1272	3032	2271	5303	3950	2625	6575	18.3	5.9	11.6	426.4	273.3	343.9	68.9	38.7	52.5	1965	20-24
	1956	394	104	498	464	301	765	858	405	1263	8.3	2.0	5.0	81.1	43.5	60.5	16.1	6.9	11.3	1956	
	1961	1154	203	1357	1763	972	2735	2917	1175	4092	26.0	4.2	14.7	306.6	139.7	215.2	58.3	21.4	39.0	1961	25-29
	1962	992	199	1191	1826	1167	2993	2818	1366	4184	22.7	4.2	13.0	316.5	168.4	235.7	57.0	25.0	40.2	1962	25-29
	1963	964	251	1215	2023	1280	3303	2987	1531	4518	21.7	5.2	13.1	345.8	183.1	257.2	59.4	27.7	42.8	1963	25-29
	1964	851	201	1052	2157	1331	3488	3008	1532	4540	18.8	4.1	11.1	362.5	187.5	267.3	58.6	27.2	42.2	1964	25-29
	1965	750	206	956	2266	1322	3588	3016	1528	4544	16.3	4.1	10.0	375.8	184.9	272.2	57.9	26.8	41.7	1965	25-29
	1956	461	130	591	476	291	767	937	421	1358	4.5	1.2	2.8	41.8	22.1	31.2	8.2	3.4	5.7	1956	
	1961	1706	232	1938	1760	826	2586	3466	1058	4524	16.7	2.1	9.2	143.6	57.1	96.8	30.3	8.6	19.0	1961	30-39
	1962	1430	226	1656	1964	963	2927	3394	1189	4583	14.3	2.1	8.0	160.6	66.4	109.5	30.2	9.7	19.5	1962	30-39
	1963	1519	269	1788	2082	1156	3238	3601	1425	5026	15.3	2.5	8.7	171.5	79.9	121.7	32.3	11.8	21.7	1963	30-39
	1964	1311	271	1582	2299	1284	3583	3610	1555	5165	13.4	2.6	7.8	191.3	89.2	135.6	32.9	13.1	22.6	1964	30-39
	1965	1105	207	1312	2294	1367	3661	3399	1574	4973	11.5	2.0	6.6	192.9	95.6	139.8	31.4	13.5	22.1	1965	30-39
	1956	215	54	269	153	78	231	368	132	500	2.3	.5	1.4	15.1	6.9	10.8	3.5	1.2	2.3	1956	
	1961	614	160	774	561	221	782	1175	381	1556	6.2	1.5	3.8	51.2	18.3	33.9	10.6	3.3	6.9	1961	40-49
	1962	595	113	708	624	289	913	1219	402	1621	5.9	1.1	3.4	56.5	23.4	39.1	11.0	3.4	7.1	1962	40-49
	1963	656	151	807	726	358	1084	1382	509	1891	6.5	1.4	3.9	64.9	28.5	45.7	12.3	4.2	8.1	1963	40-49
	1964	631	168	799	809	429	1238	1440	597	2037	6.2	1.5	3.8	71.5	33.6	51.4	12.7	4.9	8.7	1964	40-49
	1965	583	147	730	902	423	1325	1485	570	2055	5.6	1.3	3.4	79.1	32.6	54.3	13.0	4.7	8.7	1965	40-49
	1956	120	29	149	88	38	126	208	67	275	.7	.2	.4	6.0	2.5	4.2	1.1	.3	.7	1956	
	1961	291	75	366	200	78	278	491	153	644	1.6	.4	.9	11.3	4.1	7.6	2.4	.7	1.5	1961	50 +
	1962	352	57	409	263	92	355	615	149	764	1.9	.3	1.0	14.6	4.7	9.5	3.0	.6	1.8	1962	50 +
	1963	340	58	398	280	95	375	620	153	773	1.8	.3	1.0	15.3	4.8	9.8	3.0	.7	1.7	1963	50 +
	1964	336	69	405	358	122	480	694	191	885	1.8	.3	1.0	19.3	6.0	12.3	3.3	.8	2.0	1964	50 +
	1965	266	84	350	378	143	521	644	227	871	1.4	.4	.8	20.1	6.8	13.1	3.0	.9	1.9	1965	50 +
	1956	1720	600	2320	2333	1742	4075	4053	2342	6395	2.4	.8	1.6	26.7	18.6	22.5	5.0	2.8	3.9	1956	
	1961	5271	1257	6528	8009	5314	13323	13280	6571	19851	6.7	1.5	4.1	79.1	49.0	63.6	15.0	7.1	11.0	1961	Total
	1962	4766	1167	5933	8808	6326	15134	13574	7493	21067	6.0	1.4	3.7	85.2	56.9	70.6	15.2	7.9	11.5	1962	Total
	1963	4910	1392	6302	9248	6701	15949	14158	8093	22251	6.1	1.6	3.8	87.5	59.0	72.7	15.6	8.4	11.9	1963	Total
	1964	4438	1352	5790	9867	7312	17179	14305	8664	22969	5.5	1.6	3.5	91.4	62.9	76.6	15.6	8.9	12.1	1964	Total
	1965	3915	1254	5169	10439	7730	18169	14354	8984	23338	4.8	1.4	3.1	94.7	65.1	79.3	15.4	9.1	12.2	1965	Total

Note: Cases not reported by age have been included on the basis of the known age distribution. Rates are based on population estimates of the Bureau of the Census. Numbers include Alaska and Hawaii for 1956 and 1961-1965. Rates are based on cases excluding Alaska and Hawaii for 1956. For 1961-1965, rates are based on numbers for the United States, including Alaska and Hawaii.

Source: Form PHS 9.2638
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
6/6/66 JHB:gh

GONORRHEA
MORBIDITY AND AGE-SPECIFIC CASE RATES PER 100,000 POPULATION BY AGE GROUPS, COLOR AND SEX
UNITED STATES
Calendar Years 1956, 1961 - 1965

AGE	YEAR	MORBIDITY									AGE-SPECIFIC CASE RATES PER 100,000 POPULATION									YEAR	AGE
		White			Nonwhite			Total			White			Nonwhite			Total				
		Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total		
	1956	130	648	778	619	2203	2822	749	2851	3600	.6	3.0	1.8	18.7	66.8	42.7	2.9	11.5	7.1	1956	
	1961	193	930	1123	962	2097	3059	1155	3027	4182	.8	3.8	2.3	23.8	52.0	37.9	3.9	10.7	7.3	1961	
	1962	156	710	866	1039	1976	3015	1195	2686	3881	.6	2.9	1.7	25.0	47.7	36.3	4.0	9.4	6.7	1962	0-14
	1963	205	803	1008	1083	1957	3040	1288	2760	4048	.8	3.3	2.0	25.5	46.1	35.8	4.3	9.6	6.9	1963	
	1964	218	889	1107	1338	2159	3497	1556	3048	4604	.8	3.6	2.2	30.8	49.7	40.2	5.2	10.5	7.8	1964	
	1965	298	741	1039	1274	2212	3486	1572	2953	4525	1.1	3.0	2.0	28.6	49.9	39.2	5.2	10.0	7.6	1965	
	1956	3454	3359	6813	20769	17579	38348	24223	20938	45161	75.7	68.2	71.8	3076.0	2430.4	2742.1	462.9	372.0	415.7	1956	
	1961	6068	5662	11730	24924	15477	40401	30992	21139	52131	106.5	95.4	100.8	3107.7	1849.1	2465.0	476.8	312.0	392.7	1961	
	1962	6409	5611	12020	24912	14747	39659	31321	20358	51679	103.5	86.6	94.9	2890.0	1631.3	2245.7	444.1	275.8	358.0	1962	15-19
	1963	7341	6317	13658	26834	14017	40851	34175	20334	54509	113.1	94.2	103.5	2932.7	1469.3	2185.7	461.5	265.5	361.9	1963	
	1964	7968	7140	15108	30315	15643	45958	38283	22783	61066	117.0	101.9	109.3	3096.5	1536.6	2300.2	491.4	283.9	386.2	1964	
	1965	8808	7485	16293	34026	16628	50654	42834	24113	66947	121.3	102.4	111.8	3240.6	1539.6	2377.0	515.3	287.4	400.8	1965	
	1956	10127	3633	13760	42842	18091	60933	52969	21724	74693	275.1	77.3	164.4	7886.2	2714.1	5041.2	1255.8	406.8	781.8	1956	
	1961	16614	6026	22640	49599	18447	68046	66213	24473	90686	392.1	120.8	245.4	8117.7	2540.9	5089.5	1365.8	428.2	858.6	1961	
	1962	17675	6602	24277	49580	17734	67314	67255	24336	91591	407.7	127.5	255.2	8009.2	2396.5	4949.3	1357.3	411.2	842.3	1962	20-24
	1963	20296	7147	27443	53741	17357	71098	74037	24504	98541	438.6	129.9	270.9	8267.8	2254.2	5006.9	1402.7	390.6	853.0	1963	
	1964	21386	7662	29048	59451	17308	76759	80837	24970	105807	439.0	133.4	273.6	8691.7	2174.4	5182.9	1455.0	381.7	874.7	1964	
	1965	23178	8847	32025	64123	18797	82920	87301	27644	114945	461.8	148.6	291.9	9018.7	2262.0	5377.4	1523.3	407.5	918.5	1965	
	1956	7630	2148	9778	29334	9512	38846	36964	11660	48624	159.8	41.2	98.1	5125.7	1372.5	3071.0	692.6	198.6	434.2	1956	
	1961	10680	2830	13510	30556	9473	40029	41236	12303	53539	241.0	59.1	146.5	5314.1	1361.1	3149.4	823.6	224.3	510.3	1961	
	1962	11392	3087	14479	29928	8891	38819	41320	11978	53298	260.8	64.8	158.5	5186.3	1283.0	3056.4	835.5	219.5	512.3	1962	25-29
	1963	12266	2811	15077	31390	8076	39466	43656	10887	54543	276.1	58.3	162.8	5365.8	1155.4	3073.7	868.3	197.3	517.2	1963	
	1964	12689	3123	15812	34402	8409	42811	47091	11532	58623	279.7	63.5	167.2	5781.8	1184.4	3280.5	917.6	204.9	544.8	1964	
	1965	14210	3680	17890	37955	8680	46635	52165	12360	64525	308.8	73.9	186.7	6294.4	1214.0	3538.3	1002.0	217.1	592.0	1965	
	1956	7537	2251	9788	24030	6869	30899	31567	9120	40687	73.5	20.3	45.9	2110.3	521.7	1259.0	277.4	73.7	171.5	1956	
	1961	10904	2492	13396	26453	6923	33376	37357	9415	46772	106.9	22.8	63.5	2157.7	478.8	1249.1	326.8	76.2	196.7	1961	
	1962	10973	2746	13719	25788	6646	32434	36761	9392	46153	109.4	25.5	65.9	2108.6	458.0	1213.4	326.8	76.8	196.6	1962	30-39
	1963	11331	2570	13901	27652	6189	33841	38983	8759	47742	114.2	24.3	67.7	2277.8	427.7	1271.7	350.0	72.7	205.9	1963	
	1964	11357	2538	13895	29464	6713	36177	40821	9251	50072	116.2	24.4	68.8	2451.2	466.2	1368.8	371.9	78.0	219.3	1964	
	1965	11927	2843	14770	31563	6255	37818	43490	9098	52588	123.8	27.8	74.4	2654.6	437.4	1444.0	401.9	78.0	234.0	1965	
	1956	2243	827	3070	4471	1507	5978	6714	2334	9048	23.4	8.3	15.7	439.2	133.8	278.7	63.7	21.1	41.9	1956	
	1961	3737	986	4723	6237	1503	7740	9974	2489	12463	37.6	9.4	23.2	569.6	124.2	335.8	90.4	21.4	54.9	1961	
	1962	3822	937	4759	6516	1541	8057	10338	2478	12816	38.1	8.8	23.1	590.2	125.0	344.9	92.9	20.9	55.8	1962	40-49
	1963	4348	1024	5372	7449	1531	8980	11797	2555	14352	42.9	9.5	25.7	666.3	122.0	378.6	104.7	21.3	61.7	1963	
	1964	4073	988	5061	8132	1462	9594	12205	2450	14655	39.8	9.1	24.0	719.0	114.5	398.6	107.3	20.2	62.3	1964	
	1965	4224	962	5186	9064	1459	10523	13288	2421	15709	40.9	8.8	24.4	794.4	112.4	431.4	116.0	19.8	66.2	1965	
	1956	953	311	1264	1126	480	1606	2079	791	2870	5.6	1.7	3.6	76.0	30.9	52.9	11.3	4.0	7.5	1956	
	1961	1648	416	2064	1804	517	2321	3452	933	4385	9.0	2.0	5.3	101.9	27.3	63.3	17.2	4.1	10.3	1961	
	1962	1619	364	1983	1752	561	2313	3371	925	4296	8.7	1.7	5.0	97.3	28.8	61.7	16.5	4.0	9.9	1962	50 +
	1963	1766	383	2149	1938	467	2405	3704	850	4554	9.4	1.8	5.3	106.0	23.4	62.9	17.9	3.6	10.3	1963	
	1964	2041	548	2589	2741	509	3250	4782	1057	5839	10.7	2.5	6.3	147.6	24.9	83.3	22.8	4.4	13.0	1964	
	1965	2069	606	2675	2493	518	3011	4562	1124	5686	10.7	2.7	6.4	132.5	24.7	75.7	21.5	4.6	12.4	1965	
	1956	32074	13177	45251	123191	56241	179432	155265	69418	224683	44.5	17.4	30.6	1409.5	600.0	990.9	192.4	81.7	135.7	1956	
	1961	49844	19342	69186	140535	54437	194972	190379	73779	264158	63.8	23.6	43.2	1388.7	502.0	930.1	215.7	79.4	145.8	1961	
	1962	52046	20057	72103	139515	52096	191611	191561	72153	263714	65.9	24.1	44.4	1349.7	468.8	893.4	214.5	76.4	143.5	1962	
	1963	57553	21055	78608	150087	49594	199681	207640	70649	278289	71.9	24.9	47.8	1420.7	436.4	910.6	229.0	73.7	149.2	1963	
	1964	59732	22888	82620	165843	52203	218046	225575	75091	300666	73.6	26.7	49.5	1535.9	448.9	972.2	245.3	77.1	158.8	1964	Total
	1965	64714	25164	89878	180498	54549	235047	245212	79713	324925	78.7	29.0	53.2	1636.7	459.2	1026.0	263.1	80.8	169.3	1965	

Note: Cases not reported by age have been included on the basis of the known age distribution. Rates are based on population estimates of the Bureau of the Census. Numbers include Alaska and Hawaii for 1956 and 1961-1965. Rates are based on cases excluding Alaska and Hawaii for 1956. For 1961-1965, rates are based on numbers for the United States, including Alaska and Hawaii.

Source: Form PHS 9.2638
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
6/10/66 JHB:gh

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
FOR EACH QUARTER FISCAL YEAR 1966 TO DATE, CUMULATIVE NUMBER FOR FISCAL YEAR 1966 AND
NUMBER FOR SAME PERIOD OF TIME IN FISCAL YEAR 1965

States By DHEW Regions	PRIMARY AND SECONDARY SYPHILIS						ALL STAGES OF SYPHILIS						GONORRHEA					
					Cumulative						Cumulative						Cumulative	
	Jul.- Sep.	Oct.- Dec.	Jan.- Mar.	Apr.- Jun.	Fiscal Year	Fiscal Year	Jul.- Sep.	Oct.- Dec.	Jan.- Mar.	Apr.- Jun.	Fiscal Year	Fiscal Year	Jul.- Sep.	Oct.- Dec.	Jan.- Mar.	Apr.- Jun.	Fiscal Year	Fiscal Year
	1965	1965	1966	1966	1965	1966	1965	1965	1966	1966	1965	1966	1965	1965	1966	1966	1965	1966
Connecticut	32	22	32		121	86	165	168	174		498	507	777	655	658		1839	2090
Maine	0	1	2		7	3	49	61	72		115	192	112	135	70		227	317
Massachusetts	73	91	96		201	260	436	500	436		1510	1372	1241	1062	1024		3137	3327
New Hampshire	4	5	4		9	13	20	21	22		72	63	74	64	67		123	205
Rhode Island	9	5	5		18	19	94	93	80		309	267	76	76	123		201	275
Vermont	1	0	1		0	2	5	6	5		6	16	72	34	49		140	155
REGION I TOTAL	119	124	140		356	383	769	849	789		2510	2407	2352	2026	1991		5667	6369
Delaware	16	11	6		55	33	244	88	94		590	426	274	302	252		791	828
New Jersey	267	214	164		802	645	1113	1051	846		3901	3010	1219	835	974		3006	3028
New York	915	913	830		2697	2658	4744	5380	4487		15448	14611	10137	10484	8400		25000	29202
Pennsylvania	154	186	129		362	469	1220	1364	1066		4211	3650	2777	2199	2112		6000	7088
REGION II TOTAL	1352	1324	1129		3916	3805	7321	7883	6493		24150	21697	14407	13820	11738		34797	39965
District of Columbia	115	129	108		433	352	331	366	362		1299	1059	2664	2355	2279		7997	7498
Kentucky	34	28	37		153	99	399	395	461		1376	1195	1053	958	773		2554	2654
Maryland	128	151	135		368	414	795	729	874		2261	2398	1934	1593	1565		4891	5092
North Carolina	270	236	249		839	755	592	550	571		1808	1713	2798	2343	2604		6996	7745
Virginia	83	67	75		255	225	568	439	437		1824	1444	2185	1944	1922		5490	6051
West Virginia	21	50	18		48	89	313	403	370		759	1086	290	184	245		630	719
REGION III TOTAL	651	661	622		2096	1934	2998	2882	3015		9327	8895	11124	9277	9388		28558	29789
Alabama	335	290	293		829	918	558	461	444		1503	1463	1007	1097	958		2678	3062
Florida	540	620	460		1577	1620	1411	1891	1541		4160	4843	2854	2579	2492		7611	7925
Georgia	268	228	275		786	771	612	582	685		1879	1879	3258	2806	2919		8163	8983
Mississippi	178	174	164		352	516	254	246	243		621	743	1183	1042	987		3642	3212
South Carolina	204	220	232		632	656	455	412	438		1315	1305	2083	1654	1671		6122	5408
Tennessee	111	91	75		413	277	434	342	319		1419	1095	2807	2289	2375		6899	7471
REGION IV TOTAL	1636	1623	1499		4589	4758	3724	3934	3670		10897	11328	13192	11467	11402		35115	36061
Illinois	345	305	313		992	963	1935	1737	1627		4413	5299	8548	7394	7506		20696	23448
Indiana	9	22	18		54	49	264	251	269		911	784	1096	1106	1235		2874	3437
Michigan	218	263	240		541	721	1428	1529	1289		3892	4246	4007	3889	3194		9529	11090
Ohio	152	177	139		469	468	1052	948	1050		3424	3050	3724	3317	4104		9750	11145
Wisconsin	18	15	27		52	60	230	440	344		708	1014	553	561	612		1287	1726
REGION V TOTAL	742	782	737		2108	2261	4909	4905	4579		13348	14393	17928	16267	16651		44136	50846
Iowa	18	21	20		30	59	181	193	211		634	585	700	719	718		1679	2137
Kansas	12	17	12		17	41	194	255	240		652	689	635	736	688		2046	2059
Minnesota	18	22	6		81	46	47	72	40		174	159	571	585	539		1651	1695
Missouri	48	74	60		198	182	859	906	815		3176	2580	2401	2203	2045		7332	6649
Nebraska	37	21	9		44	67	104	98	79		321	281	248	299	270		712	817
North Dakota	1	0	4		0	5	8	2	7		17	17	113	115	113		459	341
South Dakota	8	5	16		42	29	29	28	42		144	99	142	167	209		755	518
REGION VI TOTAL	142	160	127		412	429	1422	1554	1434		5118	4410	4810	4824	4582		14634	14216
Arkansas	51	29	53		175	133	325	288	316		760	929	1564	1523	1481		4949	4568
Louisiana	199	138	171		574	508	717	741	719		2178	2177	1469	1252	1348		3743	4069
New Mexico	30	26	22		97	78	137	319	246		395	702	435	387	367		1259	1189
Oklahoma	17	22	40		110	79	312	257	345		1078	914	917	760	759		2535	2436
Texas	361	353	394		1057	1108	1494	1264	1356		3941	4114	7629	7029	6492		20270	21150
REGION VII TOTAL	658	568	680		2013	1906	2985	2869	2982		8352	8836	12014	10951	10447		32756	33412
Colorado	21	13	13		27	47	168	102	131		441	401	591	541	569		1545	1701
Idaho	6	2	0		6	8	8	6	2		13	16	262	281	280		564	823
Montana	3	10	9		21	22	36	36	36		146	108	153	124	86		331	363
Utah	4	9	4		16	17	44	36	36		135	116	104	129	93		352	326
Wyoming	5	2	0		1	7	39	23	19		53	81	34	50	30		108	114
REGION VIII TOTAL	39	36	26		71	101	295	203	224		788	722	1144	1125	1058		2900	3327
Alaska	2	2	2		6	6	10	3	12		25	25	251	283	266		428	800
Arizona	58	51	45		211	154	127	130	132		511	389	829	787	787		2268	2403
California	464	441	457		1454	1362	2668	2883	3160		8592	8711	10409	10226	9566		26160	30201
Hawaii	13	8	7		16	28	31	36	36		89	103	93	111	116		239	320
Nevada	15	6	2		40	23	80	45	47		236	172	229	161	132		623	522
Oregon	9	20	11		46	40	115	119	84		252	318	677	650	634		1727	1961
Washington	11	17	15		63	43	69	61	65		285	195	271	840	777		2597	2588
REGION IX TOTAL	572	545	539		1836	1656	3100	3277	3536		9990	9913	13459	13058	12278		34042	38795
U. S. TOTAL	5911	5823	5499		17397	17233	27523	28356	26722		84480	82601	90430	82815	79535		232605	252780
Puerto Rico	227	255	241		643	723	479	596	558		1180	1633	641	741	649		2104	2031
Virgin Islands	7	10	4		18	21	69	104	210		361	383	62	72	114		200	248
Canal Zone	16	6	8		23	30	38	31	30		70	99	71	36	64		236	171
TERRITORY TOTAL	250	271	253		684	774	586	731	798		1611	2115	774	849	827		2540	2450
U. S. & TERRITORIES	6161	6094	5752		18081	18007	28109	29087	27520		86091	84716	91204	83664	80362		235145	255230

Source: Form PHIS 9.658
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
7/18/66 LBH:emb

SELECTED VENEREAL DISEASE MORBIDITY DATA FOR UNITED STATES AND TERRITORIES
Annual Rates per 100,000 Population
(Known Military Cases Excluded)

January - March 1966

States By DHEW Regions	S Y P H I L I S																G O N O R R H E A				TOTAL OTHER VENEREAL DISEASES 2/	
	TOTAL 1/				PRIMARY AND SECONDARY				EARLY LATENT		LATE & LATE LATENT		CONGENITAL		Private Cases		Total		Cases	Rates		
	Total		Private Cases		Total		Private Cases		Total		Total		Total		Per- cent		Cases	Rates				
	Cases	Rates	Cases	Per- cent	Cases	Rates	Cases	Per- cent	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Per- cent						
Connecticut	174	24.6	99	56.9	32	4.5	19	59.4	39	5.5	99	14.0	4	.6	658	93.3	426	64.7	1	.1		
Maine	72	29.4	65	90.3	2	.8	1	50.0	4	1.6	53	21.7	9	3.7	70	28.7	66	94.3	0	-		
Massachusetts	436	32.8	180	41.3	96	7.2	27	28.1	74	5.6	234	17.6	32	2.4	1024	77.2	329	32.1	2	.2		
New Hampshire	22	13.3	22	100.0	4	2.4	4	100.0	1	.6	14	8.5	3	1.8	67	40.5	67	100.0	0	-		
Rhode Island	80	35.6	36	45.0	5	2.2	4	80.0	5	2.2	36	16.1	1	.4	123	55.0	57	46.3	0	-		
Vermont	5	5.0	5	100.0	1	1.0	1	100.0	1	1.0	2	2.0	1	1.0	49	49.4	49	100.0	0	-		
REGION I TOTAL	789	28.5	407	51.6	140	5.1	56	40.0	124	4.5	438	15.8	50	1.8	1991	72.0	994	49.9	5	.2		
Delaware	94	75.5	43	45.7	6	4.8	5	83.3	7	5.6	66	53.1	6	4.8	252	202.8	114	45.2	0	-		
New Jersey	846	50.2	473	55.9	164	9.7	78	47.6	125	7.4	530	31.5	27	1.6	974	57.9	325	33.4	6	.4		
New York	4437	99.5	2472	55.1	830	18.4	388	46.7	1052	23.3	2522	56.0	83	1.8	8400	186.4	2905	34.6	18	.4		
Pennsylvania	1066	37.1	762	71.5	129	4.5	53	41.1	63	2.2	845	29.4	29	1.0	2112	73.4	790	37.4	7	.2		
REGION II TOTAL	6493	70.7	3750	57.8	1129	12.3	524	46.4	1247	13.6	3963	43.1	145	1.6	11738	127.7	4134	35.2	31	.4		
District of Columbia	362	183.5	107	29.6	108	54.8	17	15.7	92	46.6	155	78.6	7	3.5	2279	1155.4	79	3.5	14	7.1		
Kentucky	401	50.9	278	69.3	37	4.7	24	64.9	9	1.1	301	38.3	16	2.0	773	98.5	163	21.1	0	-		
Maryland	874	101.0	375	42.9	135	15.6	54	40.0	115	13.3	596	68.9	16	1.8	1565	180.8	335	21.4	0	-		
North Carolina	571	47.4	249	43.6	249	20.7	90	36.1	85	7.1	216	17.9	21	1.7	2604	216.1	310	11.9	23	1.8		
Virginia	437	40.7	237	54.2	75	7.0	28	37.3	52	4.8	276	25.7	20	1.9	1922	179.0	940	48.9	1	.1		
West Virginia	370	81.8	285	77.0	18	4.0	9	50.0	5	1.1	333	73.6	14	3.1	245	54.1	79	32.2	0	-		
REGION III TOTAL	3015	65.9	1531	50.8	622	13.6	222	35.7	358	7.8	1877	41.0	94	2.1	9388	205.0	1906	20.3	38	.9		
Alabama	444	51.6	144	32.4	293	34.1	76	25.9	84	9.8	57	6.6	7	.8	958	111.5	219	22.9	12	1.4		
Florida	1511	108.0	552	35.8	460	32.2	178	38.7	228	16.0	819	57.4	34	2.4	2492	174.5	244	9.8	56	4.0		
Georgia	695	64.3	309	45.1	275	25.8	67	24.4	148	13.9	249	23.4	4	1.1	2919	273.9	394	13.5	28	2.7		
Mississippi	243	42.2	38	15.6	164	28.5	21	12.8	38	6.6	37	6.4	4	.7	987	171.6	132	13.9	6	1.1		
South Carolina	438	70.4	220	50.2	232	37.3	115	49.6	96	15.4	89	14.3	20	3.2	1671	268.6	913	54.6	5	.8		
Tennessee	319	33.5	166	52.0	75	7.9	23	30.7	27	2.8	205	21.5	12	1.3	2375	249.0	191	8.0	8	.8		
REGION IV TOTAL	3670	66.7	1429	38.9	1499	27.2	480	32.0	621	11.3	1456	26.5	89	1.6	11402	207.1	2093	18.4	115	2.1		
Illinois	1627	61.4	626	38.5	313	11.8	84	26.8	318	12.0	949	35.8	47	1.8	7506	283.3	2063	27.5	1	-		
Indiana	269	22.0	186	69.1	18	1.5	9	50.0	43	3.5	198	16.2	10	.8	1235	101.3	485	39.3	2	.2		
Michigan	1289	62.9	920	71.4	240	11.7	100	41.7	110	5.4	822	27.8	18	1.8	3194	155.9	1408	44.1	34	1.6		
Ohio	1050	41.0	685	65.2	139	5.4	60	43.2	136	5.3	711	27.1	64	2.5	4104	160.5	1432	34.9	9	.4		
Wisconsin	344	33.2	306	89.0	27	2.6	9	33.3	18	1.7	268	25.9	18	1.7	612	59.1	208	34.0	1	.1		
REGION V TOTAL	4579	48.3	2723	59.5	737	7.8	262	35.5	625	6.6	2948	31.0	187	2.0	16651	175.1	5596	33.6	47	.5		
Iowa	211	30.6	168	79.6	20	2.9	12	60.0	10	1.5	174	25.2	7	1.0	718	104.1	542	75.5	0	-		
Kansas	240	43.8	191	79.6	12	2.2	6	50.0	7	1.3	215	39.2	6	1.1	688	125.4	300	43.6	0	-		
Minnesota	40	4.6	25	62.5	6	.7	3	50.0	12	1.4	21	2.4	1	.1	539	60.7	341	63.3	1	.1		
Missouri	815	73.0	509	62.5	60	5.4	29	48.3	42	3.8	669	59.9	27	2.4	2045	183.0	343	16.8	12	1.1		
Nebraska	79	21.6	53	67.1	9	2.5	7	77.8	6	1.6	57	15.6	7	1.9	270	74.0	128	47.4	0	-		
North Dakota	7	4.4	7	100.0	4	2.5	4	100.0	0	-	3	1.9	0	-	113	70.6	113	100.0	0	-		
South Dakota	42	24.2	22	52.4	16	9.2	10	62.5	9	5.2	17	9.8	0	-	209	120.1	76	36.4	1	.6		
REGION VI TOTAL	1434	36.3	975	68.0	127	3.2	71	55.9	86	2.2	1156	29.3	48	1.2	4582	116.3	1843	40.2	14	.4		
Arkansas	316	64.9	188	59.5	53	10.9	23	43.4	16	3.3	237	48.6	10	2.1	1481	303.8	1348	91.0	2	.4		
Louisiana	719	82.1	175	24.3	171	19.5	44	25.7	116	13.3	402	45.0	24	2.7	1348	154.0	91	6.8	20	2.3		
New Mexico	246	97.7	105	42.7	22	8.7	6	27.3	13	5.2	199	79.9	12	4.8	367	145.8	162	44.1	1	.4		
Oklahoma	345	56.3	280	81.2	40	6.5	16	40.0	35	5.7	253	41.3	16	2.6	759	124.0	116	15.3	2	.3		
Texas	1356	52.2	655	48.3	394	15.2	163	41.4	328	12.6	588	22.6	26	1.0	6492	250.1	2068	31.9	18	.2		
REGION VII TOTAL	2982	61.8	1403	47.0	680	14.1	252	37.1	508	10.5	1679	34.8	88	1.8	10447	216.6	3785	36.2	43	.8		
Colorado	131	27.2	97	74.0	13	2.7	11	84.6	9	1.9	109	22.6	0	-	569	117.8	171	30.1	0	-		
Idaho	2	1.2	1	50.0	0	0	0	-	0	0	2	1.2	0	-	280	163.3	144	51.4	2	1.2		
Montana	36	20.8	27	75.0	9	5.2	7	77.8	1	.6	25	14.4	1	.6	86	49.4	40	46.5	1	.6		
Utah	36	14.6	19	52.8	4	1.6	4	100.0	5	2.0	26	10.6	1	.4	93	37.8	67	72.0	0	-		
Wyoming	19	22.7	11	57.9	0	0	0	-	0	0	17	20.3	0	-	30	35.8	15	50.0	0	-		
REGION VIII TOTAL	224	19.4	155	69.2	26	2.2	22	84.6	15	1.3	179	15.5	2	.2	1058	91.3	437	41.3	3	.3		
Alaska	12	21.7	5	41.7	2	3.6	1	50.0	2	3.6	8	14.5	0	-	266	481.4	47	17.7	0	-		
Arizona	132	33.3	47	35.6	45	11.3	18	40.0	27	6.8	59	14.9	1	.1	787	198.5	144	18.3	6	1.6		
California	3150	69.1	1600	50.6	457	10.0	182	39.8	571	12.5	2034	44.5	98	2.3	9566	209.2	2311	24.2	19	.4		
Hawaii	47	43.6	36	76.6	2	1.9	0	.0	3	1.9	25	15.4	1	.6	116	71.6	95	81.9	1	.6		
Nevada	84	17.7	69	82.1	11	2.3	8	72.7	9	1.9	64	13.5	1	.9	132	122.2	40	30.3	1	.9		
Oregon	65	8.8	27	41.5	15	2.0	3	20.0	11	1.5	39	5.3	0	-	634	133.9	343	54.1	2	.4		
Washington	356	54.4	1810	51.2	539	8.3	216	40.1	625	9.6	2271	34.9	101	1.6	777	106.1	177	22.8	2	.3		
REGION IX TOTAL	3536	54.4	1810	51.2	539	8.3	216	40.1	625	9.6	2271	34.9	101	1.6	12278	188.9	3157	25.7	31	.5		
U. S. TOTAL	26722	55.4	14183	53.1	5499	11.4	2105	38.3	4209	8.7	15967	33.1	804	1.7	79535	164.9	23945					

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE BY CITIES WITH POPULATION 200,000 AND OVER
FOR EACH QUARTER FISCAL YEAR 1966 TO DATE, CUMULATIVE NUMBER FISCAL YEAR 1966
AND NUMBER FOR SAME PERIOD OF TIME IN FISCAL YEAR 1965

Cities By DHEW Regions	PRIMARY AND SECONDARY SYPHILIS						ALL STAGES OF SYPHILIS						GONORRHEA											
	Jul.- Sep.		Oct.- Dec.		Jan.- Mar.		Apr.- Jun.		Cumulative Fiscal Year		Cumulative Fiscal Year		Jul.- Sep.		Oct.- Dec.		Jan.- Mar.		Apr.- Jun.		Cumulative Fiscal Year		Cumulative Fiscal Year	
	1965	1965	1966	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1966	1966	1966	1966	1965	1966	1965	1966	1965	1966
Boston	43	56	64		113	163		200	246	230		902	676		760	680	662		2154	2102				
Providence	8	4	4		8	16		54	45	46		165	145		44	42	92		115	178				
REGION I CITY TOTAL	51	60	68		121	179		254	291	276		1067	821		804	722	754		2269	2280				
Buffalo 1/	7	18	6		25	31		112	119	102		250	333		602	422	422		1150	1446				
Jersey City	23	20	18		69	61		59	67	67		269	193		43	46	48		167	137				
Newark	98	63	57		222	218		309	266	241		1059	816		711	417	528		1634	1656				
New York	738	770	721		2269	2229		3902	4650	3891		13372	12443		7521	8736	6580		20216	22837				
Philadelphia	92	141	67		198	300		590	633	324		1604	1547		2225	1631	1549		4581	5455				
Pittsburgh 1/	27	5	16		25	48		166	180	192		672	538		232	258	278		672	768				
Rochester 1/	9	7	8		24	24		27	34	33		80	94		387	317	310		772	1014				
Syracuse	8	5	9		13	22		28	29	23		78	80		201	172	156		483	529				
REGION II CITY TOTAL	1002	1029	902		2836	2933		5193	5978	4873		17384	16044		11922	12049	9871		29575	33842				
Baltimore	89	111	101		276	301		451	421	432		1183	1304		1696	1131	1374		4246	4501				
Charlotte	30	15	22		60	67		55	28	38		102	121		702	469	554		1369	1725				
Louisville 1/	9	12	11		74	32		105	119	117		412	341		586	480	426		1458	1492				
Norfolk	3	7	5		22	15		58	58	60		178	176		435	390	306		838	1131				
Richmond	7	6	11		27	24		54	43	59		342	350		342	350	465		890	1157				
Washington, D. C.	115	129	108		433	352		331	366	362		1299	1059		2864	2355	2279		7997	7498				
REGION III CITY TOTAL	253	280	258		892	791		1054	1035	1068		3388	3157		6625	5475	5404		16798	17504				
Atlanta 1/	53	50	74		135	177		145	148	206		394	499		2133	1855	1893		5292	5881				
Birmingham	52	28	44		139	124		113	104	114		467	331		344	334	339		945	1017				
Jacksonville 1/	39	34	43		103	116		161	176	230		492	567		543	488	421		1314	1747				
Memphis 1/	35	26	13		105	74		215	143	113		274	471		1889	1207	1241		3623	3337				
Miami	79	115	85		163	279		199	432	348		654	979		613	547	510		1445	1670				
Mobile 1/	55	51	48		117	154		124	87	77		194	288		312	338	312		800	962				
Tampa 1/	21	30	13		108	64		104	150	89		313	343		520	434	432		1230	1386				
REGION IV CITY TOTAL	334	334	320		870	988		1061	1240	1177		3088	3478		5729	4903	4968		14146	15600				
Akron	6	3	3		39	12		59	33	20		177	112		526	335	592		1040	1453				
Chicago	297	272	259		854	828		1656	1472	1325		3781	4453		7252	6179	6135		17597	19566				
Cincinnati	26	31	25		57	82		106	97	118		446	321		336	484	244		1264	1064				
Cleveland	57	70	59		190	186		194	191	220		640	605		1108	970	1258		3029	3336				
Columbus	4	16	15		31	35		100	110	88		264	298		396	479	639		1551	1714				
Dayton	7	2	0		8	9		65	23	45		156	133		523	238	339		793	900				
Detroit	159	224	199		406	582		681	986	876		2349	2743		2138	1728	1544		4909	5410				
Indianapolis	12	5	3		33	11		120	116	114		381	530		590	624	604		1639	1918				
Milwaukee	12	7	17		28	36		116	243	197		335	556		416	396	454		897	1266				
Toledo	9	6	8		42	23		46	34	46		159	126		136	113	151		400	400				
REGION V CITY TOTAL	580	636	588		1688	1804		3343	3305	3049		8688	9697		13421	11546	11960		33195	36927				
Des Moines	5	8	12		6	25		47	50	71		137	168		175	116	183		386	474				
Kansas City	7	16	15		36	38		223	241	229		823	693		750	754	675		2079	2179				
Minneapolis 1/	8	11	4		50	23		18	34	19		102	71		297	307	254		824	858				
Omaha	5	3	1		9	2		38	24	35		109	97		167	170	169		423	506				
St. Louis	35	44	28		137	107		347	331	274		1227	952		1359	1114	1034		4469	3577				
St. Paul	3	1	0		12	4		7	3	9		20	19		99	91	123		336	313				
Wichita 1/	2	4	7		3	13		25	17	28		68	70		182	209	213		616	604				
REGION VI CITY TOTAL	65	87	67		246	219		705	700	665		2486	2070		3029	2761	2651		9133	8441				
Albuquerque 1/	11	4	6		43	21		33	90	80		87	203		87	120	114		323	321				
Dallas 1/	44	36	51		90	131		102	145	150		275	397		1658	1993	1738		4959	5289				
El Paso 1/	19	12	23		77	54		66	61	74		220	201		159	186	126		505	473				
Fort Worth 1/	24	25	20		75	69		45	50	34		174	129		1007	1092	924		2764	3023				
Houston 1/	92	79	94		257	265		637	497	579		1735	1713		2378	1537	1525		5310	5440				
New Orleans	32	24	29		169	85		198	361	269		684	828		471	361	413		1336	1245				
Oklahoma City 1/	11	6	13		52	30		80	44	62		252	186		370	295	346		1014	1011				
San Antonio 1/	11	11	23		33	45		175	97	125		421	397		302	304	362		849	968				
Tulsa 1/	4	9	18		27	31		39	44	84		120	167		110	81	79		284	270				
REGION VII CITY TOTAL	248	206	277		823	731		1375	1389	1457		3968	4221		6742	5971	5627		17454	18340				
Denver 1/	7	2	1		15	10		103	59	65		229	227		469	431	459		1224	1359				
REGION VIII CITY TOTAL	7	2	1		15	10		103	59	65		229	227		469	431	459		1224	1359				
Honolulu	10	6	7		15	23		19	25	20		51	64		80	83	77		167	240				
Los Angeles 1/	220	216	220		724	656		1344	1702	1774		4476	4824		4207	4110	4173		12104	12490				
Oakland 1/	8	29	21		65	58		101																

SELECTED VENEREAL DISEASE MORBIDITY FOR CITIES WITH POPULATION OVER 200,000
Annual Rates per 100,000 Population
(Known Military Cases Excluded)
January - March 1966

Cities By DHEW Regions	S Y P H I L I S												G O N O R R H E A				TOTAL OTHER VENEREAL DISEASES 3/			
	TOTAL 2/		PRIMARY AND SECONDARY				EARLY LATENT		LATE & LATE LATENT		CONGENITAL		Total		Private Cases		Total			
	Total	Private Cases	Total	Private Cases	Total	Private Cases	Total	Private Cases	Total	Private Cases	Total	Private Cases	Total	Private Cases	Total	Private Cases	Total			
	Cases	Rates	Cases	Per- cent	Cases	Rates	Cases	Per- cent	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Per- cent	Cases	Rates		
Boston	230	141.2	49	21.3	64	39.3	8	12.5	42	25.8	114	70.0	10	6.1	662	406.8	129	19.5	0	-
Providence	46	92.4	20	43.5	4	8.0	3	75.0	4	8.0	20	40.2	0	-	32	184.9	32	34.8	0	-
REGION I CITY TOTAL	276	129.9	69	25.0	68	32.0	11	16.2	46	21.6	134	63.1	10	4.7	794	354.8	161	21.4	0	-
Buffalo 4/	102	35.6	39	38.2	6	2.1	3	50.0	5	1.7	90	31.5	1	.3	422	147.6	110	26.1	0	-
Jersey City	67	100.4	26	38.8	18	27.0	2	11.1	20	30.0	28	41.9	1	1.5	48	71.9	6	12.5	2	3.0
Newark	241	247.3	107	44.4	57	58.5	30	52.6	38	39.0	136	139.5	10	10.3	528	541.5	165	31.3	1	1.0
New York	3891	198.7	2146	55.2	721	36.8	312	43.3	983	50.2	2118	108.2	69	3.5	6580	336.1	1765	26.8	18	.9
Philadelphia	324	63.5	161	49.7	67	13.1	16	23.9	30	5.9	219	42.9	8	1.6	1549	303.7	506	32.7	7	1.4
Pittsburgh 4/	192	46.0	139	72.4	16	3.8	9	56.3	1	.2	172	41.3	3	.7	278	68.8	90	32.4	0	-
Rochester 4/	323	20.9	15	4.5	8	5.1	2	25.0	3	1.9	21	13.3	2	1.2	310	195.9	184	59.4	0	-
Syracuse	23	42.7	10	43.5	9	16.7	1	11.1	2	3.7	10	18.6	1	.6	156	290.2	64	41.0	0	-
REGION II CITY TOTAL	4873	137.4	2643	54.2	902	25.4	375	41.6	1082	30.5	2794	78.8	95	2.7	9871	278.4	2890	29.3	28	.8
Baltimore	432	186.9	144	33.3	101	43.7	31	30.7	86	37.2	227	98.2	6	2.6	1374	594.2	222	16.2	0	-
Charlotte	38	65.8	7	18.4	22	38.1	3	13.6	6	10.4	9	15.6	1	1.7	554	959.3	21	3.8	5	8.6
Louisville 4/	117	70.3	67	57.3	11	6.6	6	54.5	6	3.6	89	53.5	3	1.8	426	255.9	34	8.0	0	-
Norfolk	60	74.4	27	45.0	5	6.2	2	40.0	10	12.4	43	53.3	2	2.5	306	378.9	47	15.4	0	-
Richmond	59	105.0	13	22.0	11	19.6	0	.0	5	8.9	39	69.3	2	3.6	465	826.7	169	36.3	0	-
Washington, D. C.	362	183.5	107	29.6	108	54.8	17	15.7	92	46.6	155	78.6	7	3.5	2279	1155.4	79	3.5	14	7.1
REGION III CITY TOTAL	1068	135.4	365	34.2	258	32.7	59	22.9	205	26.0	562	71.2	21	2.7	5404	684.3	572	10.6	19	2.4
Atlanta 4/	206	138.0	69	33.5	74	49.6	6	8.1	43	28.8	86	57.6	2	1.3	1893	1268.3	111	5.9	17	11.4
Birmingham	114	132.0	43	37.7	44	50.9	8	18.2	17	19.7	51	59.0	1	1.2	339	391.9	20	5.9	0	-
Jacksonville 4/	230	177.6	78	33.9	43	33.2	11	25.6	22	17.0	158	122.0	7	5.4	241	186.1	5	2.1	3	2.3
Memphis 4/	113	63.8	62	54.9	13	7.3	5	38.5	10	5.6	87	49.2	3	1.7	1241	701.1	45	3.6	3	3.4
Miami 4/	348	124.3	122	35.1	85	30.4	30	35.3	66	23.6	193	68.9	4	1.4	510	182.1	44	14.1	2	2.2
Mobile 4/	77	87.3	24	31.2	48	54.4	9	18.8	16	18.1	11	12.5	2	2.3	312	353.5	24	14.1	1	.9
Tampa 4/	89	78.0	25	28.1	13	11.4	7	53.8	4	3.5	69	60.5	3	2.6	432	378.5	63	14.6	1	.9
REGION IV CITY TOTAL	1177	114.8	423	35.9	320	31.2	76	23.8	178	17.4	655	63.9	22	2.1	4968	484.9	309	6.2	61	6.0
Akron	20	27.2	13	65.0	3	4.1	1	33.3	2	2.7	15	20.4	0	-	592	805.4	69	11.7	1	1.4
Chicago	1325	149.5	421	31.8	259	29.2	52	20.1	258	29.1	771	87.0	37	4.2	6135	692.6	953	15.5	0	-
Cincinnati	118	94.4	79	66.9	25	20.0	11	44.0	7	5.6	80	64.0	6	4.8	244	195.2	69	28.3	0	-
Cleveland	220	101.8	115	52.3	59	27.3	29	49.2	61	28.2	90	41.7	10	4.6	1258	582.4	178	38.0	2	.9
Columbus	88	66.2	48	54.5	15	11.3	5	33.3	8	6.0	61	45.9	4	3.0	639	480.5	138	21.6	2	1.5
Dayton	45	67.6	36	80.0	0	-	3	4.5	3	4.5	32	48.1	10	15.0	339	509.8	89	26.3	0	-
Detroit	876	218.8	580	66.2	199	49.7	69	34.7	84	21.0	531	132.6	24	6.0	604	468.2	306	19.8	30	7.4
Indianapolis	114	88.3	64	56.1	3	2.3	0	.0	8	6.2	100	77.5	11	5.7	454	234.3	67	14.8	0	-
Milwaukee	197	101.8	165	83.8	17	8.8	2	11.8	16	8.3	116	75.4	3	3.2	151	162.8	32	21.2	1	1.1
Toledo	46	49.5	24	52.2	8	8.6	1	12.5	9	9.7	26	28.0	11	4.7	11960	516.5	2340	19.6	36	1.5
REGION V CITY TOTAL	3049	131.7	1545	50.7	588	25.4	170	28.9	456	19.7	1852	80.0	108	4.7	11960	516.5	2340	19.6	36	1.5
Des Moines	71	130.9	50	70.4	12	22.1	5	41.7	2	3.7	55	101.4	2	3.7	183	337.3	66	36.1	0	-
Kansas City	229	169.6	149	65.1	15	11.1	9	60.0	20	14.8	186	137.8	0	-	675	500.0	47	7.0	0	-
Minneapolis 4/	19	8.5	14	73.7	4	1.8	1	25.0	5	2.2	10	4.5	2	2.3	254	113.8	174	68.5	0	-
Omaha	35	40.9	24	68.6	1	1.2	1	100.0	2	2.3	30	35.1	2	2.3	169	197.7	47	27.8	0	-
St. Louis	274	154.2	100	36.5	28	15.8	4	14.3	18	10.1	219	123.2	9	5.1	1034	581.7	26	2.5	11	6.2
St. Paul	9	11.5	4	44.4	0	-	0	-	3	3.8	5	6.4	1	1.3	123	156.7	35	45.5	0	-
Wichita 4/	28	32.5	15	53.6	7	8.1	3	42.9	2	2.3	18	20.9	1	1.2	213	247.0	54	25.4	0	-
REGION VI CITY TOTAL	665	79.1	356	53.5	67	8.0	23	34.3	52	6.2	523	62.2	23	2.7	2651	315.4	449	16.9	11	1.3
Albuquerque 4/	80	134.5	33	41.3	6	10.1	2	33.3	1	1.7	67	112.6	6	10.1	114	191.6	11	9.6	0	-
Dallas 4/	150	51.5	43	28.7	51	17.5	2	13.7	32	11.0	67	23.0	0	-	1738	596.2	394	22.7	1	.3
El Paso 4/	74	83.4	31	41.9	23	25.9	11	47.8	15	16.9	32	37.2	3	3.4	126	142.0	58	45.9	0	-
Fort Worth 4/	34	22.7	18	52.9	20	13.4	9	50.0	9	6.0	5	3.3	0	-	924	618.1	452	45.9	0	-
Houston 4/	579	159.5	283	48.9	94	25.9	25	26.6	134	36.9	332	94.2	9	2.5	1525	420.1	71	1.7	14	3.9
New Orleans	269	162.1	35	13.0	29	17.5	4	13.8	26	15.7	202	121.7	10	6.0	413	248.8	8	1.9	18	10.8
Oklahoma City 4/	62	48.0	19	79.0	13	10.1	10	76.9	12	9.3	33	25.5	4	3.1	346	267.7	31	9.0	2	1.5
San Antonio 4/	125	65.1	58	46.4	23	12.0	8	34.8	39	20.3	58	30.2	1	1.0	79	82.1	3	3.8	0	-
Tulsa 4/	84	87.2	50	59.5	18	18.7	1	5.6	13	13.5	52	54.0	5	2.6	5627	366.5	1159	20.6	35	2.2
REGION VII CITY TOTAL	1457	94.8	600	41.2	277	18.0	78	28.2	281	18.3	859	55.9	38	2.5	5627	366.5	1159	20.6	35	2.2
Denver 4/	65	49.3	38	58.5	1	.8	0	.0	3	2.3	61	46.2	0	-	459	347.7	92	20.0	0	-
REGION VIII CITY TOTAL	65	49.3	38	58.5	1	.8	0	.0	3	2.3	61	46.2	0	-	459	347.7	92	20.0	0	-
Honolulu	20	23.5	12	60.0	7	8.2	4	57.1	1	1.2	11	12.9	1	1.2	77	90.3	57	74.0	1	1.2
Los Angeles 4/	1774	104.0	1024	57.7	220	12.9	98	44.5	338	19.8	1153	67.6	63	3.7	4173	244.6	1100	26.4	11	.7
Oakland 4/	158	69.9	80	50.6	21	9.3	9	42.9	37	16.4	95	42.0	5	2.2	639	282.7	4			

1/
 CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS
 ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
 BY CITIES WITH 50,000 to 200,000 POPULATION IN 1960

Calendar Years 1964 - 1965

SMALL CITIES BY DHEW REGIONS	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
REGION I	200	154	6.7	4.9	209	231	7.1	7.4	1027	1091	34.6	35.0	2786	3129	93.8	100.5
<u>Connecticut</u>	127	74	12.4	7.1	114	126	11.1	12.2	436	463	42.6	44.7	1754	2106	171.3	203.3
Bridgeport	12	9	7.6	5.6	26	35	16.6	21.9	74	85	47.1	53.1	294	316	187.3	197.5
Greenwich	3	1	5.2	1.7	0	0	.0	.0	3	7	5.2	11.9	4	11	6.9	18.6
Hartford	48	31	30.2	19.3	42	20	26.4	12.4	133	124	83.6	77.0	500	526	314.5	326.7
Meriden	3	0	5.5	.0	2	2	3.6	3.6	15	11	27.3	20.0	30	38	54.5	69.1
New Britain	4	3	4.6	3.3	1	3	1.1	3.3	7	9	8.0	10.0	43	48	49.4	53.3
New Haven	46	15	30.3	9.9	28	41	18.4	27.2	118	109	77.6	72.2	564	692	371.1	458.3
Norwalk	1	7	1.4	9.3	5	10	6.7	13.3	10	31	13.5	41.3	55	103	74.3	137.3
Stamford	8	4	8.0	4.0	8	12	8.0	11.9	58	64	58.0	63.4	153	232	153.0	229.7
Waterbury	2	3	1.8	2.6	2	3	1.7	2.6	15	22	13.3	19.1	108	132	95.6	114.8
West Hartford	0	1	.0	1.5	0	0	.0	.0	3	1	4.3	1.5	3	8	4.3	11.6
<u>Maine</u>	2	1	2.8	1.4	4	2	5.5	2.8	17	38	23.6	53.5	75	65	104.2	91.5
Portland	2	1	2.8	1.4	4	2	5.5	2.8	17	38	23.6	53.5	75	65	104.2	91.5
<u>Massachusetts</u>	66	71	4.2	4.2	91	96	5.9	5.7	484	507	31.1	30.2	868	860	55.7	51.2
Brockton	0	2	.0	2.5	5	2	6.4	2.5	13	10	16.7	12.3	42	35	53.8	43.2
Brookline	2	5	3.8	9.6	4	3	7.5	5.8	20	25	37.7	48.1	36	42	67.9	80.8
Cambridge	8	11	7.8	10.4	7	12	6.8	11.3	37	50	35.9	47.2	100	98	97.1	92.5
Chicopee	0	0	.0	.0	0	0	.0	.0	6	7	9.0	10.3	4	7	6.0	10.3
Fall River	0	0	.0	.0	3	2	3.1	2.1	17	14	17.5	14.4	38	13	39.2	13.4
Holyoke	1	0	1.9	.0	1	2	1.9	3.8	7	11	13.5	21.2	25	20	48.1	38.5
Lawrence	0	4	.0	5.8	6	3	9.0	4.3	17	18	25.4	26.1	24	16	35.8	23.2
Lowell	1	1	1.1	1.1	2	6	2.2	6.7	11	14	12.2	15.6	96	67	106.7	74.4
Lynn	7	12	7.4	12.9	3	7	3.2	7.5	31	48	33.0	51.6	70	60	74.5	64.5
Malden	1	5	1.8	8.8	2	2	3.5	3.5	9	21	15.8	36.8	15	26	26.3	45.6
Medford	2	1	3.1	1.6	3	2	4.7	3.1	16	13	25.0	20.3	29	14	45.3	21.9
New Bedford	2	1	2.0	1.0	3	3	3.0	2.9	38	36	37.6	35.3	48	59	47.5	57.8
Newton	3	5	3.1	5.2	0	5	.0	5.2	9	16	9.4	16.7	23	25	24.0	26.0
Pittsfield	0	0	.0	.0	2	0	3.4	.0	9	6	15.3	10.2	4	15	6.8	25.4
Quincy	2	1	2.2	1.1	2	4	2.3	4.5	14	14	15.7	15.7	12	26	13.5	29.2
Scmerville	7	3	7.6	3.3	1	11	1.1	12.1	31	37	33.7	40.7	28	26	30.4	28.6
Springfield	13	10	7.3	5.6	19	16	10.7	8.9	130	104	73.0	58.1	164	191	92.1	106.7
Waltham	2	0	3.4	.0	1	3	1.7	5.3	12	16	20.3	28.1	25	30	42.4	52.6
Worcester	15	10	8.3	5.6	27	13	15.0	7.3	57	47	31.7	26.3	85	90	47.2	50.3
<u>New Hampshire</u>	3	5	3.3	5.4	0	5	.0	5.4	24	20	26.4	21.7	52	46	57.1	50.0
Manchester	3	5	3.3	5.4	0	5	.0	5.4	24	20	26.4	21.7	52	46	57.1	50.0
<u>Rhode Island</u>	2	3	.9	1.3	0	2	.0	.9	66	63	29.1	27.0	37	52	16.3	22.3
Cranston	0	2	.0	2.7	0	0	.0	.0	22	16	30.6	21.9	12	13	16.7	17.8
Pawtucket	2	1	2.5	1.2	0	1	.0	1.2	25	30	31.6	37.0	20	27	25.3	33.3
Warwick	0	0	.0	.0	0	1	.0	1.3	19	17	25.0	21.5	5	12	6.6	15.2
REGION II	549	424	15.3	11.8	323	294	9.0	8.2	2663	2478	74.2	68.8	3221	3656	89.7	101.6
<u>Delaware</u>	16	14	17.6	15.6	7	8	7.7	8.9	217	204	238.5	226.7	574	658	630.8	731.1
Wilmington	16	14	17.6	15.6	7	8	7.7	8.9	217	204	238.5	226.7	574	658	630.8	731.1
<u>New Jersey</u>	354	269	29.1	22.0	205	196	16.9	16.0	1226	1332	100.8	108.8	926	920	76.2	75.2
Atlantic City	101	62	171.2	105.1	19	15	32.2	25.4	225	251	381.4	425.4	13	5	22.0	8.5
Bayonne	3	2	4.1	2.7	7	2	9.6	2.7	17	28	23.3	38.4	11	9	15.1	12.3
Bloomfield	0	0	.0	.0	2	3	3.8	5.7	10	17	18.9	32.1	3	2	5.7	3.8
Camden	29	20	25.4	17.5	18	26	15.8	22.8	166	165	145.6	144.7	66	79	57.9	69.3
Clifton	8	0	9.0	.0	1	3	1.1	3.3	25	12	28.1	13.2	2	6	2.2	6.6
East Orange	15	20	19.5	26.3	16	22	20.8	28.9	85	106	110.4	139.5	54	41	70.1	53.9
Elizabeth	43	29	40.6	26.6	15	21	14.1	19.3	98	108	92.5	99.1	87	134	82.1	122.9
Hamilton Township	0	1	.0	1.3	1	1	1.3	1.3	4	3	5.3	4.0	4	3	5.3	4.0
Irvington	4	1	6.7	1.7	4	2	6.6	3.3	21	30	35.0	50.0	3	6	5.0	10.0
Passaic	9	5	17.0	9.4	9	6	17.0	11.3	37	46	69.8	86.8	12	20	22.6	37.7
Paterson	94	102	64.4	69.9	36	29	24.6	19.9	217	219	148.6	150.0	296	225	202.7	154.1
Trenton	44	27	40.4	25.0	68	56	62.4	51.9	267	282	245.0	261.1	355	376	325.7	348.1
Union City	1	0	2.0	.0	3	2	5.8	3.9	20	16	39.2	31.4	7	2	13.7	3.9
Union Township	1	0	1.8	.0	2	4	3.5	6.9	11	19	19.3	32.8	5	8	8.8	13.8
Woodbridge Township	2	0	2.1	.0	4	4	4.3	4.1	23	30	24.5	30.6	8	4	8.5	4.1
<u>New York</u>	121	81	11.8	7.8	55	34	5.3	3.3	393	276	38.2	26.6	1210	1583	117.6	152.8
Albany	45	12	35.2	9.4	25	6	19.5	4.7	124	75	96.9	59.1	294	478	229.7	376.4
Binghamton	3	3	4.0	4.0	3	0	4.0	.0	22	15	29.3	20.0	17	90	22.6	120.0
Mount Vernon	21	30	26.9	38.5	6	13	7.7	16.7	42	62	53.8	79.5	241	239	309.0	306.4
New Rochelle	5	2	6.0	2.3	2	0	2.3	.0	16	6	19.0	7.0	155	139	184.5	161.6
Niagara Falls	1	0	1.0	.0	1	1	.9	1.0	26	13	25.0	12.4	78	95	75.0	90.5
Rome	0	0	.0	.0	0	0	.0	.0	19	2	33.9	3.5	14	6	25.0	10.5
Schenectady	4	4	5.1	5.2	3	1	3.9	1.3	16	20	20.5	26.0	1	1	1.3	1.3
Troy	7	2	10.6	3.1	2	0	3.0	.0	20	13	30.3	20.0	32	31	48.5	47.7
Utica	18	12	17.8	11.9	2	0	2.0	.0	50	28	49.5	19.8	105	90	104.0	89.1
White Plains	6	5	11.3	9.1	6	2	11.3	3.6	20	18	37.7	32.7	123	181	232.1	329.1
Yonkers	11	11	5.3	5.2	5	11	2.5	5.2	38	32	18.4	15.2	150	233	72.8	111.0

CASES AND RATES ^{1/} OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITIES WITH 50,000 to 200,000 POPULATION IN 1960

Calendar Years 1964 - 1965

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
REGION II (continued)																
<u>Pennsylvania</u>	58	60	4.6	4.8	56	56	4.5	4.5	827	666	65.9	53.3	511	495	40.7	39.6
Abington Township	0	0	.0	.0	0	0	.0	.0	0	0	.0	.0	0	0	.0	.0
Allentown	6	4	5.5	3.7	3	9	2.8	8.3	67	66	61.5	60.6	40	24	36.7	22.0
Altoona	4	0	6.1	.0	1	3	1.5	4.5	73	67	110.6	101.5	70	10	10.6	15.2
Bethlehem	6	3	7.6	3.8	1	2	1.3	2.5	38	33	48.1	41.3	11	10	13.9	12.5
Chester	2	11	3.1	16.9	6	8	9.2	12.3	85	75	130.8	115.4	79	72	121.5	110.8
Erie	3	6	2.1	4.2	12	6	8.5	4.2	77	59	54.2	41.5	83	55	58.5	38.7
Harrisburg	8	15	10.0	19.0	13	15	16.3	19.0	153	141	191.3	178.5	138	151	172.5	191.1
Haverford Township	0	0	.0	.0	0	0	.0	.0	2	1	3.3	1.7	0	1	.0	1.7
Johnstown	1	1	2.0	2.0	1	4	1.9	8.0	51	41	100.0	82.0	6	1	11.8	2.0
Lancaster	12	8	20.0	13.6	4	3	6.7	5.1	70	39	116.7	66.1	10	16	16.7	27.1
Lower Merion Township	0	0	.0	.0	0	0	.0	.0	0	0	.0	.0	0	0	.0	.0
Reading	9	6	9.6	6.5	8	2	8.5	2.2	57	37	60.6	39.8	74	76	78.7	81.7
Scranton	2	2	1.9	1.9	2	3	1.9	2.9	67	52	63.2	49.5	17	9	16.0	8.6
Upper Darby Township	0	0	.0	.0	0	0	.0	.0	10	6	10.3	6.2	1	0	1.0	.0
Wilkes-Barre	0	3	.0	5.0	0	0	.0	.0	22	13	36.1	21.7	5	5	8.2	8.3
York	5	1	9.3	1.9	5	1	9.2	1.9	55	36	101.9	67.9	40	65	74.1	122.6
REGION III	402	404	15.3	14.3	126	118	4.8	4.2	1649	1769	62.8	62.5	6137	6509	233.8	230.0
<u>Kentucky</u> 2/	62	30	50.0	11.0	19	15	15.3	5.5	258	251	208.1	91.9	574	608	462.9	222.7
Covington	7	9	11.9	7.1	4	4	6.7	3.1	45	80	76.3	63.0	30	33	50.8	26.0
Lexington	55	21	84.6	14.4	15	11	23.1	7.5	213	171	327.7	117.1	544	575	836.9	393.8
<u>Maryland</u> 2/	20	6	5.0	1.5	4	5	1.0	1.2	69	39	17.2	9.5	66	67	16.4	16.3
Montgomery County	20	6	5.0	1.5	4	5	1.0	1.2	69	39	17.2	9.5	66	67	16.4	16.3
<u>North Carolina</u>	221	244	40.3	43.1	52	56	9.4	9.9	450	462	82.0	99.3	3034	3258	552.6	575.6
Asheville	23	16	37.7	25.0	1	3	1.6	4.7	60	43	98.4	67.2	367	434	601.6	678.1
Durham	8	9	9.9	11.0	4	4	4.9	4.9	33	36	40.7	43.9	1523	1473	1880.2	1796.3
Greensboro	63	26	48.8	19.4	16	5	12.4	3.7	112	52	86.8	38.8	235	320	182.2	238.8
High Point	13	34	19.7	48.6	5	13	7.6	18.6	35	65	53.0	92.9	153	226	231.8	322.9
Raleigh	64	90	66.0	90.0	14	23	14.4	23.0	106	171	109.3	171.0	127	124	130.9	124.0
Winston-Salem	50	69	43.5	59.5	12	8	10.4	6.9	104	195	90.4	168.1	629	681	547.0	587.1
<u>Virginia</u>	81	94	7.2	8.1	45	36	4.0	3.1	681	593	60.3	51.3	2306	2338	204.3	202.2
Alexandria	11	17	11.2	17.2	7	6	7.2	6.1	87	92	88.8	92.9	363	349	370.4	352.5
Arlington 2/	6	6	3.3	3.2	1	1	.6	.5	43	51	23.8	27.6	183	144	101.1	77.8
Fairfax 2/	17	2	4.9	.6	4	1	1.2	.3	51	22	14.8	6.1	140	94	40.6	26.3
Hampton	3	3	2.9	2.8	1	2	1.0	1.9	53	47	52.0	44.3	138	175	135.3	165.1
Lynchburg	3	1	5.3	1.8	0	6	.0	10.5	63	40	110.5	70.2	76	52	133.3	91.2
Newport News	10	12	8.1	9.6	7	2	5.7	1.6	121	112	98.4	89.6	459	540	373.2	432.0
Portsmouth	28	52	23.0	41.9	20	16	16.3	12.9	176	173	144.3	139.5	803	862	658.2	695.2
Roanoke	3	1	3.0	1.0	5	2	4.9	2.0	87	56	86.1	54.9	144	122	142.6	119.6
<u>West Virginia</u> 2/	18	30	4.3	7.1	6	6	1.4	1.4	191	324	45.4	76.6	157	238	37.3	56.3
Charleston	10	20	4.0	7.9	2	3	.8	1.2	93	177	37.2	70.2	83	157	33.2	62.3
Huntington	8	6	7.5	5.6	4	2	3.7	1.9	59	92	55.1	86.0	69	67	64.5	62.6
Wheeling	0	4	.0	6.3	0	1	.0	1.6	39	55	60.9	85.9	5	14	7.8	21.9
REGION IV	1195	1705	32.8	34.9	560	718	15.4	14.7	2818	3544	77.4	72.6	11340	12387	311.4	253.6
<u>Alabama</u> 2/	127	347	22.9	60.9	147	145	26.6	25.4	339	540	61.2	94.7	351	371	63.4	65.1
Gadsden	15	70	14.4	66.0	21	14	20.2	13.2	43	92	41.3	86.8	2	5	1.9	4.7
Huntsville	18	17	11.8	10.4	17	12	11.1	7.3	51	33	33.3	20.1	14	5	9.2	3.0
Montgomery	73	237	40.1	128.8	92	104	50.6	56.5	205	376	112.6	204.3	291	340	159.9	184.8
Tuscaloosa	21	23	18.3	19.8	17	15	14.7	12.9	40	39	34.8	33.6	44	21	38.3	18.1
<u>Florida</u> 3/	326	716	60.0	43.0	139	292	25.6	17.5	811	1519	149.4	91.1	2162	2995	398.2	179.7
Fort Lauderdale	118	216	104.4	51.3	25	102	22.1	24.2	208	452	184.1	107.4	171	351	151.3	83.4
Orlando	88	103	88.0	32.7	56	54	56.0	17.1	173	225	173.0	71.4	256	504	256.0	160.0
Pensacola	40	67	66.7	33.5	18	21	30.0	10.5	136	127	226.7	63.5	1387	1376	2311.7	688.0
St. Petersburg	50	44	24.2	9.8	17	31	8.2	6.9	173	234	83.6	52.1	132	199	63.8	44.3
West Palm Beach	30	286	47.6	101.4	23	84	36.5	29.8	121	481	192.1	170.6	216	565	342.9	200.4
<u>Georgia</u> 2/	272	310	35.9	40.3	120	126	15.9	16.4	595	561	78.6	73.0	1966	1597	259.7	207.7
Albany	47	14	54.0	15.7	20	10	23.0	11.2	99	42	113.8	47.2	174	72	200.0	80.9
Augusta	66	70	45.5	47.0	27	30	18.6	20.1	122	110	84.1	73.8	303	244	209.0	163.8
Columbus	47	28	27.0	15.7	34	24	19.6	13.5	121	71	69.5	39.9	362	220	208.0	123.6
Macon	14	49	9.3	32.2	10	23	6.6	15.1	59	92	39.1	60.5	592	433	392.1	284.9
Savannah	98	149	49.0	74.1	29	39	14.5	19.4	194	246	97.0	122.4	535	628	267.5	312.4
<u>Mississippi</u> 2/	14	14	8.9	6.7	5	5	3.1	2.4	33	26	20.9	12.4	452	501	286.1	238.6
Jackson	14	14	8.9	6.7	5	5	3.1	2.4	33	26	20.9	12.4	452	501	286.1	238.6

1/
 CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
 ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
 BY CITIES WITH 50,000 to 200,000 POPULATION IN 1960

Calendar Years 1964 - 1965

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
REGION (continued)																
<u>South Carolina 2/</u>	245	130	35.9	18.3	117	99	17.2	13.9	516	385	75.7	54.2	2869	3299	420.7	464.6
Charleston	72	30	29.9	11.9	38	35	15.7	13.8	147	113	61.0	44.7	663	888	275.1	351.0
Columbia	103	70	46.8	30.7	51	42	23.2	18.4	229	174	104.1	76.3	955	1137	434.1	498.7
Greenville	70	30	31.7	13.1	28	22	12.6	9.6	140	98	63.3	42.8	1251	1274	566.1	556.3
<u>Tennessee 2/</u>	211	188	22.3	19.6	32	51	3.4	5.3	524	513	55.5	53.5	3540	3624	374.6	378.3
Chattanooga	70	47	27.6	18.3	9	11	3.5	4.3	123	91	48.4	35.4	1204	1268	474.0	493.4
Knoxville	84	97	31.9	36.6	3	15	1.2	5.7	126	162	47.9	61.1	387	394	147.1	148.7
Nashville	57	44	13.3	10.1	20	25	4.7	5.7	275	260	64.3	59.6	1949	1962	455.4	450.0
REGION V 4/	194	246	4.2	5.3	232	257	5.1	5.6	2374	2652	43.0	47.0	7243	8755	131.3	155.2
<u>Illinois</u>	67	78	6.3	7.2	52	75	4.9	7.0	316	424	29.8	39.4	1916	2184	180.6	202.8
Aurora	3	8	4.5	11.8	1	5	1.5	7.4	8	23	11.9	33.8	99	138	147.8	202.9
Berwyn	2	1	3.7	1.9	0	0	.0	.0	2	7	3.7	13.0	5	4	9.3	7.4
Cicero	2	5	2.9	7.0	2	4	2.8	5.6	11	11	15.7	15.5	21	8	30.0	11.3
Decatur	1	3	1.3	3.6	1	2	1.2	2.4	25	18	31.3	21.7	125	144	156.3	173.5
East St. Louis	11	33	13.6	39.8	11	12	13.6	14.5	61	107	75.3	128.9	372	470	459.3	566.3
Evanston	3	6	3.7	7.2	10	13	12.2	15.7	40	61	48.8	73.5	66	69	80.5	83.1
Joliet	4	6	5.7	8.3	3	14	4.3	19.4	14	53	20.0	73.6	118	166	168.6	230.6
Oak Park	4	0	6.6	.0	0	0	.0	.0	7	3	11.5	4.8	7	5	11.5	8.1
Peoria	10	6	10.0	6.0	8	12	8.0	12.0	31	36	31.0	36.0	327	295	327.0	295.0
Rockford	1	0	.8	.0	9	4	6.7	3.0	63	54	47.4	40.9	500	543	375.9	411.4
Rock Island	2	2	3.8	3.8	1	0	1.9	.0	6	11	11.3	20.8	109	110	205.7	207.5
Skokie	3	1	4.3	1.4	1	1	1.5	1.4	6	4	8.7	5.6	2	0	2.9	.0
Springfield	18	5	22.2	6.0	2	2	2.5	2.4	30	18	37.0	21.7	96	134	118.5	161.4
Waukegan	3	2	5.0	3.3	3	6	5.0	9.8	12	18	20.0	29.5	69	98	115.0	160.7
<u>Indiana</u>	14	24	1.5	2.5	82	53	8.6	5.5	440	311	46.2	32.6	973	1103	102.2	115.5
East Chicago	2	0	3.4	.0	15	9	25.9	16.1	41	23	70.7	41.1	2	2	3.4	3.6
Evansville	0	1	.0	.7	7	3	5.0	2.1	88	63	62.4	44.1	46	88	32.6	61.5
Fort Wayne	2	0	1.2	.0	5	2	2.9	1.1	48	20	28.4	11.5	62	49	36.7	28.2
Gary	7	22	3.8	11.8	45	35	24.2	18.8	181	135	97.3	72.6	362	456	194.6	245.2
Hammond	1	0	.8	.0	1	1	.9	.9	3	6	2.5	5.3	11	14	9.3	12.3
Muncie	0	0	.0	.0	4	0	5.6	.0	51	39	71.8	54.9	21	15	29.6	21.1
South Bend	1	1	.7	.7	4	3	3.0	2.2	14	11	10.3	8.0	323	302	237.5	218.8
Terre Haute	1	0	1.4	.0	1	0	1.3	.0	14	14	19.2	19.2	146	177	200.0	242.5
<u>Michigan</u>	75	78	4.7	4.8	38	69	2.4	4.3	860	853	54.3	52.9	3205	3989	202.2	247.5
Ann Arbor	0	5	.0	6.7	0	2	.0	2.7	35	45	48.6	60.0	61	117	84.7	156.0
Bay City	1	2	1.9	3.6	0	1	.0	1.8	33	27	61.1	48.2	82	45	151.9	80.4
Dearborn	4	2	3.5	1.7	0	1	.0	.9	40	44	34.8	38.3	70	75	60.9	65.2
Flint	13	17	6.3	8.3	10	19	4.9	9.2	203	229	98.5	111.2	893	1039	433.5	504.4
Grand Rapids	12	4	5.8	1.9	11	1	5.3	.5	109	42	52.4	20.4	538	548	258.7	266.0
Jackson	11	4	21.6	7.8	0	8	.0	15.7	47	59	92.2	115.7	114	113	223.5	221.6
Kalamazoo	3	1	3.5	1.2	4	7	4.7	8.2	37	58	43.5	68.2	419	610	492.9	717.6
Lansing	3	6	2.6	5.0	3	8	2.6	6.7	75	66	65.2	55.0	285	472	247.8	393.3
Lincoln Park	0	2	.0	3.4	0	1	.0	1.7	13	14	22.4	24.1	26	19	44.8	32.8
Livonia	2	1	2.5	1.2	0	0	.0	.0	16	15	19.8	18.1	18	18	22.2	21.7
Pontiac	6	20	7.1	23.3	5	9	6.0	10.5	69	80	82.1	93.0	452	569	538.1	661.6
Roseville	1	1	1.8	1.8	1	1	1.8	1.8	18	11	32.7	19.6	15	20	27.3	35.7
Royal Oak	2	4	2.3	4.5	1	0	1.1	.0	16	27	18.4	30.7	20	50	23.0	56.8
Saginaw	14	3	14.0	3.0	3	5	3.0	5.0	119	80	119.0	79.2	173	225	173.0	222.8
St. Clair Shores	1	0	1.2	.0	0	1	.0	1.2	11	18	13.3	21.7	7	9	8.4	10.8
Warren	2	6	1.5	4.2	0	5	.0	3.5	19	38	14.5	26.6	32	60	24.4	42.0
<u>Ohio</u>	38	66	3.9	6.7	60	60	6.2	6.1	521	660	53.5	66.9	656	943	67.4	95.6
Canton	9	16	8.0	14.2	7	9	6.3	8.0	75	106	67.0	93.8	128	124	114.3	109.7
Cleveland Heights	0	1	.0	1.5	2	3	3.1	4.6	7	11	10.9	16.9	3	3	4.7	4.6
Euclid	0	1	.0	1.4	1	1	1.4	1.4	3	6	4.3	8.7	5	8	7.1	11.6
Hamilton	2	0	2.7	.0	3	7	4.1	9.3	29	44	39.2	58.7	42	99	56.8	132.0
Kettering	0	0	.0	.0	0	0	.0	.0	0	4	.0	6.3	4	0	6.6	.0
Lakewood	2	3	3.1	4.2	1	1	1.5	1.4	8	19	12.3	26.8	8	4	12.3	5.6
Lima	8	3	16.0	6.0	5	2	10.0	4.0	55	43	110.0	86.0	60	80	120.0	160.0
Lorain	4	3	5.5	4.1	9	5	12.3	6.8	44	69	60.3	93.2	45	49	61.6	66.2
Parma	0	0	.0	.0	0	1	.0	1.1	6	13	6.3	14.1	4	8	4.2	8.7
Springfield	0	2	.0	2.4	5	2	6.1	2.4	113	60	137.8	71.4	92	200	112.2	238.1
Warren	5	23	8.1	36.5	9	14	14.5	22.2	70	106	112.9	168.3	76	74	122.6	117.5
Youngstown	8	14	4.8	8.4	18	15	10.9	9.0	111	179	66.9	107.8	189	294	113.9	177.1
<u>Wisconsin 2/</u>	NA	NA	NA	NA	NA	NA	NA	NA	237	404	24.3	40.0	493	536	50.5	53.1
Green Bay	NA	NA	NA	NA	NA	NA	NA	NA	16	31	11.9	22.5	5	4	3.7	2.9
Kenosha	NA	NA	NA	NA	NA	NA	NA	NA	17	24	15.5	21.4	29	43	26.4	38.4
Madison	NA	NA	NA	NA	NA	NA	NA	NA	45	48	18.3	18.4	169	159	68.7	60.9
Milwaukee County 5/	NA	NA	NA	NA	NA	NA	NA	NA	103	231	31.0	67.5	224	231	67.5	67.5
Racine	NA	NA	NA	NA	NA	NA	NA	NA	56	70	36.4	44.6	66	99	42.9	63.1

1/
 CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
 ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
 BY CITIES WITH 50,000 to 200,000 POPULATION IN 1960

Calendar Years 1964 - 1965

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
REGION VI	49	51	3.3	3.4	37	28	2.6	1.9	1018	831	69.5	56.0	2300	2685	157.0	181.1
Iowa	17	9	3.6	1.9	6	4	1.2	.8	293	208	61.3	43.1	695	1175	145.4	243.3
Cedar Rapids	4	1	4.0	1.0	1	2	1.0	1.9	47	51	46.5	49.5	238	512	235.6	497.1
Council Bluffs	0	0	.0	.0	0	0	.0	.0	27	16	46.6	27.1	10	20	17.2	33.9
Davenport	4	8	4.3	8.5	1	2	1.0	2.1	49	46	52.1	48.9	139	221	147.9	235.1
Dubuque	0	0	.0	.0	0	0	.0	.0	35	17	60.3	28.8	21	36	36.2	61.0
Sioux City	4	0	4.4	.0	4	0	4.4	.0	61	32	67.0	34.8	167	151	183.5	164.1
Waterloo	5	0	6.6	.0	0	0	.0	.0	74	46	97.4	60.5	120	235	157.9	309.2
Kansas 2/	18	9	5.1	2.5	8	10	2.3	2.8	298	281	85.1	78.9	1232	1127	352.0	316.6
Kansas City	16	7	8.1	3.5	4	6	2.0	3.0	222	222	112.1	111.0	1123	985	567.2	492.5
Topeka	2	2	1.3	1.3	4	4	2.6	2.6	76	59	50.0	37.8	109	142	71.7	91.0
Minnesota	2	5	1.9	4.6	1	1	.9	.9	8	11	7.4	10.2	63	60	58.3	55.6
Duluth	2	5	1.9	4.6	1	1	.9	.9	8	11	7.4	10.2	63	60	58.3	55.6
Missouri	3	6	.9	1.8	16	9	5.0	2.8	283	222	87.9	68.3	161	166	50.0	51.1
Independence	0	1	.0	1.1	5	1	5.6	1.1	32	25	36.0	27.5	27	25	30.3	27.5
St. Joseph	0	1	.0	1.3	4	1	5.1	1.3	79	66	100.0	84.6	92	73	116.5	93.6
Springfield	2	2	2.0	2.0	6	6	6.0	5.9	158	122	158.0	119.6	29	52	29.0	51.0
University City	1	2	1.9	3.7	1	1	1.8	1.9	14	9	25.9	16.7	13	16	24.1	29.6
Nebraska	5	21	3.6	14.9	6	3	4.3	2.1	127	99	91.4	70.2	112	127	80.6	90.1
Lincoln	5	21	3.6	14.9	6	3	4.3	2.1	127	99	91.4	70.2	112	127	80.6	90.1
South Dakota	4	1	5.9	1.4	0	1	.0	1.4	9	10	13.2	14.3	37	30	54.4	42.9
Sioux Falls	4	1	5.9	1.4	0	1	.0	1.4	9	10	13.2	14.3	37	30	54.4	42.9
REGION VII	584	621	22.3	23.0	251	286	9.6	10.6	1543	1573	59.0	58.3	8296	8355	317.1	309.7
Arkansas	62	55	24.1	21.2	8	9	3.1	3.5	310	281	120.6	108.1	2378	2071	925.3	796.5
Fort Smith	4	2	6.2	3.0	3	1	4.6	1.5	51	44	78.5	66.7	305	269	469.2	407.6
Little Rock	38	38	29.2	29.5	3	6	2.3	4.7	192	165	147.7	127.9	1411	1110	1085.4	860.5
North Little Rock	20	15	32.3	23.1	2	2	3.2	3.1	67	72	108.1	110.8	662	692	1067.7	1064.6
Louisiana	217	218	47.3	46.7	102	97	22.2	20.8	617	526	134.4	112.6	1487	1648	324.0	352.9
Baton Rouge	44	70	27.2	42.7	14	32	8.6	19.5	169	212	104.3	129.3	261	213	161.1	129.9
Lake Charles	45	49	64.3	69.0	31	33	44.3	46.5	95	104	135.7	146.5	320	392	457.1	552.1
Monroe	31	18	54.4	30.5	45	24	78.9	40.7	150	95	263.2	161.0	146	236	256.1	400.0
Shreveport	97	81	57.1	46.8	12	8	7.0	4.6	203	115	119.4	66.5	760	807	447.1	466.5
Oklahoma 2/	4	4	3.9	3.7	3	1	3.0	.9	50	45	48.5	41.7	220	617	213.6	571.3
Lawton	4	4	3.9	3.7	3	1	3.0	.9	50	45	48.5	41.7	220	617	213.6	571.3
Texas	301	344	16.8	18.5	138	179	7.6	9.6	566	721	31.5	38.7	4211	4019	234.3	215.7
Ablene 2/	4	8	3.5	6.9	4	6	3.5	5.2	18	22	15.7	19.0	144	195	125.2	168.1
Amarillo 2/	12	7	9.4	5.2	1	2	.8	1.5	14	12	11.0	9.0	465	411	381.9	306.7
Austin 2/	54	59	23.1	24.6	31	54	13.2	22.5	92	133	39.3	55.4	367	408	156.8	170.0
Beaumont	39	32	30.5	25.0	6	21	4.7	16.4	47	55	36.7	43.0	123	76	96.1	59.4
Corpus Christi 2/	16	25	8.4	10.6	4	7	2.1	3.0	29	51	15.3	21.6	486	563	255.8	238.6
Galveston	12	12	17.6	17.1	25	8	36.8	11.4	62	85	91.2	121.4	238	257	350.0	329.4
Laredo 2/	0	3	.0	4.4	12	4	17.1	5.9	28	25	40.0	36.8	151	88	215.7	100.0
Lubbock 2/	14	24	7.7	13.3	15	12	8.3	6.6	31	43	17.1	23.8	220	181	121.5	100.0
Midland 2/	43	56	62.3	78.9	3	2	4.4	2.8	48	58	69.6	81.7	200	138	289.9	194.4
Odessa 2/	8	4	8.2	4.2	5	17	5.2	17.9	15	27	15.5	28.4	124	136	127.8	143.2
Fort Arthur	7	13	10.1	18.8	5	5	7.3	7.2	21	35	30.4	50.7	687	570	995.7	826.1
San Angelo 2/	5	22	7.5	31.9	3	6	4.4	8.7	20	32	29.9	46.4	52	30	77.6	43.5
Tyler 2/	30	18	32.6	19.6	17	18	18.5	19.6	64	53	69.6	57.6	251	281	272.8	305.4
Waco 2/	45	57	28.7	35.8	7	9	4.4	5.7	56	74	35.7	46.5	443	470	282.2	295.6
Wichita Falls 2/	12	4	9.0	3.0	0	8	.0	5.9	21	16	15.8	11.9	240	215	180.5	159.3
REGION VIII	17	26	2.4	3.5	17	24	2.4	3.2	210	189	29.8	25.2	514	446	73.0	59.5
Colorado 2/	0	7	.0	2.3	2	8	.7	2.6	102	81	37.9	26.3	153	114	56.9	37.0
Colorado Springs	0	4	.0	2.2	2	3	1.2	1.7	73	25	42.4	14.0	94	26	54.7	14.5
Pueblo	0	3	.0	2.3	0	5	.0	3.9	29	56	29.9	43.4	59	88	60.8	68.2
Montana	6	7	5.1	5.9	3	2	2.5	1.7	35	31	29.7	26.1	89	54	75.4	45.4
Billings	6	3	10.7	5.4	2	1	3.6	1.8	23	19	41.1	33.9	31	24	55.4	42.9
Great Falls	0	4	.0	6.3	1	1	1.6	1.6	12	12	19.4	19.0	58	30	93.5	47.6
Utah	11	12	3.5	3.7	12	14	3.8	4.3	73	77	23.0	23.9	272	278	85.8	86.3
Ogden 2/	2	2	1.6	1.6	2	7	1.7	5.7	9	19	7.4	15.6	50	73	41.0	59.8
Salt Lake City	9	10	4.6	5.0	10	7	5.1	3.5	64	58	32.8	29.0	222	205	113.8	102.5

1/
 CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
 ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
 BY CITIES WITH 50,000 to 200,000 POPULATION IN 1960

Calendar Years 1964 - 1965

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhoea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
REGION IX	401	476	6.3	6.9	305	296	4.8	4.3	2613	2656	41.1	38.6	8750	10306	137.6	149.8
<u>California</u>	357	411	6.8	7.2	279	260	5.3	4.5	2221	2323	42.2	40.5	7583	9004	143.9	156.9
Bakersfield 2/	32	28	10.2	8.6	25	24	7.9	7.4	142	150	45.1	46.0	485	597	154.0	183.1
Berkeley	15	29	13.5	25.4	22	13	19.8	11.4	80	93	72.1	81.6	429	599	386.5	525.4
Fresno 2/	31	43	7.7	10.4	24	24	5.9	5.8	185	218	45.9	52.8	676	737	167.7	178.5
Orange County 2/	50	60	5.1	5.7	39	27	4.0	2.6	177	186	18.2	17.7	809	981	83.1	93.6
Richmond 2/	23	34	4.9	7.1	17	21	3.6	4.4	323	404	68.6	84.3	1187	1451	292.0	302.9
Riverside County 2/	35	39	9.4	9.7	26	19	7.0	4.7	176	173	47.3	42.9	286	339	76.9	84.1
Sacramento 2/	47	67	7.8	10.9	31	32	5.2	5.2	270	203	45.0	33.2	1054	1200	175.7	196.1
San Bernardino 3/	31	25	5.2	4.0	28	29	4.7	4.7	225	317	37.7	51.0	847	971	141.9	156.1
San Mateo 2/	26	19	5.0	3.6	17	23	3.3	4.4	232	204	45.0	38.9	487	522	94.6	99.4
Santa Barbara 3/	11	8	4.9	3.4	7	13	3.1	5.5	107	97	47.8	41.3	99	212	44.2	90.2
Santa Clara County 5/	17	15	3.2	2.8	13	8	2.5	1.5	122	121	23.0	22.5	460	467	86.8	87.0
Stockton 2/	25	30	9.3	11.3	18	16	6.7	6.0	106	95	39.4	35.7	499	641	185.5	211.0
Vallejo 2/	14	14	9.3	8.9	12	11	8.0	7.0	76	62	50.7	39.5	265	287	176.7	182.8
<u>Nevada 2/</u>	40	52	15.2	16.3	22	29	8.3	9.1	323	249	122.3	78.1	610	617	231.1	193.4
Las Vegas	35	47	21.5	22.1	20	25	12.3	11.7	249	185	152.8	86.9	389	420	238.7	197.2
Reno	5	5	5.0	4.7	2	4	2.0	3.8	74	64	73.3	60.4	221	197	218.8	185.8
<u>Oregon 2/</u>	0	1	.0	.5	0	0	.0	.0	1	18	1.7	9.8	40	127	67.8	69.0
Eugene	0	1	.0	.5	0	0	.0	.0	1	18	1.7	9.8	40	127	67.8	69.0
<u>Washington 2/</u>	4	12	1.2	1.9	4	7	1.2	1.1	68	66	20.1	10.3	517	558	153.0	86.9
Spokane	1	0	.5	.0	0	1	.0	.3	34	25	18.5	8.5	153	150	83.2	51.2
Tacoma	3	12	1.9	3.4	4	6	2.6	1.7	34	41	22.1	11.7	364	408	236.4	116.9
SMALL CITY TOTAL 4/	3591	4107	12.7	13.3	2060	2252	7.3	7.3	15915	16783	54.4	52.6	50587	56228	173.1	176.4
LARGE CITY TOTAL	11546	11522	23.6	21.1	11258	11257	23.0	20.7	61783	62463	126.0	114.6	186128	205407	379.8	376.9
UNITED STATES TOTAL	22969	23338	12.1	12.2	17781	17458	9.4	9.1	114335	112842	60.4	58.7	300666	324925	158.8	169.3
<u>Puerto Rico 2/</u>	147	152	33.5	62.0	73	88	16.6	35.9	235	270	53.5	110.2	510	396	116.2	161.6
Mayaguez	50	39	58.1	44.3	16	26	18.6	29.5	74	84	86.0	95.5	92	109	107.0	123.9
Ponce	97	113	63.4	72.0	57	62	37.3	39.5	161	186	105.2	118.5	418	287	273.2	182.8

1/ Population estimates as of December 31, 1963 for cases reported in 1964 and as of December 31, 1964 for cases reported in 1965. Copyright, Sales Management Survey of Buying Power, reproduction not licensed.
 2/ Includes surrounding county both years.
 3/ Includes surrounding county beginning in 1965.
 4/ Primary and Secondary Syphilis Totals and Early Latent Syphilis Totals exclusive of Wisconsin.
 5/ Milwaukee County exclusive of City of Milwaukee. Santa Clara County exclusive of City of San Jose.

Source: Form PHS 9,688 and Special Reports DHEW-PHS-CDC-VD Branch Research and Control Statistics 6/13/66 LBH/MFR:emb

VENEREAL DISEASE EPIDEMIOLOGIC ACTIVITY REPORT
UNITED STATES

January - March 1966

	Number of Patients Interviewed	Number of Contacts Obtained	Contact Index	Number Closed	Number Persons Examined	Number Persons Not Examined	Percent Examined	Brought To Treatment			Proph. or Epi. Treatment	All Other Dispositions	
								Primary & Secondary Syphilis	Early Latent	Other V. D.			
MILITARY:													
Primary & Secondary Syphilis	117	327	2.79	419	315	104	75.2	26	5		1	112	172
Early Latent Syphilis	36	169	4.69	143	106	37	74.1	3		1	3	20	79
Other Syphilis, Gonorrhea, & Other V. D.	1502	1599	1.06	3310	1785	1525	53.9		2		565	845	374
Selectees & Separatees				564	472	92	83.7	19	46	25	8	7	369
TOTAL MILITARY	1655	2095	1.27	4436	2678	1758	60.4	48	53	26	577	984	994
PRIVATE:													
Primary & Secondary Syphilis	1765	5294	3.00	5536	4652	884	84.0	530	231	24	6	1136	2729
Early Latent Syphilis	809	2156	2.67	2308	1905	403	82.5	67	108	9	4	197	1521
Other Syphilis, Gonorrhea, & Other V. D.	2261	1016	.45	1678	1298	380	77.4	1	2	16	479	375	425
TOTAL PRIVATE	4835	8466	1.75	9522	7855	1667	82.5	598	341	49	489	1708	4675
PUBLIC:													
Primary & Secondary Syphilis	3067	11052	3.60	12970	10664	2306	82.2	1049	486	34	21	3051	6036
Early Latent Syphilis	1872	6093	3.25	7253	5625	1628	77.6	188	272	26	6	714	4422
Other Syphilis, Gonorrhea, & Other V. D.	12754	10595	.83	8722	6371	2351	73.0	5	5		2991	2190	1190
Survey Positive STS				2420	2090	330	86.4	90	92	251	138	9	1510
Other Cases				1590	1205	385	75.8	77	58	49	57	14	950
Cluster S and A	3204	10009	3.12	16548	14223	2325	85.9	292	184	57	28	429	13234
TOTAL PUBLIC	20897	37749	1.81	49503	40178	9325	81.2	1701	1097	417	3241	6407	27342
OTHER POSITIVE STS				39055	33195	5860	85.0	1418	1262	3653	2020	383	24466
TOTAL CASE LOAD	27387	48310	1.76	102516	83906	18610	81.8	3765	2753	4145	6327	9482	57477
ALL CONTACTS	24183	38301	1.58	42339	32721	9618	77.3	1869	1111	110	4076	8640	16948
ALL OTHER SUSPECTS	3204	10009	3.12	60177	51185	8992	85.1	1896	1642	4035	2251	842	40529

Source: Form PHS 9.2127
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
8/2/66 MFR;emb

CASES OF SYPHILIS BROUGHT TO TREATMENT AND YIELD ^{1/}
PER 1,000 CONTACTS AND SUSPECTS EXAMINED

UNITED STATES
January - March 1966

	Examined	Brought To Treatment									
		Syphilis						Other			
		Primary and Secondary		Early Latent		Other		Venereal Diseases		Prophylactic Treatment	
	Number	Yield	Number	Yield	Number	Yield	Number	Yield	Number	Yield	
<u>Type of Suspect:</u>											
<u>Contacts to Primary & Secondary Syphilis</u>											
Military Cases	315	26	83	5	16	0	0	1	3	112	356
Private Cases	4652	530	114	231	50	24	5	6	1	1136	224
Public Cases	10664	1049	98	486	46	34	3	21	2	3051	286
Total Cases	15631	1605	103	722	46	58	4	28	2	4299	275
<u>Contacts to Early Latent Syphilis</u>											
Military Cases	106	3	28	0	0	1	9	3	28	20	189
Private Cases	1905	67	35	108	57	9	5	4	2	197	103
Public Cases	5625	188	33	272	48	26	5	6	1	714	127
Total Cases	7636	258	34	380	50	36	5	13	2	931	122
<u>Contacts to Other Venereal Diseases ^{2/}</u>											
Military Cases	1785	0	0	2	1	0	0	565	317	845	473
Private Cases	1298	1	1	2	2	16	12	479	369	375	289
Public Cases	6371	5	1	5	1	0	0	2991	469	2190	344
Total Cases	9454	6	1	9	1	16	2	4035	427	3410	361
<u>Cluster Suspects and Associates</u>	14223	292	21	184	13	57	4	28	2	429	30
<u>Selectees and Separatees</u>	472	19	40	46	97	25	53	8	17	7	15
<u>All Other Suspects ^{3/}</u>	36490	1585	43	1412	39	3953	108	2215	61	406	11
<u>Total Case Load</u>	83906	3765	45	2753	33	4145	49	6327	75	9482	113

^{1/} Number of Cases Brought to Treatment per 1,000 examined.
^{2/} Includes Late and Late Latent Syphilis, Gonorrhoea, Chancroid, Granuloma Inguinale, and Lymphogranuloma Venereum.
^{3/} Mostly Private and Public Patients with reactive tests for Syphilis.

Source: PHS 9.2127
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
8/2/66 MFR:emb

CONTACTS OBTAINED FROM PRIVATE AND PUBLIC PRIMARY AND SECONDARY SYPHILIS PATIENTS
ALL AREAS REPORTING

January - March 1966

States By DHEW Regions	PRIMARY AND SECONDARY SYPHILIS											
	Private Cases						Public Cases					
	Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED		
				Number	Number Per Case Reported	Number Per Case Interviewed				Number	Number Per Case Reported	Number Per Case Interviewed
Connecticut	19	19	100.0	33	1.74	1.74	13	13	100.0	16	1.23	1.23
Maine	1	1	100.0	1	1.00	1.00	1	1	100.0	1	1.00	1.00
Massachusetts	27	8	29.6	5	.19	.63	69	38	55.1	51	.74	1.34
New Hampshire	4	4	100.0	8	2.00	2.00	0	0	-	-	-	-
Rhode Island	4	3	75.0	2	.50	.67	1	1	100.0	3	3.00	3.00
Vermont	1	1	100.0	2	2.00	2.00	0	0	-	-	-	-
REGION I TOTAL	56	36	64.3	51	.91	1.42	84	53	63.1	71	.85	1.34
Delaware	5	5	100.0	21	4.20	4.20	1	1	100.0	3	3.00	3.00
New Jersey	78	67	85.9	139	1.78	2.07	86	86	100.0	299	3.48	3.48
New York	388	279	71.9	708	1.82	2.54	442	402	91.0	1099	2.49	2.73
Pennsylvania	53	51	96.2	169	3.19	3.31	76	76	100.0	265	3.49	3.49
REGION II TOTAL	524	402	76.7	1037	1.98	2.58	605	565	93.4	1666	2.75	2.95
District of Columbia	17	17	100.0	45	2.65	2.65	91	91	100.0	284	3.12	3.12
Kentucky	24	24	100.0	66	2.75	2.75	13	12	92.3	52	4.00	4.33
Maryland	54	46	85.2	108	2.00	2.35	81	81	100.0	224	2.77	2.77
North Carolina	90	90	100.0	284	3.16	3.16	159	159	100.0	727	4.57	4.57
Virginia	28	28	100.0	92	3.29	3.29	47	47	100.0	175	3.72	3.72
West Virginia	9	8	88.9	29	3.22	3.63	9	9	100.0	57	6.33	6.33
REGION III TOTAL	222	213	95.9	624	2.81	2.93	400	399	99.8	1519	3.80	3.81
Alabama	76	76	100.0	290	3.82	3.82	217	217	100.0	913	4.21	4.21
Florida	178	173	97.2	523	2.94	3.02	282	280	99.3	1031	3.66	3.66
Georgia	67	67	100.0	241	3.60	3.60	208	207	99.5	922	4.43	4.43
Mississippi	21	20	95.2	71	3.38	3.55	143	142	99.3	593	4.15	4.15
South Carolina	115	115	100.0	526	4.57	4.57	117	114	97.4	599	5.12	5.25
Tennessee	23	23	100.0	147	6.39	6.39	52	44	84.6	254	4.88	5.77
REGION IV TOTAL	480	474	98.8	1798	3.75	3.79	1019	1004	98.5	4312	4.23	4.29
Illinois	84	81	96.4	199	2.37	2.46	229	223	97.4	652	2.85	2.92
Indiana	9	1	11.1	6	.67	6.00	9	9	100.0	24	2.67	2.67
Michigan	100	97	97.0	247	2.47	2.55	140	137	97.9	434	3.10	3.17
Ohio	60	59	98.3	165	2.75	2.80	79	79	100.0	380	4.81	4.81
Wisconsin	9	5	55.6	26	2.89	5.20	18	18	100.0	78	4.33	4.33
REGION V TOTAL	262	243	92.7	643	2.45	2.65	475	466	98.1	1568	3.30	3.36
Iowa	12	12	100.0	37	3.08	3.08	8	8	100.0	14	1.75	1.75
Kansas	6	5	83.3	17	2.83	3.40	6	6	100.0	30	5.00	5.00
Minnesota	3	2	66.7	4	1.33	2.00	3	2	66.7	12	4.00	6.00
Missouri	29	29	100.0	83	2.86	2.86	31	31	100.0	158	5.10	5.10
Nebraska	7	7	100.0	32	4.57	4.57	2	2	100.0	7	3.50	3.50
North Dakota	4	4	100.0	20	5.00	5.00	0	0	-	-	-	-
South Dakota	10	10	100.0	33	3.30	3.30	6	5	83.3	6	1.00	1.20
REGION VI TOTAL	71	69	97.2	226	3.18	3.28	56	54	96.4	227	4.05	4.20
Arkansas	23	23	100.0	87	3.78	3.78	30	30	100.0	168	5.60	5.60
Louisiana	44	44	100.0	154	3.50	3.50	127	127	100.0	517	4.07	4.07
New Mexico	6	6	100.0	20	3.33	3.33	16	15	93.8	40	2.50	2.67
Oklahoma	16	16	100.0	46	2.88	2.88	24	22	91.7	96	4.00	4.36
Texas	163	163	100.0	402	2.47	2.47	231	231	100.0	738	3.19	3.19
REGION VII TOTAL	252	252	100.0	709	2.81	2.81	428	425	99.3	1559	3.64	3.67
Colorado	11	10	90.9	39	3.55	3.90	2	2	100.0	20	10.00	10.00
Idaho	0	0	-	-	-	-	0	0	-	-	-	-
Montana	7	7	100.0	18	2.57	2.57	0	0	-	-	-	-
Utah	4	4	100.0	14	3.50	3.50	0	0	-	-	-	-
Wyoming	0	0	-	-	-	-	0	0	-	-	-	-
REGION VIII TOTAL	22	21	95.5	71	3.23	3.38	4	4	100.0	33	8.25	8.25
Alaska	1	0	.0	-	-	-	1	1	100.0	2	2.00	2.00
Arizona	18	18	100.0	51	2.83	2.83	27	26	96.3	59	2.19	2.27
California	4	2	50.0	12	3.00	6.00	3	2	66.7	4	1.33	4.00
Hawaii	0	0	-	-	-	-	1	1	100.0	3	1.50	1.50
Nevada	0	0	-	-	-	-	2	3	100.0	13	4.33	4.33
Oregon	8	8	100.0	48	6.00	6.00	3	3	100.0	16	1.33	1.60
Washington	3	3	100.0	20	6.67	6.67	12	10	83.3	16	2.00	2.00
REGION IX TOTAL	34	31	91.2	131	3.85	4.23	48	43	89.6	97	2.02	2.26
U. S. TOTAL ^{1/}	1923	1741	90.5	5290	2.75	3.04	3119	3013	96.6	11052	3.54	3.67
Puerto Rico	31	20	64.5	50	1.61	2.50	210	210	100.0	873	4.16	4.16
REGION III TOTAL (incl Puerto Rico)	253	233	92.1	674	2.66	2.89	610	609	99.8	2392	3.92	3.93
U. S. & TERRITORY ^{1/}	1954	1761	90.1	5340	2.73	3.03	3329	3223	96.8	11925	3.58	3.70
Cities (incl above)												
New York	312	203	65.1	461	1.48	2.27	409	370	90.5	996	2.44	2.69
Philadelphia	16	16	100.0	43	2.69	2.69	51	51	100.0	155	3.04	3.04
Baltimore	31	24	77.4	52	1.68	2.17	70	70	100.0	184	2.63	2.63
Chicago	52	50	96.2	126	2.42	2.52	207	206	99.5	592	2.89	2.91

Source: Forms PHS 9, 2127 and PHS 9, 688
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
8/1/66 MFR:emb

^{1/} A minor difference will be noted between the number interviewed from the number interviewed on other tables because of adjustments of data for administrative reasons.

CONTACTS OBTAINED FROM PRIVATE AND PUBLIC EARLY LATENT SYPHILIS PATIENTS
ALL AREAS REPORTING

January - March 1966

States By DHEW Regions	EARLY LATENT SYPHILIS											
	Private Cases						Public Cases					
	Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED		
				Number	Number Per Case Reported	Number Per Case Interviewed				Number	Number Per Case Reported	Number Per Case Interviewed
Connecticut	17	17	100.0	29	1.71	1.71	22	22	100.0	68	3.09	3.09
Maine	4	3	75.0	7	1.75	2.33	0	0	-	-	-	-
Massachusetts	13	3	23.0	5	.38	1.67	61	33	54.1	55	.90	1.67
New Hampshire	1	0	.0	-	-	-	0	0	-	-	-	-
Rhode Island	2	0	.0	-	-	-	3	1	33.3	0	.00	.00
Vermont	1	1	100.0	2	2.00	2.00	0	0	-	-	-	-
REGION I TOTAL	38	24	63.2	43	1.13	1.79	86	56	65.1	123	1.43	2.20
Delaware	4	4	100.0	8	2.00	2.00	3	3	100.0	8	2.67	2.67
New Jersey	35	31	88.6	72	2.06	2.32	90	73	81.1	221	2.46	3.03
New York	402	188	46.8	446	1.11	2.37	650	316	48.6	802	1.23	2.54
Pennsylvania	26	19	73.1	54	2.08	2.84	37	35	94.6	101	2.73	2.89
REGION II TOTAL	467	242	51.8	580	1.24	2.40	780	427	54.7	1132	1.45	2.65
District of Columbia	16	9	56.3	21	1.31	2.33	76	73	96.1	201	2.64	2.75
Kentucky	5	2	40.0	16	3.20	8.00	4	3	75.0	11	2.75	3.67
Maryland	27	9	33.3	15	.56	1.67	88	85	96.6	216	2.45	2.54
North Carolina	22	18	81.8	53	2.41	2.94	63	63	100.0	260	4.13	4.13
Virginia	15	11	73.3	29	1.93	2.64	37	33	89.2	178	4.81	5.39
West Virginia	3	3	100.0	12	4.00	4.00	2	2	100.0	7	3.50	3.50
REGION III TOTAL	88	52	59.1	146	1.66	2.81	270	259	95.9	873	3.12	3.37
Alabama	28	28	100.0	65	2.32	2.32	56	56	100.0	220	3.93	3.93
Florida	53	52	98.1	125	2.36	2.40	175	173	98.9	581	3.32	3.36
Georgia	39	36	92.3	129	3.31	3.58	109	109	100.0	416	3.82	3.82
Mississippi	8	8	100.0	50	6.25	6.25	30	28	93.3	122	4.07	4.36
South Carolina	50	22	44.0	110	2.20	5.00	46	32	69.6	157	3.41	4.91
Tennessee	10	10	100.0	41	4.10	4.10	17	17	100.0	68	4.00	4.00
REGION IV TOTAL	188	156	83.0	520	2.77	3.33	433	415	95.8	1564	3.61	3.77
Illinois	96	64	66.7	114	1.19	1.78	222	209	94.1	629	2.83	3.01
Indiana	32	0	.0	-	-	-	11	3	27.3	7	.64	2.33
Michigan	42	22	52.4	55	1.31	2.50	68	47	69.1	175	2.57	3.72
Ohio	70	38	54.3	166	2.37	4.32	66	13	19.7	46	.70	3.54
Wisconsin	8	0	.0	-	-	-	10	7	70.0	28	2.80	4.00
REGION V TOTAL	248	124	50.0	333	1.34	2.69	377	279	74.0	885	2.35	3.17
Iowa	9	4	44.4	4	.44	1.00	1	1	100.0	1	1.00	1.00
Kansas	3	3	100.0	8	2.67	2.67	4	3	75.0	10	2.50	3.33
Minnesota	8	4	50.0	5	.63	1.25	4	3	75.0	8	2.00	2.67
Missouri	16	16	100.0	36	2.25	2.25	26	26	100.0	75	2.88	2.88
Nebraska	5	4	80.0	21	4.20	5.25	1	0	.0	-	-	-
North Dakota	0	0	-	-	-	-	0	0	-	-	-	-
South Dakota	1	1	100.0	4	4.00	4.00	8	7	87.5	12	1.50	1.71
REGION VI TOTAL	42	32	76.2	78	1.86	2.44	44	40	90.9	106	2.41	2.65
Arkansas	3	3	100.0	10	3.33	3.33	13	13	100.0	70	5.38	5.38
Louisiana	18	18	100.0	77	4.28	4.28	98	96	98.0	428	4.37	4.46
New Mexico	2	1	50.0	2	1.00	2.00	11	7	63.6	20	1.82	2.86
Oklahoma	13	11	84.6	39	3.00	3.55	22	20	90.9	81	3.68	4.05
Texas	122	122	100.0	284	2.33	2.33	206	206	100.0	649	3.15	3.15
REGION VII TOTAL	158	155	98.1	412	2.61	2.66	350	342	97.7	1248	3.57	3.65
Colorado	6	5	83.3	16	2.67	3.20	3	3	100.0	8	2.67	2.67
Idaho	0	0	-	-	-	-	0	0	-	-	-	-
Montana	1	0	.0	-	-	-	0	0	-	-	-	-
Utah	3	1	33.3	1	.33	1.00	2	2	100.0	4	2.00	2.00
Wyoming	0	0	-	-	-	-	0	0	-	-	-	-
REGION VIII TOTAL	10	6	60.0	17	1.70	2.83	5	5	100.0	12	2.40	2.40
Alaska	0	0	-	-	-	-	2	1	50.0	5	2.50	5.00
Arizona	9	7	77.8	12	1.33	1.71	18	18	100.0	55	3.06	3.06
California	1	NA	-	-	-	-	NA	NA	-	-	-	-
Hawaii	1	0	.0	-	-	-	2	1	50.0	1	.50	1.00
Nevada	0	0	-	-	-	-	2	2	100.0	10	5.00	5.00
Oregon	2	2	100.0	6	3.00	3.00	7	7	100.0	40	5.71	5.71
Washington	4	4	100.0	7	1.75	1.75	7	7	100.0	31	4.43	4.43
REGION IX TOTAL	16	13	81.3	25	1.56	1.92	38	36	94.7	142	3.74	3.94
U. S. TOTAL 1/	1255	804	64.1	2154	1.72	2.68	2383	1859	78.0	6085	2.55	3.27
Puerto Rico	11	2	18.2	4	.36	2.00	161	91	56.5	295	1.83	3.24
REGION III TOTAL (incl Puerto Rico)	99	54	54.5	150	1.52	2.78	431	350	81.2	1168	2.71	3.34
U. S. & TERRITORY 1/	1266	806	63.7	2158	1.70	2.68	2544	1950	76.7	6380	2.51	3.27
Cities (incl above)												
New York	351	138	39.3	306	.87	2.22	632	297	47.0	744	1.18	2.51
Philadelphia	6	5	83.3	11	1.83	2.20	24	24	100.0	51	2.13	2.13
Baltimore	17	5	29.4	6	.35	1.20	69	66	95.7	158	2.29	2.39
Chicago	58	39	67.2	66	1.14	1.69	200	196	98.0	596	2.98	3.04

1/ A minor difference will be noted between the number interviewed from the number interviewed on other tables because of adjustments of data for administrative reasons.

Source: Forms PHS 9-2127 and PHS 9-688
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
8/2/66 MFR:emb

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
CONTACTS AND OTHER SUSPECTS AMONG PRIVATE AND PUBLIC PATIENTS

ALL AREAS REPORTING

January - March 1966

States By DHEW Regions	CONTACTS OF PRIVATE CASES						CONTACTS OF PUBLIC CASES						ALL SOURCES			
	Primary and Secondary Syphilis		Early Latent Syphilis		Other Syphilis, Gonorrhea, and Other VD		Primary and Secondary Syphilis		Early Latent Syphilis		Other Syphilis, Gonorrhea, and Other VD		Total Contacts 1/		Total Suspects 2/	
	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined
Connecticut	30	83.3	14	78.6	38	76.3	56	82.1	65	70.8	144	69.4	372	72.8	403	96.0
Maine	1	100.0	1	100.0	48	54.2	1	100.0	5	80.0	3	33.3	84	54.8	109	98.2
Massachusetts	27	74.1	10	50.0	33	60.6	65	69.2	61	63.9	368	69.0	724	64.1	146	80.8
New Hampshire	2	100.0	0	-	3	75.0	0	-	0	-	0	-	31	80.6	32	59.4
Rhode Island	2	100.0	0	-	3	66.7	3	100.0	0	-	6	16.7	43	41.9	37	56.8
Vermont	1	100.0	0	-	72	81.2	0	-	0	-	0	-	73	82.2	21	76.2
REGION I TOTAL	63	81.0	25	68.0	214	70.6	125	76.0	131	67.9	521	68.3	1327	66.6	748	89.3
Delaware	18	83.3	12	100.0	3	66.7	10	100.0	11	72.7	49	77.6	117	80.3	252	88.5
New Jersey	155	81.9	82	75.6	0	-	293	77.8	247	75.3	0	-	801	77.0	1916	81.7
New York	642	82.4	470	85.1	36	94.4	1351	76.2	1125	79.3	484	81.6	4177	79.3	7014	73.6
Pennsylvania	137	86.1	52	92.3	5	100.0	308	82.5	119	75.6	19	63.2	693	80.1	2920	85.7
REGION II TOTAL	952	82.9	616	84.7	44	93.2	1962	77.5	1502	78.3	552	80.6	5768	79.1	12102	78.1
District of Columbia	68	86.8	29	72.4	0	-	331	81.6	174	83.3	126	65.9	803	74.2	1535	86.3
Kentucky	71	90.1	13	76.9	16	81.3	17	74.5	24	54.2	132	97.7	372	77.2	744	89.1
Maryland	103	83.5	30	83.3	4	25.0	270	76.7	218	74.3	701	53.6	1379	65.0	1036	80.8
North Carolina	274	85.8	36	91.7	20	70.0	684	87.1	261	83.9	263	77.2	1867	77.8	1617	92.9
Virginia	111	76.6	33	87.9	44	84.1	212	77.3	219	69.9	84	72.1	1133	71.7	1358	86.1
West Virginia	9	88.9	14	78.6	12	66.7	48	77.1	8	75.0	25	48.0	128	66.4	977	79.9
REGION III TOTAL	636	84.4	155	83.2	96	76.0	1662	82.0	904	77.2	2094	67.5	6382	72.6	7297	86.4
Alabama	278	91.0	83	92.8	10	40.0	819	92.7	262	88.2	125	81.6	1656	89.1	1268	94.6
Florida	858	77.2	256	75.4	11	63.6	1940	76.7	846	72.5	162	73.5	4327	75.7	4533	85.4
Georgia	236	89.4	160	83.1	17	88.2	1006	88.4	490	84.3	83	88.0	2339	82.9	3176	94.4
Mississippi	70	87.1	41	85.4	3	100.0	627	90.9	193	87.0	28	67.9	1007	86.2	1965	94.3
South Carolina	529	94.5	88	96.6	1	100.0	674	93.5	170	92.4	46	95.7	1575	93.1	1714	97.9
Tennessee	203	90.1	69	82.6	76	97.4	312	92.3	107	80.4	1116	79.9	2037	82.8	2669	93.7
REGION IV TOTAL	2174	86.0	697	83.2	118	87.3	5378	86.7	2068	80.7	1560	80.1	12941	82.9	11825	92.1
Illinois	177	80.2	119	73.9	251	78.5	872	74.4	769	68.5	369	64.0	2699	71.2	5092	71.8
Indiana	12	83.3	4	100.0	61	80.3	20	45.0	12	41.7	301	65.8	457	67.8	1156	79.5
Michigan	295	78.0	13	75.3	87	56.3	500	76.0	226	67.3	203	71.4	1528	71.5	4268	87.2
Ohio	82	51.2	17	58.3	35	57.1	390	70.3	155	62.6	221	65.2	949	63.5	2291	75.6
Wisconsin	23	100.0	3	33.3	45	82.2	63	93.7	28	67.9	91	93.4	264	88.6	315	90.5
REGION V TOTAL	549	75.8	236	73.3	479	73.5	1835	74.3	1190	67.2	1265	68.4	5997	70.5	12122	78.6
Iowa	43	58.1	8	75.0	209	86.6	21	95.2	1	100.0	69	82.6	362	82.3	238	91.6
Kansas	19	88.9	3	100.0	0	-	32	68.8	11	63.6	77	59.7	206	67.5	420	91.0
Minnesota	12	91.7	10	89.5	34	70.6	20	90.0	12	75.0	37	70.3	140	79.3	627	96.7
Missouri	135	84.4	38	94.7	30	70.0	169	86.2	77	88.3	260	66.9	807	76.5	1391	81.5
Nebraska	22	95.5	18	100.0	58	82.8	10	50.0	11	27.3	14	64.3	90	72.0	249	95.8
North Dakota	19	89.5	3	66.7	63	96.8	0	-	0	-	0	-	89	77.5	48	100.0
South Dakota	33	93.9	4	50.0	1	100.0	6	100.0	12	100.0	12	33.3	89	77.7	362	94.4
REGION VI TOTAL	273	83.2	93	90.3	402	84.6	278	84.2	124	80.6	469	67.4	1877	77.7	3062	89.2
Arkansas	65	92.3	12	83.3	2	100.0	157	89.8	56	83.9	12	100.0	317	89.3	1211	94.2
Louisiana	178	91.0	79	92.4	17	88.2	541	88.5	438	88.1	334	89.2	1156	87.7	2854	93.1
New Mexico	17	94.1	4	75.0	3	100.0	60	90.0	29	93.1	3	100.0	119	85.9	887	95.9
Oklahoma	46	82.6	27	85.2	18	83.3	94	87.2	65	90.8	221	90.5	609	70.5	492	93.5
Texas	399	85.0	296	80.7	31	74.2	717	77.3	593	79.1	688	83.0	2904	79.9	2338	85.3
REGION VII TOTAL	705	87.2	418	83.3	71	81.7	1569	83.5	1181	83.7	1258	86.2	5865	81.9	7792	91.6
Colorado	22	68.2	11	63.6	18	50.0	7	42.9	9	66.7	183	57.9	286	57.3	18	55.6
Idaho	3	0	2	100.0	92	84.8	4	75.0	5	80.0	63	76.2	171	79.5	11	45.5
Montana	17	88.2	2	50.0	11	54.5	6	100.0	0	-	11	36.4	56	66.1	19	94.7
Utah	14	78.6	10	80.0	31	83.9	0	-	4	100.0	42	100.0	106	88.7	42	83.3
Wyoming	1	100.0	2	100.0	2	50.0	1	100.0	0	-	2	100.0	12	66.7	55	90.9
REGION VIII TOTAL	57	73.7	27	74.1	154	77.9	18	72.2	18	77.8	301	67.1	631	69.6	145	61.4
Alaska	2	50.0	0	-	18	16.7	3	33.3	6	100.0	167	60.5	266	48.1	1	100.0
Arizona	41	85.4	7	85.7	7	57.1	77	72.7	46	60.9	98	75.5	311	71.1	1253	76.9
California	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	6	66.7	1	100.0	11	81.8	7	85.7	7	42.9	4	100.0	99	68.7	28	65.7
Nevada	11	63.6	0	-	0	-	0	-	2	100.0	14	100.0	34	38.2	111	64.9
Oregon	38	92.1	6	83.3	27	51.9	34	76.5	27	88.9	151	49.0	299	61.9	315	92.5
Washington	29	79.3	27	74.1	37	81.1	22	54.5	47	74.5	268	69.8	622	67.5	346	63.6
REGION IX TOTAL	127	82.7	41	78.0	100	60.0	143	70.6	135	68.1	702	62.7	1631	63.5	2084	76.7
U. S. TOTAL	5536	84.0	2308	82.5	1678	77.4	12970	82.2	7253	77.6	8722	73.0	42339	77.3	60177	85.1
Puerto Rico	61	82.0	8	75.0	0	-	864	79.1	269	78.4	0	-	1367	74.2	2470	82.0
REGION III TOTAL (incl Puerto Rico)	697	84.2	163	82.8	96	76.0	2526	81.0	1173	77.5	2094	67.5	7749	72.8	9767	85.3
U. S. & TERRITORY	5597	84.0	2316	82.5	1678	77.4	13834	82.0	7522	77.6	8722	73.0	43706	77.2	62647	84.9
Cities (incl above)																
New York	463	80.3	346	85.0	34	94.1	1189	76.5	1051	79.6	132	89.4	3256	79.4	5741	72.1
Philadelphia	52	80.8	12	83.3	2	100.0	188	82.4	74	67.6	6	100.0	344	78.8	1330	84.8
Baltimore	50	78.0	21	85.7	0	-	204	77.0	172	74.4	679	53.5	1137	62.9	320	84.1
Chicago	99	73.7	74	73.0	4	100.0	804	74.6	721	69.5	297	61.6	2070	70.1	3881	66.4

Source: Form PHS 9,2127
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
8/2/66 MFR:emb

RESULTS OF FOLLOW-UP OF SEROLOGIC REACTORS FROM PROJECT AREAS - CUMULATIVE FOR JULY - MARCH FISCAL YEAR 1966

Areas	REACTORS			TYPE OF CLOSURE					CLOSED BY VOLUNTARY REPORT, AFTER MD CONTACT, AND BY FIELD INVESTIGATION					
	Total Reported	Total Closed	Percent Closed 1/	(Percent of Total Closed)					Disposition (percent of Total)					
				Admini- strative	Record Search	Volun. Report	After MD Contact	Field Invest.	Total Number	Primary/ Secondary	Early Latent	Other Syphilis	Not Infected	All Other Dispositions
Connecticut	5857	5463	93.3	32.7	41.9	3.6	20.6	1.2	1387	6.1	9.0	26.1	51.7	7.1
Maine	937	842	89.9	17.7	37.9	.1	44.3	.0	374	.3	.8	37.7	33.7	27.5
Vermont	514	359	69.8	43.5	39.3	10.6	6.1	.6	62	3.2	4.8	22.6	48.4	21.0
REGION I TOTAL	7308	6664	91.2	31.4	41.2	3.5	22.8	1.1	1823	4.8	7.2	28.4	47.9	11.7
Delaware	2169	2216	102.2	5.6	63.7	1.2	10.7	18.8	681	2.3	2.5	50.4	22.6	22.2
New Jersey	15215	15215	100.0	10.7	62.7	.9	9.1	16.5	4040	5.4	6.0	17.8	36.8	34.0
New York (Upstate)	13105	11570	88.3	14.5	53.2	2.8	27.8	1.7	3729	8.3	4.6	23.6	35.1	28.4
New York City	81391	79267	97.4	60.6	22.6	3.0	9.6	4.3	13324	8.0	11.4	39.1	15.7	25.8
Pennsylvania (excl Phila)	13053	10688	81.9	26.5	36.5	4.1	30.5	2.3	3946	1.1	1.8	38.7	49.7	8.7
Philadelphia	10975	10301	93.9	6.3	59.3	5.0	11.1	18.2	3540	4.0	1.6	34.5	34.3	25.6
REGION II TOTAL	135908	129257	95.1	42.5	34.8	2.9	13.0	6.7	29260	6.1	7.1	33.9	28.1	24.9
Dist of Columbia	12099	11377	94.0	14.3	54.7	13.7	7.7	9.5	3517	4.5	4.5	16.8	40.8	33.4
Kentucky	7523	7137	94.9	6.9	61.1	.6	27.2	4.1	2279	1.9	1.9	45.9	39.1	11.3
Maryland(excl Balto)	3581	3194	89.2	47.6	3	.0	.2	51.9	1665	2.6	2.7	47.9	17.2	29.5
Baltimore	5347	5125	95.8	17.2	54.0	1.7	14.1	12.9	1474	4.7	5.2	38.7	15.7	35.5
North Carolina	13787	8714	63.2	30.5	42.6	4.4	16.4	6.1	2340	11.9	7.4	27.9	45.6	7.1
Virginia	11357	11903	104.7	20.3	53.8	10.0	8.1	7.8	3077	4.7	4.5	44.8	31.0	15.0
West Virginia	7225	7060	97.7	1.2	59.2	.5	33.3	5.8	2792	1.8	1.0	42.5	30.8	24.0
Puerto Rico	9562	9296	97.2	60.6	7.5	.0	4.4	27.5	2966	6.3	4.9	10.0	9.3	69.5
Virgin Islands	671	644	96.0	23.0	16.8	.0	14.9	45.3	388	5.4	39.7	54.9	.0	.0
REGION III TOTAL	71162	64450	90.6	21.7	46.5	5.1	13.7	13.0	20498	4.9	4.7	32.8	29.3	29.3
Alabama	15837	8561	54.1	42.6	27.5	.0	23.5	6.4	2552	9.9	6.0	7.6	22.8	53.6
Florida	28666	23329	81.4	46.2	25.3	.2	17.3	11.0	6640	7.5	4.6	8.1	25.0	54.7
Georgia	22790	22740	99.8	57.5	25.2	.0	8.8	8.5	3933	8.9	9.0	65.0	13.8	3.3
Mississippi	7102	7008	98.7	1.8	81.5	.7	7.1	8.9	1170	17.1	5.0	23.0	35.1	19.7
South Carolina	11166	9871	88.4	13.1	65.7	3.5	3.4	14.3	2089	9.4	6.6	12.9	32.3	38.8
Tennessee	16337	14530	88.9	7.6	63.6	2.1	16.8	9.9	4185	3.6	2.4	17.1	19.0	57.9
REGION IV TOTAL	101300	86039	84.9	34.9	41.2	.9	13.1	9.9	20569	8.0	5.4	22.1	22.7	41.8
Illinois (Downstate)	14318	10967	76.6	43.8	29.7	5.4	2.9	18.3	2912	4.1	5.3	32.4	44.2	14.0
Chicago 2/	34712	32491	93.6	41.2	30.9	1.9	13.8	12.2	9091	3.6	5.3	40.5	24.0	26.5
Michigan 3/	24701	27943	113.1	11.0	60.3	3.9	19.9	4.9	8005	3.6	2.7	31.2	51.8	10.7
Ohio	22634	21075	93.1	26.3	43.6	.0	24.6	5.5	6347	3.7	6.3	40.3	49.7	.0
Wisconsin 3/	6434	5930	92.6	12.9	60.1	7.3	19.4	.2	1600	1.6	3.4	41.7	51.6	1.6
REGION V TOTAL	102769	98406	95.8	28.0	43.6	2.8	17.0	8.6	27955	3.6	4.7	37.0	41.5	13.2
Iowa	3394	3406	100.4	.4	53.5	31.7	13.4	1.1	1573	1.0	.4	26.8	52.2	19.6
Kansas	2936	2724	92.8	.4	49.6	.2	49.7	.0	1361	1.6	2.8	33.6	51.1	10.9
Minnesota	3433	3436	100.1	18.7	53.8	.0	23.6	3.9	945	7.3	3.6	11.3	50.6	27.2
Missouri	8944	9130	101.5	14.1	41.8	18.3	16.6	9.1	4020	1.5	2.5	45.1	26.5	24.3
Nebraska	1634	1482	90.7	15.9	40.9	17.1	16.1	10.0	640	11.1	3.4	31.9	30.0	23.6
North Dakota	260	195	75.0	3.6	53.8	.0	42.6	.0	83	.0	1.2	4.8	81.9	12.0
South Dakota	889	843	94.8	4.0	65.8	2.1	25.5	2.5	254	5.1	3.9	14.2	65.7	11.0
REGION VI TOTAL	21540	21216	98.5	10.5	47.6	14.3	22.0	5.5	8876	2.8	2.4	34.3	39.3	21.2
Arkansas	8895	5440	61.2	10.3	45.0	8.2	13.2	23.3	2430	1.4	.6	39.4	49.2	9.3
Louisiana	10161	9918	97.6	.8	41.8	.6	24.6	32.2	5694	3.0	2.9	23.3	35.7	35.1
New Mexico	3740	4085	109.2	6.2	30.8	.0	54.7	8.3	2574	1.8	3.1	17.4	70.3	7.3
Oklahoma	4669	4795	102.7	38.6	22.0	.7	26.9	11.7	1886	3.0	4.8	47.8	38.1	6.3
Texas 4/	12357	12512	101.3	7.8	45.3	7.2	10.9	28.8	5873	4.3	6.8	37.4	31.4	20.1
REGION VII TOTAL	39822	36750	92.3	10.1	39.7	3.9	21.9	24.4	18457	3.1	4.1	31.6	41.2	20.1
Colorado	2644	2800	105.9	28.9	33.5	1.8	28.1	7.8	1054	3.3	3.1	27.2	46.5	19.8
Idaho	459	408	88.9	41.2	42.2	.2	15.4	1.0	68	2.9	1.5	1.5	14.7	79.4
Montana	766	648	84.6	13.4	61.0	4.2	19.9	1.5	166	7.8	3.0	41.6	37.3	10.2
Utah	1076	971	90.2	1.4	51.0	.4	46.2	.9	462	2.4	3.7	31.6	35.9	26.4
Wyoming	347	332	95.7	11.1	27.7	.6	56.6	3.9	203	2.5	.5	31.5	53.2	12.3
REGION VIII TOTAL	5312	5159	97.1	21.6	40.6	1.6	31.3	4.9	1953	3.4	2.9	29.0	42.8	21.9
Alaska	279	243	87.1	7.0	36.2	.0	56.4	.4	138	.0	1.4	12.3	67.4	18.8
Arizona	4534	4595	101.3	4.7	53.4	.1	28.2	13.5	1925	2.6	2.7	10.9	36.5	47.3
California 4/	20891	17751	85.0	20.6	44.6	9.6	20.4	4.7	6164	2.7	3.2	29.6	54.4	10.1
Los Angeles County	27372	25985	94.9	43.4	24.0	3.4	26.1	3.1	9477	3.4	6.4	34.7	44.1	11.3
San Francisco	2696	9453	351.7	36.1	45.8	3.7	10.6	3.9	1716	2.2	5.4	12.9	61.3	18.2
Hawaii	1964	1971	100.4	82.2	12.1	.7	4.5	6.7	112	29.5	3.6	24.1	30.4	12.5
Nevada	1119	1086	97.1	18.0	41.1	4.0	30.2	6.7	444	1.8	1.8	24.3	49.8	23.4
Oregon	5572	5196	93.3	9.2	66.5	.4	23.6	.3	1261	1.2	1.7	19.7	42.3	35.2
Washington	5134	4686	91.3	52.5	38.9	1.1	6.3	1.2	401	5.2	8.7	29.4	16.2	40.4
REGION IX TOTAL	76561	70966	92.7	32.9	38.0	4.3	20.8	3.9	20638	3.0	4.7	27.7	47.5	17.2
U. S. & TERRITORIES	561682	518907	92.4	30.6	40.4	3.6	16.2	9.1	150029	4.7	5.1	31.5	35.4	23.4

1/ Percent closed may exceed 100% because reactors can be closed which were reported in a preceding period of time.

2/ Includes Cook County.
3/ Seven months data only.
4/ Does not include all areas.

Source: Form PHS 9.64
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
7/13/66 MFR:1bh

PHYSICIAN VISITATION ACTIVITY FROM PROJECT AREAS-CUMULATIVE FOR JULY-MARCH FOR FISCAL YEAR 1966

States By DHEW Regions	For Physicians in Private Practice Who Were Visited For the First Time						
	Number of Physicians			Number of Primary and Secondary Syphilis Cases		Physicians Who Treated Venereal Disease During 3 Months Preceding First Visit	
	Not Visited	Number Visited	Percent	Treated	Reported	Number Percent	
Connecticut	3685	47	1.3	2	2	9	22.0
Maine	1021	71	6.5	1	1	10	14.5
Vermont	580	21	3.5	0	0	3	15.0
REGION I TOTAL	5286	139	2.6	3	3	22	16.9
Delaware	706	77	9.8	3	3	30	39.0
New Jersey	6869	232	3.3	49	43	101	44.7
New York (Upstate)	14017	999	6.7	22	18	169	18.2
New York City	20682	756	3.5	142	136	237	46.3
Pennsylvania (excl Phila)	10278	1524	12.9	42	36	274	18.5
Philadelphia	4452	338	7.1	10	10	101	37.3
REGION II TOTAL	57004	3926	6.4	268	246	912	26.1
Dist of Columbia	1991	151	7.0	1	1	13	11.2
Kentucky	2856	21	.7	4	4	10	58.8
Maryland (excl Baltimore)	1774	28	1.6	5	5	14	56.0
Baltimore	2509	231	8.4	35	33	80	41.5
North Carolina	4110	318	7.2	12	7	101	34.2
Virginia	3077	271	8.1	7	3	55	20.4
West Virginia	1513	222	12.8	7	7	112	50.5
Puerto Rico	1833	127	6.5	9	9	18	20.0
Virgin Islands	42	10	19.2	0	0	0	.0
REGION III TOTAL	19705	1379	6.5	80	69	403	32.7
Alabama	2085	233	10.1	16	12	80	38.5
Florida	7552	54	.7	8	8	22	40.7
Georgia	3190	436	12.0	17	17	145	33.9
Mississippi	1274	128	9.1	2	2	18	15.1
South Carolina	1800	38	2.1	10	10	12	37.5
Tennessee	3512	475	11.9	11	10	147	36.1
REGION IV TOTAL	19413	1364	6.6	64	59	424	34.0
Illinois (Downstate)	5477	80	1.4	0	0	37	46.3
Chicago	7509	50	.7	0	0	14	29.2
Michigan	8375	249	2.9	15	15	71	30.7
Ohio	14512	1076	6.9	21	20	387	38.6
Wisconsin	4257	275	6.1	8	6	133	49.4
REGION V TOTAL	40130	1730	4.1	44	41	642	39.4
Iowa	2415	446	15.6	6	6	233	54.1
Kansas	2359	138	5.5	5	5	63	46.7
Minnesota	5002	1123	18.3	4	2	277	27.6
Missouri	5226	749	12.5	8	8	128	21.8
Nebraska	1463	173	10.6	2	1	87	58.0
North Dakota	510	47	8.4	1	1	3	6.5
South Dakota	565	13	2.2	0	0	0	.0
REGION VI TOTAL	17540	2689	13.3	26	23	791	33.5
Arkansas	1515	130	7.9	6	6	35	27.8
Louisiana	2645	1121	29.8	2	2	106	9.6
New Mexico	937	111	10.6	1	1	18	32.1
Oklahoma	2568	212	7.6	3	3	83	40.1
Texas	10893	412	3.6	30	24	140	35.2
REGION VII TOTAL	18558	1986	9.7	42	36	382	20.2
Colorado	2711	301	10.0	7	5	66	24.3
Idaho	524	103	16.4	0	0	4	3.9
Montana	702	35	4.7	3	3	10	62.5
Utah	855	52	5.7	2	0	14	28.6
Wyoming	259	54	17.3	0	0	12	22.2
REGION VIII TOTAL	5051	545	9.7	12	8	106	21.5
Alaska	244	53	17.8	3	3	33	89.2
Arizona	1734	206	10.6	1	1	9	6.8
California (excl cities)	10514	374	3.4	11	8	85	24.6
Los Angeles County	11077	830	7.0	51	18	142	17.1
San Francisco	3249	8	.2	0	0	2	28.6
Hawaii	694	75	9.8	3	3	17	29.3
Nevada	391	34	8.0	0	0	7	21.9
Oregon	2262	229	9.2	2	2	24	11.5
Washington	3507	194	5.2	2	2	35	20.7
REGION IX TOTAL	33672	2003	5.6	73	37	354	19.5
U. S. & TERRITORIES	216359	15761	6.8	612	522	4036	28.2

Source: Form PHS 9,62
DHEW-PHS-CDC-VD Branch
Research and Control Statistics
7/12/66 GH:lbh