

AUGUST 1967

Issue No. 94

VD STATISTICAL LETTER



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

C O N T E N T S

Morbidity:

By Color, Sex, Source, and Disease; United States, January - March 1967	1
By Age, Color, and Sex; United States,	
Primary and Secondary Syphilis, Calendar Year 1956, 1964-1966	2
Gonorrhea, Calendar Years 1956, 1964-1966	3
Each State and Territory, by Quarter and Cumulative Fiscal Years 1965 and 1966	4
Reporting Source; Each State and Territory, January - March 1967	5
Each City over 200,000 population by Quarter and Cumulative Fiscal Years 1965 and 1966	6
Reporting Source; Each City over 200,000 Population, January - March 1966	7
Each City between 50,000 and 200,000 population, Calendar Years 1965-1966	8-12

Epidemiology:

Interviews, Contacts, and Disposition; United States, January - March 1967	13
Cases of Syphilis Brought to Treatment and Yield; United States, January - March 1967	14
Contacts Obtained by Reporting Source of Patients; Each State and Territory,	
Primary and Secondary Syphilis, January - March 1967	15
Early Latent Syphilis, January - March 1967	16
Investigations, Percent of Suspects Examined, By Reporting Source of Patients;	
Each State and Territory, January - March 1967	17

Serological Reactors:

Results of Follow-Up; Each State and Territory, Cumulative,	
Fiscal Year 1967 (July - March)	18

SUMMARY OF VENEREAL DISEASE CASES AND ANNUAL RATES ^{1/} PER 100,000 POPULATION
UNITED STATES
(Known Military Cases Excluded)

January - March 1967

Reporting Source Disease and Stage	All Classes						White						Non-White					
	Total		Male		Female		Total		Male		Female		Total		Male		Female	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
<u>PRIVATE PHYSICIANS, PRIVATE HOSPITALS, PRIVATE INSTITUTIONS</u>																		
Total Syphilis	14079	28.9	7426	31.5	6653	26.5	7065	16.5	3959	19.0	3106	14.1	7014	119.8	3467	123.1	3547	116.5
Primary and Secondary	1990	4.1	1286	5.5	704	2.8	755	1.8	584	2.8	171	.8	1235	21.1	702	24.9	533	17.5
Early Latent	1338	2.7	736	3.1	602	2.4	511	1.2	318	1.5	193	.9	827	14.1	418	14.8	409	13.5
Late and Late Latent	10055	20.7	5126	21.7	4929	19.6	5369	12.5	2870	13.8	2499	11.3	4686	80.0	2256	80.2	2430	79.8
Congenital	488	1.0	163	.7	325	1.3	280	.6	98	.5	182	.8	208	3.6	65	2.3	143	4.7
Not Stated	208	.4	115	.5	93	.4	150	.4	89	.4	61	.3	58	1.0	26	.9	32	1.0
Gonorrhea	25503	52.4	19052	80.9	6451	25.7	13752	32.2	10256	49.4	3496	15.6	11751	200.6	8796	312.5	2955	97.1
Total Other VD	40	.1	23	.1	17	.1	18	-	6	-	12	.1	22	.5	17	.5	5	.2
Chancroid	21	-	12	.1	9	-	12	-	5	-	7	-	9	.2	7	.2	2	.1
Granuloma Inguinale	4	-	3	-	1	-	1	-	0	-	1	-	3	.1	3	.1	0	-
Lymphogranuloma Venereum	15	-	8	-	7	-	5	-	1	-	4	-	10	.2	7	.2	3	.1
<u>PUBLIC CLINICS, PUBLIC HOSPITALS, PUBLIC INSTITUTIONS</u>																		
Total Syphilis	11581	23.8	6660	28.3	4921	19.6	3010	7.0	1970	9.5	1040	4.8	8571	146.3	4690	166.6	3881	127.5
Primary and Secondary	3228	6.6	1964	8.3	1264	5.0	451	1.0	337	1.6	114	.5	2777	47.4	1627	57.8	1150	37.8
Early Latent	2457	5.1	1333	5.7	1124	4.5	527	1.2	332	1.6	195	.9	1930	33.0	1001	35.6	929	30.5
Late and Late Latent	5518	11.3	3176	13.5	2342	9.4	1919	4.5	1241	6.0	678	3.1	3599	61.4	1935	68.7	1664	54.7
Congenital	303	.6	147	.6	156	.6	72	.2	36	.2	36	.2	231	3.9	111	3.9	120	3.9
Not Stated	75	.2	40	.2	35	.1	41	.1	24	.1	17	.1	34	.6	16	.6	18	.6
Gonorrhea	62599	128.7	47261	200.6	15338	61.1	12849	30.0	8784	42.3	4065	18.4	49750	849.2	38477	1366.9	11273	370.4
Total Other VD	293	.6	229	1.0	64	.2	40	.1	30	.1	10	-	253	4.3	199	7.1	54	1.7
Chancroid	167	.3	135	.6	32	.1	26	.1	19	.1	7	-	141	2.4	116	4.1	25	.8
Granuloma Inguinale	27	.1	17	.1	10	-	3	-	3	-	0	-	24	.4	14	.5	10	.3
Lymphogranuloma Venereum	99	.2	77	.3	22	.1	11	-	8	-	3	-	88	1.5	69	2.5	19	.6
<u>TOTAL ALL SOURCES</u>																		
Total Syphilis	25660	52.7	14086	59.8	11574	46.1	10075	23.5	5929	28.5	4146	18.9	15585	266.1	8157	289.7	7428	244.0
Primary and Secondary	5218	10.7	3250	13.8	1968	7.8	1206	2.8	921	4.4	285	1.3	4012	68.5	2329	82.7	1683	55.3
Early Latent	3795	7.8	2069	8.8	1726	6.9	1038	2.4	650	3.1	388	1.8	2757	47.1	1419	50.4	1338	44.0
Late and Late Latent	15573	32.0	8302	35.2	7271	29.0	7288	17.0	4111	19.8	3177	14.4	8285	141.4	4191	148.9	4094	134.5
Congenital	791	1.6	310	1.3	481	1.9	352	.8	134	.7	218	1.0	439	7.5	176	6.2	263	8.6
Not Stated	283	.6	155	.7	128	.5	191	.5	113	.5	78	.4	92	1.6	42	1.5	50	1.6
Gonorrhea	88102	181.1	66313	281.5	21789	86.8	26601	62.2	19040	91.7	7561	34.0	61501	1049.8	47273	1679.4	14228	467.5
Total Other VD	333	.7	252	1.1	81	.3	58	.1	36	.2	22	.1	275	4.8	216	7.6	59	1.9
Chancroid	188	.4	147	.6	41	.1	38	.1	24	.1	14	.1	150	2.6	123	4.3	27	.9
Granuloma Inguinale	31	.1	20	.1	11	-	4	-	3	-	1	-	27	.5	17	.6	10	.3
Lymphogranuloma Venereum	114	.2	85	.4	29	.1	16	-	9	-	7	-	98	1.7	76	2.7	22	.7

^{1/} Estimated Civilian population based on Bureau of Census data.
Rates less than .05 not shown.

Source: Form PHS 9.688
DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/25/67 LBH:emb

PRIMARY AND SECONDARY SYPHILIS
MORBIDITY AND AGE-SPECIFIC CASE RATES PER 100,000 POPULATION BY AGE-GROUPS, COLOR, AND SEX

UNITED STATES

Calendar Years 1956, 1964-1966

MORBIDITY												AGE-SPECIFIC CASE RATES PER 100,000 POPULATION											
AGE	YEAR	White			Nonwhite			Total			YEAR	AGE	White			Nonwhite			Total				
		Male	Female	Total	Male	Female	Total	Male	Female	Total			Male	Female	Total	Male	Female	Total	Male	Female	Total		
0-14	1956	4	6	10	13	55	68	17	61	78			.0	.0	.0	.4	1.7	1.0	.1	.2	.2	1956	0-14
	1964	10	11	21	61	210	271	71	221	292			.0	.0	.0	1.4	4.8	3.1	.2	.8	.5	1964	
	1965	7	8	15	73	193	266	80	201	281			.0	.0	.0	1.6	4.4	3.0	.3	.7	.5	1965	
	1966	5	7	12	64	166	230	69	173	242			.0	.0	.0	1.4	3.7	2.6	.2	.6	.4	1966	
15-19	1956	127	139	266	400	497	897	527	636	1163			2.8	2.8	2.8	59.3	68.7	64.2	10.1	11.3	10.7	1956	15-19
	1964	310	238	548	1317	1730	3047	1627	1968	3595			4.6	3.4	4.0	134.5	169.9	152.5	20.9	24.5	22.7	1964	
	1965	286	248	534	1494	2011	3505	1780	2259	4039			3.9	3.4	3.7	142.3	186.2	164.5	21.4	26.9	24.2	1965	
	1966	239	227	466	1492	1888	3380	1731	2115	3846			3.2	3.0	3.1	133.2	163.6	148.6	20.0	24.0	22.1	1966	
20-24	1956	399	138	537	739	482	1221	1138	620	1758			10.9	3.0	6.4	136.1	72.4	101.1	27.0	11.6	18.4	1956	20-24
	1964	989	394	1383	2866	2206	5072	3855	2600	6455			20.3	6.9	13.0	419.0	277.1	342.5	69.4	39.7	53.4	1964	
	1965	918	354	1272	3032	2271	5303	3950	2625	6575			18.3	5.9	11.6	426.4	273.3	343.9	68.9	38.7	52.5	1965	
	1966	749	325	1074	2760	2199	4959	3509	2524	6033			14.9	5.3	9.7	382.8	256.0	313.7	61.2	36.2	47.5	1966	
25-29	1956	394	104	498	464	301	765	858	405	1263			8.3	2.0	5.0	81.1	43.5	60.5	16.1	6.9	11.3	1956	25-29
	1964	851	201	1052	2157	1331	3488	3008	1532	4540			18.8	4.1	11.1	362.5	187.5	267.3	58.6	27.2	42.2	1964	
	1965	750	206	956	2266	1322	3588	3016	1528	4544			16.3	4.1	10.0	375.8	184.9	272.2	57.9	26.8	41.7	1965	
	1966	656	217	873	2179	1287	3466	2835	1504	4339			14.0	4.2	8.9	350.9	176.5	256.6	53.3	25.8	38.9	1966	
30-39	1956	461	130	591	476	291	767	937	421	1358			4.5	1.2	2.8	41.8	22.1	31.2	8.2	3.4	5.7	1956	30-39
	1964	1311	271	1582	2299	1284	3583	3610	1555	5165			13.4	2.6	7.8	191.3	89.2	135.6	32.9	13.1	22.6	1964	
	1965	1105	207	1312	2294	1367	3661	3399	1574	4973			11.5	2.0	6.6	192.9	95.6	139.8	31.4	13.5	22.1	1965	
	1966	913	243	1156	2134	1195	3329	3047	1438	4485			9.7	2.4	5.9	181.5	84.0	128.1	28.7	12.5	20.3	1966	
40-49	1956	215	54	269	153	78	231	368	132	500			2.3	.5	1.4	15.1	6.9	10.8	3.5	1.2	2.3	1956	40-49
	1964	631	168	799	809	429	1238	1440	597	2037			6.2	1.5	3.8	71.5	33.6	51.4	12.7	4.9	8.7	1964	
	1965	583	147	730	902	423	1325	1485	570	2055			5.6	1.3	3.4	79.1	32.6	54.3	13.0	4.7	8.7	1965	
	1966	448	111	559	810	383	1193	1258	494	1752			4.3	1.0	2.6	70.4	29.0	48.3	10.9	4.0	7.3	1966	
50 +	1956	120	29	149	88	38	126	208	67	275			.7	.2	.4	6.0	2.5	4.2	1.1	.3	.7	1956	50 +
	1964	336	69	405	358	122	480	694	191	885			1.8	.3	1.0	19.3	6.0	12.3	3.3	.8	2.0	1964	
	1965	266	84	350	378	143	521	644	227	871			1.4	.4	.8	20.1	6.8	13.1	3.0	.9	1.9	1965	
	1966	234	40	274	314	129	443	548	169	717			1.2	.2	.6	16.5	6.0	10.9	2.6	.7	1.5	1966	
Total	1956	1720	600	2320	2333	1742	4075	4053	2342	6395			2.4	.8	1.6	26.7	18.6	22.5	5.0	2.8	3.9	1956	Total
	1964	4438	1352	5790	9867	7312	17179	14305	8664	22969			5.5	1.6	3.5	91.4	62.9	76.6	15.6	8.9	12.1	1964	
	1965	3915	1254	5169	10439	7730	18169	14354	8984	23338			4.8	1.4	3.1	94.7	65.1	79.3	15.4	9.1	12.2	1965	
	1966	3244	1170	4414	9753	7247	17000	12997	8417	21414			3.9	1.3	2.6	87.0	59.8	72.9	13.9	8.4	11.1	1966	

Note: Cases not reported by age have been included on the bases of the known age distribution. Rates are based on population estimates of the Bureau of the Census. Numbers include Alaska and Hawaii for 1956 and 1964-1966. Rates are based on cases excluding Alaska and Hawaii for 1956. For 1964-1966 rates are based on numbers for the United States, including Alaska and Hawaii.

Source: Form PHS 9.2638
DHEW-PHS NCDC-VD Program
Research and Control Statistics
7/26/67 JHB:emb

GONORRHEA
MORBIDITY AND AGE-SPECIFIC CASE RATES PER 100,000 POPULATION BY AGE-GROUPS, COLOR, AND SEX

UNITED STATES

Calendar Years 1956, 1964-1966

MORBIDITY											AGE-SPECIFIC CASE RATES PER 100,000 POPULATION										YEAR	AGE
AGE	YEAR	White			Nonwhite			Total			White			Nonwhite			Total					
		Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total			
0-14	1956	130	648	778	619	2203	2822	749	2851	3600	.6	3.0	1.8	18.7	66.8	42.7	2.9	11.5	7.1	1956	0-14	
	1964	218	889	1107	1338	2159	3497	1556	3048	4604	.8	3.6	2.2	30.8	49.7	40.2	5.2	10.5	7.8	1964		
	1965	298	741	1039	1274	2212	3486	1572	2953	4525	1.1	3.0	2.0	28.6	49.9	39.2	5.2	10.0	7.6	1965		
	1966	226	839	1065	1181	2000	3181	1407	2839	4246	.9	3.4	2.1	26.2	44.5	35.3	4.6	9.6	7.1	1966		
15-19	1956	3454	3359	6813	20769	17579	38348	24223	20938	45161	75.7	68.2	71.8	3076.0	2430.4	2742.1	462.9	372.0	415.7	1956	15-19	
	1964	7968	7140	15108	30315	15643	45958	38283	22783	61066	117.0	101.9	109.3	3096.5	1536.6	2300.2	491.4	283.9	386.2	1964		
	1965	8808	7485	16293	34026	16628	50654	42834	24113	66947	121.3	102.4	111.8	3240.6	1539.6	2377.0	515.3	287.4	400.8	1965		
	1966	10639	8505	19144	38708	18180	56888	49347	26685	76032	141.6	111.2	126.3	3456.1	1575.4	2501.7	571.5	303.2	436.1	1966		
20-24	1956	10127	3633	13760	42842	18091	60933	52969	21724	74693	275.1	77.3	164.4	7886.2	2714.1	5041.2	1255.8	406.8	781.8	1956	20-24	
	1964	21386	7662	29048	59451	17308	76759	80837	24970	105807	439.0	133.4	273.6	8691.7	2174.4	5182.9	1455.0	381.7	874.7	1964		
	1965	23178	8847	32025	64123	18797	82920	87301	27644	114945	461.8	148.6	291.9	9018.7	2262.0	5377.4	1523.3	407.5	918.5	1965		
	1966	26857	10463	37320	69676	19343	89019	96533	29806	126339	535.7	171.2	335.5	9663.8	2251.8	5630.6	1683.5	427.6	994.4	1966		
25-29	1956	7630	2148	9778	29334	9512	38846	36964	11660	48624	159.8	41.2	98.1	5125.7	1372.5	3071.0	692.6	198.6	434.2	1956	25-29	
	1964	12689	3123	15812	34402	8409	42811	47091	11532	58623	279.7	63.5	167.2	5781.8	1184.4	3280.5	917.6	204.9	544.8	1964		
	1965	14210	3680	17890	37955	8680	46635	52165	12360	64525	308.8	73.9	186.7	6294.4	1214.0	3538.3	1002.0	217.1	592.0	1965		
	1966	16325	4087	20412	41222	8629	49851	57547	12716	70263	347.7	80.0	208.3	6638.0	1183.7	3689.9	1082.3	217.9	630.0	1966		
30-39	1956	7537	2251	9788	24030	6869	30899	31567	9120	40687	73.5	20.3	45.9	2110.3	521.7	1259.0	277.4	73.7	171.5	1956	30-39	
	1964	11357	2538	13895	29464	6713	36177	40821	9251	50072	116.2	24.4	68.8	2451.2	466.2	1368.8	371.9	78.0	219.3	1964		
	1965	11927	2843	14770	31563	6255	37818	43490	9098	52588	123.8	27.8	74.4	2654.6	437.4	1444.0	401.9	78.0	234.0	1965		
	1966	12667	2824	15491	31619	6493	38112	44286	9317	53603	134.3	28.0	79.4	2688.7	456.6	1467.0	417.4	81.0	242.3	1966		
40-49	1956	2243	827	3070	4471	1507	5978	6714	2334	9048	23.4	8.3	15.7	439.2	133.8	278.7	63.7	21.1	41.9	1956	40-49	
	1964	4073	988	5061	8132	1462	9594	12205	2450	14655	39.8	9.1	24.0	719.0	114.5	398.6	107.3	20.2	62.3	1964		
	1965	4224	962	5186	9064	1459	10523	13288	2421	15709	40.9	8.8	24.4	794.4	112.4	431.4	116.0	19.8	66.2	1965		
	1966	4323	950	5273	9483	1341	10824	13806	2291	16097	41.8	8.6	24.7	824.6	101.6	438.2	120.0	18.6	67.5	1966		
50 +	1956	953	311	1264	1126	480	1606	2079	791	2870	5.6	1.7	3.6	76.0	30.9	52.9	11.3	4.0	7.5	1956	50 +	
	1964	2041	548	2589	2741	509	3250	4782	1057	5839	10.7	2.5	6.3	147.6	24.9	83.3	22.8	4.4	13.0	1964		
	1965	2069	606	2675	2493	518	3011	4562	1124	5686	10.7	2.7	6.4	132.5	24.7	75.7	21.5	4.6	12.4	1965		
	1966	1708	503	2211	2410	537	2947	4118	1040	5158	8.8	2.2	5.2	126.6	25.1	72.8	19.2	4.2	11.1	1966		
Total	1956	32074	13177	45251	123191	56241	179432	155265	69418	224683	44.5	17.4	30.6	1409.5	600.0	990.9	192.4	81.7	135.7	1956	Total	
	1964	59732	22888	82620	165843	52203	218046	225575	75091	300666	73.6	26.7	49.5	1535.9	448.9	972.2	245.3	77.1	158.8	1964		
	1965	64714	25164	89878	180498	54549	235047	245212	79713	324925	78.7	29.0	53.2	1636.7	459.2	1026.0	263.1	80.8	169.3	1965		
	1966	72745	28171	100916	194299	56523	250822	267044	84694	351738	88.1	32.1	59.2	1734.2	466.4	1075.4	284.7	84.8	181.6	1966		

Note: Cases not reported by age have been included on the basis of the known age distribution. Rates are based on population estimates of the Bureau of the Census. Numbers include Alaska and Hawaii for 1956 and 1964-1966. Rates are based on cases excluding Alaska and Hawaii for 1956. For 1964-1966 rates are based on numbers for the United States, including Alaska and Hawaii.

Source: Form PHS 9.2638
DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/27/67 JHB:emb

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
FOR EACH QUARTER FISCAL YEAR 1967 TO DATE, CUMULATIVE NUMBER FOR FISCAL YEAR 1967 AND
NUMBER FOR SAME PERIOD OF TIME IN FISCAL YEAR 1966

States By DHEW Regions	PRIMARY AND SECONDARY SYPHILIS						ALL STAGES OF SYPHILIS						GONORRHEA					
					Cumulative						Cumulative						Cumulative	
	Jul.- Sep.	Oct.- Dec.	Jan.- Mar.	Apr.- Jun.	Fiscal Year 1966	Fiscal Year 1967	Jul.- Sep.	Oct.- Dec.	Jan.- Mar.	Apr.- Jun.	Fiscal Year 1966	Fiscal Year 1967	Jul.- Sep.	Oct.- Dec.	Jan.- Mar.	Apr.- Jun.	Fiscal Year 1966	Fiscal Year 1967
Connecticut	23	32	27		86	82	141	189	171		507	501	873	864	897		2090	2634
Maine	0	0	0		3	0	94	112	117		182	323	127	122	101		317	350
Massachusetts	78	59	60		260	197	450	353	454		1372	1257	1288	1185	1202		3327	3675
New Hampshire	3	6	4		13	13	20	17	16		63	53	100	99	152		205	351
Rhode Island	4	5	6		19	15	95	120	107		267	322	94	101	108		275	303
Vermont	1	1	2		2	4	15	1	6		16	22	54	89	40		155	183
REGION I TOTAL	109	103	99		383	311	815	792	871		2407	2478	2536	2460	2500		6369	7496
Delaware	21	14	12		33	47	150	97	80		426	327	323	302	274		828	899
New Jersey	173	184	148		645	505	1041	911	1035		3010	2987	1177	1188	1123		3028	3488
New York	651	676	600		2658	1927	3417	3963	3767		14611	11147	9625	10693	6962		29021	27170
Pennsylvania	118	121	142		469	381	1104	982	1028		3650	3114	2806	2943	2396		7088	6145
REGION II TOTAL	963	995	902		3805	2860	5712	5953	5910		21697	17575	13931	15116	10655		39965	39702
District of Columbia	132	132	157		352	421	368	377	467		1059	1212	2937	2707	2969		7498	8613
Kentucky	41	38	29		99	108	451	381	464		1195	1296	996	835	846		2684	2677
Maryland	129	152	169		414	450	695	764	834		2398	2293	1983	1868	1744		5092	5595
North Carolina	199	127	171		755	497	536	450	449		1713	1435	2836	2505	2435		7745	7776
Virginia	94	73	75		225	242	590	522	529		1444	1641	2601	2059	2254		6051	6914
West Virginia	25	18	4		89	47	353	327	292		1086	972	258	281	243		719	782
REGION III TOTAL	620	540	605		1934	1765	2993	2821	3035		8895	8849	11611	10255	10491		29789	32357
Alabama	359	247	270		918	876	460	330	411		1463	1201	1132	998	1031		3062	3161
Florida	511	437	491		1620	1439	1342	1340	1196		4843	3878	3075	2623	2883		7925	8581
Georgia	261	234	236		771	731	658	596	679		1879	1933	3866	3566	3519		8983	10951
Mississippi	143	71	106		515	320	211	123	171		743	505	1401	1123	1298		3212	3822
South Carolina	223	194	220		666	637	416	410	455		1305	1281	2143	1985	1848		5408	5976
Tennessee	88	77	59		277	224	307	280	263		1095	850	3143	2874	2486		7471	8503
REGION IV TOTAL	1585	1260	1382		4757	4227	3394	3079	3175		11328	9648	14760	13169	13065		36061	40994
Illinois	310	287	262		963	859	1469	1569	1636		5299	4674	10211	8922	8770		23448	27903
Indiana	29	15	29		49	73	294	235	294		784	823	1403	1411	1263		3437	4077
Michigan	279	357	315		721	951	1438	1577	1541		4246	4556	4630	3925	4015		11090	12570
Ohio	182	204	156		468	542	1379	1287	1051		3050	3717	3830	3755	2879		11145	10464
Wisconsin	24	11	7		60	42	394	301	295		1014	990	781	586	626		1726	1993
REGION V TOTAL	824	874	769		2261	2467	4974	4969	4817		14393	14760	20855	18599	17553		50846	57007
Iowa	22	18	6		59	46	257	281	197		585	735	733	831	865		2137	2429
Kansas	18	9	7		41	34	253	263	208		689	724	893	800	826		2059	2519
Minnesota	8	10	10		46	28	38	48	35		159	121	720	632	614		1695	1966
Missouri	22	31	17		182	70	820	871	801		2580	2492	2313	2166	1995		6649	6474
Nebraska	17	14	8		67	39	78	123	117		281	318	341	273	310		817	924
North Dakota	0	0	1		5	1	8	2	4		17	14	93	132	125		341	350
South Dakota	4	10	11		29	25	29	33	37		99	99	174	159	173		518	506
REGION VI TOTAL	91	92	60		429	243	1483	1621	1399		4410	4503	5267	4993	4908		14216	15168
Arkansas	46	33	37		133	116	324	259	299		929	882	1697	1394	1472		4568	4563
Louisiana	168	152	152		508	472	641	615	533		2177	1789	1596	1342	1486		4069	4424
New Mexico	28	52	41		78	121	156	214	192		702	562	517	415	420		1189	1352
Oklahoma	34	32	29		79	95	374	341	358		914	1073	1067	928	1014		2436	3009
Texas	506	516	518		1108	1540	1393	1417	1519		4114	4329	7596	7214	7171		21150	21981
REGION VII TOTAL	782	785	777		1906	2344	2888	2846	2901		8836	8635	12473	11293	11563		33412	35329
Colorado	9	14	20		47	43	73	78	101		401	252	664	581	575		1701	1820
Idaho	3	17	10		8	30	8	23	17		16	48	266	256	229		823	751
Montana	4	3	1		22	8	26	16	13		108	55	130	90	107		363	327
Utah	5	2	1		17	8	33	27	13		116	73	180	198	200		326	578
Wyoming	0	2	2		7	4	14	18	14		81	46	67	46	34		114	147
REGION VIII TOTAL	21	38	34		101	93	154	162	158		722	474	1307	1171	1145		3327	3623
Alaska	5	4	1		6	10	9	19	14		25	42	341	339	302		800	982
Arizona	65	59	77		154	201	138	147	179		389	464	813	833	779		2403	2425
California	384	409	473		1362	1265	2763	2738	2971		8711	8472	11609	11938	12921		30281	36468
Hawaii	5	7	4		28	16	40	47	37		103	124	72	101	89		320	262
Nevada	7	7	4		23	18	82	46	72		172	200	153	161	166		522	480
Oregon	12	7	14		40	33	46	40	57		318	143	771	796	863		1961	2410
Washington	12	11	17		43	40	74	65	64		195	203	1221	1090	1122		2588	3433
REGION IX TOTAL	489	504	590		1656	1583	3152	3102	3394		9913	9648	14980	15258	16222		38795	46460
U. S. TOTAL	5484	5191	5218		17232	15893	25565	25345	25660		82601	76570	97720	92314	88102		252780	278136
Puerto Rico	228	214	201		723	643	501	487	473		1633	1461	664	581	754		2031	1999
Virgin Islands	9	5	11		21	25	150	109	154		383	413	84	109	116		248	309
Canal Zone	13	12	15		30	40	32	24	26		99	82	40	59	56		171	155
TERRITORY TOTAL	250	231	227		774	708	683	620	653		2115	1956	788	749	926		2450	2463
U. S. & TERRITORIES	5734	5422	5445		18006	16601	26248	25965	26313		84716	78526	98508	93063	89028		255230	280599

Source: Form PHS 9-688
DHEW-PHS-WCDC-VD Program
Research and Control Statistics
7/14/67 LBN:emb

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE BY CITIES WITH POPULATION 200,000 AND OVER
FOR EACH QUARTER FISCAL YEAR 1967 TO DATE, CUMULATIVE NUMBER FISCAL YEAR 1967
AND NUMBER FOR SAME PERIOD OF TIME IN FISCAL YEAR 1966

Cities By DHEW Regions	PRIMARY AND SECONDARY SYPHILIS					ALL STAGES OF SYPHILIS					GONORRHEA							
					Cumulative Fiscal Year 1966	Fiscal Year 1967					Cumulative Fiscal Year 1966	Fiscal Year 1967					Cumulative Fiscal Year 1966	Fiscal Year 1967
	Jul.- Sep. 1966	Oct.- Dec. 1966	Jan.- Mar. 1967	Apr.- Jun. 1967			Jul.- Sep. 1966	Oct.- Dec. 1966	Jan.- Mar. 1967	Apr.- Jun. 1967			Jul.- Sep. 1966	Oct.- Dec. 1966	Jan.- Mar. 1967	Apr.- Jun. 1967		
Boston	57	44	35		163	136	242	180	228		676	650	806	799	724		2102	2329
Providence	2	3	5		16	10	52	62	57		145	171	62	67	67		178	196
REGION I CITY TOTAL	59	47	40		179	146	294	242	285		821	821	868	866	791		2280	2525
Buffalo 1/	4	6	2		31	12	99	123	107		333	329	486	462	481		1446	1429
Jersey City	25	20	7		61	52	104	66	76		193	246	62	60	76		137	198
Newark	42	51	44		218	137	240	225	269		816	734	614	600	599		1656	1813
New York	550	594	532		2225	1676	2867	3407	3300		12443	9574	7384	8527	4906		22837	20817
Philadelphia	74	70	67		300	221	394	361	363		1547	1118	2044	2411	1780		5455	6235
Pittsburgh 1/	18	22	34		48	74	208	147	194		538	549	840	277	339		1768	1156
Rochester 1/	9	12	3		24	24	35	41	25		94	101	378	413	332		1014	1123
Syracuse	4	6	0		22	10	32	32	25		80	89	222	236	223		529	681
REGION II CITY TOTAL	726	781	689		2933	2196	3979	4402	4359		16044	12740	11730	12966	8736		33842	33452
Baltimore	93	103	117		301	313	373	435	432		1304	1240	1697	1601	1479		4501	4777
Charlotte	21	4	26		67	51	36	55	56		121	147	601	668	547		1725	1816
Louisville 1/	10	18	11		32	39	133	144	169		341	446	576	518	483		1492	1577
Norfolk	1	9	6		15	16	90	118	89		176	297	675	593	552		1131	1820
Richmond	12	14	6		24	32	63	70	88		156	221	468	303	441		1157	1212
Washington, D. C.	132	132	157		352	421	368	377	467		1059	1212	2937	2707	2969		7498	8613
REGION III CITY TOTAL	269	280	323		791	872	1063	1199	1301		3157	3563	6954	6390	6471		17504	19815
Atlanta 1/	60	55	39		177	154	154	153	161		499	468	2488	2445	2326		5881	7259
Birmingham	76	74	74		224	224	141	126	137		331	404	342	361	319		1017	1022
Jacksonville 1/	63	52	44		116	159	222	162	124		567	508	273	274	246		747	793
Memphis 1/	15	5	9		74	29	92	93	120		471	312	1814	1565	1370		3937	4749
Miami 1/	86	82	107		279	275	328	308	318		979	952	611	537	606		1670	1754
Mobile 1/	31	26	78		154	135	54	39	124		288	217	335	316	317		962	968
Tampa 1/	33	26	33		64	92	54	53	77		343	184	676	533	525		1386	1734
REGION IV CITY TOTAL	364	320	384		988	1068	1050	934	1061		3478	3045	6539	6031	5705		15600	18279
Akron	6	6	4		12	16	30	47	48		112	125	439	550	455		1453	1444
Chicago	268	245	226		828	739	1163	1276	1337		4453	3776	8608	7364	7175		19566	23147
Cincinnati	18	22	20		82	60	201	147	99		321	447	366	299	269		1064	934
Cleveland	106	133	97		186	336	230	334	226		605	790	1038	967	652		3336	2657
Columbus	14	3	7		35	24	140	114	80		298	334	640	605	411		1714	1656
Dayton	1	5	1		9	7	53	32	30		133	115	365	387	239		900	991
Detroit	243	293	271		582	807	970	1021	1030		2743	3021	2224	1617	1797		5410	5628
Indianapolis	11	6	16		11	33	93	95	104		350	292	739	717	644		1818	2100
Milwaukee	10	5	6		36	21	146	154	144		556	444	369	422	429		1266	1220
Toledo	7	10	5		23	22	51	53	23		126	127	146	157	116		400	419
REGION V CITY TOTAL	684	728	653		1804	2065	3077	3273	3121		9697	9471	14924	13085	12187		36927	40196
Des Moines	13	11	3		25	27	69	74	65		168	208	156	169	145		474	470
Kansas City	2	9	2		38	13	272	281	228		693	781	614	591	522		2179	1727
Minneapolis 1/	3	7	5		23	15	8	20	15		71	43	312	232	226		858	770
Omaha	1	1	2		9	4	35	47	56		97	138	199	153	170		506	522
St. Louis	9	15	8		107	32	201	262	267		952	730	1342	1266	1172		3507	3780
St. Paul	0	0	1		4	1	6	2	5		19	13	148	151	151		313	450
Wichita 1/	13	3	3		13	19	66	47	45		70	158	302	223	312		604	837
REGION VI CITY TOTAL	41	46	24		219	111	657	733	681		2070	2071	3073	2785	2698		8441	8556
Albuquerque 1/	0	4	10		21	14	42	38	54		203	134	120	120	109		321	349
Dallas 1/	84	109	103		131	296	165	311	311		397	787	1875	2035	1950		5589	5860
El Paso 1/	25	28	32		54	86	84	77	103		201	264	134	80	116		473	330
Fort Worth 1/	43	47	34		69	124	68	63	56		129	187	1011	815	803		2835	2635
Houston 1/	102	100	103		265	305	406	346	395		1713	1147	2141	1989	2135		5440	6265
New Orleans	36	14	25		85	75	206	209	184		828	599	510	432	469		1245	1411
Oklahoma City 1/	17	11	13		30	41	68	65	62		186	195	459	407	461		1011	1327
San Antonio 1/	19	21	19		45	59	168	171	157		397	596	353	294	222		968	869
Tulsa 1/	6	6	7		31	19	90	66	98		167	254	123	96	103		270	322
REGION VII CITY TOTAL	333	340	346		731	1019	1297	1346	1420		4221	4063	6524	6464	6380		18340	19368
Denver 1/	2	10	6		10	18	36	44	63		227	143	537	455	412		1359	1404
REGION VIII CITY TOTAL	2	10	6		10	18	36	44	63		227	143	537	455	412		1359	1404
Honolulu	5	6	4		23	15	17	18	20		64	55	51	72	63		240	186
Los Angeles 1/	199	186	204		656	589	1414	1474	1589		4824	4477	4548	4867	5471		12490	14886
Oakland 1/	25	40	25		58	90	123	189	104		459	416	751	767	890		1853	2408
Phoenix 1/	28	25	35		58	88	54	63	60		140	177	507	428	429		1315	1364
Portland	5	6	8		14	19	21	16	31		143	68	343	404	374		934	1121
San Diego 1/	24	22	14		51	60	116	99	86		151	301	358	380	361		1064	1099
San Francisco	43	54	82		142	179	256	245	287		676	788	2081	2070	2304		5174	6455
San Jose	3	3	8		15	14	23	105	67		106	195	181	183	191		329	555
Seattle 1/	2	4	9		33	15	33	27	30		93	90	798	683	720		1536	2201
Tucson 1/	17	14	12		25	43	32	25	32		72	89	74	83	95		301	252
REGION IX CITY TOTAL	351	360	401		1075	1112	2089	2261	2306		6728	6656	9692	9937	10898		25236	30527

U. S. TOTAL (Cities Only)	2829	2912	2866		8730	8607	13542	14434	14597		46443	42513	60841	58999	54282		159529	174122
---------------------------	------	------	------	--	------	------	-------	-------	-------	--	-------	-------	-------	-------	-------	--	--------	--------

San Juan 1/	82	87	64		313	233	185	225	191		703	601	429	369	472		1296	1270
-------------	----	----	----	--	-----	-----	-----	-----	-----	--	-----	-----	-----	-----	-----	--	------	------

U. S. & TERRITORY (Cities Only)	2911	2999	2930		9043	8840	13727	14659	14788		47146	43174	61290	59368	54754		160825	175392
---------------------------------	------	------	------	--	------	------	-------	-------	-------	--	-------	-------	-------	-------	-------	--	--------	--------

1/ County Data.

Source: Form PHS 9,688

DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/18/67 LHR:emb

1/
 CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
 ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
 BY CITIES WITH 50,000 TO 200,000 POPULATION IN 1960

Calendar Years 1965 - 1966

SMALL CITIES BY DHEW REGIONS	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
REGION I	154	148	4.9	4.8	231	179	7.4	5.8	1091	955	35.0	30.7	3129	3729	100.5	120.0
Connecticut	74	91	7.1	8.7	126	101	12.2	9.6	463	462	44.7	44.1	2106	2526	203.3	241.3
Bridgeport	9	19	5.6	12.0	35	24	21.9	15.2	85	91	53.1	57.6	316	344	197.5	217.7
Greenwich	1	0	1.7	.0	0	0	.0	.0	7	1	11.9	1.6	11	13	18.6	21.3
Hartford	31	29	19.3	17.8	20	25	12.4	15.3	124	129	77.0	79.1	526	819	326.7	502.5
Meriden	0	0	.0	.0	2	2	3.6	3.6	11	13	20.0	23.2	38	37	69.1	66.1
New Britain	3	8	3.3	8.9	3	3	3.3	3.3	9	16	10.0	17.8	48	83	53.3	92.2
New Haven	15	15	9.9	9.9	41	22	27.2	14.6	109	95	72.2	62.9	692	767	458.3	507.9
Norwalk	7	5	9.3	6.5	10	6	13.3	7.8	31	24	41.3	31.2	103	99	137.3	128.6
Stamford	4	14	4.0	13.5	12	17	11.9	16.3	64	79	63.4	76.0	232	215	229.7	206.7
Waterbury	3	1	2.6	.9	3	2	2.6	1.7	22	14	19.1	12.1	132	130	114.8	112.1
West Hartford	1	0	1.5	.0	0	0	.0	.0	1	0	1.5	.0	8	19	11.6	26.8
Maine	1	3	1.4	4.2	2	1	2.8	1.4	38	36	53.5	50.0	65	106	91.5	147.2
Portland	1	3	1.4	4.2	2	1	2.8	1.4	38	36	53.5	50.0	65	106	91.5	147.2
Massachusetts	71	48	4.2	2.9	96	74	5.7	4.4	507	381	30.2	22.9	860	988	51.2	59.3
Brookline	2	3	2.5	3.5	2	6	2.5	7.1	10	14	12.3	16.5	35	28	43.2	32.9
Brookline	5	6	9.6	10.9	3	2	5.8	3.6	25	17	48.1	30.9	42	56	80.8	101.8
Cambridge	11	7	10.4	6.6	12	6	11.3	5.7	50	50	47.2	47.2	98	113	92.5	106.6
Chicopee	0	0	.0	.0	0	0	.0	.0	7	2	10.3	3.3	7	8	10.3	13.3
Fall River	0	0	.0	.0	2	1	2.1	1.0	14	17	14.4	17.2	13	21	13.4	21.2
Holyoke	0	0	.0	.0	2	0	3.8	.0	11	2	21.2	3.8	20	19	38.5	35.8
Lawrence	4	0	5.8	.0	3	1	4.3	1.4	18	14	26.1	20.0	16	6	23.2	8.6
Lovell	1	3	1.1	3.4	6	3	6.7	3.4	14	11	15.6	12.5	67	76	74.4	86.4
Lynn	12	2	12.9	2.1	7	2	7.5	2.1	48	20	51.6	21.3	60	57	64.5	60.6
Malden	5	1	8.8	1.8	2	0	3.5	.0	21	9	36.8	15.8	26	16	45.6	28.1
Medford	1	4	1.6	6.6	2	0	3.1	.0	13	12	20.3	19.7	14	23	21.9	37.7
New Bedford	1	1	1.0	1.0	3	5	2.9	4.9	36	33	35.3	32.4	59	65	57.8	63.7
Newton	5	2	5.2	2.2	5	2	5.2	2.2	16	13	16.7	14.1	25	23	26.0	25.0
Pittsfield	0	0	.0	.0	0	0	.0	.0	6	4	10.2	7.0	15	10	25.4	17.5
Quincy	1	0	1.1	.0	4	0	4.5	.0	14	10	15.7	11.4	26	27	29.2	30.7
Somerville	3	4	3.3	4.6	11	2	12.1	2.3	37	24	40.7	27.6	26	52	28.6	59.8
Springfield	10	12	5.6	7.1	16	14	8.9	8.3	104	75	58.1	44.6	191	180	106.7	107.1
Waltham	0	2	.0	3.3	3	0	5.3	.0	16	4	28.1	6.7	30	20	52.6	33.3
Worcester	10	1	5.6	.5	13	30	7.3	16.2	47	50	26.3	27.0	90	188	50.3	101.6
New Hampshire	5	3	5.4	3.2	5	1	5.4	1.1	20	15	21.7	16.0	46	77	50.0	81.9
Manchester	5	3	5.4	3.2	5	1	5.4	1.1	20	15	21.7	16.0	46	77	50.0	81.9
Rhode Island	3	3	1.3	1.3	2	2	.9	.9	63	61	27.0	26.9	52	32	22.3	14.1
Cranston	2	2	2.7	2.8	0	2	.0	2.8	16	14	21.9	19.4	13	14	17.8	19.4
Pawtucket	1	1	1.2	1.3	1	0	1.2	.0	30	27	37.0	35.1	27	13	33.3	16.9
Warwick	0	0	.0	.0	1	0	1.3	.0	17	20	21.5	25.6	12	5	15.2	6.4
REGION II	424	352	11.8	9.9	294	213	8.2	6.0	2478	2115	68.8	59.2	3656	4045	101.6	113.3
Delaware	14	22	15.6	24.4	8	10	8.9	11.1	204	163	226.7	181.1	658	694	731.1	771.1
Wilmington	14	22	15.6	24.4	8	10	8.9	11.1	204	163	226.7	181.1	658	694	731.1	771.1
New Jersey	269	230	22.0	18.7	196	139	16.0	11.3	1332	1018	108.8	82.7	920	1075	75.2	87.3
Atlantic City	62	49	105.1	84.5	15	18	25.4	31.0	251	149	425.4	256.9	5	9	8.5	15.5
Bayonne	2	1	2.7	1.4	2	6	2.7	8.2	28	20	38.4	27.4	9	1	12.3	1.4
Bloomfield	0	0	.0	.0	3	2	5.7	3.7	17	18	32.1	33.3	2	2	3.8	3.7
Camden	20	15	17.5	13.2	26	13	22.8	11.4	165	162	144.7	142.1	79	49	69.3	43.0
Clifton	0	3	.0	3.3	3	0	3.3	.0	12	12	13.2	13.0	6	2	6.6	2.2
East Orange	20	8	26.3	10.5	22	9	28.9	11.8	106	69	139.5	90.8	41	80	53.9	105.3
Elizabeth	29	22	26.6	20.2	21	17	19.3	15.6	108	91	99.1	83.5	134	166	122.9	152.3
Hamilton Township	1	0	1.3	.0	1	0	1.3	.0	3	3	4.0	3.9	3	3	4.0	3.9
Irvine	1	1	1.7	1.6	2	2	3.3	3.3	30	22	50.0	36.1	6	4	10.0	6.6
Passaic	5	10	9.4	18.9	6	6	11.3	11.3	46	48	86.8	90.6	20	20	37.7	37.7
Paterson	102	54	69.9	37.0	29	19	19.9	13.0	219	136	150.0	93.2	225	261	154.1	178.8
Trenton	27	61	25.0	56.5	56	40	51.9	37.0	282	231	261.1	213.9	376	455	348.1	421.3
Union City	0	4	.0	7.8	2	5	3.9	9.8	16	34	31.4	66.7	2	4	3.9	7.8
Union Township	0	0	.0	.0	4	0	6.9	.0	19	5	32.8	8.3	8	14	13.8	23.3
Woodbridge Township	0	2	.0	2.0	4	2	4.1	2.0	30	18	30.6	18.2	4	5	4.1	5.1
New York	81	52	7.8	5.2	34	32	3.3	3.2	276	241	26.6	23.9	1583	1656	152.8	164.3
Albany	12	4	9.4	3.2	6	2	4.7	1.6	75	44	59.1	34.9	478	447	376.4	354.8
Binghamton	3	0	4.0	.0	0	0	.0	.0	15	4	20.0	5.3	90	111	120.0	148.0
Mount Vernon	30	9	38.5	12.3	13	11	16.7	15.1	62	29	79.5	39.7	239	270	306.4	369.9
New Rochelle	2	14	2.3	18.7	0	5	.0	6.7	6	38	7.0	50.7	139	153	161.6	204.0
Niagara Falls	0	2	.0	1.9	1	0	1.0	.0	13	26	12.4	24.5	95	66	90.5	62.3
Rome	0	0	.0	.0	0	0	.0	.0	2	3	3.5	5.3	6	9	10.5	15.8
Schenectady	4	2	5.2	2.6	1	0	1.3	.0	20	13	26.0	16.9	1	17	1.3	22.1
Troy	2	1	3.1	1.5	0	0	.0	.0	13	11	20.0	16.9	31	24	47.7	36.9
Utica	12	8	11.9	7.9	0	1	.0	1.0	20	24	19.8	23.8	90	174	89.1	172.3
White Plains	5	5	9.1	10.0	2	4	3.6	8.0	18	16	32.7	32.0	181	202	329.1	404.0
Yonkers	11	7	5.2	3.4	11	9	5.2	4.4	32	33	15.2	16.3	233	183	111.0	90.1

1/
CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITIES WITH 50,000 to 200,000 POPULATION IN 1960

Calendar Years 1965 - 1966

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
REGION II (continued)																
<u>Pennsylvania</u>	60	48	4.8	3.9	56	32	4.5	2.6	666	693	53.3	55.8	495	620	39.6	49.9
Abington Township	0	0	.0	.0	0	0	.0	.0	0	1	.0	1.4	0	0	.0	.0
Allentown	4	8	3.7	7.5	9	2	8.3	1.9	66	65	60.6	60.7	24	32	22.0	29.9
Altoona	0	1	.0	1.5	3	1	4.5	1.5	67	76	101.5	116.9	10	17	15.2	26.2
Bethlehem	3	5	3.8	6.2	2	4	2.5	4.9	33	38	41.3	46.9	10	8	12.5	9.9
Chester	11	3	16.9	4.8	8	1	12.3	1.6	75	108	115.4	171.4	72	31	110.8	49.2
Erie	6	5	4.2	3.6	6	3	4.2	2.1	59	53	41.5	37.9	55	85	38.7	60.7
Harrisburg	15	16	19.0	20.3	15	14	19.0	17.7	141	150	178.5	189.9	151	283	191.1	358.2
Haverford Township	0	0	.0	.0	0	0	.0	.0	1	0	1.7	.0	1	0	1.7	.0
Johnstown	1	0	2.0	.0	4	1	8.0	2.0	41	36	82.0	73.5	1	4	2.0	8.2
Lancaster	8	1	13.6	1.7	3	1	5.1	1.7	39	32	66.1	54.2	16	14	27.1	23.7
Lower Merion Township	0	0	.0	.0	0	0	.0	.0	0	0	.0	.0	0	0	.0	.0
Reading	6	4	6.5	4.3	2	3	2.2	3.2	37	41	39.8	44.1	76	57	81.7	61.3
Scranton	2	1	1.9	1.0	3	0	2.9	.0	52	37	49.5	35.2	9	4	8.6	3.8
Upper Darby Township	0	0	.0	.0	0	0	.0	.0	6	2	6.2	2.1	0	0	.0	.0
Wilkes-Barre	3	1	5.0	1.7	0	0	.0	.0	13	11	21.7	18.3	5	1	8.3	1.7
York	1	3	1.9	5.8	1	2	1.9	3.8	36	43	67.9	82.7	65	84	122.6	161.5
REGION III	404	372	14.3	12.6	118	138	4.2	4.7	1769	1657	62.5	56.3	6509	7117	230.0	241.8
<u>Kentucky 2/</u>	30	36	11.0	13.0	15	9	5.5	3.2	251	237	91.9	85.6	608	497	222.7	179.4
Covington	9	16	7.1	12.8	4	5	3.1	4.0	80	59	63.0	47.2	33	77	26.0	61.6
Lexington	21	20	14.4	13.2	11	4	7.5	2.6	171	178	117.1	117.1	575	420	393.8	276.3
<u>Maryland 2/</u>	6	7	1.5	1.6	5	6	1.2	1.4	39	100	9.5	23.3	67	119	16.3	27.7
Montgomery County	6	7	1.5	1.6	5	6	1.2	1.4	39	100	9.5	23.3	67	119	16.3	27.7
<u>North Carolina</u>	244	194	43.1	31.2	56	54	9.9	8.7	562	431	99.3	69.3	3258	3926	575.6	631.2
Asheville	16	22	25.0	34.4	3	3	4.7	4.7	43	53	67.2	82.8	434	383	678.1	598.4
Durham	9	12	11.0	12.4	4	4	4.9	4.1	36	36	43.9	37.1	1473	2050	1796.3	2113.4
Greensboro	26	39	19.4	28.3	5	18	3.7	13.0	52	84	38.8	60.9	320	326	238.8	236.2
High Point	34	23	48.6	31.9	13	4	18.6	5.6	65	35	92.9	48.6	226	208	322.9	288.9
Raleigh	90	48	90.0	43.2	23	9	23.0	8.1	171	76	171.0	68.5	124	105	124.0	94.6
Winston-Salem	69	50	59.5	35.7	8	16	6.9	11.4	195	147	168.1	105.0	681	854	587.1	610.0
<u>Virginia</u>	94	105	8.1	8.8	36	61	3.1	5.1	593	471	51.3	39.5	2338	2222	202.2	186.3
Alexandria	17	29	17.2	29.3	6	12	6.1	12.1	92	94	92.9	94.9	349	356	352.5	359.6
Arlington 2/	6	8	3.2	4.3	1	3	.5	1.6	51	25	27.6	13.4	144	159	77.8	85.0
Fairfax 2/	2	0	.6	.0	1	2	.3	.5	22	11	6.1	2.9	94	64	26.3	16.8
Hampton	3	3	2.8	2.7	2	3	1.9	2.7	47	39	44.3	35.1	175	194	165.1	174.8
Lynchburg	1	0	1.8	.0	6	1	10.5	1.7	40	21	70.2	36.2	52	65	91.2	112.1
Newport News	12	9	9.6	6.9	2	8	1.6	6.1	112	85	89.6	64.9	540	556	432.0	424.4
Portsmouth	52	56	41.9	45.2	16	31	12.9	25.0	173	157	139.5	126.6	862	661	695.2	533.1
Roanoke	1	0	1.0	.0	2	1	2.0	1.0	56	39	54.9	37.9	122	167	119.6	162.1
<u>West Virginia 2/</u>	30	30	7.1	7.1	6	8	1.4	1.9	324	418	76.6	99.1	238	353	56.3	83.6
Charleston	20	20	7.9	8.0	3	7	1.2	2.8	177	241	70.2	96.0	157	193	62.3	76.9
Huntington	6	10	5.6	9.3	2	1	1.9	.9	92	129	86.0	120.6	67	116	62.6	108.4
Wheeling	4	0	6.3	.0	1	0	1.6	.0	55	48	85.9	75.0	14	44	21.9	68.8
REGION IV	1781	1447	36.5	29.2	753	649	15.4	13.1	3694	3250	75.6	65.6	12905	13508	264.2	272.8
<u>Alabama 2/</u>	347	222	60.9	38.0	145	78	25.4	13.4	540	337	94.7	57.7	371	401	65.1	68.7
Cadtsden	70	40	66.0	37.7	14	7	13.2	6.6	92	53	86.8	50.0	5	6	4.7	5.7
Huntsville	17	19	10.4	10.7	12	7	7.3	4.0	33	42	20.1	23.7	5	1	3.0	.6
Montgomery	237	156	128.8	85.2	104	64	56.5	35.0	376	235	204.3	128.4	340	322	184.8	176.0
Tuscaloosa	23	7	19.8	5.9	15	0	12.9	.0	39	7	33.6	5.9	21	72	18.1	61.0
<u>Florida 2/</u>	716	527	43.0	31.2	292	271	17.5	16.0	1519	1379	91.1	81.6	2995	2730	179.7	161.6
Fort Lauderdale	216	219	51.3	51.2	102	120	24.2	28.0	452	578	107.4	135.0	351	475	83.4	111.0
Orlando	103	104	32.7	32.7	54	27	17.1	8.5	225	197	71.4	61.9	504	490	160.0	154.1
Pensacola	67	13	33.5	6.4	21	19	10.5	9.4	127	57	63.5	28.2	1376	902	688.0	446.5
St. Petersburg	44	57	9.8	12.6	31	27	6.9	6.0	234	191	52.1	42.2	199	275	44.3	60.7
West Palm Beach	286	134	101.4	46.5	84	78	29.8	27.1	481	356	170.6	123.6	565	588	200.4	204.2
<u>Georgia 2/</u>	386	331	50.2	42.2	161	179	20.9	22.8	711	710	92.5	90.6	2115	2632	275.0	335.7
Albany	20	33	22.5	36.7	11	15	12.4	16.7	60	84	67.4	93.3	116	233	130.3	258.9
Augusta	88	88	59.1	57.9	38	42	25.5	27.6	139	150	93.3	98.7	326	357	218.8	241.4
Columbus	38	28	21.3	14.9	35	30	19.7	16.0	99	91	55.6	48.4	287	312	161.2	166.0
Macon	64	37	42.1	24.2	25	6	16.4	3.9	114	59	75.0	38.6	533	469	350.7	306.5
Savannah	176	145	87.6	72.1	52	86	25.9	42.8	299	326	148.8	162.2	853	1251	424.4	622.4
<u>Mississippi 2/</u>	14	53	6.7	24.7	5	10	2.4	4.7	26	69	12.4	32.1	501	532	238.6	247.4
Jackson	14	53	6.7	24.7	5	10	2.4	4.7	26	69	12.4	32.1	501	532	238.6	247.4

1/
CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITIES WITH 50,000 TO 200,000 POPULATION IN 1960

Calendar Years 1965 - 1966

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
REGION IV (continued)																
South Carolina 2/	130	174	18.3	24.5	99	81	13.9	11.4	385	386	54.2	54.4	3299	3325	464.6	468.3
Charleston	30	67	11.9	26.4	35	20	13.8	7.9	113	141	44.7	55.5	888	1046	351.0	411.8
Columbia	70	72	30.7	31.9	42	47	18.4	20.8	174	169	76.3	74.8	1137	1193	498.7	527.9
Greenville	30	35	13.1	15.2	22	14	9.6	6.1	98	76	42.8	33.0	1274	1086	556.3	472.2
Tennessee 2/	188	140	19.6	14.4	51	30	5.3	3.1	513	369	53.5	38.0	3624	3888	378.3	400.8
Chattanooga	47	39	18.3	15.1	11	11	4.3	4.3	91	90	35.4	34.9	1268	1297	493.4	502.7
Knoxville	97	53	36.6	19.8	15	6	5.7	2.2	162	113	61.1	42.2	394	449	148.7	167.6
Nashville	44	48	10.1	10.8	25	13	5.7	2.9	260	166	59.6	37.4	1962	2142	450.0	482.4
REGION V 4/																
	246	279	5.3	4.8	257	323	5.6	5.6	2421	2519	52.3	43.6	8524	1841	184.1	185.4
Illinois	78	85	7.2	7.6	75	68	7.0	6.1	424	479	39.4	43.0	2184	3076	202.8	276.4
Aurora	8	2	11.8	2.8	5	4	7.4	5.6	23	24	33.8	33.3	138	136	202.9	188.9
Berwyn	1	2	1.9	3.7	0	0	.0	.0	7	5	13.0	9.3	4	4	7.4	7.4
Cicero	5	3	7.0	4.2	4	1	5.6	1.4	11	9	15.5	12.7	8	7	11.3	9.9
Decatur	3	11	3.6	13.1	2	5	2.4	6.0	18	34	21.7	40.5	144	244	173.5	290.5
East St. Louis	33	42	39.8	50.6	12	17	14.5	20.5	107	126	128.9	151.8	470	735	566.3	885.5
Evanston	6	12	7.2	14.5	13	10	15.7	12.0	61	55	73.5	66.3	69	98	83.1	118.1
Joliet	6	2	8.3	2.7	14	9	19.4	12.2	53	41	73.6	55.4	166	216	230.6	291.9
Oak Park	0	0	.0	.0	0	1	.0	1.6	3	4	4.8	6.5	5	9	8.1	14.5
Peoria	6	6	6.0	4.7	12	10	12.0	7.9	36	59	36.0	46.5	295	512	295.0	403.1
Rockford	0	1	.0	.8	4	7	3.0	5.3	54	70	40.9	52.6	543	759	411.4	570.7
Rock Island	2	2	3.8	3.8	0	1	.0	1.9	11	16	20.8	30.2	110	119	207.5	224.5
Skokie	1	0	1.4	.0	1	1	1.4	1.4	4	5	5.6	7.0	0	2	.0	2.8
Springfield	5	2	6.0	2.4	2	1	2.4	1.2	18	24	21.7	28.6	134	139	161.4	165.5
Waukegan	2	0	3.3	.0	6	1	9.8	1.6	18	7	29.5	11.3	98	96	160.7	154.8
Indiana	24	36	2.5	3.8	53	94	5.5	9.8	311	343	32.6	35.9	1103	1437	115.5	150.3
East Chicago	0	2	.0	3.6	9	22	16.1	40.0	23	28	41.1	50.9	2	0	3.6	.0
Evansville	1	1	.7	.7	3	1	2.1	.7	63	58	44.1	40.3	88	111	61.5	77.1
Fort Wayne	0	0	.0	.0	2	2	1.1	1.1	20	20	11.5	11.4	49	42	28.2	23.9
Gary	22	23	11.8	12.3	35	61	18.8	32.6	135	156	72.6	83.4	456	494	245.2	264.2
Hammond	0	2	.0	1.8	1	2	.9	1.8	6	5	5.3	4.4	14	26	12.3	23.0
Muncie	0	2	.0	2.8	0	2	.0	2.8	39	47	54.9	66.2	15	31	21.1	43.7
South Bend	1	5	.7	3.6	3	1	2.2	.7	11	13	8.0	9.4	302	547	218.8	396.4
Terre Haute	0	1	.0	1.4	0	3	.0	4.2	14	16	19.2	22.2	177	186	242.5	258.3
Michigan	78	93	4.8	5.7	69	81	4.3	5.0	853	848	52.9	52.0	3989	4558	247.5	279.3
Ann Arbor	5	3	6.7	3.9	2	1	2.7	1.3	45	17	60.0	22.4	117	111	156.0	146.1
Bay City	2	0	3.6	.0	1	0	1.8	.0	27	20	48.2	35.7	45	42	80.4	75.0
Dearborn	2	3	1.7	2.6	1	3	.9	2.6	44	42	38.3	36.5	75	51	65.2	44.3
Flint	17	25	8.3	12.1	19	13	9.2	6.3	229	223	111.2	108.3	1039	1188	504.4	576.7
Grand Rapids	4	9	1.9	4.4	1	12	.5	5.8	42	89	20.4	43.2	548	726	266.0	352.4
Jackson	4	9	7.8	17.6	8	7	15.7	13.7	59	59	115.7	115.7	113	127	221.6	249.0
Kalamazoo	1	5	1.2	5.6	7	3	8.2	3.3	58	58	68.2	64.4	610	629	717.6	698.9
Lansing	6	4	5.0	3.3	8	0	6.7	.0	66	38	55.0	31.4	472	520	393.3	429.8
Lincoln Park	2	1	3.4	1.7	1	0	1.7	.0	14	7	24.1	11.9	19	23	32.8	39.0
Livonia	1	0	1.2	.0	0	0	.0	.0	15	9	18.1	10.7	18	22	21.7	26.2
Pontiac	20	19	23.3	22.1	9	28	10.5	32.6	80	119	93.0	138.4	569	800	661.6	930.2
Roseville	1	0	1.8	.0	1	3	1.8	5.3	11	12	19.6	21.1	20	9	35.7	15.8
Royal Oak	4	1	4.5	1.1	0	2	.0	2.2	27	17	30.7	19.1	50	35	56.8	39.3
Saginaw	3	9	3.0	8.9	5	2	5.0	2.0	80	83	79.2	82.2	225	218	222.8	215.8
St. Clair Shores	0	1	.0	1.1	1	1	1.2	1.1	18	10	21.7	11.5	9	11	10.8	12.6
Warren	6	4	4.2	2.7	5	6	3.5	4.1	38	45	26.6	30.4	60	46	42.0	31.1
Ohio	66	50	6.7	5.0	60	73	6.1	7.3	660	641	66.9	64.2	943	1311	95.6	131.4
Canton	16	13	14.2	11.5	9	9	8.0	8.0	106	133	93.8	117.7	124	230	109.7	203.5
Cleveland Heights	1	0	1.5	.0	3	1	4.6	1.5	11	4	16.9	6.2	3	7	4.6	10.8
Euclid	1	0	1.4	.0	1	1	1.4	1.4	6	3	8.7	4.3	8	10	11.6	14.3
Hamilton	0	3	.0	3.9	7	5	9.3	6.5	44	39	58.7	50.6	99	147	132.0	190.9
Kettering	0	0	.0	.0	0	0	.0	.0	4	1	6.3	1.6	0	1	.0	1.6
Lakewood	3	4	4.2	5.7	1	2	1.4	2.9	19	13	26.8	18.6	4	4	5.6	5.7
Lima	3	3	6.0	6.0	2	3	4.0	6.0	43	32	86.0	64.0	80	65	160.0	130.0
Lorain	3	8	4.1	10.0	5	8	6.8	10.0	69	53	93.2	66.3	49	88	66.2	110.0
Parma	0	1	.0	1.0	1	0	1.1	.0	13	10	14.1	10.3	8	4	8.7	4.1
Springfield	2	0	2.4	.0	2	8	2.4	9.5	60	72	71.4	85.7	200	343	238.1	408.3
Warren	23	1	36.5	1.6	14	10	22.2	15.9	106	63	168.3	100.0	74	68	117.5	107.9
Youngstown	14	17	8.4	10.3	15	26	9.0	15.8	179	218	107.8	132.1	294	344	177.1	208.5
Wisconsin 2/	NA	15	NA	1.4	NA	7	NA	.7	NA	208	NA	19.3	NA	324	NA	30.1
Green Bay	NA	0	NA	.0	NA	0	NA	.0	31	18	22.5	12.6	4	14	2.9	9.8
Kenosha	NA	3	NA	2.6	NA	1	NA	.9	24	19	21.4	16.7	43	29	38.4	25.4
Madison	NA	2	NA	.8	NA	0	NA	.0	48	29	18.4	11.1	159	99	60.9	37.8
Milwaukee County 5/	NA	1	NA	.3	NA	1	NA	.3	NA	56	NA	14.1	NA	11	NA	2.8
Racine	NA	9	NA	5.6	NA	5	NA	3.1	70	86	44.6	53.4	99	171	63.1	106.2

1/
CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITIES WITH 50,000 to 200,000 POPULATION IN 1960

Calendar Years 1965 - 1966

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
REGION VI	51	36	3.4	2.4	28	27	1.9	1.8	831	854	56.0	57.0	2685	3221	181.1	214.9
Iowa	9	15	1.9	3.1	4	7	.8	1.4	208	283	43.1	57.8	1175	1271	243.3	259.4
Cedar Rapids	1	3	1.0	2.9	2	2	1.9	1.9	51	57	49.5	54.8	512	512	497.1	492.3
Council Bluffs	0	1	.0	1.6	0	0	.0	.0	16	22	27.1	35.5	20	12	33.9	19.4
Davenport	8	7	8.5	7.3	2	2	2.1	2.1	46	56	48.9	58.3	221	250	235.1	260.4
Dubuque	0	0	.0	.0	0	0	.0	.0	17	26	28.8	43.3	36	65	610.0	108.3
Sioux City	0	2	.0	2.2	0	3	.0	3.3	32	44	34.8	47.8	151	186	164.1	202.2
Waterloo	0	2	.0	2.6	0	0	.0	.0	46	78	60.5	102.6	235	246	309.2	323.7
Kansas 2/	9	10	2.5	2.8	10	11	2.8	3.1	281	304	78.9	85.6	1127	1524	316.6	429.3
Kansas City	7	6	3.5	3.0	6	5	3.0	2.5	222	239	111.0	118.9	985	1339	492.5	666.2
Topeka	2	4	1.3	2.6	4	6	2.6	3.9	59	65	37.8	42.2	142	185	91.0	120.1
Minnesota	5	0	4.6	.0	1	2	.9	1.9	11	3	10.2	2.8	60	74	55.6	68.5
Duluth	5	0	4.6	.0	1	2	.9	1.9	11	3	10.2	2.8	60	74	55.6	68.5
Missouri	6	4	1.8	1.2	9	0	2.8	.0	222	200	68.3	60.8	166	154	51.1	46.8
Independence	1	3	1.1	3.3	1	0	1.1	.0	25	38	27.5	41.3	25	24	27.5	26.1
St. Joseph	1	0	1.3	.0	1	0	1.3	.0	66	52	84.6	65.8	73	62	93.6	78.5
Springfield	2	1	2.0	1.0	6	0	5.9	.0	122	105	119.6	101.0	52	59	51.0	56.7
University City	2	0	3.7	.0	1	0	1.9	.0	9	5	16.7	9.3	16	9	29.6	16.7
Nebraska	21	7	14.9	4.8	3	6	2.1	4.1	99	59	70.2	40.7	127	152	90.1	104.8
Lincoln	21	7	14.9	4.8	3	6	2.1	4.1	99	59	70.2	40.7	127	152	90.1	104.8
South Dakota	1	0	1.4	.0	1	1	1.4	1.4	10	5	14.3	6.9	30	46	42.9	63.9
Sioux Falls	1	0	1.4	.0	1	1	1.4	1.4	10	5	14.3	6.9	30	46	42.9	63.9
REGION VII	621	714	23.0	26.2	286	304	10.6	11.1	1573	1659	58.3	60.8	8355	8916	309.7	326.8
Arkansas	55	32	21.2	12.1	9	6	3.5	2.3	281	268	108.1	101.5	2071	1888	796.5	715.2
Fort Smith	2	4	3.0	5.9	1	0	1.5	.0	44	57	66.7	83.8	269	258	407.6	379.4
Little Rock	38	20	29.5	14.9	6	3	4.7	2.2	165	154	127.9	114.9	1110	822	860.5	613.4
North Little Rock	15	8	23.1	12.9	2	3	3.1	4.8	72	57	110.8	91.9	692	808	1064.6	1303.2
Louisiana	218	211	46.7	44.3	97	89	20.8	18.7	526	449	112.6	94.3	1648	1861	352.9	391.0
Baton Rouge	70	72	42.7	43.1	32	24	19.5	14.4	212	138	129.3	82.6	213	207	129.9	124.0
Lake Charles	49	30	69.0	41.1	33	26	46.5	35.6	104	85	146.5	116.4	392	461	552.1	631.5
Monroe	18	21	30.5	35.0	24	29	40.7	48.3	95	101	161.0	168.3	236	328	400.0	546.7
Shreveport	81	88	46.8	50.0	8	10	4.6	5.7	115	125	66.5	71.0	807	865	466.5	491.5
Oklahoma 2/	4	11	3.7	10.8	1	4	.9	3.9	45	54	41.7	52.9	617	640	571.3	627.5
Lawton	4	11	3.7	10.8	1	4	.9	3.9	45	54	41.7	52.9	617	640	571.3	627.5
Texas	344	460	18.5	24.4	179	205	9.6	10.9	721	888	38.7	47.1	4019	4527	215.7	240.0
Abilene 2/	8	9	6.9	7.8	6	4	5.2	3.5	22	23	19.0	20.0	195	180	168.1	156.5
Amarillo 2/	7	19	5.2	14.0	2	3	1.5	2.2	12	24	9.0	17.6	411	546	306.7	401.5
Austin 2/	59	30	24.6	12.2	54	31	22.5	12.7	133	75	55.4	30.6	408	488	170.0	199.2
Beaumont	32	38	25.0	29.0	21	14	16.4	10.7	55	60	43.0	45.8	76	145	59.4	110.7
Corpus Christi 2/	25	34	10.6	14.2	7	10	3.0	4.2	51	52	21.6	21.7	563	654	238.6	272.5
Galveston	12	51	17.1	72.9	8	19	11.4	27.1	85	131	121.4	187.1	257	394	367.1	562.9
Laredo 2/	3	6	4.4	8.6	4	2	5.9	2.9	25	43	36.8	61.4	88	53	129.4	75.7
Lubbock 2/	24	20	13.3	10.9	12	12	6.6	6.6	43	39	23.8	21.3	181	202	100.0	110.4
Midland 2/	56	73	78.9	101.4	2	30	2.8	41.7	58	104	81.7	144.4	138	96	194.4	133.3
Odessa 2/	4	18	4.2	18.8	17	15	17.9	15.6	27	65	28.4	67.7	136	197	143.2	205.2
Port Arthur	13	15	18.8	21.7	5	17	7.2	24.6	35	45	50.7	65.2	570	552	826.1	800.0
San Angelo 2/	22	28	31.9	40.0	6	17	8.7	24.3	32	48	46.4	68.6	30	49	43.5	70.0
Tyler 2/	18	13	19.6	14.0	18	17	19.6	18.3	53	58	57.6	62.4	281	246	305.4	264.5
Waco 2/	57	105	35.8	65.6	9	9	5.7	5.6	74	115	46.5	71.9	470	487	295.6	304.4
Wichita Falls 2/	4	1	3.0	.7	8	5	5.9	3.7	16	6	11.9	4.4	215	238	159.3	175.0
REGION VIII	26	23	3.5	3.0	24	17	3.2	2.2	189	141	25.2	18.7	446	538	59.5	71.2
Colorado 2/	7	7	2.3	2.2	8	3	2.6	1.0	81	51	26.3	16.2	114	104	37.0	33.1
Colorado Springs	4	4	2.2	2.2	3	0	1.7	.0	25	29	14.0	15.7	26	49	14.5	26.5
Pueblo	3	3	2.3	2.3	5	3	3.9	2.3	56	22	43.4	17.1	88	55	68.2	42.6
Montana	7	9	5.9	7.6	2	7	1.7	5.9	31	25	26.1	21.0	54	58	45.4	48.7
Billings	3	5	5.4	8.9	1	5	1.8	8.9	19	11	33.9	19.6	24	32	42.9	57.1
Great Falls	4	4	6.3	6.3	1	2	1.6	3.2	12	14	19.0	22.2	30	26	47.6	41.3
Utah	12	7	3.7	2.2	14	7	4.3	2.2	77	65	23.9	20.1	278	376	86.3	116.4
Ogden 2/	2	4	1.6	3.2	7	1	5.7	.8	19	11	15.6	8.8	73	97	59.8	77.6
Salt Lake City	10	3	5.0	1.5	7	6	3.5	3.0	58	54	29.0	27.3	205	279	102.5	140.9

1/
CASES AND RATES OF PRIMARY AND SECONDARY SYPHILIS, EARLY LATENT SYPHILIS,
ALL STAGES OF SYPHILIS, AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITIES WITH 50,000 TO 200,000 POPULATION IN 1960
Calendar Years 1965 - 1966

Cities (continued)	Primary & Secondary Syphilis				Early Latent Syphilis				All Stages of Syphilis				Gonorrhea			
	Cases		Rates		Cases		Rates		Cases		Rates		Cases		Rates	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
REGION IX	476	372	6.9	5.2	296	317	4.3	4.4	2656	2421	38.6	33.6	10306	12051	149.8	167.2
California	411	333	7.2	5.5	260	285	4.5	4.7	2323	2146	40.5	35.6	9004	10741	156.9	178.3
Bakersfield 2/	28	26	8.6	7.9	24	18	7.4	5.4	150	110	46.0	33.2	597	665	183.1	200.9
Berkeley	29	30	25.4	25.2	13	21	11.4	17.6	93	107	81.6	89.9	599	908	525.4	763.0
Fresno 2/	43	33	10.4	8.0	24	23	5.8	5.6	218	204	52.8	49.5	737	875	178.5	212.4
Orange County 2/	60	43	5.7	3.6	27	29	2.6	2.5	186	148	17.7	12.5	981	1185	93.6	100.4
Richmond 2/	34	31	7.1	6.1	21	17	4.4	3.3	404	334	84.3	65.2	1451	1744	302.9	340.6
Riverside County 2/	39	20	9.7	4.8	19	30	4.7	7.2	173	149	42.9	35.8	339	323	84.1	77.6
Sacramento 2/	67	22	10.9	3.5	32	17	5.2	2.7	203	113	33.2	18.1	1200	1568	196.1	251.7
San Bernardino 3/	25	31	4.0	4.8	29	34	4.7	5.3	317	261	51.0	40.5	971	913	156.1	141.6
San Mateo 2/	19	35	3.6	6.6	23	48	4.4	9.0	204	307	38.9	57.6	522	753	99.4	141.3
Santa Barbara 3/	8	16	3.4	6.4	13	10	5.5	4.0	97	96	41.3	38.6	212	213	90.2	85.5
Santa Clara County 5/	15	14	2.8	2.5	8	12	1.5	2.1	121	162	22.5	28.5	467	549	87.0	96.7
Stockton 2/	30	19	11.3	6.9	16	15	6.0	5.5	95	77	35.7	28.0	641	630	241.0	229.1
Vallejo 2/	14	13	8.9	8.1	11	11	7.0	6.8	62	78	39.5	48.4	287	415	182.8	257.8
Nevada 2/	52	24	16.3	6.8	29	19	9.1	5.4	249	201	78.1	57.3	617	536	193.4	152.7
Las Vegas	47	18	22.1	7.9	25	19	11.7	8.3	185	155	86.9	67.7	420	364	197.2	159.0
Reno	5	6	4.7	4.9	4	0	3.8	.0	64	46	60.4	37.7	197	172	185.8	141.0
Oregon 2/	1	1	.5	.5	0	1	.0	.5	18	7	9.8	3.7	127	124	69.0	65.6
Eugene	1	1	.5	.5	0	1	.0	.0	18	7	9.8	3.7	127	124	69.0	65.6
Washington 2/	12	14	1.9	2.2	7	12	1.1	1.9	66	67	10.3	10.4	558	650	86.9	100.9
Spokane	0	2	.0	.7	1	5	.3	1.7	25	30	8.5	10.3	150	185	51.2	63.6
Tacoma	12	12	3.4	3.4	6	7	1.7	2.0	41	37	11.7	10.5	408	465	116.9	131.7
SMALL CITY TOTAL 4/	4183	3753	13.6	11.5	2287	2167	7.4	6.7	16702	15571	54.1	47.9	56515	63831	183.1	196.2
LARGE CITY TOTAL	11522	11270	21.1	20.4	11257	10188	20.7	18.5	62463	58206	114.6	105.5	205407	221633	376.9	401.5
UNITED STATES TOTAL	23338	21414	12.2	11.1	17458	15950	9.1	8.3	112842	105159	58.7	54.5	324925	351738	169.3	181.5
Puerto Rico 2/	152	204	62.0	82.3	88	87	35.9	35.1	270	321	110.2	129.4	396	416	161.6	167.7
Mayaguez	39	77	44.3	86.5	26	41	29.5	46.1	84	128	95.5	143.8	109	142	123.9	159.6
Ponce	113	127	72.0	79.9	62	46	39.5	28.9	186	193	118.5	121.4	287	274	182.8	172.3

1/ Population estimates as of December 31, 1963 for cases reported in 1964 and as of December 31, 1964 for cases reported in 1965. Copyright, Sales Management Survey of Buying Power, reproduction not licensed.
2/ Includes surrounding county both years.
3/ Includes surrounding county beginning in 1965.
4/ United States Totals exclusive of Wisconsin for Calendar Year 1965 only.
5/ Milwaukee County exclusive of City of Milwaukee.
Santa Clara County exclusive of City of San Jose.

Source: Form PHS 9.688 and Special Reports
DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/14/67 LBH/MFR:emb

VENEREAL DISEASE EPIDEMIOLOGIC ACTIVITY REPORT

UNITED STATES ^{1/}

January - March 1967

Source	Number of Patients Interviewed	Number of Contacts Obtained	Contact Index	Number Closed	Number Persons Examined	Number Persons Not Examined	Percent Examined	Brought To Treatment				Proph. or Epi. Treatment	All Other Dispositions	
								Syphilis			Other V. D.			
								Primary & Secondary	Early Latent	Other				
MILITARY:														
Primary & Secondary Syphilis	132	345	2.61	467	334	133	71.5	30	7	1	1	127	169	
Early Latent Syphilis	54	132	2.44	118	84	34	71.2	3	5			24	52	
Other Syphilis, Gonorrhea, & Other V. D.	75	84	1.12	4278	2212	2066	51.7			3	830	935	445	
Selectees & Separatees				267	220	47	82.4	8	26	9	4	3	170	
TOTAL	261	561	2.15	5130	2850	2280	55.6	41	38	13	835	1089	836	
PRIVATE:														
Primary & Secondary Syphilis	1831	4969	2.71	5055	4171	884	82.5	470	230	18	3	1183	2267	
Early Latent Syphilis	829	1946	2.35	2094	1680	414	80.2	71	105	10	2	207	1287	
Other Syphilis, Gonorrhea, & Other V. D.	78	86	1.10	2382	1883	499	79.1	2	2	5	794	586	495	
TOTAL	2738	7001	2.56	9531	7734	1797	81.1	543	337	33	799	1976	4049	
PUBLIC:														
Primary & Secondary Syphilis	3187	11015	3.46	12411	10119	2292	81.5	896	487	34	19	3364	5332	
Early Latent Syphilis	2073	6679	3.22	7487	5977	1510	79.8	216	349	31	2	1023	4356	
Other Syphilis, Gonorrhea, & Other V. D.	72	104	1.44	11384	7946	3438	69.8	7	10	11	3622	3057	1241	
Survey Positive STS				1943	1735	208	89.3	79	88	163	1	14	1390	
Other Cases				2316	1610	706	69.5	59	48	116	35	22	1330	
Cluster S and A	3200	7955	2.49	13316	11288	2028	84.8	266	160	56	26	576	10204	
TOTAL	8532	25753	3.02	48857	38675	10182	79.2	1523	1142	411	3705	8056	23853	
OTHER POSITIVE STS				43458	35306	8152	81.2	1407	1419	3900	2607	415	25559	
TOTAL CASE LOAD	11531	33315	2.89	106976	84565	22411	79.1	3514	2936	4357	7946	11536	54297	
ALL CONTACTS	8331	25360	3.04	45676	34406	11270	75.3	1695	1195	113	5273	10506	15644	
ALL OTHER SUSPECTS	3200	7955	2.49	61300	50159	11141	81.8	1819	1741	4244	2673	1030	38653	

^{1/} Excludes Massachusetts.

Source: Form PHS 9.2127
DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/21/67 MFR:emb

CASES OF SYPHILIS BROUGHT TO TREATMENT AND YIELD ^{1/}
PER 1,000 CONTACTS AND SUSPECTS EXAMINED

UNITED STATES ^{4/}

January - March 1967

Source	Number Examined	Brought To Treatment									
		Syphilis						Other			
		Primary and Secondary		Early Latent		Other		Venereal Diseases		Prophylactic Treatment	
		Number	Yield	Number	Yield	Number	Yield	Number	Yield	Number	Yield
<u>Type of Suspect:</u>											
<u>Contacts to Primary & Secondary Syphilis</u>											
Military Cases	334	30	90	7	21	1	3	1	3	127	380
Private Cases	4171	470	113	230	55	18	4	3	1	1183	284
Public Cases	10119	896	89	487	48	34	3	19	2	3364	332
Total Cases	14624	1396	95	724	50	53	4	23	2	4674	320
<u>Contacts to Early Latent Syphilis</u>											
Military Cases	84	3	36	5	60	0	0	0	0	24	286
Private Cases	1680	71	42	105	63	10	6	2	1	207	123
Public Cases	5977	216	36	349	58	31	5	2	0	1023	171
Total Cases	7741	290	37	459	59	41	5	4	1	1254	162
<u>Contacts to Other Venereal Diseases 2/</u>											
Military Cases	2212	0	0	0	0	3	1	830	375	935	423
Private Cases	1883	2	1	2	1	5	3	794	422	586	311
Public Cases	7946	7	1	10	1	11	1	3622	456	3057	385
Total Cases	12041	9	1	12	1	18	2	5246	436	4578	380
<u>Cluster Suspects and Associates</u>	11288	266	24	160	14	56	5	26	2	576	51
<u>Selectees and Separatees</u>	220	8	36	26	118	9	41	4	18	3	14
<u>All Other Suspects 3/</u>	38651	1545	40	1555	40	4179	108	2643	68	451	12
Total Case Load	84565	3514	42	2936	35	4357	52	7946	94	11536	136

^{1/} Number of Cases brought to treatment per 1,000 examined.

^{2/} Includes Late and Late Latent Syphilis, Gonorrhea, Chancroid, Granuloma Inguinale, and Lymphogranuloma Venereum.

^{3/} Mostly Private and Public Patients with reactive tests for syphilis.

^{4/} Excludes Massachusetts.

Source: Form PHS 9.2127
DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/21/67 MFR:emb

CONTACTS OBTAINED FROM PRIVATE AND PUBLIC PRIMARY AND SECONDARY SYPHILIS PATIENTS

ALL AREAS REPORTING

January - March 1967

States By DHEW Regions	PRIMARY AND SECONDARY SYPHILIS											
	Private Cases			CONTACTS OBTAINED				Public Cases				
	Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	Number		Number		Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED	
				Number	Per Case Reported	Per Case Interviewed	Per Case Interviewed				Number	Number Per Case Reported Interviewed
Connecticut	14	13	92.9	13	.93	1.00		13	13	100.0	26	2.00
Maine	0	0	-	-	-	-		0	0	-	-	-
Massachusetts	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
New Hampshire	4	3	75.0	4	1.00	1.33		0	0	-	-	-
Rhode Island	1	1	100.0	2	2.00	2.00		5	5	100.0	10	2.00
Vermont	2	2	100.0	0	.00	.00		0	0	-	-	-
REGION I TOTAL 2/	21	19	90.5	19	.90	1.00		18	18	100.0	36	2.00
Delaware	4	4	100.0	4	1.00	1.00		8	8	100.0	32	4.00
New Jersey	52	50	96.2	98	1.88	1.96		96	95	99.0	233	2.43
New York	300	217	72.3	483	1.61	2.23		300	290	96.7	793	2.64
Pennsylvania	75	59	78.7	150	2.00	2.54		67	67	100.0	198	2.96
REGION II TOTAL	431	330	76.6	735	1.71	2.23		471	460	97.7	1256	2.67
District of Columbia	32	31	96.9	64	2.00	2.06		125	124	99.2	322	2.58
Kentucky	11	11	100.0	46	4.18	4.18		18	18	100.0	90	5.00
Maryland	57	57	100.0	183	3.21	3.21		112	97	86.6	312	2.79
North Carolina	36	36	100.0	129	3.58	3.58		135	135	100.0	489	3.62
Virginia	23	23	100.0	71	3.09	3.09		52	52	100.0	203	3.90
West Virginia	2	2	100.0	9	4.50	4.50		2	2	100.0	12	6.00
REGION III TOTAL	161	160	99.4	502	3.12	3.14		444	428	96.4	1428	3.22
Alabama	85	85	100.0	335	3.94	3.94		185	185	100.0	776	4.19
Florida	157	145	92.4	440	2.80	3.03		334	333	99.7	1182	3.54
Georgia	49	49	100.0	182	3.71	3.71		187	187	100.0	904	4.83
Mississippi	13	13	100.0	57	4.38	4.38		93	93	100.0	427	4.59
South Carolina	93	93	100.0	449	4.83	4.83		127	123	96.9	669	5.27
Tennessee	14	14	100.0	76	5.43	5.43		45	45	100.0	223	4.96
REGION IV TOTAL	411	399	97.1	1539	3.74	3.86		971	966	99.5	4181	4.31
Illinois	104	93	89.4	222	2.13	2.39		158	155	98.1	484	3.06
Indiana	14	0	.0	-	-	-		15	1	6.7	0	.00
Michigan	141	136	96.4	235	1.67	1.73		174	166	95.4	495	2.84
Ohio	56	56	100.0	196	3.50	3.50		100	100	100.0	423	4.23
Wisconsin	5	4	80.0	10	2.00	2.50		2	2	100.0	11	5.50
REGION V TOTAL	320	289	90.3	663	2.07	2.29		449	424	94.4	1413	3.15
Iowa	5	5	100.0	11	2.20	2.20		1	1	100.0	7	7.00
Kansas	2	2	100.0	4	2.00	2.00		5	5	100.0	30	6.00
Minnesota	8	8	100.0	52	6.50	6.50		2	0	.0	-	-
Missouri	11	10	90.9	72	6.55	7.20		6	6	100.0	19	3.17
Nebraska	6	5	83.3	12	2.00	2.40		2	2	100.0	5	2.50
North Dakota	1	0	.0	-	-	-		0	0	-	-	-
South Dakota	6	6	100.0	16	2.67	2.67		5	5	100.0	14	2.80
REGION VI TOTAL	39	36	92.3	167	4.28	4.64		21	19	90.5	75	3.57
Arkansas	15	15	100.0	54	3.60	3.60		22	22	100.0	84	3.82
Louisiana	41	41	100.0	117	2.85	2.85		111	111	100.0	400	3.60
New Mexico	10	10	100.0	28	2.80	2.80		31	28	90.3	95	3.06
Oklahoma	7	7	100.0	26	3.71	3.71		22	22	100.0	127	5.77
Texas	223	220	98.7	490	2.20	2.23		295	294	99.7	829	2.81
REGION VII TOTAL	296	293	99.0	715	2.42	2.44		481	477	99.2	1535	3.19
Colorado	15	12	80.0	30	2.00	2.50		5	5	100.0	16	3.20
Idaho	3	1	33.3	2	.67	2.00		7	7	100.0	20	2.86
Montana	1	1	100.0	2	2.00	2.00		0	0	-	-	-
Utah	0	0	.0	-	-	-		0	0	-	-	-
Wyoming	0	0	-	-	-	-		2	2	100.0	20	10.00
REGION VIII TOTAL	20	14	70.0	34	1.70	2.43		14	14	100.0	56	4.00
Alaska	1	1	100.0	1	1.00	1.00		0	0	-	-	-
Arizona	25	25	100.0	60	2.40	2.40		52	52	100.0	177	3.40
California	231	231	100.0	480	2.08	2.08		242	242	100.0	792	3.27
Hawaii	3	2	66.7	1	.33	.50		1	0	.0	-	-
Nevada	0	0	-	-	-	-		4	4	100.0	16	4.00
Oregon	6	6	100.0	16	2.67	2.67		8	8	100.0	12	1.50
Washington	5	5	100.0	37	7.40	7.40		12	12	100.0	37	3.08
REGION IX TOTAL	271	270	99.6	595	2.20	2.20		319	318	99.7	1035	3.24
U. S. TOTAL 1/2/	1970	1810	91.9	4969	2.52	2.75		3188	3124	98.0	11015	3.46
Puerto Rico	18	13	72.2	29	1.61	2.23		183	182	99.5	732	4.00
REGION III TOTAL (incl Puerto Rico)	179	173	96.6	531	2.97	3.07		627	610	97.3	2160	3.44
U. S. & TERRITORY 1/2/ 1968		1823	91.7	4998	2.51	2.74		3371	3306	98.1	11747	3.48
Cities (incl above)												
New York	224	160	71.4	354	1.58	2.21		288	279	96.9	760	2.64
Philadelphia	25	23	92.0	57	2.28	2.48		42	42	100.0	120	2.86
Baltimore	32	32	100.0	110	3.44	3.44		85	76	89.4	225	2.65
Chicago	75	65	86.7	148	1.97	2.28		151	147	97.4	468	3.10

1/ A minor difference will be noted between the number interviewed from the number interviewed on other tables because of adjustments of data for administrative reasons.
2/ Excludes Massachusetts.

Source: Forms PHS 9.2127 and PHS 9.688
DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/20/67 MFR:emb

CONTACTS OBTAINED FROM PRIVATE AND PUBLIC EARLY LATENT SYPHILIS PATIENTS

ALL AREAS REPORTING

January - March 1967

States By DHEW Regions	EARLY LATENT SYPHILIS										
	Private Cases						Public Cases				
	Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED	
				Number	Number Per Case	Number Per Case				Number	Number Per Case
Connecticut	14	11	78.6	16	1.14	1.45	17	16	94.1	26	1.53
Maine	2	2	100.0	3	1.50	1.50	1	1	100.0	1	1.00
Massachusetts		NA	NA	NA	NA	NA		NA	NA	NA	NA
New Hampshire	1	1	100.0	1	1.00	1.00	0	0	-	-	-
Rhode Island	7	0	.0	-	-	-	3	0	.0	-	-
Vermont	1	1	100.0	1	1.00	1.00	0	0	-	-	-
REGION I TOTAL 2/	25	15	60.0	21	.84	1.40	21	17	81.0	27	1.29
Delaware	1	0	.0	-	-	-	4	4	100.0	12	3.00
New Jersey	28	25	89.3	58	2.07	2.32	58	58	100.0	164	2.83
New York	237	107	45.1	223	.94	2.08	373	271	72.7	720	2.66
Pennsylvania	33	9	27.3	34	1.03	3.78	34	34	100.0	127	3.74
REGION II TOTAL	299	141	47.2	315	1.05	2.23	469	367	78.3	1023	2.18
District of Columbia	24	9	37.5	24	1.00	2.67	87	66	75.9	186	2.14
Kentucky	12	7	58.3	21	1.75	3.00	7	6	85.7	25	3.57
Maryland	32	24	75.0	57	1.78	2.38	116	99	85.3	298	2.57
North Carolina	12	12	100.0	27	2.25	2.25	57	57	100.0	241	4.23
Virginia	15	4	26.7	12	.80	3.00	17	14	82.4	50	2.94
West Virginia	2	2	100.0	15	7.50	7.50	5	5	100.0	22	4.40
REGION III TOTAL	97	58	59.8	156	1.61	2.69	289	247	85.5	822	2.84
Alabama	28	13	46.4	37	1.32	2.85	49	29	59.2	85	1.73
Florida	55	54	98.2	96	1.75	1.78	189	186	98.4	464	2.46
Georgia	38	38	100.0	98	2.58	2.58	141	141	100.0	601	4.26
Mississippi	2	2	100.0	5	2.50	2.50	23	23	100.0	91	3.96
South Carolina	43	19	44.2	88	2.05	4.63	67	45	67.2	238	3.55
Tennessee	7	7	100.0	49	7.00	7.00	26	23	88.5	106	4.08
REGION IV TOTAL	173	133	76.9	373	2.16	2.80	495	447	90.3	1585	3.20
Illinois	93	23	24.7	44	.47	1.91	230	134	58.3	420	1.83
Indiana	38	0	.0	-	-	-	11	1	9.1	3	.27
Michigan	93	61	65.6	115	1.24	1.89	110	89	80.9	227	2.06
Ohio	89	28	31.5	84	.94	3.00	78	52	66.7	194	2.49
Wisconsin	3	1	33.3	1	.33	1.00	3	2	66.7	7	2.33
REGION V TOTAL	316	113	35.8	244	.77	2.16	432	278	64.4	851	1.97
Iowa	3	0	.0	-	-	-	0	0	-	-	-
Kansas	1	1	100.0	2	2.00	2.00	2	2	100.0	13	6.50
Minnesota	3	3	100.0	18	6.00	6.00	3	3	100.0	12	4.00
Missouri	7	7	100.0	35	5.00	5.00	11	11	100.0	43	3.91
Nebraska	3	2	66.7	4	1.33	2.00	2	0	.0	-	-
North Dakota	0	0	-	-	-	-	0	0	-	-	-
South Dakota	1	1	100.0	1	1.00	1.00	10	10	100.0	32	3.20
REGION VI TOTAL	18	14	77.8	60	3.33	4.29	28	26	92.9	100	3.57
Arkansas	8	8	100.0	28	3.50	3.50	9	9	100.0	36	4.00
Louisiana	13	13	100.0	47	3.62	3.62	77	73	94.8	260	3.38
New Mexico	12	6	50.0	24	2.00	4.00	24	20	83.3	67	2.79
Oklahoma	8	2	25.0	1	.13	.50	9	7	77.8	34	3.78
Texas	146	131	89.7	277	1.90	2.11	240	231	96.3	583	2.43
REGION VII TOTAL	187	160	85.6	377	2.02	2.36	359	340	94.7	980	2.73
Colorado	4	4	100.0	9	2.25	2.25	16	11	68.8	74	4.63
Idaho	1	1	100.0	3	3.00	3.00	3	3	100.0	21	7.00
Montana	3	3	100.0	22	7.33	7.33	3	2	66.7	5	1.67
Utah	2	1	50.0	2	1.00	2.00	0	0	-	-	-
Wyoming	0	0	-	-	-	-	0	0	-	-	-
REGION VIII TOTAL	10	9	90.0	36	3.60	4.00	22	16	72.7	100	4.55
Alaska	0	0	-	-	-	-	0	0	-	-	-
Arizona	10	10	100.0	24	2.40	2.40	30	30	100.0	115	3.83
California	158	158	100.0	325	2.06	2.06	258	258	100.0	1010	3.91
Hawaii	7	0	.0	-	-	-	3	0	.0	-	-
Nevada	4	4	100.0	9	2.25	2.25	9	9	100.0	32	3.56
Oregon	0	0	-	-	-	-	0	0	-	-	-
Washington	5	4	80.0	6	1.20	1.50	2	2	100.0	27	13.50
REGION IX TOTAL	184	176	95.7	364	1.98	2.07	302	299	99.0	1184	3.92
U. S. TOTAL 1/ 2/	1309	819	62.6	1946	1.49	2.38	2417	2037	84.3	6672	2.76
Puerto Rico	6	3	50.0	10	1.67	3.33	148	74	50.0	255	1.72
REGION III TOTAL (incl Puerto Rico)	103	61	59.2	166	1.61	2.72	437	321	73.5	1077	2.46
U. S. & TERRITORY 1/2/	1315	822	62.5	1956	1.49	2.38	2565	2111	82.3	6927	2.70
Cities (incl above)											
New York	206	76	36.9	166	.81	2.18	355	253	71.3	690	1.94
Philadelphia	8	5	62.5	25	3.13	5.00	27	27	100.0	96	3.56
Baltimore	17	12	70.6	35	2.06	2.92	95	82	86.3	252	2.65
Chicago	75	15	20.0	23	.31	1.53	209	120	57.4	375	1.79

1/ A minor difference will be noted between the number interviewed from the number interviewed on other tables because of adjustments of data for administrative reasons.
2/ Excludes Massachusetts.

Source: Forms PHS 9.2127 and PHS 9.688
DHEW-PHS-NCDC-VD Program
Research and Control Statistics
7/24/67 MPR:emb

RESULTS OF FOLLOW-UP OF SEROLOGIC REACTORS FROM PROJECT AREAS — CUMULATIVE FOR JULY - MARCH, FISCAL YEAR 1967

Areas	REACTORS			TYPE OF CLOSURE					CLOSURE BY VOLUNTARY REPORT, AFTER MD CONTACT, AND BY FIELD INVESTIGATION						
	Total Reported	Total Closed	Percent Closed 1/	(Percent of Total Closed)					Total Number	Disposition (Percent of Total)					All Other Dispositions
				Adminis- trative	Record Search	Volun. Report	After MD Contact	Field Invest.		Primary/ Secondary	Early Latent	Other Syphilis	Not Infected		
Connecticut	5467	5483	100.3	33.0	36.8	3.9	26.2	.1	1656	6.1	10.6	40.2	38.8	4.3	
Maine	1118	1216	108.8	.0	38.2	.1	61.8	.0	752	.0	.7	42.8	26.1	30.5	
Vermont	689	570	82.7	54.7	35.1	5.4	4.7	.0	58	5.2	5.2	22.4	48.3	19.0	
REGION I TOTAL	7274	7269	99.9	29.2	36.9	3.4	30.4	.1	2466	4.2	7.5	40.6	35.1	12.7	
Delaware	1822	1859	102.0	5.4	67.8	1.0	10.9	14.8	498	3.8	2.0	41.6	27.3	25.3	
New Jersey	11607	12519	107.9	13.5	46.4	3.4	13.0	23.7	5017	4.0	5.8	16.2	40.5	33.3	
New York (Upstate)	11762	11204	95.3	17.3	50.9	2.0	29.8	.0	3564	5.9	3.9	23.0	44.9	22.8	
New York City	7544	70023	92.9	51.0	29.2	4.6	9.2	6.0	13848	6.5	11.9	34.4	21.6	25.5	
Pennsylvania (excl Phila)	13075	10741	82.1	35.8	25.7	5.2	32.5	.8	4129	1.3	1.6	35.8	54.6	6.8	
Philadelphia	9578	7336	76.6	12.9	48.2	6.8	19.2	10.8	2850	2.4	1.1	24.6	36.7	35.2	
REGION II TOTAL	123258	113682	92.2	38.9	34.8	4.5	14.5	7.3	29906	4.9	7.3	29.4	33.6	24.8	
Dist of Columbia	11826	11467	97.0	34.7	37.5	7.1	11.0	9.6	3185	6.2	4.7	9.5	33.9	45.7	
Kentucky	8854	7361	83.1	2.5	52.5	.0	34.1	10.9	3314	1.1	.7	31.4	49.7	17.0	
Maryland (excl Balto)	3883	3439	88.6	7.8	48.3	.0	20.0	23.8	1509	3.7	4.8	46.3	16.4	28.8	
Baltimore	3095	2950	95.3	25.5	38.5	2.2	18.7	15.0	1062	5.8	8.3	42.3	15.3	28.3	
North Carolina	18699	9970	53.3	46.3	31.7	1.9	13.7	6.4	2187	8.2	9.5	23.6	53.0	5.7	
Virginia	11944	11688	97.9	17.4	53.7	8.3	11.1	9.5	3371	5.2	3.6	53.8	18.9	18.6	
West Virginia	7312	7196	98.4	.7	62.4	.0	31.4	5.5	2651	.7	.6	40.2	40.0	18.4	
Puerto Rico	10603	9776	92.2	66.8	10.7	.0	1.2	21.4	2203	7.1	9.3	6.5	7.5	69.6	
Virgin Islands	372	640	172.0	22.8	12.7	.0	21.4	43.1	413	6.1	51.6	42.4	.0	.0	
REGION III TOTAL	76584	64487	84.2	28.8	40.4	3.2	15.8	11.9	19895	4.6	5.5	31.2	31.0	27.8	
Alabama	14156	13628	96.3	65.7	18.7	.0	11.2	4.5	2128	13.8	4.5	3.4	36.5	41.8	
Florida	30863	26072	84.5	44.4	28.7	.0	14.6	12.3	7014	8.2	5.4	8.6	23.9	53.9	
Georgia	23129	23129	100.0	56.9	26.8	.0	10.4	6.0	3781	8.1	8.9	61.8	17.0	4.3	
Mississippi	6434	6569	102.1	1.6	81.4	.5	6.3	10.3	1120	14.6	5.0	18.3	32.7	29.5	
South Carolina	10153	9634	94.9	13.9	66.8	.1	4.7	14.5	1859	10.4	6.6	13.3	24.1	45.6	
Tennessee	15416	11856	76.9	8.4	60.4	3.6	16.9	10.8	3703	3.2	1.9	17.5	16.9	60.5	
REGION IV TOTAL	100151	90888	90.8	39.7	38.7	.5	11.7	9.4	19605	8.4	5.4	21.0	23.1	42.1	
Illinois (downstate)	18760	15931	84.9	47.1	26.8	5.0	2.4	18.7	4161	2.8	3.5	23.3	52.9	17.4	
Chicago 2/	27695	27155	98.1	42.9	32.2	1.6	12.1	11.1	6758	4.2	7.5	31.2	24.2	32.9	
Michigan	32750	30190	92.2	14.3	49.2	5.1	23.4	8.0	11008	3.8	2.9	26.1	46.8	20.5	
Ohio	21966	21759	99.0	16.7	47.9	.0	30.4	4.9	7690	5.2	7.3	34.7	43.9	8.9	
Wisconsin	9117	9211	101.0	24.6	55.6	5.9	13.8	.0	1817	1.4	1.4	60.2	34.3	2.8	
REGION V TOTAL	110308	104246	94.5	28.2	41.7	3.2	17.9	9.1	31434	4.0	4.9	30.9	41.3	18.9	
Iowa	3725	3745	100.5	.4	54.3	30.0	14.4	.9	1698	.7	.4	26.9	49.7	22.4	
Kansas	3135	3187	101.7	1.2	48.4	.0	50.3	.1	1607	.4	1.2	38.8	51.4	8.2	
Minnesota	3897	3825	98.2	27.0	48.5	.1	21.1	3.3	938	4.4	2.2	8.3	41.3	43.8	
Missouri	10382	9701	93.4	13.2	42.8	15.8	21.5	6.6	4260	1.0	1.6	52.1	26.5	18.8	
Nebraska	1541	1541	100.0	5.9	49.4	11.2	20.8	12.6	688	5.7	2.9	38.4	29.2	23.8	
North Dakota	334	243	72.8	9.1	53.9	.8	36.2	.0	90	.0	1.1	4.4	84.4	10.0	
South Dakota	897	933	104.0	6.6	55.0	.9	30.1	7.4	358	2.0	7.8	7.8	68.2	14.2	
REGION VI TOTAL	23911	23175	96.9	11.0	47.4	12.3	24.7	4.6	9639	1.5	1.7	38.1	38.5	20.2	
Arkansas	5581	3996	71.6	12.6	43.2	6.7	15.2	22.2	1765	1.2	.8	38.6	48.3	11.0	
Louisiana	9530	9771	102.5	1.1	45.4	.6	22.7	30.2	5231	3.6	3.1	19.3	39.4	34.6	
New Mexico	2565	2854	111.3	2.0	25.5	29.2	37.2	6.1	2067	4.6	3.8	20.3	47.9	23.4	
Oklahoma	4765	4661	97.8	26.4	25.3	1.5	33.9	12.9	2253	3.0	4.0	43.3	44.2	5.5	
Texas 3/	16697	13990	83.8	23.1	38.7	13.6	8.0	16.6	5345	9.3	7.8	25.2	41.2	16.4	
REGION VII TOTAL	39138	35272	90.1	14.5	38.2	8.9	18.7	19.7	16661	5.2	4.6	26.6	42.6	21.0	
Colorado	3345	3054	91.3	37.1	42.0	1.6	15.1	4.3	638	4.7	3.0	28.1	44.0	20.2	
Idaho	740	571	77.2	30.5	57.3	2.5	7.2	2.6	70	31.4	8.6	7.1	8.6	44.3	
Montana	720	634	88.1	17.7	58.0	5.0	18.5	.8	154	2.6	5.8	17.5	55.2	18.8	
Utah	1499	1451	96.8	24.0	38.7	.0	36.1	1.2	542	.9	2.0	17.0	47.2	32.8	
Wyoming	397	332	83.6	10.5	26.2	.3	61.7	1.2	210	1.0	.0	23.8	59.0	16.2	
REGION VIII TOTAL	6701	6042	90.2	29.8	43.4	1.6	22.3	2.8	1614	3.9	2.8	21.9	46.6	24.8	
Alaska	443	219	49.4	22.8	7.3	1.4	68.5	.0	153	.7	.0	23.5	71.2	4.6	
Arizona	5277	5120	97.0	8.6	55.7	.2	20.6	15.0	1830	6.5	5.4	17.5	36.0	34.6	
California 3/	27432	23678	86.3	27.1	44.2	8.9	15.2	4.6	6792	2.6	3.1	28.8	50.1	15.4	
Los Angeles County	32896	28560	86.8	44.6	29.3	1.7	19.7	4.7	7459	3.5	5.4	34.0	44.3	12.9	
San Francisco	9843	9901	100.6	41.6	37.1	5.4	10.7	5.2	2106	3.1	5.7	16.3	60.9	14.0	
Hawaii	1014	907	89.4	55.8	28.7	2.8	12.5	.3	141	5.7	5.7	25.5	18.4	44.7	
Nevada	1224	1079	88.2	19.5	33.2	5.1	10.7	31.6	511	3.1	4.1	30.5	48.7	13.5	
Oregon	7182	6735	93.8	18.6	65.3	.2	15.8	.2	1086	2.0	1.1	8.2	42.7	45.9	
Washington	5574	5238	94.0	58.1	31.2	.4	7.7	2.6	563	4.6	4.1	16.7	54.4	20.2	
REGION IX TOTAL	90885	81437	89.6	35.3	39.3	4.0	16.2	5.2	20641	3.4	4.3	27.0	47.5	17.9	
U. S. & TERRITORIES	578210	526498	91.1	32.0	39.1	3.9	16.1	8.8	151861	4.7	5.2	28.9	36.8	24.4	

^{1/} Percent closed may exceed 100% because reactors can be closed which were reported in a preceding period of time.
^{2/} Includes Cook County.
^{3/} Does not include all areas.

Source: Form PHE 9-64
 DHEW-PHE-WCUC-VD Program
 Research and Control Statistics
 8/1/67 EMB:emb