

Table S8. Prevalence of taking a multivitamin, prenatal vitamin, or a folic acid supplement every day of the month before pregnancy among postpartum women, overall, and by age group, race/ethnicity, and pregnancy insurance status—Pregnancy Risk Assessment Monitoring System, United States, 2013-2014*

State	Age Group				Race-Ethnicity [§]				Insurance Status [¶]	
	Overall	18-24	25-34	35-44	White	Black	Other	Hispanic	Yes	No
	% (95% CI) [†]	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Alabama	27.0 (24.3-30.0)	16.5 (12.6-21.2)**	31.5 (27.6-35.6)	39.8 (29.7-50.7)**	31.3 (27.6-35.2)	17.7 (13.3-23.0)**	NR	NR	31.6 (28.3-35.2)	NR
Alaska	31.6 (29.4-34.0)	21.3 (17.7-25.3)	35.5 (32.5-38.7)	38.2 (31.8-45.0)	38.1 (34.5-41.9)	NR	23.1 (20.1-26.4)	34.7 (24.9-46.0)	33.6 (31.2-36.2)	21.2 (16.4-27.0)
Arkansas	28.0 (23.7-32.6)	16.5 (11.3-23.5)	31.7 (25.8-38.2)	53.9 (37.9-69.2)**	28.6 (23.5-34.3)	21.2 (13.4-31.9)	NR	NR	34.2 (28.6-40.2)	17.5 (11.8-25.2)**
Colorado	36.0 (32.9-39.3)	18.9 (14.2-24.8)	37.8 (33.6-42.1)	55.5 (47.3-63.4)	42.2 (38.2-46.3)	NR	NR	26.0 (20.4-32.5)	40.6 (36.9-44.3)	19.0 (14.2-24.9)
Delaware	29.0 (26.2-32.0)	13.6 (9.9-18.4)**	35.0 (31.1-39.2)	36.4 (28.9-44.5)**	34.9 (31.0-39.1)	18.6 (14.0-24.4)**	NR	24.3 (17.6-32.6)**	30.6 (27.6-33.9)	NR
Georgia	23.3 (18.7-28.6)	13.2 (7.6-21.9)**	27.0 (20.5-34.6)	33.0 (19.8-49.4)**	32.7 (25.2-41.3)	17.0 (14.5-19.9)**	NR	NR	33.8 (27.1-41.2)	NR
Hawaii	30.0 (26.8-33.4)	17.9 (12.9-24.2)**	32.5 (28.2-37.2)	38.8 (31.5-46.8)	34.7 (27.8-42.2)	NR	29.2 (25.2-33.6)	28.1 (20.8-36.9)	31.2 (27.9-34.7)	NR
Illinois	36.0 (33.3-38.8)	17.4 (12.9-23.1)**	39.5 (36.0-43.1)	48.5 (41.9-55.2)	44.0 (40.2-47.8)	22.4 (16.3-30.0)**	36.8 (28.0-46.5)**	27.3 (22.2-33.1)	40.1 (37.0-43.3)	18.3 (13.4-24.3)**
Iowa	35.7 (32.7-38.7)	15.7 (11.6-20.9)	42.0 (38.2-46.0)	44.5 (35.4-54.1)	38.3 (34.9-41.9)	17.0 (14.5-19.9)	NR	22.6 (20.1-25.3)	38.4 (35.2-41.8)	17.1 (11.8-23.9)
Maine	39.1 (35.5-42.7)	21.0 (15.7-27.3)**	46.1 (41.3-51.0)	47.8 (38.3-57.6)	40.0 (36.3-43.8)	NR	NR	NR	42.0 (38.1-45.9)	NR
Maryland	34.1 (32.1-36.3)	19.2 (15.5-23.6)	36.5 (33.7-39.3)	43.8 (38.9-48.7)	41.1 (37.8-44.4)	26.4 (23.0-30.3)	37.8 (31.4-44.8)	27.3 (22.5-32.7)	37.2 (34.9-39.6)	20.9 (16.9-25.4)
Massachusetts	41.2 (38.8-43.6)	19.2 (15.1-24.1)	42.3 (39.2-45.4)	52.5 (47.4-57.5)	46.5 (42.7-50.3)	25.6 (22.3-29.1)	41.3 (37.3-45.4)	32.9 (29.4-36.7)	42.2 (39.8-44.7)	NR
Michigan	31.2 (28.4-34.1)	17.1 (13.2-22.0)	35.8 (31.9-39.8)	43.9 (36.1-52.1)	35.1 (31.5-38.9)	17.3 (14.6-20.3)	NR	NR	34.3 (31.2-37.5)	15.3 (10.0-22.5)**
Minnesota	38.0 (35.1-41.0)	17.8 (12.6-24.5)**	40.9 (37.2-44.7)	49.7 (42.7-56.7)	41.2 (37.8-44.7)	NR	30.6 (23.0-39.4)	NR	40.6 (37.4-43.8)	NR
Missouri	31.3 (29.2-33.5)	15.6 (12.7-24.5)	36.5 (33.7-39.4)	45.7 (39.2-52.3)	34.4 (32.0-36.9)	16.0 (11.8-21.4)**	30.7 (22.5-40.4)**	NR	36.3 (33.8-38.8)	15.6 (12.4-19.5)
Nebraska	34.9 (32.2-37.8)	22.5 (18.1-27.7)	39.9 (36.1-43.7)	35.8 (28.9-43.4)	38.3 (34.7-42.1)	20.9 (15.7-27.4)**	27.6 (22.6-33.3)	25.4 (21.0-30.4)	38.8 (35.6-42.1)	17.6 (13.2-23.1)**
New Hampshire	38.3 (35.2-41.6)	10.8 (7.0-16.3)**	45.4 (41.2-49.7)	50.6 (42.7-58.5)	39.0 (35.6-42.5)	NR	NR	NR	42.7 (39.1-46.3)	17.3 (11.9-24.4)**
New Jersey	37.1 (33.7-40.6)	19.9 (13.9-27.6)**	37.2 (32.9-41.8)	50.2 (42.3-58.0)	45.0 (39.3-50.9)	24.8 (18.8-32.1)**	37.3 (29.8-45.5)	29.7 (23.7-36.4)	41.3 (37.4-45.3)	19.2 (13.3-26.9)**
New Mexico	28.5 (26.8-30.4)	21.2 (18.7-24.0)	32.2 (29.6-34.9)	36.1 (30.8-41.8)	30.2 (28.0-32.5)	NR	25.7 (22.2-29.6)	26.8 (21.6-32.8)	31.3 (29.2-33.5)	20.2 (17.3-23.6)
New York	39.2 (35.2-43.4)	25.6 (18.8-33.9)	41.4 (36.0-47.1)	50.2 (41.2-59.1)	43.6 (38.8-48.6)	23.1 (12.9-37.7)**	44.4 (30.1-59.6)**	29.4 (20.5-40.1)**	43.3 (39.0-47.8)	NR
New York City	30.9 (28.0-33.9)	19.0 (13.9-25.4)**	32.7 (28.8-36.8)	37.0 (30.9-43.5)	38.8 (33.3-44.7)	22.8 (17.1-29.8)	33.6 (26.7-41.3)	25.8 (21.2-31.0)	33.5 (30.3-36.8)	16.7 (11.3-23.9)**
Oklahoma	28.9 (26.5-31.6)	17.3 (13.9-21.4)	35.0 (31.5-38.6)	37.3 (29.0-46.5)	31.8 (28.5-35.2)	22.9 (15.1-33.2)	25.0 (19.7-31.2)	25.0 (18.7-32.7)	32.7 (29.7-35.7)	17.7 (13.6-22.8)
Oregon	34.4 (31.0-38.0)	17.9 (13.1-24.0)	35.6 (31.1-40.3)	53.5 (44.9-61.9)	36.9 (32.2-41.9)	28.1 (21.8-35.3)**	31.8 (27.3-36.6)	27.5 (23.3-32.2)	39.5 (35.5-43.7)	14.8 (10.6-20.2)
Pennsylvania	33.4 (31.1-35.7)	16.7 (13.2-21.0)	37.5 (34.5-40.6)	43.9 (38.3-49.6)	37.7 (35.0-40.5)	23.3 (17.7-30.1)	29.5 (21.9-38.6)**	21.8 (15.5-29.9)**	36.0 (33.5-38.6)	21.0 (16.4-26.6)
Rhode Island	36.2 (34.1-38.3)	19.4 (15.7-23.7)	38.7 (35.9-41.4)	47.7 (42.9-52.5)	42.9 (40.1-45.7)	21.5 (15.0-29.9)**	29.3 (23.5-35.7)	25.1 (21.3-29.3)	40.3 (38.0-42.7)	16.1 (12.5-20.5)
Tennessee	28.7 (25.8-31.7)	16.2 (12.3-21.1)	35.0 (31.0-39.3)	34.1 (25.9-43.3)	30.6 (27.1-34.4)	20.4 (15.0-27.3)	NR	33.9 (23.9-45.6)**	32.3 (29.0-35.8)	15.0 (10.5-21.1)**
Utah	35.3 (33.1-37.5)	20.9 (17.7-24.6)	39.3 (36.5-42.3)	43.9 (37.6-50.5)	37.2 (34.6-39.8)	NR	34.4 (25.7-44.3)**	24.3 (20.2-29.0)	38.2 (35.7-40.7)	22.7 (18.9-27.0)
Vermont	36.0 (33.9-38.2)	14.1 (11.1-17.7)	40.2 (37.4-43.0)	52.1 (46.6-57.6)	36.0 (33.7-38.2)	††	††	††	37.6 (35.4-40.0)	19.0 (13.6-25.9)**

State	Age Group				Race-Ethnicity [§]			Insurance Status [¶]		
	Overall	18-24	25-34	35-44	White	Black	Other	Hispanic	Yes	No
	% (95% CI) [†]	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Washington	35.5 (33.1-38.0)	19.8 (15.5-24.8)	36.7 (33.6-39.9)	49.8 (43.9-55.7)	40.5 (36.9-44.1)	24.6 (18.9-31.4)	36.0 (31.8-40.3)	21.7 (17.5-26.6)	40.7 (37.8-43.6)	17.7 (13.9-22.2)
West Virginia	27.6 (25.3-29.9)	17.3 (14.6-20.5)	34.5 (31.1-38.0)	37.9 (30.0-46.4)	27.5 (25.2-29.9)	27.0 (15.9-41.9)**	NR	NR	32.6 (29.9-35.5)	14.1 (11.1-17.8)
Wisconsin	35.8 (33.2-38.6)	16.4 (12.6-21.2)	41.1 (37.7-44.6)	45.6 (37.4-54.2)	40.7 (37.1-44.4)	21.1 (18.7-23.7)	26.7 (22.2-31.6)	21.7 (18.0-26.0)	38.6 (35.7-41.6)	16.7 (11.3-24.0)**
Wyoming	34.4 (31.3-37.6)	23.7 (18.8-29.4)	37.2 (33.2-41.5)	51.1 (41.0-61.1)	36.0 (32.5-39.6)	NR	24.6 (16.1-35.6)**	27.2 (18.6-38.0)**	38.5 (34.9-42.3)	21.2 (16.0-27.6)**
Median	34.3	17.8	37.0	45.1	37.9	22.0	30.6	26.4	37.9	17.6
Minimum	23.3	10.8	27.0	33.0	27.5	16.0	23.1	21.7	30.6	14.1
Maximum	41.2	25.6	46.1	55.5	46.5	28.1	44.4	34.7	43.3	22.7

Abbreviations: NR = not reported (if <30 respondents), CI = 95% confidence interval

* Data self-reported by postpartum women ages 18-44 years who recently had a live birth

† Percentages and their associated confidence intervals are weighted to adjust for complex survey design and non response

§ White = non-Hispanic white; Black = non-Hispanic black; Other = non-Hispanic other

¶ Defined as having private, Medicaid, other government plans such as TRICARE, military health care, IHS or tribal, and other kinds of health insurance during the month before pregnancy

** Represents 30-59 respondents; might not be reliable

†† Vermont data is limited to non-Hispanic Whites

Table S9. Prevalence of using a most or moderately effective contraceptive method to keep from getting pregnant among postpartum women, overall, and by age group, race/ethnicity, and pre-pregnancy insurance status—Pregnancy Risk Assessment Monitoring System, United States, 2013-2014*

State	Age Group				Race-Ethnicity [§]				Insurance Status [†]	
	Overall	18-24	25-34	35-44	White	Black	Other	Hispanic	Yes	No
	% (95% CI) [†]	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Alabama	67.8 (64.6-70.9)	73.2 (67.5-78.2)	66.4 (62.0-70.5)	56.5 (45.5-66.9)**	64.7 (60.5-68.7)	78.9 (72.9-83.8)	NR	57.4 (44.3-69.6)**	68.4 (64.7-71.8)	66.1 (58.7-72.7)
Alaska	56.3 (53.8-58.8)	60.6 (56.0-65.1)	54.1 (50.8-57.3)	56.8 (49.7-63.6)	51.1 (47.1-55.0)	70.7 (51.9-84.3)**	60.9 (57.2-64.6)	64.5 (53.1-74.4)	56.0 (53.3-58.7)	58.0 (51.3-64.4)
Arkansas	63.6 (58.6-68.4)	65.3 (56.8-72.9)	63.4 (56.5-69.9)	58.0 (41.0-73.3)**	62.2 (56.0-68.0)	78.5 (67.9-86.3)	NR	56.1 (40.3-70.9)**	63.5 (57.2-69.4)	63.9 (55.2-71.8)
Colorado	59.2 (55.7-62.6)	67.1 (60.1-73.4)	57.4 (52.8-61.9)	52.8 (44.2-61.3)	58.6 (54.4-62.7)	62.6 (41.7-79.7)**	48.2 (32.4-64.3)**	62.3 (54.8-69.2)	59.1 (55.2-62.9)	59.5 (51.5-67.1)
Delaware	60.7 (57.4-63.9)	68.8 (62.7-74.4)	57.0 (52.6-61.3)	59.2 (50.5-67.3)	59.6 (55.2-63.8)	70.6 (63.7-76.7)	NR	61.8 (52.5-70.3)	60.0 (56.5-63.5)	65.7 (55.6-74.5)
Georgia	72.4 (66.9-77.3)	79.7 (70.4-86.6)	68.6 (60.8-75.5)	70.7 (54.0-83.2)**	71.6 (63.3-78.7)	85.4 (78.6-90.3)	NR	58.4 (40.6-74.2)**	75.1 (68.3-80.9)	68.1 (58.7-76.3)
Hawaii	49.5 (45.9-53.1)	53.9 (46.7-60.9)	48.4 (43.5-53.2)	46.9 (39.1-54.8)	50.0 (42.3-57.7)	NR	49.1 (44.5-53.8)	48.7 (40.0-57.4)	48.7 (45.0-52.4)	64.0 (49.0-76.6)**
Illinois	55.4 (52.4-58.3)	66.3 (59.7-72.3)	54.6 (50.8-58.3)	43.0 (36.3-50.0)	54.4 (50.5-58.2)	61.8 (53.3-69.7)	32.0 (23.4-42.0)**	61.0 (54.7-67.0)	54.2 (50.9-57.5)	60.0 (53.0-66.6)
Iowa	63.8 (60.7-66.8)	66.6 (60.2-72.4)	61.4 (57.5-65.2)	72.2 (63.0-79.9)	64.1 (60.4-67.6)	70.8 (67.3-74.1)	NR	59.1 (55.9-62.3)	64.3 (60.9-67.5)	60.4 (52.1-68.2)
Maine	58.8 (55.0-62.4)	71.3 (64.4-77.4)	54.0 (49.0-58.9)	52.2 (42.3-61.9)	59.3 (55.5-63.1)	NR	NR	NR	58.0 (54.0-61.9)	64.6 (53.1-74.7)
Maryland	50.4 (48.0-52.7)	59.3 (54.0-64.5)	48.4 (45.5-51.4)	46.5 (41.5-51.7)	50.3 (46.8-53.8)	55.0 (50.7-59.3)	34.0 (27.4-41.3)	51.8 (45.8-57.7)	51.3 (48.7-53.9)	47.3 (42.0-52.7)
Massachusetts	55.7 (53.2-58.2)	73.0 (67.1-78.2)	53.8 (50.6-57.0)	49.9 (44.7-55.1)	55.0 (51.1-58.8)	60.3 (56.2-64.2)	37.1 (32.9-41.5)	71.7 (68.0-75.1)	55.7 (53.2-58.2)	55.2 (43.0-66.7)
Michigan	57.2 (54.1-60.4)	68.0 (62.2-73.3)	53.2 (49.0-57.4)	50.1 (41.8-58.4)	55.8 (51.8-59.8)	68.3 (64.4-71.9)	39.4 (26.0-54.6)**	58.0 (42.3-72.2)**	56.5 (53.1-59.9)	60.9 (52.4-68.9)
Minnesota	54.5 (51.3-57.6)	59.7 (51.9-67.0)	53.6 (49.7-57.5)	51.8 (44.5-59.0)	55.1 (51.5-58.6)	74.4 (65.6-81.5)	41.3 (32.7-50.3)	64.0 (50.0-76.0)**	54.5 (51.1-57.7)	54.9 (44.5-64.9)
Missouri	60.9 (58.6-63.2)	65.5 (61.0-69.7)	60.1 (57.1-63.0)	53.1 (46.2-59.8)	59.9 (57.2-62.4)	70.0 (63.4-75.9)	49.3 (39.4-59.3)**	64.6 (50.8-76.3)**	61.5 (58.9-64.1)	58.9 (53.9-63.8)
Nebraska	55.5 (52.5-58.5)	65.0 (59.3-70.3)	52.7 (48.8-56.7)	50.7 (42.9-58.5)	55.2 (51.3-59.0)	56.2 (48.7-63.4)	48.6 (41.7-55.6)	59.2 (53.7-64.5)	54.9 (51.6-58.3)	57.9 (51.2-64.2)
New Hampshire	60.3 (56.9-63.5)	74.2 (67.2-80.2)	57.5 (53.2-61.7)	50.4 (42.2-58.5)	61.6 (58.1-65.1)	NR	NR	64.2 (46.7-78.7)**	59.1 (55.4-62.7)	65.8 (57.2-73.4)
New Jersey	46.2 (42.5-49.9)	60.9 (51.9-69.3)	42.5 (37.9-47.3)	45.6 (37.7-53.7)	47.4 (41.5-53.5)	51.8 (43.7-59.8)	22.3 (15.8-30.4)**	52.6 (45.3-59.7)	45.4 (41.3-49.5)	49.7 (41.0-58.5)
New Mexico	67.2 (65.3-69.0)	70.2 (67.1-73.1)	65.6 (62.9-68.3)	64.3 (58.5-69.7)	67.7 (65.4-70.0)	NR	62.7 (58.4-66.8)	68.1 (61.8-73.9)	67.0 (64.8-69.1)	67.7 (63.7-71.4)
New York	49.4 (45.1-53.7)	58.0 (49.0-66.5)	49.5 (43.8-55.3)	38.7 (30.1-48.1)	46.9 (41.9-52.0)	57.6 (41.7-72.0)	NR	56.8 (45.8-67.1)	49.4 (44.8-54.0)	49.5 (37.6-61.5)
New York City	40.2 (37.0-43.6)	49.1 (41.7-56.5)	38.8 (34.5-43.2)	35.8 (29.5-42.7)	31.8 (26.4-37.7)	47.7 (39.8-55.7)	22.2 (16.3-29.4)**	53.5 (47.6-59.3)	39.1 (35.6-42.7)	46.6 (38.0-55.5)
Oklahoma	62.3 (59.4-65.1)	63.3 (58.1-68.2)	62.2 (58.4-65.8)	58.9 (49.4-67.8)	63.5 (59.9-67.0)	65.9 (54.7-75.6)	60.0 (52.8-66.7)	57.2 (48.7-65.4)	63.7 (60.5-66.8)	57.8 (51.5-63.9)
Oregon	62.4 (58.7-66.0)	69.6 (62.0-76.3)	59.9 (55.0-64.6)	61.1 (52.1-69.5)	63.3 (58.2-68.2)	64.4 (56.3-71.8)	51.1 (45.5-56.5)	65.0 (60.0-69.7)	61.3 (57.0-65.4)	66.6 (58.8-73.6)
Pennsylvania	52.0 (49.5-54.6)	58.5 (53.2-63.7)	49.2 (46.0-52.5)	52.2 (46.2-58.1)	51.1 (48.1-54.0)	62.4 (54.8-69.4)	43.9 (34.6-53.7)**	52.9 (43.6-62.0)	52.6 (49.9-55.3)	49.1 (42.8-55.5)
Rhode Island	61.5 (59.3-63.7)	71.4 (66.5-75.8)	59.9 (57.0-62.7)	55.4 (50.4-60.2)	56.1 (53.2-59.0)	63.9 (54.1-72.6)	57.5 (50.6-64.1)	76.7 (72.4-80.5)	60.0 (57.6-62.4)	68.6 (63.2-73.6)
Tennessee	63.3 (60.0-66.5)	69.2 (63.3-74.5)	59.7 (55.2-64.0)	63.9 (53.9-72.9)	63.2 (59.1-67.0)	73.4 (65.8-79.9)	57.6 (43.1-70.8)**	45.5 (34.2-57.3)	64.6 (60.9-68.1)	58.3 (50.5-65.7)
Utah	60.1 (57.9-62.4)	62.1 (57.9-66.2)	59.5 (56.6-62.5)	59.2 (52.5-65.5)	60.8 (58.1-63.4)	NR	53.0 (42.7-63.1)	59.4 (54.4-64.3)	61.1 (58.5-63.6)	55.9 (51.0-60.6)
Vermont	59.0 (56.7-61.3)	71.7 (66.9-76.1)	56.6 (53.7-59.5)	50.0 (44.4-55.7)	60.2 (57.8-62.5)	††	††	††	58.1 (55.7-60.5)	69.4 (61.3-76.5)

State	Age Group				Race-Ethnicity [§]				Insurance Status [¶]	
	Overall	18-24	25-34	35-44	White	Black	Other	Hispanic	Yes	No
	% (95% CI) [†]	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)	% (95% CI)
Washington	56.8 (54.2-59.3)	64.6 (58.7-70.1)	56.5 (53.2-59.8)	48.3 (42.2-54.5)	54.9 (51.1-58.6)	54.8 (47.7-61.7)	49.4 (44.8-54.0)	70.6 (65.1-75.6)	54.1 (51.1-57.1)	66.0 (60.6-71.0)
West Virginia	67.7 (65.3-70.1)	70.2 (66.4-73.8)	67.1 (63.5-70.5)	59.6 (50.9-67.8)	68.1 (65.5-70.5)	61.7 (45.0-76.1)**	NR	NR	67.8 (64.9-70.6)	67.6 (62.7-72.1)
Wisconsin	55.5 (52.6-58.4)	64.4 (58.5-69.9)	53.9 (50.3-57.5)	47.0 (38.3-55.9)	54.5 (50.6-58.3)	69.4 (66.3-72.4)	44.4 (38.9-50.0)	59.1 (54.0-64.0)	57.1 (53.9-60.2)	44.1 (36.3-52.2)
Wyoming	63.7 (60.4-66.9)	68.1 (62.0-73.7)	63.2 (58.8-67.3)	53.2 (42.8-63.4)	63.6 (59.9-67.2)	NR	59.8 (48.9-69.7)	66.0 (54.8-75.6)	63.2 (59.4-66.8)	65.3 (58.0-72.0)
Median	59.1	66.4	56.8	52.5	59.0	64.4	48.9	59.2	58.6	60.2
Minimum	40.2	49.1	38.8	35.8	31.8	47.7	22.2	45.5	39.1	44.1
Maximum	72.4	79.7	68.6	72.2	71.6	85.4	62.7	76.7	75.1	69.4

Abbreviations: NR = not reported (if <30 respondents), CI = 95% confidence interval

* Most or moderately effective contraception defined as self-reported use of sterilization, implant, intrauterine device, or hormonal method [injectable, pill, patch, ring] by postpartum women ages 18-44 years who recently had a live birth

[†] Percentages and their associated confidence intervals are weighted to adjust for complex survey design and non response

[§] White = non-Hispanic white; Black = non-Hispanic black; Other = non-Hispanic other

[¶] Defined as having private, Medicaid, other government plans such as TRICARE, military health care, IHS or tribal, and other kinds of health insurance during the month before pregnancy

** Represents 30-59 respondents; might not be reliable

†† Vermont data is limited to non-Hispanic Whites.