



West Nile virus disease cases and presumptive viremic blood donors reported to ArboNET, United States, 2007

State	Neuroinvasive disease cases*	Non-neuroinvasive disease cases	Total cases†	Deaths	Presumptive viremic blood donors‡
Alabama	17	7	24	3	0
Arizona	50	47	97	6	14
Arkansas	13	7	20	1	0
California	154	226	380	20	46
Colorado	99	477	576	7	20
Connecticut	2	2	4	0	0
Delaware	1	0	1	0	0
Florida	3	0	3	1	0
Georgia	23	27	50	1	3
Idaho	11	121	132	1	3
Illinois	63	38	101	4	7
Indiana	14	10	24	1	2
Iowa	12	18	30	3	6
Kansas	14	26	40	2	10
Kentucky	4	0	4	0	12
Louisiana	27	13	40	2	10
Maryland	6	4	10	0	0
Massachusetts	3	3	6	0	0
Michigan	16	1	17	4	3
Minnesota	44	57	101	2	17
Mississippi	50	86	136	4	14
Missouri	61	16	77	5	14
Montana	37	165	202	4	13
Nebraska	21	142	163	4	16
Nevada	2	10	12	1	0
New Jersey	1	0	1	0	0
New Mexico	39	21	60	3	4
New York	16	6	22	3	1
North Carolina	4	4	8	0	1
North Dakota	49	320	369	3	24
Ohio	13	10	23	3	10
Oklahoma	59	48	107	8	18
Oregon	7	19	26	0	0
Pennsylvania	5	5	10	0	2
Puerto Rico	0	0	0	0	3
Rhode Island	0	1	1	0	0
South Carolina	3	2	5	0	1
South Dakota	48	160	208	6	21
Tennessee	5	6	11	1	1
Texas	170	90	260	16	46
Utah	28	42	70	2	5
Virginia	3	2	5	0	1
Wisconsin	7	6	13	1	1
Wyoming	23	158	181	2	3
Total	1,227	2,403	3,630	124	352

*Includes cases reported as meningitis, encephalitis, or acute flaccid paralysis.

†Includes confirmed and probable cases.

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 352 PVDs, 71 (20%) developed clinical illness and are also included as disease cases.