

Youth Risk Behavior Surveillance System (YRBSS)



2013 YRBS Data User's Guide

June 2014

Where can I get more information? Visit www.cdc.gov/yrbss or call 800-CDC-INFO (800-232-4636).



National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention
Division of Adolescent and School Health



Table of Contents

Introduction to the YRBSS	1
Introduction.....	1
Uses of YRBSS Results.....	1
Components of the YRBSS	1
Methods.....	2
For More Information	2
Sample Description.....	3
School Level Selection	3
Class Level Selection.....	3
Response Rates	3
Data Edits.....	4
Introduction.....	4
Single Question Edits.....	4
Height and Weight Edits.....	4
Body Mass Index (BMI) Edits.....	6
Biologically Implausible Value Edits	6
Logical Consistency Edits.....	6
Edit Criteria.....	7
Subverting Records	10
Calculated Variables	11
Introduction.....	11
Race/Ethnicity	11
Percentile, Overweight, and Obese	12
Dichotomous Variables.....	13
QN# Variables:	13
QNword Variables	13
Data Analysis Variables.....	15
Weight.....	15
Stratum.....	15
PSU	15
For More Information	15
Analysis Software Technical Notes	16
Software Requirements	16
For More Information	16
Codebook	17
Introduction.....	17
Data Location.....	17
Variable Name	17
Question Code and Label.....	17
Unweighted Frequency	17

2013 YRBS Data User's Guide

Weighted Frequency	17
Appendix A: National High School YRBS Questions and Dichotomous Variables.....	18
Appendix B: National High School YRBS Supplemental (Qnword) Variables.....	46
Appendix C: National High School YRBS Codebook	58

Introduction to the YRBSS

Introduction

The YRBSS was developed in 1990 to monitor priority health risk behaviors that contribute markedly to the leading causes of death, disability, and social problems among youth and adults in the United States. These behaviors, often established during childhood and early adolescence, include

- Behaviors that contribute to unintentional injuries and violence.
- Sexual behaviors that contribute to unintended pregnancy and sexually transmitted infections, including HIV infection.
- Alcohol and other drug use.
- Tobacco use.
- Unhealthy dietary behaviors.
- Inadequate physical activity.

In addition, the YRBSS monitors the prevalence of obesity and asthma.

From 1991 through 2013, the YRBSS has collected data from more than 2.6 million high school students in more than 1,100 separate surveys.

Uses of YRBSS Results

The YRBSS was designed to

- Determine the prevalence of health risk behaviors.
- Assess whether health risk behaviors increase, decrease, or stay the same over time.
- Examine the co-occurrence of health risk behaviors.
- Provide comparable national, state, territorial, tribal, and local data.
- Provide comparable data among subpopulations of youth.
- Monitor progress toward achieving the Healthy People objectives and other program indicators.

Components of the YRBSS

The YRBSS includes national, state, territorial, tribal government, and local school-based surveys of representative samples of 9th through 12th grade students. These surveys are conducted every two years, usually during the spring semester. The national survey, conducted by CDC, provides data representative of 9th through 12th grade students in public and private schools in the United States. The state, territorial, tribal government, and local surveys, conducted by departments of health and education, provide data representative of mostly public high school students in each jurisdiction.

The YRBSS also includes additional surveys conducted by CDC:

- A middle school survey conducted by interested states, territories, tribal governments, and large urban school districts.

- A 2010 study to measure physical activity and nutrition-related behaviors and determinants of these behaviors among a nationally representative sample of high school students.
 - A series of methods studies conducted in 1992, 2000, 2002, 2004, and 2008 to improve the quality and interpretation of the YRBSS data.
 - The National Alternative High School Youth Risk Behavior Survey conducted in 1998 among a representative sample of almost 9,000 students in alternative high schools.
 - The National College Health Risk Behavior Survey conducted in 1995 among a representative sample of about 5,000 undergraduate students.
-

Methods

The National Youth Risk Behavior Survey (YRBS) uses a three-stage cluster sample design to produce a representative sample of 9th through 12th grade students. The target population consisted of all public, Catholic, and other private school students in grades 9 through 12. A weighting factor was applied to each student record to adjust for nonresponse and the oversampling of black and Hispanic students in the sample. The final, overall weights were scaled so the weighted count of students was equal to the total sample size, and the weighted proportions of students in each grade matched population projections for each survey year. Because of the complexity of the cluster sampling design used, a statistical software package that can calculate sampling variance appropriately must be used. This document provides the information needed to correctly use and analyze data from the 2013 National YRBS.

For More Information

Visit the YRBSS web site at www.cdc.gov/yrbss for more information on the YRBSS, its methodology, data analysis, and answers to frequently asked questions.

Sample Description

School Level Selection All regular public, Catholic, and other private school students, in grades 9 through 12, in the 50 States and the District of Columbia were included in the sampling frame for the 2013 national YRBS. Puerto Rico, the trust territories, and the Virgin Islands were excluded from the frame. Schools were selected systematically with probability proportional to enrollment in grades 9 through 12 using a random start. One hundred and ninety-three schools were sampled.

Class Level Selection All classes in a required subject or all classes meeting during a particular period of the day, depending on the school, were included in the sampling frame. Systematic equal probability sampling with a random start was used to select classes from each school that participated in the survey.

Response Rates The 2013 national YRBS attained the following response rates:

School response rate - 148 of the 193 sampled schools participated.

$$148/193 = 77\% \text{ school response rate}$$

Student response rate – 13,633 of the 15,480 sampled students submitted questionnaires; 13,583 questionnaires were usable after data editing.

$$13,583/15,480 = 88\%$$

Overall response rate = School response rate * Student response rate

$$77\% * 88\% = 68\%$$

Data Edits

Introduction

Data edits consist of checking responses for range, height/weight plausibility, and logical consistency. Data deemed invalid are set to missing.

Single Question Edits

- If the response to a question does not correspond to one of the possible responses, the response for that question is invalid and is set to missing. This can occur if the only response options for a question are “A” or “B” and the response recorded is “C”, “D”, “E”, “F”, “G”, or “H”, for example.
- If more than one response is selected for a question, the response for that question will be considered invalid and set to missing. The one exception is the race question (Q5), which can have multiple responses.

Height and Weight Edits

The following two questions collect height and weight, which are used to calculate BMI.

6. How tall are you without your shoes on?

Directions: Write your height in the shaded blank boxes. Fill in the matching oval below each number.

Example

Height	
Feet	Inches
5	7
3	0
4	1
	2
6	3
7	4
	5
	6
	8
	9
	10
	11

Height	
Feet	Inches
3	0
4	1
5	2
6	3
7	4
	5
	6
	7
	8
	9
	10
	11

7. How much do you weigh without your shoes on?

Directions: Write your weight in the shaded blank boxes. Fill in the matching oval below each number.

Example

Weight		
Pounds		
1	5	2
0	0	0
	1	1
2	2	
3	3	3
	4	4
		5
	6	6
	7	7
	8	8
	9	9

Weight		
Pounds		
0	0	0
1	1	1
2	2	2
3	3	3
	4	4
	5	5
	6	6
	7	7
	8	8
	9	9

Height is read as a three-column character variable. It is not compressed or justified by the scanning program. The possible responses for the first column range from “3” to “7” and indicate feet; the possible responses for the second and third columns range from “00” to “11” and indicate inches. The height in feet and inches is converted to height in meters using the formula below.

$$\text{Height (in m)} = [(\text{feet} \times 12) + \text{inches}] \times 0.0254 \text{ m/in}$$

- If either feet or inches is not filled in or is unreadable, then Height is set to missing.
- If Weight is missing or set to missing, then Height is set to missing.

Weight is read as a three-column character variable. It is not compressed or justified by the scanning program. The first column indicates 100s of pounds ranging from “0” to “3”; the second column indicates 10s of pounds and ranges from “0” to “9”; the third column indicates single pounds and ranges from “0” to “9”. The weight in pounds is then converted to weight in kilograms using the following formula:

$$\text{Weight (in kg)} = \text{Weight (in lbs)} \times 0.4536 \text{ kg/lb}$$

- If the first column is left blank, it is assumed to be a “0”.
 - If the first column is unreadable, all columns are set to missing and Weight is set to missing.
 - If column two or column three is left blank or is unreadable, all columns are set to missing and Weight is set to missing.
 - If Height is missing or set to missing, then Weight is set to missing.
-

Body Mass Index (BMI) Edits

BMI is calculated using Height and Weight in the following formula:

$$BMI = kg/m^2 = Weight (in kg) / [Height (in m)^2]$$

- If Height or Weight are missing, BMI is set to missing
 - If age or sex is missing, Height, Weight, and BMI are set to missing because the biologically implausible limits (see section 2c) are based on age and sex.
-

Biologically Implausible Value Edits

When the basic edits for BMI are complete, further edits are applied to Height, Weight, and BMI to ensure the results are biologically plausible. Height, Weight, and BMI are set to missing when an observation lies outside the following limits developed by the Division of Nutrition, Physical Activity and Obesity, CDC.

Age	Males	Females
≤ 10	Weight: 13.61-90.72 kg Height: 0.94-1.68 m BMI: 11.5 –41	Weight: 13.61-90.72 kg Height: 0.94-1.73 m BMI: 11-40
11-12	Weight: 20.41-136.08 kg Height: 1.02-1.83 m BMI: 11.5-41	Weight: 15.88-136.08 kg Height: 1.02-1.83 m BMI: 11-40
13-14	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55
≥ 15	Weight: 31.75-181.44 kg Height: 1.27-2.11 m BMI: 13-55	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55

Logical Consistency Edits

The majority of the edit criteria compare two questions at a time to ensure logical consistency. If responses from two questions conflict logically, both questions are set to blank. (Exception – data from demographic questions are

not set to missing in this case.)

The list of the logical edits used for the 2013 national high school data follows. If the edit criteria are met, data from the questions are changed to missing, unless they are demographic questions.

Edit Criteria

Weapon Carrying

1. Q11=A and Q12=B,C,D,E,F,G,H
2. Q12=A and Q11=B,C,D,E,F
3. Q13=A AND Q14=B,C,D,E
4. Q13=B AND Q14=C,D,E
5. Q13=C AND Q14=D,E
6. Q13=D AND Q14=E
7. Q13=A AND Q15=B,C,D,E
8. Q13=B AND Q15=C,D,E
9. Q13=C AND Q15=D,E
10. Q13=D AND Q15=E

Fighting

11. Q18=A AND Q19=B,C,D,E
12. Q18=B AND Q19=C,D,E
13. Q18=C AND Q19=D,E
14. Q18=D AND Q19=E
15. Q18=A AND Q20=B,C,D,E,F,G,H
16. Q18=B AND Q20=C,D,E,F,G,H
17. Q18=C AND Q20=D,E,F,G,H
18. Q18=D AND Q20=E,F,G,H
19. Q18=E AND Q20=F,G,H
20. Q18=F AND Q20=G,H
21. Q18=G AND Q20=H

Dating Violence

22. Q22=A AND Q23=B,C,D,E,F
23. Q23=A AND Q22=B,C,D,E,F

Suicide

24. Q29=A AND Q30=B,C
25. Q30=A AND Q29=B,C,D,E

Tobacco

26. Q1=A AND Q32=E,F,G
27. Q1=B AND Q32=F,G
28. Q1=C AND Q32=F,G
29. Q1=D AND Q32=G
30. Q1=E AND Q32=G
31. Q31=B AND Q32=B,C,D,E,F,G

- 32. Q31=B AND Q33=B,C,D,E,F,G
- 33. Q31=B AND Q34=B,C,D,E,F,G
- 34. Q31=B AND Q35=B,C,D,E,F,G,H
- 35. Q31=B AND Q36=B,C,D,E,F,G
- 36. Q31=B AND Q37=A
- 37. Q31=B AND Q38=B
- 38. Q32=A AND Q34=C,D,E,F,G
- 39. Q32=A AND Q37=A
- 40. Q32=A AND Q38=B
- 41. Q33=A AND Q34=B,C,D,E,F,G
- 42. Q33=A AND Q35=B,C,D,E,F,G,H
- 43. Q33=A AND Q36=B,C,D,E,F,G
- 44. Q33=B AND Q36=C,D,E,F,G
- 45. Q33=C AND Q36=D,E,F,G
- 46. Q33=D AND Q36=E,F,G
- 47. Q33=E AND Q36=F,G
- 48. Q33=F AND Q36=G
- 49. Q34=A AND Q33=B,C,D,E,F,G
- 50. Q34=A AND Q35=B,C,D,E,F,G,H
- 51. Q34=A AND Q36=B,C,D,E,F,G
- 52. Q35=A AND Q33=B,C,D,E,F,G
- 53. Q35=A AND Q34=B,C,D,E,F,G
- 54. Q35=A AND Q36=B,C,D,E,F,G
- 55. Q38=A AND Q33=B,C,D,E,F,G
- 56. Q38=A AND Q34=B,C,D,E,F,G
- 57. Q38=A AND Q35=B,C,D,E,F,G,H
- 58. Q38=A AND Q36=B,C,D,E,F,G

Alcohol Use

- 59. Q1=A AND Q42=E,F,G
- 60. Q1=B AND Q42=F,G
- 61. Q1=C AND Q42=F,G
- 62. Q1=D AND Q42=G
- 63. Q1=E AND Q42=G
- 64. Q41=A AND Q11=C,D,E,F
- 65. Q41=A AND Q43=B,C,D,E,F,G
- 66. Q41=B AND Q43=C,D,E,F,G
- 67. Q41=C AND Q43=E,F,G
- 68. Q41=D AND Q43=F,G
- 69. Q41=A AND Q44=B,C,D,E,F,G
- 70. Q41=B AND Q44=D,E,F,G
- 71. Q41=C AND Q44=F,G
- 72. Q41=D AND Q44=G
- 73. Q41=A AND Q45=B,C,D,E,F,G,H
- 74. Q41=A AND Q46=B,C,D,E,F,G,H
- 75. Q43=A AND Q11=C,D,E,F
- 76. Q43=A AND Q44=B,C,D,E,F,G

- 77. Q43=B AND Q44=D,E,F,G
- 78. Q43=C AND Q44=E,F,G
- 79. Q43=D AND Q44=F,G
- 80. Q43=E AND Q44=G
- 81. Q43=A AND Q45=B,C,D,E,F,G,H
- 82. Q43=A AND Q46=B,C,D,E,F,G,H
- 83. Q44=A AND Q45=E,F,G,H
- 84. Q45=A AND Q11=C,D,E,F
- 85. Q45=A AND Q43=B,C,D,E,F,G
- 86. Q46=A AND Q11=C,D,E,F
- 87. Q46=A AND Q43=B,C,D,E,F,G
- 88. Q46=A AND Q44=B,C,D,E,F,G
- 89. Q46=A AND Q45=B,C,D,E,F,G,H

Marijuana Use

- 90. Q1=A AND Q48=E,F,G
- 91. Q1=B AND Q48=F,G
- 92. Q1=C AND Q48=F,G
- 93. Q1=D AND Q48=G
- 94. Q1=E AND Q48=G
- 95. Q47=A AND Q48=B,C,D,E,F,G
- 96. Q47=A AND Q49=B,C,D,E,F
- 97. Q47=B AND Q49=C,D,E,F
- 98. Q47=C AND Q49=D,E,F
- 99. Q47=D AND Q49=E,F
- 100. Q47=E AND Q49=F
- 101. Q48=A AND Q47=B,C,D,E,F,G
- 102. Q48=A AND Q49=B,C,D,E,F

Sexual Behaviors

- 103. Q1=A AND Q60=D,E,F,G,H
- 104. Q1=B AND Q60=E,F,G,H
- 105. Q1=C AND Q60=F,G,H
- 106. Q1=D AND Q60=G,H
- 107. Q1=E AND Q60=H
- 108. Q59=A AND Q60=A
- 109. Q59=B AND Q60=B,C,D,E,F,G,H
- 110. Q59=A AND Q61=A
- 111. Q59=B AND Q61=B,C,D,E,F,G
- 112. Q59=A AND Q62=A
- 113. Q59=B AND Q62=B,C,D,E,F,G,H
- 114. Q59=A AND Q63=A
- 115. Q59=B AND Q63=B,C
- 116. Q59=A AND Q64=A
- 117. Q59=B AND Q64=B,C
- 118. Q59=A AND Q65=A
- 119. Q59=B AND Q65=B,C,D,E,F,G,H

- 120. Q60=A AND Q61=B,C,D,E,F,G
- 121. Q60=A AND Q62=B,C,D,E,F,G,H
- 122. Q60=A AND Q63=B,C
- 123. Q60=A AND Q64=B,C
- 124. Q60=A AND Q65=B,C,D,E,F,G,H
- 125. Q61=A AND Q60=B,C,D,E,F,G,H
- 126. Q61=A AND Q62=B,C,D,E,F,G,H
- 127. Q61=B AND Q62=D,E,F,G,H
- 128. Q61=C AND Q62=E,F,G,H
- 129. Q61=D AND Q62=F,G,H
- 130. Q61=E AND Q62=G,H
- 131. Q61=F AND Q62=H
- 132. Q61=A AND Q63=B,C
- 133. Q61=A AND Q64=B,C
- 134. Q61=A AND Q65=B,C,D,E,F,G,H
- 135. Q62=A AND Q60=B,C,D,E,F,G,H
- 136. Q62=A AND Q61=B,C,D,E,F,G
- 137. Q62=A AND Q63=B,C
- 138. Q62=A AND Q64=B,C
- 139. Q62=A AND Q65=B,C,D,E,F,G,H
- 140. Q63=A AND Q60=B,C,D,E,F,G,H
- 141. Q63=A AND Q61=B,C,D,E,F,G
- 142. Q63=A AND Q62=B,C,D,E,F,G,H
- 143. Q63=A AND Q64=B,C
- 144. Q63=A AND Q65=B,C,D,E,F,G,H
- 145. Q64=A AND Q60=B,C,D,E,F,G,H
- 146. Q64=A AND Q61=B,C,D,E,F,G
- 147. Q64=A AND Q62=B,C,D,E,F,G,H
- 148. Q64=A AND Q63=B,C
- 149. Q64=A AND Q65=B,C,D,E,F,G,H
- 150. Q64=C AND Q65=D
- 151. Q65=A AND Q60=B,C,D,E,F,G,H
- 152. Q65=A AND Q61=B,C,D,E,F,G
- 153. Q65=A AND Q62=B,C,D,E,F,G,H
- 154. Q65=A AND Q63=B,C
- 155. Q65=A AND Q64=B,C

Subverting Records

Subverting eliminates records that are judged too incomplete overall to be valid for analysis. Records are marked “subverted” when

- there are more than 50 total questions and if a student answers 20 or less questions or answers with b, c, d, e, f, g, or h 15 or more times in a row, all values except the demographic variables are set to missing.

Calculated Variables

Introduction Describes how the race/ethnicity, overweight, obese, and dichotomous variables are calculated

Race/Ethnicity **Note:** The following description of creating the race/ethnicity variable is based on the standard response options for Q5. Sites may modify the response options to better represent their population. Data from sites that modify Q5 are processed in a manner comparable to the standard question.

Race/ethnicity (*raceeth*) for the 2013 YRBS is computed from two questions:

- | | |
|----|----------------------------------------------------|
| 4. | Are you Hispanic or Latino? |
| A. | Yes |
| B. | No |
| 5. | What is your race? (Select one or more responses.) |
| A. | American Indian or Alaska Native |
| B. | Asian |
| C. | Black or African American |
| D. | Native Hawaiian or Other Pacific Islander |
| E. | White |

Ethnicity (Q4) is scanned as a single column variable with either A or B as valid responses. Race (Q5) is the only YRBS question that permits the selection of more than one response. It is a “check all that apply” type question and is scanned as an eight-column character variable. If the student selected “A”, then the first column contains an “A”. If they selected “B”, then the second column contains a “B”, and so on.

Prior to 2007, a single question was used to ascertain race/ethnicity. To maintain comparability, *Q4* and *Q5* are combined to create the two-column *raceeth* variable. If the student selected “B” for *Q4* and only one response option for *Q5* then *raceeth* is set to a number between “1” and “5” depending on the *Q5* option selected. If they selected “A” for *Q4* and no response for *Q5*, *raceeth* is set to “6” indicating “Hispanic/Latino”. If they selected “A” for *Q4* and one or more responses for *Q5*, then *raceeth* is set to “7” indicating “Multiple – Hispanic/Latino”. If they selected “B” for *Q4* and more than one response for *Q5*, then *raceeth* is set to “8” indicating “Multiple – Non-Hispanic/Latino”. *Raceeth* is set to “missing” if they answered “B” to *Q4* and left *Q5* blank, or they left *Q4* blank regardless of the response for *Q5*, or if *Q4* or *Q5* is out of range.

<i>Ethnicity</i>	<i>Race</i>	<i>Raceeth (Values and Labels*)</i>
B	A	1 (American Indian/Alaskan Native)
B	B	2 (Asian)
B	C	3 (Black or African American)
B	D	4 (Native Hawaiian or Other Pacific Islander)
B	E	5 (White)
A	Missing	6 (Hispanic/Latino)
A	1 or more responses	7 (Multiple– Hispanic/Latino)
B	2 or more responses	8 (Multiple– Non-Hispanic/Latino)
B	Missing	Missing
Missing	Missing or Any response	Missing
Out of range	Any response	Missing
Any response	Out of range	Missing

*Labels are based on standard response options. Labels will vary if the site modified the Q5 response options. The site may modify the Race question by adding response options up to a total of 8. The values for “Hispanic/ Latino”, “Multiple – Hispanic/Latino”, and “Multiple Non-Hispanic/Latino” will vary according to how many response options are included in Q5. For example, if a site has 7 response options for Q5, then the values for “Hispanic/Latino”, “Multiple – Hispanic/Latino”, and “Multiple Non-Hispanic/Latino” would be 8, 9, and 10, respectively.

Percentile, Overweight, and Obese

Age (Q1), Sex (Q2), and BMI are used to determine *Overweight** (QNOWT) and *Obese** (QNOBESE). The student is considered overweight, and QNOWT is set to “1”, when BMI percentile is at or above the 85th percentile and below the 95th percentile for BMI by age and sex. The student is considered obese, and QNOBESE is set to “1”, when BMI percentile is at or above the 95th percentile for BMI by age and sex. If BMI is missing, then QNOWT and QNOBESE are set to missing. QNOWT and QNOBESE are mutually exclusive. The BMI percentile for age and sex (BMIPCT), QNOWT, and QNOBESE variables are included in the edited data set.

The “SAS Program for the 2000 CDC Growth Charts” developed by the CDC’s Division of Nutrition, Physical Activity, and Obesity has been used to calculate BMI and BMI percentile for age and sex, and to generate QNOWT and QNOBESE. This program and technical documentation for its use are posted at:

<http://www.cdc.gov/nccdphp/dnpa/growthcharts/resources/sas.htm>

* Note: YRBS reports prior to 2009 used the terms "overweight" to describe those youth with a BMI ≥ 95 th percentile for age and sex and "at risk for overweight" for those with a BMI ≥ 85 th percentile and < 95 th percentile. However, the terms "obese" and "overweight" were used in 2009 and forward in accordance with the 2007 recommendations from the Expert Committee on the Assessment, Prevention, and Treatment of Child and Adolescent Overweight and Obesity convened by the American Medical Association (AMA) and cofunded by AMA in collaboration with the Health Resources and Services Administration and the CDC.

and are available for use by anyone who would like to regenerate the variables. Note the units required by the SAS program are specified in the documentation available at the web site referenced above. YRBS data for height are stored in meters but the program requires height in centimeters. The program requires age in months but YRBS only has age in years. Therefore, age in months is approximated by adding six months to the age in years reported by the respondent. That is, if a YRBS respondent reports that they are 14 years of age, their age in months is calculated as $(14 \text{ years} * 12 \text{ months}) + 6 \text{ months} = 174 \text{ months}$.

Dichotomous Variables

There are two types of dichotomous variables - **QN#** and **QNword**. The dichotomous variables present the percentage of students answering the predetermined response(s) of interest (ROI). Students answering the ROI(s) are in the numerator. The denominator is either all students or a subset of students who have indicated they participate in a selected activity or behavior. Students must have provided valid data to be included in any dichotomous variable calculations. Therefore students with missing responses or who had their answers subverted are not included. The variables are created and added to the master datasets during editing. The results are presented in the summary tables and graphs in your YRBS report.

QN# Variables: Each standard question will have a corresponding dichotomous variable. The name of the dichotomous variable corresponds to the original question number. For example, the dichotomous variable for Q10 is named QN10. The table below provides the question and response options used for each standard Q# variable and related QN# variable. The bolded responses indicate the ROIs for that question. The ROIs are set to "1" for the QN# variables; the remaining responses are set to "2" or to "missing" for the QN# variable. The numerator and denominator are further defined below the responses. The summary text appearing in the title of the tables for each QN# variable is also listed. Site-added questions and the corresponding QN#s are not included in this document.

See Appendix A for the list of the standard high school YRBS questions and dichotomous variables.

QNword Variables

QNword variables are supplemental, dichotomous variables that are calculated based on results from one or more than one question. You will not have the supplemental variables if you modified or deleted any of the questions needed for the calculation. How these variables are derived, including which students are used in the numerator and denominator, and the SAS program used are detailed in the following table. The values included in the SAS programs are numbers that correspond to the original responses; 1 = A, 2 = B, etc.

See Appendix B for the list of the standard high school YRBS supplemental (QNword) variables.

Data Analysis Variables

Weight	A weight based on student sex, race/ethnicity, and grade level was applied to each record to adjust for school and student nonresponse and oversampling of black and Hispanic students. The overall weights were scaled so that the weighted count of students equals the total sample size, and the weighted proportions of students in each grade match the national population proportions. Thus the data are representative of students in grades 9-12 in public and private schools in the United States. "WEIGHT" indicates the weight factor assigned to each student record.
Stratum	The sample design employed a three-stage cluster sample stratified by racial/ethnic concentration and MSA status. "STRATUM" indicates the stratum the school the student attends was assigned to.
PSU	PSUs consist of counties, groups of smaller adjacent counties, or sub-areas of very large counties. "PSU" indicates the PSU the school the student attends was assigned to.
For More Information	See "Methodology of the YRBSS" and "Software for Analyzing YRBS Data" on the YRBS web site at www.cdc.gov/yrbss for more information.

Analysis Software Technical Notes

Software Requirements

The YRBS uses a multi-stage cluster sample design. Statistical software used to analyze YRBS data should account for this design. Although the point estimates should always match, there will be small differences in the confidence intervals as different methods for calculating standard error are used. Many packages with this capability are available.

For More Information

For more information on five statistical packages (SUDAAN, SAS, STATA, SPSS, and Epi Info) that can be used to analyze the YRBS, see “Software for Analyzing YRBS Data” on the YRBS web site at www.cdc.gov/yrbss.

Codebook

Introduction The codebook documents the SAS, SPSS, MS Access, and ASCII data files available for public use. See Appendix C for the codebook information for each variable in the data files.

The columns in the codebook include the following information:

Data Location This column contains the numbers indicating the beginning and ending column position for each variable. The data location is relevant only when you are using the ASCII formatted data file; for the other files, you will reference data by variable name, not location.

Variable Name This column contains the variable names listed in the order that the variables appear in the data files. Please refer to Section 4 of this document for more details on variable types and dichotomous variables.

Question Code and Label This column contains information about each variable in the data file. For each question (Q1 through Q98), this column contains question text, response option codes, and response option text. For QN# and QNword variables, this column contains text that summarizes the “responses of interest”, and the codes “1” and “2” for “Yes” and “No” respectively to indicate whether or not the response was one of the “responses of interest”.

Unweighted Frequency This column contains the number of students who chose a specific response option or response of interest.

Weighted Percentage This column contains the percentage of students who chose a specific response option or response of interest. These percentages are weighted and represent students in the United States.

Appendix A: National High School YRBS Questions and Dichotomous Variables

Q1.	How old are you? A. 12 years old or younger B. 13 years old C. 14 years old D. 15 years old E. 16 years old F. 17 years old G. 18 years old or older Variable label: How old are you Dependence: Required by QNOWT, and QNOBESE
Q2.	What is your sex? A. Female B. Male Variable label: What is your sex Dependence: Required by QNOWT and QNOBESE
Q3.	In what grade are you? A. 9th grade B. 10th grade C. 11th grade D. 12th grade E. Ungraded or other grade Variable label: In what grade are you
Q4.	Are you Hispanic or Latino? A. Yes B. No Variable label: Are you Hispanic/Latino
Q5.	What is your race? (Select one or more responses.) A. American Indian or Alaska Native B. Asian C. Black or African American D. Native Hawaiian or Other Pacific Islander E. White Variable label: What is your race
Q6.	How tall are you without your shoes on? Variable label: How tall are you Dependence: Required by QNOWT and QNOBESE
Q7.	How much do you weigh without your shoes on? Variable label: How much do you weigh Dependence: Required by QNOWT and QNOBESE

Q8.	When you rode a bicycle during the past 12 months, how often did you wear a helmet?
A.	I did not ride a bicycle during the past 12 months
B.	Never wore a helmet
C.	Rarely wore a helmet
D.	Sometimes wore a helmet
E.	Most of the time wore a helmet
F.	Always wore a helmet
	Variable label: How often wear bicycle helmet
QN8*:	Numerator: Students who answered B or C for Q8
	Denominator: Students who answered B, C, D, E, or F for Q8
	Summary text: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet
	QN variable label: Never/rarely wore bicycle helmet
Q9.	How often do you wear a seat belt when riding in a car driven by someone else?
A.	Never
B.	Rarely
C.	Sometimes
D.	Most of the time
E.	Always
	Variable label: How often wore a seat belt
QN9:	Numerator: Students who answered A or B for Q9
	Denominator: Students who answered A, B, C, D, or E for Q9
	Summary text: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else
	QN variable label: Never/rarely wore seat belt
Q10.	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
	Variable label: How often ride w/drinking driver 30 days
QN10:	Numerator: Students who answered B, C, D, or E for Q10
	Denominator: Students who answered A, B, C, D, or E for Q10
	Summary text: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol
	QN variable label: Rode 1+ times with drinking driver

Q11. During the past 30 days, how many times did you **drive** a car or other vehicle **when you had been drinking alcohol**?

- A. I did not drive a car or other vehicle during the past 30 days
- B. 0 times
- C. 1 time**
- D. 2 or 3 times**
- E. 4 or 5 times**
- F. 6 or more times**

Variable label: How often drive while drinking 30 days

QN11*: Numerator: Students who answered C, D, E, or F for Q11

Denominator: Students who answered B, C, D, E, or F for Q11

Summary text: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days

QN variable label: Drove 1+ times when drinking

Q12. During the past 30 days, on how many days did you **text or e-mail** while **driving** a car or other vehicle?

- A. I did not drive a car or other vehicle during the past 30 days
- B. 0 days
- C. 1 or 2 days**
- D. 3 to 5 days**
- E. 6 to 9 days**
- F. 10 to 19 days**
- G. 20 to 29 days**
- H. All 30 days**

Variable label: Days text or e-mail while driving 30d

QN12*: Numerator: Students who answered C, D, E, F, G, or H for Q12

Denominator: Students who answered B, C, D, E, F, G, or H for Q12

Summary text: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days

QN variable label: Texted or e-mailed while driving

Q13. During the past 30 days, on how many days did you carry **a weapon** such as a gun, knife, or club?

- A. 0 days
- B. 1 day**
- C. 2 or 3 days**
- D. 4 or 5 days**
- E. 6 or more days**

Variable label: Carried weapon 30 days

QN13: Numerator: Students who answered B, C, D, or E for Q13

Denominator: Students who answered A, B, C, D, or E for Q13

Summary text: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

QN variable label: Carried weapon 1+ past 30 days

Q14.	During the past 30 days, on how many days did you carry a gun ?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
	Variable label: Carried gun 30 days
QN14:	Numerator: Students who answered B, C, D, or E for Q14
	Denominator: Students who answered A, B, C, D, or E for Q14
	Summary text: Percentage of students who carried a gun on one or more of the past 30 days
	QN variable label: Carried gun 1+ past 30 days
Q15.	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property ?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
	Variable label: Carried weapon at school 30 days
QN15:	Numerator: Students who answered B, C, D, or E for Q15
	Denominator: Students who answered A, B, C, D, or E for Q15
	Summary text: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days
	QN variable label: Carried weapon school 1+ past 30 days
Q16.	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
	Variable label: How many days feel unsafe@school 30 days
QN16:	Numerator: Students who answered B, C, D, or E for Q16
	Denominator: Students who answered A, B, C, D, or E for Q16
	Summary text: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school
	QN variable label: Missed school b/c unsafe 1+ 30 days

Q17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club **on school property?**

- A. 0 times
- B. 1 time**
- C. 2 or 3 times**
- D. 4 or 5 times**
- E. 6 or 7 times**
- F. 8 or 9 times**
- G. 10 or 11 times**
- H. 12 or more times**

Variable label: How many times threatened@school 12 mos

QN17: Numerator: Students who answered B, C, D, E, F, G, or H for Q17
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q17
 Summary text: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months
 QN variable label: Threatened at school 1+ times 12 mos

Q18. During the past 12 months, how many times were you in a physical fight?

- A. 0 times
- B. 1 time**
- C. 2 or 3 times**
- D. 4 or 5 times**
- E. 6 or 7 times**
- F. 8 or 9 times**
- G. 10 or 11 times**
- H. 12 or more times**

Variable label: How many times in fight 12 mos

QN18: Numerator: Students who answered B, C, D, E, F, G, or H for Q18
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q18
 Summary text: Percentage of students who were in a physical fight one or more times during the past 12 months
 QN variable label: Fought 1+ times 12 mos

Q19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

- A. 0 times
- B. 1 time**
- C. 2 or 3 times**
- D. 4 or 5 times**
- E. 6 or more times**

Variable label: How many times injured in fight 12 mos

QN19: Numerator: Students who answered B, C, D, or E for Q19
 Denominator: Students who answered A, B, C, D, or E for Q19
 Summary text: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse
 QN variable label: Injured/treated 1+ times 12 mos

Q20. During the past 12 months, how many times were you in a physical fight **on school property**?

- A. 0 times
- B. 1 time**
- C. 2 or 3 times**
- D. 4 or 5 times**
- E. 6 or 7 times**
- F. 8 or 9 times**
- G. 10 or 11 times**
- H. 12 or more times**

Variable label: How many times in fight @ school 12 mos

QN20: Numerator: Students who answered B, C, D, E, F, G, or H for Q20
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q20
 Summary text: Percentage of students who were in a physical fight on school property one or more times during the past 12 months
 QN variable label: Fought school 1+ times 12 mos

Q21. Have you ever been physically forced to have sexual intercourse when you did not want to?

- A. Yes**
- B. No**

Variable label: Have you been forced to have sex

QN21: Numerator: Students who answered A for Q21
 Denominator: Students who answered A or B for Q21
 Summary text: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to
 QN variable label: Forced to have sex

Q22. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

- A. I did not date or go out with anyone during the past 12 months
- B. 0 times
- C. 1 time**
- D. 2 or 3 times**
- E. 4 or 5 times**
- F. 6 or more times**

Variable label: Times physically hurt by dates 12 mos

QN22*: Numerator: Students who answered C, D, E, or F for Q22
 Denominator: Students who answered B, C, D, E, or F for Q22
 Summary text: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months
 QN variable label: Hurt by date 1+ times past 12 mos

Q23.	<p>During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)</p> <p>A. I did not date or go out with anyone during the past 12 months</p> <p>B. 0 times</p> <p>C. 1 time</p> <p>D. 2 or 3 times</p> <p>E. 4 or 5 times</p> <p>F. 6 or more times</p>
	<p>Variable label: Forced to do sexual things by dates</p>
QN23*:	<p>Numerator: Students who answered C, D, E, or F for Q23</p> <p>Denominator: Students who answered B, C, D, E, or F for Q23</p> <p>Summary text: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months</p> <p>QN variable label: Forced to do sexual by date past 12 mos</p>
Q24.	<p>During the past 12 months, have you ever been bullied on school property?</p> <p>A. Yes</p> <p>B. No</p>
	<p>Variable label: Have you been bullied @ school 12 mos</p>
QN24:	<p>Numerator: Students who answered A for Q24</p> <p>Denominator: Students who answered A or B for Q24</p> <p>Summary text: Percentage of students who had ever been bullied on school property during the past 12 months</p> <p>QN variable label: Bullied at school 12 mos</p>
Q25.	<p>During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, Web sites, or texting.)</p> <p>A. Yes</p> <p>B. No</p>
	<p>Variable label: Ever been electronically bullied 12 mos</p>
QN25:	<p>Numerator: Students who answered A for Q25</p> <p>Denominator: Students who answered A or B for Q25</p> <p>Summary text: Percentage of students who had ever been electronically bullied during the past 12 months</p> <p>QN variable label: Electronically bullied 12 mos</p>
Q26.	<p>During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</p> <p>A. Yes</p> <p>B. No</p>
	<p>Variable label: Ever feel sad or hopeless 12 mos</p>
QN26:	<p>Numerator: Students who answered A for Q26</p> <p>Denominator: Students who answered A or B for Q26</p> <p>Summary text: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months</p> <p>QN variable label: Sad 2 wks past 12 mos</p>

2013 YRBS Data User's Guide

Q27.	During the past 12 months, did you ever seriously consider attempting suicide?
A.	Yes
B.	No
Variable label:	Ever considered suicide 12 mos
QN27:	Numerator: Students who answered A for Q27
	Denominator: Students who answered A or B for Q27
	Summary text: Percentage of students who seriously considered attempting suicide during the past 12 months
	QN variable label: Considered suicide 12 mos
Q28.	During the past 12 months, did you make a plan about how you would attempt suicide?
A.	Yes
B.	No
Variable label:	Ever make suicide plan 12 mos
QN28:	Numerator: Students who answered A for Q28
	Denominator: Students who answered A or B for Q28
	Summary text: Percentage of students who made a plan about how they would attempt suicide during the past 12 months
	QN variable label: Made suicide plan 12 mos
Q29.	During the past 12 months, how many times did you actually attempt suicide?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
Variable label:	How many times attempt suicide 12 mos
QN29:	Numerator: Students who answered B, C, D, or E for Q29
	Denominator: Students who answered A, B, C, D, or E for Q29
	Summary text: Percentage of students who actually attempted suicide one or more times during the past 12 months
	QN variable label: Attempted suicide 1+ times 12 mos
Q30.	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?
A.	I did not attempt suicide during the past 12 months
B.	Yes
C.	No
Variable label:	Ever injured from suicide attempt 12 mos
QN30:	Numerator: Students who answered B for Q30
	Denominator: Students who answered A, B, or C for Q30
	Summary text: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse
	QN variable label: Suicide attempt w/injury 12 mos

Q31.	Have you ever tried cigarette smoking, even one or two puffs?
A.	Yes
B.	No
	Variable label: Ever smoked
QN31:	Numerator: Students who answered A for Q31
	Denominator: Students who answered A or B for Q31
	Summary text: Percentage of students who ever tried cigarette smoking, even one or two puffs
	QN variable label: Ever tried cigarettes

Q32.	How old were you when you smoked a whole cigarette for the first time?
A.	I have never smoked a whole cigarette
B.	8 years old or younger
C.	9 or 10 years old
D.	11 or 12 years old
E.	13 or 14 years old
F.	15 or 16 years old
G.	17 years old or older
	Variable label: How old when first smoked
QN32:	Numerator: Students who answered B, C, or D for Q32
	Denominator: Students who answered A, B, C, D, E, F, or G for Q32
	Summary text: Percentage of students who smoked a whole cigarette for the first time before age 13 years
	QN variable label: Smoked cigarette before 13

Q33.	During the past 30 days, on how many days did you smoke cigarettes?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
	Variable label: How many days smoked 30 days
	Dependence: Required by QN34, QN35, QN38, QNFRCIG, and QNANYTOB
QN33:	Numerator: Students who answered B, C, D, E, F, or G for Q33
	Denominator: Students who answered A, B, C, D, E, F, or G for Q33
	Summary text: Percentage of students who smoked cigarettes on one or more of the past 30 days
	QN variable label: Smoked 1+ past 30 days

Q34.	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day ?
A.	I did not smoke cigarettes during the past 30 days
B.	Less than 1 cigarette per day
C.	1 cigarette per day
D.	2 to 5 cigarettes per day
E.	6 to 10 cigarettes per day
F.	11 to 20 cigarettes per day
G.	More than 20 cigarettes per day
Variable label:	How many cigarettes/day 30 days
QN34*:	Numerator: Students who answered F or G for Q34
Denominator:	Students who answered B, C, D, E, F, or G for Q33 and answered B, C, D, E, F, or G for Q34
Summary text:	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days
QN variable label:	Smoked >10 cigarettes/day past 30 days
Dependence:	Depends on Q33
Q35.	During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)
A.	I did not smoke cigarettes during the past 30 days
B.	I bought them in a store such as a convenience store, supermarket, discount store, or gas station
C.	I bought them from a vending machine
D.	I gave someone else money to buy them for me
E.	I borrowed (or bummed) them from someone else
F.	A person 18 years old or older gave them to me
G.	I took them from a store or family member
H.	I got them some other way
Variable label:	How did you get cigarettes past 30 days
QN35*:	Numerator: Students who answered B for Q35
Denominator:	Students who answered A, B, C, D, E, or F for Q1 and answered B, C, D, E, F, or G for Q33 and answered B, C, D, E, F, G, or H for Q35
Summary text:	Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days
QN variable label:	Got cigarettes in store 30 days
Dependence:	Depends on Q1 and Q33
Q36.	During the past 30 days, on how many days did you smoke cigarettes on school property ?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	How many days smoke @ school 30 days
QN36:	Numerator: Students who answered B, C, D, E, F, or G for Q36
Denominator:	Students who answered A, B, C, D, E, F, or G for Q36
Summary text:	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days
QN variable label:	Smoked at school 1+ past 30 days

2013 YRBS Data User's Guide

Q37.	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?
A.	Yes
B.	No
Variable label:	Have you ever smoked daily
QN37:	Numerator: Students who answered A for Q37
	Denominator: Students who answered A or B for Q37
	Summary text: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days
	QN variable label: Smoked daily for 30 days
Q38.	During the past 12 months, did you ever try to quit smoking cigarettes?
A.	I did not smoke during the past 12 months
B.	Yes
C.	No
Variable label:	Tried to quit smoking past 12 months
QN38*:	Numerator: Students who answered B for Q38
	Denominator: Students who answered B, C, D, E, F, or G for Q33 and answered B or C for Q38
	Summary text: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months
	QN variable label: Among smokers, tried to quit smoking
	Dependence: Depends on Q33
Q39.	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip , such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	How many days use snuff past 30 days
Dependence:	Required by QNANYTOB
QN39:	Numerator: Students who answered B, C, D, E, F, or G for Q39
	Denominator: Students who answered A, B, C, D, E, F, or G for Q39
	Summary text: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days
	QN variable label: Used snuff/dip 1+ past 30 days

Q40.	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
	Variable label: How many days smoke cigars 30 days
	Dependence: Required by QNANYTOB
QN40:	Numerator: Students who answered B, C, D, E, F, or G for Q40
	Denominator: Students who answered A, B, C, D, E, F, or G for Q40
	Summary text: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days
	QN variable label: Smoked cigars 1+ past 30 days
Q41.	During your life, on how many days have you had at least one drink of alcohol?
A.	0 days
B.	1 or 2 days
C.	3 to 9 days
D.	10 to 19 days
E.	20 to 39 days
F.	40 to 99 days
G.	100 or more days
	Variable label: How many days drink alcohol
QN41:	Numerator: Students who answered B, C, D, E, F, or G for Q41
	Denominator: Students who answered A, B, C, D, E, F, or G for Q41
	Summary text: Percentage of students who had at least one drink of alcohol on one or more days during their life
	QN variable label: Had 1 drink on 1+ days in life
Q42.	How old were you when you had your first drink of alcohol other than a few sips?
A.	I have never had a drink of alcohol other than a few sips
B.	8 years old or younger
C.	9 or 10 years old
D.	11 or 12 years old
E.	13 or 14 years old
F.	15 or 16 years old
G.	17 years old or older
	Variable label: How old when first drank alcohol
QN42:	Numerator: Students who answered B, C, or D for Q42
	Denominator: Students who answered A, B, C, D, E, F, or G for Q42
	Summary text: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years
	QN variable label: Had first drink before 13

Q43. During the past 30 days, on how many days did you have at least one drink of alcohol?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: How many days drink alcohol 30 days

Dependence: Required by QN46

QN43: Numerator: Students who answered B, C, D, E, F, or G for Q43

Denominator: Students who answered A, B, C, D, E, F, or G for Q43

Summary text: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

QN variable label: Had 1+ drinks past 30 days

Q44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

- A. 0 days
- B. 1 day**
- C. 2 days**
- D. 3 to 5 days**
- E. 6 to 9 days**
- F. 10 to 19 days**
- G. 20 or more days**

Variable label: How many days have 5+ drinks 30 days

QN44: Numerator: Students who answered B, C, D, E, F, or G for Q44

Denominator: Students who answered A, B, C, D, E, F, or G for Q44

Summary text: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

QN variable label: Five+ drinks 1+ past 30 days

Q45. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?

- A. I did not drink alcohol during the past 30 days
- B. 1 or 2 drinks
- C. 3 drinks
- D. 4 drinks
- E. 5 drinks
- F. 6 or 7 drinks
- G. 8 or 9 drinks
- H. 10 or more drinks**

Variable label: Max # drinks in a row past 30 days

QN45: Numerator: Students who answered H for Q45

Denominator: Students who answered A, B, C, D, E, F, G, or H for Q45

Summary text: Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days

QN variable label: 10+ drinks in a row past 30 days

- Q46.** During the past 30 days, how did you **usually** get the alcohol you drank?
- A. I did not drink alcohol during the past 30 days
 - B. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station
 - C. I bought it at a restaurant, bar, or club
 - D. I bought it at a public event such as a concert or sporting event
 - E. I gave someone else money to buy it for me
 - F. Someone gave it to me**
 - G. I took it from a store or family member
 - H. I got it some other way

Variable label: How did you get alcohol past 30 days

QN46*: Numerator: Students who answered F for Q46
 Denominator: Students who answered B, C, D, E, F, or G for Q43 and answered B, C, D, E, F, G, or H for Q46
 Summary text: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days
 QN variable label: Someone gave alcohol to me past 30 days
 Dependence: Depends on Q43

- Q47.** During your life, how many times have you used marijuana?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 to 99 times**
- G. 100 or more times**

Variable label: How many times smoke marijuana

QN47: Numerator: Students who answered B, C, D, E, F, or G for Q47
 Denominator: Students who answered A, B, C, D, E, F, or G for Q47
 Summary text: Percentage of students who used marijuana one or more times during their life
 QN variable label: Tried marijuana 1+ times in life

- Q48.** How old were you when you tried marijuana for the first time?

- A. I have never tried marijuana
- B. 8 years old or younger**
- C. 9 or 10 years old**
- D. 11 or 12 years old**
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

Variable label: How old when first tried marijuana

QN48: Numerator: Students who answered B, C, or D for Q48
 Denominator: Students who answered A, B, C, D, E, F, or G for Q48
 Summary text: Percentage of students who tried marijuana for the first time before age 13 years
 QN variable label: Tried marijuana before 13

Q49. During the past 30 days, how many times did you use marijuana?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times use marijuana 30 days

QN49: Numerator: Students who answered B, C, D, E, or F for Q49
 Denominator: Students who answered A, B, C, D, E, or F for Q49
 Summary text: Percentage of students who used marijuana one or more times during the past 30 days
 QN variable label: Used marijuana 1+ times past 30 days

Q50. During your life, how many times have you used **any** form of cocaine, including powder, crack, or freebase?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times use cocaine

QN50: Numerator: Students who answered B, C, D, E, or F for Q50
 Denominator: Students who answered A, B, C, D, E, or F for Q50
 Summary text: Percentage of students who used any form of cocaine, including powder, crack, or freebase, one or more times during their life
 QN variable label: Used cocaine 1+ times in life

Q51. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times sniffed glue

QN51: Numerator: Students who answered B, C, D, E, or F for Q51
 Denominator: Students who answered A, B, C, D, E, or F for Q51
 Summary text: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life
 QN variable label: Sniffed glue 1+ times in life

- Q52.** During your life, how many times have you used **heroin** (also called smack, junk, or China White)?
- A. 0 times
 - B. 1 or 2 times**
 - C. 3 to 9 times**
 - D. 10 to 19 times**
 - E. 20 to 39 times**
 - F. 40 or more times**

Variable label: How many times used heroin

QN52: Numerator: Students who answered B, C, D, E, or F for Q52
 Denominator: Students who answered A, B, C, D, E, or F for Q52
 Summary text: Percentage of students who used heroin one or more times during their life
 QN variable label: Used heroin 1+ times in life

- Q53.** During your life, how many times have you used **methamphetamines** (also called speed, crystal, crank, or ice)?
- A. 0 times
 - B. 1 or 2 times**
 - C. 3 to 9 times**
 - D. 10 to 19 times**
 - E. 20 to 39 times**
 - F. 40 or more times**

Variable label: How many times used methamphetamines

QN53: Numerator: Students who answered B, C, D, E, or F for Q53
 Denominator: Students who answered A, B, C, D, E, or F for Q53
 Summary text: Percentage of students who used methamphetamines one or more times during their life
 QN variable label: Used meth 1+ times in life

- Q54.** During your life, how many times have you used **ecstasy** (also called MDMA)?
- A. 0 times
 - B. 1 or 2 times**
 - C. 3 to 9 times**
 - D. 10 to 19 times**
 - E. 20 to 39 times**
 - F. 40 or more times**

Variable label: Ecstasy one or more time

QN54: Numerator: Students who answered B, C, D, E, or F for Q54
 Denominator: Students who answered A, B, C, D, E, or F for Q54
 Summary text: Percentage of students who used ecstasy one or more times during their life
 QN variable label: Used ecstasy 1+ times in life

2013 YRBS Data User's Guide

Q55.	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
Variable label:	How many times used steroids
QN55:	Numerator: Students who answered B, C, D, E, or F for Q55 Denominator: Students who answered A, B, C, D, E, or F for Q55 Summary text: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life QN variable label: Took steroids 1+ times in life
Q56.	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
Variable label:	Times prescription drug wo prescription
QN56:	Numerator: Students who answered B, C, D, E, or F for Q56 Denominator: Students who answered A, B, C, D, E, or F for Q56 Summary text: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life QN variable label: Taken prescription drug wo prescription
Q57.	During your life, how many times have you used a needle to inject any illegal drug into your body?
A.	0 times
B.	1 time
C.	2 or more times
Variable label:	How many times injected drugs
QN57:	Numerator: Students who answered B or C for Q57 Denominator: Students who answered A, B, or C for Q57 Summary text: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life QN variable label: Injected drugs 1+ times in life
Q58.	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property ?
A.	Yes
B.	No
Variable label:	Offered drugs @ school 12 mos
QN58:	Numerator: Students who answered A for Q58 Denominator: Students who answered A or B for Q58 Summary text: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months QN variable label: Offered/sold drugs at school 12 mos

Q59. Have you ever had sexual intercourse?

- A. Yes**
- B. No

Variable label: Ever had sex

QN59: Numerator: Students who answered A for Q59
 Denominator: Students who answered A or B for Q59
 Summary text: Percentage of students who ever had sexual intercourse
 QN variable label: Had sex ever

Q60. How old were you when you had sexual intercourse for the first time?

- A. I have never had sexual intercourse
- B. 11 years old or younger**
- C. 12 years old**
- D. 13 years old
- E. 14 years old
- F. 15 years old
- G. 16 years old
- H. 17 years old or older

Variable label: How old at first sex

QN60: Numerator: Students who answered B or C for Q60
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q60
 Summary text: Percentage of students who had sexual intercourse for the first time before age 13 years
 QN variable label: Had sex before 13

Q61. During your life, with how many people have you had sexual intercourse?

- A. I have never had sexual intercourse
- B. 1 person
- C. 2 people
- D. 3 people
- E. 4 people**
- F. 5 people**
- G. 6 or more people**

Variable label: How many sex partners

QN61: Numerator: Students who answered E, F, or G for Q61
 Denominator: Students who answered A, B, C, D, E, F, or G for Q61
 Summary text: Percentage of students who had sexual intercourse with four or more people during their life
 QN variable label: Had sex with 4+ people in life

Q62.	During the past 3 months, with how many people did you have sexual intercourse?
A.	I have never had sexual intercourse
B.	I have had sexual intercourse, but not during the past 3 months
C.	1 person
D.	2 people
E.	3 people
F.	4 people
G.	5 people
H.	6 or more people
Variable label:	How many sex partners 3 mos
Dependence:	Required by QN63, QN64, QN65, QNOTHH, QNOTHHPL, and QNDUALBC
QN62:	<p>Numerator: Students who answered C, D, E, F, G, or H for Q62</p> <p>Denominator: Students who answered A, B, C, D, E, F, G, or H for Q62</p> <p>Summary text: Percentage of students who had sexual intercourse with one or more people during the past three months</p> <p>QN variable label: Had sex with 1+ people 3 mos</p>
Q63.	Did you drink alcohol or use drugs before you had sexual intercourse the last time ?
A.	I have never had sexual intercourse
B.	Yes
C.	No
Variable label:	Did you use alcohol/drugs @ last sex
QN63*:	<p>Numerator: Students who answered B for Q63</p> <p>Denominator: Students who answered C, D, E, F, G, or H for Q62 and answered B or C for Q63</p> <p>Summary text: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse</p> <p>QN variable label: Of current sex, used alcohol last time</p> <p>Dependence: Depends on Q62</p>
Q64.	The last time you had sexual intercourse, did you or your partner use a condom?
A.	I have never had sexual intercourse
B.	Yes
C.	No
Variable label:	Did you use condom @ last sex
Dependence:	Required by QNDUAL
QN64*:	<p>Numerator: Students who answered B for Q64</p> <p>Denominator: Students who answered C, D, E, F, G, or H for Q62 and answered B or C for Q64</p> <p>Summary text: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse</p> <p>QN variable label: Of current sex, used condom last time</p> <p>Dependence: Depends on Q62</p>

Q65. The **last time** you had sexual intercourse, what **one** method did you or your partner use to **prevent pregnancy**? (Select only **one** response.)

- A. I have never had sexual intercourse
- B. No method was used to prevent pregnancy
- C. Birth control pills**
- D. Condoms
- E. An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)
- F. A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)
- G. Withdrawal or some other method
- H. Not sure

Variable label: What birth control @ last sex

Dependence: Required by QNOTHH, QNOTHHPL, and QNDUALBC

QN65*: Numerator: Students who answered C for Q65

Denominator: Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, F, G, or H for Q65

Summary text: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

QN variable label: Of current sex, used bc pills last sex

Dependence: Depends on Q62

Q66. How do **you** describe your weight?

- A. Very underweight
- B. Slightly underweight
- C. About the right weight
- D. Slightly overweight**
- E. Very overweight**

Variable label: How do you describe your weight

QN66: Numerator: Students who answered D or E for Q66

Denominator: Students who answered A, B, C, D, or E for Q66

Summary text: Percentage of students who described themselves as slightly or very overweight

QN variable label: Slightly/very overweight

Q67. Which of the following are you trying to do about your weight?

- A. Lose weight**
- B. Gain weight
- C. Stay the same weight
- D. I am not trying to do anything about my weight

Variable label: What are you trying to do about weight

QN67: Numerator: Students who answered A for Q67

Denominator: Students who answered A, B, C, or D for Q67

Summary text: Percentage of students who were trying to lose weight

QN variable label: Trying to lose weight

2013 YRBS Data User's Guide

Q68.	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?
A.	Yes
B.	No
Variable label:	Did you fast to lose weight 30 days
QN68:	Numerator: Students who answered A for Q68 Denominator: Students who answered A or B for Q68 Summary text: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days QN variable label: Fasted to lose weight past 30 days
Q69.	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)
A.	Yes
B.	No
Variable label:	Did you take pill to lose weight 30 days
QN69:	Numerator: Students who answered A for Q69 Denominator: Students who answered A or B for Q69 Summary text: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days QN variable label: Took pills to lose weight past 30 days
Q70.	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?
A.	Yes
B.	No
Variable label:	Did you vomit to lose weight 30 days
QN70:	Numerator: Students who answered A for Q70 Denominator: Students who answered A or B for Q70 Summary text: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days QN variable label: Vomited to lose weight past 30 days
Q71.	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)
A.	I did not drink 100% fruit juice during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
Variable label:	How many times fruit juice 7 days
Dependence:	Required by QNFRVG, QNFRVG2, QNFRUIT, QNFR0, QNFR1, and QNFR3
QN71:	Numerator: Students who answered B, C, D, E, F, or G for Q71 Denominator: Students who answered A, B, C, D, E, F, or G for Q71 Summary text: Percentage of students who drank 100% fruit juices one or more times during the past seven days QN variable label: Drank fruit juice past 7 days

Q72.	During the past 7 days, how many times did you eat fruit ? (Do not count fruit juice.)
A.	I did not eat fruit during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
	Variable label: How many times fruit 7 days
	Dependence: Required by QNFRVG, QNFRVG2, QNFRUIT, QNFR0, QNFR1, and QNFR3
QN72:	Numerator: Students who answered B, C, D, E, F, or G for Q72
	Denominator: Students who answered A, B, C, D, E, F, or G for Q72
	Summary text: Percentage of students who ate fruit one or more times during the past seven days
	QN variable label: Ate fruit past 7 days
Q73.	During the past 7 days, how many times did you eat green salad ?
A.	I did not eat green salad during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
	Variable label: How many time green salad 7 days
	Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2
QN73:	Numerator: Students who answered B, C, D, E, F, or G for Q73
	Denominator: Students who answered A, B, C, D, E, F, or G for Q73
	Summary text: Percentage of students who ate green salad one or more times during the past seven days
	QN variable label: Ate green salad past 7 days
Q74.	During the past 7 days, how many times did you eat potatoes ? (Do not count french fries, fried potatoes, or potato chips.)
A.	I did not eat potatoes during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
	Variable label: How many times potatoes 7 days
	Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2
QN74:	Numerator: Students who answered B, C, D, E, F, or G for Q74
	Denominator: Students who answered A, B, C, D, E, F, or G for Q74
	Summary text: Percentage of students who ate potatoes one or more times during the past seven days
	QN variable label: Ate potatoes past 7 days

Q75. During the past 7 days, how many times did you eat **carrots**?

- A. I did not eat carrots during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times carrots 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2

QN75: Numerator: Students who answered B, C, D, E, F, or G for Q75

Denominator: Students who answered A, B, C, D, E, F, or G for Q75

Summary text: Percentage of students who ate carrots one or more times during the past seven days

QN variable label: Ate carrots past 7 days

Q76. During the past 7 days, how many times did you eat **other vegetables**? (Do **not** count green salad, potatoes, or carrots.)

- A. I did not eat other vegetables during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times other vegetables 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2

QN76: Numerator: Students who answered B, C, D, E, F, or G for Q76

Denominator: Students who answered A, B, C, D, E, F, or G for Q76

Summary text: Percentage of students who ate other vegetables one or more times during the past seven days

QN variable label: Ate vegetables past 7 days

Q77. During the past 7 days, how many times did you drink a **can, bottle, or glass of soda or pop**, such as Coke, Pepsi, or Sprite? (Do **not** count diet soda or diet pop.)

- A. I did not drink soda or pop during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times drink soda past 7 days

Dependence: Required by QNSODA0, QNSODA2, and QNSODA3

QN77: Numerator: Students who answered D, E, F, or G for Q77

Denominator: Students who answered A, B, C, D, E, F, or G for Q77

Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

QN variable label: Drank soda 1+ times/day past 7 days

Q78.	During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)
A.	I did not drink milk during the past 7 days
B.	1 to 3 glasses during the past 7 days
C.	4 to 6 glasses during the past 7 days
D.	1 glass per day
E.	2 glasses per day
F.	3 glasses per day
G.	4 or more glasses per day
Variable label:	How many glass of milk 7 days
Dependence:	Required by QNMILK0, QNMILK1, and QNMILK2
QN78: Numerator:	Students who answered F or G for Q78
Denominator:	Students who answered A, B, C, D, E, F, or G for Q78
Summary text:	Percentage of students who drank three or more glasses per day of milk during the past seven days
QN variable label:	Drank 3+ glasses milk/day past 7 days
Q79.	During the past 7 days, on how many days did you eat breakfast ?
A.	0 days
B.	1 day
C.	2 days
D.	3 days
E.	4 days
F.	5 days
G.	6 days
H.	7 days
Variable label:	How often ate breakfast past 7 days
Dependence:	Required by QNNOBKFT
QN79: Numerator:	Students who answered H for Q79
Denominator:	Students who answered A, B, C, D, E, F, G or H for Q79
Summary text:	Percentage of students who ate breakfast on all of the past seven days
QN variable label:	Ate breakfast on all of the past 7 days
Q80.	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day ? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)
A.	0 days
B.	1 day
C.	2 days
D.	3 days
E.	4 days
F.	5 days
G.	6 days
H.	7 days
Variable label:	Days active 60 min plus past 7 days
Dependence:	Required by QNPA0DAY and QNPA7DAY
QN80: Numerator:	Students who answered F, G, or H for Q80
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q80
Summary text:	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days
QN variable label:	Active 60 min on 5+ past 7 days

Q81. On an average school day, how many hours do you watch TV?

- A. I do not watch TV on an average school day
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day**
- F. 4 hours per day**
- G. 5 or more hours per day**

Variable label: How many hours watch TV

QN81: Numerator: Students who answered E, F, or G for Q81
 Denominator: Students who answered A, B, C, D, E, F, or G for Q81
 Summary text: Percentage of students who watched three or more hours per day of TV on an average school day
 QN variable label: Watched 3+ hours of TV average day

Q82. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other social networking tools, and the Internet.)

- A. I do not play video or computer games or use a computer for something that is not school work
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day**
- F. 4 hours per day**
- G. 5 or more hours per day**

Variable label: How many hours/day play video games

QN82: Numerator: Students who answered E, F, or G for Q82
 Denominator: Students who answered A, B, C, D, E, F, or G for Q82
 Summary text: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day
 QN variable label: Played video games 3+ hours/day

Q83. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

- A. 0 days
- B. 1 day**
- C. 2 days**
- D. 3 days**
- E. 4 days**
- F. 5 days**

Variable label: How many days go to PE class

Dependence: Required by QNDLYPE

QN83: Numerator: Students who answered B, C, D, E, or F for Q83
 Denominator: Students who answered A, B, C, D, E, or F for Q83
 Summary text: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school
 QN variable label: Attended PE class 1+ days average week

2013 YRBS Data User's Guide

Q84.	During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)
A.	0 teams
B.	1 team
C.	2 teams
D.	3 or more teams
	Variable label: On how many sports team 12 mos
QN84:	Numerator: Students who answered B, C, or D for Q84
	Denominator: Students who answered A, B, C, or D for Q84
	Summary text: Percentage of students who played on one or more sports teams during the past 12 months
	QN variable label: Played on 1+ sports teams past 12 mos
Q85.	Have you ever been taught about AIDS or HIV infection in school?
A.	Yes
B.	No
C.	Not sure
	Variable label: Ever taught about AIDS/HIV @ school
QN85:	Numerator: Students who answered A for Q85
	Denominator: Students who answered A, B, or C for Q85
	Summary text: Percentage of students who had ever been taught in school about AIDS or HIV infection
	QN variable label: Taught about AIDS/HIV @ school
Q86.	Has a doctor or nurse ever told you that you have asthma?
A.	Yes
B.	No
C.	Not sure
	Variable label: Ever been told you have asthma
QN86:	Numerator: Students who answered A for Q86
	Denominator: Students who answered A, B, or C for Q86
	Summary text: Percentage of students who had ever been told by a doctor or nurse that they had asthma
	QN variable label: Told by doctor/nurse they had asthma
Q87.	During your life, how many times have you used hallucinogenic drugs , such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
	Variable label: Ever used LSD
QN87:	Numerator: Students who answered B, C, D, E, or F for Q87
	Denominator: Students who answered A, B, C, D, E, or F for Q87
	Summary text: Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms, one or more times during their life
QN variable label:	Used LSD 1+ times

- Q88.** On how many of the past 7 days did you do exercises to **strengthen or tone your muscles**, such as push-ups, sit-ups, or weight lifting?
- A. 0 days
 - B. 1 day
 - C. 2 days
 - D. 3 days**
 - E. 4 days**
 - F. 5 days**
 - G. 6 days**
 - H. 7 days**

Variable label: Strengthen muscles past 7 days

- QN88: Numerator: Students who answered D, E, F, G, or H for Q88
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q88
 Summary text: Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days
 QN variable label: Strengthened muscles 3+ of past 7 days

- Q89.** Have you ever been tested for HIV, the virus that causes AIDS? (Do **not** count tests done if you donated blood.)
- A. Yes**
 - B. No
 - C. Not sure

Variable label: Ever tested for HIV

- QN89: Numerator: Students who answered A for Q89
 Denominator: Students who answered A, B, or C for Q89
 Summary text: Percentage of students who had ever been tested for HIV, the virus that causes AIDS
 QN variable label: Tested for HIV

- Q90.** When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?
- A. Never
 - B. Rarely
 - C. Sometimes
 - D. Most of the time**
 - E. Always**

Variable label: Sunscreen use outside

- QN90: Numerator: Students who answered D or E for Q90
 Denominator: Students who answered A, B, C, D, or E for Q90
 Summary text: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day
 QN variable label: Mostly or always wear sunscreen

Q91. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do **not** count getting a spray-on tan.)

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times indoor tanning

QN91: Numerator: Students who answered B, C, D, E, or F for Q91

Denominator: Students who answered A, B, C, D, E, or F for Q91

Summary text: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months

QN variable label: Used 1+ times indoor tanning

Q92. On an average school night, how many hours of sleep do you get?

- A. 4 or less hours
- B. 5 hours
- C. 6 hours
- D. 7 hours
- E. 8 hours**
- F. 9 hours**
- G. 10 or more hours**

Variable label: Hours of sleep on school night

QN92: Numerator: Students who answered E, F, or G for Q92

Denominator: Students who answered A, B, C, D, E, F, or G for Q92

Summary text: Percentage of students who get eight or more hours of sleep on average school night

QN variable label: Get 8+ hours sleep

Appendix B: National High School YRBS Supplemental (Qnword) Variables

QNFRDIG:	
Numerator:	Students who answered F or G for Q33
Denominator:	Students who answered A, B, C, D, E, F, or G for Q33
Summary text:	Percentage of students who smoked cigarettes on 20 or more of the past 30 days
QN variable label:	Smoked on 20 past 30 days
Dependence:	Depends on Q33
SAS code:	if Q33 in ('6','7') then QNFRDIG=1; else if Q33 in ('1','2','3','4','5') then QNFRDIG=2;
QNANYTOB:	
Numerator:	Students who answered B, C, D, E, F, or G for Q33, Q39, or Q40
Denominator:	Students who answered A, B, C, D, E, F, or G for Q33, Q39, and Q40\
Summary text:	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days
QN variable label:	Used any tobacco past 30 days
Dependence:	Depends on Q33, Q39, and Q40
SAS code:	QNANYTOB=2; if Q33 in ('2','3','4','5','6','7') then QNANYTOB=1; if Q39 in ('2','3','4','5','6','7') then QNANYTOB=1; if Q40 in ('2','3','4','5','6','7') then QNANYTOB=1; if Q33=' ' or Q39=' ' or Q40=' ' then QNANYTOB=.
QNOTHH:	
Numerator:	Students who answered E or F for Q65
Denominator:	Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, G, or H for Q65
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse
QN variable label:	Of current sex, used Depo last sex
Dependence:	Depends on Q62 and Q65
SAS code:	if q62 in ('3','4','5','6','7','8') then do; if q65 in ('5','6') then QNOTHH=1; else if q65 in ('2','3','4','7','8') then QNOTHH=2; end;

QNOTHHPL:	
Numerator:	Students who answered C, E, or F for Q65
Denominator:	Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, F, G, or H for Q65
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse
QN variable label:	Of current sex, birth ctrl/Depo last sex
Dependence:	Depends on Q62 and Q65
SAS code:	<pre> if q62 in ('3','4','5','6','7','8') then do; if q65 in ('3','5','6') then QNOTHHPL=1; else if q65 in ('2','4','7','8') then QNOTHHPL=2; end; </pre>
QNDUALBC:	
Numerator:	Students who answered B for Q64 and C, E, or F for Q65
Denominator:	Students who answered C, D, E, F, G, or H for Q62 and answered B or C for 64 and answered B, C, D, E, F, G, or H for Q65
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse
QN variable label:	Of current sex, condom + birth ctrl/Depo
Dependence:	Depends on Q62, Q64, and Q65
SAS code:	<pre> if q62 in ('3','4','5','6','7','8') then do; if q64='2' and q65 in ('3','5','6') then QNDUALBC=1; else if q64 in (' ') or Q65 in (' ') then QNDUALBC=.; else if q64 in ('3') or q65 in ('2','4','7','8') then QNDUALBC=2; end; </pre>
QNBCNONE:	
Numerator:	Students who answered B for Q65
Denominator:	Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, F, G, or H for Q65
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse
QN variable label:	Of current sex, no birth ctrl
Dependence:	Depends on Q62 and Q65
SAS code:	<pre> if q62 in ('3','4','5','6','7','8') then do; if q65='2' then QNBCNONE=1; else if q65 in ('3','4','5','6','7','8') then QNBCNONE=2; end; </pre>

QNFRVG:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q71, Q72, Q73, Q74, Q75, and Q76
Summary text:	Percentage of students who ate fruits, drank 100% fruit juices, or ate vegetables five or more times per day during the past seven days
QN variable label:	Ate 5+ fruits/vegetables/day 7 days
Dependence:	Depends on Q71, Q72, Q73, Q74, Q75, and Q76
SAS code:	<pre>length qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6 8; qfrvgtot=0; array qfv{6} q71 q72 q73 q74 q75 q76; array qfrvg{6} qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6; do i=1 to 6; select (qfv{i}); when ('1') qfrvg{i}=0; when ('2') qfrvg{i}=2/7; when ('3') qfrvg{i}=5/7; when ('4') qfrvg{i}=1; when ('5') qfrvg{i}=2; when ('6') qfrvg{i}=3; when ('7') qfrvg{i}=4; otherwise qfrvg{i}=.; end; qfrvgtot=qfrvgtot+qfrvg{i}; end; if qfrvgtot>=5 then QNFRVG=1; else if qfrvgtot ne . then QNFRVG=2; else QNFRVG=.; drop qfrvg1-qfrvg6 qfrvgtot;</pre>

QNFRUIT:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q71 and Q72
Summary text:	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days
QN variable label:	Ate fruit/drank juice 2+ times/day
Dependence:	Depends on Q71 and Q72
SAS code:	<pre>length qfruit1 qfruit2 8; qfrtot=0; array qfr{2} q71 q72; array qfruit{2} qfruit1 qfruit2; do i=1 to 2; select (qfr{i}); when ('1') qfruit{i}=0; when ('2') qfruit{i}=2/7; when ('3') qfruit{i}=5/7; when ('4') qfruit{i}=1; when ('5') qfruit{i}=2; when ('6') qfruit{i}=3; when ('7') qfruit{i}=4; otherwise qfruit{i}=.; end; qfrtot=qfrtot+qfruit{i}; end; if qfrtot>=2 then QNFRUIT=1; else if qfrtot ne . then QNFRUIT=2; else QNFRUIT=.; drop qfruit1-qfruit2 qfrtot;</pre>

QNFR0:

Numerator: Calculated
Denominator: Students who answered A, B, C, D, E, F, or G for Q71 and Q72

Summary text: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days

QN variable label: Ate fruit/drank juice 0 times/day
Dependence: Depends on Q71 and Q72

SAS code:

```
TOTALf=0;
array fruitq2a (*) q72 q73 ;
array summ2a (*) q72n q73n ;
do i = 1 to dim(fruitq2a);
if fruitq2a{i} = '1' then summ2a{i} = 0;
else if fruitq2a{i} = '2' then summ2a{i} = 2/7;
else if fruitq2a{i} = '3' then summ2a{i} = 5/7;
else if fruitq2a{i} = '4' then summ2a{i} = 1;
else if fruitq2a{i} = '5' then summ2a{i} = 2;
else if fruitq2a{i} = '6' then summ2a{i} = 3;
else if fruitq2a{i} = '7' then summ2a{i} = 4;
else summ2a{i}=.;
TOTALf=TOTALf+summ2a{i};
end;
if TOTALf = 0 then QNFR0=1;
else if TOTALf > 0 then QNFR0=2;
```

QNFR1:

Numerator: Calculated
Denominator: Students who answered A, B, C, D, E, F, or G for Q71 and Q72

Summary text: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days

QN variable label: Ate fruit/drank juice 1+ times/day
Dependence: Depends on Q71 and Q72

SAS code:

```
TOTALf=0;
array fruitq2a (*) q72 q73 ;
array summ2a (*) q72n q73n ;
do i = 1 to dim(fruitq2a);
if fruitq2a{i} = '1' then summ2a{i} = 0;
else if fruitq2a{i} = '2' then summ2a{i} = 2/7;
else if fruitq2a{i} = '3' then summ2a{i} = 5/7;
else if fruitq2a{i} = '4' then summ2a{i} = 1;
else if fruitq2a{i} = '5' then summ2a{i} = 2;
else if fruitq2a{i} = '6' then summ2a{i} = 3;
else if fruitq2a{i} = '7' then summ2a{i} = 4;
else summ2a{i}=.;
TOTALf=TOTALf+summ2a{i};
end;
if TOTALf GE 1 then QNFR1=1;
else if 0 LE TOTALf LT 1 then QNFR1=2;
```

QNFR3:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q71 and Q72
Summary text:	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days
QN variable label:	Ate fruit/drank juice 3+ times/day
Dependence:	Depends on Q71 and Q72
SAS code:	<pre>TOTALf=0; array fruitq2a (*) q72 q73 ; array summ2a (*) q72n q73n ; do i = 1 to dim(fruitq2a); if fruitq2a{i} = '1' then summ2a{i} = 0; else if fruitq2a{i} = '2' then summ2a{i} = 2/7; else if fruitq2a{i} = '3' then summ2a{i} = 5/7; else if fruitq2a{i} = '4' then summ2a{i} = 1; else if fruitq2a{i} = '5' then summ2a{i} = 2; else if fruitq2a{i} = '6' then summ2a{i} = 3; else if fruitq2a{i} = '7' then summ2a{i} = 4; else summ2a{i}=.; TOTALf=TOTALf+summ2a{i}; end; if TOTALf GE 3 then QNFR3=1; else if 0 LE TOTALf LT 3 then QNFR3=2;</pre>

QNVEG:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
Summary text:	Percentage of students who ate vegetables three or more times per day during the past seven days
QN variable label:	Ate 3+ vegetables/day 7 days
Dependence:	Depends on Q73, Q74, Q75, and Q76
SAS code:	<pre>length qveg1 qveg2 qveg3 qveg4 8; qvgtot=0; array qvg{4} q73 q74 q75 q76; array qveg{4} qveg1 qveg2 qveg3 qveg4; do i=1 to 4; select (qvg{i}); when ('1') qveg{i}=0; when ('2') qveg{i}=2/7; when ('3') qveg{i}=5/7; when ('4') qveg{i}=1; when ('5') qveg{i}=2; when ('6') qveg{i}=3; when ('7') qveg{i}=4; otherwise qveg{i}=.; end; qvgtot=qvgtot+qveg{i}; end; if qvgtot>=3 then QNVEG=1; else if qvgtot ne . then QNVEG=2; else QNVEG=.; drop qveg1-qveg4 qvgtot;</pre>

QNVEG0:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
Summary text:	Percentage of students who ate vegetables 0 times per day during the past seven days
QN variable label:	Ate 0 vegetables/day 7 days
Dependence:	Depends on Q73, Q74, Q75, and Q76
SAS code:	<pre> TOTALv=0; array fruitq3a (*) q74 q75 q76 q77; array summ3a (*) q74n q75n q76n q77n; do i = 1 to dim(fruitq3a); if fruitq3a{i} = '1' then summ3a{i} = 0; else if fruitq3a{i} = '2' then summ3a{i} = 2/7; else if fruitq3a{i} = '3' then summ3a{i} = 5/7; else if fruitq3a{i} = '4' then summ3a{i} = 1; else if fruitq3a{i} = '5' then summ3a{i} = 2; else if fruitq3a{i} = '6' then summ3a{i} = 3; else if fruitq3a{i} = '7' then summ3a{i} = 4; else summ3a{i}=.; TOTALv=TOTALv+summ3a{i}; end; if TOTALv = 0 then QNVEG0=1; else if TOTALv > 0 then QNVEG0=2; </pre>

QNVEG1:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
Summary text:	Percentage of students who ate vegetables one or more times per day during the past seven days
QN variable label:	Ate 1+ vegetables/day 7 days
Dependence:	Depends on Q73, Q74, Q75, and Q76
SAS code:	<pre> TOTALv=0; array fruitq3a (*) q74 q75 q76 q77; array summ3a (*) q74n q75n q76n q77n; do i = 1 to dim(fruitq3a); if fruitq3a{i} = '1' then summ3a{i} = 0; else if fruitq3a{i} = '2' then summ3a{i} = 2/7; else if fruitq3a{i} = '3' then summ3a{i} = 5/7; else if fruitq3a{i} = '4' then summ3a{i} = 1; else if fruitq3a{i} = '5' then summ3a{i} = 2; else if fruitq3a{i} = '6' then summ3a{i} = 3; else if fruitq3a{i} = '7' then summ3a{i} = 4; else summ3a{i}=.; TOTALv=TOTALv+summ3a{i}; end; if TOTALv GE 1 then QNVEG1=1; else if 0 LE TOTALv LT 1 then QNVEG1=2; </pre>

QNVEG2:

Numerator: Calculated
 Denominator: Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
 Summary text: Percentage of students who ate vegetables two or more times per day during the past seven days
 QN variable label: Ate 2+ vegetables/day 7 days
 Dependence: Depends on Q73, Q74, Q75, and Q76
 SAS code: TOTALv=0;
 array fruitq3a (*) q74 q75 q76 q77;
 array summ3a (*) q74n q75n q76n q77n;
 do i = 1 to dim(fruitq3a);
 if fruitq3a{i} = '1' then summ3a{i} = 0;
 else if fruitq3a{i} = '2' then summ3a{i} = 2/7;
 else if fruitq3a{i} = '3' then summ3a{i} = 5/7;
 else if fruitq3a{i} = '4' then summ3a{i} = 1;
 else if fruitq3a{i} = '5' then summ3a{i} = 2;
 else if fruitq3a{i} = '6' then summ3a{i} = 3;
 else if fruitq3a{i} = '7' then summ3a{i} = 4;
 else summ3a{i}=.;
 TOTALv=TOTALv+summ3a{i};
 end;
 if TOTALv GE 2 then QNVEG2=1;
 else if 0 LE TOTALv LT 2 then QNVEG2=2;

QNFRVG2:

Numerator: Students with 1 for QNFRUIT and 1 for QNVEG
 Denominator: Students who answered A, B, C, D, E, F, or G for Q71, Q72, Q73, Q74, Q75, and Q76
 Summary text: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days
 QN variable label: Ate 2+fruits and 3+vegetables/day 7 days
 Dependence: Depends on Q71, Q72, Q73, Q74, Q75, and Q76
 SAS code: if QNFRUIT=1 AND QNVEG=1 then QNFRVG2=1;
 Else if QNFRUIT in (1,2) and QNVEG in (1,2) then QNFRVG2=2;

QNSODA0:

Numerator: Students who answered A for Q77
 Denominator: Students who answered A, B, C, D, E, F, or G for Q77
 Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days
 QN variable label: Drank soda 0 times/day past 7 days
 Dependence: Depends on Q77
 SAS code: if q77 in ('1') then QNSODA0=1;
 else if q77 in ('2','3','4','5','6','7') then QNSODA0=2;

2013 YRBS Data User's Guide

QNSODA2: Numerator: Denominator: Summary text: QN variable label: Dependence: SAS code:	Students who answered E, F, or G for Q77 Students who answered A, B, C, D, E, F, or G for Q77 Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days Drank soda 2+ times/day past 7 days Depends on Q77 if q77 in ('5','6','7') then QNSODA2=1; else if q77 in ('1','2','3','4') then QNSODA2=2;
QNSODA3: Numerator: Denominator: Summary text: QN variable label: Dependence: SAS code:	Students who answered F or G for Q77 Students who answered A, B, C, D, E, F, or G for Q77 Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days Drank soda 3+ times/day past 7 days Depends on Q77 if q77 in ('6','7') then QNSODA3=1; else if q77 in ('1','2','3','4','5') then QNSODA3=2;
QNMILK0: Numerator: Denominator: Summary text: QN variable label: Dependence: SAS code:	Students who answered A for Q78 Students who answered A, B, C, D, E, F, or G for Q78 Percentage of students who drank 0 glasses per day of milk during the past seven days Drank 0 glasses milk/day past 7 days Depends on Q78 if q78 in ('1') then QNMILK0=1; else if q78 in ('2','3','4','5','6','7') then QNMILK0=2;
QNMILK1: Numerator: Denominator: Summary text: QN variable label: Dependence: SAS code:	Students who answered D, E, F, or G for Q78 Students who answered A, B, C, D, E, F, or G for Q78 Percentage of students who drank one or more glasses per day of milk during the past seven days Drank 1+ glasses milk/day past 7 days Depends on Q78 if q78 in ('4','5','6','7') then QNMILK1=1; else if q78 in ('1','2','3') then QNMILK1=2;

2013 YRBS Data User's Guide

QNMILK2:	
Numerator:	Students who answered E, F, or G for Q78
Denominator:	Students who answered A, B, C, D, E, F, or G for Q78
Summary text:	Percentage of students who drank two or more glasses per day of milk during the past seven days
Qn variable label:	Drank 2+ glasses milk/day past 7 days
Dependence:	Depends on Q78
SAS code:	if q78 in ('5','6','7') then QNMILK2=1; else if q78 in ('1','2','3','4') then QNMILK2=2;
QNNOBKFT:	
Numerator:	Students who answered A for Q79
Denominator:	Students who answered A, B, C, D, E, F, G or H for Q79
Summary text:	Percentage of students who ate breakfast on none of the past seven days
Qn variable label:	Ate breakfast on none of the past 7 days
Dependence:	Depends on Q79
SAS code:	if q79 in ('1') then QNNOBKFT=1; else if q79 in ('2','3','4','5','6','7','8') then QNNOBKFT=2;
QNDLYPE:	
Numerator:	Students who answered F for Q83
Denominator:	Students who answered A, B, C, D, E, or F for Q83
Summary text:	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school
Qn variable label:	Attended PE classes daily
Dependence:	Depends on Q83
SAS code:	if Q83='6' then QNDLYPE=1; else if Q83 in ('1','2','3','4','5') then QNDLYPE=2;
QNPA0DAY:	
Numerator:	Students who answered A for Q80
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q80
Summary text:	Percentage of students who were physically active for a total of at least 60 minutes per day on none of the past seven days
Qn variable label:	Active 60 min on none of past 7 days
Dependence:	Depends on Q80
SAS code:	if q80='1' then QNPA0DAY=1; else if q80 in ('2','3','4','5','6','7','8') then QNPA0DAY=2; else QNPA0DAY=.

2013 YRBS Data User's Guide

QNPA7DAY:	
Numerator:	Students who answered H for Q80
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q80
Summary text:	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven of the past seven days
QN variable label:	Active 60 min on all of past 7 days
Dependence:	Depends on Q80
SAS code:	if q80='8' then QNPA7DAY=1; else if q80 in ('1','2','3','4','5','6','7') then QNPA7DAY=2; else QNPA7DAY=.
QNOWT:	
Summary text:	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)
Dependence:	Depends on Q1, Q2, Q6, and Q7
QN variable label:	Overweight
QNOBESE:	
Summary text:	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)
Dependence:	Depends on Q1, Q2, Q6, and Q7
QN variable label:	Obese

Appendix C: National High School YRBS Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old are you?		
		1 12 years old or younger	26	0.2
		2 13 years old	18	0.1
		3 14 years old	1,368	10.0
		4 15 years old	3,098	24.1
		5 16 years old	3,203	25.3
		6 17 years old	3,473	24.6
		7 18 years old or older	2,320	15.6
		Missing	77	
18-18	Q2	What is your sex?		
		1 Female	6,621	50.0
		2 Male	6,950	50.0
		Missing	12	
19-19	Q3	In what grade are you?		
		1 9th grade	3,588	27.3
		2 10th grade	3,152	25.7
		3 11th grade	3,184	23.8
		4 12th grade	3,557	23.1
		5 Ungraded or other grade	23	0.1
		Missing	79	
20-20	Q4	Are you Hispanic or Latino?		
		1 Yes	3,424	21.2
		2 No	9,928	78.8
		Missing	231	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	1	0.0
		G	26	0.2
		F	4	0.0
		E	6,416	68.6
		D	258	1.8
		D G	4	0.0
		D F	1	0.0
		DE	25	0.2
		C	3,229	17.2
		C G	1	0.0
		C E	249	2.1
		CD	31	0.2
		CD G	1	0.0
		CDE	13	0.1
		B	552	3.7
		B G	1	0.0
		B E	68	0.5
		B D	39	0.2
		B DE	11	0.1
		BC	35	0.2
		BC E	8	0.0
		BCD	2	0.0
		BCD F	1	0.0
		BCDE	1	0.0
		A	323	2.1
		A E	163	1.3
		A D	8	0.1
		A DE	8	0.1
		A C	97	0.4
		A C E	81	0.4
		A CD	6	0.0
		A CDE	9	0.0
		AB	4	0.0
		AB E	3	0.0
		AB D	1	0.0
		AB DE	1	0.0
		ABC	6	0.0
		ABC E	6	0.0
		ABCD	3	0.0
		ABCDE	14	0.1
			1,873	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	4,549	33.0
		2 Never wore a helmet	6,977	53.7
		3 Rarely wore a helmet	713	5.2
		4 Sometimes wore a helmet	341	2.7
		5 Most of the time wore a helmet	293	2.3
		6 Always wore a helmet	399	3.1
		Missing	311	
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	343	2.4
		2 Rarely	709	5.3
		3 Sometimes	1,616	11.4
		4 Most of the time	3,503	26.3
		5 Always	7,388	54.7
		Missing	24	
41-41	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	10,469	78.1
		2 1 time	1,206	8.5
		3 2 or 3 times	1,083	7.9
		4 4 or 5 times	246	1.9
		5 6 or more times	541	3.6
		Missing	38	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	4,637	35.7
		2 0 times	7,097	57.9
		3 1 time	363	3.3
		4 2 or 3 times	200	1.6
		5 4 or 5 times	62	0.6
		6 6 or more times	136	0.9
		Missing	1,088	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	4,646	35.3
		2 0 days	4,792	37.9
		3 1 or 2 days	925	7.7
		4 3 to 5 days	493	4.0
		5 6 to 9 days	311	2.5
		6 10 to 19 days	373	3.3
		7 20 to 29 days	298	2.6
		8 All 30 days	827	6.7
		Missing	918	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	10,992	82.1
		2 1 day	449	3.4
		3 2 or 3 days	520	4.0
		4 4 or 5 days	201	1.5
		5 6 or more days	1,090	9.0
		Missing	331	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	12,570	94.5
		2 1 day	214	1.7
		3 2 or 3 days	202	1.6
		4 4 or 5 days	72	0.5
		5 6 or more days	250	1.8
		Missing	275	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	12,727	94.8
		2 1 day	166	1.4
		3 2 or 3 days	119	0.9
		4 4 or 5 days	40	0.3
		5 6 or more days	302	2.6
		Missing	229	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	12,500	92.9
		2 1 day	552	3.7
		3 2 or 3 days	278	1.9
		4 4 or 5 days	63	0.4
		5 6 or more days	161	1.0
		Missing	29	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	12,557	93.1
		2 1 time	418	3.0
		3 2 or 3 times	253	1.7
		4 4 or 5 times	91	0.6
		5 6 or 7 times	50	0.3
		6 8 or 9 times	27	0.3
		7 10 or 11 times	18	0.2
		8 12 or more times	141	0.9
		Missing	28	
49-49	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	9,712	75.3
		2 1 time	1,543	10.4
		3 2 or 3 times	1,205	8.4
		4 4 or 5 times	346	2.3
		5 6 or 7 times	137	1.0
		6 8 or 9 times	69	0.5
		7 10 or 11 times	38	0.2
		8 12 or more times	282	1.9
		Missing	251	
50-50	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	12,914	96.9
		2 1 time	325	2.2
		3 2 or 3 times	62	0.5
		4 4 or 5 times	22	0.1
		5 6 or more times	59	0.3
		Missing	201	
51-51	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	12,102	91.9
		2 1 time	785	5.2
		3 2 or 3 times	285	1.9
		4 4 or 5 times	55	0.3
		5 6 or 7 times	23	0.1
		6 8 or 9 times	14	0.1
		7 10 or 11 times	3	0.0
		8 12 or more times	85	0.5
		Missing	231	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	1,028	7.3
		2 No	12,479	92.7
		Missing	76	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	3,212	26.1
		2 0 times	8,867	66.3
		3 1 time	388	2.6
		4 2 or 3 times	362	2.7
		5 4 or 5 times	90	0.7
		6 6 or more times	223	1.6
		Missing	441	
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	3,202	26.1
		2 0 times	8,857	66.3
		3 1 time	401	2.9
		4 2 or 3 times	353	2.6
		5 4 or 5 times	82	0.6
		6 6 or more times	220	1.6
		Missing	468	
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	2,508	19.6
		2 No	11,007	80.4
		Missing	68	
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	1,878	14.8
		2 No	11,623	85.2
		Missing	82	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	4,086	29.9
		2 No	9,409	70.1
		Missing	88	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	2,259	17.0
		2 No	11,232	83.0
		Missing	92	
59-59	Q28	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	1,874	13.6
		2 No	11,611	86.4
		Missing	98	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	10,967	92.0
		2 1 time	516	4.0
		3 2 or 3 times	322	2.6
		4 4 or 5 times	76	0.6
		5 6 or more times	101	0.8
		Missing	1,601	
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	10,750	92.0
		2 Yes	324	2.7
		3 No	676	5.3
		Missing	1,833	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	5,360	41.1
		2 No	7,843	58.9
		Missing	380	
63-63	Q32	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	9,120	69.4
		2 8 years old or younger	274	2.1
		3 9 or 10 years old	287	2.6
		4 11 or 12 years old	551	4.6
		5 13 or 14 years old	1,203	10.0
		6 15 or 16 years old	1,101	8.8
		7 17 years old or older	359	2.5
		Missing	688	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	11,134	84.3
		2 1 or 2 days	579	4.7
		3 3 to 5 days	265	2.1
		4 6 to 9 days	192	1.7
		5 10 to 19 days	203	1.6
		6 20 to 29 days	182	1.6
		7 All 30 days	467	4.0
		Missing	561	
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	10,827	84.4
		2 Less than 1 cigarette per day	452	3.4
		3 1 cigarette per day	358	3.0
		4 2 to 5 cigarettes per day	674	5.9
		5 6 to 10 cigarettes per day	204	1.9
		6 11 to 20 cigarettes per day	89	1.0
		7 More than 20 cigarettes per day	60	0.4
		Missing	919	
66-66	Q35	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	10,766	84.5
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	573	4.7
		3 I bought them from a vending machine	12	0.1
		4 I gave someone else money to buy them for me	385	3.7
		5 I borrowed (or bummed) them from someone else	397	3.7
		6 A person 18 years old or older gave them to me	145	1.1
		7 I took them from a store or family member	95	0.8
		8 I got them some other way	201	1.4
		Missing	1,009	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	12,568	96.2
		2 1 or 2 days	196	1.7
		3 3 to 5 days	74	0.7
		4 6 to 9 days	49	0.4
		5 10 to 19 days	37	0.3
		6 20 to 29 days	20	0.2
		7 All 30 days	98	0.6
		Missing	541	
68-68	Q37	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	1,039	8.8
		2 No	11,902	91.2
		Missing	642	
69-69	Q38	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	9,914	77.3
		2 Yes	1,261	10.2
		3 No	1,509	12.5
		Missing	899	
70-70	Q39	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	12,334	91.2
		2 1 or 2 days	288	2.6
		3 3 to 5 days	137	1.1
		4 6 to 9 days	95	0.8
		5 10 to 19 days	108	1.0
		6 20 to 29 days	65	0.6
		7 All 30 days	318	2.7
		Missing	238	
71-71	Q40	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	11,657	87.4
		2 1 or 2 days	766	6.2
		3 3 to 5 days	316	2.3
		4 6 to 9 days	180	1.3
		5 10 to 19 days	146	1.0
		6 20 to 29 days	76	0.5
		7 All 30 days	201	1.3
		Missing	241	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	4,234	33.8
		2 1 or 2 days	2,347	17.1
		3 3 to 9 days	2,199	16.0
		4 10 to 19 days	1,309	9.5
		5 20 to 39 days	1,144	8.7
		6 40 to 99 days	865	6.9
		7 100 or more days	1,006	7.9
		Missing	479	
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	4,621	36.6
		2 8 years old or younger	831	5.4
		3 9 or 10 years old	590	4.2
		4 11 or 12 years old	1,200	9.0
		5 13 or 14 years old	2,771	21.7
		6 15 or 16 years old	2,688	19.2
		7 17 years old or older	607	3.9
		Missing	275	
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	7,915	65.1
		2 1 or 2 days	2,204	17.3
		3 3 to 5 days	1,035	8.2
		4 6 to 9 days	646	5.4
		5 10 to 19 days	313	2.7
		6 20 to 29 days	62	0.6
		7 All 30 days	113	0.8
		Missing	1,295	
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	10,440	79.2
		2 1 day	964	7.3
		3 2 days	654	5.3
		4 3 to 5 days	546	4.5
		5 6 to 9 days	262	2.4
		6 10 to 19 days	99	0.8
		7 20 or more days	95	0.6
		Missing	523	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1 I did not drink alcohol during the past 30 days	8,028	65.4
		2 1 or 2 drinks	1,560	11.4
		3 3 drinks	475	3.5
		4 4 drinks	338	2.6
		5 5 drinks	433	3.5
		6 6 or 7 drinks	538	4.6
		7 8 or 9 drinks	316	2.8
		8 10 or more drinks	675	6.1
		Missing	1,220	
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	7,813	64.3
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	333	2.2
		3 I bought it at a restaurant, bar, or club	72	0.5
		4 I bought it at a public event such as a concert or sporting event	44	0.3
		5 I gave someone else money to buy it for me	970	8.3
		6 Someone gave it to me	1,833	14.8
		7 I took it from a store or family member	434	3.2
		8 I got it some other way	820	6.5
		Missing	1,264	
78-78	Q47	During your life, how many times have you used marijuana?		
		1 0 times	7,462	59.3
		2 1 or 2 times	1,218	8.6
		3 3 to 9 times	1,094	7.5
		4 10 to 19 times	618	4.0
		5 20 to 39 times	619	4.5
		6 40 to 99 times	634	4.7
		7 100 or more times	1,599	11.3
		Missing	339	
79-79	Q48	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	7,473	59.2
		2 8 years old or younger	226	1.5
		3 9 or 10 years old	244	1.7
		4 11 or 12 years old	759	5.4
		5 13 or 14 years old	2,112	15.1
		6 15 or 16 years old	2,028	14.1
		7 17 years old or older	461	3.0
		Missing	280	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
80-80	Q49	During the past 30 days, how many times did you use marijuana?		
		1 0 times	9,947	76.6
		2 1 or 2 times	1,067	7.1
		3 3 to 9 times	818	5.6
		4 10 to 19 times	450	3.3
		5 20 to 39 times	328	2.4
		6 40 or more times	704	5.0
		Missing	269	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	12,708	94.5
		2 1 or 2 times	334	2.5
		3 3 to 9 times	149	1.1
		4 10 to 19 times	65	0.5
		5 20 to 39 times	41	0.3
		6 40 or more times	160	1.1
		Missing	126	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	12,191	91.1
		2 1 or 2 times	577	4.5
		3 3 to 9 times	252	1.8
		4 10 to 19 times	138	1.1
		5 20 to 39 times	70	0.6
		6 40 or more times	141	0.9
		Missing	214	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	12,952	97.8
		2 1 or 2 times	99	0.7
		3 3 to 9 times	34	0.3
		4 10 to 19 times	40	0.3
		5 20 to 39 times	34	0.3
		6 40 or more times	96	0.6
		Missing	328	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	12,942	96.8
		2 1 or 2 times	145	1.2
		3 3 to 9 times	77	0.7
		4 10 to 19 times	48	0.4
		5 20 to 39 times	23	0.2
		6 40 or more times	122	0.9
		Missing	226	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	12,415	93.4
		2 1 or 2 times	469	3.4
		3 3 to 9 times	191	1.2
		4 10 to 19 times	91	0.7
		5 20 to 39 times	50	0.3
		6 40 or more times	138	0.9
		Missing	229	
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	13,035	96.8
		2 1 or 2 times	130	0.9
		3 3 to 9 times	88	0.7
		4 10 to 19 times	58	0.5
		5 20 to 39 times	30	0.3
		6 40 or more times	113	0.8
		Missing	129	
87-87	Q56	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	11,092	82.2
		2 1 or 2 times	830	6.1
		3 3 to 9 times	629	4.7
		4 10 to 19 times	357	2.8
		5 20 to 39 times	185	1.6
		6 40 or more times	350	2.6
		Missing	140	
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	13,112	98.3
		2 1 time	98	0.7
		3 2 or more times	147	1.0
		Missing	226	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	3,140	22.1
		2 No	10,280	77.9
		Missing	163	
90-90	Q59	Have you ever had sexual intercourse?		
		1 Yes	6,420	46.8
		2 No	6,494	53.2
		Missing	669	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	6,482	53.2
		2 11 years old or younger	461	2.9
		3 12 years old	423	2.7
		4 13 years old	789	5.4
		5 14 years old	1,455	11.0
		6 15 years old	1,482	11.5
		7 16 years old	1,198	9.1
		8 17 years old or older	607	4.2
		Missing	686	
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	6,482	53.4
		2 1 person	2,155	16.8
		3 2 people	1,218	8.8
		4 3 people	844	6.0
		5 4 people	539	4.0
		6 5 people	371	2.5
		7 6 or more people	1,249	8.5
		Missing	725	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	6,480	53.3
		2 I have had sexual intercourse, but not during the past 3 months	1,729	12.7
		3 1 person	3,369	25.1
		4 2 people	663	4.9
		5 3 people	292	1.9
		6 4 people	107	0.6
		7 5 people	46	0.3
		8 6 or more people	190	1.1
		Missing	707	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	6,447	53.1
		2 Yes	1,306	9.7
		3 No	5,096	37.2
		Missing	734	
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	6,473	53.6
		2 Yes	3,923	28.6
		3 No	2,365	17.8
		Missing	822	
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	6,468	54.4
		2 No method was used to prevent pregnancy	896	6.5
		3 Birth control pills	894	7.6
		4 Condoms	3,159	23.0
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	91	0.6
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	263	1.9
		7 Withdrawal or some other method	584	4.4
		8 Not sure	233	1.7
		Missing	995	
97-97	Q66	How do you describe your weight?		
		1 Very underweight	320	2.2
		2 Slightly underweight	1,614	11.6
		3 About the right weight	7,350	55.1
		4 Slightly overweight	3,422	26.3
		5 Very overweight	635	4.8
		Missing	242	
98-98	Q67	Which of the following are you trying to do about your weight?		
		1 Lose weight	6,245	47.7
		2 Gain weight	2,466	16.6
		3 Stay the same weight	2,339	17.4
		4 I am not trying to do anything about my weight	2,274	18.3
		Missing	259	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
99-99	Q68	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	1,781	13.0
		2 No	11,576	87.0
		Missing	226	
100-100	Q69	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	685	5.0
		2 No	12,651	95.0
		Missing	247	
101-101	Q70	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	560	4.4
		2 No	12,724	95.6
		Missing	299	
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	2,955	23.3
		2 1 to 3 times during the past 7 days	4,590	34.9
		3 4 to 6 times during the past 7 days	2,294	17.1
		4 1 time per day	938	7.3
		5 2 times per day	1,057	7.6
		6 3 times per day	548	3.8
		7 4 or more times per day	984	5.9
		Missing	217	
103-103	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,491	10.6
		2 1 to 3 times during the past 7 days	4,481	34.3
		3 4 to 6 times during the past 7 days	2,765	21.0
		4 1 time per day	1,379	10.9
		5 2 times per day	1,524	11.4
		6 3 times per day	735	5.2
		7 4 or more times per day	984	6.6
		Missing	224	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
104-104	Q73	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	5,293	39.1
		2 1 to 3 times during the past 7 days	4,968	37.7
		3 4 to 6 times during the past 7 days	1,367	10.8
		4 1 time per day	930	7.0
		5 2 times per day	373	2.5
		6 3 times per day	123	0.8
		7 4 or more times per day	285	2.0
		Missing	244	
105-105	Q74	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	4,558	32.7
		2 1 to 3 times during the past 7 days	6,138	47.3
		3 4 to 6 times during the past 7 days	1,306	10.8
		4 1 time per day	651	4.6
		5 2 times per day	293	1.9
		6 3 times per day	125	0.9
		7 4 or more times per day	278	1.8
		Missing	234	
106-106	Q75	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	7,283	52.7
		2 1 to 3 times during the past 7 days	4,212	33.5
		3 4 to 6 times during the past 7 days	821	6.5
		4 1 time per day	492	3.6
		5 2 times per day	229	1.6
		6 3 times per day	104	0.6
		7 4 or more times per day	205	1.3
		Missing	237	
107-107	Q76	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	2,531	18.6
		2 1 to 3 times during the past 7 days	4,822	36.2
		3 4 to 6 times during the past 7 days	2,934	22.3
		4 1 time per day	1,380	10.6
		5 2 times per day	855	6.4
		6 3 times per day	326	2.5
		7 4 or more times per day	485	3.4
		Missing	250	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,961	22.3
		2 1 to 3 times during the past 7 days	4,403	32.7
		3 4 to 6 times during the past 7 days	2,370	18.0
		4 1 time per day	1,002	7.6
		5 2 times per day	992	8.1
		6 3 times per day	585	4.3
		7 4 or more times per day	1,011	6.9
		Missing	259	
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	2,818	19.4
		2 1 to 3 glasses during the past 7 days	3,277	23.9
		3 4 to 6 glasses during the past 7 days	2,104	16.4
		4 1 glass per day	1,856	14.4
		5 2 glasses per day	1,680	13.4
		6 3 glasses per day	749	6.4
		7 4 or more glasses per day	796	6.1
		Missing	303	
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	1,945	13.7
		2 1 day	963	7.0
		3 2 days	1,479	10.5
		4 3 days	1,326	9.8
		5 4 days	989	7.3
		6 5 days	1,079	8.2
		7 6 days	667	5.4
		8 7 days	4,875	38.1
		Missing	260	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	2,172	15.2
		2 1 day	962	6.8
		3 2 days	1,270	9.7
		4 3 days	1,451	11.3
		5 4 days	1,265	9.7
		6 5 days	1,728	13.2
		7 6 days	840	6.9
		8 7 days	3,622	27.1
		Missing	273	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	1,840	14.4
		2 Less than 1 hour per day	2,168	17.7
		3 1 hour per day	1,750	14.4
		4 2 hours per day	2,705	21.0
		5 3 hours per day	2,139	15.3
		6 4 hours per day	1,048	7.4
		7 5 or more hours per day	1,595	9.8
		Missing	338	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	1,993	14.7
		2 Less than 1 hour per day	1,918	15.4
		3 1 hour per day	1,619	13.0
		4 2 hours per day	2,056	15.7
		5 3 hours per day	1,782	13.0
		6 4 hours per day	1,134	8.4
		7 5 or more hours per day	2,753	19.9
		Missing	328	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	6,955	52.0
		2 1 day	284	1.8
		3 2 days	438	4.8
		4 3 days	1,079	7.5
		5 4 days	481	4.5
		6 5 days	3,991	29.4
		Missing	355	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	6,151	46.0
		2 1 team	3,426	25.2
		3 2 teams	2,149	16.4
		4 3 or more teams	1,469	12.4
		Missing	388	
116-116	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	11,239	85.3
		2 No	1,370	9.7
		3 Not sure	614	4.9
		Missing	360	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	2,828	21.0
		2 No	9,797	74.5
		3 Not sure	611	4.6
		Missing	347	
118-118	Q87	During your life, how many times have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?		
		1 0 times	11,622	92.9
		2 1 or 2 times	480	3.8
		3 3 to 9 times	179	1.6
		4 10 to 19 times	78	0.6
		5 20 to 39 times	54	0.4
		6 40 or more times	107	0.8
		Missing	1,063	
119-119	Q88	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	3,632	29.6
		2 1 day	1,012	8.1
		3 2 days	1,305	10.6
		4 3 days	1,468	12.1
		5 4 days	1,059	8.5
		6 5 days	1,333	10.6
		7 6 days	513	4.3
		8 7 days	2,085	16.1
		Missing	1,176	
120-120	Q89	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	1,831	12.9
		2 No	9,426	76.7
		3 Not sure	1,239	10.4
		Missing	1,087	
121-121	Q90	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?		
		1 Never	6,102	44.0
		2 Rarely	3,443	29.0
		3 Sometimes	1,967	16.9
		4 Most of the time	781	6.7
		5 Always	418	3.4
		Missing	872	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?		
		1 0 times	11,297	87.2
		2 1 or 2 times	372	3.4
		3 3 to 9 times	317	3.3
		4 10 to 19 times	241	2.4
		5 20 to 39 times	151	1.6
		6 40 or more times	211	2.1
		Missing	994	
123-123	Q92	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	965	7.4
		2 5 hours	1,480	11.2
		3 6 hours	2,658	21.1
		4 7 hours	3,461	28.5
		5 8 hours	2,692	23.2
		6 9 hours	763	6.1
		7 10 or more hours	316	2.4
		Missing	1,248	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	7,690	87.9
		2 No	1,033	12.1
		Missing	4,860	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	1,052	7.6
		2 No	12,507	92.4
		Missing	24	
187-187	QN10	Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol		
		1 Yes	3,076	21.9
		2 No	10,469	78.1
		Missing	38	
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	761	10.0
		2 No	7,097	90.0
		Missing	5,725	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days		
		1 Yes	3,227	41.4
		2 No	4,792	58.6
		Missing	5,564	
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	2,260	17.9
		2 No	10,992	82.1
		Missing	331	
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	738	5.5
		2 No	12,570	94.5
		Missing	275	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	627	5.2
		2 No	12,727	94.8
		Missing	229	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	1,054	7.1
		2 No	12,500	92.9
		Missing	29	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	998	6.9
		2 No	12,557	93.1
		Missing	28	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	3,620	24.7
		2 No	9,712	75.3
		Missing	251	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN19	Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse		
		1 Yes	468	3.1
		2 No	12,914	96.9
		Missing	201	
197-197	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	1,250	8.1
		2 No	12,102	91.9
		Missing	231	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	1,028	7.3
		2 No	12,479	92.7
		Missing	76	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	1,063	10.3
		2 No	8,867	89.7
		Missing	3,653	
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	1,056	10.4
		2 No	8,857	89.6
		Missing	3,670	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	2,508	19.6
		2 No	11,007	80.4
		Missing	68	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	1,878	14.8
		2 No	11,623	85.2
		Missing	82	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	4,086	29.9
		2 No	9,409	70.1
		Missing	88	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	2,259	17.0
		2 No	11,232	83.0
		Missing	92	
205-205	QN28	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	1,874	13.6
		2 No	11,611	86.4
		Missing	98	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	1,015	8.0
		2 No	10,967	92.0
		Missing	1,601	
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	324	2.7
		2 No	11,426	97.3
		Missing	1,833	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	5,360	41.1
		2 No	7,843	58.9
		Missing	380	
209-209	QN32	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	1,112	9.3
		2 No	11,783	90.7
		Missing	688	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	1,888	15.7
		2 No	11,134	84.3
		Missing	561	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	144	8.6
		2 No	1,665	91.4
		Missing	11,774	
212-212	QN35	Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	234	18.1
		2 No	1,110	81.9
		Missing	12,239	
213-213	QN36	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	474	3.8
		2 No	12,568	96.2
		Missing	541	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	1,039	8.8
		2 No	11,902	91.2
		Missing	642	
215-215	QN38	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	901	48.0
		2 No	867	52.0
		Missing	11,815	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	1,011	8.8
		2 No	12,334	91.2
		Missing	238	
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	1,685	12.6
		2 No	11,657	87.4
		Missing	241	
218-218	QN41	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	8,870	66.2
		2 No	4,234	33.8
		Missing	479	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN42	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	2,621	18.6
		2 No	10,687	81.4
		Missing	275	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	4,373	34.9
		2 No	7,915	65.1
		Missing	1,295	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	2,620	20.8
		2 No	10,440	79.2
		Missing	523	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	675	6.1
		2 No	11,688	93.9
		Missing	1,220	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	1,740	41.8
		2 No	2,499	58.2
		Missing	9,344	
224-224	QN47	Percentage of students who used marijuana one or more times during their life		
		1 Yes	5,782	40.7
		2 No	7,462	59.3
		Missing	339	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	1,229	8.6
		2 No	12,074	91.4
		Missing	280	
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	3,367	23.4
		2 No	9,947	76.6
		Missing	269	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	749	5.5
		2 No	12,708	94.5
		Missing	126	
228-228	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	1,178	8.9
		2 No	12,191	91.1
		Missing	214	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	303	2.2
		2 No	12,952	97.8
		Missing	328	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	415	3.2
		2 No	12,942	96.8
		Missing	226	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	939	6.6
		2 No	12,415	93.4
		Missing	229	
232-232	QN55	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	419	3.2
		2 No	13,035	96.8
		Missing	129	
233-233	QN56	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	2,351	17.8
		2 No	11,092	82.2
		Missing	140	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	245	1.7
		2 No	13,112	98.3
		Missing	226	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	3,140	22.1
		2 No	10,280	77.9
		Missing	163	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	6,420	46.8
		2 No	6,494	53.2
		Missing	669	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	884	5.6
		2 No	12,013	94.4
		Missing	686	
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	2,159	15.0
		2 No	10,699	85.0
		Missing	725	
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	4,667	34.0
		2 No	8,209	66.0
		Missing	707	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	1,040	22.4
		2 No	3,595	77.6
		Missing	8,948	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	2,705	59.1
		2 No	1,860	40.9
		Missing	9,018	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	749	19.0
		2 No	3,705	81.0
		Missing	9,129	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
243-243	QN66	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	4,057	31.1
		2 No	9,284	68.9
		Missing	242	
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	6,245	47.7
		2 No	7,079	52.3
		Missing	259	
245-245	QN68	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	1,781	13.0
		2 No	11,576	87.0
		Missing	226	
246-246	QN69	Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	685	5.0
		2 No	12,651	95.0
		Missing	247	
247-247	QN70	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	560	4.4
		2 No	12,724	95.6
		Missing	299	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	10,411	76.7
		2 No	2,955	23.3
		Missing	217	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	11,868	89.4
		2 No	1,491	10.6
		Missing	224	
250-250	QN73	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	8,046	60.9
		2 No	5,293	39.1
		Missing	244	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
251-251	QN74	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	8,791	67.3
		2 No	4,558	32.7
		Missing	234	
252-252	QN75	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	6,063	47.3
		2 No	7,283	52.7
		Missing	237	
253-253	QN76	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	10,802	81.4
		2 No	2,531	18.6
		Missing	250	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	3,590	27.0
		2 No	9,734	73.0
		Missing	259	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	1,545	12.5
		2 No	11,735	87.5
		Missing	303	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days		
		1 Yes	4,875	38.1
		2 No	8,448	61.9
		Missing	260	
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	6,190	47.3
		2 No	7,120	52.7
		Missing	273	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	4,782	32.5
		2 No	8,463	67.5
		Missing	338	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	5,669	41.3
		2 No	7,586	58.7
		Missing	328	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	6,273	48.0
		2 No	6,955	52.0
		Missing	355	
261-261	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	7,044	54.0
		2 No	6,151	46.0
		Missing	388	
262-262	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	11,239	85.3
		2 No	1,984	14.7
		Missing	360	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	2,828	21.0
		2 No	10,408	79.0
		Missing	347	
264-264	QN87	Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms, one or more times during their life		
		1 Yes	898	7.1
		2 No	11,622	92.9
		Missing	1,063	
265-265	QN88	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	6,458	51.7
		2 No	5,949	48.3
		Missing	1,176	
266-266	QN89	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	1,831	12.9
		2 No	10,665	87.1
		Missing	1,087	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
267-267	QN90	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	1,199	10.1
		2 No	11,512	89.9
		Missing	872	
268-268	QN91	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	1,292	12.8
		2 No	11,297	87.2
		Missing	994	
269-269	QN92	Percentage of students who get eight or more hours of sleep on average school night		
		1 Yes	3,771	31.7
		2 No	8,564	68.3
		Missing	1,248	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	649	5.6
		2 No	12,373	94.4
		Missing	561	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	2,668	22.4
		2 No	10,156	77.6
		Missing	759	
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	300	6.3
		2 No	4,154	93.7
		Missing	9,129	
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	1,049	25.3
		2 No	3,405	74.7
		Missing	9,129	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
354-354	QNQUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	356	8.8
		2 No	4,081	91.2
		Missing	9,146	
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1 Yes	647	13.7
		2 No	3,807	86.3
		Missing	9,129	
356-356	QNFRVG	Percentage of students who ate fruits and vegetables five or more times per day during the past seven days		
		1 Yes	3,187	22.5
		2 No	9,989	77.5
		Missing	407	
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1 Yes	4,674	33.2
		2 No	8,648	66.8
		Missing	261	
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	687	5.0
		2 No	12,635	95.0
		Missing	261	
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	8,453	62.6
		2 No	4,869	37.4
		Missing	261	
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	3,195	21.9
		2 No	10,127	78.1
		Missing	261	
361-361	QNVEG	Percentage of students who ate vegetables three or more times per day during the past seven days		
		1 Yes	2,161	15.7
		2 No	11,066	84.3
		Missing	356	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
362-362	QNVEG0	Percentage of students who ate vegetables 0 times per day during the past seven days		
		1 Yes	942	6.6
		2 No	12,285	93.4
		Missing	356	
363-363	QNVEG1	Percentage of students who ate vegetables one or more times per day during the past seven days		
		1 Yes	8,036	61.5
		2 No	5,191	38.5
		Missing	356	
364-364	QNVEG2	Percentage of students who ate vegetables two or more times per day during the past seven days		
		1 Yes	3,790	28.4
		2 No	9,437	71.6
		Missing	356	
365-365	QNFRVG2	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days		
		1 Yes	1,586	11.3
		2 No	11,590	88.7
		Missing	407	
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	2,961	22.3
		2 No	10,363	77.7
		Missing	259	
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	2,588	19.4
		2 No	10,736	80.6
		Missing	259	
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	1,596	11.2
		2 No	11,728	88.8
		Missing	259	
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	2,818	19.4
		2 No	10,462	80.6
		Missing	303	

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	5,081	40.3
		2 No	8,199	59.7
		Missing	303	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	3,225	25.9
		2 No	10,055	74.1
		Missing	303	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	1,945	13.7
		2 No	11,378	86.3
		Missing	260	
373-373	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	3,991	29.4
		2 No	9,237	70.6
		Missing	355	
374-374	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	2,172	15.2
		2 No	11,138	84.8
		Missing	273	
375-375	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	3,622	27.1
		2 No	9,688	72.9
		Missing	273	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	2,064	16.6
		2 No	10,515	83.4
		Missing	1,004	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	1,786	13.7
		2 No	10,793	86.3
		Missing	1,004	
378-387	WEIGHT			

2013 YRBS Data User's Guide

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
388-390	STRATUM			
391-396	PSU			
397-401	BMIPCT			
402-403	RACEETH			
		1 Am Indian / Alaska Native	121	0.7
		2 Asian	491	3.0
		3 Black or African American	2,993	14.3
		4 Native Hawaiian/other PI	135	0.8
		5 White	5,449	55.6
		6 Hispanic/Latino	1,734	10.4
		7 Multiple - Hispanic	1,661	10.7
		8 Multiple - Non-Hispanic	681	4.4
		Missing	318	
404-406	Q6ORIG			
407-409	Q7ORIG			